

Testing the Climate Library

Dr. Melissa Lucash

May 22, 2014

This document describes all the testing of the final climate library that was done by M. Lucash in April and May 2014.

Please contact Melissa Lucash (lucash@pdx.edu) or Robert Scheller (rmschell@pdx.edu) with any questions.

Table of Contents

Final round of testing- April and May 2014	3
Overview	3
Test 1 Testing with Monthly_AverageAllYears	3
Test 2 Testing with MonthlyAverageAllYears with 3 ecoregions	5
Test 3. Testing with Monthly_SequencedYears using only 6 years of input data	5
Test 4. Testing with MonthlySequencedYears using ~100 years of input data	6
Test 5. Testing with MonthlySequencedYears with multiple ecoregions	7
Test 6. Testing with DailyAverageAllYears	7
Test 7. Testing with DailySequencedYears	8
Test 8. Testing with DailySequencedYears	8
Test 9. Testing with DailyAverageAllYears	9
Test 10. Testing with MonthlyRandomYears	9
Test 11. Testing with MonthlyRandomYears	10
Test 12. Testing with DailySequencedYears with 10y timestep	10
Test 13. Testing with DailySequencedYears with RH and wind data	11
Test 14. Testing with MonthlySequencedYears with a single ecoregion and units from the 5 th assessment of the IPCC	11
Test 15. Testing with MonthlySequencedYears with a multiple ecoregions and units from the 5 th assessment of the IPCC	12
Test 16. Testing with DailySequencedYears with one ecoregion and units from the 5 th assessment of the IPCC	12

Final round of testing- April and May 2014

Overview

The climate library code was written originally by Rob Scheller and Amin Almassian but later significantly revised by John McNabb. This is the final testing that occurred in April and May of 2014 in anticipation of the beta-release of the climate library at the end of May.

I tested all 6 climate time series options and all 4 climate file format options, running a total of 14 tests. All the files that I used for testing are stored here:

I:\Research\Shares\scheller_lab\Lucash\AFRI_Chippewa_Project\Climate Library\Tests_April2014

All the files I used for the tests and all the results are also store here on GoogleCode. All the tests are repeatable!


<https://landis-extensions.googlecode.com/svn/trunk/climate-generator-library/trunk/tests/v1.0/>

Test 1 Testing with Monthly AverageAllYears

I:\Research\Shares\scheller_lab\Lucash\AFRI_Chippewa_Project\Climate Library\Tests_April2014\Test_1_monthlyaverageallyears

Results summarized in **Test1_ComparingInputOutput.xls**

I used these options:



```

climate-generator-baseline - Notepad
File Edit Format View Help
LandisData "Climate Config"

ClimateTimeSeries      Monthly_AverageAllYears
ClimateFile            PRISM_data_AFRI_4.18.13_SC.csv
ClimateFileFormat      Monthly_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries Monthly_AverageAllYears
SpinUpClimateFile      PRISM_data_AFRI_4.18.13_SC.csv
SpinUpClimateFileFormat Monthly_Temp-C_Precip-mmMonth
  
```

The input file, climate log file and the LANDIS output file (Century-succession-monthly-log.csv), have very similar temps and precip. Avg temps and the sum of precip in the LANDIS output are constant across years. **PASSED.**

Test 2 Testing with MonthlyAverageAllYears with 3 ecoregions

Summarized results in File: Test2_ComparingInputOutput

```
LandisData "Climate Config"

>Used prism data
ClimateTimeSeries      Monthly_AverageAllYears
ClimateFile            PRISM_data_AFR1_4.18.13_3ecoregions.csv
ClimateFileFormat      Monthly_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries Monthly_AverageAllYears
SpinUpClimateFile      PRISM_data_AFR1_4.18.13_3ecoregions.csv
SpinUpClimateFileFormat Monthly_Temp-C_Precip-mmMonth
```

This was a very simple input file to make sure the climate library was indexing through all the ecoregions properly. I used the management.gis file from chapter 14 in the HF LANDIS training since it had 3 map codes (i.e. 3 ecoregions).

First I checked to see if an error was triggered if I gave it 3 ecoregions in the input file but the map only had one ecoregion. Landi-log-number of ecoregions **PASSED!**

Then I ran the simulation with 3 ecoregions. I put in two years of climate data and both were included in the climate-monthly-log.csv (initially we had trouble with it excluding the 2nd year of data). **PASSED!**

I created a file where ecoregion MN100 had much higher different temps than ecoregion MN101 (took temps and multiplied them by ~1.3). This was visible in the input and the output (century-monthly-output) files. **PASSED!**

Test 3. Testing with Monthly SequencedYears using only 6 years of input data

Summarized results in File: Test3_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"

>>-----monthly_PRISM-----

ClimateTimeSeries      Monthly_SequencedYears
ClimateFile            PRISM_data_AFR1_4.18.13_SC_high.csv
ClimateFileFormat      Monthly_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries Monthly_SequencedYears
SpinUpClimateFile      PRISM_data_AFR1_4.18.13_SC_high.csv
SpinUpClimateFileFormat Monthly_Temp-C_Precip-mmMonth
```

I shorted the input file to use only 6 years so it was easy to test and make sure the years were sequenced properly.

I checked to make sure the years in the input file corresponded directly with the years in the climate log file and in the LANDIS output file (Century-succession-monthly-log). **PASSED!**

I also checked to make sure that if LANDIS ran out of climate data, that it would use the last year's worth of climate data repeatedly. **PASSED!**

Test 4. Testing with MonthlySequencedYears using ~100 years of input data

Summarized results in File: Test4_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
>>-----|monthly_PRISM-----
ClimateTimeSeries      Monthly_SequencedYears
ClimateFile             PRISM_data_AFRI_4.18.13_SC.csv
ClimateFileFormat       Monthly_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries Monthly_SequencedYears
SpinUpClimateFile       PRISM_data_AFRI_4.18.13_SC.csv
SpinUpClimateFileFormat Monthly_Temp-C_Precip-mmMonth
```

I used a full record of years to test this option (basically the same as test 3 but with more years of input data).

I checked to make sure the years in the input file corresponded directly with the years in the climate log file and in the LANDIS output file (Century-succession-monthly-log). **PASSED!**

I also checked to make sure that if LANDIS ran out of climate data, that it would use the last year's worth of climate data repeatedly. **PASSED!**

Test 5. Testing with MonthlySequencedYears with multiple ecoregions

Summarized results in File: Test5_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
>>-----|monthly_PRISM-----
ClimateTimeSeries      Monthly_SequencedYears
ClimateFile            PRISM_data_AFR1_4.18.13_3ecoregions_all.csv
ClimateFileFormat      Monthly_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries Monthly_SequencedYears
SpinUpClimateFile      PRISM_data_AFR1_4.18.13_3ecoregions_all.csv
SpinUpClimateFileFormat Monthly_Temp-C_Precip-mmMonth
```

I used a full record of years and multiple ecoregions to test this option (basically the same as test 3 but with more years of input data).

I checked to make sure the years in the input file corresponded directly with the years in the climate log file and in the LANDIS output file (Century-succession-monthly-log). **PASSED!**

I also checked to make sure that LANDIS was cycling through the ecoregions properly. **PASSED!**

Test 6. Testing with DailyAverageAllYears

Summarized results in File: Test6_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
>>-----daily_mauer dataset
|
ClimateTimeSeries      Daily_AverageAllYears
ClimateFile            Daily_Mauer_Baseline_SC.csv
ClimateFileFormat      Daily_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries Daily_AverageAllYears
SpinUpClimateFile      Daily_Mauer_Baseline_SC.csv
SpinUpClimateFileFormat Daily_Temp-C_Precip-mmMonth
```

I checked to make sure that the temp and precip were actually averaged across all years in the LANDIS output file (Century-succession-monthly-log). **PASSED!**

Test 7. Testing with DailySequencedYears

Summarized results in File: Test7_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
```

```
>>-----daily_Mauer climate dataset
```

ClimateTimeSeries	Daily_SequencedYears
ClimateFile	Daily_Mauer_Baseline_SC.csv
ClimateFileFormat	Daily_Temp-C_Precip-mmMonth
SpinUpClimateTimeSeries	Daily_SequencedYears
SpinUpClimateFile	Daily_Mauer_Baseline_SC.csv
SpinUpClimateFileFormat	Daily_Temp-C_Precip-mmMonth

I checked to make sure the years in the input file corresponded directly with the years in the climate log file and in the LANDIS output file (Century-succession-monthly-log). **PASSED!**

Test 8. Testing with DailySequencedYears

Summarized results in File: Test8_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
```

```
>>-----daily_Mauer
```

ClimateTimeSeries	Daily_SequencedYears
ClimateFile	Daily_Mauer_Baseline_3ecoregions.csv
ClimateFileFormat	Daily_Temp-C_Precip-mmMonth
SpinUpClimateTimeSeries	Daily_SequencedYears
SpinUpClimateFile	Daily_Mauer_Baseline_3ecoregions.csv
SpinUpClimateFileFormat	Daily_Temp-C_Precip-mmMonth

I checked to make sure the years in the input file corresponded directly with the years in the climate log file and in the LANDIS output file (Century-succession-monthly-log). **PASSED!**

I also checked to make sure that LANDIS was cycling through the ecoregions properly.
PASSED!

Test 9. Testing with DailyAverageAllYears

Summarized results in File: Test9_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
>>-----daily_ipccclimate_degC_mm/day-units|
ClimateTimeSeries          Daily_AverageAllYears
ClimateFile                GFDLAlfi_6.20.13_SC.csv
ClimateFileFormat          Daily_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries    Daily_AverageAllYears
SpinUpClimateFile          GFDLAlfi_6.20.13_SC.csv
SpinUpClimateFileFormat    Daily_Temp-C_Precip-mmMonth
```

This is the same test as Test 6 except I used ipcc3 daily data in this test. Test 6 used Mauer.
PASSED!

Test 10. Testing with MonthlyRandomYears

Summarized results in File: Test10_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
>>-----monthly_PRISM-----
ClimateTimeSeries          Monthly_RandomYear
ClimateFile                PRISM_data_AFRI_4.18.13_SC.csv
ClimateFileFormat          Monthly_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries    Monthly_AverageAllYears
SpinUpClimateFile          PRISM_data_AFRI_4.18.13_SC.csv
SpinUpClimateFileFormat    Monthly_Temp-C_Precip-mmMonth
```

I examined the log file to make sure the climate library was selected the right key and randomly selecting the year of climate data. **PASSED!**

I checked to make sure the variation in the LANDIS output was similar to the variation in the input file. **PASSED!**

Test 11. Testing with MonthlyRandomYears

Summarized results in File: Test11_ComparingInputOutput

I used these options:

LandisData "Climate Config"

>>-----daily_ipccclimate_degC_mm/day-units-|

ClimateTimeSeries	Daily_RandomYear
ClimateFile	GFDLAlfi_6.20.13_SC.csv
ClimateFileFormat	Daily_Temp-C_Precip-mmMonth
SpinUpClimateTimeSeries	Daily_RandomYear
SpinUpClimateFile	GFDLAlfi_6.20.13_SC.csv
SpinUpClimateFileFormat	Daily_Temp-C_Precip-mmMonth

I examined the log file to make sure the climate library was selected the right key and randomly selecting the year of climate data. **PASSED!**

I checked to make sure the variation in the LANDIS output was similar to the variation in the input file. **PASSED!**

I checked to make sure it would randomly select climate data to use, well beyond the number of years supplied in the input file. **PASSED!**

Test 12. Testing with DailySequencedYears with 10y timestep

Summarized results in File: Test12_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
>>-----daily_Mauer
|
ClimateTimeSeries      Daily_SequencedYears
ClimateFile            Daily_Mauer_Baseline_SC.csv
ClimateFileFormat      Daily_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries Daily_SequencedYears
SpinUpClimateFile       Daily_Mauer_Baseline_SC.csv
SpinUpClimateFileFormat Daily_Temp-C_Precip-mmMonth
```

I checked to make sure it was selected the 10th year of input data and therefore correct for the time step specified in the scenario file. **PASSED!**

Test 13. Testing with DailySequencedYears with RH and wind data

Summarized results in File: Test13_ComparingInputOutput

I used these options:

```

File Edit Format View Help
LandisData "Climate Config"

>>-----daily_Mauer|

ClimateTimeSeries          Daily_SequencedYears
ClimateFile                Daily_Mauer_Baseline_SC_RHonly.csv
ClimateFileFormat          Daily_Temp-C_Precip-mmMonth

SpinUpClimateTimeSeries    Daily_SequencedYears
SpinUpClimateFile          Daily_Mauer_Baseline_SC_RHonly.csv
SpinUpClimateFileFormat    Daily_Temp-C_Precip-mmMonth

LandisData "Climate Config"

>>-----daily_Mauer

ClimateTimeSeries          Daily_SequencedYears
ClimateFile                Daily_Mauer_Baseline_SC_windRH.csv
ClimateFileFormat          mauer_daily

SpinUpClimateTimeSeries    Daily_SequencedYears
SpinUpClimateFile          Daily_Mauer_Baseline_SC_windRH.csv
SpinUpClimateFileFormat    mauer_daily

```

I checked to make sure it would run if you supplied relative humidity alone (top options) and both wind speed and RH data (2nd option). **PASSED!**

Test 14. Testing with MonthlySequencedYears with a single ecoregion and units from the 5th assessment of the IPCC

Summarized results in File: Test14_ComparingInputOutput

I made this short file (only one year and only one ecoregion) because I was initially having some trouble with this option.

I used these options:

```

LandisData "Climate Config"

>>-----monthly_lipcc5 climate_degK_m2/sec-units-----and----monthly_PRISM-----

ClimateTimeSeries          Monthly_SequencedYears
ClimateFile                CanESM2_RCP8.5_raw_ML_test.csv
ClimateFileFormat          Monthly_Temp-K_Precip-mmSec

SpinUpClimateTimeSeries    Monthly_SequencedYears
SpinUpClimateFile          PRISM_data_AFRI_4.18.13_test.csv
SpinUpClimateFileFormat    Monthly_Temp-K_Precip-mmSec

```

I checked to make sure all the unit conversions were correct since the input file has temp in units of K and precip in units of kg/m2/sec. **PASSED!**

Test 15. Testing with MonthlySequencedYears with a multiple ecoregions and units from the 5th assessment of the IPCC

Summarized results in File: Test15_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
>>-----monthly_ipcc5 climate_degK_m2/sec-units-----and-----monthly_PRISM-----
ClimateTimeSeries           Monthly_SequencedYears
ClimateFile                  CanESM2_RCP8.5_raw_ML.csv
ClimateFileFormat            Monthly_Temp-K_Precip-mmSec
SpinUpClimateTimeSeries      Monthly_SequencedYears
SpinUpClimateFile            PRISM_data_AFRI_4.18.13_3ecoregions_all.csv
SpinUpClimateFileFormat      Monthly_Temp-K_Precip-mmSec
```

I checked to make sure the magnitude of the values looked reasonable and that it was cycling through the ecoregions properly. **PASSED!**

Test 16. Testing with DailySequencedYears with one ecoregion and units from the 5th assessment of the IPCC

Summarized results in File: Test16_ComparingInputOutput

I used these options:

```
LandisData "Climate Config"
>>-----daily_ipcc5 climate_degK_m2/sec-units-----and-----monthly_PRISM-----
ClimateTimeSeries           Daily_SequencedYears
ClimateFile                  CanESM2_RCP8.5_raw_ML_fakedaily.csv
ClimateFileFormat            Daily_Temp-K_Precip-mmSec
SpinUpClimateTimeSeries      Monthly_SequencedYears
SpinUpClimateFile            PRISM_data_AFRI_4.18.13_test.csv
SpinUpClimateFileFormat      Monthly_Temp-K_Precip-mmSec
```

I created a fake daily file for IPCC5 because the daily data was not available yet. Therefore my input precipitation values are very high, but I was just trying to make sure my input would match my output. **PASSED!**

