# Transect Report

# Overview

This report provides summary statistics and figures for ongoing transect sampling. The first section of the report focuses on the current sampling (Winter 2020-2021) and how the collected data compare to last year's sampling (Winter 2019-2020). So far 12 days have been sampled this season. The second half of the report gives summaries of all of the data that have been collected since the beginning of the project (2010-05-27). In total, 105 days have been sampled over this entire project.

#### **Definition of Localities**

LOCALITY	LOCATION
$\overline{\mathrm{BT}}$	Big Trout
CK	Cedar Key
CR	Corrigan's Reef
HB	Horseshoe Beach
LC	Lone Cabbage
LT	Little Trout
NN	No Name


#### **Definition of Strata**

STRATA	DEFINITION
<u>Y_N</u>	Yes Harvest, No Rock
$Y_Y$	Yes Harvest, Yes Rock
N_N	No Harvest, No Rock
N_Y	No Harvest, Yes Rock
N_PILOT	No Harvest, Pilot Rocks

# **Current Sampling**

Here, we provide a progress bar showing how much of the sampling has been completed for this season, plus summary tables and plots comparing live counts and density of oysters between this current season and last year. The current sampling period is period 22, and last year's sampling period is period 20.

Field Sites - Strata Progress



#### Summary Tables for Periods 20 and 22

These summary tables provide summary statistics on live counts and oyster densities for just periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021).

Summary statistics include:

- Locality or Strata or Period Mean
- Median
- Standard Deviation (SD)
- Variance (Var)
- Coefficient of variation (CV)
- Standard Error (SE)

Y\_Y 151

- Lower 95% Confidence Interval assuming normal distribution (L95)
- Upper 95% Confidence Interval assuming normal distribution (U95)
- Bootstrap Mean (Bstrap Mean)
- Lower 95% Confidence Interval from Bootstrap Values (L95 Bstrap)
- Upper 95% Confidence Interval from Bootstrap Values (U95 Bstrap)

#### Summary of Live Counts for Periods 20 and 22

Live Oyster Counts by L	ocality						
Locality Mean Median	SD Var CV SE	L95 U95 Bstrap_Mean	L95_Bstrap U95_Bstrap				
BT 2219 766 3	3528 12445897 1.59 1578 <mark>-</mark>	873 5312 2193	381 5416				
LC 1644 1162 1	.879 3532249 1.14 247 1	.160 2127 1644	1178 2181				
LT 1191 877 '	737 542939 0.62 246	709 1672 1188	784 1651				
NN 888 747	768 589511 0.86 313	274 1503 880	436 1482				
Live Oyster Counts by Strata							
· ·		U95 Bstrap_Mean L9	5 Bstrap U95 Bstrap				
	509 2276206 1.27 271 656		804 1758				
_	NA NA NA NA NA		12 348				
<del>_</del>	516 6330343 0.78 759 1738		1961 4654				
-		2 1232 929	663 1217				
- · · · · · · · · · · · · · · · · · · ·		4004 2503	1316 4062				
_							
Live Oyster Counts by Po	Period						
Period Mean Median SI		U95 Bstrap_Mean L95_1	Bstrap U95_Bstrap				
20 1844 1253 212	25 4517189 1.2 310 1236 2	2451 1841	1279 2545				
22 1155 679 1269	39 1609202 1.1 228   709 1	.602 1157	742 1621				
Live Density by Locality	v						
Locality Mean Median	•	U95 Bstrap_Mean L95_1	Bstrap U95 Bstrap				
ŭ	299 89572 1.05 134 23.6	<del>-</del>	99 554				
LC 173 166 1	20 14478 0.69 16 142.4	204 173	145 204				
LT 339 370 1	.59 25324 0.47 53 235.0	443 338	239 439				
NN 245 154 2	295 86939 1.20 120 8.8	481 246	94 487				
Live Density by Strata							
Strata Mean Median Sl	SD Var CV SE L95 U95	Bstrap_Mean L95_Bstra	ap U95_Bstrap				
N_N 251 174 208	08 43233 0.83 37 178 324	252 18	333				
N_PILOT 102 102 N	IA NA NA NA NA	51	2 100				
N_Y 145 170 6	3695 0.42 18 109 181	145 10	09 177				
Y_N 202 185 15	52 23092 0.75 31 141 263	202 14	19 264				

151

106

199

122 83 6944 0.55 25 102 200

# Live Density by Period

Period	Mean	${\tt Median}$	SD	Var	CV	SE	L95	U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
20	258	203	188	35185	0.73	27	204	312	257	208	313
22	125	121	67	4458	0.53	12	101	148	125	102	149

# Summary of Dead Counts for Periods 20 and 22

BT 244 114 270 72769 1.11 121 LC 150 96 134 18058 0.90 18 11 LT 235 141 175 30774 0.75 58 12	L95 U95 Bstrap_Mean L95_Bstrap U95_Bstrap 7.6 481 242 96 474   5.2 184 150 119 185   6.2 349 233 123 344   6.3.2 204 109 44 206							
N_N 182 116 166 27687 0.91 30 124 N_PILOT 9 9 NA NA NA NA NA	NA     5.1     1     9       190     119.5     65     198       219     160.4     103     220							
Dead Oyster Counts by Period  Period Mean Median SD Var CV SE L95 U95 Bstrap_Mean L95_Bstrap U95_Bstrap  20 148 107 140 19727 0.95 20 108 188 148 110 190  22 185 108 164 27054 0.89 30 127 243 185 130 241								
Dead Oyster Density by Locality Locality Mean Median SD Var CV SE L9 BT 42 28 25 641 0.61 11.3 19. LC 23 12 24 558 1.05 3.1 16. LT 63 72 34 1166 0.55 11.4 40. NN 28 14 30 901 1.08 12.3 3.	4       29       23       16.9       29         2       85       62       42.7       82							
N_N 40.5 32.5 30.2 913 0.75 5.43 29.	IA     NA     1.5     1.0     2.0       5     7.3     5.5     3.7     7.4       9     44.9     33.4     23.0     44.4							
Dead Oyster Density by Period Period Mean Median SD Var CV SE L95 U95 20 28 18 26 698 0.95 3.9 20 35 22 30 15 31 980 1.04 5.6 19 41								

# Summary Plots for Periods 20 and 22

# Live Oyster Density by Locality for Periods 20 and 22





Figure- Calculated live oyster density by locality for periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) with the last sample date of period 22 as 2020-12-29.






Figure- Calculated dead oyster density by locality for periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) with the last sample date of period 22 as 2020-12-29.




Figure- Calculated live oyster density by strata for periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) with the last sample date of period 22 as 2020-12-29.

Oyster density per m^2

 $N_N$ 




Figure- Calculated dead oyster density by strata for periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) with the last sample date of period 22 as 2020-12-29.

Oyster density per m^2

The following summary plot is calculated in R using the <code>geom\_density</code> (https://ggplot2.tidyverse.org/reference/geom\_density.html) statistical function in <code>ggplot</code>. The <code>geom\_density</code> function computes and draws kernel density estimates, which is then represented as a smoothed version of a histogram.




Figure- Calculated live oyster density by periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) using a probability density function with the last sample date of period 22 as 2020-12-29.




Figure- Calculated dead oyster density by periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021) using a probability density function with the last sample date of period 22 as 2020-12-29.

# Live and Dead Oyster Count Comparison of Periods 20 and 22




Figure- Live and dead oyster count comparison by periods 20 (Winter 2019-2020) and 22 (Winter 2020-2021), last sample date of period 22 as 2020-12-29.

#### Live Counts Double Pass Results




Figure- Boxplot of the difference in live counts between pass 1 and pass 2 (pass 1 live counts - pass 2 live counts) for period 18, 20, and 22

locality	period	CV_1	CV_2
BT	18	0.82	0.83
LC	18	1.34	1.43
NN	18	0.47	0.63
LC	20	0.83	0.80
LT	20	0.61	0.60
BT	22	0.39	0.52
LC	22	0.69	0.73
LT	22	0.47	0.43

Table- Coefficient variation between pass 1 and pass 2, aggregated by locality and period for live counts

# Dead Counts Double Pass Results




Figure- Boxplot of the difference in dead counts between pass 1 and pass 2 (pass 1 dead counts - pass 2 dead counts) for period 18, 20, and 22

locality	period	CV_1	$CV_2$
BT	18	0.78	0.82
LC	18	2.35	2.06
NN	18	0.55	0.73
LC	20	1.93	1.62
LT	20	0.76	0.67
BT	22	0.60	0.66
LC	22	0.75	0.78
LT	22	0.79	0.74

Table- Coefficient variation between pass 1 and pass 2, aggregated by locality and period for dead counts

# Sampling for all Periods

Next, we provide summary tables and plots for all transect sampling. These data were collected between 2010-05-27 and 2020-12-29. The following are only for live oysters.

# **Definitions of Periods**

PERIOD	SEASON	YEAR
1	Summer	2010
2	Winter	2010-2011
3	Summer	2011
4	Winter	2011-2012
5	Summer	2012
6	Winter	2012-2013
7	Summer	2013
8	Winter	2013-2014
9	Summer	2014
10	Winter	2014-2015
11	Summer	2015
12	Winter	2015-2016
13	Summer	2016
14	Winter	2016-2017
15	Summer	2017
16	Winter	2017-2018
17	Summer	2018
18	Winter	2018-2019
19	Summer	2019
20	Winter	2019-2020
21	Summer	2020
22	Winter	2020-2021

# Summary of Effort for all Periods

Effort by Locality

19

19

CK

 ${\tt CR}$ 

These effort summaries show the total number of transects and total number of meters walked per locality, strata, locality per period, and strata per period. These tables contain all data collected on the  ${\bf transects.}$ 

Effort by								
Locality	Number of Transect	ts Total Length	n (m)					
BT	;	11	424					
CK		26	712					
CR		46	1330					
НВ		45	1129					
LC		183 9099						
LT		15 406						
NN	<u> </u>	10	255					
Effort by	Strata							
Strata 1	Number of Transects	s Total Length	(m)					
N_N	106	3	3537					
N_PILOT	13	3	799					
_ N_Y	24	4	2502					
Y_N	178		5078					
_	1!							
Y_Y	1;		1437					
Effort by Period								
Period Nu	umber of Transects	Total Length	(m)					
1	42	10	086					
2	30	7	753					
3	25	6	319					
6	33							
7	8		528					
10								
	8		512					
11	8		511					
16	8		528					
18	61	26	332					
19	35	Ç	921					
20	47	25	556					
22	31	18	333					
Effort by	Locality and Perio	ad						
•	•		1 T					
	ocality Number of 1		_					
1	CK	9	242					
1	CR	10	300					
1	HB	12	293					
1	LC	11	250					
10	LC	8	512					
11	LC	8	511					
16	LC	8	528					
18	BT	6	238					
18	LC	45	2128					
18	LT	6	182					
18	NN	4	84					

221

227

9

9

		_	
19	HB	9	247
19	LC	8	226
2	CR	9	283
2	HB	11	271
2	LC	10	199
20	BT	2	96
20	LC	34	2163
20	LT	7	171
20	NN	4	126
22	BT	3	90
22	LC	24	1646
22	LT	2	52
22	NN	2	46
3	CR	9	269
3	HB	7	184
3	LC	9	167
6	CK	8	248
6	CR	9	250
6	HB	6	134
6	LC	10	242
7	LC	8	528

# Effort by Strata and Period Period Strata Number of Transects Total Length (m)

eriod	Strata	Number	of	Transects	Total	Length	(m)
1	N_N			8			149
1	Y_N			34			937
10	N_N			4			256
10	N_PILOT			4			256
11	N_N			4			255
11	N_PILOT			4			256
16	N_N			4			264
16	N_PILOT			4			264
18	N_N			18			571
18	N_Y			13			962
18	Y_N			26			723
18	$Y_Y$			4			376
19	N_N			5			80
19	Y_N			30			841
2	N_N			8			148
2	Y_N			22			605
20	N_N			18			590
20	N_PILOT			1			23
20	N_Y			6			888
20	Y_N			17			602
20	Y_Y			5			454
22	N_N			13			372
22	N_Y			5			652
22	Y_N			7			202
22	$Y_Y$			6			607
3	N_N			8			147
3	Y_N			17			472
6	N_N			8			178
6	Y_N			25			695
7	N_N			8			528

# Effort Plot Summaries for all Periods

# Total Transect Length Sampled by Locality




Figure – Bar plot of total transect length in meters sampled by locality for all periods.

# Total Transect Length Sampled by Strata




Figure – Bar plot of total transect length in meters sampled by strata for all periods.

# Total Transect Length Sampled by Period




Figure – Bar plot of total transect length in meters sampled by period for all periods.

# Summary Tables for all Periods

These summaries display summary statistics of live oysters by locality, strata, and period. These contain all data collected on the oyster transects.

The summary statistics include:

- Locality or Strata or Period Mean
- Median
- Standard Deviation (SD)
- Variance (Var)
- Coefficient of variation (CV)
- Standard Error (SE)
- Lower 95% Confidence Interval assuming normal distribution (L95)
- Upper 95% Confidence Interval assuming normal distribution (U95)
- Bootstrap Mean (Bstrap Mean)
- Lower 95% Confidence Interval from Bootstrap Values (L95 Bstrap)
- Upper 95% Confidence Interval from Bootstrap Values (U95 Bstrap)

#### Live Count Statistics for all Periods

Live Oyster Co	unts by Lo	cality						
Locality Mean	Median	SD Var	CV	SE L	.95 U95	Bstrap_Mean	L95_Bstrap	U95_Bstrap
BT 1805	897 24	35 5931263	1.35	734 3	66 3245	1782	714	3237
CK 857	444 10	91 1190933	1.27	214 4	38 1277	858	475	1297
CR 1026	716 10	35 1072162	1.01	153 7	27 1325	1016	723	1322
HB 902	364 10	47 1095622	1.16	158 5	92 1211	894	607	1216
LC 1038	677 13	18 1737645	1.27	98 8	45 1230	1032	859	1223
LT 1054	877 6	416505	0.61	167 7	28 1381	1049	753	1379
NN 720	649 6	414522	0.89	204 3	21 1119	718	400	1124
Live Oyster Co			~	~				
Strata Mean		D Var	CV			Bstrap_Mean	_	_
N_N 995		7 1181711			87 1203		812	1203
N_PILOT 1046					05 1386		743	1396
N_Y 2194		6 4519300						3093
Y_N 793	436 92	8 861984	1.17	70 6	56 931	793	656	926
Y_Y 1956	1506 234	9 5520147	1.20 6	507 7	67 3145	1983	1018	3294
Live Oyster Co	unte hu De	riod						
Period Mean M	•		CV	SE IO	5 IIQ5	Bstrap_Mean 1	OF Betran I	IQE Retran
1 1404		1657932 0				1404	1021	1801
2 890	476 945				6 1234	884	570	1219
3 738	296 817					739	421	
					1 1065 5 621			1057
	176 534 29 56			96 24 20 1		435	266	621
						51	17	91
10 1207	1074 671				3 1672	1209	813	1659
11 886	776 678				6 1356	875	460	1347
16 494	366 467					485	195	809
18 982	695 935	874733 0	.95 12	20 74	8 1217	982	771	1227
19 555	329 573	328431 1	.03	97 36	5 745	560	380	766
20 1844	1253 2125	4517189 1	.15 31	10 123	6 2451	1847	1300	2452
22 1155	679 1269	1609202 1	.10 22	28 70	9 1602	1153	766	1626

# Live Density Statistics for all Periods

Live Dens	sity k	oy Loca	ality									
	•	•	•	Var	CV	SE	L95 U	195 Bs	strap_Mean	L95_	Bstrap U95	_Bstrap
BI	262	2 21	18 207	42972	0.79	63	140 3	885	261		163	386
CF	241	L 11	12 321	102795	1.33	63	118 3	865	242		130	379
CF	288	3 18	31 294	86231	1.02	43	203 3	373	290		210	379
HE	3 257	7 10	1 303	92052	1.18	46	168 3	347	258		170	344
LO	155	5 12	21 152	23011	0.98	11	133 1	.77	154		132	177
LT	274	1 23	39 152	23145	0.56	39	197 3	851	273		204	343
NN	1 215	5 15	54 234	54714	1.09	74	70 3	860	214		107	362
Live Density by Strata												
Strata	Mean	Mediar	n SD	Var	CV SI	E L	95 U95	Bstr	cap_Mean L9	5_Bs	trap U95_B	strap
N_N	262	183	3 264	69745 1	.01 2	6 2	12 313	3	262		214	317
N_PILOT	111	111	L 60	3604 0	.54 1	7	79 144	ŀ	111		81	143
N_Y	147	136	99	9743 0	.67 20	0 10	08 187	•	147		111	183
Y_N	192	117	7 221	48797 1	.15 1	7 1	59 224	ŀ	192		160	226
Y_Y	119	112	2 89	7937 0	.75 23	3 .	74 164	ŀ	119		78	163
Live Dens	•											
Period N			SD						_		_	U95_Bstrap
1	393	300.8	362.6	131444	0.92	56	283.8	503.	. 1	394	286.8	502.3
2	255	119.0	285.2	81348	1.12	53	151.3	358.	. 9	251	157.3	350.3
3	234	85.3	269.3	72523	1.15	55	126.1	341.	. 6	233	131.1	342.5
6	122	72.2	150.9	22769	1.24	27	68.6	174.	. 9	122	73.3	176.5
7	5	2.9	5.6	31	1.12	2	1.1	. 8.	. 9	5	1.7	9.3
10	124	113.3	67.4	4536	0.54	24	76.9	170.	.3	122	83.0	163.2
11	90	79.5	67.8	4596	0.75	24	43.4	137.	. 4	91	48.4	
16	49	36.3	46.4	2154	0.95	16	16.9	81.	. 2	48	21.2	79.0

178

161

259

125

145.5

106.8

206.6

102.5

209.1

216.6

315.5

148.6

18 177 154.5 130.8 17117 0.74 17 144.3 210.0

20 258 202.8 187.6 35185 0.73 27 204.4 311.7

22 125 120.6 66.8 4458 0.53 12 101.5 148.5

85.6 171.9 29552 1.08 29 102.9 216.8

# Dead Count Statistics for all Periods

22 185

Dead Oyster Counts by Locality													
Locality	Mean	Media	n SI	) Var	CV	SE	L95	U95	Bstrap_M	ean L95	_Bstrap	U95_Bst	rap
ВТ	348	17	8 333	111065	0.96	100.5	151.0	545		345	176		535
CK	78	3:	2 106	11170	1.36	37.4	4.3	151		79	20		157
CR	60	4	7 38	1444	0.63	12.7	35.2	85		61	39		86
HB	3 44	2	1 45	2000	1.02	14.9	14.8	73		44	18		76
LC	102	6	0 112	12502	1.10	9.4	83.7	120		102	84		119
LT	240	21	0 202	40850	0.84	52.2	137.2	342		243	151		346
NN	100	6	8 100	10018	1.00	31.7	38.1	162		101	51		164
Dead Oyster Counts by Strata													
•					av ar		10E D-		M TOF	D t	IIOE D-	<b>.</b>	
Strata								trap.	Mean L95				
N_N	156			38955 1					155	115		204	
N_PILOT	82	87		2136 0					83	62		112	
N_Y	74	54	91	8199 1	23 18	38 :	110		75	45	,	114	
Y_N	105	64	116	13559 1	11 13	3 79 3	131		105	81	•	131	
Y_Y	127	56	144	20777 1	14 37	54 2	200		127	67	•	198	
Dead Oyster Counts by Period													
Period M			-		cv s	SE LS	95 U95	Bst	rap_Mean	I.95 Bst	rap U95	Bstrap	
7	29	18	30	898 1.0				2001	29		11	51	
10	80	88		4245 0.8			.5 125		79		39	123	
11	50	40	25	620 0.4					51		35	68	
16	44	28	41	1708 0.9					44		18	71	
	133			36903 1.4					133		89	182	
19	63	44							62		42	87	
				4548 1.0									
20	148	107	140 1	.9727 0.9	15 20.	5 107	.o 188		147		112	187	

108 164 27054 0.89 29.5 127.0 243

# Dead Density Statistics for all Periods

Dead Oyster Density by Locality									
Locality Mean Median SD Var CV SE L95 U95 Bstrap_Mean L95_Bstrap U95_Bstrap	9								
BT 55 50.8 37 1332 0.66 11.0 33.8 77 56 37.4 78	3								
CK 21 11.3 28 757 1.29 9.7 2.3 40 21 5.9 39	9								
CR 20 13.8 15 235 0.77 5.1 10.0 30 20 11.3 30	)								
HB 13 8.0 14 201 1.12 4.7 3.4 22 13 5.0 23	3								
LC 17 8.5 21 425 1.23 1.7 13.4 20 17 13.5 20	)								
LT 58 47.1 40 1570 0.68 10.2 38.2 78 58 40.3 78	3								
NN 28 16.1 26 668 0.91 8.2 12.5 45 28 14.7 48	5								
Dead Oyster Density by Strata Strata Mean Median SD Var CV SE L95 U95 Bstrap Mean L95_Bstrap U95_Bst:									
1 1 -	0.1								
<del>-</del>	0.9								
-	7.2								
	9.1								
Y_Y 8.6 7.9 6.6 43 0.76 1.70 5.3 12.0 8.7 5.6 1	1.9								
Dead Oyster Density by Period									
Period Mean Median SD Var CV SE L95 U95 Bstrap_Mean L95_Bstrap U95_Bs	trap								
7 2.9 1.8 3.0 8.9 1.03 1.05 0.82 4.9 2.9 0.97	5								
10 8.2 8.9 6.6 44.0 0.81 2.35 3.58 12.8 8.4 4.13	13								
11 5.2 4.1 2.6 6.6 0.49 0.91 3.41 7.0 5.2 3.69	7								
16 4.4 2.8 4.1 16.9 0.93 1.45 1.55 7.2 4.4 1.96	7								
18 26.4 15.7 31.3 980.1 1.19 4.01 18.54 34.3 26.4 18.96	35								
19 18.1 13.1 19.3 370.6 1.07 3.30 11.59 24.5 18.0 12.09	24								
20 27.9 18.4 26.4 697.6 0.95 3.85 20.38 35.5 28.0 20.94	36								
22 30.1 15.0 31.3 979.8 1.04 5.62 19.05 41.1 30.1 19.79	40								

# Summary Density Plots for all Periods




Figure – Calculated live oyster density by locality for all periods including period 22 (current period).




Figure – Calculated dead oyster density by locality for all periods including period 22 (current period).




Figure – Calculated live oyster density by strata for all periods including period 22 (current period).




Figure – Calculated dead oyster density by strata for all periods including period 22 (current period).




Figure – Calculated live oyster density for all periods including period 22 (current period) using a probability densit




Figure- Calculated Dead oyster density for all periods including period 22 (current period) using a probability densit

# Live Oyster Density by Locality




Figure – Box plot depicting live oyster density by locality for all periods including period 22 (current period).

# Dead Oyster Density by Locality NN LT LC CR CK ВТ 50 100 Oyster density per m^2

Figure – Box plot depicting dead oyster density by locality for all periods including period 22 (current period).




Figure – Box plot depicting live oyster density by strata for all periods including period 22 (current period).




Figure – Box plot depicting dead oyster density by strata for all periods including period 22 (current period).

# Live Oyster Density by Period




Figure – Box plot depicting live oyster density by period for all periods including period 22 (current period).

# Dead Oyster Density by Period Period Oyster density per m^2

Figure – Box plot depicting dead oyster density by period for all periods including period 22 (current period).

# Live Oyster Density by Locality and Period




Figure – Live oyster density by locality and period for all periods including period 22 (current period).




Figure – Dead oyster density by locality and period for all periods including period 22 (current period).

# Live Oyster Density by Strata and Period




Figure – Live oyster density by strata and period for all periods including period 22 (current period).




Figure – Dead oyster density by strata and period for all periods including period 22 (current period).

# Live and Dead Count Comparison For All Periods




Figure- Live and dead oyster comparison for all periods, last sample date of period 22 is 2020-12-29.

# Summary Plots for Pilot Study Sites

A subset of the oyster transect locations were sampled over time for a pilot study. Here we provide plots of live oyster counts and density for these pilot stations with Lone Cabbage (LCO10B, LCO11A, LCO8B, LCO9A).

# Average Density by Station and Period




Figure - Average live oyster density comparison by station and period for all stations that were sampled during the pilc




Figure – Average live oyster density comparison by station and strata for all stations that were sampled during the

# Latest Data Entered

Displayed are the entries for the last date of sampling (2020-12-29).

date	${\tt station}$	$tran_length$	count_live	${\tt count\_dead}$	${\tt treatment}$	strata
2020-12-29	LC022	2.5	22	7	rocks	$Y_Y$
2020-12-29	LC022	5.0	22	12	rocks	$Y_Y$
2020-12-29	LC022	7.5	8	3	rocks	$Y_Y$
2020-12-29	LC022	10.0	9	9	rocks	$Y_Y$
2020-12-29	LC022	12.5	18	14	rocks	$Y_Y$
2020-12-29	LC022	15.0	26	5	rocks	$Y_Y$
2020-12-29	LC022	17.5	14	6	rocks	$Y_Y$
2020-12-29	LC022	19.8	0	0	rocks	$Y_Y$
2020-12-29	LC021	2.5	7	2	rocks	$Y_Y$
2020-12-29	LC021	5.0	6	1	rocks	$Y_Y$
2020-12-29	LC021	7.5	1	0	rocks	$Y_Y$
2020-12-29	LC021	10.0	0	0	rocks	$Y_Y$
2020-12-29	LC021	10.5	0	0	rocks	$Y_Y$
2020-12-29	LC021	2.5	20	4	rocks	$Y_Y$
2020-12-29	LC021	5.0	69	6	rocks	$Y_Y$
2020-12-29	LC021	7.5	22	8	rocks	$Y_Y$
2020-12-29	LC021	10.0	32	4	rocks	$Y_Y$
2020-12-29	LC021	10.5	0	0	rocks	$Y_Y$