

# Status Summary

Lucas Cruz Fernandez

01.09.2021

# Overview

Approach

Problems, Ideas, Questions

# Econometric Model

- ▶ want to estimate the Partially Linear Model

$$Y_{it} = \theta(X_{it})D_{it} + g(X_{it}, W_{it}) + \epsilon_{it} \quad (1)$$

$$D_{it} = h(X_{it}, W_{it}) + u_{it} \quad (2)$$

- ▶  $\theta(X_{it})$  is the constant marginal CATE
- ▶ this allows calculating MPC for each household in each period based on their  $X_{it}$

# Estimator

- ▶ original DML only reasonable for cross-section
- ▶ JPS and MS also only use cross-section estimators
  - implicitly assume strict exogeneity, which is unreasonable
- ▶ use Panel Double Machine Learning Estimator (DML) by Chernozhukov et al. (2021)
- ▶ since treatment dimension fixed ( $d_T = 1$ ) only difference to DML is first stage cross-fitting algorithm
  - see Section 3.1 of Chernozhukov et al. (2021)

# Estimator

- rewrite the PLM to

$$Y_{it} - E[Y_{it}|X_{it}, W_{it}] = \theta(X)(D_{it} - E[D_{it}|X_{it}, W_{it}]) + \epsilon_{it}$$

- use a machine learning estimator to find estimators for

$$d_{i0} = E[Y_{it}|X_{it}, W_{it}]$$

$$l_{i0} = E[D_{it}|X_{it}, W_{it}] (= h(X_{it}, W_{it}))$$

- get respective residuals and estimate  $\theta(X)$  using OLS

---

**Algorithm 1** Panel DML Recipe

---

- 1: Partition the data into K-folds based on their time index.  
An observation is added to partition  $I_k$  if:

$$I_k = \{(i, t) : \lfloor T(k-1)/K \rfloor + 1 \leq t \leq \lfloor Tk/K \rfloor\}$$

- 2: For each partition  $k$  use a first stage estimator to estimate  $\hat{d}_k$  and  $\hat{l}_k$  using data of all folds except  $k$  (cross-fitting).
  - 3: Orthogonalize treatment and outcome of observation  $(i, t)$  using the predictions of the corresponding fold to get the residuals.
  - 4: Use all residuals to estimate the coefficient  $\theta$  using a suitable estimator.
-

# Panel DML

- ▶ Panel DML needs lag structure but only have at most 3 observations of  $i$
- ▶ when only using  $i$  that have  $T = 3$  sample size reduced drastically
- ▶ one-period lag should be sufficient as looking at quarterly data, hence two periods for each household in reduced dataset
- ▶ idea: run two (three) specifications
  1. without lags and larger  $N$
  2. with lags and smaller  $N$
- ▶ compare whether effects differ strongly
- ▶ advantage: Panel DML actually captures these dynamics compared to approaches by JPS and MS

# What are $X$ ?

- ▶ choosing  $X = Z$  leads to undertermined covariance matrix of the estimator
- ▶ hence, what variables should be  $X$ ?
- ▶ data-driven way not feasible as this could change derived inference results
- ▶ use economic reasoning but what is reasoning then?  
Could find something for every variable I guess...



# Single variable effects

- ▶ estimate the constant marginal CATE  $E[Y_1 - Y_0|X = x]$
- ▶  $X$  is a vector of variables, hence cannot see single variable effects on treatment effect
- ▶ idea 1: simply look at correlations between point estimates and variable
- ▶ idea 2: use the Marginal Effect at the Means, i.e. setting all  $X_{\setminus j}$  at their cross-sectional mean to get  $X_j$ 's marginal CATE at the mean
  - major issue: depends extremely on test/train sample split, no matter what way is chosen to train model
  - why? salary and total family income have a giant variance