LEHD Public Use CSV Naming Schema V4.1d-draft - CSV Naming Convention
LEHD Public Use CSV Naming Schema V4.1d-draft - CS\ Naming Convention

# **Contents**

1	Pur	pose	1
2	Exte	ends	1
3	Sup	ersedes	1
4	Basi	ic Schema	1
	4.1	QWIPU from the LED Extraction Tool	1
	4.2	Other files	2
5	Desc	cription of Filename Components	2
	5.1	Types	2
	5.2	geohi	2
	5.3	demo	3
	5.4	fas	4
	5.5	geocat	5
	5.6	indcat	6
	5.7	owncat	7
	5.8	sa	8
	5.9	ext	9
6	Cha	anges	10
	6.1	This version from previous releases of V4.1 draft schema documents	10
	6.2	Version 4.1d-draft from 4.0.1	10

(Printable version)



#### **Important**

This document is not an official Census Bureau publication. It is compiled from publicly accessible information by Lars Vilhuber (Labor Dynamics Institute, Cornell University). Feedback is welcome. Please write us at lars.vilhuber@cornell.edu.

### 1 Purpose

The public-use data from the Longitudinal Employer-Household Dynamics Program, including the Quarterly Workforce Indicators (QWI) and Job-to-Job Flows (J2J), are available for download with the following data schema. These data are available as Comma-Separated Value (CSV) files through the LEHD website's Data page at <a href="http://lehd.ces.census.gov/data/">http://lehd.ces.census.gov/data/</a> and through LED Extraction Tool at <a href="http://ledextract.ces.census.gov/">http://ledextract.ces.census.gov/</a>.

This document describes the file naming schema for LEHD-provided CSV files. The contents (schema) are described in lehd\_public\_use\_schema.html.

#### 2 Extends

This version extends v4.0. Any file compliant with LEHD or QWI Schema v4.0 will also be compliant with this schema.

## 3 Supersedes

For the specified files, this is the first schema.

#### 4 Basic Schema

All files are preceded by a file type definition, followed by additional information on the aggregation level of the file, or some other identifier.

```
[TYPE]_[DETAILS].[EXT]
```

( naming\_convention.csv )

type	Used By	Description
[type]_[id]	qwix	CSV files queried from the LED Extraction Tool at
		http://ledextract.ces.census.gov/.
[type]_[geohi]q[wlieqnw]r_[frasiy_(geciorajQj_j2)jdjd[owficercan]on[sac]nvention for currently provided files.		
[type]_[geoh	]jZaljZarlj2jogregations]_[sa]	Certain files are provided in a consolidated format
		containing multiple aggregations.

#### 4.1 QWIPU from the LED Extraction Tool

Files downloaded through the LED Extraction Tool at http://ledextract.ces.census.gov/ follow the following naming convention:

where [id] is the Request ID (a unique string of characters) generated every time Submit Request" is clicked. The ID references each query submission made to the database.

#### 4.2 Other files

Files downloaded from the LEHD website at http://lehd.ces.census.gov/data follow the following naming convention:

```
[type]_[geohi]_[demo]_[fas]_[geocat]_[indcat]_[ownercat]_[sa].[EXT]
```

where each component is described in more detail below. Schema files detailing legal values for each component can be downloaded from this website.

# 5 Description of Filename Components

### 5.1 Types

( naming\_type.csv )

type	Description	Explanation	url
j2j	Job-to-Job Flows Counts	Counts of hires and separations, to and	tbd
	(J2J)	from employment and non-employment,	
		summed across all establishments	
j2jod	Job-to-Job Flows	Origin and destination flows and	tbd
	Origin-Destination	earnings, tabulated by the destination	
		establishment	
j2jr	Job-to-Job Flows Rates	Hiring and separation rates, to and from	http://lehd.ces.census.gov/-
		employment and nonemployment,	data/j2j_beta.html
		summed across all establishments	
lodes	LEHD	LEHD Origin-Destination Employment	http://lehd.ces.census.gov/-
	Origin-Destination	Statistics (LODES) used by OnTheMap.	data/#lodes
	Employment Statistics	Version 7 and higher of LODES was	
	(LODES)	enumerated by 2010 census blocks.	
		Version 6 and lower of LODES were	
		enumerated with 2000 census blocks.	
qwi	Quarterly Workforce	The Quarterly Workforce Indicators	http://lehd.ces.census.gov/-
	Indicators Public Use	(QWI) are a set of economic indicators	data/#qwi
	Counts (QWIPU)	including employment, job creation,	
		earnings, and other measures of	
		employment flows. The QWI are	
		reported using detailed firm	
		characteristics (geography, industry, age,	
		size) and worker demographics	
		information (sex, age, education, race,	
		ethnicity).	
qwir	Quarterly Workforce	Rates for flow variables in the Quarterly	tbd
	Indicators Public Use	Workforce Indicators (QWI)	
	Rates		
qwirv	Quarterly Workforce	Variability measures for rates in the	tbd
	Indicators Variability	Quarterly Workforce Indicators (QWI)	
	Measures for Rates		
qwiv	Quarterly Workforce	Variability measures for Quarterly	tbd
	Indicators Variability	Workforce Indicators (QWI)	
	Measures		

### 5.2 geohi

( naming\_geohi.csv )

This component is based on the alphabetic FIPS state code equivalent to the numeric FIPS code in <a href="label\_fipsnum.csv">label\_fipsnum.csv</a>, based on FIPS PUB 5-2. It is expanded to encompass additional codes denoting national coverage, or a collection of states.

type	Description
all	Collection of all available states
us	National data (50 states + DC)
st	Any legal 2-character state postal code (see
	naming_geohi.csv)

#### 5.3 demo

( naming\_demo.csv )

type	Description
d	No demographic detail
rh	Race by Ethnicity tabulations
sa	Sex by Age tabulations
se	Sex by Education tabulations

## 5.4 fas

( naming\_fas.csv )

type	e Description	
f	No firm size or age detail	
fa	Tabulations by firm age	
fs	Tabulations by firm size	

# 5.5 geocat

( naming\_geocat.csv )

type	Description
gc	Counties
gm	Metropolitan/Micropolitan
gn	National (50 States + DC)
gs	States
gw	Workforce Investment Areas

# 5.6 indcat

( naming\_indcat.csv )

type	Description
n	all industries
ns	NAICS sectors
n3	NAICS subsectors
n4	NAICS industry groups

## 5.7 owncat

( naming\_owncat.csv )

type	Description
of	Federal government (QWI Code A01)
op	All Private (QWI Code A05)
oslp	State, local, and private ownership categories (QWI
	Code A00)

## 5.8 sa

( naming\_sa.csv )

type	Description
S	Seasonally adjusted
u	Not seasonally adjusted

# 5.9 ext

( naming\_ext.csv )

type	Description
csv	Comma-Separated file
pdf	PDF file (printable)
xls	Excel file (only select output)
xlsx	Excel file (not available for larger files)

## 6 Changes

#### 6.1 This version from previous releases of V4.1 draft schema documents

- 2015-02-25: corrected flag values
- 2015-02-25: documents are now identified by date, not revision
- 2015-03-10: Correction of the TIGER vintage that is used for geographic references
- 2015-03-11: Added URL for J2J
- 2015-03-11: Correction of typo in type naming convention, rename of naming\_fipsalpha.csv to naming\_geohi.csv to be consistent.
- 2015-03-17: Changing of naming convention for to-be-released files based on federal government from fg → of. At this time, no such files have been released.
- 2015-04-24: Changes to alternate name of SepSnx and EmpSpv, tentative rate names
- 2015-04-26: Changes to name of variable schema files (qwipu → qwi), addition of variability variable schema files.
- 2015-04-28: Fixed small typos in QWI variable short names
- 2015-05-18: Updated agg\_level description, replaced agg\_level.csv file
- 2015-05-22: Fixed minor rendering bug for QWI rate variability names. No change to actual metadata.
- 2015-06-09: Fixed a minor coding error in label\_fipsnum.csv, added a concatenation of geography files as label\_geography\_all.csv.
- 2015-08-07: Minor text change for agg\_level, modified agg\_level file.
- 2015-08-12: Removed the last 4 rows of variables\_j2jod.csv, since they are not on the current beta J2JOD files.
- 2015-08-25: Added a extension component [ext] to the file naming convention to reflect availability of Excel files (and PDF files)
- 2016-03-16: Removed extraneous empty lines
- 2016-04-12: Fixed typo in variables\_qwi.csv (FrmJbLsS, EarnHirNS and status variables)
- 2016-04-12: Incorporated all state-level geography from 4.0.5
- 2016-04-12: Added additional geo\_level for CBSA (complete)
- 2016-04-12: Added additional agg\_level values
- 2016-04-12: Clarified labels of j2jod identifiers
- 2016-04-12: Renamed label\_geography\_all as label\_geography
- 2016-04-12: Added a column geo\_level to all label\_geography\_\* files

#### 6.2 Version 4.1d-draft from 4.0.1

- · added J2J, National QWI spec
- · added geohi category of ALL, US
- · added definitions of variability measures
- added definitions of rates on separate file
- · added naming convention for additional files

- added agg\_level variable
- added additional geo\_level for CBSA (complete)
- added SHP files and description thereof



### **Important**

Some of the data products noted above do not exist yet.

This revision: Mon Aug 8 15:20:34 EDT 2016