

TAC Meeting

January 16, 2020



CONFIDENTIAL COMPUTING
CONSORTIUM

Antitrust Policy Notice

- › Linux Foundation meetings involve participation by industry competitors, and it is the intention of the Linux Foundation to conduct all of its activities in accordance with applicable antitrust and competition laws. It is therefore extremely important that attendees adhere to meeting agendas, and be aware of, and not participate in, any activities that are prohibited under applicable US state, federal or foreign antitrust and competition laws.
- › Examples of types of actions that are prohibited at Linux Foundation meetings and in connection with Linux Foundation activities are described in the Linux Foundation Antitrust Policy available at <http://www.linuxfoundation.org/antitrust-policy>. If you have questions about these matters, please contact your company counsel, or if you are a member of the Linux Foundation, feel free to contact Andrew Updegrove of the firm of Gesmer Updegrove LLP, which provides legal counsel to the Linux Foundation.

Agenda

1. Roll call
2. Approval of minutes
3. Action item review
4. “Confidential computing” definition & CCC scope
5. F2F meeting scheduling
6. Budget requests
7. (Time-permitting) Review github pull request and issues
8. Any other business

Roll Call of TAC Voting Representatives

<u>Member</u>	<u>Representative</u>	<u>Email</u>
Alibaba	Xiaoning Li	xiaoning.li@alibaba-inc.com
ARM	Grant Likely	grant.likely@arm.com
Google	Brandon Baker	bsb@google.com
Huawei	Zhipeng (Howard) Huang	huangzhipeng@huawei.com
Intel	Simon Johnson	simon.p.johnson@intel.com
Microsoft	Dave Thaler(*)	dthaler@microsoft.com
Oracle	John Haxby	john.haxby@oracle.com
Red Hat	Mike Bursell	mbursell@redhat.com

*TAC chair

Approval of Minutes

<https://lists.confidentialcomputing.io/g/tac/files/Meetings/2020/CCC%20TAC%20Minutes%2009-01-2020.docx>

RESOLVED: That the minutes of the January 9, 2019 meeting of the Technical Advisory Committee meeting of the Confidential Computing Consortium as distributed to the members of the TAC in advance of this meeting are hereby adopted and approved.

Action Item Review

- [Mike/Stephen] Work with the GB on charter scope. **[ON AGENDA LATER]**
- [ALL] Review the Project Proposal Template, currently located here:
<https://lists.confidentialcomputing.io/g/tac/wiki/Project-Proposal-Template>
- [Stephano] Create a list for submission of the Project Proposal Template. Add the chair and the PM to that list. [DONE? template currently says to send to the TAC mailing list]
- [Stephano/Stephen] Work with the LF to better define budget line items. See budget section for details on immediate questions. **[ON AGENDA LATER]**
- [ALL] Stephano to eventually provide a better way (wiki list, perhaps GitHub issues) to track website content requests and their progress.
- [Simon] Chat with Jesse about documents that the consortium might publish as white papers so that Intel can coordinate with the Outreach committee.
- [Stephano] Email the list to start the discussion around if we should meet more regularly or for a longer period of time.
- ~~[Mike Bursell]: Begin an email discussion to the TAC outlining multiple axes along which the TAC (and governing board) can categorize and discuss the scoping and definitional discussion. **[DONE, ON AGENDA LATER]**~~

“Confidential computing” definition & CCC scope

Two related, but different, questions:

1. Should the term “confidential computing” be broad like “privacy preserving computation”, or narrowly scoped to TEEs (or even certain classes of TEE)?
2. Should the consortium’s scope be more inclusive, or narrowly scoped to TEE-based projects
 - If narrow, focus stays on TEEs and messaging on terminology might compete with other bodies in the industry
 - If broad, this discussion happens inside the CCC and the CCC has the opportunity to have unified messaging

(rest of slides from last time moved to backup slides at end)

Possible axes for categorising technologies

[Mike] “Here's an initial list of possible axes for categori[s|z]ing the technologies we discussed. Not all will be appropriate for every technology, and I'd expect that we'd create a table with ticks against the relevant options for each technology mentioned. I've numbered them for ease of discussion.”

1. algorithmic (mathematical) vs hardware/software
2. hardware (+firmware?) vs software
3. generalised computation vs specialised computation only
4. on-main CPU vs off-main CPU

Additional axis suggestions

Dave added (already agreed on being broad):

5. cloud vs on-prem (incl. IoT)

[Jethro proposals]:

6. TCB size

- at least consider whether you have to trust a single silicon vendor and their supply chain, or certain specific silicon components plus a cloud provider's hardware supply chain, or a cloud provider's entire hardware and software supply chain. There are also hybrid models where you might be able to trust either the silicon vendor OR the cloud provider, but both is not strictly necessary. I personally don't think a TCB of "cloud provider's entire hardware and software supply chain" is better than regular cloud computing and therefore shouldn't be considered confidential computing.

7. Integrity protection

- Also note that TCB size & integrity protection are inter-related, such that depending on your TCB you may or may not claim integrity protection for some technologies.

	Hard-/software Implementation or Algorithmic	Hardware or Software)	Generalised compute or Specialised)	ON-main CPU (vs oFF-main CPU)	Cloud (vs on-Prem, incl. IoT)
Homomorphic encryption	A	---	S?	---	C/P
Multi-party Computation	A	---	G?	---	C/P
HSM	I	H	S (can be G?)	F	C/P
TPM	I	H	S	F	C/P
Hardware TEE	I	H	G	N	C/P
Virtualised software TEE (need definition)	I	S	G	?	?
FPGA	I	H	S	F	C/P
NIC	I	H	S	F	C/P
Secure Element	I	H	S?	F	P
...?					

Additional external definition mentioned last meeting

- **Dedicated Security Component:** the combination of a **hardware** component and its controlling firmware dedicated to providing the encompassing platform with services for the provisioning, protection, and use of Security Data Objects (SDOs) consisting of keys, identities, attributes, and other types of Security Data Elements (SDEs).

From

https://www.commoncriteriaportal.org/communities/docs/cpp_dsc_v10d_DRAFT_20190501.docx

Face to face meeting opportunities

Joint email thread with Board, TAC, and Outreach

Following candidates were listed:

- **RSA Moscone Center, San Francisco, February 24 - 28, 2020**
- SCaLE 18x Pasadena CA, Convention Center, March 5 - 8, 2020
- Linux Foundation Member Summit, Lake Tahoe, CA, March 10 – 12, 2020

Discussion is settling on **RSA, February 27, 8am at Microsoft offices**

- Expect Outreach, TAC, and Board to meet, with Board wanting to go last
- Do we have a preference on order between Outreach and TAC?

Budget requests (1/2)

- [Project Progression Policy](#) says, about CCC resources:
 - **Regardless of stage**, all Consortium projects benefit from a deepened alignment with existing projects, and **access to** mentorship, support, and **Consortium resources**.
 - The **Sandbox stage** is for projects that the TAC believes are, or have the potential to be, important to the ecosystem of Technical Projects or the ecosystem of the Consortium as a whole. They may be early-stage projects just getting started, or they may be long-established projects with **minimal resource needs**.
 - In order to support their active development, projects in the **Incubation stage** have a **higher level of access to Consortium resources** as provided by the Governing Board of the Consortium.
 - ...

Budget requests (2/2)

- <https://lists.confidentialcomputing.io/g/tac/attachment/30/0/Consortium%20Budget%20Nov%202019.xlsx>

V. IT Infrastructure and Staff			
License Scanning	\$40,000.00	Will grow as projects are added	Compliance
Test infrastructure	\$50,000.00	A placeholder figure for now, discussion	IT Infrastructure
General Infrastructure	\$10,000.00	IT Infrastructure	IT Infrastructure

- OpenEnclave group reports on current CI/CI budget for the CCC OE repo:
 - “the annual budget for CI/CD project will be $(2K * 4) * 12 = 96K$. I will recommend reserving **100K** for OE CI/CD.”
- Since the Intel SGX SDK is in the process of merging with the OpenEnclave SDK, we believe this budget request covers both?

Review github pull request and issues

- <https://github.com/confidential-computing/governance/pulls>
 - #2: [Create code-of-conduct.md](#)
- <https://github.com/confidential-computing/governance/issues>
 - #3: [Project Progression Policy document should point to submission template](#)
 - #4: [Project Progression Policy: requirement for 2 mentors](#)


Any other business

- Openness of mailing list and minutes
 - Mailing list archive was open to anyone with a CCC account
 - Mailing list subscription moderated, currently same policy, are we ok with that?
 - GB discussion: Should **approved** minutes be public (no account needed)
- Next meeting: January 23? 1 hour or 1.5 or 2 hours?
 - “There is agreement that 1 hour every 2 weeks is not enough time to be productive.”


BACKUP:
Terminology Slides from Previous Meeting

“Confidential computing” definition & CCC scope

*Disclaimer:
Some terms have multiple
competing definitions, so
boundaries are often fuzzy.*



Organizations



Different definitions of TEE

Problem

- **Wikipedia:** A secure area of a **main** processor. It guarantees code and data loaded inside to be protected with respect to confidentiality and integrity. A TEE as an isolated execution environment provides security features such as isolated execution, integrity of applications executing with the TEE, along with confidentiality of their assets.
- **ARM:** a secure area inside a **main** processor. It runs in **parallel of the operating system**, in an isolated environment. It guarantees that the code and data loaded in the TEE are protected with respect to confidentiality and integrity.
- **IETF TEEP WG:** An environment that enforces that only authorized code can execute with that environment, and that any data used by such code cannot be read or tampered with by any code outside that environment.
- **GlobalPlatform:** A device that conforms to specifications from GP's [TEE Committee](#)
- **Mike:** a hardware-based technique for securing sensitive data and algorithms in such a way that even the kernel, root user or hypervisor can't see what's going on

Other aspects that are important but may not be part of the definition itself:
attestation, identity, hardware tamper-evident/resistant, ...

TEE variations

- A processor (e.g., an MCU) might *only* have a TEE and no REE
- Separate processors may have (or be) a “TEE”:
 - Secure Element, FPGA, HSM, TPM, NIC
- A “TEE” might not be programmable
 - E.g., TPM, secure cryptoprocessor
- A virtualized TEE might be indistinguishable in practice from a hardware TEE except in terms of which certificate(s) it chains up to

TEE variation definitions

- **secure cryptoprocessor**: a dedicated computer-on-a-chip or microprocessor for carrying out cryptographic operations, embedded in a packaging with multiple physical security measures, which give it a degree of tamper resistance. Unlike cryptographic processors that output decrypted data onto a bus in a secure environment, a secure cryptoprocessor does not output decrypted data or decrypted program instructions in an environment where security cannot always be maintained. The purpose of a secure cryptoprocessor is to act as the keystone of a security subsystem, eliminating the need to protect the rest of the subsystem with physical security measures.
- **Trusted Platform Module (TPM)**, also known as **ISO/IEC 11889**: an international standard for a secure cryptoprocessor, a dedicated microcontroller designed to secure hardware through integrated cryptographic keys.
- **hardware security module (HSM)**: a physical computing device that safeguards and manages digital keys for strong authentication and provides cryptoprocessing.
- **Secure Element (SE)**: a microprocessor chip which can store sensitive data and run secure apps such as payment. It acts as a vault, protecting what's inside the SE (applications and data) from malware attacks that are typical in the host (i.e. the device operating system).

Privacy-preserving computation

- **multi-party computation (MPC)**, or **privacy-preserving computation**: a subfield of cryptography with the goal of creating methods for parties to jointly compute a function over their inputs while keeping those inputs private. Unlike traditional cryptographic tasks, where cryptography assures security and integrity of communication or storage and the adversary is outside the system of participants (an eavesdropper on the sender and receiver), the cryptography in this model protects participants' privacy from each other.
- **Homomorphic encryption**: a form of encryption that allows computation on ciphertexts, generating an encrypted result which, when decrypted, matches the result of the operations as if they had been performed on the plaintext. Homomorphic encryption can be used for **privacy-preserving** outsourced storage and **computation**. This allows data to be encrypted and out-sourced to commercial cloud environments for processing, all while encrypted.

Confidential Computing (1/2)

- **Gartner report:** Confidential computing is the combination of CPU-based hardware technology and infrastructure as a service (IaaS) **cloud** provider virtual machine (VM) images and software tools that enable cloud-using organizations to create completely isolated trusted execution environments (TEE), also called enclaves. Because they offer a form of encryption of data in use, these enclaves render sensitive information invisible to host OSs and cloud providers.
- **CCC press release:** Established in 2019, the Confidential Computing Consortium brings together hardware vendors, cloud providers, developers, open source experts and academics to accelerate the confidential computing market; influence technical and regulatory standards; build open source tools that provide the right environment for **TEE development** and host industry outreach and education initiatives. Its aims to address **computational trust and security for data in use, enabling encrypted data to be processed in memory without exposing it to the rest of the system**, reducing exposure to sensitive data and providing greater control and transparency for users.

Problem

Confidential Computing (2/2)

- **Mark Russinovich blog:**
 - Put simply, confidential computing offers a protection that to date has been missing from public clouds, **encryption of data while in use**. ...
 - Confidential computing ensures that when data is “in the clear,” which is required for efficient processing, the data is protected inside a **Trusted Execution Environment** (TEE - also known as an enclave), an example of which is shown in the figure below. TEEs ensure there is no way to view data or the operations inside from the outside, even with a debugger. They even ensure that only authorized code is permitted to access data. If the code is altered or tampered, the operations are denied and the environment disabled. The TEE enforces these protections throughout the execution of code within it.