

October 28, 2021

This document is to certify that I have received verification from representatives of all members of the Tizen TSG that the following representative model is compliant with the Tizen IoT Certification Specification. I have also received copies of the documentation stating the same.

IoT devices based on the same chipset in the given model with an identical software bill of materials for the implementation of Tizen IoT APIs are also certified by this document, with the list of models to be provided by FlyBook on a quarterly basis.


| | |
|--|---|
| Device Description (Name/Model, OS version) | FLYBOOK Screen T21/Raspberry Pi 4 (RPI4) |
| Device Type (TV, Set-top box, etc.) | IoT |
| Tizen Platform Version | 6.0 |

Verified by:

- Samsung Electronics:
 - Mr. Woochang Kim, Chair of IoT Workgroup under Tizen Technical Steering Group

The documents as submitted to me are attached as exhibits, with the detailed test results in tar.bz2 files named:

- Tizen 6.0 Compliance Tests_Flybook_Kiosk_Result_CSharp.tar.bz2
651f14e45a0655a00428a36beb42420715d020a84323f0e71b8801eb4955d7f2
- Tizen 6.0 Compliance Tests_Flybook_Kiosk_Result_Native.tar.bz2
2af26977419270a54e827b6c593aa57be0a81f82d3ddd697a50a4b17aa752ab2



Brian Warner

The Linux Foundation

Certification Request Form: Tizen 6.0 IoT Profile

1) Requestor Information

| | |
|--|---|
| Company Name | FLYBOOK Inc. |
| Department | Development Team |
| Job function (engineer, marketing, etc) | Engineer |
| Full Name | Yiseul Won |
| E-mail Address | dew89@flybook.kr |
| Phone Number | +82-10-7328-7385 |
| Request Date | 2021/06/16 |
| Device Description (Name, model / HW(chipset)) | FLYBOOK Screen T21 (Raspberry Pi 4 / ARM Cortex-A72 Quad-core) |
| Device Type (headed, headless, etc) | Book Kiosk (Headed) |
| Tizen Platform Version | 6.0 |

Requestor personal information will never be published for any other purpose. It can be used in case there are further questions about the submission.

2) TCT result submission checklist

Please check for each item that has been completed.

Note that each TCT MUST pass 100% for the Tizen IoT Profile implementation.

| Type of TCT | TCT Requirement | Check if complete |
|-------------|---|-----------------------|
| Native | 1. Submitted Native TCT test results | <input type="radio"/> |
| .NET | 1. Submitted C# TCT test results (OPTIONAL) | <input type="radio"/> |

3) Compliance requirement checklist

Please check for each item that has been completed.

The below items except "OPTIONAL" ones MUST be supported on your device implementation and marked as complete in order to be accepted.

The "TCS Section" column indicates the section number of the requirement in the Tizen 6.0 Compliance Specification for IoT Profile.

| TCS Section | TCS Requirement | Check if complete |
|-------------|--|-----------------------|
| 2.9 | [Headed] The WebView implementation is based on Chromium version 47 or higher and the original web exposed behavior from the Chromium is not altered. | <input type="radio"/> |
| 2.11 | [Headed] The device supports a Task Manager key event. (OPTIONAL) | <input type="radio"/> |
| | [Headed] The device supports a Home key event. | <input type="radio"/> |
| | [Headed] The device supports a Back key event. | <input type="radio"/> |
| 2.12 | The device follows the Linux standard security model. | <input type="radio"/> |
| | The device follows Smack-based access control and process isolation. | <input type="radio"/> |
| | The device meets the Tizen privileged information requirement. | <input type="radio"/> |
| 2.14 | <p>If the device is able to connect to the SDK through USB and supports the following tools, write SDK YES.</p> <ul style="list-style-type: none"> • Smart Development Bridge • Log View <p>If the device is not intended to connect to the SDK, write SDK NO.</p> | <input type="radio"/> |
| 3.1.1 | The device has at least 512MB of RAM. | <input type="radio"/> |
| | The device has at least 1GB of permanent memory. | <input type="radio"/> |
| | The device allows an external device to access to the files in the shared media folder on the device. (OPTIONAL) | <input type="radio"/> |
| 3.1.3 | The device supports network connectivity for accessing the internet. | <input type="radio"/> |
| 3.1.4 | Native screen resolution of the display output: Width x Height (e.g. 1280x720) | 1920X1080 |
| 3.1.5 | The device supports any hardware or soft keyboard input from users. | <input type="radio"/> |
| 3.2.5 | The device supports USB 2.0 or above if SDK support is claimed. (see 2.14.) | <input type="radio"/> |

FLYBOOK Screen T21 (RPI4) (Kiosk)

IoT Derivatives

Tizen 6.0

Base Model (certified 2021-10-28)

FLYBOOK Screen T21

2021 Models

None specified