		old		new	
Class	Coefficients	Fitted	Fixed	Fitted	Fixed
2FB	$c_{tG}$	✓		✓	
2L2H	$c_{Qq}^{1,8}$	✓		✓	
	$c_{Qq}^{1,1}$	✓		✓	
	$c_{Qq}^{3,8}$	✓		✓	
	$c_{Qq}^{3,1}$	✓		✓	
	$c_{tq}^{87}$	<b>√</b>		<b>√</b>	
	$c_{tq}^1 \\ c_{tu}^8$	<b>√</b>		<b>√</b>	
	$c_{tu}^8$	✓		✓	
	$c_{tu}^1$	✓		✓	
	$c_{Qu}^8$	✓		✓	
	$c_{Qu}^1$	<b>√</b>		<b>√</b>	
	$c_{Qu}^{c}$	<b>√</b>		<b>√</b>	
	$c_{td}^1$	<b>√</b>		<b>√</b>	
	$c_{Od}^8$	<b>√</b>		<b>√</b>	
	$c_{Qd}^{ m I}$	<b>√</b>		<b>√</b>	
	Number fitted coefficients	15		15	

Table 1: Coefficient comparison

	Type	Datasets	old	new
ſ	$\operatorname{tt}$	$ATLAS_tt_13TeV_asy_2022$	<b>✓</b>	<b>√</b>

Table 1: Dataset comparison

