
Pairwise comparison report









Abstract

This report gives a comparison between GE and PFE.

1 Share components

This section contains components which are shared between GE and PFE. There are 3 common components in total. They are will be fully described in Table 1.

Table 1: Share components

| Description | GE | PFE |
|---|---|--|
| Plot of posterior mean and variance |  |  |
| •This component is a smooth function with a typical lengthscale of 2.4 days. The marginal standard deviation of the function increases linearly |  |  |
| •This component models uncorrelated noise. The standard deviation of the noise increases linearly |  |  |
| •This component is periodic with a period of 7.6 months. The shape of this function within each period has a typical lengthscale of 7.4 days |  |  |

2 Individual components

This section contains components which are differed between GE and PFE. There are 3 components in total. They are will be fully described in Table 2.

Table 2: Individual components

| Description | GE | PFE |
|--|----|-----|
| Plot of posterior mean and variance | | |
| <ul style="list-style-type: none"> •This component is periodic with a period of 0.8 years but with varying amplitude. The amplitude of the function increases linearly. The shape of this function within each period has a typical lengthscale of 3.2 months | | |
| <ul style="list-style-type: none"> •This component is periodic with a period of 0.8 years but with varying amplitude. The amplitude of the function increases linearly. The shape of this function within each period has a typical lengthscale of 4.4 months | | |
| <ul style="list-style-type: none"> •This component is periodic with a period of 1.0 years. The shape of this function within each period has a typical lengthscale of 2.2 weeks | | |