

Journal Pre-proofs

Modelling and Analysis of Inventory Management Systems in Healthcare: A Review and Reflections

Esha Saha, Pradip Kumar Ray

PII: S0360-8352(19)30510-8
DOI: <https://doi.org/10.1016/j.cie.2019.106051>
Reference: CAIE 106051


To appear in: *Computers & Industrial Engineering*

Received Date: 22 November 2018
Revised Date: 2 September 2019
Accepted Date: 6 September 2019

Please cite this article as: Saha, E., Kumar Ray, P., Modelling and Analysis of Inventory Management Systems in Healthcare: A Review and Reflections, *Computers & Industrial Engineering* (2019), doi: <https://doi.org/10.1016/j.cie.2019.106051>

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2019 Elsevier Ltd. All rights reserved.



Title page

Modelling and Analysis of Inventory Management Systems in Healthcare: A Review and Reflections

Esha Sahaa,* and Pradip Kumar Raya

^aDepartment of Industrial and Systems Engineering, Indian Institute of Technology Kharagpur,
Kharagpur 721 302, India

Corresponding Author:

Corresponding Author: Esha Saha*

Mailing address: Department of Industrial and Systems Engineering, Indian Institute of Technology
Kharagpur, Kharagpur 721 302, India

Mobile phone: +91 9051525570

Email: eshasaha83@gmail.com

ACKNOWLEDGEMENTS

Some preliminary findings of the literature review were presented in: Saha E., Ray P. K. (2017) An Overview of Impact of Healthcare Inventory Management Systems on Entrepreneurship. In: Mandal P., Vong J. (eds) Entrepreneurship in Technology for ASEAN. Managing the Asian Century. Springer, Singapore.

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Modelling and Analysis of Inventory Management Systems in Healthcare: A Review and Reflections

Abstract

Inventory management in a healthcare system needs to be compatible with its operations and critical characteristics ensuring minimization of inventory-related cost as well as maximization of service level with a significant reduction in the price of treatment and wastage of resources. Over the years, numerous approaches and methodologies have been developed by the researchers and practitioners for modelling and analysis of varieties of inventory management systems in the healthcare sector considering these aspects. In this paper, the existing modelling approaches and solution methods concerning inventory systems in healthcare are classified and critically reviewed. An integrated research framework as applicable in the present context is presented as a direct consequence of the review of the literature with future research directions.

Keywords: Inventory Management; Healthcare Systems; Literature Review; Research Framework

1. Introduction

Due to the rapid growth in healthcare expenditure worldwide and simultaneous growth of demand for healthcare services, developing efficient and effective healthcare systems has become an essential area of concern for governments and healthcare decision-makers (Ahmadi-Javid et al., 2017). The core competency of a healthcare system reflects its ability to provide treatment and care to the patients. The prime focus has always been towards providing highly knowledgeable and experienced physicians, surgeons, well-trained nurses, and medical staffs with well-established infrastructure, advanced medical equipment, the right quality medicines, and medical and surgical supplies (Vries, 2011). However, of late, the focus has driven towards the management side of the healthcare systems. Healthcare management systems include capacity planning, resource allocation, inventory management systems, demand forecasting, scheduling, and other operational activities (Brailsford & Vissers, 2011).

A significant part of the healthcare system is the hospital system. Hospital systems consist of multiple departments, such as pharmacy, operating rooms, emergency rooms, intensive care units, wards. These departments provide services like diagnosis, medication treatment, critical care, surgery, etc. to the patients. Each department has specific functions to carry out. For example, the pharmacy maintains the optimal stock of healthcare items to distribute to individual patients and various locations within a hospital system (Maestre et al., 2018; Gebicki et al., 2014). Emergency rooms try to minimize the time between prescribing and administering of life-saving medicines and other vital healthcare items (Duclos, 1993). Reducing the number of staff members leaving the room for supplies and maintaining schedules for medicine delivery are the main functions in the operating room and wards (Rappold et al., 2011; Roni et al., 2015; Saedi et al., 2016). The overall performance of a hospital system is dependent on the performance of all the departments.

An important factor that affects the managerial and operational performance of healthcare systems, in general, and hospital systems, in particular, is the inventory management system. Inventory management refers to managing and controlling a large number and great variety of items stocked in a healthcare system (Nicholson et al., 2004; Gebicki et al., 2014). Essential healthcare items, directly or indirectly, are required in the patient healing process and its monitoring and control. Hence, inventory control systems are recommended to be aligned with the patient condition (Vila-Parrish et al., 2012). Technically and scientifically, the demand for healthcare items is closely linked to physician recommendations based on patient conditions (Abdulsalam et al., 2018). Even though inventory management systems use cost-based models, hospitals need to focus on the patient service level. Availability of healthcare items of high quality in an uncertain and continuously fluctuating environment is challenging (Bijvank et al., 2012).

The ultimate objective of healthcare systems is to provide proper treatment and care to patients. However, an appropriate procedure of treatment requires preparation of specific steps of processes before the arrival of the patient, such as maintaining a stock of medicines and medical and surgical items in the hospital (Fitzsimmons & Fitzsimmons, 2006). A well-maintained inventory control system helps the patient to receive medication without any delay and prevent out-of-stock situations in hospitals. On the other hand, an inadequate inventory control system results in several critical issues, such as the worsening of the patient's condition or development

of antimicrobial resistance due to delay in treatment procedures (Management Sciences for Health, 2012).

Overall, inventory is held to maintain confidence in the system. If stock-out occurs regularly, patients and medical personnel may lose faith in the system. On the other hand, holding a high level of inventory can lead to substantial investments on the excess inventory and create unavailability of capital for other purposes (Maestre et al., 2018). Therefore, it is necessary to hold inventory to ensure availability at the time of requirement. However, it is very challenging to accurately predict the demand in a healthcare system due to uncertainties and randomness, such as changing patient conditions, dynamics in physicians' prescriptions, and variation in responses of the individual patient to treatment procedures (Montoya et al., 2010; Vila-Parrish et al., 2012). Therefore, the development of optimal inventory control policy which allows absorption of such uncertainties and randomness is essential.

Therefore, while managing the inventory in healthcare settings, the pharmacists or healthcare inventory managers have to consider various characteristics as highlighted in the literature. Some of these characteristics that may significantly affect healthcare inventory management systems are as follows:

- i. **Continuous changing of patient condition:** A patient may arrive in a hospital system in a particular medical condition. Its medical condition varies with time according to the treatment procedures and responses during their length-of-stay in the hospital. Such changes in patient conditions make the underlying demand for healthcare items highly uncertain (Vila-Parrish et al., 2012).
- ii. **Variability in length-of-stay of the patient:** The patient may stay in the healthcare setting for a short time, reasonable time or a long time based on their medical condition and physician recommendation (Taylor et al., 2000). Hence, the demand for healthcare items varies depending on the patient's total length-of-stay.
- iii. **Transfer of patient from one care unit to another:** At the time of admission of the patient, hospital allocates care unit (intensive care unit, high dependency unit, and wards) to each patient based on the initial assessment. With time, the allotted care unit may change depending on the patient's condition, leading to transfer of the patient to another type of care unit. The corresponding demand for items may also vary with the care unit (Akcan & Kokangul, 2012).

- iv. **Heterogeneity of patients and physicians:** The individual patient has a unique demand for healthcare items based on their medical condition. Besides, physicians are also heterogeneous and exhibit dynamic prescription behaviour due to clinical uncertainty, variation in patient characteristics, differences in physicians' practising styles, knowledge, and experience (Montoya et al., 2010). Such scenarios call for specialized inventory management systems.
- v. **Demand dependency among items:** There are possibilities of associations among different medicines prescribed to patients (Dobova et al., 2007). Such associations can have an impact on the demand of the medication, and thus, calls for specialized inventory management systems.

Hence, healthcare inventory management systems are complex systems linked with several influencing factors. Its performance requires continuous improvement to enhance the accessibility and affordability of healthcare services. To consider all these factors, a careful and structured modelling and analysis for inventory management systems fulfilling the needs of the healthcare sector is a prime necessity. Though it is a critical approach, various developments have taken place, and many researchers and practitioners are working on it. Therefore, a review is required to perfect the knowledge-base in two aspects: (i) modelling approaches and (ii) solution methodologies.

Over the years, numerous methods have been developed by the researchers and practitioners for modelling and analysis of varieties of inventory management systems in the healthcare sector. There have been many attempts by researchers and practitioners to carry out a critical review on certain issues and aspects of inventory management in healthcare systems, such as, material logistics (Volland et al., 2017; Moons et al., 2019), surgical and sterile instruments (Ahmadi et al., 2019a), blood products (Beliën & Forcé, 2012), lean engineering practices (D'Andreamatteo et al., 2015) and RFID technology (Yao et al., 2012).

In this paper, an effort has been made to review the existing modelling approaches and solution methodologies for inventory management problems of pharmaceutical products, and medical and surgical supplies in healthcare systems considering the current developments. The aim is to appraise the advancement of existing modelling approaches and methodologies.

The main contribution of this review can be summarized as follows:

1. The review paper considers articles on modelling and analysis of inventory management systems for pharmaceuticals, and medical and surgical supplies.
2. The literature review comprises studies till the year 2019 as per a proposed structured framework.
3. This review identifies several factors influencing the performance of inventory management systems in healthcare.
4. Based on the identified factors, the review classifies different inventory problems in healthcare systems.
5. Appropriate modelling approaches based on the characteristics and types of inventory problems in healthcare are identified.
6. The review also discusses the inherent characteristic features and selection norms of the existing solution methodologies.
7. Critical appraisal of existing modelling approaches and solution methodologies is presented, which identifies some noteworthy research issues.
8. An integrated framework is developed to add essential elements to the existing literature of modelling and analysis of the healthcare inventory management systems. The proposed framework may guide researchers and practitioners dealing with similar kinds of problems to improve the system.
9. Lastly, the review paper recommends some important future research directions in the field of inventory management systems in healthcare.

The structure of the remaining paper is as follows. **Section 2** presents the review methodology. **Section 3** provides different kinds of inventory problems related to healthcare. **Sections 4** and **5** present the existing modelling approaches and their solution methodologies, respectively. The critical appraisal is presented in **Section 6**. An integrated framework for modelling and analysis of inventory management systems in healthcare is proposed in **Section 7**. Finally, the paper ends with conclusions and future research directions in **Section 8**.

2. Review Methodology

This study presents a critical review of relevant publications on healthcare inventory management systems following the methodology of Bhattacharjee & Ray, 2014; and Mukherjee & Ray, 2006. The objective of this chapter is to review the existing literature on various kinds of modelling approaches and solution methodologies applied to healthcare

inventory problems. The collection of review of literature is from multiple peer-reviewed journal papers and conference proceedings written in the English language. These publications are selected from numerous databases, such as ScienceDirect, Web of Science, IEEE Explore Digital Library, INFORMS PubsOnLine, Taylor & Francis Online, Wiley Online Library, ResearchGate, JSTOR archive, ProQuest and Google Scholar using keywords, such as ‘healthcare’, ‘hospital’, ‘pharmaceutical’, ‘medicine’, ‘drug’, ‘medical’, and ‘surgical’ in combination with ‘inventory’. This review focuses mainly on inventory management of pharmaceutical products and medical and surgical supplies. The review paper does not include studies on blood inventory management due to their unique characteristics that require special attention. Specific attributes of blood inventory management in healthcare systems are efficient utilization of blood resources and addressing variability in age of the blood products when transfused to patients (Rajendran & Ravi Ravindran, 2017; Prastacos, 1984).

The main challenge in this review is to propose a classification of existing literature while maintaining the consistency and uniformity among each classified categories. The study consists of 80 research papers directly related to healthcare inventory management systems with 66 peer-reviewed journal papers and 14 conference papers. Out of the 80 research papers, 57 studies demonstrate the application of operations research tools and techniques for modelling and analysis. These papers are critically reviewed and classified based on healthcare inventory problems. Critical appraisal of each such study captures the essential characteristics features of modelling approaches and solution methodologies for different kinds of inventory problems in healthcare.

3. Overview of Healthcare Inventory Problems

A healthcare system may face several inventory control-related problems. They are classified appropriately based on the various factors affecting the healthcare systems. The influencing factors and healthcare inventory problems are in the sub-sections below.

3.1. Factors Influencing Inventory Control Systems

Several factors are influencing the inventory control systems in healthcare. These factors may be completely observable, unobservable or partially observable to the healthcare decision-makers. The following are the ten leading factors.

3.1.1. Demand and Supply of Inventory Items

An important factor affecting the inventory systems of healthcare is the demand for healthcare items. Various traditional forecasting techniques can predict the stationary demand for healthcare items (Varghese et al., 2012; Ramirez et al., 2014). However, consumption of healthcare items are non-stationary, i.e. the demand depends on various sources of randomness, such as the number of patients in hospital care units, patient treatment stages, patients' conditions, reaction to the medication, and physicians' recommendation (Vila-Parrish et al., 2012). However, advanced modelling tools and techniques can estimate the dynamic and uncertain nature of non-stationary demand. In hospital settings, a few studies have assumed independent and constant consumption for healthcare items (Adriana et al., 2010). However, the real scenario requires consideration of stochastic demand following a particular probability distribution like Normal, Poisson, and Negative Binomial (Attanayake et al., 2014; Guerrero et al., 2013).

Apart from the demand uncertainty, there exists a risk in the supply-side of the system. For example, immediate supplies of ordered quantity with zero lead time (Little & Coughlan, 2008; Uthayakumar & Karuppasamy, 2017) or supply with a specific time lag. The time lag can be constant (Bijvank & Vis, 2012; Maestre et al., 2018), or variable following particular probability distribution like exponential and uniform distributions (Attanayake et al., 2014; Roni et al., 2016; Roni et al., 2015). Moreover, sometimes the quantity ordered and delivered may vary due to unavailability of the ordered items from the supplier-side. Besides, predicting and expressing the actual availability of the amount requested from any supplier (reliable or unreliable) is technically challenging. Lack of complete information from the supplier-side makes the system unobservable or partially observable (Gebicki et al., 2014; Saedi et al., 2016). Therefore, it is necessary to incorporate this factor while modelling healthcare inventory management systems.

3.1.2. Type of Healthcare Inventory Items

Typically, healthcare inventory items include medicines like tablets, capsules and injections (Vila-Parrish et al., 2012), surgical and medical supplies like syringes (Adriana et al., 2010; Hani et al., 2013), gloves (Zhou & Olsen, 2017), surgical kits (Rappold et al., 2011), surgical linen (O'Neill et al., 2001), sterile instruments (Hafnika et al., 2016; Dellaert & Van De Poel, 1996), and medical equipment (X-ray machine, ECG machine, etc.). The traditional approach of classification of healthcare items includes ABC analysis (based on annual usage value), VED analysis (based on the criticality of medicines and other medical supplies) and a combination of both ABC and VED (Gupta et al., 2007; Kant et al., 2015; Kumar & Chakravarty, 2015; Manhas et al., 2012). Danas et al., 2006 introduced a comprehensive classification approach using a decision tree analysis considering critical factors, such as the patient treatment, price of items, storage space, expiration date, and usage rate. Similarly, classification is done by Al-Qatawneh & Hafeez, 2011. Each class of inventory requires specialized inventory control technique.

3.1.3. Nature of Inventory Item and Storage Facility

In the hospitals with compounding facilities, inventories of certain medicines may be stored in two stages, i.e., as raw materials and as finished goods made by processing the raw materials, for example, intravenous injections. The pharmacists check the inventory level of the raw material and plan the production of finished goods as per the predicted demand (Vila-Parrish et al., 2012). Maintaining such multi-stage inventory within a healthcare facility differs from the single-stage inventory system. Apart from that, certain healthcare items are perishables like injections and may require a specific temperature for storing. However, the space in various storage facilities within a healthcare system is highly limited and shared among multiple medicines (Bijvank & Vis, 2012; Maestre et al., 2018). Thus, healthcare inventory management decisions consider such factors.

3.1.4. Nature of the Inventory Distribution System

Within a healthcare system, the inventory flows to various departments or locations (Jayaraman et al., 2000). The requirement of healthcare items in each hospital department depends on the type of treatment facilities and the illness of the patient. For example, the emergency department may require certain life-saving drugs which need to be in stock even if there is no demand for several periods. Also, the intravenous solutions are stocked more in the emergency department as the patient is in extremely critical condition and need to be treated immediately

without any delay (Duclos, 1993; Osei et al., 2014). In contrast, the operating room inventory comprises of treatment-specific surgical kits based on the surgeons' preferences (Harrell, 1990; Melson & Schultz, 1989; Rappold et al., 2011). Subsequently, in the wards and critical care units, physician-prescribed medicines are stocked for individual patients or unit-dose (Chen et al., 2018). Hence, depending on the distribution system, the inventory is managed at each location.

3.1.5. Replenishment Policy

Inventory replenishment policies are classified broadly as continuous review, periodic review and the combination of both. These policies are measured based on inventory-related cost and service level. The continuous-review policies include the reorder level, order quantity (s, Q) policy (Priyan & Uthayakumar, 2014; Roni et al., 2016, 2015; Rosales et al., 2015; Uthayakumar & Priyan, 2013) and reorder level, order-up-to-level (s, S) policy (Kelle et al., 2012). The periodic review policies include review period, order-up-to-level (R, S) policy (Gebicki et al., 2014) and review period, reorder level, order-up-to-level (R, s, S) policy (Bijvank & F A Vis, 2012; Esmaili et al., 2019). Generally, healthcare systems follow hybrid strategies that include both continuous and periodic review policies and joint replenishment criteria for multiple items (Rosales et al., 2015; 2019).

3.1.6. Maximization of Service Level

In any healthcare system, the patient demand needs to be fulfilled without any delay to avoid any fatal consequences. Hence, maximization of service level by minimizing the probability of stock-out and stock-out risk is the prime objective (Bijvank & F A Vis, 2012; Chang et al., 2019). Backordering is generally not recommended to fulfill the unmet demand, though it exists in the literature (Çakici et al., 2011; Nicholson et al., 2004). Instead, expediting is encouraged which allow immediate fulfillment of demand by various alternative sources, such as nearby hospitals or local suppliers (Attanayake et al., 2014; Roni et al., 2016, 2015). However, repeated expedite orders may lead to an increase in the overall inventory-related cost as emergency ordering cost is generally more than the regular ordering cost. Hence, frequent emergency orders are not encouraged in a healthcare system to provide maximum service level.

3.1.7. Patient Medical Conditions

There is no generally accepted definition of a patient condition that is independent of diagnosis (Rothman et al., 2013). In healthcare settings, there is a correlation between the patient's medical condition and medicine requirement (Vila-Parrish et al., 2012). The demand for varieties of drugs arises due to the various clinical conditions of the patients and their response to the treatment and medication administered, which are often unobserved or partially observed. Furthermore, the patient condition may worsen due to unavailability or delay in availability of medicines resulting in an extended length-of-stay in hospital, and the following medication requirement (Vila-parrish et al., 2008; Vila-Parrish et al., 2012). Hence, the daily need of healthcare items depends on the patient arrival rate, their illness, transferral to another care unit, and length-of-stay in the hospital (Akcan & Kokangul, 2012; Saha & Ray, 2019).

3.1.8. Physician Prescribing Behaviour

Physicians play an essential role in inventory management. They are the surrogate buyers of healthcare items (Abdulsalam et al., 2018). However, many of the characteristics of physicians' recommendation determining the treatment and prescription of medicines are unobserved or partially observed to the pharmacists (Gönül et al., 2000; Miao-Sheng & Yu-Ti, 2008; Montoya et al., 2010). Physicians exhibit dynamic prescription behaviour influencing the demand for healthcare items. The prescribing practice may vary depending on the clinical uncertainty, patient information, physicians' knowledge, and experience. Hence, it calls for a specialized inventory management system.

3.1.9. Criticality of Inventory Items

Healthcare inventory items are classified based on their criticality by the VED analysis (Kant et al., 2015; Manhas et al., 2012a). However, in a healthcare system, all pharmaceutical and medical and surgical supplies are critical for the treatment and care of patients. The criticality of the healthcare inventory items depends on the patient medical condition and the treatment procedure for which the inventory is required (Gebicki et al., 2014). For instance, there is a patient health state that does not allow delay in administering medicines. Such a situation makes the dose very critical at that time for the patient. Thus, the criticality of the item depends on the individual patient and their medical condition, which is often not wholly observable. Hence, this factor is important to consider in healthcare inventory management systems.

3.1.10. Interactions among Items

Treatment and care of patients with multi-morbidity require a large number and variety of drugs that may lead to a potential risk of drug interactions (Dumbreck et al., 2015). Adverse drug

reactions due to these interactions result in uncertain and unplanned demand of other drugs and may call for specialized inventory management models (Doubova et al., 2007; Goldberg et al., 1996). However, for ease in modelling and solution purpose, no dependency among healthcare items is assumed (Nicholson et al., 2004). Dependent demand generally exists among items in surgical kits used in the operation room (O'Neill et al., 2001; Rappold et al., 2011; Steinberg et al., 1982), and among medicines due to multi-morbidities in patients (Held et al., 2017). Hence, it is recommended that dependent demand is considered while modelling inventory management in healthcare systems.

3.2. Classification of Healthcare Inventory Problems

Depending on the influencing factors, inventory problems are divided into two categories: problems under certainty and problems under uncertainty. The classification proposed is based on decision-making, and selected based on its considerable merit (Starr & Miller, 1962).

3.2.1. Under Certainty

An inventory problem under certainty is the case where the factors influencing the performance of healthcare inventory systems are known over the period of time. In most cases, demand and lead time may be constant or vary; however, in both cases, they are known. Since the demand and lead time is known with certainty, there is generally no need to consider possibilities of excess stock and shortages. However, healthcare inventory management problems under certainty are not frequently encountered as the demand is never known with certainty. It rather depends on various random factors, such as patient arrivals and discharges, the number of patients in a hospital unit, and patient medical condition. However, problems under certainty may be applicable for general medical items purchased in bulk, such as syringes, examination gloves, certain intravenous fluids, and vaccines (Hafnika et al., 2016; Stecca et al., 2016; Uthayakumar & Karuppasamy, 2017).

3.2.2. Under Uncertainty

Healthcare systems face several uncertainties, such as a change in the number of patient arrivals, transfer and discharge rates, patient's length of stay in the hospital, clinical conditions of the patient and their response to treatment, physician's prescribing behaviour, availability from suppliers, demand for medicines and lead time. (Addis et al., 2015; Harper, 2002). Nevertheless, inventory decisions are taken despite these uncertainties (Aringhieri et al., 2017). Inventory problems under uncertainties are further divided into two categories: (i) inventory

problems under uncertainty with the complete knowledge concerning the probability distribution of random variables, and (ii) inventory problems under uncertainty without the complete knowledge concerning the probability distribution of random variables.

The random demand size for pharmaceuticals, and medical and surgical supplies generally follows normal distribution (Little & Coughlan, 2008; Nicholson et al., 2004; Uthayakumar & Priyan, 2013), Poisson distribution (Bijvank & Vis, 2012; Guerrero et al., 2013; Saedi et al., 2016), and negative binomial distribution (Rappold et al., 2011). Moreover, the time between the demand events may be exponential with demand size following a discrete distribution (Gebicki et al., 2014; Rosales et al., 2015). Apart from that, the lead time if considered variable, it is assumed to be uniform (Akcan & Kokangul, 2012; Attanayake et al., 2014), and exponential (Roni et al., 2015). Due to such randomness, there is a possibility of having insufficient stock or excess stock (Gebicki et al., 2014; Hani et al., 2013). Modelling and analysis of inventory problems under uncertainties involve balancing the situation between out-of-stock and over-stock of items in the system.

Majority of the existing literature considers healthcare inventory problems under uncertainties by assuming a particular probability distribution of the random variables. However, in the real world, data is not precisely known or measured, and hence, complete knowledge of probability distribution is unknown. Mostly such problem arises in emergency rooms, intensive care units, and operating rooms for items like intravenous injections, medicines, and surgical supplies (Ahmadi et al., 2019b; Priyan & Uthayakumar, 2014; Savadkoobi et al., 2018). However, there is a dearth of studies under this category as it is challenging to determine inventory control strategies with the fact that the decision-maker is ignorant of the probability distribution of random variables.

4. Existing Modelling Approaches

A large number of modelling approaches has been developed by researchers to solve the various kinds of healthcare inventory problems. These may be classified as deterministic, stochastic, and distribution-free approaches. Inventory problems under certainty are modelled as deterministic, whereas, inventory problems under uncertainty with complete knowledge concerning the probability distribution of random variables are modelled as stochastic. Furthermore, inventory problems under uncertainty without complete knowledge concerning the probability distribution of random variables are modelled as distribution-free. The

modelling approaches are further classified based on the formulated objective function(s) with or without constraint(s) as mixed-integer programming (MIP), non-linear programming (NLP), constraint programming (CP), chance-constraint programming (CCP), stochastic programming (SP), stochastic dynamic programming (SDP), robust optimization and possibilistic programming. **Figure-1** provides a general classification of different modelling approaches.

4.1. Deterministic Approach

Most of the inventory problems under certainty in the healthcare inventory literature for medicines, intravenous fluids, and vaccines are modelled as deterministic models and are formulated using EOQ method (Kapur, 1987; Kwak et al., 1991), and using MIP optimization technique (Hovav & Tsadikovich, 2015; Stecca et al., 2016). MIP considers two types of variables: binary and integer. The binary variables in the healthcare inventory problem are regarded as whether the suppliers have delivered the required item to the hospital pharmacy or not, whether the pharmacy delivered them to the ward or not, and whether the clinic is assigned to the distribution centre or not (Hovav & Tsadikovich, 2015). The integer variable is the order quantity of medicines (Stecca et al., 2016). The deterministic modelling approach is often used to model inventory problems that are less affected by the uncertainties caused by random patient demand, supplier uncertainty, uncertainty in patient condition and physician preferences. Typical complications of deterministic models include limited space constraints with multiple products and multiple storing locations.

4.2. Stochastic Approach

Most of the healthcare inventory problems under uncertainty with the complete knowledge concerning the probability distribution of random variables are modelled by applying stochastic approaches, and are generally formulated using MIP (Rappold et al., 2011; Roni et al., 2015), NLP (Nicholson et al., 2004; Uthayakumar & Priyan, 2013), CP (Little & Coughlan, 2008) and CCP (Maestre et al., 2018). A single-location single-item inventory system at a hospital facing both regular and emergency demands to obtain an optimal inventory policy for medicines is formulated by MIP (Roni et al., 2015). An inventory system for pharmaceuticals in intensive care units and surgical supplies in the operating room are also modelled as MIP (Rappold et al., 2011; Cappanera et al., 2019). In MIP models, the objective function and constraints are linear, while in NLP formulation, either the objective function or any of the constraints are non-linear. In the context of healthcare inventory system, the expected total cost in multi-echelon inventory system for medical supplies is expressed as a non-linear function (Nicholson

et al., 2004; Uthayakumar & Priyan, 2013). The complications for these models arise due to the various constraints and conditions, such as service level and space capacity for which CP is also considered for formulating inventory problems of medicines in intensive care units (Little & Coughlan, 2008). In case the constraints are probabilistic, CCP is used (Maestre et al., 2018). Moreover, existing literature consists of a number of stochastic inventory models formulated as stochastic programming and stochastic dynamic programming (Guerrero et al., 2013; Kelle et al., 2012).

4.2.1. Stochastic Programming

In stochastic programming (SP), the assumption that all the required data of the problem are known and constant is relaxed. As an alternative, a subset of the parameter values is characterized by probability distributions. The inventory model for medicines in hospital pharmacy to minimize the expected total inventory costs with the service level and space constraints are formulated as SP to minimize the expected total number of orders (Kelle et al., 2012). The model is quite complicated due to a large number of variables, non-linearity, and stochastic constraints. The stochastic constraint is the service level, i.e. the probability of no shortage of medicines. Furthermore, a two-stage SP is used to formulate the problem of inventory allocation of surgical supplies in multiple locations in a healthcare system (Ahmadi et al., 2019b).

4.2.2. Stochastic Dynamic Programming

The commonly used stochastic approach for dealing with inventory problems under uncertainty with known probability distributions of random variables is the Markov decision process (MDP) which use functional stochastic dynamic programming equations in most of the cases (White, 1993). The inventory level as it moves through time may be a stochastic process of a particular sort, i.e., MDP, where the state is generally represented as the on-hand inventory level, demand process, and availability of the item, and assumed to follow Markov property. Pharmaceutical inventory problem under non-stationary demand is modelled as MDP with demand process modulated as a Markovian process (Vila-parrish et al., 2008; Vila-Parrish et al., 2012; Saha & Ray, 2019). Continuous-time Markov chains and Semi-MDP are used when a continuous review of inventory systems is considered for medicines and medical supplies (Saedi et al., 2016; Rosales et al., 2015). The on-hand inventory level of disposable medical supplies and infusions is modelled as a Markov chain, and closed-form expressions are derived from setting the threshold levels (Bijvank & F A Vis, 2012).

4.3. Distribution-free Approach

In many instances, there may be a little or unavailability of past data due to various reasons, such as recent changes in the inventory system environment, or new inventory item introduced. Therefore, the probability distributions may not be precisely estimated. At many times, the critical inventory input variables and parameters, such as cost parameters are non-specific and may change with time. It is unfortunately very often true that the underlying distribution of the uncertain parameter is not known. The distribution-free analysis techniques, such as Tchebycheff inequality and Pearson measure of skewness (Starr & Miller, 1962), and mathematical programming approaches like robust optimization and possibilistic programming models are proposed to deal with inventory problems under uncertainties without complete knowledge concerning the probability distributions of random variables (Ahmadi et al., 2019b; Priyan & Uthayakumar, 2014; Savadkoobi et al., 2018).

Among the techniques mentioned above, robust optimization models do not assume complete knowledge of the probability distributions, but as an alternative, they deal with uncertainty by finding the optimal solutions in a min-max setting (Meng et al., 2015). In traditional robust optimization models, uncertainty is distribution-free described by an uncertainty set, mostly convex set (Gorissen et al., 2015). In healthcare, a robust model is proposed for managing patient arrivals by considering patient admissions and departures as uncertainties (Meng et al., 2015). For inventory allocation of surgical supplies in multiple locations in a healthcare system (Ahmadi et al., 2019b) and inventory control of medicines in hospital pharmacy (Velarde et al., 2014) robust models are applied. This modelling technique is popular because of its computational tractability for many classes of uncertainty sets and problem types; however, there are limited studies in healthcare inventory systems considering robust optimization. Another way in which imprecise and uncertain quantities may be incorporated into decision-making is possibilistic programming. It provides a flexible approach to handle uncertainty in inventory problems as it allows the model to include expert opinions in determining critical parameter estimates (Priyan & Uthayakumar, 2014). A particular case of inventory routing problem for medicines is formulated by this approach (Niakan & Rahimi, 2015). Later, Savadkoobi et al., 2018 developed an inventory problem considering pharmaceutical network design with uncertainty in demand, cost and capacity. Although distribution-free approaches are suggested for coping with inventory problems under uncertainties; however, studies in healthcare inventory systems considering distribution-free approaches are limited.




Fig.1. Classification of Modelling Approaches used in Healthcare Inventory Literature

5. Existing Solution Methodologies

Existing solution methodologies to obtain the optimal or near-optimal solution(s) are classified as analytical, heuristic-search, and simulation-based approach.

5.1. Analytical Methods

The analytical approaches are standard processes that use mathematical principles (lemmas, theorems and their proofs) to achieve optimal solutions. Over the years, such methods have obtained substantial consideration in the healthcare inventory literature. These methods are mainly used to form closed expressions, to prove optimal inventory policy or specific properties of the optimal inventory policy, and to compare various inventory policies or to present bounds on optimal objective functions (Çakici et al., 2011; Hafnika et al., 2016; Hani

et al., 2013). Results obtained from analytical methods may be used to develop effective and efficient algorithms (Vila-Parrish et al., 2012; Cappanera et al., 2019). The closed-form equations are simple to implement in practical applications compared to the approaches which are recommended to capture uncertainties (Kapur, 1987; Kwak et al., 1991). Generally, analytical methods are applied in problems of small complexity.

Various analytical techniques, such as Lagrangian multiplier and exterior point penalty function are used to solve the non-linear programming problem with linear constraints to obtain the optimal ordering policy for multi-stage inventory problems with random demand (Uthayakumar & Priyan, 2013; Zhou et al., 2013; Chang et al., 2019). The existence of uncertainty in inventory systems makes it challenging to propose efficient analytical methods for healthcare inventory problems. However, a number of analytical methods exist in the literature that solves realistic problem instances (Hovav & Tsadikovich, 2015; Stecca et al., 2016; Uthayakumar & Karuppasamy, 2017). Almost all proposed MDP models of small-size are solved analytically by dynamic programming algorithms. For instance, backward induction algorithm (Vila-Parrish et al., 2012; Vila-parrish et al., 2008; Saha & Ray, 2019), value iteration algorithm (Haijema, 2014) and linear program algorithm is used to solve various types of MDP models (Rosales et al., 2015).

Performance of optimization solvers has improved substantially in recent times to solve these problems in reasonable time; however, in case the total inventory-related cost functions with underlying constraints are not linear, and linearization requires several additional variables, solving such a model using optimization solver may increase the computational time substantially.

5.2. Heuristic-search

Inventory problems under uncertainties are difficult to solve using analytical methods. When the system is involved with non-linear objective function subjected to non-convex or convex constraints, there are limited effective analytical solution methods. Hence, heuristics are developed to solve such a challenging problem. A large number of researchers have developed various heuristics to solve complex problems, such as multi-stage inventory systems to obtain the near-optimal order quantity and reorder level of multiple medical and surgical supplies

(Nicholson et al., 2004; Rosales et al., 2015 and Bijvank & Vis, 2012), and decentralized and centralized inventory model in pharmacies and nursing units to find near-optimal inventory levels (Shan et al., 2011). Moreover, heuristic-search techniques are also used to solve complex stochastic inventory models formulated as Markov chains (Guerrero et al., 2013; Saedi et al., 2016; Diamant et al., 2018). Apart from that, for parameter optimization technique, Tabu search-based heuristics is recommended for an inventory problem with split delivery for medicines with variable lead time (Roni et al., 2016). Finding solutions for inventory problems under uncertainty is very difficult; however, heuristics are appropriate for pharmaceutical inventory network design problems considering uncertainty in demand, cost and capacity (Savadkoobi et al., 2018).

Furthermore, inventory allocation problems for surgical supplies stored in multiple locations are also solved by heuristic-search techniques to obtain near-optimal solutions (Ahmadi et al., 2019b). Recent trends show that heuristic-search based approaches are highly suggested for coping with healthcare inventory problems under uncertainties. They are suitable for complex inventory systems consisting of multiple healthcare items at multiple stages. Through heuristic-search approaches, near-optimal solutions can be obtained efficiently for large-size complex problems formulated as stochastic and distribution-free models.

5.3. Simulation-based Approaches

A simulation-based approach is recommended for inventory problems in healthcare due to their inherent capability of representing complexities and uncertainties. It is an excellent tool for exploring real-life problems with a testing variety of what-if analysis. It is flexible and may be used to solve complex stochastic inventory models (Akcan & Kokangul, 2012; Attanayake et al., 2014). Simulation is an excellent approach to consider various sources of uncertainties, such as the number of patient arrivals and discharges, transitions in patient condition, and demand for medicines (Akcan & Kokangul, 2012; Vila-Parrish et al., 2012; Vila-parrish et al., 2008). The analytical method is based on mathematical formulations and derivations with various assumptions and approximations. Complex demand distribution characteristics like multi-modal demand distributions and seasonal demand, and complex cost structures are challenging to incorporate using analytical and heuristics methods. In such a situation, simulation is used to solve the problem. Simulation is used to mimic the inventory control systems in healthcare (Liu et al., 2013). When the input changes with time, such as patient

flow, number of patients and their medical condition and type of treatment, and if they require continuous monitoring, simulation is the most appropriate solution methodology to address such issues (Kilpatrick & Freund, 1967; Vila-Parrish et al., 2008; Akcan & Kokangul, 2012). Simulation has been extensively used to model the inventory control system of a hospital because of the complexities in the problem dimensions regarding the large number and great variety of healthcare items (Liu et al., 2013; Zhang et al., 2014).

Over the years, different kinds of simulation-based approaches, such as system dynamics and discrete-event simulation (DES), have been used to solve various inventory problems in healthcare systems (Wang et al., 2014; Gebicki et al., 2014). System dynamics simulation is used to investigate the overall system behaviour and performance over time, and it contains independent and dependent variables along with feedback dynamics (Azzi et al., 2012). Many researchers have used system dynamics simulation to analyze the relationships among several variables. For example, a system dynamics simulation for inventory management in pharmacies and wards in a healthcare network consisting of 15 hospitals, 149 wards, and 3,394 beds is developed (Azzi et al., 2012). A system dynamics for a drum-buffer-rope type inventory control system addresses the change in the inventory replenishment decisions with the difference in the input information like demand characteristics (Wang et al., 2015). A particular case of inventory pooling is presented by system dynamics simulation to investigate the entire process from demand to supply of pharmaceuticals in the hospital (Wu et al., 2015). Furthermore, Rosales et al., 2019 developed joint replenishment policies in a healthcare system by applying system dynamics simulation approach.

However, to take decisions at the operational level, such as determining inventory policy parameters, DES is more suitable (Attanayake et al., 2014; Gebicki et al., 2014). An integrated hospital inventory model for 1544 items is tested in a simulation study before its implementation with multiple performance measures, such as service level, number of orders and total inventory costs (Dellaert & Van De Poel, 1996). DES is appropriate for building an integrated medication inventory control system in a hospital to evaluate different kinds of inventory policies (Gebicki et al., 2014).

Apart from that, for ease in the implementation, simulation using the spreadsheet as a tool has become the choice of many researchers and practitioners (Shang et al., 2008; Liu et al., 2013; Kelle et al., 2012). Also, many researchers have combined simulation with optimization for

inventory policy parameter optimization (Rosales et al., 2014). Complex models like multi-dimensional MDP models are difficult to solve analytically due to the curse of dimensionality (Vila-Parrish et al., 2008). In such cases, simulation is recommended (Haijema, 2014). Moreover, insights from the simulation methods may be applied into the heuristic-search techniques for further analysis (Liu et al., 2013; Zhang et al., 2014; Shang et al., 2008).

Hence, existing literature reveals that simulation-based approaches have been used to solve the healthcare inventory problems under uncertainties with known probability distributions of random variables. Many researchers have successfully modelled the complexities and dynamics of an integrated inventory control system in healthcare through simulation methods. Therefore, simulation is a powerful tool to solve problems that are challenging to formulate mathematically and difficult by analytical methods.

6. Critical Appraisal

A sound inventory management in healthcare organizations is achieved by following a systematic approach to optimize the inventory-related cost and reduce variations. As an epilogue to the critical appraisal of the literature on inventory management in healthcare, the following observations are worth mentioning:

- (i) There exists a substantial body of knowledge in the field of inventory management in healthcare for optimal replenishment of pharmaceuticals, and medical and surgical supplies.
- (ii) Various inventory control methodologies have been applied in real-world situations to fulfil the varying requirements of the hospital pharmacists, physicians, patients, and other medical personnel.
- (iii) There has been an enormous effort by researchers to make these methodologies easy to use, implement and interpret (Guerrero et al., 2013; Little & Coughlan, 2012).
- (iv) Most researchers in this area aim to minimize the total inventory cost subject to various constraints and conditions, and obtain the solutions by using optimization tools and techniques.

However, it has been observed that a systematic approach for inventory management systems in healthcare incorporating all the influencing factors is lacking (Rossetti et al., 2012). Thus, a holistic and integrated approach to healthcare inventory management is recommended, and if

applied, it is beneficial for real-life situations. Deterministic approaches do not consider the dynamics of a healthcare inventory system, and are easier to solve. However, stochastic and distribution-free approaches consider the inherent complexities, variability, and uncertainties involved, and require advanced tools and techniques to solve such problems. Nevertheless, to model close to the real system, stochastic and distribution-free approaches are encouraged with efficient solution methods. The types of healthcare inventory problems, existing modelling approaches, and solution methods are used in **Table-1** to appraise a number of research papers on modelling and analysis of inventory management systems in healthcare.

Table-1: Classification of Healthcare Inventory Problems

Problem Types	Modelling Approaches	Authors	Types of Analyses	Solution Methods
<i>Problems under Certainty</i>				
Deterministic Approaches	Mixed-integer Programming	Hovav & Tsadikovich, 2015	Inventory control system for vaccines	Analytical
		Stecca et al., 2016	Network design and inventory control system for medicines	Analytical
	Non-linear Programming	Duncan & Norwich, 1973	Inventory ordering policy formulation	Analytical
		Kapur, 1987	Inventory valuation	Analytical
		Kwak et al., 1991	Inventory control system for intravenous fluids	Analytical
		Adriana et al., 2010	Inventory control system for medical supplies in the consulting room	Analytical
		Rachmania & Basri, 2013	Demand forecasting and inventory policy evaluation	Analytical
		Zhou et al., 2013; Uthayakumar & Karuppasamy, 2017	Inventory control system for deteriorating healthcare items	Analytical
		<i>Problems under Uncertainties with Complete Knowledge of Probability Distribution</i>		
Stochastic Approaches	Mixed-integer Programming	Rappold et al., 2011	Inventory control system for dependent items in the operating room	Analytical
		Roni et al., 2015;	Inventory control for regular and emergency demand	Analytical
		Roni et al., 2016	Inventory control with spilt-delivery	Heuristics
		Cappanera et al., 2019	Inventory control system for drugs considering the impact of healthcare stakeholders	Analytical
	Non-linear Programming	Satir & Cengiz, 1987	Inventory control of medicines with expiration cost	Analytical
		Dellaert & Van De Poel, 1996	Integrated inventory control systems in hospitals	Analytical and Simulation

	Nicholson, 2002; Nicholson et al., 2004	Outsourcing inventory control decisions	Heuristics
	Shang et al., 2008	Developing a decision support system for managing inventory in a pharmaceutical company	Heuristics and Simulation
	Çakici et al., 2011	Inventory shrinkage control	Analytical
	Shan et al., 2011	Analyzing the centralized and decentralized inventory distribution system	Heuristics
	Akcan & Kokangul, 2012	Inventory control system with a variable patient number	Analytical and Simulation
	Uthayakumar & Priyan, 2013	Inventory control system with permissible payment delay	Analytical and Heuristics
	Hani et al., 2013	Inventory control of medical consumables	Analytical
	Liu et al., 2013	Inventory parameter optimization	Heuristics and Simulation
	Azzi et al., 2013	Outsourcing inventory control decisions	Simulation
	Rosales et al., 2014	Point-of-use inventory control in hospitals	Heuristics and Simulation
	Attanayake et al., 2014	Conceptual model and operational model for inventory optimization in hospitals	Simulation
	Gebicki et al., 2014	Inventory control considering drug characteristics	Simulation
	Zhang et al., 2014	Inventory control system for in-store pharmacies	Heuristic and Simulation
	Wang et al., 2015	Inventory control with the demand-pull model (buffer adjustment)	Simulation
	Wu et al., 2013)	Inventory pooling in hospitals	Simulation
	Hafnika et al., 2016	Analyzing excess inventories	Analytical
	Paul & Venkateswaran, 2018	Inventory control of medicines in hospital in case of epidemics	Simulation
	Rosales et al., 2019	Joint replenishment policies and dual sourcing in healthcare systems	Simulation
	Chang et al., 2019	Production-inventory healthcare system with Poisson demands	Analytical
Constraint Programming	Little & Coughlan, 2008	Inventory control system under variations in space and delivery patterns	Heuristics
Chance- constraint programming	Jurado et al., 2016; Maestre et al., 2018	Inventory control under probabilistic storage and order constraints	Analytical

	Stochastic Programming	Kelle et al., 2012; Woosley et al., 2009	Decision support system for inventory control of pharmaceuticals in hospitals	Simulation
		Ahmadi et al., 2019b	Inventory allocation of surgical supplies	Heuristics
	Markov Decision Process (MDP)	Vila-Parrish et al., 2008; Vila-Parrish et al., 2012	Multi-stage inventory control of perishable pharmaceuticals considering patient information.	Analytical and Simulation
		Haijema, 2014	Inventory control policies for perishable products	Analytical and Simulation
		Zhou & Olsen, 2017	Inventory control system for long-life perishable products	Analytical
		Saha & Ray, 2019	Patient condition-dependent inventory replenishment policies for medicines under Markovian demand process.	Analytical
	Semi-MDP	Rosales et al., 2015	Point-of-use inventory control of medical supplies	Heuristics
	Markov chains	Kilpatrick & Freund, 1967	Inventory control of oxygen tanks	Simulation
		Bijvank & Vis, 2012	Point-of-use inventory control of disposables and infusion fluids	Heuristics
		Guerrero et al., 2013	Inventory-distribution problem with batching constraints	Heuristics
<i>Problems under Uncertainty without Complete Knowledge of Probability Distribution</i>				
Distribution-free Approaches	Robust model	Velarde et al., 2014	Inventory control in hospital pharmacy	Analytical
		Ahmadi et al., 2019b	Inventory allocation of surgical supplies	Heuristics
	Possibilistic Programming	Priyan & Uthayakumar, 2014	Analysis of an integrated inventory control system	Heuristics
		Niakan & Rahimi, 2015	Inventory routing problem for medicines	Analytical
		Savadkoochi et al., 2018	Network design and inventory parameter optimization	Heuristics

A critical appraisal results in the identification of essential characteristic features and selection norms of existing solution methods and is highlighted in **Table 2**, respectively.

Table-2. Essential Characteristic Features and Selection Norms of Solution Methods

Solution Methods	Essential Characteristic Features and Selection Norms
------------------	---

Analytical	(i) It is appropriate when a single healthcare item in single-location within a hospital system is considered.
	(ii) Suitable when the number of patients in a system, demand for healthcare items and lead time for items are assumed to be known.
	(iii) Suitable for solving small-size problems.
Heuristics	(i) Suitable for complex inventory system consisting of multiple healthcare items at multiple stages in a healthcare system.
	(ii) Suitable when inventory problems under uncertainties in demand, lead time, and capacity for healthcare items in pharmacies and nursing units are considered.
	(iii) It is used to obtain near-optimal solutions for large-size complex problems formulated as stochastic and distribution-free models.
Simulation	(i) The entire process from demand to supply of healthcare items used in hospitals can be investigated.
	(ii) It is appropriate for addressing sources of randomness and uncertainties in healthcare systems, such as patient arrivals, their illness, multiple treatment stages and uncertain treatment responses.
	(iii) Suitable when the problem is difficult to formulate mathematically and cannot be solved efficiently by analytical methods.
	(iv) Suitable for solving large-size complex problems.

Different modelling approaches and solution methods, as discussed in previous sections, are used by the researchers for modelling and analysis of inventory management in healthcare systems, predominantly in hospitals. Each department in a hospital (pharmacy, emergency, operation theatre, and other specialized departments like cardiology, gynaecology, radiology, etc.) has distinct managerial and operational issues, and over the years various unique characteristics have been considered while modelling the inventory systems in each department of a hospital system. The unique features which are widely used to model the inventory control systems in multiple locations within the hospitals, viz. (i) central pharmacy, (ii) emergency room, (iii) operating room, (iv) intensive care unit, and (v) wards and other departments are summarized in **Table-3**.

Table-3. Inventory Management at various Hospital Departments

Hospital Departments	Unique characteristics	References
Hospital Pharmacy	Decisions are made for purchasing and distribution to other departments Often periodic review Maintain safety stock	Danas et al., 2002; Zhao et al., 2008; Habuchi, et al., 2009; Augusto & Xie, 2009; Huynh et al., 2013; Velarde et al., 2014; Gebicki et al., 2014; Rosenthal et

	Minimize inventory-related cost but prevent stock-out Places emergency order to other hospitals	al., 2016; Saedi et al., 2016; Maestre et al., 2018
Emergency Room	Minimize [Min] time between prescribing and administering [Min] staff leaving the room for supplies [Min] excessive room supplies Frequent supplies are maintained in easily assessable place Infrequently used items are stored in nonessential areas or are removed	Duclos, 1993; Alkaabi et al., 2006; Xu et al., 2011; Amaral & Costa, 2014; Muthoni et al., 2014; Osei et al., 2014; Roni et al., 2015; Zeinali et al., 2015
Operating Room	Operation schedule specific items Safety stock of standard surgery-specific items/kits Specialized items used by specific surgical departments (orthopaedic screws, etc.) Sterilization of items Demand depends on the surgeon's preferences High availability rate required on time within a limited space	Melson & Schultz, 1989; Harrell, 1990; Van De Klundert et al., 2008; Zhang et al., 2009; Guerriero & Guido, 2011; Rappold et al., 2011; Koksalmis et al., 2014; Diamant et al., 2018
Intensive Care Unit	Minimal storage space Often continuous review Places emergency order to the hospital pharmacy	Ridge et al., 1998; Little & Coughlan, 2008; Vila-Parrish et al., 2012; Kelle et al., 2012; Bijvank & Vis, 2012; Guerrero et al., 2013; Hosseinifard et al., 2014;; Pagel et al., 2017; Cappanera et al., 2019
Wards/other departments	Often high-volume, low-cost medicines Maintain schedule for drug delivery Aggregate drug orders to minimize fixed order cost and bulk delivery	Dean et al., 1999; Nicholson et al., 2004; Borghans et al., 2012; Azzi et al., 2013; Zhou et al., 2013; Gebicki et al., 2014; Stecca et al., 2016

7. An Integrated Framework for Modelling and Analysis of Inventory Management in Healthcare Systems

In this section, with the pre-requisite knowledge from the review of the existing literature, understanding the merits and demerits of modelling approaches and solution methods, and considering potential areas of improvement, an integrated framework for modelling and analysis of healthcare inventory management system is considered to be of prime necessity. The details of the framework are explained with a flowchart, as presented in **Figure-2**. The framework consists of six phases, viz., preliminary phase, data collection phase, data analysis

phase, modelling phase, verification and validation phase, and implementation phase. The steps involved are described below.

Step-1 (Preliminary Phase): The initial step includes observation of a real healthcare system to select a sub-system that requires prime focus. Observations include number and type of inventory items, the present classification system followed, the current replenishment policies, the process of distribution of the items from the hospital pharmacy to various point-of-use locations, the resource utilization and multiple constraints and conditions, such as space limitations and service levels. Such observations help to get an initial idea about the complex issues faced by the system, their causes, and provide scope for model development and improvements. After the selection of the system and sub-systems, healthcare inventory problems are classified through a critical review of the literature. Then, the research issues are identified, and the objective(s) are set.

Step-2 (Data Collection Phase): After the problem is clearly defined and understood and objective(s) are set, the next step is to collect the data required to construct the model. The information collected is organized into three broad categories: (i) patient-specific information, and (ii) physician-specific information, and (iii) healthcare item-specific information. The patient-specific information comprises of the patient name with identification number, date of arrival, type of care unit in which individual patient is admitted, the transfer date and time in case of shifting of patient from one care unit to another, the provisional and final diagnosis of the patient, their treatment stage, length of stay, insurance scheme and finally, the discharge date. Secondly, the physician-specific information includes the name of the physician, their field of specialization, name of the patient under their supervision, date of prescription, and type and dosage of medicines prescribed. The healthcare item-specific information consist of item code, name of the item, the request for replenishment date and issuance date, the quantity issued to the requested location (emergency room, operating room, wards in each floor, and other specialty departments), or to individual patient (in case of individual patient-specific medication administration) and the price of the item. The data are collected through hospital information systems, discussion with healthcare professionals, and real-time observations.

Step-3 (Data Analysis Phase): The collected data is analyzed with the help of systematic and appropriate statistical tools and techniques, such as descriptive and inferential statistics, tests of goodness of fit, correlation analysis, regression analysis, and data mining tools like

classification, clustering and association rule mining. The patients can be classified based on disease, treatment stages, and severity of illness. The physicians can be clustered based on the quantity of medicines prescribed as per the patient conditions. Classification of items can be done based on the consumption rate, criticality, patient conditions and physicians' preferences. Based on these classifications, the probability distributions of demand for the items in each class are determined. Furthermore, the presence of hidden patterns in the prescription database and the existence of associations among different items are investigated.

Step-4 (Modelling and Analysis Phase): Modelling of the inventory problem comprises of three essential steps, viz. (i) identification of various influencing factors, input variables, system parameters and performance indicators, (ii) representation and formulation of the objective function depending on the decision variables subject to constraints and conditions, and (iii) development of the model and analyzing them.

To address the identified problems and research issues, three models are proposed for an effective healthcare inventory management system:

- (i) Modelling patient conditions based on disease and treatment stages and develop an inventory control system considering the interrelationship between patient conditions and demand for healthcare items.
- (ii) Modelling physicians' prescribing behaviour based on patient conditions and develop an inventory control system considering physician heterogeneity and dynamics in prescription.
- (iii) Modelling demand dependence among healthcare items prescribed by physicians and develop an inventory control system considering associations among multiple items in multiple locations of a hospital system.

Various approaches are available to formulate the proposed models, such as stochastic modelling approaches like MDP to model the patient conditions, and partially-observed MDP to model physicians' prescribing behaviour. Once a mathematical model of the specific problem has been established, the next step is to solve the problem to achieve the optimal or near-optimal solutions through different kinds of existing solution methods, such as analytical method, heuristics, and simulation. Depending on the essential characteristic features and selection norms of the existing solution methods (**Table-2**), the appropriate method is applied to solve the developed model. Several performance indicators, such as inventory levels,

inventory costs and service level are then analyzed to find the relationships between them and the influencing factors, such as patient conditions, physician prescribing behaviour and demand dependence among healthcare items, and decision variables like order quantity and replenishment policies of healthcare items are obtained.

Step-5 (Verification and Validation Phase): As the model is solved and the results are obtained, the next important step is to review the obtained results to see whether the results make sense and the underlying decisions are in a position to be implementable. The rationales for verifying and validating the solution are: (i) the model may not have considered all the constraints and conditions of the problem while simplifying the model, and (ii) the data considered may have been under- or over-estimated, and hence, may provide unacceptable results. In the case of unacceptable results, the influencing factors, input variables, and system parameters are revised accordingly. An error by the hospital management in determining the input parameters, such as demand for healthcare items, and inventory-related cost parameters cause variations in the output (order quantity, replenishment policy, and the total cost incurred). Under-estimating the demand may lead to an out-of-stock situation and over-estimating it leads to excess stock. Sensitivity analysis is generally presented to analyze the impact of estimation errors. For example, it is observed that on under-estimating inter-arrival rates of demand for items, lower economic benefits are obtained, and over-estimated values of stock-out cost decreased the benefit of using an optimal periodic review interval (Rosales et al., 2015).

Step-6 (Implementation and Control Phase): The final phase is the implementation and control phase where the solutions obtained are implemented in an existing system and is further checked and updated in the fluctuating environment. In case the results obtained are not applicable in a real system, it is required to study the system again, and identify whether any of the influencing factors, input variables, system parameters, constraints or conditions are neglected or incorrect during the formulation of the model. In all such cases, the problem formulation step is re-evaluated, and appropriate modifications are made to represent the specified problem with more accuracy.




Fig.2: An Integrated Framework for Modelling and Analysis of Inventory Management System in Healthcare

8. Concluding Remarks and Future Research Directions

This paper provides a critical review of existing literature on healthcare inventory management systems, and the critical analyses result in the identification of appropriate modelling approaches and solution methods for various kinds of healthcare inventory problems. It introduces the applicability, potential and usefulness of the integrated framework for carrying out research in the area of inventory management systems in healthcare. Improving the performance of inventory control systems of healthcare items minimize the inventory-related costs, which may eventually lead to a reduction in the cost of treatment, and provide overall satisfaction to patients.

Based on the analyses, the following future directions for modelling healthcare inventory management are proposed.

- (i) Existing research on healthcare inventory management ignores existence of numerous interactions among healthcare items. A joint order for multiple items would reduce the ordering cost at hospital pharmacies. There may be limitations for a joint budget. Besides, multiple items need to compete for storage space in the pharmacies or at the point-of-use locations in the hospital.
- (ii) Healthcare inventory literature addresses a variety of healthcare items, such as pharmaceuticals (medicines, disposables, and non-disposables), medical equipment, surgical instruments, and other medical and surgical supplies. An integrated model considering all types of healthcare product may open new avenues for further investigation.
- (iii) Sources of randomness and complexities, such as patient arrivals, their illness, treatment stages, and treatment responses may be considered during modelling and analysis of inventory control systems in hospitals. The advantage of queuing theory may be considered while modelling random patient arrivals, and Markov chains may be used to model the patient medical conditions, the transition of patients from one treatment stage to another, and its relationship with the demand for items. Besides, heuristics and simulation approaches are also encouraged to explore when the system is complex and challenging to formulate or solve analytically.
- (iv) Multi-stage models, such as multi-stage stochastic programming, stochastic dynamic programming techniques may address problems related to dynamic inventory systems in

healthcare settings. Moreover, multi-agent models, such as reinforcement learning models may be developed to address multi-echelon inventory control problems in healthcare systems wherein multiple healthcare decision-makers (agents) can decide after learning and analyzing the decisions taken by upper-stage agents (Pontrandolfo et al., 2002).

- (v) Existing literature often deals with the uncertainty by assuming known probability distribution of random variables, such as demand for medicines, patients conditions, and physicians' prescribing behaviour; however, there are situations where the distributions of random variables are unknown or partially known (Arifoğlu & Özekici, 2010; Bayraktar & Ludkovski, 2010). Modelling such complex but practical problems using hidden Markov models, partially-observable MDP, robust optimization and possibilistic programming techniques are encouraged for future research.
- (vi) Although the vast literature on inventory management in medicines is available, varying and inconsistent expiration dates in different batches of orders received are not yet considered. For simplifying the modelling approaches, available literature disregards consideration of variation in expiration dates, even though there is a significant cost involved in the excess stock that ultimately results in spoilage after expiration (Ketzenberg et al., 2018). Such consideration is expected in future research in this field.
- (vii) No matter how precise the computations of inventory control parameters are, behavioural factors of healthcare stakeholders may force an adjustment on the final decisions taken. If the stakeholders believe that the computation is producing undesirable results, then their experience and judgment should be the deciding factor (de Vries, 2011). Till date consideration of behavioural factors in inventory management in healthcare is not considered. It is exiting and relevant scope for further investigation. The behaviour of the healthcare stakeholders may be (i) in response to or in anticipation of demand, and (ii) to induce demand for healthcare items. For example, the behaviour of hospital stakeholders like board of directors, head of departments, pharmacists, inventory managers, and nurses is to build an efficient inventory system to meet the expected demand, whereas, the behaviour of patients, physicians and patient-accompanying persons may induce demand (Johnson, 2014). The distinct interests of each stakeholder are presented in **Table-A1** in **Appendix-A**. In this context, various advanced operations research tools and techniques, such as decision analysis, systems dynamics and agent-based simulation approaches may be applied to capture the behavioural aspects in modelling inventory management in healthcare systems.

In conclusion, this review indicates that even though the literature on healthcare inventory system is emerging, and some important issues have been addressed, there remain a number of problem aspects for which modelling and solution approaches are yet to be explored. Therefore, inventory management in healthcare systems remains an area with numerous exciting and multifaceted research opportunities.

References

- Abdulsalam, Y., Gopalakrishnan, M., Maltz, A., Schneller, E. (2018). The impact of physician-hospital integration on hospital supply management. *Journal of Operations Management*, 57, 11–22. doi:10.1016/j.jom.2018.01.001.
- Addis, B., Carello, G., Grosso, A., Lanzarone, E., Mattia, S., & Tànfani, E. (2015). Handling uncertainty in health care management using the cardinality-constrained approach : Advantages and remarks. *Operations Research for Health Care*, 4, 1–4. <http://doi.org/10.1016/j.orhc.2014.10.001>
- Adriana, O., Alexandru, C., & Olimpia, B. (2010). The application of the EOQ model in the health services inventory management using WinQSB software. *IEEE International Conference on Information Management and Engineering*, 2, 240–243. <http://doi.org/10.1109/ICIME.2010.5477447>
- Ahmadi, E., Masel, D. T., Metcalf, A. Y., & Schuller, K. (2019a). Inventory management of surgical supplies and sterile instruments in hospitals: a literature review. *Health Systems*, 8 (2), 134-151. <http://doi.org/10.1080/20476965.2018.1496875>
- Ahmadi, E., Masel, D. T., & Hostetler, S. (2019b). A robust stochastic decision-making model for inventory allocation of surgical supplies to reduce logistics costs in hospitals: A case study. *Operations Research for Health Care*, 20, 33-44. <http://doi.org/10.1016/J.ORHC.2018.09.001>
- Ahmadi-Javid, A., Jalali, Z., & Klassen, K. J. (2017). Outpatient appointment systems in healthcare: A review of optimization studies. *European Journal of Operational Research*, 258(1), 3–34. <http://doi.org/10.1016/j.ejor.2016.06.064>
- Akcan, S., & Kokangul, A. (2012). Calculation of Reorder Point Level under Stochastic Parameters : A Case Study in Healthcare Area. *International Journal of Mechanical, Aerospace, Industrial, Mechatronic and Manufacturing Engineering*, 6(1), 96–99.
- Alkaabi, R., Abd El Halim, a. O., & Mahmoud, S. (2006). Improving resource allocation efficiency in health care delivery systems. *2006 Canadian Conference on Electrical and Computer Engineering*, Ottawa, May 7-10, 1389-1394 <http://doi.org/10.1109/CCECE.2006.277283>
- Al-Qatawneh, L., & Hafeez, K. (2011). Healthcare logistics cost optimization using a multi-criteria inventory classification. *International Conference on Industrial Engineering and Operations Management*, Kuala Lumpur, Malaysia, January 22-24, 506–512.
- Amaral, T. M., & Costa, A. P. C. (2014). Improving decision-making and management of hospital resources: An application of the PROMETHEE II method in an Emergency Department. *Operations Research for Health Care*, 3(1), 1–6. <http://doi.org/10.1016/j.orhc.2013.10.002>
- Arifoğlu, K., & Özekici, S. (2010). Optimal policies for inventory systems with finite capacity and partially observed Markov-modulated demand and supply processes. *European*

- Journal of Operational Research*, 204(3), 421–438.
<http://doi.org/10.1016/j.ejor.2009.10.029>
- Aringhieri, R., Bruni, M. E., Khodaparasti, S., & Essen, J. T. Van. (2017). Emergency medical services and beyond: Addressing new challenges through a wide literature review. *Computers and Operations Research*, 78, 349–368.
- Attanayake, N., Kashef, R. F., Andrea, T., & Carolina, N. (2014). A Simulation Model for A Continuous Review Inventory Policy for Healthcare Systems. *IEEE 27th Canadian Conference on Electrical and Computer Engineering*, Toronto, Ontario, Canada, May 4-7, 1–6.
- Augusto, V., & Xie, X. (2009). Redesigning pharmacy delivery processes of a health care complex. *Health Care Management Science*, 12(2), 166–178.
<http://doi.org/10.1007/s10729-008-9086-3>
- Azzi, A., Persona, A., Sgarbossa, F., & Bonin, M. (2013). Drug inventory management and distribution: outsourcing logistics to third-party providers. *Strategic Outsourcing: An International Journal*, 6(1), 48–64. <http://doi.org/10.1108/17538291311316063>
- Bayraktar, E., & Ludkovski, M. (2010). Inventory management with partially observed nonstationary demand. *Annals of Operations Research*, 176(1), 7–39.
<http://doi.org/10.1007/s10479-009-0513-8>
- Beliën, J., & Forcé, H. (2012). Supply chain management of blood products: A literature review. *European Journal of Operational Research*, 217(1), 1–16.
<http://doi.org/10.1016/j.ejor.2011.05.026>
- Bhattacharjee, P., & Ray, P. K. (2014). Patient flow modelling and performance analysis of healthcare delivery processes in hospitals: A review and reflections. *Computers and Industrial Engineering*, 78, 299–312. <http://doi.org/10.1016/j.cie.2014.04.016>
- Bijvank, M., & F A Vis, I. (2012). Inventory control for point-of-use locations in hospitals. *Journal of the Operational Research Society*, 63(4), 497–510.
<http://doi.org/10.1057/jors.2011.52>
- Borghans, I., Kool, R. B., Lagoe, R. J., & Westert, G. P. (2012). Fifty ways to reduce length of stay: An inventory of how hospital staff would reduce the length of stay in their hospital. *Health Policy*, 104(3), 222–233. <http://doi.org/10.1016/j.healthpol.2011.12.010>
- Brailsford, S., & Vissers, J. (2011). OR in healthcare: A European perspective. *European Journal of Operational Research*, 212(2), 223–234.
<http://doi.org/10.1016/j.ejor.2010.10.026>
- Çakici, Ö. E., Groenevelt, H., & Seidmann, A. (2011). Using RFID for the management of pharmaceutical inventory-system optimization and shrinkage control. *Decision Support Systems*, 51(4), 842–852. <http://doi.org/10.1016/j.dss.2011.02.003>
- Cappanera, P., Nonato, M. and Rossi, R. (2019). Stakeholder involvement in drug inventory policies. *Operations Research for Health Care*, 100188,
<https://doi.org/10.1016/j.orhc.2019.100188>.
- Chang, J., Lu, H., & Shi, J. (2019). Stockout risk of production-inventory systems with compound Poisson demands, *Omega*, 83, 181–198.
- Chen, L., Monteiro, T., Wang, T., & Marcon, E. (2018). Design of shared unit-dose drug distribution network using multi-level particle swarm optimization. *Health Care Management Science*, 22(2), 304–317. <http://doi.org/10.1007/s10729-018-9438-6>
- D’Andreamatteo, A., Ianni, L., Lega, F., & Sargiacomo, M. (2015). Lean in healthcare: A comprehensive review. *Health Policy*, 119(9), 1197–1209.
<http://doi.org/10.1016/j.healthpol.2015.02.002>

- Danas, K., Ketikidis, P., & Roudsari, a. (2002). A virtual hospital pharmacy inventory: An approach to support unexpected demand. *Journal of Medical Marketing*, 2(2), 125–129. <http://doi.org/10.1057/palgrave.jmm.5040065>
- Danas, K., Roudsari, A., & Ketikidis, P. H. (2006). The applicability of a multi-attribute classification framework in the healthcare industry. *Journal of Manufacturing Technology Management*, 17(6), 772–785. <http://doi.org/10.1108/17410380610678792>
- De Vries, J. (2011). The shaping of inventory systems in health services: A stakeholder analysis. *International Journal of Production Economics*, 133(1), 60–69. <http://doi.org/10.1016/j.ijpe.2009.10.029>
- Dean, B., van Ackere, a, Gallivan, S., & Barber, N. (1999). When should pharmacists visit their wards? An application of simulation to planning hospital pharmacy services. *Health Care Management Science*, 2(1), 35–42.
- Dellaert, N., & Van De Poel, E. V. (1996). Global inventory control in an academic hospital. *International Journal of Production Economics*, 46-47, 277–284. [http://doi.org/10.1016/0925-5273\(95\)00110-7](http://doi.org/10.1016/0925-5273(95)00110-7)
- Diamant, A., Milner, J., Quereshy, F., & Xu, B. (2018). Inventory management of reusable surgical supplies. *Health Care Management Science*, 21 (3), 439-459. <http://doi.org/10.1007/s10729-017-9397-3>
- Dobova, S. V., Reyes-Morales, H., Torres-Arreola, L. D. P., & Suárez-Ortega, M. (2007). Potential drug-drug and drug-disease interactions in prescriptions for ambulatory patients over 50 years of age in family medicine clinics in Mexico City. *BMC Health Services Research*, 7, 1–8. <http://doi.org/10.1186/1472-6963-7-147>
- Duclos, L. K. (1993). Hospital inventory management for emergency demand. *International Journal of Purchasing and Materials Management*, 29(4), 30–37.
- Dumbreck, S., Flynn, A., Nairn, M., Wilson, M., Treweek, S., Mercer, S. W., ... Guthrie, B. (2015). Drug-disease and drug-drug interactions: Systematic examination of recommendations in 12 UK national clinical guidelines. *The BMJ*, 350, 1–8. <http://doi.org/10.1136/bmj.h949>
- Duncan, I. B., & Norwich, H. S. (1973). Opportunity Costs and Elementary Inventory Theory in the Hospital Service. *Operational Research Quarterly (1970-1977)*, 24(1), 27–34.
- Esmaili, N., Norman, B. A., Rajgopal, J. (2019). Exact analysis of (R, s, S) inventory control systems with lost sales and zero lead time, *Naval Research Logistics*, 66, 123-132.
- Fitzsimmons, J.A., Fitzsimmons, M. J. (2006). Service Management: Operations, Strategy, and Information Technology. *Irwin/McGraw-Hill Series in Operations and Decision Sciences*.
- Gebicki, M., Mooney, E., Chen, S. J. (Gary), & Mazur, L. M. (2014). Evaluation of hospital medication inventory policies. *Health Care Management Science*, 17(3), 215–229. <http://doi.org/10.1007/s10729-013-9251-1>
- Goldberg, R. M., Mabee, J., Chan, L., & Wong, S. (1996). Drug-drug and drug-disease interactions in the ED: Analysis of a high- risk population. *American Journal of Emergency Medicine*, 14(5), 447–450. [http://doi.org/10.1016/S0735-6757\(96\)90147-3](http://doi.org/10.1016/S0735-6757(96)90147-3)
- Gönül, F. F., Carter, F., & Wind, J. (2000). What kind of patients and physicians value direct-to-consumer advertising of prescription drugs. *Health Care Management Science*, 3(3), 215–226. <http://doi.org/10.1023/A:1019005827097>
- Gorissen, B. L., Yanikoğlu, İ., Hertog, D. (2015). A practical guide to robust optimization. *Omega*, 53, 124-137.
- Guerrero, W. J., Yeung, T. G., & Guéret, C. (2013). Joint-optimization of inventory policies on a multi-product multi-echelon pharmaceutical system with batching and ordering

- constraints. *European Journal of Operational Research*, 231(1), 98–108. <http://doi.org/10.1016/j.ejor.2013.05.030>
- Guerriero, F., & Guido, R. (2011). Operational research in the management of the operating theatre: A survey. *Health Care Management Science*, 14(1), 89–114. <http://doi.org/10.1007/s10729-010-9143-6>
- Gupta, R., Gupta, K. K., Jain, B. R., & Garg, R. K. (2007). ABC and VED analysis in medical stores inventory control. *Medical Journal Armed Forces India*, 63(4), 325–327. [http://doi.org/10.1016/S0377-1237\(07\)80006-2](http://doi.org/10.1016/S0377-1237(07)80006-2)
- Habuchi, Y., Takenouchi, T., & Motomura, Y. (2009). Data collecting strategies for the improvement of healthcare service analyzing dispensing errors in a hospital pharmacy. *2009 International Conference of Soft Computing and Pattern Recognition*, Malacca, Malaysia, December 4-7, 534–538. <http://doi.org/10.1109/SoCPaR.2009.107>
- Hafnika, F., Farmaciawaty, D. A., Adhiutama, A., & Basri, M. H. (2016). Improvement of Inventory Control Using Continuous Review Policy in A Local Hospital at Bandung City, Indonesia. *The Asian Journal of Technology Management*, 9(2), 109–119. <http://doi.org/http://dx.doi.org/10.12695/ajtm.2016.9.2.5>
- Haijema, R. (2014). Optimal ordering, issuance and disposal policies for inventory management of perishable products. *International Journal of Production Economics*, 157(1), 158–169. <http://doi.org/10.1016/j.ijpe.2014.06.014>
- Hani, U., Basri, M. H., & Winarso, D. (2013). Inventory Management of Medical Consumables in Public Hospital: A Case Study. *Management*, 3(2), 128–133. <http://doi.org/10.5923/j.mm.20130302.10>
- Harper, P. R. (2002). A framework for operational modelling of hospital resources. *Health Care Management Science*, 5(3), 165–173. <http://doi.org/10.1023/A:1019767900627>
- Harrell, C. (1990). A simple process for controlling operating room specialized inventory. *Hospital Materiel Management Quarterly*, 12(2), 65–68.
- Held, F., Le Couteur, D. G., Blyth, F. M., Hirani, V., Naganathan, V., Waite, L. M., ... Gnjjidic, D. (2017). Polypharmacy in older adults: Association Rule and Frequent-Set Analysis to evaluate concomitant medication use. *Pharmacological Research*, 116, 39–44. <http://doi.org/10.1016/j.phrs.2016.12.018>
- Hosseinifard, S. Z., Abbasi, B., & Minas, J. P. (2014). Intensive care unit discharge policies prior to treatment completion. *Operations Research for Health Care*, 3, 168–175.
- Hovav, S., & Tsadikovich, D. (2015). A network flow model for inventory management and distribution of influenza vaccines through a healthcare supply chain. *Operations Research for Health Care*, 5, 49–62. <http://doi.org/10.1016/j.orhc.2015.05.003>
- Huynh, S. M., Alshubaily, A., Mir, F. M., Smirnov, O., Thomas, M., Ogunyebi, J. O., Parry, D., Fong, A. C. M. (2013). Pharmacy drug administration system. *39th Annual Conference of the IEEE Industrial Electronics Society*, Vienna, Austria, November 10-13, 8437–8442. <http://doi.org/10.1109/IECON.2013.6700548>
- Jayaraman, V., Burnett, C., & Frank, D. (2000). Separating inventory flows in the materials management department of Hancock Medical Center. *Interfaces*, 30(4), 56–64. <http://doi.org/10.1287/inte.30.4.56.11643>
- Johnson, E. M. (2014). Physician-Induced Demand. *Encyclopedia of Health Economics*, 3, 77–82.
- Jurado, I., Maestre, J. M., Velarde, P., Ocampo-Martinez, C., Fernández, I., Tejera, B. I., & del Prado, J. R. (2016). Stock management in hospital pharmacy using chance-constrained model predictive control. *Computers in Biology and Medicine*, 72, 248–255. <http://doi.org/10.1016/j.combiomed.2015.11.011>

- Kant, S., Haldar, P., Singh, A., & Kankaria, A. (2015). Inventory Management of Drugs at a Secondary Level Hospital Associated with Ballabgarh HDSS-An Experience from North India. *Journal of Young Pharmacists*, 7(2), 113–117. <http://doi.org/10.5530/jyp.2015.2.9>
- Kapur, R. (1987). Evaluating Inventory Turns for a Hospital Environment. *Computers and Industrial Engineering*, 13, 71–72.
- Kelle, P., Woosley, J., & Schneider, H. (2012). Pharmaceutical supply chain specifics and inventory solutions for a hospital case. *Operations Research for Health Care*, 1(2-3), 54–63. <http://doi.org/10.1016/j.orhc.2012.07.001>
- Ketzenberg, M., Gaukler, G., & Salin, V. (2018). Expiration dates and order quantities for perishables. *European Journal of Operational Research*, 266(2), 569–584. <http://doi.org/10.1016/j.ejor.2017.10.005>
- Kilpatrick, K. E. and Freund, L. E. (1967). A Simulation of Tank Oxygen Inventory at a Community General Hospital. *Health Services Research*, 2(3), 298–305.
- Koksalmis, E., Hancerliogullari, K. O., & Hancerliogullari, G. (2014). How to schedule surgical operations into operating rooms? An application in Turkey. *IIE Annual Conference and Expo 2014*, Montreal, Canada, June 1-3, 1139–1148.
- Kumar, S., & Chakravarty, a. (2015). ABC-VED analysis of expendable medical stores at a tertiary care hospital. *Medical Journal Armed Forces India*, 71(1), 24–27. <http://doi.org/10.1016/j.mjafi.2014.07.002>
- Kwak, N. K., Durbin, E., & Stanley, D. (1991). An inventory model for optimizing purchasing of intravenous fluids for hospitals: A case study. *Journal of Medical Systems*, 15(2), 171–181. <http://doi.org/10.1007/BF00992708>
- Little, J., & Coughlan, B. (2008). Optimal inventory policy within hospital space constraints. *Health Care Management Science*, 11(2), 177–183. <http://doi.org/10.1007/s10729-008-9066-7>
- Liu, Q., Zhang, X., Liu, Y., & Lin, L. (2013). Spreadsheet Inventory Simulation and Optimization Models and Their Application in a National Pharmacy Chain. *INFORMS Transactions on Education*, 14(1), 13–25. <http://doi.org/10.1287/ited.2013.0114>
- Maestre, J. M., Fernández, M. I., & Jurado, I. (2018). An application of economic model predictive control to inventory management in hospitals. *Control Engineering Practice*, 71, 120–128. <http://doi.org/10.1016/J.CONENGPRAC.2017.10.012>
- Management Sciences for Health (2012). MDS-3: Managing Access to Medicines and Health Technologies, Arlington, VA.
- Manhas, A. K., Aubid, M., Rashid, H., Sheikh, M. A., & Syed, A. T. (2012). Analysis of inventory of drug and pharmacy department of a tertiary care hospital. *Journal International Medical Sciences Academy*, 25(3), 183–185.
- Melson, L. M., & Schultz, M. K. (1989). Overcoming barriers to operating room inventory control. *Healthcare Financial Management*, 43(4), 28–32.
- Meng, F., Qi, J., Zhang, M., Ang, J., Chu, S., & Sim, M. (2015). A Robust Optimization Model for Managing Elective Admission in a Public Hospital. *Operations Research*, 63(6), 1452–1467.
- Miao-Sheng, C., & Yu-Ti, S. (2008). Pricing of prescription drugs and its impact on physicians' choice behavior. *Health Care Management Science*, 11(3), 288–295. <http://doi.org/10.1007/s10729-007-9039-2>
- Montoya, R., Netzer, O., & Jedidi, K. (2010). Dynamic Allocation of Pharmaceutical Detailing and Sampling for Long-Term Profitability. *Marketing Science*, 29(5), 909–924. <http://doi.org/10.1287/mksc.1100.0570>

- Moons, K., Waeyenbergh, G., & Pintelon, L. (2019). Measuring the logistics performance of internal hospital supply chains - A literature study. *Omega*, 82, 205-217. <http://doi.org/10.1016/j.omega.2018.01.007>
- Mukherjee, I., & Ray, P. K. (2006). A review of optimization techniques in metal cutting processes. *Computers and Industrial Engineering*, 50, 15-34. <http://doi.org/10.1016/j.cie.2005.10.001>
- Muthoni, G. J., Kimani, S., & Wafula, J. (2014). Review of Predicting Number of Patients in the Queue in the Hospital Using Monte Carlo Simulation. *International Journal of Computer Science Issues*, 11(2), 219-226.
- Niakan, F., & Rahimi, M. (2015). A multi-objective healthcare inventory routing problem; a fuzzy possibilistic approach. *Transportation Research Part E: Logistics and Transportation Review*, 80, 74-94. <http://doi.org/10.1016/j.tre.2015.04.010>
- Nicholson, L. A. (2002). Improving Inventory Management in Healthcare Systems. *Social and Economic Studies*, 51(3), 65-103.
- Nicholson, L., Vakharia, A. J., & Selcuk Erenguc, S. (2004). Outsourcing inventory management decisions in healthcare: Models and application. *European Journal of Operational Research*, 154(1), 271-290. [http://doi.org/10.1016/S0377-2217\(02\)00700-2](http://doi.org/10.1016/S0377-2217(02)00700-2)
- O'Neill, L., Murphy, M., Gray, D., & Stoner, T. (2001). An MRP System for Surgical Linen Management at a Large Hospital. *Journal of Medical Systems*, 25(1), 63-71. <http://doi.org/10.1023/A:1005688416572>
- Osei, K. M., Hamilton, B., Freeman, F. B., Nunoo, N., Torrey, S. B., & Soghoian, S. (2014). Essentials for emergency care: Lessons from an inventory assessment of an emergency centre in Sub-Saharan Africa. *African Journal of Emergency Medicine*, 4(4), 174-177. <http://doi.org/10.1016/j.afjem.2014.05.003>
- Pagel, C., Banks, V., Pope, C., Whitmore, P., Brown, K., Goldman, a., & Utley, M. (2017). Development, implementation and evaluation of a tool for forecasting short term demand for beds in an intensive care unit. *Operations Research for Health Care*, 15, 19-31. <http://doi.org/10.1016/j.orhc.2017.08.003>
- Paul, S., & Venkateswaran, J. (2018). Inventory management strategies for mitigating unfolding epidemics. *IIE Transactions on Healthcare Systems Engineering*, 5579, 1-14. <http://doi.org/10.1080/24725579.2017.1418768>
- Pontrandolfo, P., Gosavi, A., Okogbaa, O. G., & Das, T.K. (2002). Global supply chain management: A reinforcement learning approach, *International Journal of Production Research*, 40(6), 1299-1317.
- Prastacos, G. (1984). Blood Inventory Management: An Overview of Theory and Practice. *Management Science*, 30(7), 777-800.
- Priyan, S., & Uthayakumar, R. (2014). Optimal inventory management strategies for pharmaceutical company and hospital supply chain in a fuzzy – stochastic environment. *Operations Research for Health Care*, 3(4), 177-190. <http://doi.org/10.1016/j.orhc.2014.08.001>
- Rachmania, I. N., & Basri, M. H. (2013). Pharmaceutical inventory management issues in hospital supply chains. *Management*, 3(1), 1-5. <http://doi.org/10.5923/j.mm.20130301.01>
- Rajendran, S. & Ravi Ravindran, A. (2017). Platelet Ordering Policies at Hospitals using Stochastic Integer Programming Model and Heuristic Approaches to Reduce Wastage. *Computers & Industrial Engineering*, 110, 151-164. <https://doi.org/10.1016/j.cie.2017.05.021>
- Ramírez, a. J. L., Jurado, I., García, M. I. F., Tejera, B. I., Del Prado Llergo, J. R., & Torreblanca, J. M. M. (2014). Optimization of the demand estimation in hospital pharmacy.

- Proceedings of the 2014 *IEEE Emerging Technology and Factory Automation*, Barcelona, Spain, September 16-19. <http://doi.org/10.1109/ETFA.2014.7005057>
- Rappold, J., Roo, B. Van, Martinelly, C. Di, & Riane, F. (2011). An Inventory Optimization Model To Support Operating Room Schedules. *Supply Chain Forum: An International Journal*, 12(1), 56–69. <http://doi.org/10.1080/16258312.2011.11517254>
- Ridge, J. C., Jones, S. K., Nielsen, M. S., & Shahani, a. K. (1998). Capacity planning for intensive care units. *European Journal of Operational Research*, 105(2), 346–355. [http://doi.org/10.1016/S0377-2217\(97\)00240-3](http://doi.org/10.1016/S0377-2217(97)00240-3)
- Roni, M. S., Eksioglu, S. D., Jin, M., & Mamun, S. (2016). A hybrid inventory policy with split delivery under regular and surge demand. *International Journal of Production Economics*, 172, 126–136. <http://doi.org/10.1016/j.ijpe.2015.11.015>
- Roni, M. S., Jin, M., & Eksioglu, S. D. (2015). A hybrid inventory management system responding to regular demand and surge demand. *Omega*, 52, 190–200. <http://doi.org/10.1016/j.omega.2014.05.002>
- Rosales, C. R., Magazine, M., & Rao, U. (2014). Point-of-Use Hybrid Inventory Policy for Hospitals. *Decision Sciences*, 45(5), 913–937. <http://doi.org/10.1111/dec.12097>
- Rosales, C. R., Magazine, M., & Rao, U. (2015). The 2Bin system for controlling medical supplies at point-of-use. *European Journal of Operational Research*, 243(1), 271–280. <http://doi.org/10.1016/j.ejor.2014.10.041>
- Rosales, C. R., Magazine, M. J., & Rao, U. S. (2019). Dual Sourcing and Joint Replenishment of Hospital Supplies. *IEEE Transactions on Engineering Management*, 1-14. <http://doi.org/10.1109/TEM.2019.2895242>
- Rosenthal, M., Tsao, N. W., Tsuyuki, R. T., & Marra, C. a. (2016). Identifying relationships between the professional culture of pharmacy, pharmacists' personality traits, and the provision of advanced pharmacy services. *Research in Social and Administrative Pharmacy*, 12(1), 56–67. <http://doi.org/10.1016/j.sapharm.2015.05.003>
- Rossetti, M. D., Buyurgan, N., Pohl, E. (2012). Medical Supply Logistics. In: Hall, R., Handbook of Healthcare System Scheduling. *International Series in Operations Research and Management Science*, 168, 245-280.
- Rothman, M. J., Rothman, S. I., & Beals 4th, J. (2013). Development and validation of a continuous measure of patient condition using the Electronic Medical Record. *Journal of Biomedical Informatics*, 46(5), 837–848. <http://doi.org/10.1016/j.jbi.2013.06.011>
- Saedi, S., Kundakcioglu, O. E., & Henry, A. C. (2016). Mitigating the impact of drug shortages for a healthcare facility: An inventory management approach. *European Journal of Operational Research*, 251(1), 107–123. <http://doi.org/10.1016/j.ejor.2015.11.017>
- Saha, E. & Ray, P. K. (2019). Patient condition-based medicine inventory management in healthcare systems, *IIE Transactions on Healthcare Systems Engineering*, doi.org/10.1080/24725579.2019.1638850
- Satir, A., & Cengiz, D. (1987). Medicinal Inventory Control in a University Health Centre. *Journal of the Operational Research Society*, 38(5), 387–395.
- Savadkoohi, E., Mousazadeh, M., & Torabi, S. A. (2018). A possibilistic location-inventory model for multi-period perishable pharmaceutical supply chain network design. *Chemical Engineering Research and Design*, 138, 490–505. <http://doi.org/10.1016/j.cherd.2018.09.008>
- Shan, S., Yoon, S. W., Khasawneh, M. T., & Gandhi, T. (2011). A multi-echelon newsvendor inventory model to consolidate hospital pharmacy inventories. *61st Annual IIE Conference and Expo Proceedings*, Reno, Nevada, USA, May 21-25, 629-636.

- Shang, J., Tadikamalla, P. R., Kirsch, L. J., & Brown, L. (2008). A decision support system for managing inventory at GlaxoSmithKline. *Decision Support Systems*, 46(1), 1–13. <http://doi.org/10.1016/j.dss.2008.04.004>
- Starr, M. K., & Miller, D. W. (1962). *Inventory Control: Theory and Practice*. Prentice-Hall, INC, Englewood.
- Stecca, G., Baffo, I., & Kaihara, T. (2016). Design and operation of strategic inventory control system for drug delivery in healthcare industry. *IFAC-PapersOnLine*, 49(12), 904–909. <http://doi.org/10.1016/j.ifacol.2016.07.890>
- Steinberg, E., Khumawala, B., & Scamell, R. (1982). Requirements planning systems in the health care environment. *Journal of Operations Management*, 2(4), 251–259. [http://doi.org/10.1016/0272-6963\(82\)90013-4](http://doi.org/10.1016/0272-6963(82)90013-4)
- Taylor, G. J., McClean, S. I., & Millard, P. H. (2000). Stochastic models of geriatric patient bed occupancy behaviour. *Journal of the Royal Statistical Society. Series A: Statistics in Society*, 163(1), 39–48. <http://doi.org/10.1111/1467-985X.00155>
- Uthayakumar, R., & Karuppasamy, S. K. (2017). A Pharmaceutical Inventory Model for Variable Demand and Variable Holding Cost with Partially Backlogged Under Permissible Delay in Payments in Healthcare Industries. *International Journal of Applied and Computational Mathematics*, 3(Suppl 1), 327–341. <http://doi.org/10.1007/s40819-017-0358-9>
- Uthayakumar, R., & Priyan, S. (2013). Pharmaceutical supply chain and inventory management strategies: Optimization for a pharmaceutical company and a hospital. *Operations Research for Health Care*, 2, 52–64.
- Van De Klundert, J., Muls, P., & Schadd, M. (2008). Optimizing sterilization logistics in hospitals. *Health Care Management Science*, 11(1), 23–33. <http://doi.org/10.1007/s10729-007-9037-4>
- Varghese, V., Rossetti, M., Pohl, E., Apras, S., & Marek, D. (2012). Applying Actual Usage Inventory Management Best Practice in a Health Care Supply Chain. *International Journal of Supply Chain Management*, 1(2), 1–10.
- Velarde, P., Maestre, J. M., Jurado, I., Fern, I., Tejera, B. I., & Prado, J. R. (2014). Application of robust model predictive control to inventory management in hospitalary pharmacy. Proceedings of the 2014 *IEEE Emerging Technology and Factory Automation*, Barcelona, Spain, September 16–19, 5901–5906.
- Vila-parrish, A. R., Ivy, J. S., & King, R. E. (2008). A simulation-based approach for inventory modelling of perishable pharmaceuticals. *Proceedings of the Winter Simulation Conference, Global Gateway to Discovery, WSC 2008, InterContinental Hotel, Miami, Florida, USA*, December 7–10, 1532–1538.
- Vila-Parrish, A. R., Ivy, J. S., King, R. E., & Abel, S. R. (2012). Patient-based pharmaceutical inventory management: a two-stage inventory and production model for perishable products with Markovian demand. *Health Systems*, 1(1), 69–83. <http://doi.org/10.1057/hs.2012.2>
- Volland, J., Fügner, A., Schoenfelder, J., & Brunner, J. O. (2017). Material logistics in hospitals: A literature review. *Omega*, 69, 82–101. <http://doi.org/10.1016/j.omega.2016.08.004>
- Wang, L. C., Cheng, C. Y., Tseng, Y. T., & Liu, Y. F. (2015). Demand-pull replenishment model for hospital inventory management: A dynamic buffer-adjustment approach. *International Journal of Production Research*, 53(24), 7533–7546. <http://doi.org/10.1080/00207543.2015.1102353>
- White, D. J. (1993). A Survey of Applications of Markov Decision Processes, *The Journal of the Operational Research Society*, 44(11), 1073–1096

- Wu, D., Rossetti, M. D., & Tepper, J. E. (2013). Possibility of Inventory Pooling in China's public hospital and appraisal about its performance. *Applied Mathematical Modelling*, 39(23-24), 7277–7290. <http://doi.org/10.1016/j.apm.2015.02.042>
- Xu, M., Wong, T. C., Chin, K. S., Wong, S. Y., & Tsui, K. L. (2011). Modeling patient visits to Accident and Emergency Department in Hong Kong. 2011 *IEEE International Conference on Industrial Engineering and Engineering Management*, Singapore, December 6-9, 2011, 1730–1734. <http://doi.org/10.1109/IEEM.2011.6118212>
- Yao, W., Chu, C. H., & Li, Z. (2012). The adoption and implementation of RFID technologies in healthcare: A literature review. *Journal of Medical Systems*, 36(6), 3507–3525. <http://doi.org/10.1007/s10916-011-9789-8>
- Zeinali, F., Mahootchi, M., & Sepehri, M. M. (2015). Resource planning in the emergency departments: A simulation-based metamodeling approach. *Simulation Modelling Practice and Theory*, 53, 123–138. <http://doi.org/10.1016/j.simpat.2015.02.002>
- Zhang, B., Murali, P., Dessouky, M. M., & Belson, D. (2009). A mixed integer programming approach for allocating operating room capacity. *Journal of the Operational Research Society*, 60(5), 663–673. <http://doi.org/10.1057/palgrave.jors.2602596>
- Zhang, X., Meiser, D., Liu, Y., Bonner, B., & Lin, L. (2014). Kroger Uses Simulation-Optimization to Improve Pharmacy Inventory Management. *Interfaces*, 44(1), 70–84. <http://doi.org/10.1287/inte.2013.0724>
- Zhao, X., Yun, C., Liu, X., & Wang, W. (2008). Modeling and simulation of the automated pharmacy system. 2008 *International Conference on Intelligent Computation Technology and Automation*, Hunan, China, October 20-22, 621–625. <http://doi.org/10.1109/ICICTA.2008.374>
- Zhou, Q. S., & Olsen, T. L. (2017). Inventory rotation of medical supplies for emergency response. *European Journal of Operational Research*, 257(3), 810–821. <http://doi.org/10.1016/j.ejor.2016.08.010>
- Zhou, Y., Luo, L., & Wu, X. (2013). Optimal ordering policies for multi-pharmaceutical with constraints on space. 2013 *10th International Conference on Service Systems and Service Management*, Hong Kong, China, July 17-19, 659–663. <http://doi.org/10.1109/ICSSSM.2013.6602531>

Table-A1: Behaviour of hospital stakeholders and their interests related to inventory management in healthcare

Behaviour	Stakeholders	Interests
In response to or in anticipation of demand	Board of Directors	Minimizing overall hospital expenditure Supply medicines to other regional health organization Having a centralized hospital information system
	Head of Hospital Departments	Introducing new medicines Maintaining medicines in stock Preventing medicines from running out-of-stock Avoiding emergency orders Having a hospital information system on the service delivery process of each department
	Pharmacists	Recommends on administering and monitoring of medicines Review patient profile before dispensing medication Ensures accessibility, affordability and quality of medicines Practice therapeutic substitution in case of stock-outs Fulfils the required quantity of medicines to the patient Prevents medicines from stock-out situation Fast delivery of medicines Avoids uncertainties about the preparation of medicines A decision regarding on-hand inventory, frequency of placing orders and order quantity in response to or anticipation of patient demand
	Inventory Managers	Having accurate and reliable data about inventory-related costs and service delivery Optimizing storage space Fast delivery Minimizing inventory-related costs An optimizing trade-off between under-stock and over-stock Avoiding the expiration of medicines Having a proper hospital information system Reliable demand forecast Avoiding rush orders Long-term relationships with suppliers or GPOs Provide service level as cost-effectively as possible reducing delivery costs while materials are not being over-stocked or becoming obsolescent

	Nurses or Other Medical Staff	Fast delivery of special and emergency medicines Avoiding running out-of-stock Look for high service level across all products and confidence of not running out-of-stock
To induce demand	Patient	Patient with knowledge and information makes doctor to prescribe a drug or test. Patient does not want any delay due to unavailability of healthcare resources thus compelling hospitals to over- stock.
	Physician	Provide care and service Prescribe medicines and other medical items Follows professional norms Physicians have freedom of choice in prescribing medications Physicians influenced by pharmaceutical sales representatives (detailing and sampling) Induce demand by prescribing more medicines, preferred medicines, etc.
	Patient- Accompanying Person	Induce demand by recommending treatment or medicine due to extra care and concern

Highlights

- **A review on inventory management systems in healthcare is presented**
- **Literature on modelling and solution approaches is critically reviewed**
- **Classification scheme is proposed in respect of modelling and solution approaches**
- **Integrated framework is recommended based on critical appraisal of literature**