Coursework 2021/2022

Released: Friday November 5th 2021

Deadline: Tuesday November 30th 2021 at 18:00 (UK time) for all students.

Weight: 20 %

The module is assessed by 80% examination and 20% continuous assessments (aka this coursework). This document specifies the coursework. The objective of it is for you to gain practical experience in designing, implementing, training and optimizing a neural network to carry out a specific real-world task. The coursework is designed as a competition on Kaggle where you will work together in groups, each group submitting a solution.

You should also submit a report describing how you have done the coursework via Canvas within the deadline by the group leader. If you miss this deadline, your mark will be reduced by 5% (out of 100%) for each School working day (or part thereof) your submission is late. Feedback with marks will be returned within two weeks of the hand-in deadline.

1. Introduction

The task of this year is about semantic segmentation of magnetic resonance (MR) images using deep learning. In digital image processing and computer vision, semantic image segmentation is the process of assigning a label to every pixel in an image such that pixels with the same label share certain characteristics. This process can simplify and/or change the representation of an image into something that is more meaningful and easier to analyze.




Figure 1: A cardiovascular MR image (left) is segmented into a mask image on the right. The segmented mask includes four regions: the background region (black), the left ventricle (LV) region (white), the myocardium (Myo) region (white gray) and the right ventricle (RV) region (dark gray).

Specifically, we are concerned with semantic image segmentation of cardiovascular MR (CMR) images. CMR imaging is the gold standard for assessing cardiac chamber volume and mass for many cardiovascular diseases. For decades, clinicians have been relying on manual segmentation approaches to derive quantitative measures such as left ventricle volume, mass and ejection fraction. However, manual expert segmentation is tedious, time-consuming and prone to subjective errors. It becomes impractical when dealing with large-scale datasets. For this, the aim of this coursework to develop an automated methodology using Convolutional Neural Network (CNN) that is capable

of segmenting a CMR image into four regions: the background, the left ventricle (LV), the right ventricle (RV) and the myocardium (Myo). Figure 1 gives you an example of such a segmentation.




Figure 2: CMR images and their masks in the training set.




Figure 3: CMR images in the test set.

Dataset: First, we introduce the dataset used for this task. The dataset can be downloaded from the ACDC¹ challenge but we have modified it for the sake of simplicity. The dataset after our modifications contains a totoal of 200 CMR images in a PNG format. We split the data into 50% for training, 10% for validation and 40% for testing. For the training set, there are 100 CMR images and 100 respective ground truth mask images. Figure 2 shows all images and their masks

¹https://www.creatis.insa-lyon.fr/Challenge/acdc/

in the training set. You should use the images and masks in this set to train your network. For the validation set, there are 20 CMR images and 20 mask images, which look similar to those in the training set. You should use this set to tune the hyperparameters (ie. CNN architectures, loss functions, optimization algorithms, etc) of your method so as to maximize the overall performance. For the test set, there are 80 CMR images but no ground truth masks are given. Figure 3 displays all 80 test images. For the test set, we hold the ground truth masks. Your mission is to see how accurately your method can segment these CMR images in the test set, by comparing your segmentation masks with the ground truth masks we hold.

Network architectures: There are many state-of-the-art CNN architectures for semantic image segmentation. Popular choices are FCN², DeepLab³, SegNet⁴, etc. However, these networks may not be directly applicable to this task due to the limitation of computational power you have. It is important you take this into account and design a suitable segmentation network that is capable to achieve a result as accurate as possible. Note: Regardless of which network you use, in this task the input tensor to the network must be of size (B, 1, H, W) and the output tensor from the network must be of size (B, 4, H, W). Here B denotes batch size, H and W stand for image height and width, respectively.

Metric: $Dice\ similarity\ coefficient^5$ or simply $Dice\ will$ be used to measure segmentation performance with respect to ground truth. Dice between two binary masks X and Y is defined as the intersection ratio between both the overlap area and the average area of the two masks, which is given as

$$Dice(X,Y) = \frac{2|X \cap Y|}{|X| + |Y|}.$$

Dice varies from 0-1, with high values corresponding to a better match. Note: Once you have predicted segmentation masks of images in the test set, you should call the submission script we have provided. It will automatically create a CSV file which encodes your results in the format required by Kaggle. You then submit the CSV file to Kaggle and an average Dice over all three regions for 80 test cases will be automatically computed and ranked there. Check our video for more instructions on this step.

Loss function: To obtain precise segmentation results, it is important you implement an effective loss function. Typical choices are the cross-entropy loss⁶, the soft Dice loss⁷, the Focal loss⁸, the boundary loss⁹, or a combination of some of them.

²https://www.cv-foundation.org/openaccess/content_cvpr_2015/papers/Long_Fully_Convolutional_ Networks_2015_CVPR_paper.pdf

³https://arxiv.org/pdf/1606.00915.pdf

⁴https://arxiv.org/pdf/1511.00561.pdf

 $^{^{5} \}rm https://en.wikipedia.org/wiki/Sørensen-Dice-coefficient$

⁶https://en.wikipedia.org/wiki/Cross_entropy

⁷https://arxiv.org/pdf/1606.04797.pdf

⁸https://arxiv.org/pdf/1708.02002.pdf

⁹https://arxiv.org/pdf/1812.07032.pdf

2. Getting Started

- 1. Go to Canvas Assignment and download CW.zip. Unzip the files to your home directory (for example it is /Users/jduan/Desktop/CW on my laptop). You should then see data and tutorial.ipynb in the unzipped folder.
- 2. After these files are downloaded and unzipped it is fine you develop your method using Jupyter Notebook on your own laptop, but you will need to install torch and opencv python libraries. Alternatively, we recommend you use Docker where we have installed all dependencies for you. Open the terminal and type the following two command lines

The only thing you need to change above is to replace /Users/jduan/Desktop/CW with the directory on your laptop (for Mac and Linux users only). If you are a Windows user, you should replace the second command above with

Afterwards, copy the link displayed in the terminal onto your browser to start Jupyter Notebook from Docker, then click on tutorial.ipynb and complete the tutorial.

Important notes: (1) the Docker use here is slightly different to lab tutorials. Please follow the instructions here only; (2) because I use -v parameter to pass /Users/jduan/Desktop/CW on my local laptop to /src in Docker, all files under /Users/jduan/Desktop/CW will be uploaded to /src in Docker. It is important you remember to use Docker paths (ie. /src) all the time in your code development; (3) these two paths are synchronized. That is to say if you change anything in /Users/jduan/Desktop/CW the content in /src will be automatically updated and vice versa. In other words, you do not need to worry about losing your work if you terminate Docker Jupyter Notebook and you have all your work saved locally on your laptop.

- 3. After your network is trained deploy it on the images in the test set in /src/data/test/images and save the predicted segmentation masks to /src/data/test/masks. If successful the masks will be also produced in /Users/jduan/Desktop/CW/data/test/masks due to synchronization. You then need to run the submission conversion code in the last part of tutorial.ipynb to encode your masks into a CSV file and then submit it to Kaggle for ranking. We have provided a video to explain how the process is done exactly.
- 4. Apart from the Docker implementation above, which is guaranteed to work for all students both online and on-campus, you can also use the online service provided by our School at https://jupyter.apps.okd.aws.cs.bham.ac.uk/ with your School's login. It is a bit slow at the beginning to log in but once you are in you just need to upload the unzipped file CW to the server and then click on tutorial.ipynb to start to work on the coursework. The rest processes are the same as using Docker above. Note that there is no need for you to install any dependencies using this service as we have installed them and you also can access the power of GPU to train your model which Docker does not have. We have provided a video

here to show you how to use this service (in particular how to upload files which you only need to do once). Remember to log out the service as each student in a group only has 44 hours to use the service. It is also a good idea to develop your code in Docker and then use the School's server to train your model to speed up in case you run out of time given.

- 5. Write one group report explaining what you did and what you found. Within the report you should insert source code. A reasonable length for the report would be between 2000 and 3000 words excluding the reference list, plus as many diagrams, tables and graphs as you think appropriate. The 20 marks are divided into four sections: training (30%), validation (10%), inference (10%), code quality (10%) and report quality (40%). The first four sections are marked based on your inserted source code and the last section on your written report.
 - ▶ For training, you are expected to show the following components: network architecture, loss function, optimizer and training processing. For the training process, you should show your understanding on the number of epochs required to train your network, as well as data loading. It also necessary to show correct training mode (model.train), zero gradient (optimizer.zero_grad), backpropagation (loss.backward), optimization (optimizer.step), etc.
 - ▶ For validation, you are expected to show how you use this process to select reasonable hyperparameters in your network.
 - > For inference (deployment), you are expected to show how well your trained model has performed on test set on Kaggle. The performance will account for 50% and the remaining 50% comes from your inference code. Ideally, you should save the trained model and then load it for inference.
 - ▶ For coding, high quality code should be well structured and commented.
 - ▶ For the report, marks are further divided into
 - ▶ Introduction (10%): discuss the data sets involved, the machine learning task, relevant work and what you aimed to achieve.
 - ▶ Implementation (35%): describe how you implemented your neural network and the associated performance analysis mechanisms. Explain why you chose to do it that way. Remember to cite any sources you used.
 - ▶ Experiment (45%): describe the experiments you carried out to optimize your network's generalization performance and present the results you obtained. Explain in detail how you used the training, validation and test data sets. The results should be presented in a statistically rigorous manner.
 - ▷ Conclusion (10%): summarize your key findings, including which factors proved most crucial, and what was the best generalization performance you achieved.

3. Files to Submit

The group leader should submit on Canvas a HTML file titled group#.html, where # should be replaced by the group number. More specifically, the HTML file is generated from your Jupyter Notebook (File \rightarrow Download as \rightarrow HTML). In your Notebook, you should include source code and write the report with the corresponding section headings as described above.

4. Assessment

The groups will be marked by your HTML report containing source code as indicated by the percentages above. Note that the outcome of the competition will not impact the overall assessment significantly. If there is evidence of significant differences in contributions among group members, then individual marks may be adjusted.

5. Help and Advice

If you get stuck, feel free to ask for advice in Teams or you can talk to us over our office hours or synchronous online sessions. It is highly recommended that you make use of online collaborative tools such as Zoom for this group coursework.