


Session 37: Big-O

- Illustration of Big-O
- Proofs for Big-O
- Examples for Big-O

Example


Show that $f(x) = x^2 + 2x + 1$ is $O(x^2)$

Illustration of Big-O Notation



The part of the graph of $f(x) = x^2 + 2x + 1$ that satisfies $f(x) < 4x^2$ is shown in blue.

Illustration of Big-O Notation



Example

Show that x^2 is not $O(x)$.

Big-O examples

75 is $O(1)$ and 1 is $O(75)$

1 is $O(x)$ but x is not $O(1)$

x is $O(x^2)$ but x^2 is not $O(x)$

x^2 is $O(x^2)$ and x^2 is $O(x^3)$

x^2 is $O(6x^2+x+3)$ and $6x^2+x+3$ is $O(x^2)$

$O(6x^2+x+3)$ and $O(75)$ are unusual

Big-O Estimates for Polynomials

Theorem: Let $f(x) = a_n x^n + a_{n-1} x^{n-1} + \dots + a_1 x^1 + a_0$

where a_0, a_1, \dots, a_n are real numbers with $a_n \neq 0$.

Then $f(x)$ is is $O(x^n)$.

The leading term $a_n x^n$ of a polynomial dominates its growth.

Proof

An Important Point about Big-O Notation

You may see “ $f(x) = O(g(x))$ ” instead of “ $f(x)$ is $O(g(x))$ ”

- This is an abuse of the equality sign

It is ok to write $f(x) \in O(g(x))$

- $O(g(x))$ represents the set of functions that are $O(g(x))$.

Summary

- Examples of Big-O
- Big-O for polynomials
- Use of Big-O notation