

1 Testimony/Testimonies

1.1 Location of the testimony

Indicate the **explicit** spatial information concerning the testimony, **and not the source**: place of a sacrifice, location of a sanctuary, place of the divine action, etc.

E.g.: *CGRN* 52 (Sacrificial calendar of the deme of Erchia), col. A, l. 3-4 (sacrifice to Apollo Lukeios *en astei – i.e.* in Athens):

<u>Source</u>, *Discovery Location* and *Original Location*: Erchia, i.e.: "Athenai (Athenaios)", "Inland Greece", "Attica", "Erchia";

<u>Testimony</u>: "Athenai (Athenaios)", "Inland Greece", "Attica", "Athenae" with associated Pleiades data.

Do not register the location indications contained in the meaning of the onomastic element itself (e.g.: toponymic epithets); They are already registered in the *Element* form (*infra* 3.4).

E.g.: in a dedication to Artemis *Ephesia* from Paros (*IG* XII 5, 218), the location "Ephesos" is registered in the *Element form* "Εφέσιος, α , ov », but not as the location of this testimony.

E.g.: in a Phoenician dedication to the Lady of Byblos (b'lt gbl) such as *KAI* 4, the location "Byblos" is registered in the *Element form* "gbl", but not as the location of this testimony.

If the testimony is not localised, mark the *Location* box *None*.




Otherwise, **mark first the box** *Existing* and begin typing the first letters of the location or scroll down the list, then **select the relevant location.**



If the location is not registered in the list, mark the *New* box and a full section to be filled in will appear.





1.1.1.1 Real?

Real is checked by default. Uncheck in particular cases where the place is imaginary or ideal (Atlantis, Underworld...).



If the place is real, proceed as follows.

1.1.1.2 Political Entity

This field is not mandatory. Register here, only for the Greek *poleis*, the city on the territory of which the discovery location of the source is located *on its date of production*. Choose from the closed list, taken from the inventory established by Hansen & Nielsen, *IACP* (2004): begin typing the name of the city or scroll down the list. If the city does not appear on the list, do not record anything.


For the **demes of a city** (e.g.: Athens), register **the name of the city as** *Political entity* ("Athenai" (Athenaios) (IACP: 361)) and **the demes to the scale** *Place*.

For homonymous cities, verify the inventory number in the Hansen & Nielsen volume.

E.g.: in order to register an inscription found in Thebes at Boeotia (*e.g. SEG* 15.328), the list of political entities included in the database contains three different Thebai:

- Thebai (Thebaios) (IACP 444)
- Thebai (Thebaios) (IACP 869)
- Thebai (Thebaios) (IACP 221).


In the example, this is Thebai (Thebaios) (IACP 221); the other two are Thebes at Phthiotis (IACP 444) and Thebes at Mycale, in Ionia (IACP 869).





1.1.1.3 Region

This is **the only mandatory field**. If the discovery location cannot be attributed to any region, select *Undetermined*. Begin typing the name of the region or scroll down the list.



1.1.1.4 Sub-region

The Sub-regions are divisions of the Regions.

Begin typing the name of the sub-region or scroll down the list.



1.1.1.5 Place

Register here the name of the ancient location where the testimony is located.

Places georeferenced as towns, villages, but also rural sites and localities, are considered *Places*.

E.g.: the sanctuary of Hosn Suleiman/Baetocece in Syria, which is georeferenced as a place in Pleiades, will be treated as a place.

However, the archaeological sites of a town must be registered in the field Site.


E.g.: Place = Athens -> Sites = Ceramicus, Acropolis...

E.g.: Place = Tyre -> Site: Al Bass.


Verify whether the place is already registered in the database. Try several spellings (ancient and modern): enter the name of the place and click on *Search in the Database*.

If the place is already registered in the database, the fields *Region*, *Sub-region*, *Pleiades Number* (*Place*), *Name* (*Place*) and the georeferencing coordinates (*Latitude* and *Longitude*) are automatically registered. Otherwise, enter the place manually and adopt a usual name for the place, by default in English.






Only the *Place* scale is subject to georeferencing. As far as possible, transfer the data from the Pleiades site. Click on the *View on Pleiades* button to access the site, search for the page of the place. Copy its Pleiades ID and paste it in the *Pleiades Number (Place)* field. Then **click on the** *Search on Pleiades* **button** and the data will be automatically registered (place name and georeferencing coordinates).







If the place is not included in Pleiades, register the modern name and its GPS coordinates using Google Maps: https://www.gps-coordinates.net, according to the model adopted by Pleiades, with **multiple decimals**: enter the latitude and the longitude in the separate fields.

E.g.: Ur

Latitude: 30.963056 Longitude: 46.103056.

If necessary, transcribe the modern toponym in transliteration, without using special characters: use the following corresponding table for Semitic toponyms:

- waw in vowel position = u; e.g.: Umm el Amed;
- shin = sh;
- neither 'ayin nor 'aleph; e.g.: Baal, and not Ba'al;
- the fricative "p" = ph; e.g.: Aphqa;
- no diacritical mark for emphatics;
- no accent for a long or short vowel.

1.1.1.6 Site

The divisions of the *Places* are considered *Sites*. E.g.: necropolis, agorae, quarters, sanctuaries... Indicate, if the information is provided by the source, the site to which the agent is connected. If the site is registered by the Pleiades site, proceed as with the place. For the site, register only the Pleiades ID and the name, without the georeferencing coordinates. Otherwise, enter its usual name manually (by default, in English).

Never register a Site without a Place.

Name (Place)	Athenae			Q Search Database
	Enter a City name and/or a Pleiades number, then click the relevant fields will be populated according to its data	"Search database" button to sear	ch the database	e. If a single result is found,
Latitude	37.9751765			
Longitude	23.7263452			
Pleiades Number	638356144	Q Search on Pleiades	× Clear	View on Pleiades
(Site) Enter the ID of a Pleiades entry and click the "Search" button to search on Pleiades. If a result is found, relevant fields will be populated according to its data and locked. Click the "Clear" button to erase the data, or the "View" button to open Pleiades with the given ID.				
Name (Site)	Acropolis of Athens			



1.1.1.7 Topographies and Functions

- Topographies: register the <u>notable</u> topographic characteristics of the place or/and site.
- Functions: register the <u>notable</u> functional characteristics of the place or/and site.

These fields are drop-down lists. They are not mandatory. Several choices are possible. Select the relevant qualification(s) from the list.





1.1.1.8 Commentary (FR/EN)

This is a non-mandatory double free text box (in French and in English). It is used to provide details on a place as such, regardless of any connection with the testimony being recorded.

If it is **not possible** to translate into one of the two languages, or if a comment requires proofreading, **leave the checks** in the box(es) *Translate in* French/English, at the top of the form.

For all bibliographic references, **register it** in the *Bibliography* form (*infra* 4) after checking that it is not already registered, and quote it as follows: Author, Short title (date).

E.g.: On this place, see Bonnet, Enfants de Cadmos (2015), p. xxx-xxx.



Annex 1: Rules for the definition of geographic entities

We have adopted the boundaries of the Roman provinces in the extension of the Empire around 117 CE (Trajan-Hadrian era), with some modifications, notably to include the spaces outside of the boundaries of the Roman Empire.

1. Regions

1.1 Regions corresponding to a Roman province

- Cyprus
- Corsica and Sardinia
- Sicily (and Malta)

1.2. Regions corresponding to the grouping of several Roman provinces

- North Africa

Mauretania (Tingitana and Caesariensis) + Africa Proconsularis (including Numidia, created under Septimius Severus) + Cyrenaica (without Crete)

- Balkan and Danube region

Raetia + Noricum, Pannonia (Superior and Inferior), Dalmatia, Dacia, Moesia (Superior and Inferior), Thrace

- Asia Minor

Asia + Bithynia-Pontus + Lycia + Galatia + Cilicia + Galatia-Cappadocia

- Gaul and Germania

Gaul (Narbonensis, Aquitania, Lugdunensis, Belgica) + Germania (Superior and Inferior)

- Inland Greece

Macedonia + Epirus + Achaea

- Aegean Islands

Crete + Aegean Islands

- Iberian Peninsula

Baetica + Lusitania + Tarraconensis

- Italic Peninsula

Italy + Alps (Graiae and Poeninae, Cottiae, Maritimae)

1.3 Regions that group together spaces inside and outside of the Roman Empire

- Egypt and Nubia
- British Isles
- Near East

1.4 Regions outside of the Roman Empire:

- Central Asia
- Black Sea (northern coast)

MAPPING ANCIENT POETTHEIMS

1. Sub-regions

The definition of sub-regions uses that of the Roman provinces around 117 CE (Trajan-Hadrian era), with the exception of:

- *Inland Greece*, *Asia Minor*, *Aegean Islands*: the sub-regions are those included in the regions *Greece*, *Asia Minor* and *Aegean* of the *SEG*: consequently, whatever the size, each island (Aegean or Ionian) corresponds to a sub-region;
- *Italic Peninsula:* the sub-regions correspond to the 11 Augustan *regions* (cf. Nicolet C., L'origine des *regiones Italiae* augustéennes, *CCG* 2, 1991, 73-97); however, the Alps (Graiae and Poeninae, Cottiae, Maritimae) are regrouped into one single sub-region (*Alps*).
- Egypt and Nubia: besides Upper and Lower Egypt, this region includes as sub-regions, on the one hand, Nubia for the spaces located upstream of the island of Philae, and, on the other hand, the eastern and western Deserts regroupes in one and the same region.



Annex 2: List of database categories

Topographies (Tables Source, Attestation, Élément / Source, Testimony, Element Tables)

Le champ « Topographies »renseigne des <u>informations remarquables</u> sur le type d'espace naturel et/ou anthropisé correspondant potentiellement à quatre niveaux de données :

- le lieu de découverte d'une Source ;
- le lieu d'origine d'une Source ;
- le contexte d'une Attestation ;
- la portée sémantique d'un Élément.

Ces catégories s'appliquent aux lieux réels et imaginaires (Styx, Olympe, Shéol...).

Elles peuvent être combinées : Rivage + Mer ; Rivage + Océan ; Rivage + Plan d'eau, etc., selon les nécessités.

The field "Topographies" records <u>noteworthy information</u> on the kind of space, natural and/or anthropized, potentially related to four levels of data:

- the discovery location of a Source;
- the original location of a Source;
- the context of an Attestation;
- the semantic scope of an Element.

These categories apply to real and imaginary places (Styx, Olympus, Sheol...).

They can be combined: Shore + Sea; Shore + Ocean; Shore + Lake, etc., as required.

Les options « Autre » ou « Champ vide » répondent aux cas suivants :

The options "Other" or "Blank Field" respond to the following situations:

Autre	Topographie connue mais absente de la liste (car très rare)
Champ vide	Aucune information disponible

Other	Topography known but absent from the list (because very rare)
Blank field	No information available

Ciel	Sky
Cours d'eau	River
Désert	Desert
Embouchure	Mouth
Espace souterrain	Underground space
Grotte	Cave
Hauteur (Montagne / Colline / Rocher)	Heights (Mountain / Hill / Rock)
Île	Island
Isthme	Isthmus
Mer / Océan	Sea / Ocean
Oasis	Oasis
Ouadi	Wadi
Plaine	Plain
Plan d'eau	Lake



Rivage	Shore
Source	Spring
Steppe	Steppe
Vallée / Vallon	Valley
Volcan	Volcano
Zone boisée (Bois / Bosquet / Forêt)	Wooden area (Wood / Grove / Forest)

Fonctions / Functions (Tables Source, Attestation, Élément / Source, Testimony, Element Tables)

Le champ « Fonctions »renseigne les <u>fonctionnalités remarquables</u> attribuées à un espace naturel et/ou anthropisé, déterminées par la ou les principales activités qui y sont exercées et correspondant potentiellement à quatre niveaux de données :

- le lieu de découverte d'une Source ;
- le lieu d'origine d'une Source;
- le contexte d'une Attestation;
- la portée sémantique d'un Élément.

Ces catégories s'appliquent aux lieux réels et imaginaires (Hyperborée, Atlantide, Shéol...).

The field "Functions" records <u>noteworthy functionalities</u> of a space, natural and/or anthropized, determined by the main activity or activities performed there and potentially related to four levels of data:

- the discovery location of a Source;
- the original location of a Source;
- the context of an Attestation;
- the semantic scope of an Element.

These categories apply to real and imaginary places (Hyperborea, Atlantis, Sheol...).

Les options « Autre », « Indéterminé » ou « Champ vide » répondent aux cas suivants : The options "Other" or "Blank Field" respond to the following situations:

Autre	Fonction connue mais absente de la liste (car très rare)
Champ vide	Aucune information disponible

Other	Function known but absent from the list (because very rare)
Blank field	No information available

Administration	Administration
Archives, basilique, tribunal, etc.	Archives, basilica, tribunal, etc.
Agriculture	Agriculture
Aire de battage, champs, ferme, vignes, etc.	Farm, fields, threshing floor, vineyards, etc.
Artisanat / Commerce	Crafts / Trade
Atelier, boutique, four, pressoir, stoa, etc.	Oven, press room, shop, stoa, workshop, etc.
Associatif	Associative
Salle de banquet	Banquet hall
Culte	Culte
Chapelle, sanctuaire, synagogue, temple, etc.	Chapel, cult-place, synagogue, temple, etc.



Domestique	Household
Maison, quartier d'habitations, etc.	House, residential area, etc.
Elevage	Animal husbandry
Écurie, étable, pâturage, etc.	Barn, pasture, stable, etc.
Extraction	Extraction
Carrière, mine, etc.	Mine, quarry, etc.
Funéraire	Funerary
Nécropole, mausolée, tombe, etc.	Grave, mausoleum, necropolis, etc.
Guerre	War
Arsenal, camp, murailles, tour, etc.	Arsenal, camp, tower, walls, etc.
Liminaire / Passage	Threshold / Passing
Carrefour, porte, route, etc.	Crossroad, door, road, etc.
Pêche / Chasse	Fishing / Hunting
Zone de pêche, zone de chasse, etc.	Fishing area, hunting area, etc.
Place publique	Public square
Agora, forum, etc.	Agora, forum, etc.
Politique	Politics
Lieu d'assemblée, palais, prytanée, etc.	Palace, place of assembly, prytaneum, etc.
Santé	Health
Bains, cabinet de médecin, sanatorium, etc.	Baths, cabinet of a physician, sanatorium, etc.
Savoir	Knowledge
Bibliothèque, école, etc.	Library, school, etc.
Sport / Spectacle	Sport / Spectacle
Hippodrome, stade, theater, etc.	Hippodrome, stadium, theater, etc.
Stockage	Storage
Grenier, magasin, etc.	Granary, storehouse, etc.
Structure hydraulique	Hydraulic structure
Aqueduc, bassin, puits, thermes, etc.	Aqueduct, basin, baths, well, etc.
Zone portuaire	Port area
Entrepôt, phare, port, quai, etc.	Docks, harbour, lighthouse, warehouse, etc.
Zone rurale	Rural area
Campagne, etc.	Countryside, etc.
Zone urbanisée	Urban area
Village, ville	Village, city



Presentation of the MAP project

The MAP project is an ERC Advanced Grant (741182) project that studies the divine powers in the Antiquity by means of their names, viewed as "onomastic sequences". The full title of the project is: *Mapping Ancient Polytheisms. Cult Epithets as an Interface between Religious Systems and Human Agency*. Thanks to the systems for naming the divine, it aims to unravel the relational logics, elements of meaning, but always fluid, which arrange and animate the divine powers. These systems serve to express the gods' multiple functions and modes of action, as well as associating them with spaces where their presence allows them to interact with men. For this reason, the names of the gods play a strategic role in ritual communication, making it possible to target a specific interlocutor and reinforcing the effectiveness of the ritual. MAP focusses on the context in which each onomastic sequence is used, as well as the question of human agency.

The project considers the divine names from the widest expansion of the Greek worlds and the Semitic worlds of the West (Phoenician, Punic, Aramaic, Hebrew) from the Near East to the most western Phoenician colonies, in other words, on an ample Mediterranean scale and encompassing an extensive period of time, from around 1000 BC to 400 AD.

Presentation of the MAP database

The data for the names, contexts and agents is extracted from published corpus, formatted and recorded by the team working on the project, guest researchers and collaborators. Given that the corpus studied is heterogeneous on several levels, the database uses ontologies and lists of predetermined values to record the data in order to streamline data entry and facilitate consultation.

MAP uses a relational database in SQL (Structured Query Language) which allows a large amount of different qualities of information to be recorded. This information is stored in entity classes (tables) which use an architecture that facilitates the resolution of search issues.

Structuration of the database

The MAP database contains three registration levels containing different data:

- Source;
- Testimony;
- Element.

The source (1) is a document – epigraphic, glyptic, numismatic, papyrological or from the manuscript tradition – which contains one or several testimonies of divine onomastic sequences.

The testimony (2) is a group of onomastic elements that refer to one or several deities and are combined to form an "onomastic sequence".

E.g.: Απόλ[λωνος] Πυθίου καὶ Απόλλωνος Κεδριέως is a Greek testimony; lrbt ltnt pn b'l wl'dn lb'l ḥmn is a Punic testimony.

The element (3) is the minimal "unit of meaning" within the testimony. It is a semantic and non-grammatical category. Two or more elements constitute a testimony.

E.g.: The testimony Ἀπόλλωνος Πυθίου καὶ Ἀπόλλωνος Κεδριέως contains 4 elements; The Punic testimony Irbt Itnt pn b'l wl'dn lb'l ḥmn contains 7 elements.



Registration Data Interface

One source (level 1) contains one or more testimonies (level 2) which contain one or more elements (level 3).

Metadata tables are associated with these different levels, such as the location, the datation, the context, the agents and the bibliography. Being aware of the structure of the database allows us to consider and calibrate our search process when using it.

Link to guidelines

The guidelines for the research and Webmapping interfaces are available here: https://hal.archivesouvertes.fr/MAP-ERC/.

Registration

This document explains the procedures necessary for registering data in the database. Generally, recording will take place as follows:

- creation of a "source" form for the document that you want to process;
- creation of one or more "testimony" forms related to the source;
- if necessary, creation of "element" and "bibliography" forms.

General norms of registration

Begin sentences with a capital letter and end them with a full stop.

For dates, use "BC" and "AD".

To reference an author, quote Author (date) or (Author date).

How to quote the MAP database?

Bonnet C. (dir.), ERC Mapping Ancient Polytheisms 741182 (DB MAP), Toulouse 2017-2022: https://base-map-polytheisms.huma-num.fr/ (AAAA/MM/JJ).

Contact

map.polytheisms@gmail.com or click on the "Contact" tab.

Subject: BDD – registration interface.

