

ICPSR 36498

## **Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files**

*United States Department of Health and  
Human Services. National Institutes of  
Health. National Institute on Drug Abuse*

*United States Department of Health and  
Human Services. Food and Drug  
Administration. Center for Tobacco  
Products*

ICPSR Codebook for Wave 4: Adult  
Questionnaire Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## **Terms of Use**

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

## **Information about Copyrighted Content**

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE  
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

**NOTE**

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at [nahdap@icpsr.umich.edu](mailto:nahdap@icpsr.umich.edu). Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

**CODEBOOK DISPLAY NOTES  
PATH STUDY  
ADULT QUESTIONNAIRE DATA  
ICPSR #36498-4001**

1. ICPSR customized the display of the variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some numeric variables show summary statistics (arithmetic mean, mode, median, minimum, maximum, and standard deviation) instead of a frequency table. The median and mode may not display in the summary statistics if a variable has a very large number of distinct categories or values. These numeric variables do not have value labels for valid data. The third type of variable display does not show either a frequency table or summary statistics. These variables usually fall into one of three categories:
  - A. Character (String) variables: Free text responses have been omitted when there are more than 10 to 15 unique responses.
  - B. Lengthy Categorical variables: Variables with more than 25 valid value labels such as variables that end in “\_BRAND” and “\_PRODUCT”.
  - C. Identification variables: Variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.Unless a variable falls into the above categories of A or C, a missing values table will be present if the valid cases have been presented in a frequency table, display summary statistics, or have been suppressed.
2. A variable with the same PATH ID (see description in the Public-Use Files User Guide) can display differently over time as a frequency table, summary statistics, or neither of these in the codebook depending on the range of valid values or the number of valid values or the number of valid cases present for that variable for that wave.
3. Frequencies or summary statistics are not displayed for the valid cases for variables ending in “\_C” that ask about “cents” for the cost of a product, or “\_IN” that ask about “inches” for a person’s height. These variables are paired with a preceding variable

ending in “\_D” (dollars) and “\_FT” (feet), respectively. Summary statistics or a frequency table may be displayed for that preceding “\_D” or “\_FT” variable. Both variables in the pair should be used together to accurately estimate the cost of a product or a person’s height.

4. Some variables contain lengthy universal lists of values for a particular type of question or section. Examples of this are the “\_BRAND” and “\_PRODUCT” variables that are in each tobacco type section. Not all of the values listed in the data file apply to that type of tobacco. Frequency tables for these variables have been suppressed in the codebooks.
5. As noted above, the frequency tables of the “\_BRAND” and “\_PRODUCT” variables have been suppressed in the main section of the codebook. However, the top 20 most frequent responses are provided for each variable, with all other coded responses grouped into a separate category. These condensed frequency tables appear in the appendix of this codebook.
6. Variables ending in “\_NN” do not have frequencies or summary statistics displayed for valid cases because the valid values correspond to different units. The “\_NN” variables are paired with variables ending in “\_UN” that specify the units used in the “\_NN” responses. For example, see variables R04\_AC1009\_NN and R04\_AC1009\_UN.
7. The questionnaire contains numerous boxes of information that precede certain sections or individual variables. When utilizing this codebook, users should refer to the questionnaire and pay special attention to the content of these boxes. Using the questionnaire side by side with the codebook when reviewing the content will help in understanding the information in the data file. The question text of the first variable directly after one of these “boxes” contains the text from the box or a reference to that box. Boxes containing descriptive text are repeated. Boxes containing programming information for system routing variables are referenced. The text or reference following that information for the first variable also applies to the remaining variables in that questionnaire section.
8. In multiple sections of the interview, the order of a series of questions is automatically randomized for the respondent. Information about the order of randomization is included in the variables containing “\_RANDOM\_” in the variable name. Cases coded as

"-1" indicate that the question was not applicable to the respondent and was skipped during the interview.

9. Users should consult Table 1 and Table 2 in the front of the questionnaire for specific variables that have been removed entirely from or revised in this public-use version of the data.
10. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%.
11. Each variable contains the following statement:

"This variable has XXXXX valid cases out of XXXXX total cases."

This statement describes how many valid cases for a variable were used for the calculation of percents for the frequency tables and in the calculations of summary statistics for continuous variables. Users can also quickly understand the amount of missing data for a particular variable. All percents and summary statistics are unweighted.

12. Data may be missing for a multitude of reasons. The codebook contains a statement as the last piece of information in the display of a variable that lists all user-defined missing values assigned to that variable. Most variables will contain four user-defined missing values. For these variables, the codebook will display, "*(Range of) Missing Values*: -9, -8, -7, -1". Some variables may contain additional negative numbers assigned as missing values. The *(Range of . . .)* statement will not display for any variable where missing values are not assigned, such as CASEID and PERSONID.
13. Users should consult Section 6.7 of the Public-Use Files User Guide for further information about Missing Values. As with numeric variables, character (string) variables contain numerical values to signify why a case is missing but these values are not labeled. All missing values still correspond to the descriptions listed in the following table.

## PATH Study Missing Value Codes and Their Descriptions

Value	Definition	Applicable data types		Applicable variable types	Description
		Numeric,	Character		
-1	Inapplicable	Numeric, Character	Interview	Interview	This value is coded to identify items that were validly skipped on a route specific to a respondent.
-5	Improbable response removed	Numeric	Interview	Interview	This value is coded to represent improbable numeric answers provided by respondents.
-6	Unassigned PERSONID	Character	Interview	Interview	This value is coded when a new person is added as a spouse or other guardian in parent interviews for Wave 2 and beyond.
-7	Refused	Numeric, Character	Interview	Interview	This value is coded when respondents answered a question as "Refused."
-8	Don't know	Numeric, Character	Interview	Interview	This value is coded when respondents answered a question as "Don't know."
-9	Missing – Not ascertained	Numeric, Character	Interview	Interview	This value is coded when data were supposed to be collected on a route specific to a respondent but the collection did not occur due to a skip error in the instrument.
-99933	Missing due to respondent not being in previous wave	Numeric, Character	Derived	Derived	This value is coded when a value in a derived variable is missing because a respondent did not participate in an interview in the previous wave.
-99999	Missing due to data not ascertained on one or more component variables	Numeric, Character	Derived	Derived	This value is coded when a value in a derived variable is missing because data were "Not ascertained" (as described above) in one or more component variables.
-99988	Missing due to a don't know response on one or more component variables	Numeric, Character	Derived	Derived	This value is coded when a value in a derived variable is missing due to a "Don't know" response in one or more component variables and none of those variables were "Not ascertained" (as described above).
-99977	Missing due to a refused response on one or more component variables	Numeric, Character	Derived	Derived	This value is coded when a value in a derived variable is missing due to a "Refused" response in one or more component variables and none of those variables were missing due to a "Don't know" response or because they were "Not ascertained" (as described above).
-99955	Missing due to an improbable response on one or more component variables	Numeric	Derived	Derived	This value is coded when a value in a derived variable is missing due to an improbable response in one or more component variables and none of those variables were missing due to "Don't know" or "Refused" responses or because they were "Not ascertained" (as described above).

-99966	Missing due to missing data on a prior wave for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because of missing data in one or more component variables from any previous wave and none of those variables were missing due to "Don't know" or "Refused" responses, because they were "Not ascertained," or because of an improbable response (as described above).
-99911	Missing due to an instrument skip pattern for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to items that are not applicable/validly skipped for a respondent in one or more component variables and none of those variables were missing due to the other reasons listed above.
-97777	Missing due to data removed per respondent request	Numeric, Character	Interview, Derived	This value is coded when respondents request data removal.

# **ICPSR 36498**

## **Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files**

### **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Wave 4: Adult Questionnaire Data

## CASEID: Case Identification Number

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1-5 (width: 5; decimal: 0)

*Variable Type:* numeric

## PERSONID: Participant ID

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6-15 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_ADULTTYPE: Wave 4 adult type classification

Long Description: Flag to indicate whether respondent is a continuing adult, a new baseline (aged-up) adult or a new cohort adult.

Value	Label	Unweighted Frequency	%
1	1 = Continuing adult	25855	76.4 %
2	2 = Aged-up adult	1900	5.6 %
3	3 = New cohort adult	6065	17.9 %
<b>Total</b>		<b>33,820</b>	<b>100.0%</b>

This variable has 33,820 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 16-21 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777

## R04R\_A\_AT0047: DERIVED - Recoded marital status (3 levels)

Long Description: What is your marital status?

Algorithm: IF R04\_AT0047 = 1 THEN R04R\_A\_AT0047 = 1 ; ELSE IF R04\_AT0047 IN (2,3,4) THEN R04R\_A\_AT0047 = 2 ; ELSE IF R04\_AT0047 = 5 THEN R04R\_A\_AT0047 = 3 ; ELSE IF R04\_AT0047 = -9 THEN R04R\_A\_AT0047 = -99999 ; ELSE IF R04\_AT0047 = -8 THEN R04R\_A\_AT0047 = -99988 ; ELSE IF R04\_AT0047 = -7 THEN R04R\_A\_AT0047 = -99977 ; ELSE IF R04\_AT0047 = -1 THEN R04R\_A\_AT0047 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Married	11930	35.3 %

Value	Label	Unweighted Frequency	%
2	2 = Widowed, divorced or separated	5799	17.1 %
3	3 = Never married	15942	47.1 %
	<b>Total</b>	<b>33,671</b>	<b>99.6%</b>

This variable has 33,671 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	42	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	105	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>151</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 22-27 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_AM0069: DERIVED - Recoded citizen of the United States (2 levels)

Long Description: Are you a citizen of the United States?

Algorithm: IF 1<= R04\_AM0069 <= 4 THEN R04R\_A\_AM0069=1; ELSE IF R04\_AM0069 > 4 THEN R04R\_A\_AM0069=2; ELSE IF R04\_AM0069 = -9 THEN R04R\_A\_AM0069 = -99999; ELSE IF R04\_AM0069 = -8 THEN R04R\_A\_AM0069 = -99988; ELSE IF R04\_AM0069 = -7 THEN R04R\_A\_AM0069 = -99977; ELSE IF R04\_AM0069 = -1 THEN R04R\_A\_AM0069 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes, a U.S. citizen	8428	24.9 %
2	2 = No, not a U.S. citizen	1754	5.2 %
	<b>Total</b>	<b>10,182</b>	<b>30.1%</b>

This variable has 10,182 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	61	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	23562	69.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>23,640</b>	<b>69.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 28-33 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_AM0065\_V2: DERIVED - Recoded number of years in US (2 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: IF R04\_AM0065 = -2 THEN R04R\_A\_AM0065\_V2 = 1; ELSE if R04\_AM0065 >= 0 then R04R\_A\_AM0065\_V2 = 2; ELSE IF R04\_AM0065 = -9 THEN R04R\_A\_AM0065\_V2 = -99999; ELSE IF R04\_AM0065 = -8 THEN R04R\_A\_AM0065\_V2 = -99988; ELSE IF R04\_AM0065 = -7 THEN R04R\_A\_AM0065\_V2 = -99977; ELSE IF R04\_AM0065 = -5 THEN R04R\_A\_AM0065\_V2 = -99955; ELSE IF R04\_AM0065 = -1 THEN R04R\_A\_AM0065\_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Lived in the U.S. entire life	22560	66.7 %
2	2 = Not lived in the U.S. entire life	11156	33.0 %
	<b>Total</b>	<b>33,716</b>	<b>99.7%</b>

This variable has 33,716 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	26	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	57	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>106</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 34-39 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04\_AM0066: How well you speak English

How well do you...

speak English?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04\_P\_COMP\_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Very well	30484	90.1 %
2	2 = Well	2090	6.2 %
3	3 = Not well	847	2.5 %
4	4 = Not at all	340	1.0 %
	<b>Total</b>	<b>33,761</b>	<b>99.8%</b>

This variable has 33,761 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>61</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 40-45 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AM0070: How well you read English

How well do you...

read English?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04\_P\_COMP\_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Very well	29848	88.3 %
2	2 = Well	2576	7.6 %

Value	Label	Unweighted Frequency	%
3	3 = Not well	888	2.6 %
4	4 = Not at all	419	1.2 %
	<b>Total</b>	<b>33,731</b>	<b>99.7%</b>

This variable has 33,731 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	39	0.1 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>91</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 46-51 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AM0073: How well you write in English

How well do you...

write in English?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04\_P\_COMP\_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Very well	29260	86.5 %
2	2 = Well	2953	8.7 %
3	3 = Not well	1026	3.0 %
4	4 = Not at all	493	1.5 %
	<b>Total</b>	<b>33,732</b>	<b>99.7%</b>

This variable has 33,732 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	38	0.1 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>			
	<b>Total</b>		<b>90</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 52-57 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AM0071: Speak a language other than English at home

Do you speak a language other than English at home?

[If No (2), Don't Know (-8), or Refused (-7), Go to BOX R04\_ACT02]

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04\_P\_COMP\_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7108	21.0 %
2	2 = No	26678	78.9 %
	<b>Total</b>	<b>33,786</b>	<b>99.9%</b>

This variable has 33,786 valid cases out of 33,822 total cases.

	<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	3	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	17	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>36</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 58-63 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AM0072\_01: Other language spoken at home: Spanish

What other languages do you speak at home? Choose all that apply.

Spanish

ASK: Adult respondents who did not already complete a parent interview and speak a language other than English at home.

ASK Specification: IF R04\_P\_COMP\_LD != 1 AND R04\_AM0071 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5104	15.1 %
2	2 = Not Marked	1689	5.0 %
	<b>Total</b>	<b>6,793</b>	<b>20.1%</b>

This variable has 6,793 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	176	0.5 %
-7	-7 = Refused	139	0.4 %
-1	-1 = Inapplicable	26712	79.0 %
	<b>Total</b>	<b>27,029</b>	<b>79.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 64-69 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AM0072\_02: DERIVED - Recoded other language(s) spoken at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language (adult)

Long Description: What other languages do you speak at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language?

Algorithm: IF R04\_AM0072\_02 = 1 OR R04\_AM0072\_03 = 1 OR R04\_AM0072\_04 = 1 OR R04\_AM0072\_05 = 1 OR R04\_AM0072\_06 = 1 OR R04\_AM0072\_07 = 1 OR R04\_AM0072\_08 = 1 OR R04\_AM0072\_09 = 1 OR R04\_AM0072\_10 = 1 THEN R04R\_A\_AM0072\_02 = 1; ELSE if R04\_AM0072\_02 = 2 AND R04\_AM0072\_03 = 2 AND R04\_AM0072\_04 = 2 AND R04\_AM0072\_05 = 2 AND R04\_AM0072\_06 = 2 AND R04\_AM0072\_07 = 2 AND R04\_AM0072\_08 = 2 AND R04\_AM0072\_09 = 2 AND R04\_AM0072\_10 = 2 THEN R04R\_A\_AM0072\_02 = 2; ELSE IF R04\_AM0072\_02 = -9 OR R04\_AM0072\_03 = -9 OR R04\_AM0072\_04 = -9 OR R04\_AM0072\_05 = -9 OR R04\_AM0072\_06 = -9 OR R04\_AM0072\_07 = -9 OR R04\_AM0072\_08 = -9 OR R04\_AM0072\_09 = -9 OR R04\_AM0072\_10 = -9 THEN R04R\_A\_AM0072\_02 = -99999; ELSE IF R04\_AM0072\_02 = -8 OR R04\_AM0072\_03 = -8 OR R04\_AM0072\_04 = -8 OR R04\_AM0072\_05 = -8 OR R04\_AM0072\_06 = -8 OR R04\_AM0072\_07 = -8 OR R04\_AM0072\_08 = -8 OR R04\_AM0072\_09 = -8 OR R04\_AM0072\_10 = -8 THEN R04R\_A\_AM0072\_02 = -99988; ELSE IF R04\_AM0072\_02 = -7 OR R04\_AM0072\_03 = -7 OR R04\_AM0072\_04 = -7 OR R04\_AM0072\_05 = -7 OR R04\_AM0072\_06 = -7 OR R04\_AM0072\_07 = -7 OR R04\_AM0072\_08 = -7 OR R04\_AM0072\_09 = -7 OR R04\_AM0072\_10 = -7 THEN R04R\_A\_AM0072\_02 = -99977; ELSE IF R04\_AM0072\_02 = -1 OR R04\_AM0072\_03 = -1 OR R04\_AM0072\_04 = -1 OR R04\_AM0072\_05 = -1 OR R04\_AM0072\_06 = -1 OR R04\_AM0072\_07 = -1 OR R04\_AM0072\_08 = -1 OR R04\_AM0072\_09 = -1 OR R04\_AM0072\_10 = -1 THEN R04R\_A\_AM0072\_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Marked	1918	5.7 %
2	2 = Not Marked	4875	14.4 %
	<b>Total</b>	<b>6,793</b>	<b>20.1%</b>

This variable has 6,793 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	176	0.5 %
-99977	-99977 = Missing due to a refused response on one or more component variables	139	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	26712	79.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>27,029</b>	<b>79.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 70-75 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04\_AC1002\_RS: Ever smoked a cigarette, even one or two puffs

Have you ever smoked a cigarette, even one or two puffs?

[If No (2), Don't Know (-8), or Refused (-7), go to BOX R04\_ACV04]

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4219	12.5 %
2	2 = No	1845	5.5 %
	<b>Total</b>	<b>6,064</b>	<b>17.9%</b>

This variable has 6,064 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	27755	82.1 %
	<b>Total</b>	<b>27,758</b>	<b>82.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 76-81 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1004: In past 30 days, smoked a cigarette, even one or two puffs

In the past 30 days, have you smoked a cigarette, even one or two puffs?

[If Yes (1), GO TO BOX R04\_ACR14]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever smoked a cigarette.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AC1002\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	11770	34.8 %
2	2 = No	20193	59.7 %
	<b>Total</b>	<b>31,963</b>	<b>94.5%</b>

This variable has 31,963 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	1846	5.5 %
	<b>Total</b>	<b>1,859</b>	<b>5.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 82-87 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1002\_12M: In past 12 months, smoked a cigarette, even one or two puffs

In the past 12 months, have you smoked a cigarette, even one or two puffs?

ASK: Continuing and aged-up adult respondents who have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days, or new cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AC1004 = 2, -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AC1002\_RS = 1 AND R04\_AC1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2102	6.2 %
2	2 = No	18087	53.5 %
	<b>Total</b>	<b>20,189</b>	<b>59.7%</b>

This variable has 20,189 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	13616	40.3 %
	<b>Total</b>	<b>13,633</b>	<b>40.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 88-93 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1003: Now smoke cigarettes

Do you now smoke cigarettes...

[If Every Day (1), Some Days (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_ACV04]

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or new cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and did not know or refused to report whether they have smoked a cigarette in the past 12 months.

ASK Specification: IF R04\_AC1004 = 1 OR R04\_AC1002\_12M = 1 OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1002\_12M = -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AC1002\_RS = 1 AND R04\_AC1004 = 2, -8, -7 AND R04\_AC1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	7880	23.3 %
2	2 = Some days	3087	9.1 %
3	3 = Not at all	2905	8.6 %
	<b>Total</b>	<b>13,872</b>	<b>41.0%</b>

This variable has 13,872 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	19940	59.0 %
<b>Total</b>		<b>19,950</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 94-99 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## **R04\_AC1009\_NN: How long since last smoked a cigarette - Number (non-current smokers)**

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

[If Don't Know (-8) or Refused (-7), GO TO R04\_AC1010]

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or New cohort adult respondents who have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental, new former established, or still former established cigarette smokers as of their last completed interview and did not smoke a cigarette in the past 12 months, or New cohort adult respondents who have ever smoked a cigarette and did not smoke a cigarette in the past 12 months.

ASK Specification: IF ((R04\_AC1004 = 1 OR R04\_AC1002\_12M = 1) AND R04\_AC1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1002\_12M = -8, -7 AND R04\_AC1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AC1002\_RS = 1 AND R04\_AC1004 = 2, -8, -7 AND R04\_AC1002\_12M = -8, -7 AND R04\_AC1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_CIGS = 1 AND R03\_CIG\_USER\_STATUS != 3, 4, 5 AND R04\_AC1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AC1002\_RS = 1 AND R04\_AC1004 = 2, -8, -7 AND R04\_AC1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 4,963 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.1 %
-7	-7 = Refused	17	0.1 %
-5	-5 = Improbable response removed	120	0.4 %
-1	-1 = Inapplicable	28677	84.8 %
<b>Total</b>		<b>28,859</b>	<b>85.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 100-105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AC1009\_UN: How long since last smoked a cigarette - Unit (non-current smokers)

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

[If Don't Know (-8) or Refused (-7), GO TO R04\_AC1010]

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or New cohort adult respondents who have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental, new former established, or still former established cigarette smokers as of their last completed interview and did not smoke a cigarette in the past 12 months, or New cohort adult respondents who have ever smoked a cigarette and did not smoke a cigarette in the past 12 months.

ASK Specification: IF ((R04\_AC1004 = 1 OR R04\_AC1002\_12M = 1) AND R04\_AC1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1002\_12M = -8, -7 AND R04\_AC1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AC1002\_RS = 1 AND R04\_AC1004 = 2, -8, -7 AND R04\_AC1002\_12M = -8, -7 AND R04\_AC1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_CIGS = 1 AND R03\_CIG\_USER\_STATUS != 3, 4, 5 AND R04\_AC1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AC1002\_RS = 1 AND R04\_AC1004 = 2, -8, -7 AND R04\_AC1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.]

Value	Label	Unweighted Frequency	%
1	1 = Days	958	2.8 %
2	2 = Months	1943	5.7 %
3	3 = Years	2182	6.5 %
<b>Total</b>		<b>5,083</b>	<b>15.0%</b>

This variable has 5,083 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	28737	85.0 %
<b>Total</b>		<b>28,739</b>	<b>85.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 106-111 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AC1010: Completely quit smoking cigarettes

Have you completely quit smoking cigarettes?

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or New cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental cigarette smokers as of their last completed interview and did not smoke a cigarette in the past 12 months, or New cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and did not smoke a cigarette in the past 12 months.

ASK Specification: IF ((R04\_AC1004 = 1 OR R04\_AC1002\_12M = 1) AND R04\_AC1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1002\_12M = -8, -7 AND R04\_AC1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AC1002\_RS = 1 AND R04\_AC1004 = 2, -8, -7 AND R04\_AC1002\_12M = -8, -7 AND R04\_AC1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_CIGS = 1 AND R03\_CIG\_USER\_STATUS != 3 AND R04\_AC1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AC1002\_RS = 1 AND R04\_AC1004 = 2, -8, -7 AND R04\_AC1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	8074	23.9 %
2	2 = No	562	1.7 %
3	3 = I have never smoked a cigarette in my entire life, not even one or two puffs	61	0.2 %
<b>Total</b>		<b>8,697</b>	<b>25.7%</b>

This variable has 8,697 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	25085	74.2 %
<b>Total</b>		<b>25,125</b>	<b>74.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 112-117 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AC1103: Ever been curious about smoking a cigarette

Have you ever been curious about smoking a cigarette?

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	45	0.1 %
2	2 = Somewhat curious	275	0.8 %
3	3 = A little curious	1090	3.2 %
4	4 = Not at all curious	4664	13.8 %
	<b>Total</b>	<b>6,074</b>	<b>18.0%</b>

This variable has 6,074 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	22	0.1 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	27721	82.0 %
	<b>Total</b>	<b>27,748</b>	<b>82.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 118-123 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AC1206: Think you will smoke a cigarette in the next year

Do you think you will smoke a cigarette in the next year?

ASK: Young adult respondents who have never smoked a cigarette, or young adult respondents who have ever smoked a cigarette and did not smoke a cigarette in the past 12 months or did not know or refused to report whether they have smoked a cigarette in the past 12 months.

ASK Specification: IF (18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_CIGS = 2) OR (18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	12	0.0 %
2	2 = Probably yes	78	0.2 %
3	3 = Probably not	1207	3.6 %
4	4 = Definitely not	6308	18.7 %
	<b>Total</b>	<b>7,605</b>	<b>22.5%</b>

This variable has 7,605 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	23	0.1 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	26189	77.4 %	
<b>Total</b>		<b>26,217</b>	<b>77.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 124-129 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1104: Think you will try a cigarette soon

Do you think that you will try a cigarette soon?

ASK: Adult respondents who have never smoked a cigarette.

ASK Specification: IF R04\_EVER\_NEVER\_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	9	0.0 %
2	2 = Probably yes	32	0.1 %
3	3 = Probably not	848	2.5 %
4	4 = Definitely not	10600	31.3 %
<b>Total</b>		<b>11,489</b>	<b>34.0%</b>

This variable has 11,489 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	22327	66.0 %	
<b>Total</b>		<b>22,333</b>	<b>66.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 130-135 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1205: Would smoke a cigarette if a best friend offered

If one of your best friends were to offer you a cigarette, would you smoke it?

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	7	0.0 %
2	2 = Probably yes	93	0.3 %
3	3 = Probably not	830	2.5 %
4	4 = Definitely not	5144	15.2 %
	<b>Total</b>	<b>6,074</b>	<b>18.0%</b>

This variable has 6,074 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	22	0.1 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	27721	82.0 %	
	<b>Total</b>	<b>27,748</b>	<b>82.0%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 136-141 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AV1001\_RS: Ever seen or heard of an e-cigarette or eletrconic nicotine product before this study

Have you ever seen or heard of an e-cigarette or electronic nicotine product before this study?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AVV02]

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5606	16.6 %
2	2 = No	448	1.3 %
	<b>Total</b>	<b>6,054</b>	<b>17.9%</b>

This variable has 6,054 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	27755	82.1 %
<b>Total</b>		<b>27,768</b>	<b>82.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 142-147 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1002\_RS: Ever used an electronic nicotine product, even one or two times

Have you ever used an electronic nicotine product, even one or two times?

(Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AVV02]

ASK: New cohort adult respondents who have ever seen or heard of electronic nicotine products.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2644	7.8 %
2	2 = No	2960	8.8 %
<b>Total</b>		<b>5,604</b>	<b>16.6%</b>

This variable has 5,604 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	28214	83.4 %
<b>Total</b>		<b>28,218</b>	<b>83.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 148-153 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1004: In the past 30 days, used an electronic nicotine product, even one or two times

In the past 30 days, have you used an electronic nicotine product, even one or two times?  
(Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If Yes (1), GO TO BOX R04\_AVR04]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of an e-cigarette or electronic nicotine products and have ever used an electronic nicotine product.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_AV1002\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3749	11.1 %
2	2 = No	26619	78.7 %
	<b>Total</b>	<b>30,368</b>	<b>89.8%</b>

This variable has 30,368 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	3421	10.1 %
	<b>Total</b>	<b>3,454</b>	<b>10.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 154-159 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1002\_12M: In the past 12 months, used an electronic nicotine product, even one or two times

In the past 12 months, have you used an electronic nicotine product, even one or two times?  
(Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: Continuing and aged-up adult respondents who have not used an electronic nicotine product in the past 30 days or did not know or refused to report whether they have used an electronic nicotine product in the past 30 days, or new cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and have not used an electronic nicotine product in the past 30 days or did not know or refused to report whether they have used an electronic nicotine product in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AV1004 = 2, -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_AV1002\_RS = 1 AND R04\_AV1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2371	7.0 %
2	2 = No	24263	71.7 %
	<b>Total</b>	<b>26,634</b>	<b>78.7%</b>

This variable has 26,634 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	7170	21.2 %
	<b>Total</b>	<b>7,188</b>	<b>21.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 160-165 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1003: Now use electronic nicotine products

Do you now use electronic nicotine products...

[If Every day (1), Some days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AVV02]

ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months, or new cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months.

ASK Specification: IF R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1 OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV1002\_12M = -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_AV1002\_RS = 1 AND R04\_AV1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	999	3.0 %
2	2 = Some days	1985	5.9 %
3	3 = Not at all	3135	9.3 %
	<b>Total</b>	<b>6,119</b>	<b>18.1%</b>

This variable has 6,119 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	27691	81.9 %
	<b>Total</b>	<b>27,703</b>	<b>81.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 166-171 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -8 , -7 , -1

## R04\_AV1009\_NN: How long since you last took a puff from an electronic nicotine product - Number (non-current users)

About how long has it been since you last took a puff from an electronic nicotine product? (If it was earlier today, enter 1 day).

[If Don't Know or Refused, GO TO R04\_AV1010]

ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months and now use electronic nicotine products not at all, or Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and were not former experimental, new former established, or still former established electronic nicotine product users as of their last completed interview and did not use an electronic nicotine product in the past 12 months, or New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not use an electronic nicotine product in the past 12 months.

ASK Specification: IF ((R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1) AND R04\_AV1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_NEVER\_EPRODS = 1 AND R04\_AV1002\_12M = -8, -7 AND R04\_AV1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_AV1002\_RS = 1 AND R04\_AV1002\_12M = -8, -7 AND R04\_AV1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_NEVER\_EPRODS = 1 AND R03\_EPROD\_USER\_STATUS != 3, 4, 5 AND R04\_AV1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_AV1002\_RS = 1 AND R04\_AV1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months and 2 digits for years. ]

This variable has 4,821 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	80	0.2 %
-7	-7 = Refused	34	0.1 %
-5	-5 = Improbable response removed	433	1.3 %
-1	-1 = Inapplicable	28452	84.1 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>29,001</b>	<b>85.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 172-177 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AV1009\_UN: How long since you last took a puff from an electronic nicotine product - Unit (non-current users)

About how long has it been since you last took a puff from an electronic nicotine product? (If it was earlier today, enter 1 day).

[If Don't Know or Refused, GO TO R04\_AV1010]

**ASK:** Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months and now use electronic nicotine products not at all, or Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and were not former experimental, new former established, or still former established electronic nicotine product users as of their last completed interview and did not use an electronic nicotine product in the past 12 months, or New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not use an electronic nicotine product in the past 12 months.

**ASK Specification:** IF ((R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1) AND R04\_AV1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_NEVER\_EPRODS = 1 AND R04\_AV1002\_12M = -8, -7 AND R04\_AV1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_AV1002\_RS = 1 AND R04\_AV1002\_12M = -8, -7 AND R04\_AV1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_NEVER\_EPRODS = 1 AND R03\_EPROD\_USER\_STATUS != 3, 4, 5 AND R04\_AV1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_AV1002\_RS = 1 AND R04\_AV1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months and 2 digits for years.]

Value	Label	Unweighted Frequency	%
1	1 = Days	942	2.8 %
2	2 = Months	2359	7.0 %
3	3 = Years	1953	5.8 %
<b>Total</b>		<b>5,254</b>	<b>15.5%</b>

This variable has 5,254 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	28566	84.5 %
	<b>Total</b>	<b>28,568</b>	<b>84.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 178-183 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1010: Completely quit using electronic nicotine products

Have you completely quit using electronic nicotine products?

ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months and now use electronic nicotine products not at all, or Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and were not former experimental electronic nicotine product users as of their last completed interview and did not use an electronic nicotine product in the past 12 months, or New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not use an electronic nicotine product in the past 12 months.

ASK Specification: IF ((R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1) AND R04\_AV1003 = 3) OR  
(R04\_ADULTTYPE = 1, 2 AND R03\_NEVER\_EPRODS = 1 AND R04\_AV1002\_12M = -8, -7 AND  
R04\_AV1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_AV1002\_RS = 1  
AND R04\_AV1002\_12M = -8, -7 AND R04\_AV1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND  
R03\_NEVER\_EPRODS = 1 AND R03\_EPROD\_USER\_STATUS != 3 AND R04\_AV1002\_12M = 2)  
OR (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_AV1002\_RS = 1 AND  
R04\_AV1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	5555	16.4 %
2	2 = No	939	2.8 %
3	3 = I have never used an electronic nicotine product in my entire life, not even one or two times	130	0.4 %
<b>Total</b>		<b>6,624</b>	<b>19.6%</b>

This variable has 6,624 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.1 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	27147	80.3 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>27,198</b>	<b>80.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 184-189 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1103: Ever been curious about using an electronic nicotine product

Have you ever been curious about using an electronic nicotine product?

(Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

**ASK:** New cohort young adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up young adult respondents who have never used an electronic nicotine product.

**ASK Specification:** IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AV1001\_RS = 1 AND R04\_EVER\_NEVER\_EPRODS = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_EPRODS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	61	0.2 %
2	2 = Somewhat curious	302	0.9 %
3	3 = A little curious	1051	3.1 %
4	4 = Not at all curious	4517	13.4 %
	<b>Total</b>	<b>5,931</b>	<b>17.5%</b>

This variable has 5,931 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	19	0.1 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	27867	82.4 %
	<b>Total</b>	<b>27,891</b>	<b>82.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 190-195 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1206: Think you will use an electronic nicotine product in the next year

Do you think you will use an electronic nicotine product in the next year?

ASK: New cohort young adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up young adult respondents who have never used an electronic nicotine product, or young adult respondents who have ever used an electronic nicotine product and did not use an electronic nicotine product in the past 12 months or did not know or refused to report whether they have used an electronic nicotine product in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AV1001\_RS = 1 AND R04\_EVER\_NEVER\_EPRODS = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_EPRODS = 2) OR (18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	23	0.1 %
2	2 = Probably yes	243	0.7 %
3	3 = Probably not	1874	5.5 %
4	4 = Definitely not	6130	18.1 %
	<b>Total</b>	<b>8,270</b>	<b>24.5%</b>

This variable has 8,270 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	22	0.1 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	25519	75.5 %	
	<b>Total</b>	<b>25,552</b>	<b>75.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 196-201 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1104: Think you will try an electronic nicotine product soon

Do you think that you will try an electronic nicotine product soon?

ASK: New cohort adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up adult respondents who have never used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04\_AV1001\_RS = 1 AND R04\_EVER\_NEVER\_EPRODS = 2) OR (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	39	0.1 %
2	2 = Probably yes	316	0.9 %

Value	Label	Unweighted Frequency	%
3	3 = Probably not	2860	8.5 %
4	4 = Definitely not	16831	49.8 %
	<b>Total</b>	<b>20,046</b>	<b>59.3%</b>

This variable has 20,046 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	13752	40.7 %
	<b>Total</b>	<b>13,776</b>	<b>40.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 202-207 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AV1105: Would try an electronic nicotine product if one of your best friends offered it to you

If one of your best friends were to offer you an electronic nicotine product, would you try it?

ASK: New cohort young adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up young adult respondents who have never used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AV1001\_RS = 1 AND R04\_EVER\_NEVER\_EPRODS = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_EPRODS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	15	0.0 %
2	2 = Probably yes	342	1.0 %
3	3 = Probably not	1107	3.3 %
4	4 = Definitely not	4464	13.2 %
	<b>Total</b>	<b>5,928</b>	<b>17.5%</b>

This variable has 5,928 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	19	0.1 %
-8	-8 = Don't know	5	0.0 %

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		27867	82.4 %
<b>Total</b>			<b>27,894</b>	<b>82.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 208-213 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1001\_RS: Ever seen or heard of a cigar, cigarillo or filtered cigar before this study

Have you ever seen or heard of a cigar, cigarillo, or filtered cigar before this study?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]

[If No (2), Don't Know (-8), or Refused (-7), Go To GO TO BOX R04\_AGR53]

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5610	16.6 %
2	2 = No	450	1.3 %
<b>Total</b>		<b>6,060</b>	<b>17.9%</b>

This variable has 6,060 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	27755	82.1 %	
<b>Total</b>		<b>27,762</b>	<b>82.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 214-219 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG9002\_RS\_01: Type of cigar heard of before this study: Traditional cigars

Which type of cigar have you heard of before this study?

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3461	10.2 %
2	2 = No	2089	6.2 %
	<b>Total</b>	<b>5,550</b>	<b>16.4%</b>

This variable has 5,550 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	48	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	28210	83.4 %
	<b>Total</b>	<b>28,272</b>	<b>83.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 220-225 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AG9002\_RS\_02: Type of cigar heard of before this study: Cigarillos or filtered cigars

Which type of cigar have you heard of before this study?

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4700	13.9 %
2	2 = No	815	2.4 %
	<b>Total</b>	<b>5,515</b>	<b>16.3%</b>

This variable has 5,515 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	66	0.2 %
-7	-7 = Refused	29	0.1 %
-1	-1 = Inapplicable	28210	83.4 %
	<b>Total</b>	<b>28,307</b>	<b>83.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 226-231 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG9003\_RS: Ever smoked a traditional cigar, even one or two puffs

Have you ever smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_01 = 1, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1826	5.4 %
2	2 = No	1693	5.0 %
	<b>Total</b>	<b>3,519</b>	<b>10.4%</b>

This variable has 3,519 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30299	89.6 %
	<b>Total</b>	<b>30,303</b>	<b>89.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 232-237 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG9004\_RS: Ever smoked a cigarillo or filtered cigar, even one or two puffs

Have you ever smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

[If No (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AGR54]

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2638	7.8 %
2	2 = No	2157	6.4 %
	<b>Total</b>	<b>4,795</b>	<b>14.2%</b>

This variable has 4,795 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	29025	85.8 %
	<b>Total</b>	<b>29,027</b>	<b>85.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 238-243 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9009\_RS\_01: Type of cigarillo or filtered cigar ever smoked: With a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

With a plastic or wooden tip

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2129	6.3 %
2	2 = Not Marked	504	1.5 %
	<b>Total</b>	<b>2,633</b>	<b>7.8%</b>

This variable has 2,633 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31182	92.2 %
<b>Total</b>		<b>31,189</b>	<b>92.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 244-249 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9009\_RS\_02: Type of cigarillo or filtered cigar ever smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

With a filter (like a cigarette filter)

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1234	3.6 %
2	2 = Not Marked	1399	4.1 %
<b>Total</b>		<b>2,633</b>	<b>7.8%</b>

This variable has 2,633 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31182	92.2 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>31,189</b>	<b>92.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 250-255 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9009\_RS\_03: Type of cigarillo or filtered cigar ever smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

Without a tip or filter

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1323	3.9 %
2	2 = Not Marked	1310	3.9 %
	<b>Total</b>	<b>2,633</b>	<b>7.8%</b>

This variable has 2,633 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31182	92.2 %
	<b>Total</b>	<b>31,189</b>	<b>92.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 256-261 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9030: In past 30 days, smoked a traditional cigar, even one or two puffs

In the past 30 days, have you smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

[If Yes (1), Go To BOX R04\_AGR55]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a traditional cigar.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_01 = 1, -8, -7 AND R04\_AG9003\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1700	5.0 %
2	2 = No	27856	82.4 %
	<b>Total</b>	<b>29,556</b>	<b>87.4%</b>

This variable has 29,556 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	4239	12.5 %
	<b>Total</b>	<b>4,266</b>	<b>12.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 262-267 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9003\_12M: In past 12 months, smoked a traditional cigar, even one or two puffs

In the past 12 months, have you smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: Continuing and aged-up adult respondents who have not smoked a traditional cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar in the past 30 days

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9030 = 2, -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_01 = 1, -8, -7 AND R04\_AG9003\_RS = 1 AND R04\_AG9030 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1785	5.3 %
2	2 = No	26078	77.1 %
	<b>Total</b>	<b>27,863</b>	<b>82.4%</b>

This variable has 27,863 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	5939	17.6 %
	<b>Total</b>	<b>5,959</b>	<b>17.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 268-273 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9031: In past 30 days, smoked a cigarillo or filtered cigar, even one or two puffs

In the past 30 days, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

[If No (2), Don't Know (-8), or Refused (-7), Go To R04\_AG9004\_12M]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3136	9.3 %
2	2 = No	27223	80.5 %
	<b>Total</b>	<b>30,359</b>	<b>89.8%</b>

This variable has 30,359 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %

Missing Data				
-7	-7 = Refused		20	0.1 %
-1	-1 = Inapplicable		3427	10.1 %
<b>Total</b>			<b>3,463</b>	<b>10.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 274-279 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG9049\_01: In past 30 days, type of cigarillos or filtered cigars smoked: With a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply.

The kind...

With a plastic or wooden tip

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

**ASK:** Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days.

**ASK Specification:** IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1 AND R04\_AG9031 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1784	5.3 %
2	2 = Not Marked	1341	4.0 %
	<b>Total</b>	<b>3,125</b>	<b>9.2%</b>

This variable has 3,125 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	30684	90.7 %	
	<b>Total</b>	<b>30,697</b>	<b>90.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 280-285 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AG9049\_02: In past 30 days, type of cigarillos or filtered cigars smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply.

The kind...

With a filter (like a cigarette filter)

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1 AND R04\_AG9031 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	814	2.4 %
2	2 = Not Marked	2311	6.8 %
	<b>Total</b>	<b>3,125</b>	<b>9.2%</b>

This variable has 3,125 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	30684	90.7 %
	<b>Total</b>	<b>30,697</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 286-291 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AG9049\_03: In past 30 days, type of cigarillos or filtered cigars smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply.

The kind...

Without a tip or filter

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1 AND R04\_AG9031 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1151	3.4 %
2	2 = Not Marked	1974	5.8 %
	<b>Total</b>	<b>3,125</b>	<b>9.2%</b>

This variable has 3,125 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	30684	90.7 %
	<b>Total</b>	<b>30,697</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 292-297 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG9051: In past 12 months, smoked cigarillo/filtered cigar that has a plastic/wooden tip, even one or two puffs

In the past 12 months, have you smoked the kind with a plastic or wooden tip, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]

ASK: Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 1 AND R04\_AG9049\_01 != 1) OR  
(R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1  
AND R04\_AG9031 = 1 AND R04\_AG9049\_01 != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	329	1.0 %
2	2 = No	1020	3.0 %
	<b>Total</b>	<b>1,349</b>	<b>4.0%</b>

This variable has 1,349 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32468	96.0 %
	<b>Total</b>	<b>32,473</b>	<b>96.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 298-303 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG9052: In past 12 months, smoked cigarillo/filtered cigar that has a filter, even one or two puffs

In the past 12 months, have you smoked the kind with a filter (like a cigarette filter), even one or two puffs?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or  
New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 1 AND R04\_AG9049\_02 != 1) OR  
(R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1  
AND R04\_AG9031 = 1 AND R04\_AG9049\_02 != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	563	1.7 %
2	2 = No	1756	5.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,319</b>	<b>6.9%</b>

This variable has 2,319 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31498	93.1 %
	<b>Total</b>	<b>31,503</b>	<b>93.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 304-309 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AG9053: In past 12 months, smoked cigarillo/filtered cigar without a tip or filter, even one or two puffs

In the past 12 months, have you smoked the kind without a tip or filter, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]

[GO TO BOX R04\_AGR53]

ASK: Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 1 AND R04\_AG9049\_03 != 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1 AND R04\_AG9031 = 1 AND R04\_AG9049\_03 != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	561	1.7 %
2	2 = No	1424	4.2 %
	<b>Total</b>	<b>1,985</b>	<b>5.9%</b>

This variable has 1,985 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31835	94.1 %
	<b>Total</b>	<b>31,837</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 310-315 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG9004\_12M: In past 12 months, smoked cigarillo or filtered cigar, even one or two puffs

In the past 12 months, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

[If No (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AGR53]

ASK: Continuing and aged-up adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 2, -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1 AND R04\_AG9031 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1453	4.3 %
2	2 = No	25784	76.2 %
	<b>Total</b>	<b>27,237</b>	<b>80.5%</b>

This variable has 27,237 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	6563	19.4 %
	<b>Total</b>	<b>6,585</b>	<b>19.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 316-321 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG9009\_12M\_01: In last 12 months, type of cigarillos or filtered cigars smoked: With a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

With a plastic or wooden tip

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Continuing and aged-up adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days and have smoked a cigarillo or filtered cigar in the past 12 months, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 2, -8, -7 AND R04\_AG9004\_12M = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1 AND R04\_AG9031 = 2, -8, -7 AND R04\_AG9004\_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	860	2.5 %
2	2 = Not Marked	585	1.7 %
	<b>Total</b>	<b>1,445</b>	<b>4.3%</b>

This variable has 1,445 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32367	95.7 %	
	<b>Total</b>	<b>32,377</b>	<b>95.7%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 322-327 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG9009\_12M\_02: In last 12 months, type of cigarillos or filtered cigars smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

With a filter (like a cigarette filter)

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Continuing and aged-up adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days and have smoked a cigarillo or filtered cigar in the past 12 months, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 2, -8, -7 AND R04\_AG9004\_12M = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1 AND R04\_AG9031 = 2, -8, -7 AND R04\_AG9004\_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	419	1.2 %
2	2 = Not Marked	1026	3.0 %
	<b>Total</b>	<b>1,445</b>	<b>4.3%</b>

This variable has 1,445 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32367	95.7 %
	<b>Total</b>	<b>32,377</b>	<b>95.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 328-333 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777, -9, -8, -7, -1

### R04\_AG9009\_12M\_03: In last 12 months, type of cigarillos or filtered cigars smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

Without a tip or filter

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Continuing and aged-up adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days and have smoked a cigarillo or filtered cigar in the past 12 months, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9031 = 2, -8, -7 AND R04\_AG9004\_12M = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9002\_RS\_02 = 1, -8, -7 AND R04\_AG9004\_RS = 1 AND R04\_AG9031 = 2, -8, -7 AND R04\_AG9004\_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	554	1.6 %
2	2 = Not Marked	891	2.6 %
	<b>Total</b>	<b>1,445</b>	<b>4.3%</b>

This variable has 1,445 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32367	95.7 %
	<b>Total</b>	<b>32,377</b>	<b>95.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 334-339 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG9105\_RS: Ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it

Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it?  
(Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AGV01]

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1896	5.6 %
2	2 = No	3700	10.9 %
	<b>Total</b>	<b>5,596</b>	<b>16.5%</b>

This variable has 5,596 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	28210	83.4 %
	<b>Total</b>	<b>28,226</b>	<b>83.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 340-345 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9107: In past 12 months, smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana

[Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana.  
This is sometimes called a "blunt".]

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it?  
(Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AGV01]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9105\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	5196	15.4 %
2	2 = No	24426	72.2 %
	<b>Total</b>	<b>29,622</b>	<b>87.6%</b>

This variable has 29,622 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	10	0.0 %	
-7	-7 = Refused	19	0.1 %	
-1	-1 = Inapplicable	4169	12.3 %	
<b>Total</b>		<b>4,200</b>	<b>12.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 346-351 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1095\_01: Cigar type smoked as a blunt: Group 1 (Traditional cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

Group 1

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGV01]

ASK: Continuing and aged-up adult respondents have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9107 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9105\_RS = 1 AND R04\_AG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	1150	3.4 %
2	2 = Not Marked	3991	11.8 %
	<b>Total</b>	<b>5,141</b>	<b>15.2%</b>

This variable has 5,141 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	40	0.1 %	
-7	-7 = Refused	15	0.0 %	
-1	-1 = Inapplicable	28624	84.6 %	
<b>Total</b>		<b>28,681</b>	<b>84.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 352-357 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1095\_02: Cigar type smoked as a blunt: Group 2 (Cigarillos with and without tips)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

Group 2

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGV01]

ASK: Continuing and aged-up adult respondents have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9107 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9105\_RS = 1 AND R04\_AG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4115	12.2 %
2	2 = Not Marked	1026	3.0 %
	<b>Total</b>	<b>5,141</b>	<b>15.2%</b>

This variable has 5,141 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	28624	84.6 %
	<b>Total</b>	<b>28,681</b>	<b>84.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 358-363 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1095\_03: Cigar type smoked as a blunt: Group 3 (Filtered cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

Group 3

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGV01]

ASK: Continuing and aged-up adult respondents have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9107 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9105\_RS = 1 AND R04\_AG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	414	1.2 %
2	2 = Not Marked	4727	14.0 %
	<b>Total</b>	<b>5,141</b>	<b>15.2%</b>

This variable has 5,141 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	28624	84.6 %
	<b>Total</b>	<b>28,681</b>	<b>84.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 364-369 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9106\_01: In past 12 months, how often tobacco in traditional cigar was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

ASK: Continuing and aged-up adult respondents have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered

cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9107 = 1 AND R04\_AG1095\_01 = 1)  
 OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9105\_RS = 1 AND R04\_AG9107 = 1  
 AND R04\_AG1095\_01 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type identified in R04\_AG1095\_01.

If R04\_AG1095\_01 = 1, show image of traditional cigars.

If R04\_AG1095\_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R04\_AG1095\_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	497	1.5 %
2	2 = Most of the time	150	0.4 %
3	3 = Sometimes	171	0.5 %
4	4 = Rarely	213	0.6 %
5	5 = Never	118	0.3 %
	<b>Total</b>	<b>1,149</b>	<b>3.4%</b>

This variable has 1,149 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32670	96.6 %
	<b>Total</b>	<b>32,673</b>	<b>96.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 370-375 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9106\_02: In past 12 months, how often tobacco in cigarillos with or without tips was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

ASK: Continuing and aged-up adult respondents have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana

in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9107 = 1 AND R04\_AG1095\_02 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9105\_RS = 1 AND R04\_AG9107 = 1 AND R04\_AG1095\_02 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type identified in R04\_AG1095\_02.

If R04\_AG1095\_01 = 1, show image of traditional cigars.

If R04\_AG1095\_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R04\_AG1095\_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	2033	6.0 %
2	2 = Most of the time	628	1.9 %
3	3 = Sometimes	615	1.8 %
4	4 = Rarely	712	2.1 %
5	5 = Never	127	0.4 %
<b>Total</b>		<b>4,115</b>	<b>12.2%</b>

This variable has 4,115 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	29705	87.8 %
<b>Total</b>		<b>29,707</b>	<b>87.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 376-381 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG9106\_03: In past 12 months, how often tobacco in filtered cigars was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

ASK: Continuing and aged-up adult respondents have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it

in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AG9107 = 1 AND R04\_AG1095\_03 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_AG9105\_RS = 1 AND R04\_AG9107 = 1 AND R04\_AG1095\_03 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type identified in R04\_AG1095\_03.

If R04\_AG1095\_01 = 1, show image of traditional cigars.

If R04\_AG1095\_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R04\_AG1095\_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	153	0.5 %
2	2 = Most of the time	44	0.1 %
3	3 = Sometimes	57	0.2 %
4	4 = Rarely	109	0.3 %
5	5 = Never	51	0.2 %
<b>Total</b>		<b>414</b>	<b>1.2%</b>

This variable has 414 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33406	98.8 %	
<b>Total</b>		<b>33,408</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 382-387 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1003TC: Now smoke traditional cigars

Do you now smoke traditional cigars as blunts...

[If Every Day (1), Some days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND (R04\_AG9030 = 1 OR R04\_AG9003\_12M = 1)) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R03\_EVER\_NEVER\_GTRAD = 1 AND R04\_AG9003\_12M = -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG9003\_RS = 1 AND R04\_AG9003\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	87	0.3 %
2	2 = Some days	1503	4.4 %
3	3 = Not at all	1737	5.1 %
<b>Total</b>		<b>3,327</b>	<b>9.8%</b>

This variable has 3,327 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	30486	90.1 %	
<b>Total</b>		<b>30,495</b>	<b>90.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 388-393 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1009TC\_NN: How long since last smoked a traditional cigar - Number (non-current smokers)

About how long has it been since you last smoked a traditional cigar as a blunt? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a

traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND (R04\_AG9030 = 1  
 OR R04\_AG9003\_12M = 1) AND R04\_AG1003TC = 3) OR (R04\_ADULTTYPE = 1, 2 AND  
 R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R03\_EVER\_NEVER\_GTRAD = 1 AND R04\_AG9003\_12M = -8, -7 AND  
 R04\_AG1003TC = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD  
 != 1 AND R04\_AG9003\_RS = 1 AND R04\_AG9003\_12M = -8, -7 AND R04\_AG1003TC = 3) OR  
 (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R03\_EVER\_NEVER\_GTRAD = 1 AND  
 R03\_GTRAD\_USER\_STATUS != 3, 4, 5 AND R04\_AG9003\_12M = 2) OR (R04\_ADULTTYPE = 3 AND  
 R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG9003\_RS = 1 AND R04\_AG9003\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 3,162 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	56	0.2 %	
-7	-7 = Refused	11	0.0 %	
-5	-5 = Improbable response removed	145	0.4 %	
-1	-1 = Inapplicable	30446	90.0 %	
	<b>Total</b>	<b>30,660</b>	<b>90.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 394-399 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AG1009TC\_UN: How long since last smoked a traditional cigar - Unit (non-current smokers)

About how long has it been since you last smoked a traditional cigar as a blunt? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos,

or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND (R04\_AG9030 = 1 OR R04\_AG9003\_12M = 1) AND R04\_AG1003TC = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R03\_EVER\_NEVER\_GTRAD = 1 AND R04\_AG9003\_12M = -8, -7 AND R04\_AG1003TC = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG9003\_RS = 1 AND R04\_AG9003\_12M = -8, -7 AND R04\_AG1003TC = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R03\_EVER\_NEVER\_GTRAD = 1 AND R03\_GTRAD\_USER\_STATUS != 3, 4, 5 AND R04\_AG9003\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG9003\_RS = 1 AND R04\_AG9003\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	342	1.0 %
2	2 = Months	1141	3.4 %
3	3 = Years	1824	5.4 %
<b>Total</b>		<b>3,307</b>	<b>9.8%</b>

This variable has 3,307 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	30513	90.2 %	
<b>Total</b>		<b>30,515</b>	<b>90.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 400-405 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1010TC: Completely quit smoking traditional cigars

Have you completely quit smoking traditional cigars?

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional

cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND (R04\_AG9030 = 1 OR R04\_AG9003\_12M = 1) AND R04\_AG1003TC = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R03\_EVER\_NEVER\_GTRAD = 1 AND R04\_AG9003\_12M = -8, -7 AND R04\_AG1003TC = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG9003\_RS = 1 AND R04\_AG9003\_12M = -8, -7 AND R04\_AG1003TC = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R03\_EVER\_NEVER\_GTRAD = 1 AND R03\_GTRAD\_USER\_STATUS != 3 AND R04\_AG9003\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG9003\_RS = 1 AND R04\_AG9003\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3127	9.2 %
2	2 = No	985	2.9 %
3	3 = I have never smoked a traditional cigar in my entire life, not even one or two puffs	58	0.2 %
<b>Total</b>		<b>4,170</b>	<b>12.3%</b>

This variable has 4,170 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	29631	87.6 %
<b>Total</b>		<b>29,652</b>	<b>87.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 406-411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1003CG: Now smoke cigarillos

Do you now smoke cigarillos as blunts...

[If Every Day (1), Some days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional

cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9049\_01 = 1 OR R04\_AG9049\_03 = 1 OR R04\_AG9051 = 1 OR R04\_AG9053 = 1 OR R04\_AG9009\_12M\_01 = 1 OR R04\_AG9009\_12M\_03 = 1)) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R03\_EVER\_NEVER\_GRILLO = 1 AND ((R04\_AG9051 = -8, -7 AND R04\_AG9053 = -8, -7) OR (R04\_AG9009\_12M\_01 = -8, -7 AND R04\_AG9009\_12M\_03 = -8, -7))) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9009\_RS\_01 = 1 OR R04\_AG9009\_RS\_03 = 1) AND ((R04\_AG9051 = -8, -7 AND R04\_AG9053 = -8, -7) OR (R04\_AG9009\_12M\_01 = -8, -7 AND R04\_AG9009\_12M\_03 = -8, -7))).

Value	Label	Unweighted Frequency	%
1	1 = Every day	224	0.7 %
2	2 = Some days	1614	4.8 %
3	3 = Not at all	1597	4.7 %
<b>Total</b>		<b>3,435</b>	<b>10.2%</b>

This variable has 3,435 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	30378	89.8 %	
<b>Total</b>		<b>30,387</b>	<b>89.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 412-417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1009CG\_NN: How long since last smoked a cigarillo - Number (non-current smokers)

About how long has it been since you last smoked a cigarillo as a blunt? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9049\_01 = 1 OR R04\_AG9049\_03 = 1 OR R04\_AG9051 = 1 OR R04\_AG9053 = 1 OR R04\_AG9009\_12M\_01 = 1 OR R04\_AG9009\_12M\_03 = 1) AND R04\_AG1003CG = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R03\_EVER\_NEVER\_GRILLO = 1 AND ((R04\_AG9051 = -8, -7 AND R04\_AG9053 = -8, -7) OR (R04\_AG9009\_12M\_01 = -8, -7 AND R04\_AG9009\_12M\_03 = -8, -7)) AND R04\_AG1003CG = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9009\_RS\_01 = 1 OR R04\_AG9009\_RS\_03 = 1) AND ((R04\_AG9051 = -8, -7 AND R04\_AG9053 = -8, -7) OR (R04\_AG9009\_12M\_01 = -8, -7 AND R04\_AG9009\_12M\_03 = -8, -7)) AND R04\_AG1003CG = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R03\_EVER\_NEVER\_GRILLO = 1 AND R03\_GRILLO\_USER\_STATUS != 3, 4, 5 AND ((R04\_AG9049\_01 = 2 AND R04\_AG9049\_03 = 2 AND R04\_AG9051 = 2 AND R04\_AG9053 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR (R04\_AG9009\_12M\_01 = 2 AND R04\_AG9009\_12M\_03 = 2))) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9009\_RS\_01 = 1 OR R04\_AG9009\_RS\_03 = 1) AND ((R04\_AG9049\_01 = 2 AND R04\_AG9049\_03 = 2 AND R04\_AG9051 = 2 AND R04\_AG9053 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR (R04\_AG9009\_12M\_01 = 2 AND R04\_AG9009\_12M\_03 = 2))).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 3,195 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	20	0.1 %	
-8	-8 = Don't know	65	0.2 %	
-7	-7 = Refused	22	0.1 %	
-5	-5 = Improbable response removed	239	0.7 %	
-1	-1 = Inapplicable	30279	89.5 %	
<b>Total</b>		<b>30,627</b>	<b>90.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 418-423 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AG1009CG\_UN: How long since last smoked a cigarillo - Unit (non-current smokers)

About how long has it been since you last smoked a cigarillo as a blunt? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or  
 Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or  
 New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9049\_01 = 1 OR R04\_AG9049\_03 = 1 OR R04\_AG9051 = 1 OR R04\_AG9053 = 1 OR R04\_AG9009\_12M\_01 = 1 OR R04\_AG9009\_12M\_03 = 1) AND R04\_AG1003CG = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R03\_EVER\_NEVER\_GRILLO = 1 AND ((R04\_AG9051 = -8, -7 AND R04\_AG9053 = -8, -7) OR (R04\_AG9009\_12M\_01 = -8, -7 AND R04\_AG9009\_12M\_03 = -8, -7)) AND R04\_AG1003CG = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9009\_RS\_01 = 1 OR R04\_AG9009\_RS\_03 = 1) AND ((R04\_AG9051 = -8, -7 AND R04\_AG9053 = -8, -7) OR (R04\_AG9009\_12M\_01 = -8, -7 AND R04\_AG9009\_12M\_03 = -8, -7)) AND R04\_AG1003CG = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R03\_EVER\_NEVER\_GRILLO = 1 AND R03\_GRILLO\_USER\_STATUS != 3, 4, 5 AND ((R04\_AG9049\_01 = 2 AND R04\_AG9049\_03 = 2 AND R04\_AG9051 = 2 AND R04\_AG9053 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR (R04\_AG9009\_12M\_01 = 2 AND R04\_AG9009\_12M\_03 = 2))) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9009\_RS\_01 = 1 OR R04\_AG9009\_RS\_03 = 1) AND ((R04\_AG9049\_01 = 2 AND R04\_AG9049\_03 = 2 AND R04\_AG9051 = 2 AND R04\_AG9053 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR (R04\_AG9009\_12M\_01 = 2 AND R04\_AG9009\_12M\_03 = 2))))).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	512	1.5 %
2	2 = Months	1060	3.1 %
3	3 = Years	1862	5.5 %
<b>Total</b>		<b>3,434</b>	<b>10.2%</b>

This variable has 3,434 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	30386	89.8 %
	<b>Total</b>	<b>30,388</b>	<b>89.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 424-429 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1010CG: Completely quit smoking cigarillos

Have you completely quit smoking cigarillos?

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9049\_01 = 1 OR R04\_AG9049\_03 = 1 OR R04\_AG9051 = 1 OR R04\_AG9053 = 1 OR R04\_AG9009\_12M\_01 = 1 OR R04\_AG9009\_12M\_03 = 1) AND R04\_AG1003CG = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R03\_EVER\_NEVER\_GRILLO = 1 AND ((R04\_AG9051 = -8, -7 AND R04\_AG9053 = -8, -7) OR (R04\_AG9009\_12M\_01 = -8, -7 AND R04\_AG9009\_12M\_03 = -8, -7)) AND R04\_AG1003CG = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9009\_RS\_01 = 1 OR R04\_AG9009\_RS\_03 = 1) AND ((R04\_AG9051 = -8, -7 AND R04\_AG9053 = -8, -7) OR (R04\_AG9009\_12M\_01 = -8, -7 AND R04\_AG9009\_12M\_03 = -8, -7)) AND R04\_AG1003CG = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R03\_EVER\_NEVER\_GRILLO = 1 AND R03\_GRILLO\_USER\_STATUS != 3 AND ((R04\_AG9049\_01 = 2 AND R04\_AG9049\_03 = 2 AND R04\_AG9051 = 2 AND R04\_AG9053 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR (R04\_AG9009\_12M\_01 = 2 AND R04\_AG9009\_12M\_03 = 2))) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R04\_AG9009\_RS\_01 = 1 OR R04\_AG9009\_RS\_03 = 1) AND ((R04\_AG9049\_01 = 2 AND R04\_AG9049\_03 = 2 AND R04\_AG9051 = 2 AND R04\_AG9053 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR (R04\_AG9009\_12M\_01 = 2 AND R04\_AG9009\_12M\_03 = 2))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3761	11.1 %
2	2 = No	776	2.3 %

Value	Label	Unweighted Frequency	%
3	3 = I have never smoked a cigarillo in my entire life, not even one or two puffs	141	0.4 %
<b>Total</b>		<b>4,678</b>	<b>13.8%</b>

This variable has 4,678 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	36	0.1 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	29079	86.0 %
<b>Total</b>		<b>29,144</b>	<b>86.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 430-435 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1003FC: Now smoke filtered cigars

Do you now smoke filtered cigars as blunts...

[If Every Day (1), Some days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND (R04\_AG9049\_02 = 1 OR R04\_AG9052 = 1 OR R04\_AG9009\_12M\_02 = 1)) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R03\_EVER\_NEVER\_GFILTR = 1 AND (R04\_AG9052 = -8, -7 OR R04\_AG9009\_12M\_02 = -8, -7)) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG9009\_RS\_02 = 1 AND (R04\_AG9052 = -8, -7 OR R04\_AG9009\_12M\_02 = -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Every day	216	0.6 %
2	2 = Some days	744	2.2 %
3	3 = Not at all	811	2.4 %
<b>Total</b>		<b>1,771</b>	<b>5.2%</b>

This variable has 1,771 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32045	94.7 %	
<b>Total</b>		<b>32,051</b>	<b>94.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 436-441 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1009FC\_NN: How long since last smoked a filtered cigar - Number (non-current smokers)

About how long has it been since you last smoked a filtered cigar as a blunt? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or  
 Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or  
 Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or  
 New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or  
 Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND (R04\_AG9049\_02 = 1 OR R04\_AG9052 = 1 OR R04\_AG9009\_12M\_02 = 1) AND R04\_AG1003FC = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R03\_EVER\_NEVER\_GFILTR = 1 AND (R04\_AG9052 = -8, -7 OR R04\_AG9009\_12M\_02 = -8, -7) AND R04\_AG1003FC = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG9009\_RS\_02 = 1 AND (R04\_AG9052 = -8, -7 OR R04\_AG9009\_12M\_02 = -8, -7) AND R04\_AG1003FC = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R03\_EVER\_NEVER\_GFILTR = 1 AND R03\_GFILTR\_USER\_STATUS != 3, 4, 5 AND ((R04\_AG9049\_02 = 2 AND R04\_AG9052 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR R04\_AG9009\_12M\_02 = 2))) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG9009\_RS\_02 = 1 AND ((R04\_AG9049\_02 = 2 AND R04\_AG9052 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR R04\_AG9009\_12M\_02 = 2))).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 1,825 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	57	0.2 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	10	0.0 %	
-5	-5 = Improbable response removed	125	0.4 %	
-1	-1 = Inapplicable	31748	93.9 %	
<b>Total</b>		<b>31,997</b>	<b>94.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 442-447 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1009FC\_UN: How long since last smoked a filtered cigar - Unit (non-current smokers)

About how long has it been since you last smoked a filtered cigar as a blunt? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND (R04\_AG9049\_02 = 1 OR R04\_AG9052 = 1  
OR R04\_AG9009\_12M\_02 = 1) AND R04\_AG1003FC = 3) OR (R04\_ADULTTYPE = 1, 2 AND  
R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R03\_EVER\_NEVER\_GFILTR = 1 AND (R04\_AG9052 = -8, -7 OR  
R04\_AG9009\_12M\_02 = -8, -7) AND R04\_AG1003FC = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG9009\_RS\_02 = 1 AND (R04\_AG9052 = -8, -7 OR  
R04\_AG9009\_12M\_02 = -8, -7) AND R04\_AG1003FC = 3) OR (R04\_ADULTTYPE = 1, 2 AND  
R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R03\_EVER\_NEVER\_GFILTR = 1 AND R03\_GFILTR\_USER\_STATUS  
!= 3, 4, 5 AND ((R04\_AG9049\_02 = 2 AND R04\_AG9052 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR  
R04\_AG9009\_12M\_02 = 2))) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND

R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG9009\_RS\_02 = 1 AND ((R04\_AG9049\_02 = 2 AND R04\_AG9052 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR R04\_AG9009\_12M\_02 = 2))).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	257	0.8 %
2	2 = Months	555	1.6 %
3	3 = Years	1138	3.4 %
<b>Total</b>		<b>1,950</b>	<b>5.8%</b>

This variable has 1,950 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	31870	94.2 %	
<b>Total</b>		<b>31,872</b>	<b>94.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 448-453 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1010FC: Completely quit smoking filtered cigars

Have you completely quit smoking filtered cigars?

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF (R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND (R04\_AG9049\_02 = 1 OR R04\_AG9052 = 1 OR R04\_AG9009\_12M\_02 = 1) AND R04\_AG1003FC = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R03\_EVER\_NEVER\_GFILTR = 1 AND (R04\_AG9052 = -8, -7 OR R04\_AG9009\_12M\_02 = -8, -7) AND R04\_AG1003FC = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG9009\_RS\_02 = 1 AND (R04\_AG9052 = -8, -7 OR R04\_AG9009\_12M\_02 = -8, -7) AND R04\_AG1003FC = 3) OR (R04\_ADULTTYPE = 1, 2 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R03\_EVER\_NEVER\_GFILTR = 1 AND R03\_GFILTR\_USER\_STATUS != 3 AND ((R04\_AG9049\_02 = 2 AND R04\_AG9052 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR R04\_AG9009\_12M\_02 = 2))) OR (R04\_ADULTTYPE = 3 AND R04\_AG1001\_RS = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG9009\_RS\_02 = 1 AND ((R04\_AG9049\_02 = 2 AND R04\_AG9052 = 2) OR (R04\_AG9004\_12M = 2, -8, -7 OR R04\_AG9009\_12M\_02 = 2))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2227	6.6 %
2	2 = No	497	1.5 %
3	3 = I have never smoked a filtered cigar in my entire life, not even one or two puffs	75	0.2 %
<b>Total</b>		<b>2,799</b>	<b>8.3%</b>

This variable has 2,799 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	103	0.3 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	30904	91.4 %
<b>Total</b>		<b>31,023</b>	<b>91.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 454-459 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1003TJ: Now smoke traditional cigars as blunts

Do you now smoke [CIGARFILL] as blunts...

[If Every Day (1), Some days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	148	0.4 %
2	2 = Some days	236	0.7 %
3	3 = Not at all	111	0.3 %
<b>Total</b>		<b>495</b>	<b>1.5%</b>

This variable has 495 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33323	98.5 %
<b>Total</b>		<b>33,327</b>	<b>98.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 460-465 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1009TJ\_NN: How long since last smoked a traditional cigar as a blunt - Number (Smoked in past 12 months and now not at all)

About how long has it been since you last smoked a [[CIGARFILL]]/ as a blunt? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AG1003TJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 104 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	6	0.0 %
-1	-1 = Inapplicable	33709	99.7 %
<b>Total</b>		<b>33,718</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 466-471 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

### R04\_AG1009TJ\_UN: How long since last smoked a traditional cigar as a blunt - Unit (Smoked in past 12 months and now not at all)

About how long has it been since you last smoked a [[CIGARFILL]/ as a blunt]? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AG1003TJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	30	0.1 %
2	2 = Months	63	0.2 %
3	3 = Years	17	0.1 %
	<b>Total</b>	<b>110</b>	<b>0.3%</b>

This variable has 110 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33710	99.7 %
	<b>Total</b>	<b>33,712</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 472-477 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1003GJ: Now smoke cigarillos as blunts

Do you now smoke [CIGARFILL] as blunts...

[If Every Day (1), Some days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	402	1.2 %
2	2 = Some days	1147	3.4 %
3	3 = Not at all	481	1.4 %
	<b>Total</b>	<b>2,030</b>	<b>6.0%</b>

This variable has 2,030 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	31787	94.0 %	
<b>Total</b>		<b>31,792</b>	<b>94.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 478-483 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## **R04\_AG1009GJ\_NN: How long since last smoked a cigarillo as a blunt - Number (Smoked in past 12 months and now not at all)**

About how long has it been since you last smoked a [[CIGARFILL]/ as a blunt]? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or  
 Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or  
 New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or  
 Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AG1003GJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 464 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	

Missing Data				
-5	-5 = Improbable response removed		14	0.0 %
-1	-1 = Inapplicable		33339	98.6 %
<b>Total</b>			<b>33,358</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 484-489 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1009GJ\_UN: How long since last smoked a cigarillo as a blunt - Unit (Smoked in past 12 months and now not at all)

About how long has it been since you last smoked a [[CIGARFILL]/ as a blunt]? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AG1003GJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	79	0.2 %
2	2 = Months	360	1.1 %
3	3 = Years	39	0.1 %
	<b>Total</b>	<b>478</b>	<b>1.4%</b>

This variable has 478 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33342	98.6 %
	<b>Total</b>	<b>33,344</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 490-495 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1003FJ: Now smoke filtered cigars as blunts

Do you now smoke filtered cigars as blunts...

[If Every Day (1), Some days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AGR06]

**ASK:** Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	18	0.1 %
2	2 = Some days	50	0.1 %
3	3 = Not at all	84	0.2 %
	<b>Total</b>	<b>152</b>	<b>0.4%</b>

This variable has 152 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33667	99.5 %
	<b>Total</b>	<b>33,670</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 496-501 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1009FJ\_NN: How long since last smoked a filtered cigar as a blunt - Number (Smoked in past 12 months and now not at all)

About how long has it been since you last smoked a [[CIGARFILL] as a blunt]? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFLTR = 1 AND R04\_AG1003FJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 76 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	6	0.0 %	
-1	-1 = Inapplicable	33736	99.7 %	
<b>Total</b>		<b>33,746</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 502-507 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AG1009FJ\_UN: How long since last smoked a filtered cigar as a blunt - Unit (Smoked in past 12 months and now not at all)

About how long has it been since you last smoked a [[CIGARFILL]/ as a blunt]? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AG1003FJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	24	0.1 %
2	2 = Months	42	0.1 %
3	3 = Years	16	0.0 %
<b>Total</b>		<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33738	99.8 %
<b>Total</b>		<b>33,740</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 508-513 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AP1001\_RS: Ever seen or heard of pipe before this study

Have you ever seen or heard of a pipe before this study?

[SHOW GENERIC IMAGE OF PIPES]

[If No (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_APV02]

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5465	16.2 %
2	2 = No	600	1.8 %
	<b>Total</b>	<b>6,065</b>	<b>17.9%</b>

This variable has 6,065 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	27755	82.1 %
	<b>Total</b>	<b>27,757</b>	<b>82.1%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 514-519 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AP1002\_RS: Ever smoked a pipe filled with tobacco, even one or two puffs

Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPES]

[If No (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_APV02]

ASK: New cohort adult respondents who have ever seen or heard of pipe tobacco.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AP1001\_RS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1129	3.3 %
2	2 = No	4334	12.8 %
	<b>Total</b>	<b>5,463</b>	<b>16.2%</b>

This variable has 5,463 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	28355	83.8 %
	<b>Total</b>	<b>28,359</b>	<b>83.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 520-525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1004: In past 30 days, smoked a pipe filled with tobacco, even one or two puffs

In the past 30 days, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

[If Yes (1), GO TO BOX R04\_APR05]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AP1001\_RS = 1 AND R04\_AP1002\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	444	1.3 %
2	2 = No	28420	84.0 %
	<b>Total</b>	<b>28,864</b>	<b>85.3%</b>

This variable has 28,864 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	4936	14.6 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>4,958</b>	<b>14.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 526-531 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1002\_12M: In past 12 months, smoked a pipe filled with tobacco, even one or two puffs

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

ASK: Continuing and aged-up adult respondents who have not smoked a pipe filled with tobacco in the past 30 days or did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 30 days, or new cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and have not smoked a pipe filled with tobacco in the past 30 days or did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AP1004 = 2, -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AP1001\_RS = 1 AND R04\_AP1002\_RS = 1 AND R04\_AP1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	337	1.0 %
2	2 = No	28090	83.1 %
	<b>Total</b>	<b>28,427</b>	<b>84.0%</b>

This variable has 28,427 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	5380	15.9 %
	<b>Total</b>	<b>5,395</b>	<b>16.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 532-537 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1003: Now smoke a pipe filled with tobacco

Do you now smoke a pipe filled with tobacco...

[If Every day (1), Some days (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_APV02]

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months.

ASK Specification: IF R04\_AP1004 = 1 OR R04\_AP1002\_12M = 1 OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1002\_12M = -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AP1001\_RS = 1 AND R04\_AP1002\_RS = 1 AND R04\_AP1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	63	0.2 %
2	2 = Some days	353	1.0 %
3	3 = Not at all	365	1.1 %
<b>Total</b>		<b>781</b>	<b>2.3%</b>

This variable has 781 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33037	97.7 %
<b>Total</b>		<b>33,041</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 538-543 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1009\_NN: How long since you last smoked a pipe filled with tobacco - Number (non-current smokers)

About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).

[If Don't Know (-8), or Refused (-7), GO TO R04\_AP1010]

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months and now smoke a pipe filled with tobacco not at all, or Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last

completed interview and were not former experimental, new former established, or still former established pipe smokers as of their last completed interview and did not smoke a pipe filled with tobacco in the past 12 months, or New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not smoke a pipe filled with tobacco in the past 12 months.

ASK Specification: IF ((R04\_AP1004 = 1 OR R04\_AP1002\_12M = 1) AND R04\_AP1003 = 3) OR  
 (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1002\_12M = -8, -7 AND R04\_AP1003 = 3) OR  
 (R04\_ADULTTYPE = 3 AND R04\_AP1001\_RS = 1 AND R04\_AP1002\_RS = 1 AND R04\_AP1002\_12M = -8, -7 AND  
 R04\_AP1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_PIPE\_USER\_STATUS != 3, 4, 5 AND R03\_EVER\_NEVER\_PIPE = 1  
 AND R04\_AP1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AP1002\_RS = 1 AND R04\_AP1001\_RS = 1  
 AND R04\_AP1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 1,347 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	27	0.1 %	
-7	-7 = Refused	5	0.0 %	
-5	-5 = Improbable response removed	70	0.2 %	
-1	-1 = Inapplicable	32371	95.7 %	
	<b>Total</b>	<b>32,475</b>	<b>96.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 544-549 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AP1009\_UN: How long since you last smoked a pipe filled with tobacco - Unit (non-current smokers)

About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).

[If Don't Know (-8), or Refused (-7), GO TO R04\_AP1010]

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months and now smoke a pipe filled with tobacco not at all, or Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and were not former experimental, new former established, or still former established pipe smokers as of their last completed interview and did not smoke a pipe filled with tobacco in the past 12 months, or New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not smoke a pipe filled with tobacco in the past 12 months.

ASK Specification: IF ((R04\_AP1004 = 1 OR R04\_AP1002\_12M = 1) AND R04\_AP1003 = 3) OR  
 (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1002\_12M = -8, -7 AND R04\_AP1003 = 3) OR  
 (R04\_ADULTTYPE = 3 AND R04\_AP1001\_RS = 1 AND R04\_AP1002\_RS = 1 AND R04\_AP1002\_12M = -8, -7 AND

R04\_AP1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_PIPE\_USER\_STATUS != 3, 4, 5 AND R03\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AP1002\_RS = 1 AND R04\_AP1001\_RS = 1 AND R04\_AP1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	83	0.2 %
2	2 = Months	263	0.8 %
3	3 = Years	1071	3.2 %
<b>Total</b>		<b>1,417</b>	<b>4.2%</b>

This variable has 1,417 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32403	95.8 %	
<b>Total</b>		<b>32,403</b>	<b>95.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 550-555 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## **R04\_AP1010: Completely quit smoking pipes filled with tobacco**

Have you completely quit smoking pipes filled with tobacco?

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months and now smoke a pipe filled with tobacco not at all, or Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and were not former experimental pipe smokers as of their last completed interview and did not smoke a pipe filled with tobacco in the past 12 months, or New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not smoke a pipe filled with tobacco in the past 12 months.

ASK Specification: IF ((R04\_AP1004 = 1 OR  
 R04\_AP1002\_12M = 1) AND R04\_AP1003 = 3) OR  
 (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_PIPE = 1  
 AND R04\_AP1002\_12M = -8, -7 AND R04\_AP1003 = 3)  
 OR (R04\_ADULTTYPE = 3 AND R04\_AP1001\_RS = 1 AND  
 R04\_AP1002\_RS = 1 AND R04\_AP1002\_12M = -8, -7  
 AND R04\_AP1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND

R03\_PIPE\_USER\_STATUS != 3 AND R03\_EVER\_NEVER\_PIPE = 1  
AND R04\_AP1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND  
R04\_AP1002\_RS = 1 AND R04\_AP1001\_RS = 1  
AND R04\_AP1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1953	5.8 %
2	2 = No	306	0.9 %
3	3 = I have never smoked a pipe filled with tobacco in my entire life, not even one or two puffs	49	0.1 %
<b>Total</b>		<b>2,308</b>	<b>6.8%</b>

This variable has 2,308 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	31500	93.1 %
<b>Total</b>		<b>31,514</b>	<b>93.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 556-561 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1001\_RS: Ever seen or heard of a hookah before this study

Have you ever seen or heard of a hookah before this study?

[SHOW GENERIC IMAGE OF HOOKAH]

[If No (2), Don't Know (-8), or Refused (-7), Go TO BOX R04\_AHV02]

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5148	15.2 %
2	2 = No	914	2.7 %
<b>Total</b>		<b>6,062</b>	<b>17.9%</b>

This variable has 6,062 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	27755	82.1 %	
<b>Total</b>		<b>27,760</b>	<b>82.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 562-567 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1002\_RS: Ever smoked tobacco in a hookah, even one or two puffs

Have you ever smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

[If No (2), Don't Know (-8), or Refused (-7), Go TO BOX R04\_AHV02]

ASK: New cohort adult respondents who have ever seen or heard of hookah.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2055	6.1 %
2	2 = No	3090	9.1 %
<b>Total</b>		<b>5,145</b>	<b>15.2%</b>

This variable has 5,145 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	28672	84.8 %	
<b>Total</b>		<b>28,677</b>	<b>84.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 568-573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1004: In past 30 days, smoked hookah, even one or two puffs

In the past 30 days, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

[If Yes (1), GO To R04\_AHR06]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1 AND R04\_AH1002\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1113	3.3 %
2	2 = No	28682	84.8 %
	<b>Total</b>	<b>29,795</b>	<b>88.1%</b>

This variable has 29,795 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	4010	11.9 %
	<b>Total</b>	<b>4,027</b>	<b>11.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 574-579 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1002\_12M: In past 12 months, smoked tobacco in a hookah, even one or two puffs

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

ASK: Continuing and aged-up adult respondents who have not smoked tobacco in a hookah in the past 30 days or did not know or refused to report whether they have smoked tobacco in a hookah in the past 30 days, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and have not smoked tobacco in a hookah in the past 30 days or did not know or refused to report whether they have smoked tobacco in a hookah in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AH1004 = 2, -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1 AND R04\_AH1002\_RS = 1 AND R04\_AH1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1535	4.5 %
2	2 = No	27144	80.3 %
	<b>Total</b>	<b>28,679</b>	<b>84.8%</b>

This variable has 28,679 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	5123	15.1 %
	<b>Total</b>	<b>5,143</b>	<b>15.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 580-585 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1003: Now smoke hookah

Do you now smoke tobacco in a hookah...

[If Every day (1), Some Days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AHV02]

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months.

ASK Specification: IF R04\_AH1004 = 1 OR R04\_AH1002\_12M = 1 OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1002\_12M = -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1 AND R04\_AH1002\_RS = 1 AND R04\_AH1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	36	0.1 %
2	2 = Some days	1187	3.5 %
3	3 = Not at all	1426	4.2 %
	<b>Total</b>	<b>2,649</b>	<b>7.8%</b>

This variable has 2,649 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31166	92.1 %
	<b>Total</b>	<b>31,173</b>	<b>92.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 586-591 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1009\_NN: How long since you last smoked tobacco in a hookah - Number (non-current smokers)

About how long has it been since you last smoked tobacco in a hookah? (If it was earlier today, enter 1 day)

[If Don't Know (-8) or Refused (-7), Go TO R04\_AH1010]

**ASK:** Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and were not former experimental, new former established, or still former established hookah smokers as of their last completed interview and did not smoke tobacco in a hookah in the past 12 months, or New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not smoke tobacco in a hookah in the past 12 months.

**ASK Specification:** IF ((R04\_AH1004 = 1 OR R04\_AH1002\_12M = 1) AND R04\_AH1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1002\_12M = -8, -7 AND R04\_AH1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1 AND R04\_AH1002\_RS = 1 AND R04\_AH1002\_12M = -8, -7 AND R04\_AH1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_HOOK = 1 AND R03\_HOOK\_USER\_STATUS != 3, 4, 5 AND R04\_AH1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AH1002\_RS = 1 AND R04\_AH1001\_RS = 1 AND R04\_AH1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 3,448 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	126	0.4 %
-8	-8 = Don't know	62	0.2 %
-7	-7 = Refused	15	0.0 %
-5	-5 = Improbable response removed	270	0.8 %
-1	-1 = Inapplicable	29899	88.4 %
	<b>Total</b>	<b>30,374</b>	<b>89.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 592-597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AH1009\_UN: How long since you last smoked tobacco in a hookah - Unit (non-current smokers)

About how long has it been since you last smoked tobacco in a hookah? (If it was earlier today, enter 1 day)

[If Don't Know (-8) or Refused (-7), Go TO R04\_AH1010]

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and were not former experimental, new former established, or still former established hookah smokers as of their last completed interview and did not smoke tobacco in a hookah in the past 12 months, or New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not smoke tobacco in a hookah in the past 12 months.

ASK Specification: IF ((R04\_AH1004 = 1 OR R04\_AH1002\_12M = 1) AND R04\_AH1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1002\_12M = -8, -7 AND R04\_AH1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1 AND R04\_AH1002\_RS = 1 AND R04\_AH1002\_12M = -8, -7 AND R04\_AH1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_HOOK = 1 AND R03\_HOOK\_USER\_STATUS != 3, 4, 5 AND R04\_AH1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AH1002\_RS = 1 AND R04\_AH1001\_RS = 1 AND R04\_AH1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	310	0.9 %
2	2 = Months	1179	3.5 %
3	3 = Years	2229	6.6 %
<b>Total</b>		<b>3,718</b>	<b>11.0%</b>

This variable has 3,718 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	30102	89.0 %
<b>Total</b>		<b>30,104</b>	<b>89.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 598-603 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1010: Completely quit smoking tobacco in a hookah

Have you completely quit smoking tobacco in a hookah?

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and were not former experimental hookah smokers as of their last completed interview and did not smoke tobacco in a hookah in the past 12 months, or New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not smoke tobacco in a hookah in the past 12 months.

ASK Specification: IF ((R04\_AH1004 = 1 OR R04\_AH1002\_12M = 1) AND R04\_AH1003 = 3) OR  
(R04\_ADULTTYPE = 1, 2 AND R03\_NEVER\_HOOK = 1 AND R04\_AH1002\_12M = -8, -7  
AND R04\_AH1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1 AND R04\_AH1002\_RS = 1  
AND R04\_AH1002\_12M = -8, -7 AND R04\_AH1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND  
R03\_NEVER\_HOOK = 1 AND R03\_HOOK\_USER\_STATUS != 3 AND R04\_AH1002\_12M = 2)  
OR (R04\_ADULTTYPE = 3 AND R04\_AH1002\_RS = 1 AND R04\_AH1001\_RS = 1 AND R04\_AH1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3669	10.8 %
2	2 = No	966	2.9 %
3	3 = I have never smoked hookah in my entire life, not even one or two puffs	60	0.2 %
<b>Total</b>		<b>4,695</b>	<b>13.9%</b>

This variable has 4,695 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	126	0.4 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	28973	85.7 %
<b>Total</b>		<b>29,127</b>	<b>86.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 604-609 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1103: Ever been curious about smoking tobacco in a hookah

Have you ever been curious about smoking tobacco in a hookah?

ASK: New cohort young adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up young adult respondents who have never smoked tobacco in a hookah.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AH1001\_RS = 1 AND R04\_EVER\_NEVER\_HOOK = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_HOOK = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	125	0.4 %
2	2 = Somewhat curious	431	1.3 %
3	3 = A little curious	1148	3.4 %
4	4 = Not at all curious	4917	14.5 %
	<b>Total</b>	<b>6,621</b>	<b>19.6%</b>

This variable has 6,621 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	23	0.1 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	27171	80.3 %
	<b>Total</b>	<b>27,201</b>	<b>80.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 610-615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1206: Think you will smoke tobacco in a hookah in the next year

Do you think you will smoke tobacco in a hookah in the next year?

ASK: New cohort young adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up young adult respondents who have never smoked tobacco in a hookah, or young adult respondents who have ever smoked tobacco in a hookah and did not smoke tobacco in a hookah in the past 12 months or did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AH1001\_RS = 1 AND R04\_EVER\_NEVER\_HOOK = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_HOOK = 2) OR (18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	41	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Probably yes	497	1.5 %
3	3 = Probably not	2479	7.3 %
4	4 = Definitely not	6355	18.8 %
	<b>Total</b>	<b>9,372</b>	<b>27.7%</b>

This variable has 9,372 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	25	0.1 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	24415	72.2 %	
	<b>Total</b>	<b>24,450</b>	<b>72.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 616-621 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1104: Think you will try smoking tobacco in a hookah soon

Do you think you will try smoking tobacco in a hookah soon?

ASK: New cohort adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up adult respondents who have never smoked tobacco in a hookah.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1 AND R04\_EVER\_NEVER\_HOOK = 2) OR (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_HOOK = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	48	0.1 %
2	2 = Probably yes	284	0.8 %
3	3 = Probably not	3221	9.5 %
4	4 = Definitely not	18850	55.7 %
	<b>Total</b>	<b>22,403</b>	<b>66.2%</b>

This variable has 22,403 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	12	0.0 %	

Missing Data			
-1	-1 = Inapplicable	11396	33.7 %
	<b>Total</b>	<b>11,419</b>	<b>33.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 622-627 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1205: Would try a hookah if a best friend offered

If one of your best friends were to offer you a hookah, would you try it?

ASK: New cohort young adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up young adult respondents who have never smoked tobacco in a hookah.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AH1001\_RS = 1 AND R04\_EVER\_NEVER\_HOOK = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_HOOK = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	105	0.3 %
2	2 = Probably yes	758	2.2 %
3	3 = Probably not	1195	3.5 %
4	4 = Definitely not	4564	13.5 %
	<b>Total</b>	<b>6,622</b>	<b>19.6%</b>

This variable has 6,622 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	23	0.1 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	27171	80.3 %
	<b>Total</b>	<b>27,200</b>	<b>80.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 628-633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH9031: Ever smoked marijuana from a hookah

Have you ever smoked marijuana from a hookah?

(Remember all information you give to the PATH Study will be kept private.)

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of hookah.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4636	13.7 %
2	2 = No	28232	83.5 %
	<b>Total</b>	<b>32,868</b>	<b>97.2%</b>

This variable has 32,868 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	917	2.7 %
	<b>Total</b>	<b>954</b>	<b>2.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 634-639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH9040: Ever smoked herbal or tobacco-free shisha in a hookah

Have you ever smoked herbal or tobacco-free shisha in a hookah?

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of hookah.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AH1001\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4548	13.4 %
2	2 = No	28289	83.6 %
	<b>Total</b>	<b>32,837</b>	<b>97.1%</b>

This variable has 32,837 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.2 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	917	2.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>985</b>	<b>2.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 640-645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1001\_RS: Ever seen or heard of snus before this study

Have you ever seen or heard of snus before this study?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AUV03]

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3125	9.2 %
2	2 = No	2934	8.7 %
	<b>Total</b>	<b>6,059</b>	<b>17.9%</b>

This variable has 6,059 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	27755	82.1 %
	<b>Total</b>	<b>27,763</b>	<b>82.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 646-651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1002\_RS: Ever used snus, even one or two times

Have you ever used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AUV03]

ASK: New cohort adult respondents who have ever seen or heard of snus.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	796	2.4 %
2	2 = No	2329	6.9 %
	<b>Total</b>	<b>3,125</b>	<b>9.2%</b>

This variable has 3,125 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	30695	90.8 %
	<b>Total</b>	<b>30,697</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 652-657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1004: In past 30 days, used snus, even one or two times

In the past 30 days, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

[If Yes (1), GO TO BOX R04\_AUR22]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND R04\_AU1002\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	534	1.6 %
2	2 = No	27985	82.7 %
	<b>Total</b>	<b>28,519</b>	<b>84.3%</b>

This variable has 28,519 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>				
-8	-8 = Don't know	18	0.1 %	
-7	-7 = Refused	14	0.0 %	
-1	-1 = Inapplicable	5269	15.6 %	
<b>Total</b>		<b>5,303</b>	<b>15.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 658-663 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1002\_12M: In past 12 months, used snus, even one or two times

In the past 12 months, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

ASK: Continuing and aged-up adult respondents who have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AU1004 = 2, -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND R04\_AU1002\_RS = 1 AND R04\_AU1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	370	1.1 %
2	2 = No	27630	81.7 %
<b>Total</b>		<b>28,000</b>	<b>82.8%</b>

This variable has 28,000 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	10	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	5803	17.2 %	
<b>Total</b>		<b>5,822</b>	<b>17.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 664-669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1003: Now use snus

Do you now use snus...

[If Every Day (1), Some Days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_AUV03]

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months.

ASK Specification: IF R04\_AU1004 = 1 OR R04\_AU1002\_12M = 1 OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1002\_12M = -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND R04\_AU1002\_RS = 1 AND R04\_AU1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	155	0.5 %
2	2 = Some days	307	0.9 %
3	3 = Not at all	443	1.3 %
<b>Total</b>		<b>905</b>	<b>2.7%</b>

This variable has 905 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32914	97.3 %	
<b>Total</b>		<b>32,917</b>	<b>97.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 670-675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1009\_NN: How long since you last used snus - Number (non-current users)

About how long has it been since you last used snus? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), Go To 04\_AU1010]

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not former experimental, new former established, or still former established snus users as of their last completed interview and did not use snus in the past 12 months, or New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not use snus

in the past 12 months.

ASK Specification: IF ((R04\_AU1004 = 1 OR R04\_AU1002\_12M = 1) AND R04\_AU1003 = 3) OR  
(R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1002\_12M = -8, -7 AND R04\_AU1003 = 3)  
OR (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND R04\_AU1002\_RS = 1 AND R04\_AU1002\_12M = -8, -7  
AND R04\_AU1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SNUS = 1 AND R03\_SNUS\_USER\_STATUS  
!= 3, 4, 5 AND R04\_AU1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND  
R04\_AU1002\_RS = 1 AND R04\_AU1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 1,115 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	20	0.1 %	
-7	-7 = Refused	8	0.0 %	
-5	-5 = Improbable response removed	46	0.1 %	
-1	-1 = Inapplicable	32631	96.5 %	
<b>Total</b>		<b>32,707</b>	<b>96.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 676-681 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AU1009\_UN: How long since you last used snus - Unit (non-current users)

About how long has it been since you last used snus? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), Go To 04\_AU1010]

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not former experimental, new former established, or still former established snus users as of their last completed interview and did not use snus in the past 12 months, or New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not use snus in the past 12 months.

ASK Specification: IF ((R04\_AU1004 = 1 OR R04\_AU1002\_12M = 1) AND R04\_AU1003 = 3) OR  
(R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1002\_12M = -8, -7 AND R04\_AU1003 = 3)  
OR (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND R04\_AU1002\_RS = 1 AND R04\_AU1002\_12M = -8, -7  
AND R04\_AU1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SNUS = 1 AND R03\_SNUS\_USER\_STATUS  
!= 3, 4, 5 AND R04\_AU1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND  
R04\_AU1002\_RS = 1 AND R04\_AU1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	78	0.2 %
2	2 = Months	328	1.0 %
3	3 = Years	755	2.2 %
	<b>Total</b>	<b>1,161</b>	<b>3.4%</b>

This variable has 1,161 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32659	96.6 %
	<b>Total</b>	<b>32,661</b>	<b>96.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 682-687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1010: Completely quit using snus

Have you completely quit using snus?

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not former experimental snus users as of their last completed interview and did not use snus in the past 12 months, or New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not use snus in the past 12 months.

ASK Specification: IF ((R04\_AU1004 = 1 OR R04\_AU1002\_12M = 1) AND R04\_AU1003 = 3) OR  
(R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1002\_12M = -8, -7 AND  
R04\_AU1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND R04\_AU1002\_RS = 1  
AND R04\_AU1002\_12M = -8, -7 AND R04\_AU1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND  
R03\_EVER\_NEVER\_SNUS = 1 AND R03\_SNUS\_USER\_STATUS != 3 AND R04\_AU1002\_12M = 2)  
OR (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND R04\_AU1002\_RS = 1 AND  
R04\_AU1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1438	4.3 %
2	2 = No	127	0.4 %
3	3 = I have never used snus in my entire life, not even one or two times	57	0.2 %
	<b>Total</b>	<b>1,622</b>	<b>4.8%</b>

This variable has 1,622 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	32193	95.2 %	
<b>Total</b>		<b>32,200</b>	<b>95.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 688-693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1103: Ever been curious about using snus

Have you ever been curious about using snus?

ASK: New cohort young adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up young adult respondents who have never used snus.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AU1001\_RS = 1 AND R04\_EVER\_NEVER\_SNUS = 2)  
OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_SNUS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	20	0.1 %
2	2 = Somewhat curious	80	0.2 %
3	3 = A little curious	308	0.9 %
4	4 = Not at all curious	8428	24.9 %
<b>Total</b>		<b>8,836</b>	<b>26.1%</b>

This variable has 8,836 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	52	0.2 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	24924	73.7 %	
<b>Total</b>		<b>24,986</b>	<b>73.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 694-699 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1206: Think you will use snus in the next year

Do you think you will use snus in the next year?

ASK: New cohort young adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up young adult respondents who have never used snus, or young adult respondents who have ever used snus and did not use snus in the past 12 months or did not know or refused to report whether they have used snus in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AU1001\_RS = 1 AND R04\_EVER\_NEVER\_SNUS = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_SNUS = 2) OR (18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2	0.0 %
2	2 = Probably yes	45	0.1 %
3	3 = Probably not	598	1.8 %
4	4 = Definitely not	8673	25.6 %
	<b>Total</b>	<b>9,318</b>	<b>27.6%</b>

This variable has 9,318 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	174	0.5 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	24322	71.9 %
	<b>Total</b>	<b>24,504</b>	<b>72.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 700-705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1104: Think you will try snus soon

Do you think you will try snus soon?

ASK: New cohort adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up adult respondents who have never used snus.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04\_AU1001\_RS = 1 AND R04\_EVER\_NEVER\_SNUS = 2) OR (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_SNUS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	9	0.0 %
2	2 = Probably yes	65	0.2 %
3	3 = Probably not	1402	4.1 %
4	4 = Definitely not	26085	77.1 %
	<b>Total</b>	<b>27,561</b>	<b>81.5%</b>

This variable has 27,561 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	153	0.5 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	6090	18.0 %
	<b>Total</b>	<b>6,261</b>	<b>18.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 706-711 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1205: Would try snus if a best friend offered it

If one of your best friends were to offer you snus, would you try it?

ASK: New cohort young adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up young adult respondents who have never used snus.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AU1001\_RS = 1 AND R04\_EVER\_NEVER\_SNUS = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_SNUS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	16	0.0 %
2	2 = Probably yes	160	0.5 %
3	3 = Probably not	611	1.8 %
4	4 = Definitely not	8051	23.8 %
	<b>Total</b>	<b>8,838</b>	<b>26.1%</b>

This variable has 8,838 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	52	0.2 %

<b>Missing Data</b>				
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	24924	73.7 %	
<b>Total</b>		<b>24,984</b>	<b>73.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 712-717 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1001\_RS: Ever seen or heard of smokeless tobacco before this study

Have you ever seen or heard of smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, before this study?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_ASV03]

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	4983	14.7 %
2	2 = No	1076	3.2 %
	<b>Total</b>	<b>6,059</b>	<b>17.9%</b>

This variable has 6,059 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	27755	82.1 %	
	<b>Total</b>	<b>27,763</b>	<b>82.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 718-723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1002\_RS: Ever used smokeless tobacco even one or two times

Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_ASV03]

ASK: New cohort adult respondents who have ever seen or heard of smokeless tobacco.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1268	3.7 %
2	2 = No	3713	11.0 %
	<b>Total</b>	<b>4,981</b>	<b>14.7%</b>

This variable has 4,981 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	28837	85.3 %
	<b>Total</b>	<b>28,841</b>	<b>85.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 724-729 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1004: In past 30 days, used smokeless tobacco products, even one or two times

In the past 30 days, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

[If Yes (1), GO TO R04\_AS29]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_AS1002\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1532	4.5 %
2	2 = No	27473	81.2 %
	<b>Total</b>	<b>29,005</b>	<b>85.8%</b>

This variable has 29,005 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	4797	14.2 %
<b>Total</b>		<b>4,817</b>	<b>14.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 730-735 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1002\_12M: In past 12 months, used smokeless tobacco products, even one or two times

In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

ASK: Continuing and aged-up adult respondents who have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AS1004 = 2, -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_AS1002\_RS = 1 AND R04\_AS1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	522	1.5 %
2	2 = No	26949	79.7 %
<b>Total</b>		<b>27,471</b>	<b>81.2%</b>

This variable has 27,471 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	6329	18.7 %
<b>Total</b>		<b>6,351</b>	<b>18.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 736-741 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1003: Now use smokeless tobacco

Do you now use smokeless tobacco...

[If Every Day (1), Some Days (2), Don't Know (-8), or Refused (-7), Go To BOX R04\_ASV03]

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF R04\_AS1004 = 1 OR R04\_AS1002\_12M = 1 OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1002\_12M = -8, -7) OR (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_AS1002\_RS = 1 AND R04\_AS1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	810	2.4 %
2	2 = Some days	663	2.0 %
3	3 = Not at all	584	1.7 %
<b>Total</b>		<b>2,057</b>	<b>6.1%</b>

This variable has 2,057 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	31762	93.9 %	
<b>Total</b>		<b>31,765</b>	<b>93.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 742-747 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1009\_NN: How long since you last used smokeless tobacco - Number (non-current users)

About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO R04\_AS1010]

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental, new former established, or still former established smokeless tobacco users as of their last completed interview and did not use smokeless tobacco in the past 12 months, or New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months.

ASK Specification: IF ((R04\_AS1004 = 1 OR R04\_AS1002\_12M = 1) AND R04\_AS1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_NEVER\_SMKLS = 1 AND R04\_AS1002\_12M = -8, -7 AND R04\_AS1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_AS1002\_RS = 1 AND R04\_AS1002\_12M = -8, -7 AND R04\_AS1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_NEVER\_SMKLS = 1 AND R03\_SMKLS\_USER\_STATUS != 3, 4, 5 AND R04\_AS1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_AS1002\_RS = 1 AND R04\_AS1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

This variable has 1,588 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	28	0.1 %	
-7	-7 = Refused	7	0.0 %	
-5	-5 = Improbable response removed	64	0.2 %	
-1	-1 = Inapplicable	32133	95.0 %	
<b>Total</b>		<b>32,234</b>	<b>95.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 748-753 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AS1009\_UN: How long since you last used smokeless tobacco - Unit (non-current users)

About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)

[If Don't Know (-8) or Refused (-7), GO TO R04\_AS1010]

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental, new former established, or still former established smokeless tobacco users as of their last completed interview and did not use smokeless tobacco in the past 12 months, or New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months.

smokeless tobacco and have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months.

ASK Specification: IF ((R04\_AS1004 = 1 OR R04\_AS1002\_12M = 1) AND R04\_AS1003 = 3) OR  
 (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1002\_12M = -8, -7 AND R04\_AS1003 = 3)  
 OR (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_AS1002\_RS = 1 AND R04\_AS1002\_12M = -8, -7  
 AND R04\_AS1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SMKLS = 1 AND R03\_SMKLS\_USER\_STATUS  
 != 3, 4, 5 AND R04\_AS1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_AS1002\_RS = 1  
 AND R04\_AS1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	132	0.4 %
2	2 = Months	478	1.4 %
3	3 = Years	1042	3.1 %
<b>Total</b>		<b>1,652</b>	<b>4.9%</b>

This variable has 1,652 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32168	95.1 %
<b>Total</b>		<b>32,170</b>	<b>95.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 754-759 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1010: Completely quit using smokeless tobacco

Have you completely quit using smokeless tobacco?

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental smokeless tobacco users as of their last completed interview and did not use smokeless tobacco in the past 12 months, or New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months.

ASK Specification: IF ((R04\_AS1004 = 1 OR R04\_AS1002\_12M = 1) AND R04\_AS1003 = 3) OR  
 (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1002\_12M = -8, -7  
 AND R04\_AS1003 = 3) OR (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_AS1002\_RS = 1

AND R04\_AS1002\_12M = -8, -7 AND R04\_AS1003 = 3) OR (R04\_ADULTTYPE = 1, 2 AND R03\_EVER\_NEVER\_SMKLS = 1 AND R03\_SMKLS\_USER\_STATUS != 3 AND R04\_AS1002\_12M = 2) OR (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_AS1002\_RS = 1 AND R04\_AS1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2235	6.6 %
2	2 = No	245	0.7 %
3	3 = I have never used smokeless tobacco in my entire life, not even one or two times	53	0.2 %
<b>Total</b>		<b>2,533</b>	<b>7.5%</b>

This variable has 2,533 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31278	92.5 %
<b>Total</b>		<b>31,289</b>	<b>92.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 760-765 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1103: Ever been curious about using smokeless tobacco

Have you ever been curious about using smokeless tobacco?

ASK: New cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up young adult respondents who have never used smokeless tobacco.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AS1001\_RS = 1 AND R04\_EVER\_NEVER\_SMKLS = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_SMKLS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	20	0.1 %
2	2 = Somewhat curious	65	0.2 %
3	3 = A little curious	439	1.3 %
4	4 = Not at all curious	8682	25.7 %
<b>Total</b>		<b>9,206</b>	<b>27.2%</b>

This variable has 9,206 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	79	0.2 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	24532	72.5 %	
<b>Total</b>		<b>24,616</b>	<b>72.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 766-771 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1206: Think you will use smokeless tobacco in the next year

Do you think you will use smokeless tobacco in the next year?

ASK: New cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up young adult respondents who have never used smokeless tobacco, or young adult respondents who have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months or did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AS1001\_RS = 1 AND R04\_EVER\_NEVER\_SMKLS = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_SMKLS = 2) OR (18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3	0.0 %
2	2 = Probably yes	55	0.2 %
3	3 = Probably not	597	1.8 %
4	4 = Definitely not	9114	26.9 %
<b>Total</b>		<b>9,769</b>	<b>28.9%</b>

This variable has 9,769 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	206	0.6 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	23838	70.5 %	
<b>Total</b>		<b>24,053</b>	<b>71.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 772-777 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AS1104: Think you will try smokeless tobacco soon

Do you think you will try smokeless tobacco soon?

ASK: New cohort adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up adult respondents who have never used smokeless tobacco.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04\_AS1001\_RS = 1 AND R04\_EVER\_NEVER\_SMKLS = 2)  
OR (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_SMKLS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	23	0.1 %
2	2 = Probably yes	71	0.2 %
3	3 = Probably not	1222	3.6 %
4	4 = Definitely not	25393	75.1 %
	<b>Total</b>	<b>26,709</b>	<b>79.0%</b>

This variable has 26,709 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	410	1.2 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	6681	19.8 %
	<b>Total</b>	<b>7,113</b>	<b>21.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 778-783 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AS1205: Would try smokeless tobacco if a best friend offered it

If one of your best friends were to offer you smokeless tobacco, would you try it?

ASK: New cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up young adult respondents who have never used smokeless tobacco.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_AS1001\_RS = 1 AND R04\_EVER\_NEVER\_SMKLS = 2) OR (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_SMKLS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	4	0.0 %
2	2 = Probably yes	120	0.4 %
3	3 = Probably not	580	1.7 %
4	4 = Definitely not	8500	25.1 %
	<b>Total</b>	<b>9,204</b>	<b>27.2%</b>

This variable has 9,204 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	79	0.2 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	24532	72.5 %
	<b>Total</b>	<b>24,618</b>	<b>72.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 784-789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AD1001\_RS: Ever seen or heard of dissolvable tobacco before this study

Have you ever seen or heard of dissolvable tobacco before this study?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_ADV01]

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	703	2.1 %
2	2 = No	5352	15.8 %
	<b>Total</b>	<b>6,055</b>	<b>17.9%</b>

This variable has 6,055 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	2	0.0 %

Missing Data			
-1	-1 = Inapplicable	27755	82.1 %
	<b>Total</b>	<b>27,767</b>	<b>82.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 790-795 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AD1002\_RS: Ever used dissolvable tobacco, even one or two times

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_ADV01]

ASK: New cohort adult respondents who have ever seen or heard of dissolvable tobacco.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AD1001\_RS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	50	0.1 %
2	2 = No	652	1.9 %
	<b>Total</b>	<b>702</b>	<b>2.1%</b>

This variable has 702 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33117	97.9 %
	<b>Total</b>	<b>33,120</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 796-801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AD1002\_12M: In past 12 months, used dissolvable tobacco, even one or two times

In the past 12 months, have you used dissolvable tobacco, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AD1001\_RS = 1 AND R04\_AD1002\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	98	0.3 %
2	2 = No	27685	81.9 %
	<b>Total</b>	<b>27,783</b>	<b>82.1%</b>

This variable has 27,783 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	6015	17.8 %
	<b>Total</b>	<b>6,039</b>	<b>17.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 802-807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AZ1002: Ever used any other tobacco products

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipe tobacco, hookah tobacco, snus, smokeless tobacco and dissolvable tobacco.

Besides these products, have you ever used any other tobacco products?

Please do not include products such as a nicotine patch, gum, inhaler, nasal spray, lozenge or pill.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	213	0.6 %
2	2 = No	33554	99.2 %
	<b>Total</b>	<b>33,767</b>	<b>99.8%</b>

This variable has 33,767 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %

Missing Data			
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>55</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 808-813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AC1006\_RS: DERIVED - Age group when first smoked part or all of a cigarette (6 levels)

Long Description: How old were you the first time you smoked part or all of a cigarette?

```
Algorithm: if (0 <= R04_AC1006_RS < 18) or R04_AC1120_RS = 1 then
R04R_A_AC1006_RS = 1; else if (18 <= R04_AC1006_RS <= 24) or R04_AC1120_RS = 2
then R04R_A_AC1006_RS = 2; else if (25 <= R04_AC1006_RS <= 34) or
R04_AC1120_RS = 3 then R04R_A_AC1006_RS = 3; else if (35 <= R04_AC1006_RS <= 44)
or R04_AC1120_RS = 4 then R04R_A_AC1006_RS = 4; else if (45 <= R04_AC1006_RS
<= 54) or R04_AC1120_RS = 5 then R04R_A_AC1006_RS = 5; else if
(R04_AC1006_RS => 55) or R04_AC1120_RS = 6 then R04R_A_AC1006_RS = 6;
else if R04_AC1006_RS = -9 or R04_AC1120_RS = -9 then R04R_A_AC1006_RS = -99999;
else if R04_AC1006_RS = -8 or R04_AC1120_RS = -8 then R04R_A_AC1006_RS = -99988;
else if R04_AC1006_RS = -7 or R04_AC1120_RS = -7 then R04R_A_AC1006_RS = -99977;
else if R04_AC1006_RS = -5 then R04R_A_AC1006_RS = -99955; else if R04_AC1006_RS
= -1 or R04_AC1120_RS = -1 then R04R_A_AC1006_RS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	2989	8.8 %
2	2 = 18 to 24 years old	1101	3.3 %
3	3 = 25 to 34 years old	91	0.3 %
4	4 = 35 to 44 years old	22	0.1 %
5	5 = 45 to 54 years old	6	0.0 %
6	6 = 55 years old or older	1	0.0 %
<b>Total</b>		<b>4,210</b>	<b>12.4%</b>

This variable has 4,210 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	6	0.0 %

<b>Missing Data</b>				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	29601	87.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>29,612</b>	<b>87.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 814-819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04\_AC1005: Number of cigarettes smoked in your entire life

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview, or new cohort adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_CIGS = 1  
AND R03\_NUMLIFE\_CIGS != 1) OR  
(R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_CIGS = 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = 1 or more puffs but never a whole cigarette	2081	6.2 %
2	2 = 1 to 10 cigarettes (about 1/2 pack total)	1688	5.0 %
3	3 = 11 to 20 cigarettes (about 1/2 pack to 1 pack)	995	2.9 %
4	4 = 21 to 50 cigarettes (more than 1 pack but less than 3 packs)	961	2.8 %
5	5 = 51 to 99 (more than 2 1/2 packs but less than 5 packs)	562	1.7 %
6	6 = 100 or more cigarettes (5 packs or more)	2906	8.6 %
<b>Total</b>		<b>9,193</b>	<b>27.2%</b>

This variable has 9,193 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	91	0.3 %	
-7	-7 = Refused	43	0.1 %	
-1	-1 = Inapplicable	24493	72.4 %	
<b>Total</b>		<b>24,629</b>	<b>72.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 820-825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC1100: Ever smoked cigarettes fairly regularly

Have you ever smoked cigarettes fairly regularly?

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked 100 or more cigarettes.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_CIGS = 1 AND (R03\_NUMLIFE\_CIGS = 1 OR R04\_AC1005 = 6) AND R03\_REGUSE\_CIGS != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1005 = 6).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2765	8.2 %
2	2 = No	642	1.9 %
	<b>Total</b>	<b>3,407</b>	<b>10.1%</b>

This variable has 3,407 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30412	89.9 %
	<b>Total</b>	<b>30,415</b>	<b>89.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 826-831 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04R\_A\_AC1007\_NB: DERIVED - Age group when you first started smoking cigarettes fairly regularly (6 levels)

Long Description: How old were you when you first started smoking cigarettes fairly regularly?

Algorithm: IF (0 <= R04\_AC1007\_NB < 18) OR R04\_AC1121\_NB = 1 THEN  
 R04R\_A\_AC1007\_NB = 1; ELSE IF (18 <= R04\_AC1007\_NB <= 24) OR R04\_AC1121\_NB = 2  
 THEN R04R\_A\_AC1007\_NB = 2; ELSE IF (25 <= R04\_AC1007\_NB <= 34) OR R04\_AC1121\_NB = 3  
 THEN R04R\_A\_AC1007\_NB = 3; ELSE IF (35 <= R04\_AC1007\_NB <= 44) OR  
 R04\_AC1121\_NB = 4 THEN R04R\_A\_AC1007\_NB = 4; ELSE IF (45 <= R04\_AC1007\_NB <= 54)  
 OR R04\_AC1121\_NB = 5 THEN R04R\_A\_AC1007\_NB = 5; ELSE IF (R04\_AC1007\_NB >= 55)  
 OR R04\_AC1121\_NB = 6 THEN R04R\_A\_AC1007\_NB = 6; ELSE IF R04\_AC1007\_NB = -9 OR  
 R04\_AC1121\_NB = -9 THEN R04R\_A\_AC1007\_NB = -99999; ELSE IF R04\_AC1007\_NB = -8  
 OR R04\_AC1121\_NB = -8 THEN R04R\_A\_AC1007\_NB = -99988; ELSE IF R04\_AC1007\_NB = -7  
 OR R04\_AC1121\_NB = -7 THEN R04R\_A\_AC1007\_NB = -99977; ELSE IF R04\_AC1007\_NB = -5  
 THEN R04R\_A\_AC1007\_NB = -99955; ELSE IF R04\_AC1007\_NB = -1 OR R04\_AC1121\_NB = -1  
 THEN R04R\_A\_AC1007\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	1266	3.7 %
2	2 = 18 to 24 years old	961	2.8 %
3	3 = 25 to 34 years old	114	0.3 %
4	4 = 35 to 44 years old	20	0.1 %
5	5 = 45 to 54 years old	3	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>2,364</b>	<b>7.0%</b>

This variable has 2,364 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31454	93.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>31,458</b>	<b>93.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 832-837 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AC1020\_NB: DERIVED - Age group when you first started smoking cigarettes every day (6 levels)

Long Description: How old were you when you first started smoking cigarettes every day?

```
Algorithm: if (0 <= R04_AC1020_NB < 18) or R04_AC1122_NB = 1 then R04R_A_AC1020_NB = 1; else if (18 <= R04_AC1020_NB <= 24) or R04_AC1122_NB = 2 then R04R_A_AC1020_NB = 2; else if (25 <= R04_AC1020_NB <= 34) or R04_AC1122_NB = 3 then R04R_A_AC1020_NB = 3; else if (35 <= R04_AC1020_NB <= 44) or R04_AC1122_NB = 4 then R04R_A_AC1020_NB = 4; else if (45 <= R04_AC1020_NB <= 54) or R04_AC1122_NB = 5 then R04R_A_AC1020_NB = 5; else if (R04_AC1020_NB => 55) or R04_AC1122_NB = 6 then R04R_A_AC1020_NB = 6; else if R04_AC1020_NB = -9 or R04_AC1122_NB = -9 then R04R_A_AC1020_NB = -99999; else if R04_AC1020_NB = -8 or R04_AC1122_NB = -8 then R04R_A_AC1020_NB = -99988; else if R04_AC1020_NB = -7 or R04_AC1122_NB = -7 then R04R_A_AC1020_NB = -99977; else if R04_AC1020_NB = -5 then R04R_A_AC1020_NB = -99955; else if R04_AC1020_NB = -1 or R04_AC1122_NB = -1 then R04R_A_AC1020_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	705	2.1 %
2	2 = 18 to 24 years old	492	1.5 %
3	3 = 25 to 34 years old	91	0.3 %
4	4 = 35 to 44 years old	16	0.0 %
5	5 = 45 to 54 years old	4	0.0 %
6	6 = 55 years old or older	1	0.0 %
<b>Total</b>		<b>1,309</b>	<b>3.9%</b>

This variable has 1,309 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32511	96.1 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>32,513</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 838-843 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AC1008: When first started smoking cigarettes, smoked cigarettes flavored to taste like menthol or mint

When you first started smoking cigarettes, did you start with cigarettes flavored to taste like menthol or mint?

ASK: Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_CIGS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_CIGS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1661	4.9 %
2	2 = No	2479	7.3 %
3	3 = I don't know	656	1.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>4,796</b>	<b>14.2%</b>

This variable has 4,796 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	29023	85.8 %
	<b>Total</b>	<b>29,026</b>	<b>85.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 844-849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9904: How much pleasant sensation experienced the first time smoked a cigarette

How much did you experience pleasant sensations the first time you smoked a cigarette?

ASK: Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_INIT\_CIGS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_CIGS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Not at all	719	2.1 %
2	2 = A little	509	1.5 %
3	3 = Somewhat	403	1.2 %
4	4 = A lot	185	0.5 %
	<b>Total</b>	<b>1,816</b>	<b>5.4%</b>

This variable has 1,816 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31999	94.6 %
	<b>Total</b>	<b>32,006</b>	<b>94.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 850-855 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9905: How much unpleasant sensation experienced the first time smoked a cigarette

How much did you experience unpleasant sensations the first time you smoked a cigarette?

ASK: Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_INIT\_CIGS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_CIGS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Not at all	417	1.2 %
2	2 = A little	524	1.5 %
3	3 = Somewhat	493	1.5 %
4	4 = A lot	385	1.1 %
	<b>Total</b>	<b>1,819</b>	<b>5.4%</b>

This variable has 1,819 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31999	94.6 %
	<b>Total</b>	<b>32,003</b>	<b>94.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 856-861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9906: How much felt sick to stomach the first time smoked a cigarette

How much did you feel sick to your stomach the first time you smoked a cigarette?

ASK: Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND 18 <= R04R\_A\_AGE < 25 AND R04\_INIT\_CIGS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_CIGS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Not at all	862	2.5 %
2	2 = A little	418	1.2 %
3	3 = Somewhat	288	0.9 %
4	4 = A lot	248	0.7 %
	<b>Total</b>	<b>1,816</b>	<b>5.4%</b>

This variable has 1,816 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31999	94.6 %
	<b>Total</b>	<b>32,006</b>	<b>94.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 862-867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9002\_NN: How long smoking/smoked cigarettes fairly regularly - Number

About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.

[If Don't Know (-8) or Refused (-7), Go to Box R04\_ACR23.]

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_CIGS = 1 AND (R03\_NUMLIFE\_CIGS = 1 OR R04\_AC1005 = 6) AND R03\_REGUSE\_CIGS != 1 AND R04\_AC1100 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1005 = 6 AND R04\_AC1100 = 1).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 2,751 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	2	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	31055	91.8 %
	<b>Total</b>	<b>31,071</b>	<b>91.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 868-873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AC9002\_UN: How long smoking/smoked cigarettes fairly regularly - Unit

About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.

[If Don't Know (-8) or Refused (-7), Go to Box R04\_ACR23.]

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_CIGS = 1 AND (R03\_NUMLIFE\_CIGS = 1 OR R04\_AC1005 = 6) AND R03\_REGUSE\_CIGS != 1 AND R04\_AC1100 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1005 = 6 AND R04\_AC1100 = 1).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Months	283	0.8 %
2	2 = Years	2470	7.3 %
	<b>Total</b>	<b>2,753</b>	<b>8.1%</b>

This variable has 2,753 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31067	91.9 %
	<b>Total</b>	<b>31,069</b>	<b>91.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 874-879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9003\_NN: How many cigarettes smoked per day when you smoked fairly regularly - Number

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly?  
A pack usually has 20 cigarettes in it.

[If Don't Know (-8) or Refused (-7), Go to BOX R04\_ACR51.]

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are recent former established cigarette smokers, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are recent former established or long-term former established cigarette smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_CIGS = 1 AND (R03\_NUMLIFE\_CIGS = 1 OR R04\_AC1005 = 6) AND R03\_REGUSE\_CIGS != 1 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 4) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1005 = 6 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 4, 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 873 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32947	97.4 %	
<b>Total</b>		<b>32,949</b>	<b>97.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 880-885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AC9003\_UN: How many cigarettes smoked per day when you smoked fairly regularly - Unit

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly?  
A pack usually has 20 cigarettes in it.

[If Don't Know (-8) or Refused (-7), Go to BOX R04\_ACR51.]

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are recent former established cigarette smokers, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are recent former established or long-term former

established cigarette smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_CIGS = 1 AND (R03\_NUMLIFE\_CIGS = 1 OR R04\_AC1005 = 6) AND R03\_REGUSE\_CIGS != 1 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 4) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_CIGS = 1 AND R04\_AC1005 = 6 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 4, 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes per day	619	1.8 %
2	2 = Packs per day	254	0.8 %
	<b>Total</b>	<b>873</b>	<b>2.6%</b>

This variable has 873 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32947	97.4 %
	<b>Total</b>	<b>32,949</b>	<b>97.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 886-891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC1025\_RS: Around this time 12 months ago, smoked cigarettes every day, some days or not at all

Around this time 12 months ago, were you smoking cigarettes every day, some days, or not at all?

[If Some Days (2), Not at All (3), Don't Know (-8), or Refused (-7), GO TO BOX R04\_ACR04]

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_CIG\_USER\_STATUS = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Every day	1419	4.2 %
2	2 = Some days	631	1.9 %
3	3 = Not at all	2164	6.4 %
	<b>Total</b>	<b>4,214</b>	<b>12.5%</b>

This variable has 4,214 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	29605	87.5 %
<b>Total</b>		<b>29,608</b>	<b>87.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 892-897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9006\_RS\_NN: Average number of cigarettes smoked per day 12 months ago - Number

Around this time 12 months ago, on average, about how many cigarettes did you smoke each day?

A pack usually has 20 cigarettes in it.

[If Don't Know (-8), or Refused (-7), GO TO R04\_AC9140\_RS]

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and smoked every day around this time 12 months ago.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_CIG\_USER\_STATUS = 1, 2, 3, 4, 5 AND R04\_AC1025\_RS = 1.

[PROGRAM NOTE: Display as Quantity/Units.]

This variable has 1,417 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32401	95.8 %
<b>Total</b>		<b>32,405</b>	<b>95.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 898-903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AC9006\_RS\_UN: Average number of cigarettes smoked per day 12 months ago - Unit

Around this time 12 months ago, on average, about how many cigarettes did you smoke each day?

A pack usually has 20 cigarettes in it.

[If Don't Know (-8), or Refused (-7), GO TO R04\_AC9140\_RS]

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and smoked every day around this time 12 months ago.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_CIG\_USER\_STATUS = 1, 2, 3, 4, 5 AND R04\_AC1025\_RS = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes per day	978	2.9 %
2	2 = Packs per day	439	1.3 %
	<b>Total</b>	<b>1,417</b>	<b>4.2%</b>

This variable has 1,417 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32403	95.8 %
	<b>Total</b>	<b>32,403</b>	<b>95.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 904-909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9140\_RS: Average number of cigarettes smoked each day around this time 12 months ago (Pack measure)

Would you say that, around this time 12 months ago, on average, you smoked more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day? A pack usually has 20 cigarettes in it.

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and smoked every day around this time 12 months ago and did not know or refused to report how many cigarettes they smoked every day around this time 12 months ago.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2, 3, 4, 5 AND R04\_ADULTTYPE = 3 AND R04\_AC1025\_RS = 1 AND R04\_AC9006\_RS\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = More than 20 cigarettes each day	0	0.0 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
2	2 = About 20 cigarettes each day	0	0.0 %
3	3 = Less than 20 cigarettes each day	1	0.0 %
	<b>Total</b>	<b>1</b>	<b>0.0%</b>

This variable has 1 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33818	100.0 %
	<b>Total</b>	<b>33,821</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 910-915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1021\_NN: Average number of cigarettes now smoked each day - Number

On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.

[If Don't Know (-8) or Refused (-7), Go to GO TO R04\_AC1090.]

ASK: Adult respondents who are every day established cigarette smokers.

ASK Specification: IF R04\_CURRENT\_CIG\_USE = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 7,573 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	26240	77.6 %
	<b>Total</b>	<b>26,249</b>	<b>77.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 916-921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AC1021\_UN: Average number of cigarettes now smoked each day - Unit

On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.

[If Don't Know (-8) or Refused (-7), Go to GO TO R04\_AC1090.]

ASK: Adult respondents who are every day established cigarette smokers.

ASK Specification: IF R04\_CURRENT\_CIG\_USE = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes per day	5842	17.3 %
2	2 = Packs per day	1731	5.1 %
	<b>Total</b>	<b>7,573</b>	<b>22.4%</b>

This variable has 7,573 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	26247	77.6 %
	<b>Total</b>	<b>26,249</b>	<b>77.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 922-927 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AC1090: Average number of cigarettes now smoked per day (Pack measure)

Would you say that, on average, you now smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day?

[Go to Box R04\_ACV03.]

ASK: Adult respondents who are every day established cigarette smokers and did not know or refused to report how many cigarettes they now smoke each day.

ASK Specification: IF R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC1021\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = More than 20 cigarettes each day	0	0.0 %
2	2 = About 20 cigarettes each day	1	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = Less than 20 cigarettes each day	6	0.0 %
	<b>Total</b>	<b>7</b>	<b>0.0%</b>

This variable has 7 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33813	100.0 %
	<b>Total</b>	<b>33,813</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 928-933 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1022: In past 30 days, number of days smoked cigarettes

On how many of the past 30 days did you smoke cigarettes?

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2  
OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 4,541 valid cases out of 33,822 total cases.

- Mean: 9.10
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 9.60

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	10	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	29245	86.5 %
	<b>Total</b>	<b>29,281</b>	<b>86.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 934-939 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AC9029\_NN: How long since you last smoked a cigarette - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a cigarette?

[If Don't Know (-8), or Refused (-7), GO TO BOX R04\_ACV03]

ASK: Adult respondents who are some day established or current experimental cigarette smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2) AND R04\_AC1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 185 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	27	0.1 %
-1	-1 = Inapplicable	33608	99.4 %
<b>Total</b>		<b>33,637</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 940-945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AC9029\_UN: How long since you last smoked a cigarette - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a cigarette?

[If Don't Know (-8), or Refused (-7), GO TO BOX R04\_ACV03]

ASK: Adult respondents who are some day established or current experimental cigarette smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2) AND R04\_AC1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	31	0.1 %
2	2 = Months	128	0.4 %
3	3 = Years	53	0.2 %
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33608	99.4 %
	<b>Total</b>	<b>33,610</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 946-951 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC1023\_NN: In past 30 days, average number of cigarettes smoked per day on days smoked - Number

On average, on those [FILL NUMBER OF DAYS FROM R04\_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

[If Don't Know (-8) or Refused (-7), Go To GO TO BOX R04\_ACV03]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1022 != 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 3,941 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	11	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	29858	88.3 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>29,881</b>	<b>88.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 952-957 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

## R04\_AC1023\_UN: In past 30 days, average number of cigarettes smoked per day on days smoked - Unit

On average, on those [FILL NUMBER OF DAYS FROM R04\_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

[If Don't Know (-8) or Refused (-7), Go To GO TO BOX R04\_ACV03]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1022 != 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes per day	3771	11.1 %
2	2 = Packs per day	170	0.5 %
	<b>Total</b>	<b>3,941</b>	<b>11.7%</b>

This variable has 3,941 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	29879	88.3 %
	<b>Total</b>	<b>29,881</b>	<b>88.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 958-963 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AC9004: Smoked same number of cigarettes per day since started smoking fairly regularly

You mentioned that you smoke [#] [[cigarette[s]/pack[s]] per day[ on the days that you smoke].  
Have you smoked about this many [cigarettes/packs] per day since you started smoking fairly regularly?

[If Yes (1), Go to Box R04\_ACR41. If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AC9005.]

ASK: Continuing adult respondents who initiated cigarette smoking since their last completed interview and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke, or  
Aged-up adult respondents who have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke, or  
New cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke.

ASK Specification: IF (R04\_ADULTTYPE = 1 AND R04\_INIT\_CIGS\_ADULT = 1 AND R04\_AC1005 = 6 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 1 AND (R04\_AC1021\_NN > 0 OR R04\_AC1023\_NN > 0)) OR (R04\_ADULTTYPE = 2 AND (R03\_NUMLIFE\_CIGS = 1 OR R04\_AC1005 = 6) AND R03\_REGUSE\_CIGS != 1 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 1 AND (R04\_AC1021\_NN > 0 OR R04\_AC1023\_NN > 0)) OR (R04\_ADULTTYPE = 3 AND R04\_AC1005 = 6 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 1 AND (R04\_AC1021\_NN > 0 OR R04\_AC1023\_NN > 0)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	933	2.8 %
2	2 = No	659	1.9 %
	<b>Total</b>	<b>1,592</b>	<b>4.7%</b>

This variable has 1,592 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32226	95.3 %	
	<b>Total</b>	<b>32,230</b>	<b>95.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 964-969 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9009: Smoked same number of cigarettes per day since started smoking fairly regularly (Pack measure)

You mentioned that you smoke [R04\_CIGSPERDAY2].

Have you smoked about this many cigarettes per day since you started smoking fairly regularly?

[If Yes (1), GO TO BOX R04\_ACR41]

ASK: Continuing adult respondents who initiated cigarette smoking since their last completed interview and

are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or  
 New baseline adult respondents who are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day.

ASK Specification: IF (R04\_ADULTTYPE = 1 AND R04\_INIT\_CIGS\_ADULT = 1 AND R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC1021\_NN = -8, -7 AND R04\_AC1090 = 1, 2, 3) OR (R04\_ADULTTYPE = 2, 3 AND R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC1021\_NN = -8, -7 AND R04\_AC1090 = 1, 2, 3).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	<b>Total</b>	<b>0</b>	<b>0.0%</b>

This variable has 0 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33820	100.0 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 970-975 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9005\_NN: Average number of cigarettes smoked per day when smoked fairly regularly in the past - Number

On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_ACR41.]

ASK: Continuing adult respondents who initiated cigarette smoking since their last completed interview and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past, or Aged-up adult respondents who have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past, or New cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past, or Continuing adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day and report smoking a different average amount now than in the past or did not know or refused to report whether they

smoked a different average amount now than in the past, or New baseline adult respondents who are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day and report smoking a different average amount now than in the past or did not know or refused to report whether they smoked a different average amount now than in the past.

ASK Specification: IF (R04\_ADULTTYPE = 1 AND R04\_INIT\_CIGS\_ADULT = 1 AND R04\_AC1005 = 6  
AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 1 AND (R04\_AC1021\_NN > 0 OR R04\_AC1023\_NN > 0)  
AND R04\_AC9004 = 2, -8, -7) OR (R04\_ADULTTYPE = 2 AND (R03\_NUMLIFE\_CIGS = 1 OR  
R04\_AC1005 = 6) AND R03\_REGUSE\_CIGS != 1 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 1  
AND (R04\_AC1021\_NN > 0 OR R04\_AC1023\_NN > 0) AND R04\_AC9004 = 2, -8, -7) OR  
(R04\_ADULTTYPE = 3 AND R04\_AC1005 = 6 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 1 AND  
(R04\_AC1021\_NN > 0 OR R04\_AC1023\_NN > 0) AND R04\_AC9004 = 2, -8, -7) OR (R04\_ADULTTYPE = 1  
AND R04\_INIT\_CIGS\_ADULT = 1 AND R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC1021\_NN = -8, -7 AND  
R04\_AC1090 = 1, 2, 3 AND R04\_AC9009 = 2, -8, -7) OR (R04\_ADULTTYPE = 2, 3 AND  
R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC1021\_NN = -8, -7 AND R04\_AC1090 = 1, 2, 3 AND  
R04\_AC9009 = 2, -8, -7).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 658 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33159	98.0 %	
<b>Total</b>		<b>33,164</b>	<b>98.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 976-981 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AC9005\_UN: Average number of cigarettes smoked per day when smoked fairly regularly in the past - Unit

On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_ACR41.]

ASK: Continuing adult respondents who initiated cigarette smoking since their last completed interview and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past, or Aged-up adult respondents who have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past, or New cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past, or New baseline adult respondents who are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past.

whether they smoked a different amount now than in the past, or Continuing adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day and report smoking a different average amount now than in the past or did not know or refused to report whether they smoked a different average amount now than in the past, or New baseline adult respondents who are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day and report smoking a different average amount now than in the past or did not know or refused to report whether they smoked a different average amount now than in the past.

ASK Specification: IF (R04\_ADULTTYPE = 1 AND R04\_INIT\_CIGS\_ADULT = 1 AND R04\_AC1005 = 6  
AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 1 AND (R04\_AC1021\_NN > 0 OR R04\_AC1023\_NN > 0)  
AND R04\_AC9004 = 2, -8, -7) OR (R04\_ADULTTYPE = 2 AND (R03\_NUMLIFE\_CIGS = 1 OR  
R04\_AC1005 = 6) AND R03\_REGUSE\_CIGS != 1 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 1  
AND (R04\_AC1021\_NN > 0 OR R04\_AC1023\_NN > 0) AND R04\_AC9004 = 2, -8, -7) OR  
(R04\_ADULTTYPE = 3 AND R04\_AC1005 = 6 AND R04\_AC1100 = 1 AND R04\_CIG\_USER\_STATUS = 1 AND  
(R04\_AC1021\_NN > 0 OR R04\_AC1023\_NN > 0) AND R04\_AC9004 = 2, -8, -7) OR (R04\_ADULTTYPE = 1  
AND R04\_INIT\_CIGS\_ADULT = 1 AND R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC1021\_NN = -8, -7 AND  
R04\_AC1090 = 1, 2, 3 AND R04\_AC9009 = 2, -8, -7) OR (R04\_ADULTTYPE = 2, 3 AND  
R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC1021\_NN = -8, -7 AND R04\_AC1090 = 1, 2, 3 AND  
R04\_AC9009 = 2, -8, -7).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes per day	496	1.5 %
2	2 = Packs per day	162	0.5 %
	<b>Total</b>	<b>658</b>	<b>1.9%</b>

This variable has 658 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33162	98.0 %
	<b>Total</b>	<b>33,164</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 982-987 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9022: Consider yourself a smoker

Do you consider yourself a smoker?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9254	27.4 %
2	2 = No	1699	5.0 %
	<b>Total</b>	<b>10,953</b>	<b>32.4%</b>

This variable has 10,953 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	22853	67.6 %
	<b>Total</b>	<b>22,869</b>	<b>67.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 988-993 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9045: Level of Agreement: Enjoy sensation in throat and chest when smoking

Please rate your level of agreement using the following scale: 1 = Not at all to 7 = Extremely.

Do you enjoy the sensation in your throat and chest when you smoke a cigarette?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display response options as a horizontal scale, with labels as anchors on left and right. ]

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1961	5.8 %
2	2 = 2 on a scale of 1 to 7	1216	3.6 %
3	3 = 3 on a scale of 1 to 7	1740	5.1 %
4	4 = 4 on a scale of 1 to 7	2717	8.0 %
5	5 = 5 on a scale of 1 to 7	1736	5.1 %
6	6 = 6 on a scale of 1 to 7	756	2.2 %
7	7 = Extremely	787	2.3 %
	<b>Total</b>	<b>10,913</b>	<b>32.3%</b>

This variable has 10,913 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	32	0.1 %	
-7	-7 = Refused	22	0.1 %	
-1	-1 = Inapplicable	22853	67.6 %	
	<b>Total</b>	<b>22,909</b>	<b>67.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 994-999 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AC1024\_NN: Time to first cigarette after waking on days smoked - Number (current smokers)

[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day?  
Please enter the number of minutes or hours.

[If Don't Know (-8), or Refused (-7), GO TO R04\_AC1092]

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 10,872 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	63	0.2 %	
-7	-7 = Refused	21	0.1 %	
-5	-5 = Improbable response removed	11	0.0 %	
-1	-1 = Inapplicable	22853	67.6 %	
	<b>Total</b>	<b>22,950</b>	<b>67.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1000-1005 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AC1024\_UN: Time to first cigarette after waking on days smoked - Unit (current smokers)

[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day?  
Please enter the number of minutes or hours.

[If Don't Know (-8), or Refused (-7), GO TO R04\_AC1092]

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	6351	18.8 %
2	2 = Hours after waking	4532	13.4 %
	<b>Total</b>	<b>10,883</b>	<b>32.2%</b>

This variable has 10,883 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	22937	67.8 %
	<b>Total</b>	<b>22,939</b>	<b>67.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1006-1011 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC1092: Smoke first cigarette of the day within 30 minutes after waking (current smokers)

[On the days that you smoke, would/Would] you say you smoke your first cigarette of the day within the first 30 minutes after you wake up?

[GO TO R04\_AC9052]

ASK: Adult respondents who are current established or current experimental cigarette smokers and did not know or refused to report how soon after waking up they smoke their first cigarette of the day.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AC1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	64	0.2 %
3	3 = It varies	10	0.0 %
	<b>Total</b>	<b>77</b>	<b>0.2%</b>

This variable has 77 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33736	99.7 %	
<b>Total</b>		<b>33,745</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1012-1017 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1024\_30D\_NN: Time to first cigarette after waking on days smoked - Number (non-current smokers)

On the days that you smoked, how soon after you woke up did you typically smoke your first cigarette of the day?  
Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AC1092\_30D.]

ASK: Adult respondents who are non-current 30-day cigarette smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 1,131 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	38	0.1 %	
-7	-7 = Refused	17	0.1 %	
-5	-5 = Improbable response removed	2	0.0 %	
-1	-1 = Inapplicable	32632	96.5 %	
<b>Total</b>		<b>32,691</b>	<b>96.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1018-1023 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AC1024\_30D\_UN: Time to first cigarette after waking on days smoked - Unit (non-current smokers)

On the days that you smoked, how soon after you woke up did you typically smoke your first cigarette of the day?  
Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AC1092\_30D.]

ASK: Adult respondents who are non-current 30-day cigarette smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	322	1.0 %
2	2 = Hours after waking	811	2.4 %
	<b>Total</b>	<b>1,133</b>	<b>3.3%</b>

This variable has 1,133 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32687	96.6 %
	<b>Total</b>	<b>32,689</b>	<b>96.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 1024-1029 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AC1092\_30D: Smoked first cigarette of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked, would you say you smoked your first cigarette of the day within the first 30 minutes after you woke up?

[Go To R04\_AC9048]

ASK: Adult respondents who are non-current 30-day cigarette smokers and did not know or refused to report how soon after waking up they typically smoke their first cigarette of the day.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND R04\_AC1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	46	0.1 %
3	3 = It varies	1	0.0 %
	<b>Total</b>	<b>48</b>	<b>0.1%</b>

This variable has 48 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33765	99.8 %
<b>Total</b>		<b>33,774</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1030-1035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9052: Cigarette you would hate most to give up

Which cigarette would you hate most to give up?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = The first one in the morning	5653	16.7 %
2	2 = All others	4929	14.6 %
<b>Total</b>		<b>10,582</b>	<b>31.3%</b>

This variable has 10,582 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	286	0.8 %
-7	-7 = Refused	99	0.3 %
-1	-1 = Inapplicable	22853	67.6 %
<b>Total</b>		<b>23,240</b>	<b>68.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1036-1041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9053: Smoke cigarettes more frequently during the first hours after waking compared to rest of the day

Do you smoke more frequently during the first hours after waking than during the rest of the day?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3807	11.3 %
2	2 = No	7110	21.0 %
	<b>Total</b>	<b>10,917</b>	<b>32.3%</b>

This variable has 10,917 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	29	0.1 %	
-7	-7 = Refused	21	0.1 %	
-1	-1 = Inapplicable	22853	67.6 %	
	<b>Total</b>	<b>22,905</b>	<b>67.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1042-1047 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9054: Smoke cigarettes even if ill in bed all day

Do you smoke if you are so ill that you are in bed most of the day?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2500	7.4 %
2	2 = No	8436	24.9 %
	<b>Total</b>	<b>10,936</b>	<b>32.3%</b>

This variable has 10,936 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	21	0.1 %	

Missing Data				
-7	-7 = Refused		10	0.0 %
-1	-1 = Inapplicable		22853	67.6 %
<b>Total</b>			<b>22,886</b>	<b>67.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1048-1053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9048: When smoking cigarettes, usually smoke manufactured cigarettes or roll-your-own cigarettes

When you [smoke/smoked] cigarettes, [do/did] you usually smoke manufactured cigarettes or [do/did] you smoke roll-your-own cigarettes?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1.

[PROGRAM NOTE: If option 3 is selected, other options cannot be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Manufactured cigarettes	10317	30.5 %
2	2 = Roll-your-own cigarettes	561	1.7 %
3	3 = Both manufactured and roll-your-own cigarettes	893	2.6 %
4	4 = I don't know	356	1.1 %
<b>Total</b>		<b>12,127</b>	<b>35.9%</b>

This variable has 12,127 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		2	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		18	0.1 %
-7	-7 = Refused		10	0.0 %
-1	-1 = Inapplicable		21665	64.1 %
<b>Total</b>			<b>21,695</b>	<b>64.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1054-1059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC0100MC: When last smoked a cigarette

When did you last smoke a [cigarette/roll-your-own cigarette]?

[If In the past hour (1) GO TO R04\_AC0103MC;

If Three or more days ago (5), Don't Know (-8), or Refused (-7), GO TO R04\_AC1130MC]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_AC9048 = 1, 3, 4, -8, -7 AND ((R04\_CURRENT\_CIG\_USE = 1 OR ((R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1022 != 0)).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	6322	18.7 %
2	2 = Sometime today	1554	4.6 %
3	3 = Yesterday	1178	3.5 %
4	4 = Day before yesterday	332	1.0 %
5	5 = Three or more days ago	1566	4.6 %
<b>Total</b>		<b>10,952</b>	<b>32.4%</b>

This variable has 10,952 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	26	0.1 %	
-7	-7 = Refused	14	0.0 %	
-1	-1 = Inapplicable	22828	67.5 %	
<b>Total</b>		<b>22,870</b>	<b>67.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1060-1065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC0102MC: Time period of day when you last smoked a cigarette

When you last smoked a [cigarette/roll-your-own cigarette] [FILL BASED ON R04\_AC0100MC], was it...

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a cigarette sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_AC9048 = 1, 3, 4, -8, -7 AND ((R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC0100MC = 2, 3, 4) OR ((R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR

R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1022 != 0 AND R04\_AC0100MC = 2, 3, 4)).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	395	1.2 %
2	2 = After 6AM but before noon	812	2.4 %
3	3 = Between noon and 6PM	1027	3.0 %
4	4 = After 6PM but before midnight	826	2.4 %
<b>Total</b>		<b>3,060</b>	<b>9.0%</b>

This variable has 3,060 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	30756	90.9 %
<b>Total</b>		<b>30,762</b>	<b>91.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1066-1071 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC0103MC: Number of cigarettes smoked today/yesterday/day before yesterday

How many [cigarettes/roll-your-own cigarettes] [have/did] you [smoked/smoke] [FILL BASED ON R04\_AC0100]?  
[A pack usually has 20 cigarettes in it.]

[If Don't Know (-8) or Refused (-7), GO TO R04\_AC1130MC]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04\_AC9048 = 1, 3, 4, -8, -7 AND ((R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC0100MC = 1, 2, 3, 4) OR ((R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1022 != 0 AND R04\_AC0100MC = 1, 2, 3, 4)).

[PROGRAM NOTE: Allow only 3 digits ]

This variable has 9,375 valid cases out of 33,822 total cases.

- Mean: 5.78
- Median: 4.00

- Mode: 2.00
- Minimum: 0.00
- Maximum: 333.00
- Standard Deviation: 6.29

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	24434	72.2 %
<b>Total</b>		<b>24,447</b>	<b>72.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1072-1077 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AC1130MC: In past 30 days, cigarette flavor smoked: Menthol or mint

In the past 30 days, [were any of the cigarettes/was any of the roll-your-own cigarette tobacco] you smoked flavored to taste like menthol or mint?

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_AC9048 = 1, 3, 4, -8, -7 AND (R04\_CURRENT\_CIG\_USE = 1 OR ((R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1022 != 0)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4876	14.4 %
2	2 = No	5847	17.3 %
3	3 = I don't know	260	0.8 %
<b>Total</b>		<b>10,983</b>	<b>32.5%</b>

This variable has 10,983 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	22828	67.5 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>22,839</b>	<b>67.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1078-1083 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1030MC: How you usually buy your cigarettes

The next questions ask about your experience buying cigarettes.

How [do/did] you usually buy [cigarettes/a pouch of roll-your-own cigarette tobacco] for yourself?

[If From the internet (2), By telephone (3), I do not buy my own [cigarettes/cigarette tobacco] (4), Don't Know (-8) or Refused (-7), GO TO BOX R04\_ACR07]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R04\_AC9048 = 1, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = In person	10334	30.6 %
2	2 = From the internet	34	0.1 %
3	3 = By telephone	9	0.0 %
4	4 = I do not buy my own cigarettes	1192	3.5 %
	<b>Total</b>	<b>11,569</b>	<b>34.2%</b>

This variable has 11,569 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	22226	65.7 %
	<b>Total</b>	<b>22,253</b>	<b>65.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1084-1089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1032MC: Geographic area where you usually buy your cigarettes

The next questions ask about your experience buying cigarettes.

[Do/Did] you usually buy [cigarettes/roll-your-own cigarette tobacco]...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: IF R04\_AC1030MC = 1 AND (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 1, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	10001	29.6 %
2	2 = In another state	279	0.8 %
3	3 = Outside the US	41	0.1 %
<b>Total</b>		<b>10,321</b>	<b>30.5%</b>

This variable has 10,321 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	23486	69.4 %	
<b>Total</b>		<b>23,501</b>	<b>69.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1090-1095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1033MC: Retail location where your cigarettes are purchased most of the time

The next questions ask about your experience buying cigarettes.

Where [do/did] you buy your [cigarettes/roll-your-own cigarette tobacco] most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: IF R04\_AC1030MC = 1 AND (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 1, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	8645	25.6 %
2	2 = A supermarket, grocery store, or drug store	590	1.7 %
3	3 = A warehouse club, such as Sam's or Costco	23	0.1 %

Value	Label	Unweighted Frequency	%
4	4 = A smoke shop, tobacco specialty store, or tobacco outlet store	708	2.1 %
5	5 = A duty free shop or military commissary	18	0.1 %
6	6 = A bar, pub, restaurant, or casino	19	0.1 %
7	7 = A friend or relative	29	0.1 %
8	8 = A swap meet or flea market	4	0.0 %
9	9 = A store on an Indian reservation	101	0.3 %
10	10 = A liquor store	180	0.5 %
11	11 = Somewhere else	10	0.0 %
<b>Total</b>		<b>10,327</b>	<b>30.5%</b>

This variable has 10,327 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	23486	69.4 %
<b>Total</b>		<b>23,495</b>	<b>69.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1096-1101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1039: Usually buy cigarettes by carton, pack or as single cigarettes

The next questions ask about your experience buying cigarettes.

Do you usually buy cigarettes by the carton, pack or as single cigarettes?

[If Pack (2), GO TO R04\_AC1042; If Single cigarettes (3), GO TO R04\_AC1043; If Don't Know (-8), or Refused (-7), GO TO R04\_AC1047MC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04\_AC1030MC != 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Carton	1273	3.8 %
2	2 = Pack	8649	25.6 %
3	3 = Single cigarettes	438	1.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>10,360</b>	<b>30.6%</b>

This variable has 10,360 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	23443	69.3 %
	<b>Total</b>	<b>23,462</b>	<b>69.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1102-1107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1040: Number of cigarette packs in the carton you usually buy

The next questions ask about your experience buying cigarettes.

How many packs of cigarettes are in the carton you usually buy?

[If Don't Know (-8) or Refused (-7), Go to R04\_AC1041.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04\_AC1030MC != 4, -8, -7 AND R04\_AC1039 = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 1,267 valid cases out of 33,822 total cases.

- Mean: 11.07
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 210.00
- Standard Deviation: 13.83

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %

<b>Missing Data</b>			
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32547	96.2 %
<b>Total</b>		<b>32,555</b>	<b>96.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1108-1113 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AC1041\_D: Amount usually paid for a carton of cigarettes - Dollars

The next questions ask about your experience buying cigarettes.

How much do you usually pay for a carton of cigarettes?

[If Don't Know (-8) or Refused (-7), Go to R04\_AC1047MC.]

**ASK:** Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

**ASK Specification:** IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04\_AC1030MC != 4, -8, -7 AND R04\_AC1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1,257 valid cases out of 33,822 total cases.

- Mean: 44.48
- Median: 45.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 249.00
- Standard Deviation: 18.82

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	7	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32547	96.2 %
<b>Total</b>		<b>32,565</b>	<b>96.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1114-1119 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AC1041\_C: Amount usually paid for a carton of cigarettes - Cents

The next questions ask about your experience buying cigarettes.

How much do you usually pay for a carton of cigarettes?

[If Don't Know (-8) or Refused (-7), Go to R04\_AC1047MC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04\_AC1030MC != 4, -8, -7 AND R04\_AC1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1,257 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32563	96.3 %	
<b>Total</b>		<b>32,565</b>	<b>96.3%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 1120-1125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AC1042\_D: Amount usually paid for a pack of cigarettes - Dollars

The next questions ask about your experience buying cigarettes.

How much do you usually pay for a pack of cigarettes?

[If Don't Know (-8) or Refused (-7), Go to R04\_AC1047MC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the pack.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04\_AC1030MC != 4, -8, -7 AND R04\_AC1039 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 8,606 valid cases out of 33,822 total cases.

- Mean: 7.44
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 29.48

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.1 %
-7	-7 = Refused	8	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	25171	74.4 %
	<b>Total</b>	<b>25,216</b>	<b>74.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1126-1131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AC1042\_C: Amount usually paid for a pack of cigarettes - Cents

The next questions ask about your experience buying cigarettes.

How much do you usually pay for a pack of cigarettes?

[If Don't Know (-8) or Refused (-7), Go to R04\_AC1047MC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the pack.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND (R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES))  
AND R04\_AC1030MC != 4, -8, -7 AND R04\_AC1039 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 8,606 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

<b>Missing Data</b>				
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	25214	74.5 %	
<b>Total</b>		<b>25,216</b>	<b>74.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1132-1137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AC1043\_D: Amount usually paid for a single cigarette - Dollars

The next questions ask about your experience buying cigarettes.

How much do you usually pay for a single cigarette?

[If Don't Know (-8) or Refused (-7), Go to R04\_AC1047MC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy single manufactured cigarettes.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND (R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES))  
AND R04\_AC1030MC != 4, -8, -7 AND R04\_AC1039 = 3.

[PROGRAM NOTE: Display as Quantity/Quantity. ]

This variable has 432 valid cases out of 33,822 total cases.

- Mean: 4.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 505.00
- Standard Deviation: 35.19

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	4	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33382	98.7 %	
<b>Total</b>		<b>33,390</b>	<b>98.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1138-1143 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AC1043\_C: Amount usually paid for a single cigarette - Cents

The next questions ask about your experience buying cigarettes.

How much do you usually pay for a single cigarette?

[If Don't Know (-8) or Refused (-7), Go to R04\_AC1047MC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy single manufactured cigarettes.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND (R04\_AC9048 = 1, 4, -8, -7 OR (R04\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES))  
AND R04\_AC1030MC != 4, -8, -7 AND R04\_AC1039 = 3.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 432 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33388	98.7 %	
<b>Total</b>		<b>33,390</b>	<b>98.7%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 1144-1149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

---

## R04\_AC1047MC: Have a regular brand of cigarettes you usually smoke

[Do/Did] you have a regular brand of [cigarettes/roll-your-own cigarette tobacco] that you usually [smoke/ smoked]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: IF ((R04\_AC9048 = 1, 3, 4, -8, -7) AND ((R04\_CIG\_USER\_STATUS = 1, 2)  
OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)) OR (R04\_CIG\_USER\_STATUS = 4 AND R04\_AC9048 != 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	10639	31.5 %
2	2 = No	1874	5.5 %
	<b>Total</b>	<b>12,513</b>	<b>37.0%</b>

This variable has 12,513 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	21291	63.0 %
<b>Total</b>		<b>21,309</b>	<b>63.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1150-1155 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1050: Regular/last brand of cigarettes smoked flavored to taste like menthol or mint

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol or mint?

[Go to R04\_AC1945MC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers, or recent former established cigarette smokers who are not non-current 30-day cigarette smokers.

ASK Specification: IF ((R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 1, 3, 4, -8, -7) OR (R04\_CIG\_USER\_STATUS = 4 AND R04\_FORMER\_THIRTYDAY\_USER\_CIGS != 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	5077	15.0 %
2	2 = No	7005	20.7 %
3	3 = I don't know	427	1.3 %
<b>Total</b>		<b>12,509</b>	<b>37.0%</b>

This variable has 12,509 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	21291	63.0 %
<b>Total</b>		<b>21,313</b>	<b>63.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1156-1161 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC1945MC: Know the name of brand of cigarettes usually/last smoked

Do you know the name of the brand of [cigarettes/roll-your-own cigarette tobacco] you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: IF ((R04\_AC9048 = 1, 3, 4, -8, -7) AND ((R04\_CIG\_USER\_STATUS = 1, 2) OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)) OR (R04\_CIG\_USER\_STATUS = 4 AND R04\_AC9048 != 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	11498	34.0 %
2	2 = No	1021	3.0 %
	<b>Total</b>	<b>12,519</b>	<b>37.0%</b>

This variable has 12,519 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	21291	63.0 %	
	<b>Total</b>	<b>21,303</b>	<b>63.0%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 1162-1167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AC1048MC\_BRAND: Brand of cigarettes usually/last smoked

What brand of [cigarettes/roll-your-own cigarette tobacco] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". /If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: IF (((R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 1, 3, 4, -8, -7) OR R04\_CIG\_USER\_STATUS = 4) AND R04\_AC1945MC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. ]

This variable has 11,459 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	22322	66.0 %
<b>Total</b>		<b>22,363</b>	<b>66.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1168-1173 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1070MC\_PRODUCT: Sub-brand of cigarette product usually/last smoked

You selected [CIGBRANDFILL/RYOBRANDFILL] as your brand.

What kind of [CIGBRANDFILL/RYOBRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: IF (((R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 1, 3, 4, -8, -7) OR R04\_CIG\_USER\_STATUS = 4) AND R04\_AC1945MC = 1 AND R04\_AC1048MC\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AC1048[MC/RY]\_BRAND.]

This variable has 11,305 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	22483	66.5 %
<b>Total</b>		<b>22,517</b>	<b>66.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1174-1179 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1051MC\_NN: How long smoked regular brand of manufactured cigarettes - Number

About how long [have you been smoking/did you smoke] your regular brand of [cigarettes/roll-your-own cigarette tobacco]?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_ACR43]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R04\_AC9048 != 2 AND R04\_AC1047MC = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

This variable has 10,562 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	58	0.2 %	
-7	-7 = Refused	18	0.1 %	
-5	-5 = Improbable response removed	1	0.0 %	
-1	-1 = Inapplicable	23181	68.5 %	
<b>Total</b>		<b>23,260</b>	<b>68.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1180-1185 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AC1051MC\_UN: How long smoked regular brand of manufactured cigarettes - Unit

About how long [have you been smoking/did you smoke] your regular brand of [cigarettes/roll-your-own cigarette tobacco]?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_ACR43]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R04\_AC9048 != 2 AND R04\_AC1047MC = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	242	0.7 %
2	2 = Months	1137	3.4 %

Value	Label	Unweighted Frequency	%
3	3 = Years	9184	27.2 %
	<b>Total</b>	<b>10,563</b>	<b>31.2%</b>

This variable has 10,563 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	23257	68.8 %
	<b>Total</b>	<b>23,259</b>	<b>68.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1186-1191 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC0100RY: When last smoked a roll-your-own cigarette

When did you last smoke a [cigarette/roll-your-own cigarette]?

[If In the past hour (1) GO TO R04\_AC0103RY; If Three or more days ago (5),  
Don't Know (-8), or Refused (-7), GO TO R04\_AC1130RY]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers,  
or adult respondents who are some day established, current experimental, or non-current 30-day  
manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or  
did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_AC9048 = 2, 3 AND (R04\_CURRENT\_CIG\_USE = 1 OR  
((R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R04\_AC1022 != 0)).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	579	1.7 %
2	2 = Sometime today	134	0.4 %
3	3 = Yesterday	153	0.5 %
4	4 = Day before yesterday	66	0.2 %
5	5 = Three or more days ago	465	1.4 %
	<b>Total</b>	<b>1,397</b>	<b>4.1%</b>

This variable has 1,397 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32414	95.8 %
	<b>Total</b>	<b>32,425</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1192-1197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC0102RY: Time period of day when you last smoked a roll-your-own cigarette

When you last smoked a [cigarette/roll-your-own cigarette] [FILL BASED ON R04\_AC0100RY], was it...

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a cigarette sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_AC9048 = 2, 3 AND ((R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC0100RY = 2, 3, 4) OR ((R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1022 != 0 AND R04\_AC0100RY = 2, 3, 4)).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	50	0.1 %
2	2 = After 6AM but before noon	108	0.3 %
3	3 = Between noon and 6PM	120	0.4 %
4	4 = After 6PM but before midnight	73	0.2 %
	<b>Total</b>	<b>351</b>	<b>1.0%</b>

This variable has 351 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33467	99.0 %
	<b>Total</b>	<b>33,471</b>	<b>99.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1198-1203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AC0103RY: Number of roll-your-own cigarettes smoked today/yesterday/day before yesterday

How many [cigarettes/roll-your-own cigarettes] [have/did] you [smoked/smoke] [FILL BASED ON R04\_AC0100]?  
[A pack usually has 20 cigarettes in it.]

[If Don't Know (-8) or Refused (-7), GO TO R04\_AC1130RY]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04\_AC9048 = 2, 3 AND ((R04\_CURRENT\_CIG\_USE = 1 AND R04\_AC0100RY = 1, 2, 3, 4) OR ((R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1022 != 0 AND R04\_AC0100RY = 1, 2, 3, 4)).

[PROGRAM NOTE: Allow only 3 digits ]

This variable has 928 valid cases out of 33,822 total cases.

- Mean: 7.00
- Median: 5.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 77.00
- Standard Deviation: 7.56

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32888	97.2 %	
<b>Total</b>		<b>32,894</b>	<b>97.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1204-1209 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AC1130RY: In past 30 days, roll-your-own tobacco flavor smoked: Menthol or mint

In the past 30 days, [were any of the cigarettes/was any of the roll-your-own cigarette tobacco] you smoked flavored to taste like menthol or mint?

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day

manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_AC9048 = 2, 3 AND (R04\_CURRENT\_CIG\_USE = 1 OR ((R04\_CURRENT\_CIG\_USE = 2 OR R04\_CIG\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1022 != 0)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	328	1.0 %
2	2 = No	1038	3.1 %
3	3 = I don't know	35	0.1 %
<b>Total</b>		<b>1,401</b>	<b>4.1%</b>

This variable has 1,401 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32414	95.8 %
<b>Total</b>		<b>32,421</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1210-1215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1030RY: How you usually buy your pouch of roll-your-own cigarette tobacco

The next questions ask about your experience buying cigarettes.

How [do/did] you usually buy [cigarettes/a pouch of roll-your-own cigarette tobacco] for yourself?

[If From the internet (2), By telephone (3), I do not buy my own [cigarettes/cigarette tobacco] (4), Don't Know (-8) or Refused (-7), GO TO BOX R04\_ACR07]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = In person	1191	3.5 %
2	2 = From the internet	29	0.1 %
3	3 = By telephone	13	0.0 %

Value	Label	Unweighted Frequency	%
4	4 = I do not buy my own cigarette tobacco	215	0.6 %
	<b>Total</b>	<b>1,448</b>	<b>4.3%</b>

This variable has 1,448 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32366	95.7 %
	<b>Total</b>	<b>32,374</b>	<b>95.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1216-1221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1032RY: Geographic area where you usually buy your roll-your-own cigarette tobacco

The next questions ask about your experience buying cigarettes.

[Do/Did] you usually buy [cigarettes/roll-your-own cigarette tobacco]...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: IF R04\_AC1030RY = 1 AND (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1144	3.4 %
2	2 = In another state	46	0.1 %
3	3 = Outside the US	0	0.0 %
	<b>Total</b>	<b>1,190</b>	<b>3.5%</b>

This variable has 1,190 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32629	96.5 %
	<b>Total</b>	<b>32,632</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1222-1227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1033RY: Retail location where your roll-your-own cigarette tobacco is purchased most of the time

The next questions ask about your experience buying cigarettes.

Where [do/did] you buy your [cigarettes/roll-your-own cigarette tobacco] most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: IF R04\_AC1030RY = 1 AND (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	516	1.5 %
2	2 = A supermarket, grocery store, or drug store	57	0.2 %
3	3 = A warehouse club, such as Sam's or Costco	1	0.0 %
4	4 = A smoke shop, tobacco specialty store, or tobacco outlet store	561	1.7 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant, or casino	1	0.0 %
7	7 = A friend or relative	6	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = A store on an Indian reservation	8	0.0 %
10	10 = A liquor store	40	0.1 %
11	11 = Somewhere else	0	0.0 %
<b>Total</b>		<b>1,190</b>	<b>3.5%</b>

This variable has 1,190 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32629	96.5 %
<b>Total</b>		<b>32,632</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1228-1233 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AC9049RY\_D: How much you pay for a pouch of roll-your-own cigarette tobacco - Dollars

The next questions ask about your experience buying cigarettes.

How much do you usually pay for a pouch of roll-your-own cigarette tobacco?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AC1047RY]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R04\_AC9048 = 2 OR (R04\_AC9048 = 3 AND LOOP = RYO CIGARETTES)) AND R04\_AC1030RY != 4, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity. ]

This variable has 1,212 valid cases out of 33,822 total cases.

- Mean: 11.68
- Median: 10.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 17.33

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	18	0.1 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32587	96.3 %	
<b>Total</b>		<b>32,610</b>	<b>96.4%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 1234-1239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AC9049RY\_C: How much you pay for a pouch of roll-your-own cigarette tobacco - Cents

The next questions ask about your experience buying cigarettes.

How much do you usually pay for a pouch of roll-your-own cigarette tobacco?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AC1047RY]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person,

from the internet, or by telephone.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R04\_AC9048 = 2 OR (R04\_AC9048 = 3 AND LOOP = RYO CIGARETTES)) AND R04\_AC1030RY != 4, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1,212 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32608	96.4 %
	<b>Total</b>	<b>32,610</b>	<b>96.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1240-1245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AC1047RY: Have a regular brand of roll-your-own cigarette tobacco you usually smoke

[Do/Did] you have a regular brand of [cigarettes/roll-your-own cigarette tobacco] that you usually [smoke/ smoked]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	908	2.7 %
2	2 = No	543	1.6 %
	<b>Total</b>	<b>1,451</b>	<b>4.3%</b>

This variable has 1,451 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32366	95.7 %
	<b>Total</b>	<b>32,371</b>	<b>95.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1246-1251 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9150: Regular/last brand of roll-your-own cigarette tobacco flavored to taste like menthol or mint

[Is/Was] [your regular brand/the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like menthol or mint?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers.

ASK Specification: IF R04\_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R04\_AC9048 = 3).

Value	Label	Unweighted Frequency	%
1	1 = Yes	341	1.0 %
2	2 = No	1052	3.1 %
3	3 = I don't know	56	0.2 %
<b>Total</b>		<b>1,449</b>	<b>4.3%</b>

This variable has 1,449 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32366	95.7 %
<b>Total</b>		<b>32,373</b>	<b>95.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1252-1257 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC1945RY: Know the name of brand of roll-your-own cigarette tobacco usually/last smoked

Do you know the name of the brand of [cigarettes/roll-your-own cigarette tobacco] you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	988	2.9 %
2	2 = No	462	1.4 %
	<b>Total</b>	<b>1,450</b>	<b>4.3%</b>

This variable has 1,450 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32366	95.7 %
	<b>Total</b>	<b>32,372</b>	<b>95.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1258-1263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1048RY\_BRAND: Brand of roll-your-own cigarette tobacco usually/last smoked

What brand of [cigarettes/roll-your-own cigarette tobacco] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". /If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1945RY = 1 AND R04\_AC9048 = 2, 3.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 978 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32832	97.1 %
	<b>Total</b>	<b>32,844</b>	<b>97.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1264-1269 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC1070RY\_PRODUCT: Sub-brand of roll-your-own cigarette tobacco product usually/last smoked

You selected [CIGBRANDFILL/RYOBRANDFILL] as your brand.

What kind of [CIGBRANDFILL/RYOBRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R04\_AC1945RY = 1 AND R04\_AC9048 = 2, 3 AND R04\_AC1048RY\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF  
THE MAJOR PRODUCTS ASSOCIATED WITH BRAND  
SELECTED IN R04\_AC1048[MC/RY]\_BRAND.]

This variable has 897 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32919	97.3 %
<b>Total</b>		<b>32,925</b>	<b>97.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1270-1275 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC1051RY\_NN: How long smoked regular brand of roll-your-own cigarette tobacco - Number

About how long [have you been smoking/did you smoke] your regular brand of [cigarettes/roll-your-own cigarette tobacco]?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_ACR43]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R04\_AC9048 = 2, 3 AND R04\_AC1047RY = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

This variable has 903 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32912	97.3 %
<b>Total</b>		<b>32,919</b>	<b>97.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1276-1281 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AC1051RY\_UN: How long smoked regular brand of roll-your-own cigarette tobacco - Unit

About how long [have you been smoking/did you smoke] your regular brand of [cigarettes/roll-your-own cigarette tobacco]?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_ACR43]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R04\_AC9048 = 2, 3 AND R04\_AC1047RY = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

Value	Label	Unweighted Frequency	%
1	1 = Days	34	0.1 %
2	2 = Months	162	0.5 %
3	3 = Years	707	2.1 %
<b>Total</b>		<b>903</b>	<b>2.7%</b>

This variable has 903 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		32917	97.3 %
<b>Total</b>			<b>32,919</b>	<b>97.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1282-1287 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AC9010\_RANDOM\_01: AC9010 series random question 1

[ICPSR NOTE: The 4 items that follow in the questionnaire (R04\_AC9010 through R04\_AC9115) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_ACD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	23181	68.5 %
-97777	-	2	0.0 %
R04_AC9010	-	2615	7.7 %
R04_AC9011	-	2636	7.8 %
R04_AC9014	-	2670	7.9 %
R04_AC9015	-	2718	8.0 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1288-1297 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AC9010\_RANDOM\_02: AC9010 series random question 2

[ICPSR NOTE: The 4 items that follow in the questionnaire (R04\_AC9010 through R04\_AC9115) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_ACD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	23181	68.5 %

Value	Label	Unweighted Frequency	%
-97777	-	2	0.0 %
R04_AC9010	-	2695	8.0 %
R04_AC9011	-	2685	7.9 %
R04_AC9014	-	2619	7.7 %
R04_AC9015	-	2640	7.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1298-1307 (width: 10; decimal: 0)

*Variable Type:* character

### **R04\_AC9010\_RANDOM\_03: AC9010 series random question 3**

[ICPSR NOTE: The 4 items that follow in the questionnaire (R04\_AC9010 through R04\_AC9115) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_ACD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	23181	68.5 %
-97777	-	2	0.0 %
R04_AC9010	-	2664	7.9 %
R04_AC9011	-	2651	7.8 %
R04_AC9014	-	2644	7.8 %
R04_AC9015	-	2680	7.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1308-1317 (width: 10; decimal: 0)

*Variable Type:* character

### **R04\_AC9010\_RANDOM\_04: AC9010 series random question 4**

[ICPSR NOTE: The 4 items that follow in the questionnaire (R04\_AC9010 through R04\_AC9115) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_ACD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	23181	68.5 %
-97777	-	2	0.0 %
R04_AC9010	-	2665	7.9 %
R04_AC9011	-	2667	7.9 %
R04_AC9014	-	2706	8.0 %
R04_AC9015	-	2601	7.7 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1318-1327 (width: 10; decimal: 0)

*Variable Type:* character

## **R04\_AC9010: In choosing regular brand of cigarettes, part of your decision was based on the following: It was affordable**

[The next questions ask about your regular brand of cigarettes.

While answering these questions, please think about the brand of your manufactured cigarettes. ]

In choosing your regular brand of cigarettes [when you smoked], was part of your decision based on any of the following?

It [is/was] affordable.

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047MC = 1 AND R04\_AC9048 = 1, 3, 4, -8, -7) OR (R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	5229	15.5 %
2	2 = No	5320	15.7 %
	<b>Total</b>	<b>10,549</b>	<b>31.2%</b>

This variable has 10,549 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	49	0.1 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	23181	68.5 %
	<b>Total</b>	<b>23,273</b>	<b>68.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1328-1333 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9011: In choosing regular brand of cigarettes, part of your decision was based on the following: The tar and nicotine levels

[The next questions ask about your regular brand of cigarettes.

While answering these questions, please think about the brand of your manufactured cigarettes.]

In choosing your regular brand of cigarettes [when you smoked], was part of your decision based on any of the following?

The tar and nicotine levels.

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R04\_CIG\_USER\_STATUS = 1, 2 OR

R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047MC = 1 AND

R04\_AC9048 = 1, 3, 4, -8, -7) OR (R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2638	7.8 %
2	2 = No	7898	23.4 %
	<b>Total</b>	<b>10,536</b>	<b>31.2%</b>

This variable has 10,536 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.2 %
-7	-7 = Refused	52	0.2 %
-1	-1 = Inapplicable	23181	68.5 %
	<b>Total</b>	<b>23,286</b>	<b>68.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1334-1339 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9014: In choosing regular brand of cigarettes, part of your decision was based on the following: The taste

[The next questions ask about your regular brand of cigarettes.

While answering these questions, please think about the brand of your manufactured cigarettes.]

In choosing your regular brand of cigarettes [when you smoked], was part of your decision based on any of the following?

The taste.

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047MC = 1 AND R04\_AC9048 = 1, 3, 4, -8, -7) OR (R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	8612	25.5 %
2	2 = No	1936	5.7 %
	<b>Total</b>	<b>10,548</b>	<b>31.2%</b>

This variable has 10,548 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.2 %
-7	-7 = Refused	39	0.1 %
-1	-1 = Inapplicable	23181	68.5 %
	<b>Total</b>	<b>23,274</b>	<b>68.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1340-1345 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9015: In choosing regular brand of cigarettes, part of your decision was based on the following: As a way to help you quit

[The next questions ask about your regular brand of cigarettes.

While answering these questions, please think about the brand of your manufactured cigarettes. ]

In choosing your regular brand of cigarettes [when you smoked], was part of your decision based on any of the following?

As a way to help you quit.

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC1047MC = 1 AND R04\_AC9048 = 1, 3, 4, -8, -7) OR (R04\_CIG\_USER\_STATUS = 4 AND R04\_AC1047MC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1372	4.1 %
2	2 = No	9179	27.1 %
	<b>Total</b>	<b>10,551</b>	<b>31.2%</b>

This variable has 10,551 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.1 %
-7	-7 = Refused	49	0.1 %
-1	-1 = Inapplicable	23181	68.5 %
	<b>Total</b>	<b>23,271</b>	<b>68.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1346-1351 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9019: Perception of harmfulness of usual brand of cigarettes you smoke compared to other brands

Do you think the brand of cigarettes you [usually smoke/usually smoked/last smoked] might be less harmful, no different, or more harmful, compared to other cigarette brands?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers.

ASK Specification: IF ((R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 1, 3, 4, -8, -7) OR R04\_CIG\_USER\_STATUS = 4.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1060	3.1 %
2	2 = No different	10178	30.1 %
3	3 = More harmful	1231	3.6 %
	<b>Total</b>	<b>12,469</b>	<b>36.9%</b>

This variable has 12,469 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.1 %
-7	-7 = Refused	26	0.1 %

Missing Data			
-1	-1 = Inapplicable	21283	62.9 %
	<b>Total</b>	<b>21,353</b>	<b>63.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1352-1357 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC0105: Brand of cigarette last smoked when used both manufactured cigarettes and roll-your-own tobacco

You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked.

Was the brand...

[GO TO NEXT SECTION (see note in Box R04\_AMD07)]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and subbrands of both types of cigarettes.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR  
 R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R04\_AC9048 = 3 AND  
 (R04\_AC0100MC = 1, 2, 3, 4 OR R04\_AC0100RY = 1, 2, 3, 4)  
 AND R04\_AC1945MC = 1 AND R04\_AC1048MC\_BRAND  
 != 9995, -8, -7 AND R04\_AC1070MC\_PRODUCT != 99990, 99995, -8, -7  
 AND R04\_AC1945RY = 1 AND R04\_AC1048RY\_BRAND  
 != 9995, -8, -7 AND R04\_AC1070RY\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Manufactured cigarette brand	222	0.7 %
2	2 = Roll-your-own tobacco brand	80	0.2 %
3	3 = Some other brand	36	0.1 %
<b>Total</b>		<b>338</b>	<b>1.0%</b>

This variable has 338 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33480	99.0 %
<b>Total</b>		<b>33,484</b>	<b>99.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1358-1363 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AC0104: Brand of very last cigarette smoked is same as brand regularly/last smoked

We just have one more question about [your regular brand / the last brand] of cigarettes [you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers and did not report smoking both manufactured and roll-your-own cigarettes and last smoked a manufactured/roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes, or Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of one type of cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes but did not know the name of the brand of the other type of cigarettes they usually smoke or last smoked or did not select a brand or did not select a subbrand of the other type of cigarettes.

ASK Specification: IF (R04\_CIG\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (((R04\_AC9048 = 1, 4, -8, -7 AND R04\_AC0100MC = 1, 2, 3, 4 AND R04\_AC1945MC = 1 AND R04\_AC1048MC\_BRAND != 9995, -8, -7 AND R04\_AC1070MC\_PRODUCT != 99990, 99995, -8, -7) OR (R04\_AC9048 = 2 AND R04\_AC0100RY = 1, 2, 3, 4 AND R04\_AC1945RY = 1 AND R04\_AC1048RY\_BRAND != 9995, -8, -7 AND R04\_AC1070RY\_PRODUCT != 99990, 99995, -8, -7)) AND ((R04\_AC9048 != 1, 4, -8, -7 OR R04\_AC0100MC != 1, 2, 3, 4 OR R04\_AC1945MC != 1 OR R04\_AC1048MC\_BRAND = 9995, -8, -7 OR R04\_AC1070MC\_PRODUCT = 99990, 99995, -8, -7) OR (R04\_AC9048 != 2 OR R04\_AC0100RY != 1, 2, 3, 4 OR R04\_AC1945RY != 1 OR R04\_AC1048RY\_BRAND = 9995, -8, -7 OR R04\_AC1070RY\_PRODUCT = 99990, 99995, -8, -7))) OR (R04\_AC9048 = 3 AND ((R04\_AC0100MC = 1, 2, 3, 4 AND R04\_AC1945MC = 1 AND R04\_AC1048MC\_BRAND != 9995, -8, -7 AND R04\_AC1070MC\_PRODUCT != 99990, 99995, -8, -7) OR (R04\_AC0100RY = 1, 2, 3, 4 AND R04\_AC1945RY = 1 AND R04\_AC1048RY\_BRAND != 9995, -8, -7 AND R04\_AC1070RY\_PRODUCT != 99990, 99995, -8, -7)) AND ((R04\_AC1945MC != 1 OR R04\_AC1048MC\_BRAND = 9995, -8, -7 OR R04\_AC1070MC\_PRODUCT = 99990, 99995, -8, -7) OR (R04\_AC1945RY != 1 OR R04\_AC1048RY\_BRAND = 9995, -8, -7 OR R04\_AC1070RY\_PRODUCT = 99990, 99995, -8, -7))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7666	22.7 %
2	2 = No	828	2.4 %
	<b>Total</b>	<b>8,494</b>	<b>25.1%</b>

This variable has 8,494 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	53	0.2 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	25267	74.7 %
	<b>Total</b>	<b>25,328</b>	<b>74.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1364-1369 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1090: Own an electronic nicotine product

Do you own an electronic nicotine product?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AV9041.]

ASK: Adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	3086	9.1 %
2	2 = No	10202	30.2 %
	<b>Total</b>	<b>13,288</b>	<b>39.3%</b>

This variable has 13,288 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	20527	60.7 %
	<b>Total</b>	<b>20,534</b>	<b>60.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1370-1375 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV9945: Know the name of the brand of electronic nicotine product that you own

Do you know the name of the brand of electronic nicotine product that you own?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AV9004.]

ASK: Adult respondents who have ever used an electronic nicotine product and own an electronic nicotine product.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV1090 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1671	4.9 %
2	2 = No	1412	4.2 %
	<b>Total</b>	<b>3,083</b>	<b>9.1%</b>

This variable has 3,083 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30734	90.9 %
	<b>Total</b>	<b>30,739</b>	<b>90.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1376-1381 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV9002\_BRAND: Brand of electronic nicotine product owned

What brand of electronic nicotine product do you own?

(If you own more than one electronic nicotine product, answer about the one you use most often.)

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". /If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who have ever used an electronic nicotine product and own an electronic nicotine product and know the name of the brand of electronic nicotine product they own.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV1090 = 1 AND R04\_AV9945 = 1.

This variable has 1,610 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.2 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	32149	95.1 %
	<b>Total</b>	<b>32,212</b>	<b>95.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1382-1387 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV9004: Price paid for electronic nicotine product

About how much did you pay for your electronic nicotine product?

Do not include the cost of additional cartridges or accessories unless they were included in a starter kit.

(If you own more than one electronic nicotine product, answer about the one you use most often.)

ASK: Adult respondents who have ever used an electronic nicotine product and own an electronic nicotine product.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV1090 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10	571	1.7 %
2	2 = \$10 to \$20	610	1.8 %
3	3 = \$21 to \$100	1514	4.5 %
4	4 = More than \$100	365	1.1 %
	<b>Total</b>	<b>3,060</b>	<b>9.0%</b>

This variable has 3,060 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	22	0.1 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	30734	90.9 %	
	<b>Total</b>	<b>30,762</b>	<b>91.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1388-1393 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV9041: Anyone else living in your home own an electronic nicotine product

Does anyone else living in your home own an electronic nicotine product?

ASK: Adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1763	5.2 %
2	2 = No	11514	34.0 %
	<b>Total</b>	<b>13,277</b>	<b>39.3%</b>

This variable has 13,277 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	20527	60.7 %
	<b>Total</b>	<b>20,545</b>	<b>60.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1394-1399 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04R\_A\_AV1006\_RS: DERIVED - Age group when first used an electronic nicotine product, even one or two times (6 levels)

Long Description: How old were you when you first used an electronic nicotine product, even one or two times?

Algorithm: if (0 <= R04\_AV1006\_RS < 18) or R04\_AV1120\_RS = 1 then  
 R04R\_A\_AV1006\_RS = 1; else if (18 <= R04\_AV1006\_RS <= 24) or R04\_AV1120\_RS = 2  
 then R04R\_A\_AV1006\_RS = 2; else if (25 <= R04\_AV1006\_RS <= 34) or  
 R04\_AV1120\_RS = 3 then R04R\_A\_AV1006\_RS = 3; else if (35 <= R04\_AV1006\_RS <= 44)  
 or R04\_AV1120\_RS = 4 then R04R\_A\_AV1006\_RS = 4; else if (45 <= R04\_AV1006\_RS  
 <= 54) or R04\_AV1120\_RS = 5 then R04R\_A\_AV1006\_RS = 5; else if (R04\_AV1006\_RS =>  
 55) or R04\_AV1120\_RS = 6 then R04R\_A\_AV1006\_RS = 6; else if R04\_AV1006\_RS = -9  
 or R04\_AV1120\_RS = -9 then R04R\_A\_AV1006\_RS = -99999; else if R04\_AV1006\_RS = -8  
 or R04\_AV1120\_RS = -8 then R04R\_A\_AV1006\_RS = -99988; else if R04\_AV1006\_RS = -7  
 or R04\_AV1120\_RS = -7 then R04R\_A\_AV1006\_RS = -99977; else if R04\_AV1006\_RS = -5  
 then R04R\_A\_AV1006\_RS = -99955; else if R04\_AV1006\_RS = -1 or R04\_AV1120\_RS = -1  
 then R04R\_A\_AV1006\_RS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	414	1.2 %
2	2 = 18 to 24 years old	1012	3.0 %
3	3 = 25 to 34 years old	422	1.2 %
4	4 = 35 to 44 years old	286	0.8 %
5	5 = 45 to 54 years old	223	0.7 %
6	6 = 55 years old or older	189	0.6 %
	<b>Total</b>	<b>2,546</b>	<b>7.5%</b>

This variable has 2,546 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	89	0.3 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31176	92.2 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>31,276</b>	<b>92.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1400-1405 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AV1005: Number of times used electronic nicotine product in entire life

How many times have you used an electronic nicotine product in your entire life?

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and had not used electronic nicotine products 100 or more times as of their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1  
AND R03\_NUMLIFE\_EPROD != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = 1 time, even just a few puffs	2960	8.8 %
2	2 = 2 to 10 times	3519	10.4 %
3	3 = 11 to 20 times	1529	4.5 %
4	4 = 21 to 50 times	1331	3.9 %
5	5 = 51 to 99 times	599	1.8 %
6	6 = 100 or more times	1147	3.4 %
<b>Total</b>		<b>11,085</b>	<b>32.8%</b>

This variable has 11,085 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	289	0.9 %

Missing Data				
-7	-7 = Refused		133	0.4 %
-1	-1 = Inapplicable		22313	66.0 %
<b>Total</b>			<b>22,737</b>	<b>67.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1406-1411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1100: Ever used electronic nicotine products fairly regularly

Have you ever used electronic nicotine products fairly regularly?

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and had not reported ever using electronic nicotine products fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND R03\_REGUSE\_EPROD != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1267	3.7 %
2	2 = No	8548	25.3 %
<b>Total</b>		<b>9,815</b>	<b>29.0%</b>

This variable has 9,815 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	23992	70.9 %	
<b>Total</b>		<b>24,007</b>	<b>71.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1412-1417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AV1007\_NB: DERIVED - Age group you were in when you first started using [primary electronic nicotine products] fairly regularly (6 levels)

Long Description: How old were you when you first started using [primary electronic nicotine products] fairly regularly?

Algorithm: if (0 <= R04\_AV1007\_NB < 18) or R04\_AV1121\_NB = 1 then R04R\_A\_AV1007\_NB = 1; else if (18 <= R04\_AV1007\_NB <= 24) or R04\_AV1121\_NB = 2 then R04R\_A\_AV1007\_NB = 2; else if (25 <= R04\_AV1007\_NB <= 34) or R04\_AV1121\_NB = 3 then R04R\_A\_AV1007\_NB = 3; else if (35 <= R04\_AV1007\_NB <= 44) or R04\_AV1121\_NB = 4 then R04R\_A\_AV1007\_NB = 4; else if (45 <= R04\_AV1007\_NB <= 54) or R04\_AV1121\_NB = 5 then R04R\_A\_AV1007\_NB = 5; else if (R04\_AV1007\_NB => 55) or R04\_AV1121\_NB = 6 then R04R\_A\_AV1007\_NB = 6; else if R04\_AV1007\_NB = -9 or R04\_AV1121\_NB = -9 then R04R\_A\_AV1007\_NB = -99999; else if R04\_AV1007\_NB = -8 or R04\_AV1121\_NB = -8 then R04R\_A\_AV1007\_NB = -99988; else if R04\_AV1007\_NB = -7 or R04\_AV1121\_NB = -7 then R04R\_A\_AV1007\_NB = -99977; else if R04\_AV1007\_NB = -5 then R04R\_A\_AV1007\_NB = -99955; else if R04\_AV1007\_NB = -1 or R04\_AV1121\_NB = -1 then R04R\_A\_AV1007\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	117	0.3 %
2	2 = 18 to 24 years old	284	0.8 %
3	3 = 25 to 34 years old	120	0.4 %
4	4 = 35 to 44 years old	73	0.2 %
5	5 = 45 to 54 years old	58	0.2 %
6	6 = 55 years old or older	45	0.1 %
	<b>Total</b>	<b>697</b>	<b>2.1%</b>

This variable has 697 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	12	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33111	97.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,125</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1418-1423 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AV1020\_NB: DERIVED - Age group you were in when you first started using [primary electronic nicotine products] every day (6 levels)

Long Description: How old were you when you first started using [primary electronic nicotine products] every day?

Algorithm: if (0 <= R04\_AV1020\_NB < 18) or R04\_AV1122\_NB = 1 then  
R04R\_A\_AV1020\_NB = 1; else if (18 <= R04\_AV1020\_NB <= 24) or  
R04\_AV1122\_NB = 2 then R04R\_A\_AV1020\_NB = 2; else if (25 <= R04\_AV1020\_NB <= 34)  
or R04\_AV1122\_NB = 3 then R04R\_A\_AV1020\_NB = 3; else if (35 <= R04\_AV1020\_NB <= 44)  
or R04\_AV1122\_NB = 4 then R04R\_A\_AV1020\_NB = 4; else if (45 <= R04\_AV1020\_NB <= 54)  
or R04\_AV1122\_NB = 5 then R04R\_A\_AV1020\_NB = 5; else if (R04\_AV1020\_NB >= 55) or  
R04\_AV1122\_NB = 6 then R04R\_A\_AV1020\_NB = 6; else if R04\_AV1020\_NB = -9 or  
R04\_AV1122\_NB = -9 then R04R\_A\_AV1020\_NB = -99999; else if R04\_AV1020\_NB = -8  
or R04\_AV1122\_NB = -8 then R04R\_A\_AV1020\_NB = -99988; else if R04\_AV1020\_NB = -7  
or R04\_AV1122\_NB = -7 then R04R\_A\_AV1020\_NB = -99977; else if R04\_AV1020\_NB = -5  
then R04R\_A\_AV1020\_NB = -99955; else if R04\_AV1020\_NB = -1 or R04\_AV1122\_NB = -1  
then R04R\_A\_AV1020\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	34	0.1 %
2	2 = 18 to 24 years old	92	0.3 %
3	3 = 25 to 34 years old	35	0.1 %
4	4 = 35 to 44 years old	19	0.1 %
5	5 = 45 to 54 years old	17	0.1 %
6	6 = 55 years old or older	18	0.1 %
<b>Total</b>		<b>215</b>	<b>0.6%</b>

This variable has 215 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33603	99.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,607</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1424-1429 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AV1011\_01: Flavor of electronic nicotine product when first started using: Tobacco-flavored

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Tobacco-flavored

ASK: Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_EPRODS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	865	2.6 %
2	2 = Not Marked	2651	7.8 %
	<b>Total</b>	<b>3,516</b>	<b>10.4%</b>

This variable has 3,516 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	30203	89.3 %
	<b>Total</b>	<b>30,306</b>	<b>89.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 1430-1435 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AV1011\_02: Flavor of electronic nicotine product when first started using: Menthol or mint

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Menthol or mint

ASK: Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_EPRODS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	903	2.7 %
2	2 = Not Marked	2613	7.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>3,516</b>	<b>10.4%</b>

This variable has 3,516 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	30203	89.3 %
	<b>Total</b>	<b>30,306</b>	<b>89.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1436-1441 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1011\_03: Flavor of electronic nicotine product when first started using: Clove or spice

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Clove or spice

**ASK:** Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

**ASK Specification:** IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_EPRODS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	80	0.2 %
2	2 = Not Marked	3436	10.2 %
	<b>Total</b>	<b>3,516</b>	<b>10.4%</b>

This variable has 3,516 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	30203	89.3 %
	<b>Total</b>	<b>30,306</b>	<b>89.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1442-1447 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1011\_04: Flavor of electronic nicotine product when first started using: Fruit

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Fruit

ASK: Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_EPRODS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1831	5.4 %
2	2 = Not Marked	1685	5.0 %
	<b>Total</b>	<b>3,516</b>	<b>10.4%</b>

This variable has 3,516 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	30203	89.3 %
	<b>Total</b>	<b>30,306</b>	<b>89.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1448-1453 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1011\_05: Flavor of electronic nicotine product when first started using: Chocolate

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Chocolate

ASK: Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_EPRODS\_ADULT = 1) OR (R04\_ADULTTYPE = 3

AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	178	0.5 %
2	2 = Not Marked	3338	9.9 %
	<b>Total</b>	<b>3,516</b>	<b>10.4%</b>

This variable has 3,516 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	30203	89.3 %
	<b>Total</b>	<b>30,306</b>	<b>89.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1454-1459 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1011\_06: Flavor of electronic nicotine product when first started using: An alcoholic drink

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_EPRODS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	114	0.3 %
2	2 = Not Marked	3402	10.1 %
	<b>Total</b>	<b>3,516</b>	<b>10.4%</b>

This variable has 3,516 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	74	0.2 %	
-7	-7 = Refused	27	0.1 %	
-1	-1 = Inapplicable	30203	89.3 %	
<b>Total</b>		<b>30,306</b>	<b>89.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1460-1465 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1011\_07: Flavor of electronic nicotine product when first started using: A non-alcoholic drink

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_EPRODS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	178	0.5 %
2	2 = Not Marked	3338	9.9 %
<b>Total</b>		<b>3,516</b>	<b>10.4%</b>

This variable has 3,516 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	74	0.2 %	
-7	-7 = Refused	27	0.1 %	
-1	-1 = Inapplicable	30203	89.3 %	
<b>Total</b>		<b>30,306</b>	<b>89.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1466-1471 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1011\_08: Flavor of electronic nicotine product when first started using: Candy, desserts or other sweets

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Candy, desserts or other sweets

ASK: Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_EPRODS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1078	3.2 %
2	2 = Not Marked	2438	7.2 %
	<b>Total</b>	<b>3,516</b>	<b>10.4%</b>

This variable has 3,516 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	30203	89.3 %
	<b>Total</b>	<b>30,306</b>	<b>89.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 1472-1477 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AV1011\_09: Flavor of electronic nicotine product when first started using: Some other flavor

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_EPRODS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	65	0.2 %
2	2 = Not Marked	3451	10.2 %
	<b>Total</b>	<b>3,516</b>	<b>10.4%</b>

This variable has 3,516 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	30203	89.3 %
	<b>Total</b>	<b>30,306</b>	<b>89.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 1478-1483 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AV9035\_01: Electronic nicotine product you have used: E-cigarette including a vape pen, personal vaporizer, or mod

Which of the following types of electronic nicotine products have you used? Choose all that apply.

E-cigarette including a vape pen, personal vaporizer, or mod

[SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE]

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1)) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6415	19.0 %
2	2 = Not Marked	590	1.7 %
	<b>Total</b>	<b>7,005</b>	<b>20.7%</b>

This variable has 7,005 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	86	0.3 %	
-7	-7 = Refused	48	0.1 %	
-1	-1 = Inapplicable	26681	78.9 %	
<b>Total</b>		<b>26,817</b>	<b>79.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1484-1489 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV9035\_02: Electronic nicotine product you have used: E-cigarette

Which of the following types of electronic nicotine products have you used? Choose all that apply.

E-cigarette

[SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE]

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1)) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	361	1.1 %
2	2 = Not Marked	6644	19.6 %
<b>Total</b>		<b>7,005</b>	<b>20.7%</b>

This variable has 7,005 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	86	0.3 %	
-7	-7 = Refused	48	0.1 %	
-1	-1 = Inapplicable	26681	78.9 %	
<b>Total</b>		<b>26,817</b>	<b>79.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1490-1495 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AV9035\_03: Electronic nicotine product you have used: E-pipe

Which of the following types of electronic nicotine products have you used? Choose all that apply.

E-pipe

[SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE]

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1)) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	117	0.3 %
2	2 = Not Marked	6888	20.4 %
	<b>Total</b>	<b>7,005</b>	<b>20.7%</b>

This variable has 7,005 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	86	0.3 %	
-7	-7 = Refused	48	0.1 %	
-1	-1 = Inapplicable	26681	78.9 %	
	<b>Total</b>	<b>26,817</b>	<b>79.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1496-1501 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AV9035\_04: Electronic nicotine product you have used: E-hookah including a hookah pen

Which of the following types of electronic nicotine products have you used? Choose all that apply.

E-hookah including a hookah pen

[SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE]

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months, or new cohort adult

respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1)) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1098	3.2 %
2	2 = Not Marked	5907	17.5 %
	<b>Total</b>	<b>7,005</b>	<b>20.7%</b>

This variable has 7,005 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	86	0.3 %	
-7	-7 = Refused	48	0.1 %	
-1	-1 = Inapplicable	26681	78.9 %	
	<b>Total</b>	<b>26,817</b>	<b>79.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1502-1507 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV9035\_05: Electronic nicotine product you have used: Something else

Which of the following types of electronic nicotine products have you used? Choose all that apply.

Something else (SPECIFY)

[SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE]

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1)) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	129	0.4 %
2	2 = Not Marked	6876	20.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>7,005</b>	<b>20.7%</b>

This variable has 7,005 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	48	0.1 %
-1	-1 = Inapplicable	26681	78.9 %
	<b>Total</b>	<b>26,817</b>	<b>79.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1508-1513 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV9060\_01: Used more than one kind of e-cigarette

[Do/Did] you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04\_AV9035]?

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months and selected a type of electronic nicotine product they have used, or new cohort adult respondents who have ever used an electronic nicotine product and selected a type of electronic nicotine product they have used.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1) AND R04\_AV9035\_01 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV9035\_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1157	3.4 %
2	2 = No	5253	15.5 %
	<b>Total</b>	<b>6,410</b>	<b>19.0%</b>

This variable has 6,410 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	27405	81.0 %
	<b>Total</b>	<b>27,412</b>	<b>81.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1514-1519 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV9060\_02: Used more than one kind of e-cigar

[Do/Did] you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04\_AV9035]?

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months and selected a type of electronic nicotine product they have used, or new cohort adult respondents who have ever used an electronic nicotine product and selected a type of electronic nicotine product they have used.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1) AND R04\_AV9035\_02 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV9035\_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.2 %
2	2 = No	289	0.9 %
	<b>Total</b>	<b>361</b>	<b>1.1%</b>

This variable has 361 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33459	98.9 %
	<b>Total</b>	<b>33,461</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1520-1525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV9060\_03: Used more than one kind of e-pipe

[Do/Did] you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04\_AV9035]?

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months and selected a type of electronic nicotine product they have used, or new cohort adult respondents who have ever used an electronic nicotine product and selected a type of electronic nicotine product they have used.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1) AND R04\_AV9035\_03 = 1) OR (R04\_ADULTTYPE = 3 AND

R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV9035\_03 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.1 %
2	2 = No	98	0.3 %
	<b>Total</b>	<b>117</b>	<b>0.3%</b>

This variable has 117 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33703	99.6 %
	<b>Total</b>	<b>33,705</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1526-1531 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV9060\_04: Used more than one kind of e-hookah

[Do/Did] you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04\_AV9035]?

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months and selected a type of electronic nicotine product they have used, or new cohort adult respondents who have ever used an electronic nicotine product and selected a type of electronic nicotine product they have used.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_EPRODS = 1 AND (R04\_AV1004 = 1 OR R04\_AV1002\_12M = 1) AND R04\_AV9035\_04 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV9035\_04 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	236	0.7 %
2	2 = No	858	2.5 %
	<b>Total</b>	<b>1,094</b>	<b>3.2%</b>

This variable has 1,094 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		32722	96.7 %
<b>Total</b>			<b>32,728</b>	<b>96.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1532-1537 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R04\_AV9044: Electronic nicotine product used most often

You mentioned that you have used more than one type of electronic nicotine product.

Which type of electronic nicotine product [do/did] you use most often?

[SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE]

ASK: Adult respondents who have used more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPRODCOUNT > 1.

Value	Label	Unweighted Frequency	%
1	1 = E-cigarette including a vape pen, personal vaporizer, or mod	720	2.1 %
2	2 = E-cigar	26	0.1 %
3	3 = E-pipe	9	0.0 %
4	4 = E-hookah including a hookah pen	181	0.5 %
5	5 = Something else	12	0.0 %
<b>Total</b>		<b>948</b>	<b>2.8%</b>

This variable has 948 valid cases out of 33,822 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	19	0.1 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32850	97.1 %	
<b>Total</b>		<b>32,874</b>	<b>97.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1538-1543 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R04\_AV9040: Group that most looks like the electronic nicotine product you usually use/last used

Please look at this picture. Which group is most like the electronic nicotine product you [use/used] most often?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	2590	7.7 %
2	2 = Group 2	1321	3.9 %
3	3 = Group 3	697	2.1 %
4	4 = Group 4	19	0.1 %
5	5 = Group 5	14	0.0 %
6	6 = Group 6	248	0.7 %
7	7 = None of the above	316	0.9 %
<b>Total</b>		<b>5,205</b>	<b>15.4%</b>

This variable has 5,205 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	20	0.1 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	28588	84.5 %	
<b>Total</b>		<b>28,617</b>	<b>84.6%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 1544-1549 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AV9005: Electronic nicotine product used most often is rechargeable

For the following questions, please think about the electronic nicotine product you [use/used] most often.

[Is/Was] it rechargeable?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4486	13.3 %
2	2 = No	707	2.1 %
	<b>Total</b>	<b>5,193</b>	<b>15.4%</b>

This variable has 5,193 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,629</b>	<b>84.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 1550-1555 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AV9038: Electronic nicotine product used most often uses tank system

For the following questions, please think about the electronic nicotine product you [use/used] most often.

[Does/Did] it use a tank system?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4  
OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3592	10.6 %
2	2 = No	1553	4.6 %
	<b>Total</b>	<b>5,145</b>	<b>15.2%</b>

This variable has 5,145 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	27	0.1 %

Missing Data			
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,677</b>	<b>84.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1556-1561 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV9008: Electronic nicotine product used most often uses cartridges

For the following questions, please think about the electronic nicotine product you [use/used] most often.

[Does/Did] it use cartridges?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4

OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1976	5.8 %
2	2 = No	3194	9.4 %
	<b>Total</b>	<b>5,170</b>	<b>15.3%</b>

This variable has 5,170 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,652</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1562-1567 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV9009: Electronic nicotine product used most often can be refilled with e-liquid

For the following questions, please think about the electronic nicotine product you [use/used] most often.

[Can/Could] you refill it with "e-liquid"?

ASK: Adult respondents who are current established, current experimental, recent former established,

or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2,  
4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3927	11.6 %
2	2 = No	1241	3.7 %
	<b>Total</b>	<b>5,168</b>	<b>15.3%</b>

This variable has 5,168 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.2 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,654</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1568-1573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV9046: Frequency with which you refill your electronic nicotine product with e-liquid

How often [do/did] you refill your electronic nicotine product with e-liquid?

[If Never (8), GO TO BOX R04\_AVR30]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and can refill their electronic nicotine product with e-liquid.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV9009 = 1.

Value	Label	Unweighted Frequency	%
1	1 = At least once a day	1060	3.1 %
2	2 = Once every couple of days	783	2.3 %
3	3 = Once a week	466	1.4 %
4	4 = A few times a month	374	1.1 %
5	5 = Once a month	275	0.8 %
6	6 = A few times a year	203	0.6 %
7	7 = Once a year	80	0.2 %

Value	Label	Unweighted Frequency	%
8	8 = Never	646	1.9 %
	<b>Total</b>	<b>3,887</b>	<b>11.5%</b>

This variable has 3,887 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.1 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	29893	88.4 %
	<b>Total</b>	<b>29,935</b>	<b>88.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1574-1579 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV9036: Who refills electronic nicotine product with e-liquid

Who [refills/refilled] it with e-liquid?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and can refill their electronic nicotine product with e-liquid and have refilled their electronic nicotine product or did not know or refused to report how often they refill their electronic nicotine product.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR

R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND

R04\_AV9009 = 1 AND R04\_AV9046 != 8.

Value	Label	Unweighted Frequency	%
1	1 = I refill/refilled it myself	2932	8.7 %
2	2 = I get/got it refilled at a vape shop or vapor lounge	69	0.2 %
3	3 = I buy/bought it already filled	96	0.3 %
4	4 = I get/got it refilled some other way	161	0.5 %
	<b>Total</b>	<b>3,258</b>	<b>9.6%</b>

This variable has 3,258 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	7	0.0 %

Missing Data			
-1	-1 = Inapplicable	30539	90.3 %
	<b>Total</b>	<b>30,564</b>	<b>90.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1580-1585 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV9045: Number of milliliters of e-liquid your tank system holds/held

How many milliliters of e-liquid [does/did] your tank system hold?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and can refill their electronic nicotine product with e-liquid and use an electronic nicotine product with a tank.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV9009 = 1 AND R04\_AV9038 = 1

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 850 valid cases out of 33,822 total cases.

- Mean: 8.92
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 21.42

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2564	7.6 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-2	-2 = I don't know	0	0.0 %
-1	-1 = Inapplicable	30404	89.9 %
	<b>Total</b>	<b>32,972</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1586-1591 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -2 , -1

## R04\_AV9010: Electronic nicotine product used most of the time contains nicotine

Please think about the [EPRODFILL3] you [use/used] most often.

[Does/Did] it contain nicotine?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AVR12]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3855	11.4 %
2	2 = No	1322	3.9 %
	<b>Total</b>	<b>5,177</b>	<b>15.3%</b>

This variable has 5,177 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	48	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,645</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1592-1597 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV9006: Concentration level of nicotine you usually use/used

What concentration of nicotine [do/did] you usually use?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and use an electronic nicotine product that contains nicotine.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV9010 = 1.

Value	Label	Unweighted Frequency	%
1	1 = I don't know the concentration	1332	3.9 %
2	2 = 0 mg or 0.0%	28	0.1 %
3	3 = 1 - 6 mg or 0.1 - 0.6%	1529	4.5 %
4	4 = 7 - 12 mg or 0.7 - 1.2%	398	1.2 %
5	5 = 13 - 17 mg or 1.3 - 1.7%	129	0.4 %

Value	Label	Unweighted Frequency	%
6	6 = 18 - 24 mg or 1.8 - 2.4%	300	0.9 %
7	7 = 25 - 39 mg or 2.5 - 3.9%	78	0.2 %
8	8 = 40+ mg or 4.0+%	45	0.1 %
<b>Total</b>		<b>3,839</b>	<b>11.4%</b>

This variable has 3,839 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	29965	88.6 %
<b>Total</b>		<b>29,983</b>	<b>88.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1598-1603 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1021: Average number of [electronic nicotine products/cartridges/milliliters of e-liquid] use each day

On average, about how many [EPRODFILL1] do you now use each day?

[If Less than 1 each day (-2), Don't Know (-8) or Refused (-7), GO TO R04\_AV1026]

ASK: Adult respondents who are every day established electronic nicotine product users.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1.

This variable has 888 valid cases out of 33,822 total cases.

- Mean: 3.36
- Median: 2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 50.00
- Standard Deviation: 6.13

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	54	0.2 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	32877	97.2 %
	<b>Total</b>	<b>32,934</b>	<b>97.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1604-1609 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AV1022: How many of the past 30 days used an electronic nicotine product

On how many of the past 30 days did you use an electronic nicotine product?

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 3,301 valid cases out of 33,822 total cases.

- Mean: 4.70
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.37

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	25	0.1 %	
-7	-7 = Refused	9	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	30485	90.1 %	
	<b>Total</b>	<b>30,521</b>	<b>90.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1610-1615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AV9029\_NN: Time since you took last puff from an electronic nicotine product - Number (Some day or current experimental users)

About how long has it been since you last took a puff from an electronic nicotine product?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AVR32]

ASK: Adult respondents who are some day established or current experimental electronic nicotine product users and used on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2) AND R04\_AV1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 380 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	81	0.2 %	
-1	-1 = Inapplicable	33351	98.6 %	
<b>Total</b>		<b>33,442</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1616-1621 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AV9029\_UN: Time since you took last puff from an electronic nicotine product - Unit (Some day or current experimental users)

About how long has it been since you last took a puff from an electronic nicotine product?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AVR32]

ASK: Adult respondents who are some day established or current experimental electronic nicotine product users and used on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2) AND R04\_AV1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	101	0.3 %
2	2 = Months	284	0.8 %
3	3 = Years	76	0.2 %
<b>Total</b>		<b>461</b>	<b>1.4%</b>

This variable has 461 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33359	98.6 %
	<b>Total</b>	<b>33,361</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1622-1627 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1026: Average number of times you pick up your electronic nicotine product to take one or more puffs each day on days used

On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV1027]

**ASK:** Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

**ASK Specification:** IF R04\_CURRENT\_EPROD\_USE = 1 OR ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

This variable has 3,065 valid cases out of 33,822 total cases.

- Mean: 13.98
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 28.41

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	14	0.0 %
-5	-5 = Improbable response removed	5	0.0 %
-1	-1 = Inapplicable	30676	90.7 %
	<b>Total</b>	<b>30,757</b>	<b>90.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1628-1633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AV1027: Number of puffs you take each time you pick up your electronic nicotine product to use it

Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV32]

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

This variable has 3,101 valid cases out of 33,822 total cases.

- Mean: 5.34
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 666.00
- Standard Deviation: 15.75

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	37	0.1 %	
-7	-7 = Refused	5	0.0 %	
-5	-5 = Improbable response removed	1	0.0 %	
-1	-1 = Inapplicable	30676	90.7 %	
<b>Total</b>		<b>30,721</b>	<b>90.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1634-1639 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AV1024\_NN: Time to first electronic nicotine product puff after waking - Number (current users)

[On the days that you use an electronic nicotine product, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV1092]

ASK: Adult respondents who are current established or current experimental electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 2,888 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	70	0.2 %
-7	-7 = Refused	21	0.1 %
-5	-5 = Improbable response removed	5	0.0 %
-1	-1 = Inapplicable	30836	91.2 %
<b>Total</b>		<b>30,934</b>	<b>91.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1640-1645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AV1024\_UN: Time to first electronic nicotine product puff after waking - Unit (current users)

[On the days that you use an electronic nicotine product, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV1092]

ASK: Adult respondents who are current established or current experimental electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	1139	3.4 %
2	2 = Hours after waking	1754	5.2 %
<b>Total</b>		<b>2,893</b>	<b>8.6%</b>

This variable has 2,893 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	30927	91.4 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>30,929</b>	<b>91.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1646-1651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1092: Take first puff of electronic nicotine product of the day within 30 minutes after waking (current users)

(On the days that you use electronic nicotine products, would/Would) you say you take your first puff of the day within the first 30 minutes after you wake up?

[GO TO BOX R04\_AVR52]

ASK: Adult respondents who are current established or current experimental electronic nicotine product users and did not know or refused to report how soon after waking up they typically take their first puff from an electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2 AND R04\_AV1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	53	0.2 %
3	3 = It varies	21	0.1 %
<b>Total</b>		<b>77</b>	<b>0.2%</b>

This variable has 77 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33729	99.7 %
<b>Total</b>		<b>33,745</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1652-1657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1024\_30D\_NN: Time to first electronic nicotine product puff after waking - Number (non-current users)

On the days that you used an electronic nicotine product, how soon after you woke up did you typically take your first puff of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV1092\_30D]

ASK: Adult respondents who are non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 1,179 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	85	0.3 %
-7	-7 = Refused	24	0.1 %
-5	-5 = Improbable response removed	6	0.0 %
-1	-1 = Inapplicable	32526	96.2 %
<b>Total</b>		<b>32,643</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1658-1663 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AV1024\_30D\_UN: Time to first electronic nicotine product puff after waking - Unit (non-current users)

On the days that you used an electronic nicotine product, how soon after you woke up did you typically take your first puff of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV1092\_30D]

ASK: Adult respondents who are non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	385	1.1 %
2	2 = Hours after waking	800	2.4 %
<b>Total</b>		<b>1,185</b>	<b>3.5%</b>

This variable has 1,185 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32635	96.5 %	
<b>Total</b>		<b>32,637</b>	<b>96.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1664-1669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1092\_30D: Took first puff of electronic nicotine product of the day within 30 minutes after waking (non-current users)

On the days that you used electronic nicotine products, would you say you took your first puff of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day electronic nicotine product users and did not know or refused to report how soon after waking up they typically take their first puff from an electronic nicotine product.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1 AND R04\_AV1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	88	0.3 %
3	3 = It varies	5	0.0 %
<b>Total</b>		<b>96</b>	<b>0.3%</b>

This variable has 96 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33711	99.7 %	
<b>Total</b>		<b>33,726</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1670-1675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1025\_RS: Around this time 12 months ago, used an electronic nicotine product every day, some days or not at all

Around this time 12 months ago, were you using electronic nicotine products...?

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established electronic nicotine product users.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_EPROD\_USER\_STATUS = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Every day	201	0.6 %
2	2 = Some days	600	1.8 %
3	3 = Not at all	1835	5.4 %
<b>Total</b>		<b>2,636</b>	<b>7.8%</b>

This variable has 2,636 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	31179	92.2 %	
<b>Total</b>		<b>31,186</b>	<b>92.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1676-1681 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV0100: When last used electronic nicotine product

When did you last use an electronic nicotine product?

[If In the past hour (1), GO TO R04\_AV0103; If Three or More Days Ago, Don't Know (-8) or Refused (-7), GO TO R04\_AV1131]

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
 ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	789	2.3 %

Value	Label	Unweighted Frequency	%
2	2 = Sometime today	247	0.7 %
3	3 = Yesterday	367	1.1 %
4	4 = Day before yesterday	161	0.5 %
5	5 = Three or more days ago	1295	3.8 %
	<b>Total</b>	<b>2,859</b>	<b>8.5%</b>

This variable has 2,859 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	250	0.7 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	30676	90.7 %
	<b>Total</b>	<b>30,963</b>	<b>91.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1682-1687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV0102: Time period of day when you last used electronic nicotine product

When you last used an electronic nicotine product [FILL BASED ON R04\_AV0100], was it...

ASK: Adult respondents who are every day established electronic nicotine product users and last used an electronic nicotine product sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an electronic nicotine product sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_CURRENT\_EPROD\_USE = 1 AND R04\_AV0100 = 2, 3, 4) OR ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0 AND R04\_AV0100 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	94	0.3 %
2	2 = After 6AM but before noon	157	0.5 %
3	3 = Between noon and 6PM	281	0.8 %
4	4 = After 6PM but before midnight	240	0.7 %
	<b>Total</b>	<b>772</b>	<b>2.3%</b>

This variable has 772 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33045	97.7 %	
<b>Total</b>		<b>33,050</b>	<b>97.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1688-1693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV0103: Number of puffs taken from electronic nicotine product today/yesterday/day before yesterday

How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R04\_AV0100]?

ASK: Adult respondents who are every day established electronic nicotine product users and last used an electronic nicotine product in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an electronic nicotine product in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_CURRENT\_EPROD\_USE = 1 AND R04\_AV0100 = 1, 2, 3, 4)

OR ((R04\_CURRENT\_EPROD\_USE = 2

OR R04\_EPROD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1)

AND R04\_AV1022 != 0 AND R04\_AV0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 1,530 valid cases out of 33,822 total cases.

- Mean: 20.35
- Median: 10.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 756.00
- Standard Deviation: 40.84

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	33	0.1 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32256	95.4 %	
<b>Total</b>		<b>32,292</b>	<b>95.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1694-1699 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AV1131\_01: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Tobacco-flavored

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

Tobacco-flavored

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	548	1.6 %
2	2 = Not Marked	2305	6.8 %
	<b>Total</b>	<b>2,853</b>	<b>8.4%</b>

This variable has 2,853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	250	0.7 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30676	90.7 %
	<b>Total</b>	<b>30,969</b>	<b>91.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1700-1705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1131\_02: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Menthol or mint

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
 ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	689	2.0 %
2	2 = Not Marked	2164	6.4 %
	<b>Total</b>	<b>2,853</b>	<b>8.4%</b>

This variable has 2,853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	250	0.7 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30676	90.7 %
	<b>Total</b>	<b>30,969</b>	<b>91.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1706-1711 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R04\_AV1131\_03: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Clove or spice

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
 ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	53	0.2 %
2	2 = Not Marked	2800	8.3 %
	<b>Total</b>	<b>2,853</b>	<b>8.4%</b>

This variable has 2,853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	250	0.7 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30676	90.7 %
	<b>Total</b>	<b>30,969</b>	<b>91.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1712-1717 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

#### R04\_AV1131\_04: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Fruit

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
 ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1560	4.6 %
2	2 = Not Marked	1293	3.8 %
	<b>Total</b>	<b>2,853</b>	<b>8.4%</b>

This variable has 2,853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	250	0.7 %	
-8	-8 = Don't know	34	0.1 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	30676	90.7 %	
	<b>Total</b>	<b>30,969</b>	<b>91.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1718-1723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1131\_05: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Chocolate

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
 ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	139	0.4 %
2	2 = Not Marked	2714	8.0 %
	<b>Total</b>	<b>2,853</b>	<b>8.4%</b>

This variable has 2,853 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	250	0.7 %	
-8	-8 = Don't know	34	0.1 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	30676	90.7 %	
	<b>Total</b>	<b>30,969</b>	<b>91.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1724-1729 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AV1131\_06: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: An alcoholic drink

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	83	0.2 %
2	2 = Not Marked	2770	8.2 %
	<b>Total</b>	<b>2,853</b>	<b>8.4%</b>

This variable has 2,853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	250	0.7 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30676	90.7 %
	<b>Total</b>	<b>30,969</b>	<b>91.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 1730-1735 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AV1131\_07: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: A non-alcoholic drink

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the

past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
 ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	174	0.5 %
2	2 = Not Marked	2679	7.9 %
	<b>Total</b>	<b>2,853</b>	<b>8.4%</b>

This variable has 2,853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	250	0.7 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30676	90.7 %
	<b>Total</b>	<b>30,969</b>	<b>91.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1736-1741 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1131\_08: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Candy, desserts or other sweets

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

Candy, desserts or other sweets

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
 ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1039	3.1 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	1814	5.4 %
	<b>Total</b>	<b>2,853</b>	<b>8.4%</b>

This variable has 2,853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	250	0.7 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30676	90.7 %
	<b>Total</b>	<b>30,969</b>	<b>91.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1742-1747 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1131\_09: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Some other flavor

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_EPROD\_USE = 1 OR  
 ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2  
 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	82	0.2 %
2	2 = Not Marked	2771	8.2 %
	<b>Total</b>	<b>2,853</b>	<b>8.4%</b>

This variable has 2,853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	250	0.7 %

<b>Missing Data</b>				
-8	-8 = Don't know	34	0.1 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	30676	90.7 %	
<b>Total</b>		<b>30,969</b>	<b>91.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1748-1753 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1147: In past 30 days, on days used, how often electronic nicotine product used was flavored to taste like menthol or mint

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

**ASK:** Adult respondents who are every day established electronic nicotine product users and used menthol or mint flavored electronic nicotine products in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol or mint flavored electronic nicotine products in the past 30 days.

**ASK Specification:** IF (R04\_CURRENT\_EPROD\_USE = 1 AND R04\_AV1131\_02 = 1)

OR ((R04\_CURRENT\_EPROD\_USE = 2 OR

R04\_EPROD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1)

AND R04\_AV1022 != 0 AND R04\_AV1131\_02 = 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = All of the time	280	0.8 %
2	2 = Most of the time	136	0.4 %
3	3 = Sometimes	140	0.4 %
4	4 = Rarely	104	0.3 %
5	5 = Never	27	0.1 %
<b>Total</b>		<b>687</b>	<b>2.0%</b>

This variable has 687 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33131	98.0 %
<b>Total</b>		<b>33,135</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1754-1759 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1157: In the past 30 days, on days used, how often electronic nicotine product used was flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets?

ASK: Adult respondents who are every day established electronic nicotine product users and used flavored electronic nicotine products in the past 30 days, other than tobacco-flavored or menthol or mint, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored electronic nicotine products in the past 30 days, other than tobacco-flavored or menthol or mint.

ASK Specification: IF (R04\_CURRENT\_EPROD\_USE = 1 OR ((R04\_CURRENT\_EPROD\_USE = 2 OR R04\_EPROD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1022 != 0)) AND R04\_AV1131[\_03/\_04/\_05/\_06/\_07/\_08] = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	1169	3.5 %
2	2 = Most of the time	325	1.0 %
3	3 = Sometimes	268	0.8 %
4	4 = Rarely	137	0.4 %
5	5 = Never	153	0.5 %
<b>Total</b>		<b>2,052</b>	<b>6.1%</b>

This variable has 2,052 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	29	0.1 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31734	93.8 %
<b>Total</b>		<b>31,770</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1760-1765 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1030: How you usually buy your [electronic nicotine products/electronic nicotine cartridges/e-liquid]

The next questions ask about your experience buying [EPRODFILL2].

How [do/did] you usually buy [EPRODFILL2] for yourself?

[If From the internet (2) or By Telephone (3), GO TO BOX R04\_AV05; If I do not buy my own [EPRODFILL2] (4), Don't Know (-8), or Refused (-7), GO TO R04\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	2861	8.5 %
2	2 = From the internet	257	0.8 %
3	3 = By telephone	16	0.0 %
4	4 = I do not buy my own (e-cigarettes/e-cigarette cartridges/e-liquid)	1112	3.3 %
	<b>Total</b>	<b>4,246</b>	<b>12.6%</b>

This variable has 4,246 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	29542	87.3 %
	<b>Total</b>	<b>29,576</b>	<b>87.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 1766-1771 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AV1032: Geographic area where you usually buy your [electronic nicotine products/electronic nicotine cartridges/e-liquid]

The next questions ask about your experience buying [EPRODFILL2].

[Do/Did] you usually buy [EPRODFILL2]...

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = In your own state	2799	8.3 %
2	2 = In another state	51	0.2 %
3	3 = Outside the US	7	0.0 %
<b>Total</b>		<b>2,857</b>	<b>8.4%</b>

This variable has 2,857 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	30959	91.5 %	
<b>Total</b>		<b>30,965</b>	<b>91.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1772-1777 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1033: Retail location where your [electronic nicotine products/electronic nicotine cartridges/e-liquid] are purchased most of the time

The next questions ask about your experience buying [EPRODFILL2].

Where [do/did] you buy your [EPRODFILL2] most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = A mall kiosk	22	0.1 %
2	2 = A convenience store or gas station	470	1.4 %
3	3 = A supermarket, grocery store, or drug store	62	0.2 %
4	4 = A warehouse club, such as Sam's or Costco	5	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	256	0.8 %
6	6 = A duty free shop or military commissary	5	0.0 %
7	7 = A bar, pub, restaurant or casino	2	0.0 %
8	8 = A friend or relative	26	0.1 %
9	9 = A swap meet or flea market	5	0.0 %
10	10 = A liquor store	46	0.1 %

Value	Label	Unweighted Frequency	%
11	11 = Somewhere else	9	0.0 %
12	12 = A vape shop or vapor lounge	1950	5.8 %
	<b>Total</b>	<b>2,858</b>	<b>8.5%</b>

This variable has 2,858 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30959	91.5 %
	<b>Total</b>	<b>30,964</b>	<b>91.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1778-1783 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1136: Usually buy/bought [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] by the box or pack, or as a single

[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single [EPRODFILL1]?

[If Single [EPRODFILL1] (2), GO TO R04\_AV1034; If Don't Know (-8), or Refused (-7), GO TO R04\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 1, 6.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	97	0.3 %
2	2 = Single (e-cigarette/e-cigar/e-pipe/e-hookah/electronic nicotine product)	314	0.9 %
	<b>Total</b>	<b>411</b>	<b>1.2%</b>

This variable has 411 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	33402	98.8 %
	<b>Total</b>	<b>33,411</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1784-1789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1137: Number of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] come/came in the box or pack you usually buy/bought

How many [EPRODFILL1] [come/came] in the box or pack that you usually [buy/bought]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 1, 6 AND R04\_AV1136 = 1.

[PROGRAM NOTE: Allow for 2 digits.]

This variable has 97 valid cases out of 33,822 total cases.

- Mean: 4.52
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 7.70

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33723	99.7 %
	<b>Total</b>	<b>33,725</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1790-1795 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AV1138\_D: How much usually pay/paid for a box or pack of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] - Dollars

How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?

[GO TO R04\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 1, 6 AND R04\_AV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 93 valid cases out of 33,822 total cases.

- Mean: 17.40
- Median: 7.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 38.89

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	2	0.0 %	
-1	-1 = Inapplicable	33723	99.7 %	
<b>Total</b>		<b>33,729</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1796-1801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AV1138\_C: How much usually pay/paid for a box or pack of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] - Cents

How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?

[GO TO R04\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 1, 6 AND R04\_AV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. ]

This variable has 93 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	2	0.0 %	
-1	-1 = Inapplicable	33725	99.7 %	
<b>Total</b>		<b>33,729</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1802-1807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

#### **R04\_AV1034\_D: Amount usually paid for a single [electronic nicotine product/electronic nicotine cartridge/e-liquid] - Dollars (by respondents who use a disposable or unknown electronic nicotine product)**

How much [do/did] you usually pay for a single [EPRODFILL3]?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy single electronic nicotine products.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 1, 6 AND R04\_AV1136 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. ]

This variable has 308 valid cases out of 33,822 total cases.

- Mean: 13.24
- Median: 9.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 30.86

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33506	99.1 %
<b>Total</b>		<b>33,514</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1808-1813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

### **R04\_AV1034\_C: Amount usually paid for a single [electronic nicotine product/electronic nicotine cartridge/e-liquid] - Cents (by respondents who use a disposable or unknown electronic nicotine product)**

How much [do/did] you usually pay for a single [EPRODFILL3]?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy single electronic nicotine products.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 1, 6 AND R04\_AV1136 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 308 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33512	99.1 %
<b>Total</b>		<b>33,514</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1814-1819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

### **R04\_AV1041\_D: Amount usually paid for bottle or container of e-liquid - Dollars**

How much [do/did] you usually pay for a bottle or container of e-liquid?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 3, 4, 5.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 2,372 valid cases out of 33,822 total cases.

- Mean: 13.99
- Median: 12.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 150.00
- Standard Deviation: 10.16

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	44	0.1 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	31401	92.8 %
<b>Total</b>		<b>31,450</b>	<b>93.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1820-1825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

### R04\_AV1041\_C: Amount usually paid for bottle or container of e-liquid - Cents

How much [do/did] you usually pay for a bottle or container of e-liquid?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 3, 4, 5.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 2,372 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	31448	93.0 %
<b>Total</b>		<b>31,450</b>	<b>93.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1826-1831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AV1039: Usually buy [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] by the box, pack, or as singles

[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single cartridges?

[If Single cartridges (2), Go to R04\_AV1043. If Don't Know (-8) or Refused (-7), Go to R04\_AV1047.]

**ASK:** Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge.

**ASK Specification:** IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	185	0.5 %
2	2 = Single cartridges	109	0.3 %
<b>Total</b>		<b>294</b>	<b>0.9%</b>

This variable has 294 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33523	99.1 %
<b>Total</b>		<b>33,528</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1832-1837 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AV1040: Number of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] that come in a box or pack you buy/bought

How many [EPRODFILL1] [come/came] in the box or pack that you [buy/bought]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND  
R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 2 AND R04\_AV1039 = 1.

[PROGRAM NOTE: Allow for 2 digits.]

This variable has 185 valid cases out of 33,822 total cases.

- Mean: 3.93
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 33.00
- Standard Deviation: 3.71

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33635	99.4 %	
<b>Total</b>		<b>33,637</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1838-1843 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

---

## R04\_AV1042\_D: Amount usually paid for box or pack of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] - Dollars

How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AV1047.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 2 AND R04\_AV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 173 valid cases out of 33,822 total cases.

- Mean: 10.24
- Median: 9.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 6.57

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33635	99.4 %	
<b>Total</b>		<b>33,649</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1844-1849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

### R04\_AV1042\_C: Amount usually paid for box or pack of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] - Cents

How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AV1047.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 2 AND R04\_AV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 173 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33647	99.5 %
<b>Total</b>		<b>33,649</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1850-1855 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

#### **R04\_AV1043\_D: Amount usually paid for a single [electronic nicotine product/electronic nicotine cartridge/e-liquid] - Dollars (by respondents who use an electronic nicotine product with a non-refillable cartridge)**

How much [do/did] you usually pay for a single [EPRODFILL3]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AV1047.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products as single cartridges.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 2 AND R04\_AV1039 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 104 valid cases out of 33,822 total cases.

- Mean: 7.30
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 7.52

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33711	99.7 %
	<b>Total</b>	<b>33,718</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1856-1861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

### R04\_AV1043\_C: Amount usually paid for a single [electronic nicotine product/electronic nicotine cartridge/e-liquid] - Cents (by respondents who use an electronic nicotine product with a non-refillable cartridge)

How much [do/did] you usually pay for a single [EPRODFILL3]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AV1047.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products as single cartridges.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1030 = 1, 2, 3 AND R04\_EDEVICETYPE = 2 AND R04\_AV1039 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 104 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33716	99.7 %	
	<b>Total</b>	<b>33,718</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1862-1867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

### R04\_AV1047: Have a regular brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] you usually use

[Do/Did] you have a regular brand of [EPRODFILL2] that you usually [use/used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4  
OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1353	4.0 %
2	2 = No	3086	9.1 %
3	3 = I don't know	767	2.3 %
<b>Total</b>		<b>5,206</b>	<b>15.4%</b>

This variable has 5,206 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
<b>Total</b>		<b>28,616</b>	<b>84.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1868-1873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1012\_01: Flavor of electronic nicotine product brand regularly/last used: Tobacco-flavored

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Tobacco-flavored

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	918	2.7 %
2	2 = Not Marked	4148	12.3 %
<b>Total</b>		<b>5,066</b>	<b>15.0%</b>

This variable has 5,066 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	132	0.4 %	
-7	-7 = Refused	34	0.1 %	
-1	-1 = Inapplicable	28588	84.5 %	
<b>Total</b>		<b>28,756</b>	<b>85.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1874-1879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1012\_02: Flavor of electronic nicotine product brand regularly/last used: Menthol or mint

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	1065	3.1 %
2	2 = Not Marked	4001	11.8 %
<b>Total</b>		<b>5,066</b>	<b>15.0%</b>

This variable has 5,066 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	132	0.4 %	
-7	-7 = Refused	34	0.1 %	
-1	-1 = Inapplicable	28588	84.5 %	
<b>Total</b>		<b>28,756</b>	<b>85.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 1880-1885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1012\_03: Flavor of electronic nicotine product brand regularly/last used: Clove or spice

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	81	0.2 %
2	2 = Not Marked	4985	14.7 %
	<b>Total</b>	<b>5,066</b>	<b>15.0%</b>

This variable has 5,066 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	0.4 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,756</b>	<b>85.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1886-1891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1012\_04: Flavor of electronic nicotine product brand regularly/last used: Fruit

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2450	7.2 %
2	2 = Not Marked	2616	7.7 %
	<b>Total</b>	<b>5,066</b>	<b>15.0%</b>

This variable has 5,066 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	0.4 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,756</b>	<b>85.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1892-1897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1012\_05: Flavor of electronic nicotine product brand regularly/last used: Chocolate

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	202	0.6 %
2	2 = Not Marked	4864	14.4 %
	<b>Total</b>	<b>5,066</b>	<b>15.0%</b>

This variable has 5,066 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	0.4 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28588	84.5 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>28,756</b>	<b>85.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1898-1903 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AV1012\_06: Flavor of electronic nicotine product brand regularly/last used: An alcoholic drink

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	160	0.5 %
2	2 = Not Marked	4906	14.5 %
	<b>Total</b>	<b>5,066</b>	<b>15.0%</b>

This variable has 5,066 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	0.4 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,756</b>	<b>85.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1904-1909 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AV1012\_07: Flavor of electronic nicotine product brand regularly/last used: A non-alcoholic drink

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	240	0.7 %
2	2 = Not Marked	4826	14.3 %
	<b>Total</b>	<b>5,066</b>	<b>15.0%</b>

This variable has 5,066 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	0.4 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,756</b>	<b>85.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1910-1915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1012\_08: Flavor of electronic nicotine product brand regularly/last used: Candy, desserts or other sweets

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Candy, desserts or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1503	4.4 %
2	2 = Not Marked	3563	10.5 %
	<b>Total</b>	<b>5,066</b>	<b>15.0%</b>

This variable has 5,066 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	0.4 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28588	84.5 %
<b>Total</b>		<b>28,756</b>	<b>85.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1916-1921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1012\_09: Flavor of electronic nicotine product brand regularly/last used: Some other flavor

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	128	0.4 %
2	2 = Not Marked	4938	14.6 %
<b>Total</b>		<b>5,066</b>	<b>15.0%</b>

This variable has 5,066 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	0.4 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28588	84.5 %
<b>Total</b>		<b>28,756</b>	<b>85.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1922-1927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1945: Know the name of brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] usually/last used

Do you know the name of the brand of [EPRODFILL2] you [usually use/usually used/last used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1416	4.2 %
2	2 = No	3793	11.2 %
	<b>Total</b>	<b>5,209</b>	<b>15.4%</b>

This variable has 5,209 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,613</b>	<b>84.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 1928-1933 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777, -9, -8, -7, -1)

---

## R04\_AV1048\_BRAND: Brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] usually/last used

What brand of [EPRODFILL2] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". /If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and know the name of the brand of electronic nicotine products they usually use or last used.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1)  
AND R04\_AV1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 1,341 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	63	0.2 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	32404	95.8 %
<b>Total</b>		<b>32,481</b>	<b>96.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1934-1939 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1051\_NN: How long used regular brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] - Number

About how long [did you use/have you been using] your regular brand of [EPRODFILL2]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine products.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

This variable has 1,338 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	5	0.0 %
-1	-1 = Inapplicable	32467	96.0 %
<b>Total</b>		<b>32,484</b>	<b>96.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1940-1945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AV1051\_UN: How long used regular brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] - Unit

About how long [did you use/have you been using] your regular brand of [EPRODFILL2]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine products.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

Value	Label	Unweighted Frequency	%
1	1 = Days	137	0.4 %
2	2 = Months	562	1.7 %
3	3 = Years	644	1.9 %
<b>Total</b>		<b>1,343</b>	<b>4.0%</b>

This variable has 1,343 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32477	96.0 %
<b>Total</b>		<b>32,479</b>	<b>96.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1946-1951 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1)

---

## R04\_AV0104: Brand of very last electronic nicotine product puff is same as brand regularly/last used

You said earlier that you last used an electronic nicotine product [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and last used an electronic nicotine product in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of electronic nicotine products they usually use or last used and selected a brand of electronic nicotine products.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_AV0100 = 1, 2, 3, 4 AND R04\_AV1945 = 1 AND R04\_AV1048\_BRAND != 9995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	206	0.6 %
2	2 = No	28	0.1 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

This variable has 234 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	110	0.3 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33476	99.0 %
	<b>Total</b>	<b>33,588</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 1952-1957 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1060\_RANDOM\_01: AV1060 series random question 1

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	28589	84.5 %
-97777	-	2	0.0 %
R04_AV1060	-	598	1.8 %
R04_AV1062	-	602	1.8 %
R04_AV1063	-	645	1.9 %
R04_AV1064	-	372	1.1 %
R04_AV1065	-	550	1.6 %
R04_AV1066	-	574	1.7 %
R04_AV1067	-	639	1.9 %
R04_AV1075	-	615	1.8 %
R04_AV1085	-	636	1.9 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1958-1967 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AV1060\_RANDOM\_02: AV1060 series random question 2

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	28589	84.5 %
-97777	-	2	0.0 %
R04_AV1060	-	608	1.8 %
R04_AV1062	-	587	1.7 %
R04_AV1063	-	628	1.9 %
R04_AV1064	-	386	1.1 %
R04_AV1065	-	612	1.8 %
R04_AV1066	-	610	1.8 %
R04_AV1067	-	580	1.7 %
R04_AV1075	-	624	1.8 %
R04_AV1085	-	596	1.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1968-1977 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AV1060\_RANDOM\_03: AV1060 series random question 3

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	28589	84.5 %
-97777	-	2	0.0 %

Value	Label	Unweighted Frequency	%
R04_AV1060	-	638	1.9 %
R04_AV1062	-	615	1.8 %
R04_AV1063	-	581	1.7 %
R04_AV1064	-	393	1.2 %
R04_AV1065	-	606	1.8 %
R04_AV1066	-	608	1.8 %
R04_AV1067	-	618	1.8 %
R04_AV1075	-	613	1.8 %
R04_AV1085	-	559	1.7 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1978-1987 (width: 10; decimal: 0)

*Variable Type:* character

#### **R04\_AV1060\_RANDOM\_04: AV1060 series random question 4**

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	28589	84.5 %
-97777	-	2	0.0 %
R04_AV1060	-	584	1.7 %
R04_AV1062	-	622	1.8 %
R04_AV1063	-	616	1.8 %
R04_AV1064	-	384	1.1 %
R04_AV1065	-	598	1.8 %
R04_AV1066	-	597	1.8 %
R04_AV1067	-	603	1.8 %
R04_AV1075	-	608	1.8 %
R04_AV1085	-	619	1.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1988-1997 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AV1060\_RANDOM\_05: AV1060 series random question 5

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	28589	84.5 %
-97777	-	2	0.0 %
R04_AV1060	-	622	1.8 %
R04_AV1062	-	571	1.7 %
R04_AV1063	-	567	1.7 %
R04_AV1064	-	375	1.1 %
R04_AV1065	-	641	1.9 %
R04_AV1066	-	619	1.8 %
R04_AV1067	-	655	1.9 %
R04_AV1075	-	601	1.8 %
R04_AV1085	-	580	1.7 %
		Total	33,822 100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 1998-2007 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AV1060\_RANDOM\_06: AV1060 series random question 6

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	28589	84.5 %
-97777	-	2	0.0 %
R04_AV1060	-	602	1.8 %
R04_AV1062	-	635	1.9 %
R04_AV1063	-	580	1.7 %

Value	Label	Unweighted Frequency	%
R04_AV1064	-	404	1.2 %
R04_AV1065	-	585	1.7 %
R04_AV1066	-	642	1.9 %
R04_AV1067	-	569	1.7 %
R04_AV1075	-	575	1.7 %
R04_AV1085	-	639	1.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 2008-2017 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AV1060\_RANDOM\_07: AV1060 series random question 7

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	28589	84.5 %
-97777	-	2	0.0 %
R04_AV1060	-	592	1.8 %
R04_AV1062	-	617	1.8 %
R04_AV1063	-	643	1.9 %
R04_AV1064	-	388	1.1 %
R04_AV1065	-	606	1.8 %
R04_AV1066	-	615	1.8 %
R04_AV1067	-	573	1.7 %
R04_AV1075	-	586	1.7 %
R04_AV1085	-	611	1.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 2018-2027 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AV1060\_RANDOM\_08: AV1060 series random question 8

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	28589	84.5 %
-97777	-	2	0.0 %
R04_AV1060	-	595	1.8 %
R04_AV1062	-	586	1.7 %
R04_AV1063	-	590	1.7 %
R04_AV1064	-	392	1.2 %
R04_AV1065	-	631	1.9 %
R04_AV1066	-	599	1.8 %
R04_AV1067	-	629	1.9 %
R04_AV1075	-	609	1.8 %
R04_AV1085	-	600	1.8 %
		Total	33,822 100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 2028-2037 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AV1060\_RANDOM\_09: AV1060 series random question 9

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AV1060 through R04\_AV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30372	89.8 %
-97777	-	2	0.0 %
R04_AV1060	-	392	1.2 %
R04_AV1062	-	396	1.2 %
R04_AV1063	-	381	1.1 %
R04_AV1064	-	354	1.0 %
R04_AV1065	-	402	1.2 %
R04_AV1066	-	367	1.1 %

Value	Label	Unweighted Frequency	%
R04_AV1067	-	365	1.1 %
R04_AV1075	-	400	1.2 %
R04_AV1085	-	391	1.2 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 2038-2047 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AV1060: Use/used electronic nicotine products because: They are/were affordable

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They [are/were] affordable.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

**ASK Specification:** IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2742	8.1 %
2	2 = No	2443	7.2 %
	<b>Total</b>	<b>5,185</b>	<b>15.3%</b>

This variable has 5,185 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,637</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2048-2053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1085: Use/used electronic nicotine products because: Can/Could use electronic nicotine products at times or in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

I [can/could] use electronic nicotine products at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3270	9.7 %
2	2 = No	1928	5.7 %
	<b>Total</b>	<b>5,198</b>	<b>15.4%</b>

This variable has 5,198 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,624</b>	<b>84.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2054-2059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1062: Use/used electronic nicotine products because: It might be/have been less harmful to me than smoking cigarettes

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3642	10.8 %
2	2 = No	1552	4.6 %
	<b>Total</b>	<b>5,194</b>	<b>15.4%</b>

This variable has 5,194 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	26	0.1 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	28588	84.5 %	
	<b>Total</b>	<b>28,628</b>	<b>84.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2060-2065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1075: Use/used electronic nicotine products because: They might be less harmful to people around me than cigarettes

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They might [be/have been] less harmful to people around me than cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3730	11.0 %
2	2 = No	1468	4.3 %
	<b>Total</b>	<b>5,198</b>	<b>15.4%</b>

This variable has 5,198 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	28588	84.5 %	
<b>Total</b>		<b>28,624</b>	<b>84.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2066-2071 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1063: Use/used electronic nicotine products because: electronic nicotine products come/came in flavors I like/liked

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

E-liquid [comes/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3787	11.2 %
2	2 = No	1405	4.2 %
<b>Total</b>		<b>5,192</b>	<b>15.4%</b>

This variable has 5,192 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
<b>Total</b>		<b>28,630</b>	<b>84.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2072-2077 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AV1064: Use/used electronic nicotine products because: Using them helps people quit smoking cigarettes

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

Using electronic nicotine products helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1)  
AND R04\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2163	6.4 %
2	2 = No	1269	3.8 %
	<b>Total</b>	<b>3,432</b>	<b>10.1%</b>

This variable has 3,432 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30371	89.8 %
	<b>Total</b>	<b>30,390</b>	<b>89.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2078-2083 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AV1065: Use/used electronic nicotine products because: They don't smell

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

Electronic nicotine products don't smell.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3156	9.3 %
2	2 = No	2036	6.0 %
	<b>Total</b>	<b>5,192</b>	<b>15.4%</b>

This variable has 5,192 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,630</b>	<b>84.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2084-2089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1066: Use/used electronic nicotine products because: Using an electronic nicotine product feels/felt like smoking a regular cigarette

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

Using an electronic nicotine product [feels/felt] like smoking a regular cigarette.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1832	5.4 %
2	2 = No	3367	10.0 %
	<b>Total</b>	<b>5,199</b>	<b>15.4%</b>

This variable has 5,199 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	28588	84.5 %	
<b>Total</b>		<b>28,623</b>	<b>84.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2090-2095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1067: Use/used electronic nicotine products because: Electronic nicotine products are/were more acceptable to non-tobacco users

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

Electronic nicotine products [are/were] more acceptable to non-tobacco users.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	3274	9.7 %
2	2 = No	1921	5.7 %
<b>Total</b>		<b>5,195</b>	<b>15.4%</b>

This variable has 5,195 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	12	0.0 %	
-1	-1 = Inapplicable	28588	84.5 %	
<b>Total</b>		<b>28,627</b>	<b>84.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2096-2101 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AV1086: In the past 30 days, used an electronic nicotine products at times when could not smoke regular cigarettes

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AVR51]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and are current established or current experimental cigarette smokers.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1)  
AND R04\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1050	3.1 %
2	2 = No	1371	4.1 %
	<b>Total</b>	<b>2,421</b>	<b>7.2%</b>

This variable has 2,421 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31387	92.8 %
	<b>Total</b>	<b>31,401</b>	<b>92.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2102-2107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AV1087: Frequency of using electronic nicotine products at times when could not smoke regular cigarettes

How often [do/did] you use an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and are current established or current experimental cigarette smokers and have used electronic nicotine products at times when or in places where they could not smoke regular cigarettes.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2 OR  
 R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_CIG\_USER\_STATUS = 1, 2  
 AND R04\_AV1086 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	226	0.7 %
2	2 = Some days	507	1.5 %
3	3 = Rarely	316	0.9 %
<b>Total</b>		<b>1,049</b>	<b>3.1%</b>

This variable has 1,049 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32770	96.9 %
<b>Total</b>		<b>32,773</b>	<b>96.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2108-2113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AV9054: Number of cigarettes smoked on days both cigarettes and electronic nicotine products are used

On the days you use both cigarettes and electronic nicotine products, do you smoke...

ASK: Adult respondents who are current established or current experimental electronic nicotine product users and are current established or current experimental cigarette smokers.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2 AND R04\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Fewer cigarettes than usual	1313	3.9 %
2	2 = The same amount of cigarettes	403	1.2 %
3	3 = More cigarettes than usual	70	0.2 %
<b>Total</b>		<b>1,786</b>	<b>5.3%</b>

This variable has 1,786 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	25	0.1 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	32001	94.6 %	
<b>Total</b>		<b>32,036</b>	<b>94.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2114-2119 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1080: Use/used electronic nicotine products as a way of cutting down on your cigarette smoking

[Do/Did] you use electronic nicotine products as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR

R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R04\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1954	5.8 %
2	2 = No	1136	3.4 %
<b>Total</b>		<b>3,090</b>	<b>9.1%</b>

This variable has 3,090 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	30718	90.8 %
<b>Total</b>		<b>30,732</b>	<b>90.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2120-2125 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1139: Level of agreement: It is/was easier to talk and get along with other people when using an electronic nicotine product

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using an electronic nicotine product.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2723	8.1 %
2	2 = 2 on a scale of 1 to 4	1026	3.0 %
3	3 = 3 on a scale of 1 to 4	907	2.7 %
4	4 = Very true of me	527	1.6 %
	<b>Total</b>	<b>5,183</b>	<b>15.3%</b>

This variable has 5,183 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,639</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2126-2131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1140: Level of agreement: Feel/felt more confident with other people while using an electronic nicotine product

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

While using an electronic nicotine product, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	3195	9.4 %
2	2 = 2 on a scale of 1 to 4	994	2.9 %

Value	Label	Unweighted Frequency	%
3	3 = 3 on a scale of 1 to 4	649	1.9 %
4	4 = Very true of me	334	1.0 %
	<b>Total</b>	<b>5,172</b>	<b>15.3%</b>

This variable has 5,172 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	37	0.1 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	28588	84.5 %
	<b>Total</b>	<b>28,650</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2132-2137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1141: Level of agreement: Use/used electronic nicotine products much more when with other people

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

I [use/used] electronic nicotine products much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2485	7.3 %
2	2 = 2 on a scale of 1 to 4	1027	3.0 %
3	3 = 3 on a scale of 1 to 4	915	2.7 %
4	4 = Very true of me	757	2.2 %
	<b>Total</b>	<b>5,184</b>	<b>15.3%</b>

This variable has 5,184 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.1 %

Missing Data				
-7	-7 = Refused		18	0.1 %
-1	-1 = Inapplicable		28588	84.5 %
<b>Total</b>			<b>28,638</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2138-2143 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV9042: Ever used marijuana concentrates, marijuana waxes, THC or hash oils in electronic nicotine product

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

(Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't Know (-8), or Refused (-7), GO TO THE NEXT SECTION (SEE NOTE IN BOX R04\_AMD07)]

ASK: Adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4799	14.2 %
2	2 = No	8456	25.0 %
	<b>Total</b>	<b>13,255</b>	<b>39.2%</b>

This variable has 13,255 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	18	0.1 %	
-7	-7 = Refused	20	0.1 %	
-1	-1 = Inapplicable	20527	60.7 %	
<b>Total</b>		<b>20,567</b>	<b>60.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2144-2149 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV9106: When used an electronic nicotine product, how often use it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils

When you have used an electronic product, how often were you using it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils?

[If In the Past Hour (1), Go to R04\_AM0103. If Three or more days ago (5), Don't Know (-8), or Refused (-7), GO TO THE NEXT SECTION (SEE NOTE IN BOX R04\_AMD07)]

ASK: Adult respondents who have ever used an electronic nicotine product and have ever used marijuana in an electronic product.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV9042 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	675	2.0 %
2	2 = Most of the time	666	2.0 %
3	3 = Sometimes	889	2.6 %
4	4 = Rarely	1486	4.4 %
5	5 = Never	1079	3.2 %
<b>Total</b>		<b>4,795</b>	<b>14.2%</b>

This variable has 4,795 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	29021	85.8 %
<b>Total</b>		<b>29,027</b>	<b>85.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2150-2155 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AM0100: When last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product

When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

[If In the past hour (1), Go to R04\_AM0103. If Three or more days ago (5), Don't Know (-8), or Refused (-7), GO TO THE NEXT SECTION (SEE NOTE IN BOX R04\_AMD07)]

ASK: Adult respondents who have ever used an electronic nicotine product and have ever used marijuana in an electronic product.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV9042 = 1 AND R04\_AV9106 != 5.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	204	0.6 %
2	2 = Sometime today	147	0.4 %
3	3 = Yesterday	327	1.0 %
4	4 = Day before yesterday	136	0.4 %
5	5 = Three or more days ago	2815	8.3 %
	<b>Total</b>	<b>3,629</b>	<b>10.7%</b>

This variable has 3,629 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	30100	89.0 %
	<b>Total</b>	<b>30,193</b>	<b>89.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2156-2161 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AM0102: Time period of day when you last used marijuana in electronic nicotine product

When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product [FILL BASED ON R04\_AM0100], was it...

ASK: Adult respondents who have ever used an electronic nicotine product and have ever used marijuana in an electronic nicotine product and last used marijuana in an electronic product sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV9042 = 1 AND R04\_AV9106 != 5 AND R04\_AM0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	87	0.3 %
2	2 = After 6AM but before noon	102	0.3 %
3	3 = Between noon and 6PM	173	0.5 %
4	4 = After 6PM but before midnight	243	0.7 %
	<b>Total</b>	<b>605</b>	<b>1.8%</b>

This variable has 605 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33210	98.2 %
	<b>Total</b>	<b>33,217</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2162-2167 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AM0103: Number of puffs of marijuana taken from an electronic nicotine product today/yesterday/day before yesterday

How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an electronic product [have/did] you [taken/take] [FILL BASED ON R04\_AM0100]?

[If Don't Know (-8) or Refused (-7), GO TO THE NEXT SECTION (SEE NOTE IN BOX R04\_AMD07)]

ASK: Adult respondents who have ever used an electronic nicotine product and have ever used marijuana in an electronic nicotine product and last used marijuana in an electronic product in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_AV9042 = 1 AND R04\_AV9106 != 5  
AND R04\_AM0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 805 valid cases out of 33,822 total cases.

- Mean: 11.96
- Median: 5.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 881.00
- Standard Deviation: 45.96

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	4	0.0 %
-1	-1 = Inapplicable	33006	97.6 %
	<b>Total</b>	<b>33,017</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2168-2173 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AJ1008TC: When first started smoking traditional cigars as blunts, smoked blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking traditional cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), GO TO R04\_AJ9030[TC/CG/FC]]

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BTRAD\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BTRAD = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	157	0.5 %
2	2 = No	132	0.4 %
3	3 = I don't know	25	0.1 %
<b>Total</b>		<b>314</b>	<b>0.9%</b>

This variable has 314 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33506	99.1 %	
<b>Total</b>		<b>33,508</b>	<b>99.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2174-2179 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1011TC\_01: Flavor of traditional cigar used as blunts when first started smoking: Menthol or mint

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar

for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BTRAD\_ADULT = 1 AND R04\_AJ1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.1 %
2	2 = Not Marked	132	0.4 %
	<b>Total</b>	<b>157</b>	<b>0.5%</b>

This variable has 157 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33663	99.5 %
	<b>Total</b>	<b>33,665</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2180-2185 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1011TC\_02: Flavor of traditional cigar used as blunts when first started smoking: Clove or spice

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BTRAD\_ADULT = 1 AND R04\_AJ1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	151	0.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>157</b>	<b>0.5%</b>

This variable has 157 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33663	99.5 %
	<b>Total</b>	<b>33,665</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2186-2191 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1011TC\_03: Flavor of traditional cigar used as blunts when first started smoking: Fruit

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BTRAD\_ADULT = 1 AND R04\_AJ1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	119	0.4 %
2	2 = Not Marked	38	0.1 %
	<b>Total</b>	<b>157</b>	<b>0.5%</b>

This variable has 157 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33663	99.5 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,665</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2192-2197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1011TC\_04: Flavor of traditional cigar used as blunts when first started smoking: Chocolate

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BTRAD\_ADULT = 1 AND R04\_AJ1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.1 %
2	2 = Not Marked	116	0.3 %
	<b>Total</b>	<b>157</b>	<b>0.5%</b>

This variable has 157 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33663	99.5 %
	<b>Total</b>	<b>33,665</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2198-2203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1011TC\_05: Flavor of traditional cigar used as blunts when first started smoking: An alcoholic drink

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BTRAD\_ADULT = 1 AND R04\_AJ1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.1 %
2	2 = Not Marked	138	0.4 %
	<b>Total</b>	<b>157</b>	<b>0.5%</b>

This variable has 157 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33663	99.5 %
	<b>Total</b>	<b>33,665</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2204-2209 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1011TC\_06: Flavor of traditional cigar used as blunts when first started smoking: Candy or other sweets

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BTRAD\_ADULT = 1 AND R04\_AJ1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	53	0.2 %
2	2 = Not Marked	104	0.3 %
	<b>Total</b>	<b>157</b>	<b>0.5%</b>

This variable has 157 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33663	99.5 %
	<b>Total</b>	<b>33,665</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2210-2215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1011TC\_07: Flavor of traditional cigar used as blunts when first started smoking: Some other flavor

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BTRAD\_ADULT = 1 AND R04\_AJ1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	154	0.5 %
	<b>Total</b>	<b>157</b>	<b>0.5%</b>

This variable has 157 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33663	99.5 %	
<b>Total</b>		<b>33,665</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2216-2221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ9030TC: In past 30 days, smoked a traditional cigar as a blunt, even one or two puffs

In the past 30 days, have you smoked a traditional cigar as a blunt, even one or two puffs?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AJ9029.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	339	1.0 %
2	2 = No	155	0.5 %
<b>Total</b>		<b>494</b>	<b>1.5%</b>

This variable has 494 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33323	98.5 %	
<b>Total</b>		<b>33,328</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2222-2227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1022TC: In past 30 days, number of days smoked traditional cigars as blunts

On how many of the past 30 days did you smoke traditional cigars as blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1.

[PROGRAM NOTE: Range check: 0-30 days. ]

This variable has 339 valid cases out of 33,822 total cases.

- Mean: 13.42
- Median: 10.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 11.69

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33481	99.0 %
<b>Total</b>		<b>33,483</b>	<b>99.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2228-2233 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AJ9029TC\_NN: Time since last smoked traditional cigar as blunt - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a traditional cigar as a blunt?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1030TC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND (R04\_AJ9030TC = 2, -8, -7 OR (R04\_AJ9030TC = 1 AND R04\_AJ1022TC = 0)).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 118 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	42	0.1 %	
-1	-1 = Inapplicable	33658	99.5 %	
<b>Total</b>		<b>33,704</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2234-2239 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AJ9029TC\_UN: Time since last smoked traditional cigar as blunt - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a traditional cigar as a blunt?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1030TC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND (R04\_AJ9030TC = 2, -8, -7 OR (R04\_AJ9030TC = 1 AND R04\_AJ1022TC = 0)).

[PROGRAM NOTE: Display as Quantity/Units. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Days	47	0.1 %
2	2 = Months	86	0.3 %
3	3 = Years	27	0.1 %
<b>Total</b>		<b>160</b>	<b>0.5%</b>

This variable has 160 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33660	99.5 %	
<b>Total</b>		<b>33,662</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2240-2245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1023TC: In past 30 days, average number of traditional cigars as blunts smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R04\_AJ1022TC days/days you smoked], how many traditional cigars did you usually smoke as a blunt each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to R04\_AJ9012TC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0.

This variable has 334 valid cases out of 33,822 total cases.

- Mean: 2.75
- Median: 2.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 30.00
- Standard Deviation: 4.94

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	1	0.0 %	
-1	-1 = Inapplicable	33485	99.0 %	
<b>Total</b>		<b>33,488</b>	<b>99.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2246-2251 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AJ9012TC: Usually share traditional cigars as blunts with others when you smoke them

Do you usually share blunts with others when you smoke them?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	283	0.8 %
2	2 = No	51	0.2 %
	<b>Total</b>	<b>334</b>	<b>1.0%</b>

This variable has 334 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33485	99.0 %
	<b>Total</b>	<b>33,488</b>	<b>99.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2252-2257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AJ0100TC: When last smoked a traditional cigar as a blunt

When did you last smoke a traditional cigar as a blunt?

[If In the past hour (1), Go to R04\_AJ0103TC; If Three or more days ago (5), Don't Know (-8), or Refused (-7), GO TO R04\_AJ1130TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	51	0.2 %
2	2 = Sometime today	36	0.1 %
3	3 = Yesterday	96	0.3 %
4	4 = Day before yesterday	28	0.1 %
5	5 = Three or more days ago	121	0.4 %
	<b>Total</b>	<b>332</b>	<b>1.0%</b>

This variable has 332 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33485	99.0 %
<b>Total</b>		<b>33,490</b>	<b>99.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2258-2263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ0102TC: Time period of day when you last smoked a traditional cigar as a blunt

When you last smoked a traditional cigar as a blunt [FILL BASED ON R04\_AJ0100TC], was it...

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0 AND R04\_AJ0100TC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	29	0.1 %
2	2 = After 6AM but before noon	25	0.1 %
3	3 = Between noon and 6PM	42	0.1 %
4	4 = After 6PM but before midnight	64	0.2 %
<b>Total</b>		<b>160</b>	<b>0.5%</b>

This variable has 160 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33660	99.5 %
<b>Total</b>		<b>33,662</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2264-2269 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ0103TC: Number of traditional cigars as a blunt smoked today/yesterday/day before yesterday

How many traditional cigars [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R04\_AJ0100TC]?  
(If less than 1, enter 1.)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0 AND R04\_AJ0100TC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 211 valid cases out of 33,822 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.31

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33609	99.4 %	
<b>Total</b>		<b>33,611</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2270-2275 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AJ1130TC: In past 30 days, any of the traditional cigars smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the traditional cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AJ1030TC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	164	0.5 %
2	2 = No	144	0.4 %
3	3 = I don't know	27	0.1 %
<b>Total</b>		<b>335</b>	<b>1.0%</b>

This variable has 335 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33485	99.0 %	
<b>Total</b>		<b>33,487</b>	<b>99.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2276-2281 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1131TC\_01: In past 30 days, traditional cigar as blunts flavor smoked: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0 AND R04\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.1 %
2	2 = Not Marked	141	0.4 %
<b>Total</b>		<b>163</b>	<b>0.5%</b>

This variable has 163 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33656	99.5 %
<b>Total</b>		<b>33,659</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2282-2287 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1131TC\_02: In past 30 days, traditional cigar as blunts flavor smoked: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0 AND R04\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	4	0.0 %
2	2 = Not Marked	159	0.5 %
<b>Total</b>		<b>163</b>	<b>0.5%</b>

This variable has 163 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33656	99.5 %
<b>Total</b>		<b>33,659</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2288-2293 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131TC\_03: In past 30 days, traditional cigar as blunts flavor smoked: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0 AND R04\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	123	0.4 %
2	2 = Not Marked	40	0.1 %
	<b>Total</b>	<b>163</b>	<b>0.5%</b>

This variable has 163 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33656	99.5 %
	<b>Total</b>	<b>33,659</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2294-2299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131TC\_04: In past 30 days, traditional cigar as blunts flavor smoked: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC

!= 0 AND R04\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.1 %
2	2 = Not Marked	136	0.4 %
	<b>Total</b>	<b>163</b>	<b>0.5%</b>

This variable has 163 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33656	99.5 %
	<b>Total</b>	<b>33,659</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2300-2305 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1131TC\_05: In past 30 days, traditional cigar as blunts flavor smoked: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0 AND R04\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	149	0.4 %
	<b>Total</b>	<b>163</b>	<b>0.5%</b>

This variable has 163 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33656	99.5 %	
<b>Total</b>		<b>33,659</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2306-2311 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1131TC\_06: In past 30 days, traditional cigar as blunts flavor smoked: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0 AND R04\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	46	0.1 %
2	2 = Not Marked	117	0.3 %
<b>Total</b>		<b>163</b>	<b>0.5%</b>

This variable has 163 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33656	99.5 %	
<b>Total</b>		<b>33,659</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2312-2317 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AJ1131TC\_07: In past 30 days, traditional cigar as blunts flavor smoked: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0 AND R04\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	159	0.5 %
	<b>Total</b>	<b>163</b>	<b>0.5%</b>

This variable has 163 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33656	99.5 %
	<b>Total</b>	<b>33,659</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2318-2323 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AJ1147TC: How often smoked flavored traditional cigars as blunts on days smoked in past 30 days

On the days you smoked traditional cigars as blunts in the past 30 days, how often did you smoke flavored traditional cigars?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ9030TC = 1 AND R04\_AJ1022TC != 0 AND R04\_AJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	76	0.2 %
2	2 = Most of the time	33	0.1 %
3	3 = Sometimes	32	0.1 %
4	4 = Rarely	10	0.0 %
5	5 = Never	13	0.0 %
	<b>Total</b>	<b>164</b>	<b>0.5%</b>

This variable has 164 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33656	99.5 %
	<b>Total</b>	<b>33,658</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2324-2329 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1030TC: How you usually buy your traditional cigars as blunts

How do you usually buy traditional cigars for yourself when you smoke blunts?

[If From the internet (2) or By telephone (3), Go to R04\_AJ1039TC. If I do not buy my own traditional cigars for blunts (4), Don't Know (-8), or Refused (-7), Go to R04\_AJ1047TC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	409	1.2 %
2	2 = From the internet	5	0.0 %
3	3 = By telephone	1	0.0 %
4	4 = I do not buy my own traditional cigars for blunts	81	0.2 %
	<b>Total</b>	<b>496</b>	<b>1.5%</b>

This variable has 496 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33323	98.5 %	
<b>Total</b>		<b>33,326</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2330-2335 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1032TC: Geographic area where you usually buy your traditional cigars for blunts

Do you usually buy traditional cigars for blunts...?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1030TC = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = In your own state	404	1.2 %
2	2 = In another state	4	0.0 %
3	3 = Outside the US	1	0.0 %
<b>Total</b>		<b>409</b>	<b>1.2%</b>

This variable has 409 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33411	98.8 %	
<b>Total</b>		<b>33,413</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2336-2341 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1033TC: Retail location where your traditional cigars for blunts are purchased most of the time

Where do you buy your traditional cigars for blunts most of the time?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	11	0.0 %
2	2 = A convenience store or gas station	326	1.0 %
3	3 = A supermarket, grocery store, or drug store	22	0.1 %
4	4 = A warehouse club, such as Sam's or Costco	2	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	29	0.1 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = A liquor store	17	0.1 %
11	11 = Somewhere else	0	0.0 %
<b>Total</b>		<b>407</b>	<b>1.2%</b>

This variable has 407 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33411	98.8 %
<b>Total</b>		<b>33,415</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2342-2347 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1039TC: Usually buy traditional cigars for blunts by the box, pack or as singles

Do you usually buy traditional cigars for blunts by the box or pack, or as single traditional cigars?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1030TC = 1, 2, 3.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Box or pack	171	0.5 %
2	2 = Single traditional cigars	243	0.7 %
	<b>Total</b>	<b>414</b>	<b>1.2%</b>

This variable has 414 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33405	98.8 %
	<b>Total</b>	<b>33,408</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2348-2353 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AJ1040TC: Number of traditional cigars for blunts come in box or pack usually buy

How many traditional cigars come in the box or pack that you usually buy for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1030TC = 1, 2, 3 AND R04\_AJ1039TC = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 170 valid cases out of 33,822 total cases.

- Mean: 4.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 9.38

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	33649	99.5 %
	<b>Total</b>	<b>33,652</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2354-2359 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AJ1042TC\_D: Amount usually paid for a box or pack of traditional cigars for blunts - Dollars

How much do you usually pay for a box or pack of traditional cigars for blunts?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1047TC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1030TC = 1, 2, 3 AND R04\_AJ1039TC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 170 valid cases out of 33,822 total cases.

- Mean: 5.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 25.67

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33649	99.5 %	
	<b>Total</b>	<b>33,652</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2360-2365 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AJ1042TC\_C: Amount usually paid for a box or pack of traditional cigars for blunts - Cents

How much do you usually pay for a box or pack of traditional cigars for blunts?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1047TC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1030TC = 1, 2, 3 AND R04\_AJ1039TC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 170 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33650	99.5 %
<b>Total</b>		<b>33,652</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2366-2371 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AJ1043TC\_D: Amount usually paid for a single traditional cigar for a blunt - Dollars

How much do you usually pay for a single traditional cigar for a blunt?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1030TC = 1, 2, 3 AND R04\_AJ1039TC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 241 valid cases out of 33,822 total cases.

- Mean: 1.54
- Median: 1.00
- Mode: 1.00

- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 4.33

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33577	99.3 %
<b>Total</b>		<b>33,581</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2372-2377 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AJ1043TC\_C: Amount usually paid for a single traditional cigar for a blunt - Cents

How much do you usually pay for a single traditional cigar for a blunt?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1030TC = 1, 2, 3 AND R04\_AJ1039TC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 241 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33579	99.3 %
<b>Total</b>		<b>33,581</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2378-2383 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AJ1047TC: Have a regular brand of traditional cigars you usually use for blunts

Do you have a regular brand of traditional cigars that you usually use for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	275	0.8 %
2	2 = No	220	0.7 %
	<b>Total</b>	<b>495</b>	<b>1.5%</b>

This variable has 495 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33323	98.5 %	
	<b>Total</b>	<b>33,327</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2384-2389 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1050TC: Regular/last brand of traditional cigars smoked as blunts was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AJ1945TC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	238	0.7 %
2	2 = No	210	0.6 %
3	3 = I don't know	49	0.1 %
	<b>Total</b>	<b>497</b>	<b>1.5%</b>

This variable has 497 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33323	98.5 %	
<b>Total</b>		<b>33,325</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2390-2395 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012TC\_01: Traditional cigar as blunts flavor usually/last smoked: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	34	0.1 %
2	2 = Not Marked	204	0.6 %
<b>Total</b>		<b>238</b>	<b>0.7%</b>

This variable has 238 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33582	99.3 %	
<b>Total</b>		<b>33,584</b>	<b>99.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2396-2401 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1012TC\_02: Traditional cigar as blunts flavor usually/last smoked: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	230	0.7 %
	<b>Total</b>	<b>238</b>	<b>0.7%</b>

This variable has 238 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33582	99.3 %
	<b>Total</b>	<b>33,584</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2402-2407 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1012TC\_03: Traditional cigar as blunts flavor usually/last smoked: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	182	0.5 %
2	2 = Not Marked	56	0.2 %
	<b>Total</b>	<b>238</b>	<b>0.7%</b>

This variable has 238 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33582	99.3 %
	<b>Total</b>	<b>33,584</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2408-2413 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012TC\_04: Traditional cigar as blunts flavor usually/last smoked: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	43	0.1 %
2	2 = Not Marked	195	0.6 %
	<b>Total</b>	<b>238</b>	<b>0.7%</b>

This variable has 238 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33582	99.3 %
	<b>Total</b>	<b>33,584</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2414-2419 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012TC\_05: Traditional cigar as blunts flavor usually/last smoked: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.0 %
2	2 = Not Marked	222	0.7 %
	<b>Total</b>	<b>238</b>	<b>0.7%</b>

This variable has 238 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33582	99.3 %
	<b>Total</b>	<b>33,584</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2420-2425 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012TC\_06: Traditional cigar as blunts flavor usually/last smoked: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	67	0.2 %
2	2 = Not Marked	171	0.5 %
	<b>Total</b>	<b>238</b>	<b>0.7%</b>

This variable has 238 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33582	99.3 %
	<b>Total</b>	<b>33,584</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2426-2431 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AJ1012TC\_07: Traditional cigar as blunts flavor usually/last smoked: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	233	0.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>238</b>	<b>0.7%</b>

This variable has 238 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33582	99.3 %
	<b>Total</b>	<b>33,584</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2432-2437 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1945TC: Know the name of brand of traditional cigars for blunts usually/last smoked

Do you know the name of the brand of traditional cigars that you [usually use/last used] for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	319	0.9 %
2	2 = No	178	0.5 %
	<b>Total</b>	<b>497</b>	<b>1.5%</b>

This variable has 497 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33323	98.5 %
	<b>Total</b>	<b>33,325</b>	<b>98.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2438-2443 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1048TC\_BRAND: Brand of traditional cigars for blunts usually/last smoked

What brand of traditional cigar for blunts [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1945TC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 319 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33501	99.1 %
<b>Total</b>		<b>33,503</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2444-2449 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AJ1070TC\_PRODUCT: Sub-brand of traditional cigar as a blunt product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BTRAD = 1 AND R04\_AJ1945TC = 1 AND R04\_AJ1048TC\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AJ1048[TC/CG/FC]\_BRAND.]

This variable has 303 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33515	99.1 %
<b>Total</b>		<b>33,519</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2450-2455 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1008CG: When first started smoking cigarillos as blunts, smoked blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking cigarillos as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), GO TO R04\_AJ9030[TC/CG/FC]]

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BRILLO\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BRILLO = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	474	1.4 %
2	2 = No	272	0.8 %
3	3 = I don't know	69	0.2 %
<b>Total</b>		<b>815</b>	<b>2.4%</b>

This variable has 815 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33003	97.6 %
<b>Total</b>		<b>33,007</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2456-2461 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1011CG\_01: Flavor of cigarillo used as blunts when first started smoking: Menthol or mint

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BRILLO\_ADULT = 1 AND R04\_AJ1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	48	0.1 %
2	2 = Not Marked	425	1.3 %
	<b>Total</b>	<b>473</b>	<b>1.4%</b>

This variable has 473 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33346	98.6 %
	<b>Total</b>	<b>33,349</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2462-2467 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1011CG\_02: Flavor of cigarillo used as blunts when first started smoking: Clove or spice

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar

for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BRILLO\_ADULT = 1 AND R04\_AJ1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.0 %
2	2 = Not Marked	457	1.4 %
	<b>Total</b>	<b>473</b>	<b>1.4%</b>

This variable has 473 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33346	98.6 %
	<b>Total</b>	<b>33,349</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2468-2473 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

### R04\_AJ1011CG\_03: Flavor of cigarillo used as blunts when first started smoking: Fruit

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BRILLO\_ADULT = 1 AND R04\_AJ1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	401	1.2 %
2	2 = Not Marked	72	0.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>473</b>	<b>1.4%</b>

This variable has 473 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33346	98.6 %
	<b>Total</b>	<b>33,349</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2474-2479 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1011CG\_04: Flavor of cigarillo used as blunts when first started smoking: Chocolate

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BRILLO\_ADULT = 1 AND R04\_AJ1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	64	0.2 %
2	2 = Not Marked	409	1.2 %
	<b>Total</b>	<b>473</b>	<b>1.4%</b>

This variable has 473 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33346	98.6 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,349</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2480-2485 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AJ1011CG\_05: Flavor of cigarillo used as blunts when first started smoking: An alcoholic drink

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BRILLO\_ADULT = 1 AND R04\_AJ1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.1 %
2	2 = Not Marked	446	1.3 %
	<b>Total</b>	<b>473</b>	<b>1.4%</b>

This variable has 473 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33346	98.6 %
	<b>Total</b>	<b>33,349</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2486-2491 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AJ1011CG\_06: Flavor of cigarillo used as blunts when first started smoking: Candy or other sweets

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BRILLO\_ADULT = 1 AND R04\_AJ1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	137	0.4 %
2	2 = Not Marked	336	1.0 %
	<b>Total</b>	<b>473</b>	<b>1.4%</b>

This variable has 473 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33346	98.6 %
	<b>Total</b>	<b>33,349</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2492-2497 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1011CG\_07: Flavor of cigarillo used as blunts when first started smoking: Some other flavor

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BRILLO\_ADULT = 1 AND R04\_AJ1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	465	1.4 %
	<b>Total</b>	<b>473</b>	<b>1.4%</b>

This variable has 473 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33346	98.6 %
	<b>Total</b>	<b>33,349</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2498-2503 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ9030CG: In past 30 days, smoked a cigarillo as a blunt, even one or two puffs

In the past 30 days, have you smoked a cigarillo as a blunt, even one or two puffs?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AJ9029.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1342	4.0 %
2	2 = No	690	2.0 %
	<b>Total</b>	<b>2,032</b>	<b>6.0%</b>

This variable has 2,032 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31787	94.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>31,790</b>	<b>94.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2504-2509 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1022CG: In past 30 days, number of days smoked cigarillos as blunts

On how many of the past 30 days did you smoke cigarillos as blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 1,335 valid cases out of 33,822 total cases.

- Mean: 12.13
- Median: 6.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 11.34

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32478	96.0 %
	<b>Total</b>	<b>32,487</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2510-2515 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AJ9029CG\_NN: Time since last smoked cigarillo as blunt - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a cigarillo as a blunt?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1030CG.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar

smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND (R04\_AJ9030CG = 2, -8, -7 OR (R04\_AJ9030CG = 1 AND R04\_AJ1022CG = 0)).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 617 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	73	0.2 %	
-1	-1 = Inapplicable	33119	97.9 %	
<b>Total</b>		<b>33,205</b>	<b>98.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2516-2521 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AJ9029CG\_UN: Time since last smoked cigarillo as blunt - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a cigarillo as a blunt?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1030CG.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND (R04\_AJ9030CG = 2, -8, -7 OR (R04\_AJ9030CG = 1 AND R04\_AJ1022CG = 0)).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	87	0.3 %
2	2 = Months	536	1.6 %
3	3 = Years	67	0.2 %
<b>Total</b>		<b>690</b>	<b>2.0%</b>

This variable has 690 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33130	98.0 %
<b>Total</b>		<b>33,132</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2522-2527 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1023CG: In past 30 days, average number of cigarillos as blunts smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R04\_AJ1022CG days/days you smoked], how many cigarillos did you usually smoke as a blunt each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to R04\_AJ9012CG.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0.

This variable has 1,325 valid cases out of 33,822 total cases.

- Mean: 2.01
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 69.00
- Standard Deviation: 4.96

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	32488	96.1 %
<b>Total</b>		<b>32,497</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2528-2533 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AJ9012CG: Usually share cigarillos as blunts with others when you smoke them

Do you usually share blunts with others when you smoke them?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1213	3.6 %
2	2 = No	118	0.3 %
	<b>Total</b>	<b>1,331</b>	<b>3.9%</b>

This variable has 1,331 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32488	96.1 %	
	<b>Total</b>	<b>32,491</b>	<b>96.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2534-2539 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AJ0100CG: When last smoked a cigarillo as a blunt

When did you last smoke a cigarillo as a blunt?

[If In the past hour (1), Go to R04\_AJ0103CG; If Three or more days ago (5), Don't Know (-8), or Refused (-7), GO TO R04\_AJ1130CG]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	139	0.4 %
2	2 = Sometime today	121	0.4 %
3	3 = Yesterday	360	1.1 %
4	4 = Day before yesterday	122	0.4 %
5	5 = Three or more days ago	580	1.7 %
	<b>Total</b>	<b>1,322</b>	<b>3.9%</b>

This variable has 1,322 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32488	96.1 %
	<b>Total</b>	<b>32,500</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2540-2545 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ0102CG: Time period of day when you last smoked a cigarillo as a blunt

When you last smoked a cigarillo as a blunt [FILL BASED ON R04\_AJ0100CG], was it...

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0 AND R04\_AJ0100CG = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	118	0.3 %
2	2 = After 6AM but before noon	84	0.2 %
3	3 = Between noon and 6PM	148	0.4 %
4	4 = After 6PM but before midnight	251	0.7 %
	<b>Total</b>	<b>601</b>	<b>1.8%</b>

This variable has 601 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33217	98.2 %
	<b>Total</b>	<b>33,221</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2546-2551 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ0103CG: Number of cigarillos as blunts smoked today/yesterday/day before yesterday

How many cigarillos [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R04\_AJ0100CG]?  
(If less than 1, enter 1.)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0  
AND R04\_AJ0100CG = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits. ]

This variable has 740 valid cases out of 33,822 total cases.

- Mean: 2.10
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 78.00
- Standard Deviation: 3.78

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33078	97.8 %
	<b>Total</b>	<b>33,082</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2552-2557 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AJ1130CG: In past 30 days, any of the cigarillos smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the cigarillos that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AJ1030CG.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	806	2.4 %
2	2 = No	444	1.3 %
3	3 = I don't know	81	0.2 %
<b>Total</b>		<b>1,331</b>	<b>3.9%</b>

This variable has 1,331 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32488	96.1 %
<b>Total</b>		<b>32,491</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2558-2563 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AJ1131CG\_01: In past 30 days, cigarillo as blunts flavor smoked: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0 AND R04\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	80	0.2 %
2	2 = Not Marked	723	2.1 %
	<b>Total</b>	<b>803</b>	<b>2.4%</b>

This variable has 803 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33014	97.6 %
	<b>Total</b>	<b>33,019</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2564-2569 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131CG\_02: In past 30 days, cigarillo as blunts flavor smoked: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0 AND R04\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	782	2.3 %
	<b>Total</b>	<b>803</b>	<b>2.4%</b>

This variable has 803 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33014	97.6 %
	<b>Total</b>	<b>33,019</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2570-2575 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131CG\_03: In past 30 days, cigarillo as blunts flavor smoked: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0 AND R04\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	660	2.0 %
2	2 = Not Marked	143	0.4 %
	<b>Total</b>	<b>803</b>	<b>2.4%</b>

This variable has 803 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33014	97.6 %
	<b>Total</b>	<b>33,019</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2576-2581 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AJ1131CG\_04: In past 30 days, cigarillo as blunts flavor smoked: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0 AND R04\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	104	0.3 %
2	2 = Not Marked	699	2.1 %
	<b>Total</b>	<b>803</b>	<b>2.4%</b>

This variable has 803 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33014	97.6 %
	<b>Total</b>	<b>33,019</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2582-2587 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1131CG\_05: In past 30 days, cigarillo as blunts flavor smoked: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0 AND R04\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	57	0.2 %
2	2 = Not Marked	746	2.2 %
	<b>Total</b>	<b>803</b>	<b>2.4%</b>

This variable has 803 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33014	97.6 %
	<b>Total</b>	<b>33,019</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2588-2593 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131CG\_06: In past 30 days, cigarillo as blunts flavor smoked: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0 AND R04\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	255	0.8 %
2	2 = Not Marked	548	1.6 %
	<b>Total</b>	<b>803</b>	<b>2.4%</b>

This variable has 803 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33014	97.6 %
	<b>Total</b>	<b>33,019</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2594-2599 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131CG\_07: In past 30 days, cigarillo as blunts flavor smoked: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0 AND R04\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	19	0.1 %
2	2 = Not Marked	784	2.3 %
	<b>Total</b>	<b>803</b>	<b>2.4%</b>

This variable has 803 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33014	97.6 %
	<b>Total</b>	<b>33,019</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2600-2605 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1147CG: How often smoked flavored cigarillos as blunts on days smoked in past 30 days

On the days you smoked cigarillos as blunts in the past 30 days, how often did you smoke flavored cigarillos?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ9030CG = 1 AND R04\_AJ1022CG != 0 AND R04\_AJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	512	1.5 %
2	2 = Most of the time	144	0.4 %
3	3 = Sometimes	88	0.3 %
4	4 = Rarely	47	0.1 %
5	5 = Never	15	0.0 %
	<b>Total</b>	<b>806</b>	<b>2.4%</b>

This variable has 806 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33014	97.6 %
	<b>Total</b>	<b>33,016</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2606-2611 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1030CG: How you usually buy your cigarillos as blunts

How do you usually buy cigarillos for yourself when you smoke blunts?

[If From the internet (2) or By telephone (3), Go to R04\_AJ1039CG. If I do not buy my own cigarillos for blunts (4), Don't Know (-8), or Refused (-7), Go to R04\_AJ1047CG.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	1528	4.5 %
2	2 = From the internet	2	0.0 %
3	3 = By telephone	5	0.0 %
4	4 = I do not buy my own cigarillos for blunts	494	1.5 %
	<b>Total</b>	<b>2,029</b>	<b>6.0%</b>

This variable has 2,029 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31787	94.0 %
	<b>Total</b>	<b>31,793</b>	<b>94.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2612-2617 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1032CG: Geographic area where you usually buy your cigarillos for blunts

Do you usually buy cigarillos for blunts...?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1513	4.5 %
2	2 = In another state	12	0.0 %
3	3 = Outside the US	1	0.0 %
	<b>Total</b>	<b>1,526</b>	<b>4.5%</b>

This variable has 1,526 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32292	95.5 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>32,296</b>	<b>95.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2618-2623 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1033CG: Retail location where your cigarillos for blunts are purchased most of the time

Where do you buy your cigarillos for blunts most of the time?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	12	0.0 %
2	2 = A convenience store or gas station	1311	3.9 %
3	3 = A supermarket, grocery store, or drug store	51	0.2 %
4	4 = A warehouse club, such as Sam's or Costco	1	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	77	0.2 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	2	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = A liquor store	71	0.2 %
11	11 = Somewhere else	2	0.0 %
	<b>Total</b>	<b>1,527</b>	<b>4.5%</b>

This variable has 1,527 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32292	95.5 %
	<b>Total</b>	<b>32,295</b>	<b>95.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2624-2629 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AJ1039CG: Usually buy cigarillos for blunts by the box, pack or as singles

Do you usually buy cigarillos for blunts by the box or pack, or as single cigarillos?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1030CG = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	731	2.2 %
2	2 = Single cigarillos	802	2.4 %
	<b>Total</b>	<b>1,533</b>	<b>4.5%</b>

This variable has 1,533 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32285	95.5 %
	<b>Total</b>	<b>32,289</b>	<b>95.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2630-2635 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1040CG: Number of cigarillos for blunts come in box or pack usually buy

How many cigarillos come in the box or pack that you usually buy for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1030CG = 1, 2, 3 AND R04\_AJ1039CG = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 731 valid cases out of 33,822 total cases.

- Mean: 2.96
- Median: 2.00
- Mode: 2.00

- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 4.03

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33089	97.8 %
<b>Total</b>		<b>33,091</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2636-2641 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AJ1042CG\_D: Amount usually paid for a box or pack of cigarillos for blunts - Dollars

How much do you usually pay for a box or pack of cigarillos for blunts?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1047CG.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1030CG = 1, 2, 3 AND R04\_AJ1039CG = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. ]

This variable has 723 valid cases out of 33,822 total cases.

- Mean: 3.07
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 37.22

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33089	97.8 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,099</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2642-2647 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AJ1042CG\_C: Amount usually paid for a box or pack of cigarillos for blunts - Cents

How much do you usually pay for a box or pack of cigarillos for blunts?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1047CG.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1030CG = 1, 2, 3 AND R04\_AJ1039CG = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 723 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33097	97.9 %
	<b>Total</b>	<b>33,099</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2648-2653 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AJ1043CG\_D: Amount usually paid for a single cigarillo for a blunt - Dollars

How much do you usually pay for a single cigarillo for a blunt?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1030CG = 1, 2, 3 AND R04\_AJ1039CG = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 791 valid cases out of 33,822 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 4.82

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33018	97.6 %
<b>Total</b>		<b>33,031</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2654-2659 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AJ1043CG\_C: Amount usually paid for a single cigarillo for a blunt - Cents

How much do you usually pay for a single cigarillo for a blunt?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1030CG = 1, 2, 3 AND R04\_AJ1039CG = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 791 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33029	97.7 %
<b>Total</b>		<b>33,031</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2660-2665 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AJ1047CG: Have a regular brand of cigarillos you usually use for blunts

Do you have a regular brand of cigarillos that you usually use for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1154	3.4 %
2	2 = No	877	2.6 %
	<b>Total</b>	<b>2,031</b>	<b>6.0%</b>

This variable has 2,031 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31787	94.0 %
	<b>Total</b>	<b>31,791</b>	<b>94.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2666-2671 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1050CG: Regular/last brand of cigarillos smoked as blunts was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AJ1945CG.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1187	3.5 %
2	2 = No	606	1.8 %
3	3 = I don't know	237	0.7 %
<b>Total</b>		<b>2,030</b>	<b>6.0%</b>

This variable has 2,030 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	31787	94.0 %	
<b>Total</b>		<b>31,792</b>	<b>94.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2672-2677 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012CG\_01: Cigarillo as blunts flavor usually/last smoked: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	94	0.3 %
2	2 = Not Marked	1092	3.2 %
<b>Total</b>		<b>1,186</b>	<b>3.5%</b>

This variable has 1,186 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		32633	96.5 %
<b>Total</b>			<b>32,636</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2678-2683 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1012CG\_02: Cigarillo as blunts flavor usually/last smoked: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.1 %
2	2 = Not Marked	1153	3.4 %
<b>Total</b>		<b>1,186</b>	<b>3.5%</b>

This variable has 1,186 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32633	96.5 %	
<b>Total</b>		<b>32,636</b>	<b>96.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2684-2689 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1012CG\_03: Cigarillo as blunts flavor usually/last smoked: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1001	3.0 %
2	2 = Not Marked	185	0.5 %
	<b>Total</b>	<b>1,186</b>	<b>3.5%</b>

This variable has 1,186 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32633	96.5 %
	<b>Total</b>	<b>32,636</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2690-2695 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AJ1012CG\_04: Cigarillo as blunts flavor usually/last smoked: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	129	0.4 %
2	2 = Not Marked	1057	3.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,186</b>	<b>3.5%</b>

This variable has 1,186 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32633	96.5 %
	<b>Total</b>	<b>32,636</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2696-2701 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012CG\_05: Cigarillo as blunts flavor usually/last smoked: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	78	0.2 %
2	2 = Not Marked	1108	3.3 %
	<b>Total</b>	<b>1,186</b>	<b>3.5%</b>

This variable has 1,186 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32633	96.5 %
	<b>Total</b>	<b>32,636</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2702-2707 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1012CG\_06: Cigarillo as blunts flavor usually/last smoked: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	334	1.0 %
2	2 = Not Marked	852	2.5 %
	<b>Total</b>	<b>1,186</b>	<b>3.5%</b>

This variable has 1,186 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32633	96.5 %
	<b>Total</b>	<b>32,636</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2708-2713 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1012CG\_07: Cigarillo as blunts flavor usually/last smoked: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.1 %
2	2 = Not Marked	1167	3.5 %
	<b>Total</b>	<b>1,186</b>	<b>3.5%</b>

This variable has 1,186 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32633	96.5 %
	<b>Total</b>	<b>32,636</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2714-2719 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1945CG: Know the name of brand of cigarillos for blunts usually/last smoked

Do you know the name of the brand of cigarillos that you [usually use/last used] for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1287	3.8 %
2	2 = No	743	2.2 %
	<b>Total</b>	<b>2,030</b>	<b>6.0%</b>

This variable has 2,030 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31787	94.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>31,792</b>	<b>94.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2720-2725 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1048CG\_BRAND: Brand of cigarillos for blunts usually/last smoked

What brand of cigarillo for blunts [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1945CG = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. ]

This variable has 1,281 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32533	96.2 %
	<b>Total</b>	<b>32,541</b>	<b>96.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2726-2731 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1070CG\_PRODUCT: Sub-brand of cigarillos as a blunt product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BRILLO = 1 AND R04\_AJ1945CG = 1 AND R04\_AJ1048CG\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AJ1048[TC(CG/FC)]\_BRAND.]

This variable has 1,246 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32562	96.3 %
<b>Total</b>		<b>32,576</b>	<b>96.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2732-2737 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1008FC: When first started smoking filtered cigars as blunts, smoked blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking filtered cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), GO TO R04\_AJ9030[TC(CG/FC)]]

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BFILTR\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BFILTR = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	54	0.2 %
2	2 = No	63	0.2 %
3	3 = I don't know	26	0.1 %
<b>Total</b>		<b>143</b>	<b>0.4%</b>

This variable has 143 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data			
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33675	99.6 %
<b>Total</b>		<b>33,679</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2738-2743 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1011FC\_01: Flavor of filtered cigar used as blunts when first started smoking: Menthol or mint

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BFILTR\_ADULT = 1 AND R04\_AJ1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	42	0.1 %
<b>Total</b>		<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33766	99.8 %
<b>Total</b>		<b>33,768</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2744-2749 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1011FC\_02: Flavor of filtered cigar used as blunts when first started smoking: Clove or spice

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BFILTR\_ADULT = 1 AND R04\_AJ1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	51	0.2 %
	<b>Total</b>	<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33766	99.8 %
	<b>Total</b>	<b>33,768</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2750-2755 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AJ1011FC\_03: Flavor of filtered cigar used as blunts when first started smoking: Fruit

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BFILTR\_ADULT = 1 AND R04\_AJ1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.1 %
2	2 = Not Marked	13	0.0 %
	<b>Total</b>	<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33766	99.8 %
	<b>Total</b>	<b>33,766</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2756-2761 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1011FC\_04: Flavor of filtered cigar used as blunts when first started smoking: Chocolate

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BFILTR\_ADULT = 1 AND R04\_AJ1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	47	0.1 %
	<b>Total</b>	<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33766	99.8 %	
<b>Total</b>		<b>33,768</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2762-2767 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1011FC\_05: Flavor of filtered cigar used as blunts when first started smoking: An alcoholic drink

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BFILTR\_ADULT = 1 AND R04\_AJ1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	48	0.1 %
<b>Total</b>		<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33766	99.8 %	
<b>Total</b>		<b>33,768</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2768-2773 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1011FC\_06: Flavor of filtered cigar used as blunts when first started smoking: Candy or other sweets

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BFILTR\_ADULT = 1 AND R04\_AJ1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.0 %
2	2 = Not Marked	38	0.1 %
	<b>Total</b>	<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33766	99.8 %
	<b>Total</b>	<b>33,768</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2774-2779 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1011FC\_07: Flavor of filtered cigar used as blunts when first started smoking: Some other flavor

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_BLUNT\_BFILTR\_ADULT = 1 AND R04\_AJ1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	53	0.2 %
	<b>Total</b>	<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33766	99.8 %
	<b>Total</b>	<b>33,768</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2780-2785 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ9030FC: In past 30 days, smoked a filtered cigar as a blunt, even one or two puffs

In the past 30 days, have you smoked a filtered cigar as a blunt, even one or two puffs?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AJ9029.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	50	0.1 %
2	2 = No	102	0.3 %
	<b>Total</b>	<b>152</b>	<b>0.4%</b>

This variable has 152 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33667	99.5 %	
<b>Total</b>		<b>33,670</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2786-2791 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1022FC: In past 30 days, number of days smoked filtered cigars as blunts

On how many of the past 30 days did you smoke filtered cigars as blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 50 valid cases out of 33,822 total cases.

- Mean: 6.24
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.34

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33770	99.8 %	
<b>Total</b>		<b>33,772</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2792-2797 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AJ9029FC\_NN: Time since last smoked filtered cigar as blunt - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a filtered cigar as a blunt?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1030FC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND (R04\_AJ9030FC = 2, -8, -7 OR (R04\_AJ9030FC = 1 AND R04\_AJ1022FC = 0)).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 79 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	21	0.1 %
-1	-1 = Inapplicable	33715	99.7 %
<b>Total</b>		<b>33,743</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2798-2803 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AJ9029FC\_UN: Time since last smoked filtered cigar as blunt - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a filtered cigar as a blunt?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1030FC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND (R04\_AJ9030FC = 2, -8, -7 OR (R04\_AJ9030FC = 1 AND R04\_AJ1022FC = 0)).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	15	0.0 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
2	2 = Months	60	0.2 %
3	3 = Years	25	0.1 %
	<b>Total</b>	<b>100</b>	<b>0.3%</b>

This variable has 100 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33720	99.7 %
	<b>Total</b>	<b>33,722</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2804-2809 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AJ1023FC: In past 30 days, average number of filtered cigars as blunts smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R04\_AJ1022FC days/days you smoked], how many filtered cigars did you usually smoke as a blunt each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to R04\_AJ9012FC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFLTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0.

This variable has 48 valid cases out of 33,822 total cases.

- Mean: 1.79
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 23.00
- Standard Deviation: 4.98

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data				
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33772	99.9 %	
<b>Total</b>		<b>33,774</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2810-2815 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AJ9012FC: Usually share filtered cigars as blunts with others when you smoke them

Do you usually share blunts with others when you smoke them?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	45	0.1 %
2	2 = No	2	0.0 %
<b>Total</b>		<b>47</b>	<b>0.1%</b>

This variable has 47 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33772	99.9 %	
<b>Total</b>		<b>33,775</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2816-2821 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ0100FC: When last smoked a filtered cigar as a blunt

When did you last smoke a filtered cigar as a blunt?

[If In the past hour (1), Go to R04\_AJ0103FC; If Three or more days ago (5), Don't Know (-8), or Refused (-7), GO TO R04\_AJ1130FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered

cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	2	0.0 %
2	2 = Sometime today	5	0.0 %
3	3 = Yesterday	2	0.0 %
4	4 = Day before yesterday	7	0.0 %
5	5 = Three or more days ago	32	0.1 %
	<b>Total</b>	<b>48</b>	<b>0.1%</b>

This variable has 48 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33772	99.9 %
	<b>Total</b>	<b>33,774</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2822-2827 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AJ0102FC: Time period of day when you last smoked a filtered cigar as a blunt

When you last smoked a filtered cigar as a blunt [FILL BASED ON R04\_AJ0100FC], was it...

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	5	0.0 %
2	2 = After 6AM but before noon	1	0.0 %
3	3 = Between noon and 6PM	2	0.0 %
4	4 = After 6PM but before midnight	6	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>14</b>	<b>0.0%</b>

This variable has 14 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33806	100.0 %
	<b>Total</b>	<b>33,808</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2828-2833 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ0103FC: Number of filtered cigars as blunts smoked today/yesterday/day before yesterday

How many filtered cigars [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R04\_AJ0100FC]?  
(If less than 1, enter 1.)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFLTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 16 valid cases out of 33,822 total cases.

- Mean: 2.25
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.98

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33804	99.9 %
	<b>Total</b>	<b>33,806</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2834-2839 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AJ1130FC: In past 30 days, any of the filtered cigars smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the filtered cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AJ1030FC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.1 %
2	2 = No	12	0.0 %
3	3 = I don't know	4	0.0 %
<b>Total</b>		<b>48</b>	<b>0.1%</b>

This variable has 48 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33772	99.9 %
<b>Total</b>		<b>33,774</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2840-2845 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131FC\_01: In past 30 days, filtered cigar as blunts flavor smoked: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	25	0.1 %
	<b>Total</b>	<b>32</b>	<b>0.1%</b>

This variable has 32 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33788	99.9 %
	<b>Total</b>	<b>33,790</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2846-2851 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1131FC\_02: In past 30 days, filtered cigar as blunts flavor smoked: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	29	0.1 %
	<b>Total</b>	<b>32</b>	<b>0.1%</b>

This variable has 32 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33788	99.9 %
	<b>Total</b>	<b>33,790</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2852-2857 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131FC\_03: In past 30 days, filtered cigar as blunts flavor smoked: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.1 %
2	2 = Not Marked	9	0.0 %
	<b>Total</b>	<b>32</b>	<b>0.1%</b>

This variable has 32 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		33788	99.9 %
<b>Total</b>			<b>33,790</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2858-2863 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131FC\_04: In past 30 days, filtered cigar as blunts flavor smoked: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	28	0.1 %
	<b>Total</b>	<b>32</b>	<b>0.1%</b>

This variable has 32 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33788	99.9 %	
	<b>Total</b>	<b>33,790</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2864-2869 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131FC\_05: In past 30 days, filtered cigar as blunts flavor smoked: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.1 %
	<b>Total</b>	<b>32</b>	<b>0.1%</b>

This variable has 32 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33788	99.9 %
	<b>Total</b>	<b>33,790</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2870-2875 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1131FC\_06: In past 30 days, filtered cigar as blunts flavor smoked: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	21	0.1 %
	<b>Total</b>	<b>32</b>	<b>0.1%</b>

This variable has 32 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33788	99.9 %
	<b>Total</b>	<b>33,790</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2876-2881 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1131FC\_07: In past 30 days, filtered cigar as blunts flavor smoked: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.1 %
	<b>Total</b>	<b>32</b>	<b>0.1%</b>

This variable has 32 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33788	99.9 %
	<b>Total</b>	<b>33,790</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2882-2887 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AJ1147FC: How often smoked flavored filtered cigars as blunts on days smoked in past 30 days

On the days you smoked filtered cigars as blunts in the past 30 days, how often did you smoke flavored filtered cigars?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ9030FC = 1 AND R04\_AJ1022FC != 0 AND R04\_AJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	15	0.0 %
2	2 = Most of the time	10	0.0 %
3	3 = Sometimes	5	0.0 %
4	4 = Rarely	1	0.0 %
5	5 = Never	1	0.0 %
	<b>Total</b>	<b>32</b>	<b>0.1%</b>

This variable has 32 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33788	99.9 %
	<b>Total</b>	<b>33,790</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 2888-2893 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AJ1030FC: How you usually buy your filtered cigars as blunts

How do you usually buy filtered cigars for yourself when you smoke blunts?

[If From the internet (2) or By telephone (3), Go to R04\_AJ1039FC. If I do not buy my own filtered cigars for blunts (4), Don't Know (-8), or Refused (-7), Go to R04\_AJ1047FC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	71	0.2 %
2	2 = From the internet	3	0.0 %
3	3 = By telephone	1	0.0 %
4	4 = I do not buy my own filtered cigars for blunts	77	0.2 %
	<b>Total</b>	<b>152</b>	<b>0.4%</b>

This variable has 152 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33667	99.5 %	
	<b>Total</b>	<b>33,670</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 2894-2899 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AJ1032FC: Geographic area where you usually buy your filtered cigars for blunts

Do you usually buy filtered cigars for blunts...?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	68	0.2 %

Value	Label	Unweighted Frequency	%
2	2 = In another state	3	0.0 %
3	3 = Outside the US	0	0.0 %
<b>Total</b>		<b>71</b>	<b>0.2%</b>

This variable has 71 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33749	99.8 %
<b>Total</b>		<b>33,751</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2900-2905 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AJ1033FC: Retail location where your filtered cigars for blunts are purchased most of the time

Where do you buy your filtered cigars for blunts most of the time?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	2	0.0 %
2	2 = A convenience store or gas station	51	0.2 %
3	3 = A supermarket, grocery store, or drug store	5	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	9	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = A liquor store	2	0.0 %
11	11 = Somewhere else	2	0.0 %
<b>Total</b>		<b>71</b>	<b>0.2%</b>

This variable has 71 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33749	99.8 %
<b>Total</b>		<b>33,751</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2906-2911 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1039FC: Usually buy filtered cigars for blunts by the box, pack or as singles

Do you usually buy filtered cigars for blunts by the box or pack, or as single filtered cigars?

**ASK:** Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone.

**ASK Specification:** IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1030FC = 1, 2, 3.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Box or pack	35	0.1 %
2	2 = Single filtered cigars	39	0.1 %
<b>Total</b>		<b>74</b>	<b>0.2%</b>

This variable has 74 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33745	99.8 %
<b>Total</b>		<b>33,748</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2912-2917 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1040FC: Number of filtered cigars for blunts come in box or pack usually buy

How many filtered cigars come in the box or pack that you usually buy for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1030FC = 1, 2, 3 AND R04\_AJ1039FC = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 31 valid cases out of 33,822 total cases.

- Mean: 3.74
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.93

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33785	99.9 %
<b>Total</b>		<b>33,791</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2918-2923 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AJ1042FC\_D: Amount usually paid for a box or pack of filtered cigars for blunts - Dollars

How much do you usually pay for a box or pack of filtered cigars for blunts?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1047FC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1030FC = 1, 2, 3 AND R04\_AJ1039FC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 31 valid cases out of 33,822 total cases.

- Mean: 7.23
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 19.18

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33785	99.9 %	
<b>Total</b>		<b>33,791</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2924-2929 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AJ1042FC\_C: Amount usually paid for a box or pack of filtered cigars for blunts - Cents

How much do you usually pay for a box or pack of filtered cigars for blunts?

[If Don't Know (-8) or Refused (-7), Go to R04\_AJ1047FC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1030FC = 1, 2, 3 AND R04\_AJ1039FC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 31 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33789	99.9 %	
<b>Total</b>		<b>33,791</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2930-2935 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AJ1043FC\_D: Amount usually paid for a single filtered cigar for a blunt - Dollars

How much do you usually pay for a single filtered cigar for a blunt?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1030FC = 1, 2, 3 AND R04\_AJ1039FC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 33 valid cases out of 33,822 total cases.

- Mean: 2.27
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.64

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33781	99.9 %
<b>Total</b>		<b>33,789</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2936-2941 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AJ1043FC\_C: Amount usually paid for a single filtered cigar for a blunt - Cents

How much do you usually pay for a single filtered cigar for a blunt?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1030FC = 1, 2, 3 AND R04\_AJ1039FC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 33 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33787	99.9 %
<b>Total</b>		<b>33,789</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2942-2947 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AJ1047FC: Have a regular brand of filtered cigars you usually use for blunts

Do you have a regular brand of filtered cigars that you usually use for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.1 %
2	2 = No	115	0.3 %
<b>Total</b>		<b>152</b>	<b>0.4%</b>

This variable has 152 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33667	99.5 %
<b>Total</b>		<b>33,670</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2948-2953 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1050FC: Regular/last brand of filtered cigars smoked as blunts was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AJ1945FC.]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	53	0.2 %
2	2 = No	56	0.2 %
3	3 = I don't know	43	0.1 %
<b>Total</b>		<b>152</b>	<b>0.4%</b>

This variable has 152 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33667	99.5 %
<b>Total</b>		<b>33,670</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2954-2959 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012FC\_01: Filtered cigar as blunts flavor usually/last smoked: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	43	0.1 %
	<b>Total</b>	<b>53</b>	<b>0.2%</b>

This variable has 53 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33767	99.8 %
	<b>Total</b>	<b>33,769</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2960-2965 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012FC\_02: Filtered cigar as blunts flavor usually/last smoked: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	51	0.2 %
	<b>Total</b>	<b>53</b>	<b>0.2%</b>

This variable has 53 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33767	99.8 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,769</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2966-2971 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012FC\_03: Filtered cigar as blunts flavor usually/last smoked: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	40	0.1 %
2	2 = Not Marked	13	0.0 %
	<b>Total</b>	<b>53</b>	<b>0.2%</b>

This variable has 53 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33767	99.8 %
	<b>Total</b>	<b>33,769</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2972-2977 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012FC\_04: Filtered cigar as blunts flavor usually/last smoked: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar

smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	49	0.1 %
	<b>Total</b>	<b>53</b>	<b>0.2%</b>

This variable has 53 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33767	99.8 %	
	<b>Total</b>	<b>33,769</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2978-2983 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012FC\_05: Filtered cigar as blunts flavor usually/last smoked: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	50	0.1 %
	<b>Total</b>	<b>53</b>	<b>0.2%</b>

This variable has 53 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33767	99.8 %	
<b>Total</b>		<b>33,769</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2984-2989 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1012FC\_06: Filtered cigar as blunts flavor usually/last smoked: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	11	0.0 %
2	2 = Not Marked	42	0.1 %
<b>Total</b>		<b>53</b>	<b>0.2%</b>

This variable has 53 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33767	99.8 %	
<b>Total</b>		<b>33,769</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 2990-2995 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1012FC\_07: Filtered cigar as blunts flavor usually/last smoked: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	53	0.2 %
	<b>Total</b>	<b>53</b>	<b>0.2%</b>

This variable has 53 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33767	99.8 %
	<b>Total</b>	<b>33,769</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 2996-3001 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AJ1945FC: Know the name of brand of filtered cigars for blunts usually/last smoked

Do you know the name of the brand of filtered cigars that you [usually use/last used] for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	40	0.1 %
2	2 = No	112	0.3 %
	<b>Total</b>	<b>152</b>	<b>0.4%</b>

This variable has 152 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33667	99.5 %
<b>Total</b>		<b>33,670</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3002-3007 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1048FC\_BRAND: Brand of filtered cigars for blunts usually/last smoked

What brand of filtered cigar for blunts [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 40 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33780	99.9 %
<b>Total</b>		<b>33,782</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3008-3013 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AJ1070FC\_PRODUCT: Sub-brand of filtered cigar as a blunt product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04\_12MBLUNT\_ONLY\_BFILTR = 1 AND R04\_AJ1945FC = 1 AND R04\_AJ1048FC\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AJ1048[TC/CG/FC]\_BRAND. ]

This variable has 38 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33780	99.9 %	
<b>Total</b>		<b>33,784</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3014-3019 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AG1006TC\_RS: DERIVED - Age group when first smoked part or all of a traditional cigar, even one or two puffs (6 levels)

Long Description: How old were you the first time you smoked part or all of a traditional cigar, even one or two puffs?

Algorithm: if (0 <= R04\_AG1006TC\_RS < 18) or R04\_AG1120TC\_RS = 1 then R04R\_A\_AG1006TC\_RS = 1; else if (18 <= R04\_AG1006TC\_RS <= 24) or R04\_AG1120TC\_RS = 2 then R04R\_A\_AG1006TC\_RS = 2; else if (25 <= R04\_AG1006TC\_RS <= 34) or R04\_AG1120TC\_RS = 3 then R04R\_A\_AG1006TC\_RS = 3; else if (35 <= R04\_AG1006TC\_RS <= 44) or R04\_AG1120TC\_RS = 4 then R04R\_A\_AG1006TC\_RS = 4; else if (45 <= R04\_AG1006TC\_RS <= 54) or R04\_AG1120TC\_RS = 5 then R04R\_A\_AG1006TC\_RS = 5; else if (R04\_AG1006TC\_RS >= 55) or R04\_AG1120TC\_RS = 6 then R04R\_A\_AG1006TC\_RS = 6; else if R04\_AG1006TC\_RS = -9 or R04\_AG1120TC\_RS = -9 then R04R\_A\_AG1006TC\_RS = -99999; else if R04\_AG1006TC\_RS = -8 or R04\_AG1120TC\_RS = -8 then R04R\_A\_AG1006TC\_RS = -99988; else if R04\_AG1006TC\_RS = -7 or R04\_AG1120TC\_RS = -7 then R04R\_A\_AG1006TC\_RS = -99977; else if R04\_AG1006TC\_RS = -5 then R04R\_A\_AG1006TC\_RS = -99955; else if R04\_AG1006TC\_RS = -1 or R04\_AG1120TC\_RS = -1 then R04R\_A\_AG1006TC\_RS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	533	1.6 %
2	2 = 18 to 24 years old	853	2.5 %
3	3 = 25 to 34 years old	273	0.8 %
4	4 = 35 to 44 years old	63	0.2 %
5	5 = 45 to 54 years old	35	0.1 %
6	6 = 55 years old or older	9	0.0 %
<b>Total</b>		<b>1,766</b>	<b>5.2%</b>

This variable has 1,766 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	7	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32044	94.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>32,056</b>	<b>94.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3020-3025 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AG1005TC: Number of traditional cigars smoked in entire life

How many traditional cigars have you smoked in your entire life?

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R03\_NUMLIFE\_GTRAD != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	2673	7.9 %

Value	Label	Unweighted Frequency	%
2	2 = 1 to 10	2953	8.7 %
3	3 = 11 to 20	1234	3.6 %
4	4 = 21 to 50	1033	3.1 %
5	5 = 51 to 99	341	1.0 %
6	6 = 100 or more	347	1.0 %
	<b>Total</b>	<b>8,581</b>	<b>25.4%</b>

This variable has 8,581 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	108	0.3 %	
-7	-7 = Refused	53	0.2 %	
-1	-1 = Inapplicable	25078	74.1 %	
	<b>Total</b>	<b>25,241</b>	<b>74.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3026-3031 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1100TC: Ever smoked traditional cigars fairly regularly

Have you ever smoked traditional cigars fairly regularly?

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R03\_REGUSE\_GTRAD != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	370	1.1 %
2	2 = No	8063	23.8 %
	<b>Total</b>	<b>8,433</b>	<b>24.9%</b>

This variable has 8,433 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	25375	75.0 %
	<b>Total</b>	<b>25,389</b>	<b>75.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3032-3037 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AG1007TC\_NB: DERIVED - Age group when you first started smoking traditional cigars fairly regularly (6 levels)

**Long Description:** How old were you when you first started smoking traditional cigars fairly regularly?

```
Algorithm: if (0 <= R04_AG1007TC_NB < 18) or R04_AG1121TC_NB = 1 then
R04R_A_AG1007TC_NB = 1; else if (18 <= R04_AG1007TC_NB <= 24) or R04_AG1121TC_NB
= 2 then R04R_A_AG1007TC_NB = 2; else if (25 <= R04_AG1007TC_NB <= 34) or
R04_AG1121TC_NB = 3 then R04R_A_AG1007TC_NB = 3; else if (35 <= R04_AG1007TC_NB
<= 44) or R04_AG1121TC_NB = 4 then R04R_A_AG1007TC_NB = 4; else if (45 <=
R04_AG1007TC_NB <= 54) or R04_AG1121TC_NB = 5 then R04R_A_AG1007TC_NB = 5;
else if (R04_AG1007TC_NB => 55) or R04_AG1121TC_NB = 6 then R04R_A_AG1007TC_NB
= 6; else if R04_AG1007TC_NB = -9 or R04_AG1121TC_NB = -9 then R04R_A_AG1007TC_NB
= -99999; else if R04_AG1007TC_NB = -8 or R04_AG1121TC_NB = -8 then
R04R_A_AG1007TC_NB = -99988; else if R04_AG1007TC_NB = -7 or R04_AG1121TC_NB
= -7 then R04R_A_AG1007TC_NB = -99977; else if R04_AG1007TC_NB = -5 then
R04R_A_AG1007TC_NB = -99955; else if R04_AG1007TC_NB = -1 or R04_AG1121TC_NB
= -1 then R04R_A_AG1007TC_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	32	0.1 %
2	2 = 18 to 24 years old	62	0.2 %
3	3 = 25 to 34 years old	26	0.1 %
4	4 = 35 to 44 years old	16	0.0 %
5	5 = 45 to 54 years old	13	0.0 %
6	6 = 55 years old or older	2	0.0 %
	<b>Total</b>	<b>151</b>	<b>0.4%</b>

This variable has 151 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33668	99.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>33,671</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3038-3043 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AG1020TC\_NB: DERIVED - Age group when you first started smoking traditional cigars every day (6 levels)

Long Description: How old were you when you first started smoking traditional cigars every day?

Algorithm: if (0 <= R04\_AG1020TC\_NB < 18) or R04\_AG1122TC\_NB = 1 then  
 R04R\_A\_AG1020TC\_NB = 1; else if (18 <= R04\_AG1020TC\_NB <= 24) or R04\_AG1122TC\_NB = 2 then R04R\_A\_AG1020TC\_NB = 2; else if (25 <= R04\_AG1020TC\_NB <= 34) or R04\_AG1122TC\_NB = 3 then R04R\_A\_AG1020TC\_NB = 3; else if (35 <= R04\_AG1020TC\_NB <= 44) or R04\_AG1122TC\_NB = 4 then R04R\_A\_AG1020TC\_NB = 4; else if (45 <= R04\_AG1020TC\_NB <= 54) or R04\_AG1122TC\_NB = 5 then R04R\_A\_AG1020TC\_NB = 5; else if (R04\_AG1020TC\_NB >= 55) or R04\_AG1122TC\_NB = 6 then R04R\_A\_AG1020TC\_NB = 6; else if R04\_AG1020TC\_NB = -9 or R04\_AG1122TC\_NB = -9 then R04R\_A\_AG1020TC\_NB = -99999; else if R04\_AG1020TC\_NB = -8 or R04\_AG1122TC\_NB = -8 then R04R\_A\_AG1020TC\_NB = -99988; else if R04\_AG1020TC\_NB = -7 or R04\_AG1122TC\_NB = -7 then R04R\_A\_AG1020TC\_NB = -99977; else if R04\_AG1020TC\_NB = -5 then R04R\_A\_AG1020TC\_NB = -99955; else if R04\_AG1020TC\_NB = -1 or R04\_AG1122TC\_NB = -1 then R04R\_A\_AG1020TC\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	2	0.0 %
2	2 = 18 to 24 years old	2	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	2	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	1	0.0 %
	<b>Total</b>	<b>7</b>	<b>0.0%</b>

This variable has 7 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33813	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,815</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3044-3049 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777)

---

## R04\_AG1008TC: When first started smoking traditional cigars, smoked traditional cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking traditional cigars, did you smoke traditional cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to Box R04\_AGR59.]

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GTRAD\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1) OR (R04\_ADULTTYPE = 3 AND R04\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	428	1.3 %
2	2 = No	1724	5.1 %
3	3 = I don't know	348	1.0 %
<b>Total</b>		<b>2,500</b>	<b>7.4%</b>

This variable has 2,500 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

Missing Data				
-7	-7 = Refused		3	0.0 %
-1	-1 = Inapplicable		31316	92.6 %
<b>Total</b>			<b>31,322</b>	<b>92.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3050-3055 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1011TC\_01: Flavor of traditional cigar when first started smoking: Menthol or mint

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

**ASK:** Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

**ASK Specification:** IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GTRAD\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	93	0.3 %
2	2 = Not Marked	334	1.0 %
<b>Total</b>		<b>427</b>	<b>1.3%</b>

This variable has 427 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33392	98.7 %	
<b>Total</b>		<b>33,395</b>	<b>98.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3056-3061 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AG1011TC\_02: Flavor of traditional cigar when first started smoking: Clove or spice

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GTRAD\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	63	0.2 %
2	2 = Not Marked	364	1.1 %
	<b>Total</b>	<b>427</b>	<b>1.3%</b>

This variable has 427 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33392	98.7 %
	<b>Total</b>	<b>33,395</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3062-3067 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AG1011TC\_03: Flavor of traditional cigar when first started smoking: Fruit

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and

whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GTRAD\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	177	0.5 %
2	2 = Not Marked	250	0.7 %
	<b>Total</b>	<b>427</b>	<b>1.3%</b>

This variable has 427 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33392	98.7 %
	<b>Total</b>	<b>33,395</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3068-3073 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1011TC\_04: Flavor of traditional cigar when first started smoking: Chocolate

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GTRAD\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	67	0.2 %
2	2 = Not Marked	360	1.1 %
	<b>Total</b>	<b>427</b>	<b>1.3%</b>

This variable has 427 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33392	98.7 %
	<b>Total</b>	<b>33,395</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3074-3079 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1011TC\_05: Flavor of traditional cigar when first started smoking: An alcoholic drink

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GTRAD\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	55	0.2 %
2	2 = Not Marked	372	1.1 %
	<b>Total</b>	<b>427</b>	<b>1.3%</b>

This variable has 427 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33392	98.7 %
	<b>Total</b>	<b>33,395</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3080-3085 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1011TC\_06: Flavor of traditional cigar when first started smoking: Candy or other sweets

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GTRAD\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	117	0.3 %
2	2 = Not Marked	310	0.9 %
	<b>Total</b>	<b>427</b>	<b>1.3%</b>

This variable has 427 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33392	98.7 %
	<b>Total</b>	<b>33,395</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3086-3091 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1011TC\_07: Flavor of traditional cigar when first started smoking: Some other flavor

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GTRAD\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1008TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	416	1.2 %
	<b>Total</b>	<b>427</b>	<b>1.3%</b>

This variable has 427 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33392	98.7 %
	<b>Total</b>	<b>33,395</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3092-3097 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1025TC\_RS: Around this time 12 months ago, smoked traditional cigars every day, some days or not at all

Around this time 12 months ago, were you smoking traditional cigars...?

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established traditional

cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_GTRAD\_USER\_STATUS = 1, 2, 3, 4, 5 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	13	0.0 %
2	2 = Some days	302	0.9 %
3	3 = Not at all	1459	4.3 %
<b>Total</b>		<b>1,774</b>	<b>5.2%</b>

This variable has 1,774 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32044	94.7 %
<b>Total</b>		<b>32,048</b>	<b>94.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3098-3103 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1021TC: Average number of traditional cigars now smoked each day

On average, about how many traditional cigars do you now smoke each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to R04\_AG1024TC.]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

This variable has 63 valid cases out of 33,822 total cases.

- Mean: 4.05
- Median: 2.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 33.00
- Standard Deviation: 5.67

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33757	99.8 %
<b>Total</b>		<b>33,759</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3104-3109 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1022TC: In past 30 days, number of days smoked traditional cigars

On how many of the past 30 days did you smoke traditional cigars?

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Range check: 0-30 days. ]

This variable has 2,221 valid cases out of 33,822 total cases.

- Mean: 2.02
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.77

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	31587	93.4 %
<b>Total</b>		<b>31,601</b>	<b>93.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3110-3115 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AG9029TC\_NN: Time since last smoked traditional cigars - Number (Some day or current experimental smokers)

About how long has it been since you last smoked traditional cigars?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AGR30.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1022TC = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 671 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	27	0.1 %
-1	-1 = Inapplicable	33121	97.9 %
<b>Total</b>		<b>33,151</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3116-3121 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AG9029TC\_UN: Time since last smoked traditional cigars - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked traditional cigars?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AGR30.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1022TC = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	53	0.2 %
2	2 = Months	502	1.5 %
3	3 = Years	143	0.4 %
	<b>Total</b>	<b>698</b>	<b>2.1%</b>

This variable has 698 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33122	97.9 %
	<b>Total</b>	<b>33,124</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3122-3127 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1023TC: In past 30 days, average number of traditional cigars smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R04\_AG1022 days/days you smoked], how many traditional cigars did you usually smoke each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to Box R04\_AGR30.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1022TC != 0.

This variable has 1,119 valid cases out of 33,822 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 99.00
- Standard Deviation: 4.94

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32696	96.7 %	
	<b>Total</b>	<b>32,703</b>	<b>96.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3128-3133 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1024TC\_NN: Time to first traditional cigar after waking on days smoked - Number (current smokers)

[On the days that you smoke traditional cigars, how/How] soon after you wake up do you typically smoke your first traditional cigar of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092TC.]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_GTRAD\_USER\_STATUS = 1, 2 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 1,519 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	47	0.1 %	
-7	-7 = Refused	12	0.0 %	
-5	-5 = Improbable response removed	12	0.0 %	
-1	-1 = Inapplicable	32230	95.3 %	
	<b>Total</b>	<b>32,303</b>	<b>95.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3134-3139 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1024TC\_UN: Time to first traditional cigar after waking on days smoked - Unit (current smokers)

[On the days that you smoke traditional cigars, how/How] soon after you wake up do you typically smoke your first traditional cigar of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092TC.]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_GTRAD\_USER\_STATUS = 1, 2 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	180	0.5 %
2	2 = Hours after waking	1351	4.0 %
	<b>Total</b>	<b>1,531</b>	<b>4.5%</b>

This variable has 1,531 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32289	95.5 %
	<b>Total</b>	<b>32,291</b>	<b>95.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3140-3145 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1092TC: Smoke first traditional cigar of the day within 30 minutes after waking (current smokers)

[On the days that you smoke traditional cigars, would/Would] you say you smoke your first traditional cigar of the day within the first 30 minutes after you wake up?

[Go to Box R04\_AGR34.]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first traditional cigar/cigarillo/filtered cigar.

ASK Specification: IF R04\_GTRAD\_USER\_STATUS = 1, 2 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1024TC\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	51	0.2 %
3	3 = It varies	7	0.0 %
	<b>Total</b>	<b>58</b>	<b>0.2%</b>

This variable has 58 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33761	99.8 %
	<b>Total</b>	<b>33,764</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3146-3151 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1024TC\_30D\_NN: Time to first traditional cigar after waking on days smoked - Number (non-current smokers)

On the days that you smoked traditional cigars, how soon after you woke up did you typically smoke your first traditional cigar of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092TC\_30D.]

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 633 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	16	0.0 %
-5	-5 = Improbable response removed	7	0.0 %
-1	-1 = Inapplicable	33114	97.9 %
	<b>Total</b>	<b>33,189</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3152-3157 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AG1024TC\_30D\_UN: Time to first traditional cigar after waking on days smoked - Unit (non-current smokers)

On the days that you smoked traditional cigars, how soon after you woke up did you typically smoke your first traditional cigar of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092TC\_30D.]

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Display as Quantity/Units.]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	162	0.5 %
2	2 = Hours after waking	478	1.4 %
	<b>Total</b>	<b>640</b>	<b>1.9%</b>

This variable has 640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33180	98.1 %
	<b>Total</b>	<b>33,180</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3158-3163 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1092TC\_30D: Smoked first traditional cigar of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked traditional cigars, would you say you smoked your first traditional cigar of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically

smoked their first traditional cigar/cigarillo/filtered cigar.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1024TC\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	59	0.2 %
3	3 = It varies	2	0.0 %
<b>Total</b>		<b>61</b>	<b>0.2%</b>

This variable has 61 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33754	99.8 %
<b>Total</b>		<b>33,761</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3164-3169 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0100TC: When last smoked a traditional cigar

When did you last smoke a traditional cigar?

[If In the past hour (1), GO TO R04\_AG0103TC; If Three or more days ago (5), Don't Know (-8), or Refused (-7), GO TO R04\_AG1130TC]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1) OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1022TC != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	72	0.2 %

Value	Label	Unweighted Frequency	%
2	2 = Sometime today	59	0.2 %
3	3 = Yesterday	128	0.4 %
4	4 = Day before yesterday	67	0.2 %
5	5 = Three or more days ago	851	2.5 %
	<b>Total</b>	<b>1,177</b>	<b>3.5%</b>

This variable has 1,177 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32633	96.5 %
	<b>Total</b>	<b>32,645</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3170-3175 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0102TC: Time period of day when you last smoked a traditional cigar

When you last smoked a traditional cigar [FILL BASED ON R04\_AG0100TC], was it...

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1)  
OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND  
R04\_AG1022TC != 0)) AND R04\_AG0100TC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	28	0.1 %
2	2 = After 6AM but before noon	45	0.1 %
3	3 = Between noon and 6PM	86	0.3 %
4	4 = After 6PM but before midnight	94	0.3 %
	<b>Total</b>	<b>253</b>	<b>0.7%</b>

This variable has 253 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33566	99.2 %
<b>Total</b>		<b>33,569</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3176-3181 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0103TC: Number of traditional cigars smoked today/yesterday/day before yesterday

How many traditional cigars [have/did] you [smoked/smoke] [FILL BASED ON R04\_AG0100TC]?  
(If less than 1, enter 1.)

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1)  
OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1022TC != 0))  
AND R04\_AG0100TC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 324 valid cases out of 33,822 total cases.

- Mean: 2.35
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 66.00
- Standard Deviation: 4.53

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33494	99.0 %
	<b>Total</b>	<b>33,498</b>	<b>99.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3182-3187 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AG1130TC: In past 30 days, any of the traditional cigars smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the traditional cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AG1030TC.]

**ASK:** Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

**ASK Specification:** IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1) OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1022TC != 0)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	268	0.8 %
2	2 = No	830	2.5 %
3	3 = I don't know	84	0.2 %
<b>Total</b>		<b>1,182</b>	<b>3.5%</b>

This variable has 1,182 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32633	96.5 %
<b>Total</b>		<b>32,640</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3188-3193 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1131TC\_01: In past 30 days, traditional cigar flavor smoked: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1)  
OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND  
R04\_AG1022TC != 0)) AND R04\_AG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	83	0.2 %
2	2 = Not Marked	184	0.5 %
	<b>Total</b>	<b>267</b>	<b>0.8%</b>

This variable has 267 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
	<b>Total</b>	<b>33,555</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3194-3199 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AG1131TC\_02: In past 30 days, traditional cigar flavor smoked: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and

smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1)  
OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND  
R04\_AG1022TC != 0)) AND R04\_AG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	249	0.7 %
	<b>Total</b>	<b>267</b>	<b>0.8%</b>

This variable has 267 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
	<b>Total</b>	<b>33,555</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3200-3205 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131TC\_03: In past 30 days, traditional cigar flavor smoked: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1)  
OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR

R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1022TC != 0)) AND R04\_AG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	99	0.3 %
2	2 = Not Marked	168	0.5 %
	<b>Total</b>	<b>267</b>	<b>0.8%</b>

This variable has 267 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
	<b>Total</b>	<b>33,555</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3206-3211 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131TC\_04: In past 30 days, traditional cigar flavor smoked: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1) OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1022TC != 0)) AND R04\_AG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	39	0.1 %
2	2 = Not Marked	228	0.7 %
	<b>Total</b>	<b>267</b>	<b>0.8%</b>

This variable has 267 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
	<b>Total</b>	<b>33,555</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3212-3217 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1131TC\_05: In past 30 days, traditional cigar flavor smoked: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1)  
OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND  
R04\_AG1022TC != 0)) AND R04\_AG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	47	0.1 %
2	2 = Not Marked	220	0.7 %
	<b>Total</b>	<b>267</b>	<b>0.8%</b>

This variable has 267 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
<b>Total</b>		<b>33,555</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3218-3223 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1131TC\_06: In past 30 days, traditional cigar flavor smoked: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1) OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1022TC != 0)) AND R04\_AG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	68	0.2 %
2	2 = Not Marked	199	0.6 %
<b>Total</b>		<b>267</b>	<b>0.8%</b>

This variable has 267 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,555</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3224-3229 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131TC\_07: In past 30 days, traditional cigar flavor smoked: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1)  
OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND  
R04\_AG1022TC != 0)) AND R04\_AG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	259	0.8 %
	<b>Total</b>	<b>267</b>	<b>0.8%</b>

This variable has 267 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
	<b>Total</b>	<b>33,555</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3230-3235 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1147TC: How often smoked flavored traditional cigars on days smoked in past 30 days

On the days you smoked traditional cigars in the past 30 days, how often did you smoke flavored traditional cigars?

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GTRAD\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BTRAD != 1)  
OR ((R04\_CURRENT\_GTRAD\_USE = 2 OR R04\_GTRAD\_USER\_STATUS = 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND  
R04\_AG1022TC != 0)) AND R04\_AG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	88	0.3 %
2	2 = Most of the time	50	0.1 %
3	3 = Sometimes	59	0.2 %
4	4 = Rarely	62	0.2 %
5	5 = Never	7	0.0 %
	<b>Total</b>	<b>266</b>	<b>0.8%</b>

This variable has 266 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
	<b>Total</b>	<b>33,556</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3236-3241 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AG1030TC: How you usually buy/bought your traditional cigars

The next questions ask about your experience buying traditional cigars.

How [do/did] you usually buy traditional cigars for yourself?

[If From the internet (2) or By telephone (3), Go to R04\_AG1039TC. If I do not buy my own traditional cigars (4),

Don't Know (-8), or Refused (-7), Go to R04\_AG9040TC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	1599	4.7 %
2	2 = From the internet	148	0.4 %
3	3 = By telephone	21	0.1 %
4	4 = I do not buy my own traditional cigars	515	1.5 %
	<b>Total</b>	<b>2,283</b>	<b>6.8%</b>

This variable has 2,283 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31524	93.2 %
	<b>Total</b>	<b>31,539</b>	<b>93.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3242-3247 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1032TC: Geographic area where you usually buy/bought your traditional cigars

[Do/Did] you usually buy traditional cigars...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1487	4.4 %
2	2 = In another state	61	0.2 %
3	3 = Outside the US	47	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,595</b>	<b>4.7%</b>

This variable has 1,595 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32221	95.3 %
	<b>Total</b>	<b>32,227</b>	<b>95.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3248-3253 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1033TC: Retail location where your traditional cigars are purchased most of the time

Where [do/did] you buy your traditional cigars most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillos/filtered cigars smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)  
AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	406	1.2 %
2	2 = A convenience store or gas station	555	1.6 %
3	3 = A supermarket, grocery store, or drug store	53	0.2 %
4	4 = A warehouse club, such as Sam's or Costco	3	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	446	1.3 %
6	6 = A duty free shop or military commissary	4	0.0 %
7	7 = A bar, pub, restaurant or casino	15	0.0 %
8	8 = A friend or relative	8	0.0 %
9	9 = A swap meet or flea market	2	0.0 %
10	10 = A liquor store	88	0.3 %
11	11 = Somewhere else	9	0.0 %
	<b>Total</b>	<b>1,589</b>	<b>4.7%</b>

This variable has 1,589 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32221	95.3 %
<b>Total</b>		<b>32,233</b>	<b>95.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3254-3259 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1039TC: Usually buy/bought traditional cigars by the box, pack or as singles

{Do you usually buy traditional cigars/Did you buy the last traditional cigars you smoked} by the box or pack, or as single traditional cigars?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)  
AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1030TC = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	460	1.4 %
2	2 = Single traditional cigars	1304	3.9 %
<b>Total</b>		<b>1,764</b>	<b>5.2%</b>

This variable has 1,764 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32052	94.8 %
<b>Total</b>		<b>32,058</b>	<b>94.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3260-3265 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1040TC: Number of traditional cigars that come/came in box or pack usually buy/bought

How many traditional cigars [come/came] in the box or pack that you [usually buy/bought]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1030TC = 1, 2, 3 AND R04\_AG1039TC = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 457 valid cases out of 33,822 total cases.

- Mean: 10.99
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 10.84

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33360	98.6 %	
<b>Total</b>		<b>33,365</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3266-3271 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AG1042TC\_D: Amount usually paid for a box or pack of traditional cigars - Dollars

[How much do you usually pay for a box or pack of traditional cigars/How much did you pay for the last box or pack of traditional cigars that you smoked?]

[If Don't Know (-8) or Refused (-7), Go to R04\_AG9040TC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)  
AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1030TC = 1, 2, 3 AND R04\_AG1039TC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 452 valid cases out of 33,822 total cases.

- Mean: 31.85
- Median: 6.50
- Mode: 1.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 64.48

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33360	98.6 %	
<b>Total</b>		<b>33,370</b>	<b>98.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3272-3277 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AG1042TC\_C: Amount usually paid for a box or pack of traditional cigars - Cents

[How much do you usually pay for a box or pack of traditional cigars/How much did you pay for the last box or pack of traditional cigars that you smoked?]

[If Don't Know (-8) or Refused (-7), Go to R04\_AG9040TC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)  
AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1030TC = 1, 2, 3 AND R04\_AG1039TC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 452 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33368	98.7 %
<b>Total</b>		<b>33,370</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3278-3283 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1043TC\_D: Amount usually paid for a single traditional cigar - Dollars

[How much do you usually pay for a single traditional cigar?/How much did you pay for the single traditional cigar that you last smoked?]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)  
AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1030TC = 1, 2, 3 AND R04\_AG1039TC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1,285 valid cases out of 33,822 total cases.

- Mean: 7.83
- Median: 6.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 450.00
- Standard Deviation: 14.91

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32516	96.1 %
<b>Total</b>		<b>32,537</b>	<b>96.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3284-3289 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AG1043TC\_C: Amount usually paid for a single traditional cigar - Cents

[How much do you usually pay for a single traditional cigar?/How much did you pay for the single traditional cigar that you last smoked?]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1030TC = 1, 2, 3 AND R04\_AG1039TC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1,285 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32535	96.2 %	
<b>Total</b>		<b>32,537</b>	<b>96.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3290-3295 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AG9040TC: Group in picture most like traditional cigar usually/last smoked

Please look at this picture. Which group is most like the traditional cigar you [usually smoke/last smoked]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	1656	4.9 %
2	2 = Group 2	405	1.2 %
3	3 = Group 3	384	1.1 %
4	4 = Group 4	110	0.3 %
	<b>Total</b>	<b>2,555</b>	<b>7.6%</b>

This variable has 2,555 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	31231	92.3 %
	<b>Total</b>	<b>31,267</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3296-3301 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1047TC: Have a regular brand of traditional cigars you usually smoke/smoked

[Do/Did] you have a regular brand of traditional cigars that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	861	2.5 %
2	2 = No	1723	5.1 %
	<b>Total</b>	<b>2,584</b>	<b>7.6%</b>

This variable has 2,584 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %

Missing Data			
-1	-1 = Inapplicable	31231	92.3 %
	<b>Total</b>	<b>31,238</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3302-3307 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1050TC: Regular/last brand of traditional cigars smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AG1945TC.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	598	1.8 %
2	2 = No	1720	5.1 %
3	3 = I don't know	265	0.8 %
	<b>Total</b>	<b>2,583</b>	<b>7.6%</b>

This variable has 2,583 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31231	92.3 %
	<b>Total</b>	<b>31,239</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3308-3313 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012TC\_01: Traditional cigar flavor usually/last smoked: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	130	0.4 %
2	2 = Not Marked	465	1.4 %
	<b>Total</b>	<b>595</b>	<b>1.8%</b>

This variable has 595 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33222	98.2 %	
	<b>Total</b>	<b>33,227</b>	<b>98.2%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 3314-3319 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AG1012TC\_02: Traditional cigar flavor usually/last smoked: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	62	0.2 %
2	2 = Not Marked	533	1.6 %
	<b>Total</b>	<b>595</b>	<b>1.8%</b>

This variable has 595 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33222	98.2 %
	<b>Total</b>	<b>33,227</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3320-3325 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1012TC\_03: Traditional cigar flavor usually/last smoked: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	237	0.7 %
2	2 = Not Marked	358	1.1 %
	<b>Total</b>	<b>595</b>	<b>1.8%</b>

This variable has 595 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

Missing Data				
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33222	98.2 %	
<b>Total</b>		<b>33,227</b>	<b>98.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3326-3331 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1012TC\_04: Traditional cigar flavor usually/last smoked: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	76	0.2 %
2	2 = Not Marked	519	1.5 %
	<b>Total</b>	<b>595</b>	<b>1.8%</b>

This variable has 595 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33222	98.2 %	
	<b>Total</b>	<b>33,227</b>	<b>98.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3332-3337 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1012TC\_05: Traditional cigar flavor usually/last smoked: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	118	0.3 %
2	2 = Not Marked	477	1.4 %
	<b>Total</b>	<b>595</b>	<b>1.8%</b>

This variable has 595 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33222	98.2 %
	<b>Total</b>	<b>33,227</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3338-3343 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012TC\_06: Traditional cigar flavor usually/last smoked: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	155	0.5 %
2	2 = Not Marked	440	1.3 %
	<b>Total</b>	<b>595</b>	<b>1.8%</b>

This variable has 595 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33222	98.2 %
	<b>Total</b>	<b>33,227</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3344-3349 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012TC\_07: Traditional cigar flavor usually/last smoked: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	575	1.7 %
	<b>Total</b>	<b>595</b>	<b>1.8%</b>

This variable has 595 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		33222	98.2 %
<b>Total</b>			<b>33,227</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3350-3355 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1945TC: Know the name of brand of traditional cigars usually/last smoked

Do you know the name of the brand of traditional cigars you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1153	3.4 %
2	2 = No	1433	4.2 %
	<b>Total</b>	<b>2,586</b>	<b>7.6%</b>

This variable has 2,586 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	31231	92.3 %	
	<b>Total</b>	<b>31,236</b>	<b>92.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3356-3361 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1048TC\_BRAND: Brand of traditional cigars usually/last smoked

What brand of traditional cigars [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1945TC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 1,132 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32667	96.6 %
<b>Total</b>		<b>32,690</b>	<b>96.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3362-3367 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1070TC\_PRODUCT: Sub-brand of traditional cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1945TC = 1 AND R04\_AG1048TC\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AG1048TC\_BRAND.]

This variable has 1,002 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %

Missing Data				
-7	-7 = Refused		3	0.0 %
-1	-1 = Inapplicable		32796	97.0 %
<b>Total</b>			<b>32,820</b>	<b>97.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3368-3373 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1051TC\_NN: How long smoked regular brand of traditional cigar - Number

About how long [did you smoke/have you been smoking] your regular brand of traditional cigar?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1047TC = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

This variable has 852 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		2	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		8	0.0 %
-7	-7 = Refused		1	0.0 %
-5	-5 = Improbable response removed		0	0.0 %
-1	-1 = Inapplicable		32959	97.4 %
<b>Total</b>			<b>32,970</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3374-3379 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1051TC\_UN: How long smoked regular brand of traditional cigar - Unit

About how long [did you smoke/have you been smoking] your regular brand of traditional cigar?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG1047TC = 1.

[PROGRAM NOTE: Display as Quantity/Units.  
Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

Value	Label	Unweighted Frequency	%
1	1 = Days	111	0.3 %
2	2 = Months	136	0.4 %
3	3 = Years	605	1.8 %
<b>Total</b>		<b>852</b>	<b>2.5%</b>

This variable has 852 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32968	97.5 %
<b>Total</b>		<b>32,970</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3380-3385 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG0104TC: Brand of very last traditional cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a traditional cigar [TIME OF LAST USE].

Think about the very last traditional cigar you smoked.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_AG0100TC = 1, 2, 3, 4 AND R04\_AG1945TC = 1 AND R04\_AG1048TC\_BRAND != 9995, -8, -7 AND R04\_AG1070TC\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	114	0.3 %
2	2 = No	30	0.1 %
	<b>Total</b>	<b>144</b>	<b>0.4%</b>

This variable has 144 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33672	99.6 %
	<b>Total</b>	<b>33,678</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3386-3391 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1060TC\_RANDOM\_01: AG1060TC series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060TC through R04\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31231	92.3 %
-97777	-	2	0.0 %
R04_AG1060TC	-	406	1.2 %
R04_AG1062TC	-	388	1.1 %
R04_AG1063TC	-	376	1.1 %
R04_AG1064TC	-	197	0.6 %
R04_AG1066TC	-	408	1.2 %
R04_AG1075TC	-	422	1.2 %
R04_AG1085TC	-	392	1.2 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3392-3403 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060TC\_RANDOM\_02: AG1060TC series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060TC through R04\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31231	92.3 %
-97777	-	2	0.0 %
R04_AG1060TC	-	384	1.1 %
R04_AG1062TC	-	422	1.2 %
R04_AG1063TC	-	390	1.2 %
R04_AG1064TC	-	200	0.6 %
R04_AG1066TC	-	392	1.2 %
R04_AG1075TC	-	378	1.1 %
R04_AG1085TC	-	423	1.3 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

Location: 3404-3415 (width: 12; decimal: 0)

Variable Type: character

## R04\_AG1060TC\_RANDOM\_03: AG1060TC series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060TC through R04\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31231	92.3 %
-97777	-	2	0.0 %
R04_AG1060TC	-	404	1.2 %
R04_AG1062TC	-	415	1.2 %
R04_AG1063TC	-	428	1.3 %
R04_AG1064TC	-	191	0.6 %
R04_AG1066TC	-	408	1.2 %

Value	Label	Unweighted Frequency	%
R04_AG1075TC	-	349	1.0 %
R04_AG1085TC	-	394	1.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3416-3427 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060TC\_RANDOM\_04: AG1060TC series random question 4

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060TC through R04\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31231	92.3 %
-97777	-	2	0.0 %
R04_AG1060TC	-	416	1.2 %
R04_AG1062TC	-	371	1.1 %
R04_AG1063TC	-	423	1.3 %
R04_AG1064TC	-	194	0.6 %
R04_AG1066TC	-	391	1.2 %
R04_AG1075TC	-	408	1.2 %
R04_AG1085TC	-	386	1.1 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3428-3439 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060TC\_RANDOM\_05: AG1060TC series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060TC through R04\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31231	92.3 %
-97777	-	2	0.0 %
R04_AG1060TC	-	384	1.1 %
R04_AG1062TC	-	413	1.2 %
R04_AG1063TC	-	370	1.1 %
R04_AG1064TC	-	197	0.6 %
R04_AG1066TC	-	372	1.1 %
R04_AG1075TC	-	430	1.3 %
R04_AG1085TC	-	423	1.3 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3440-3451 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060TC\_RANDOM\_06: AG1060TC series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060TC through R04\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31231	92.3 %
-97777	-	2	0.0 %
R04_AG1060TC	-	390	1.2 %
R04_AG1062TC	-	382	1.1 %
R04_AG1063TC	-	411	1.2 %
R04_AG1064TC	-	165	0.5 %
R04_AG1066TC	-	420	1.2 %
R04_AG1075TC	-	419	1.2 %
R04_AG1085TC	-	402	1.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3452-3463 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060TC\_RANDOM\_07: AG1060TC series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060TC through R04\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32487	96.1 %
-97777	-	2	0.0 %
R04_AG1060TC	-	205	0.6 %
R04_AG1062TC	-	198	0.6 %
R04_AG1063TC	-	191	0.6 %
R04_AG1064TC	-	189	0.6 %
R04_AG1066TC	-	198	0.6 %
R04_AG1075TC	-	183	0.5 %
R04_AG1085TC	-	169	0.5 %
		Total	33,822 100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3464-3475 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060TC: Smoke/smoked traditional cigars because: They are/were affordable

The next questions are about the reasons people smoke traditional cigars.

Please select which reasons [apply to you/applied to you when you used to smoke traditional cigars].

I [smoke/smoked] traditional cigars because...

They [are/were] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)  
AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	894	2.6 %
2	2 = No	1679	5.0 %
		Total	2,573 7.6%

This variable has 2,573 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	31231	92.3 %	
<b>Total</b>		<b>31,249</b>	<b>92.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3476-3481 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1085TC: Smoke/smoked traditional cigars because: Can/could smoke them in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people smoke traditional cigars.

Please select which reasons [apply to you/applied to you when you used to smoke traditional cigars].

I [can/could] smoke traditional cigars at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

**ASK Specification:** IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)  
AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	564	1.7 %
2	2 = No	1999	5.9 %
<b>Total</b>		<b>2,563</b>	<b>7.6%</b>

This variable has 2,563 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	31231	92.3 %	
<b>Total</b>		<b>31,259</b>	<b>92.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3482-3487 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG1062TC: Smoke/smoked traditional cigars because: They might be/have been less harmful than cigarettes

The next questions are about the reasons people smoke traditional cigars.

Please select which reasons [apply to you/applied to you when you used to smoke traditional cigars].

They might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)  
AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	433	1.3 %
2	2 = No	2139	6.3 %
	<b>Total</b>	<b>2,572</b>	<b>7.6%</b>

This variable has 2,572 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31231	92.3 %
	<b>Total</b>	<b>31,250</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3488-3493 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG1075TC: Smoke/smoked traditional cigars because: Might be/have been less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke traditional cigars.

Please select which reasons [apply to you/applied to you when you used to smoke traditional cigars].

They might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)

AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	405	1.2 %
2	2 = No	2161	6.4 %
	<b>Total</b>	<b>2,566</b>	<b>7.6%</b>

This variable has 2,566 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	31231	92.3 %
	<b>Total</b>	<b>31,256</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3494-3499 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1063TC: Smoke/smoked traditional cigars because: They come/came in flavors I like/liked

The next questions are about the reasons people smoke traditional cigars.

Please select which reasons [apply to you/applied to you when you used to smoke traditional cigars].

Traditional cigars [come/came] in flavors I [like/liked].

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

**ASK Specification:** IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)  
AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1197	3.5 %
2	2 = No	1369	4.0 %
	<b>Total</b>	<b>2,566</b>	<b>7.6%</b>

This variable has 2,566 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>			
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	31231	92.3 %
<b>Total</b>		<b>31,256</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3500-3505 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1064TC: Smoke/smoked traditional cigars because: Smoking them helps people to quit smoking cigarettes

The next questions are about the reasons people smoke traditional cigars.

Please select which reasons [apply to you/applied to you when you used to smoke traditional cigars].

Smoking traditional cigars helps people quit smoking cigarettes.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers.

**ASK Specification:** IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_CIG\_USER\_STATUS = 1, 2, 4.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	191	0.6 %
2	2 = No	1131	3.3 %
<b>Total</b>		<b>1,322</b>	<b>3.9%</b>

This variable has 1,322 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32487	96.1 %
<b>Total</b>		<b>32,500</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3506-3511 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AG1066TC: Smoke/smoked traditional cigars because: Smoking it feels/felt like smoking a regular cigarette

The next questions are about the reasons people smoke traditional cigars.

Please select which reasons [apply to you/applied to you when you used to smoke traditional cigars].

Smoking a traditional cigar [feels/felt] like smoking a regular cigarette.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	321	0.9 %
2	2 = No	2246	6.6 %
	<b>Total</b>	<b>2,567</b>	<b>7.6%</b>

This variable has 2,567 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	31231	92.3 %
	<b>Total</b>	<b>31,255</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3512-3517 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AG1080TC: Smoke/smoked traditional cigars as a way of cutting down on cigarette smoking

The next questions are about the reasons people smoke traditional cigars.

Please select which reasons [apply to you/applied to you when you used to smoke traditional cigars].

[Do/Did] you smoke traditional cigars as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1)

AND R04\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	195	0.6 %
2	2 = No	976	2.9 %
	<b>Total</b>	<b>1,171</b>	<b>3.5%</b>

This variable has 1,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32646	96.5 %
	<b>Total</b>	<b>32,651</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3518-3523 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1139TC: Level of agreement: It is/was easier to talk and get along with other people when smoking a traditional cigar

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a traditional cigar.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

**ASK Specification:** IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1614	4.8 %
2	2 = 2 on a scale of 1 to 4	504	1.5 %
3	3 = 3 on a scale of 1 to 4	312	0.9 %
4	4 = Very true of me	139	0.4 %
	<b>Total</b>	<b>2,569</b>	<b>7.6%</b>

This variable has 2,569 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31231	92.3 %
<b>Total</b>		<b>31,253</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3524-3529 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1140TC: Level of agreement: Feel/felt more confident with other people while smoking a traditional cigar

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

While smoking a traditional cigar, I [feel/felt] more confident with other people.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

**ASK Specification:** IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Not true of me at all	1713	5.1 %
2	2 = 2 on a scale of 1 to 4	490	1.4 %
3	3 = 3 on a scale of 1 to 4	261	0.8 %
4	4 = Very true of me	107	0.3 %
<b>Total</b>		<b>2,571</b>	<b>7.6%</b>

This variable has 2,571 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	31231	92.3 %
<b>Total</b>		<b>31,251</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3530-3535 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AG1141TC: Level of agreement: Smoke/smoked traditional cigars much more when with other people

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] traditional cigars much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R04\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1124	3.3 %
2	2 = 2 on a scale of 1 to 4	409	1.2 %
3	3 = 3 on a scale of 1 to 4	452	1.3 %
4	4 = Very true of me	586	1.7 %
	<b>Total</b>	<b>2,571</b>	<b>7.6%</b>

This variable has 2,571 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	31231	92.3 %
	<b>Total</b>	<b>31,251</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3536-3541 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04R\_A\_AG1006CG\_RS: DERIVED - Age group when first smoked part or all of a cigarillo, even one or two puffs (6 levels)

Long Description: How old were you the first time you smoked part or all of a cigarillo, even one or two puffs?

Algorithm: if (0 <= R04\_AG1006CG\_RS < 18) or R04\_AG1120CG\_RS = 1 then

R04R\_A\_AG1006CG\_RS = 1; else if (18 <= R04\_AG1006CG\_RS <= 24) or R04\_AG1120CG\_RS = 2 then R04R\_A\_AG1006CG\_RS = 2; else if (25 <= R04\_AG1006CG\_RS <= 34) or

R04\_AG1120CG\_RS = 3 then R04R\_A\_AG1006CG\_RS = 3; else if (35 <= R04\_AG1006CG\_RS <= 44) or R04\_AG1120CG\_RS = 4 then R04R\_A\_AG1006CG\_RS = 4; else if (45 <= R04\_AG1006CG\_RS <= 54) or R04\_AG1120CG\_RS = 5 then R04R\_A\_AG1006CG\_RS = 5; else if (R04\_AG1006CG\_RS >= 55) or R04\_AG1120CG\_RS = 6 then R04R\_A\_AG1006CG\_RS = 6; else if R04\_AG1006CG\_RS = -9 or R04\_AG1120CG\_RS = -9 then R04R\_A\_AG1006CG\_RS = -99999; else if R04\_AG1006CG\_RS = -8 or R04\_AG1120CG\_RS = -8 then R04R\_A\_AG1006CG\_RS = -99988; else if R04\_AG1006CG\_RS = -7 or R04\_AG1120CG\_RS = -7 then R04R\_A\_AG1006CG\_RS = -99977; else if R04\_AG1006CG\_RS = -5 then R04R\_A\_AG1006CG\_RS = -99955; else if R04\_AG1006CG\_RS = -1 or R04\_AG1120CG\_RS = -1 then R04R\_A\_AG1006CG\_RS = -99911;

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Less than 18 years old	894	2.6 %
2	2 = 18 to 24 years old	951	2.8 %
3	3 = 25 to 34 years old	226	0.7 %
4	4 = 35 to 44 years old	84	0.2 %
5	5 = 45 to 54 years old	51	0.2 %
6	6 = 55 years old or older	17	0.1 %
<b>Total</b>		<b>2,223</b>	<b>6.6%</b>

This variable has 2,223 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	15	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31575	93.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>31,599</b>	<b>93.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3542-3547 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AG1005CG: Number of cigarillos smoked in entire life

How many cigarillos have you smoked in your entire life?

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, or

new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_GRILLO = 1  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R03\_NUMLIFE\_GRILLO != 1) OR (R04\_ADULTTYPE = 3  
AND R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	2361	7.0 %
2	2 = 1 to 10	2783	8.2 %
3	3 = 11 to 20	1381	4.1 %
4	4 = 21 to 50	1201	3.6 %
5	5 = 51 to 99	476	1.4 %
6	6 = 100 or more	663	2.0 %
<b>Total</b>		<b>8,865</b>	<b>26.2%</b>

This variable has 8,865 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	188	0.6 %	
-7	-7 = Refused	77	0.2 %	
-1	-1 = Inapplicable	24690	73.0 %	
<b>Total</b>		<b>24,957</b>	<b>73.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3548-3553 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1100CG: Ever smoked cigarillos fairly regularly

Have you ever smoked cigarillos fairly regularly?

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_GRILLO = 1  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R03\_REGUSE\_GRILLO != 1) OR (R04\_ADULTTYPE = 3 AND  
R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	805	2.4 %

Value	Label	Unweighted Frequency	%
2	2 = No	7781	23.0 %
	<b>Total</b>	<b>8,586</b>	<b>25.4%</b>

This variable has 8,586 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	25222	74.6 %
	<b>Total</b>	<b>25,236</b>	<b>74.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3554-3559 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AG1007CG\_NB: DERIVED - Age group when you first started smoking cigarillos fairly regularly (6 levels)

Long Description: How old were you when you first started smoking cigarillos fairly regularly?

Algorithm: if (0 <= R04\_AG1007CG\_NB < 18) or R04\_AG1121CG\_NB = 1 then  
 R04R\_A\_AG1007CG\_NB = 1; else if (18 <= R04\_AG1007CG\_NB <= 24) or R04\_AG1121CG\_NB  
 = 2 then R04R\_A\_AG1007CG\_NB = 2; else if (25 <= R04\_AG1007CG\_NB <= 34) or  
 R04\_AG1121CG\_NB = 3 then R04R\_A\_AG1007CG\_NB = 3; else if (35 <= R04\_AG1007CG\_NB  
 <= 44) or R04\_AG1121CG\_NB = 4 then R04R\_A\_AG1007CG\_NB = 4; else if  
 (45 <= R04\_AG1007CG\_NB <= 54) or R04\_AG1121CG\_NB = 5 then R04R\_A\_AG1007CG\_NB  
 = 5; else if (R04\_AG1007CG\_NB => 55) or R04\_AG1121CG\_NB = 6 then  
 R04R\_A\_AG1007CG\_NB = 6; else if R04\_AG1007CG\_NB = -9 or R04\_AG1121CG\_NB  
 = -9 then R04R\_A\_AG1007CG\_NB = -99999; else if R04\_AG1007CG\_NB = -8  
 or R04\_AG1121CG\_NB = -8 then R04R\_A\_AG1007CG\_NB = -99988;  
 else if R04\_AG1007CG\_NB = -7 or R04\_AG1121CG\_NB = -7 then  
 R04R\_A\_AG1007CG\_NB = -99977; else if R04\_AG1007CG\_NB = -5 then  
 R04R\_A\_AG1007CG\_NB = -99955; else if R04\_AG1007CG\_NB = -1 or  
 R04\_AG1121CG\_NB = -1 then R04R\_A\_AG1007CG\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	152	0.4 %
2	2 = 18 to 24 years old	181	0.5 %
3	3 = 25 to 34 years old	31	0.1 %
4	4 = 35 to 44 years old	27	0.1 %
5	5 = 45 to 54 years old	15	0.0 %
6	6 = 55 years old or older	5	0.0 %
	<b>Total</b>	<b>411</b>	<b>1.2%</b>

This variable has 411 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33409	98.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,411</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3560-3565 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AG1020CG\_NB: DERIVED - Age group when you first started smoking cigarillos every day (6 levels)

Long Description: How old were you when you first started smoking cigarillos every day?

Algorithm: if (0 <= R04\_AGG1020CG\_NB < 18) or R04\_AGG1122CG\_NB = 1 then  
 R04R\_A\_AG1020CG\_NB = 1; else if (18 <= R04\_AGG1020CG\_NB <= 24) or R04\_AGG1122CG\_NB = 2 then R04R\_A\_AG1020CG\_NB = 2; else if (25 <= R04\_AGG1020CG\_NB <= 34) or R04\_AGG1122CG\_NB = 3 then R04R\_A\_AG1020CG\_NB = 3; else if (35 <= R04\_AGG1020CG\_NB <= 44) or R04\_AGG1122CG\_NB = 4 then R04R\_A\_AG1020CG\_NB = 4; else if (45 <= R04\_AGG1020CG\_NB <= 54) or R04\_AGG1122CG\_NB = 5 then R04R\_A\_AG1020CG\_NB = 5; else if (R04\_AGG1020CG\_NB >= 55) or R04\_AGG1122CG\_NB = 6 then R04R\_A\_AG1020CG\_NB = 6; else if R04\_AGG1020CG\_NB = -9 or R04\_AGG1122CG\_NB = -9 then R04R\_A\_AG1020CG\_NB = -99999; else if R04\_AGG1020CG\_NB = -8 or R04\_AGG1122CG\_NB = -8 then R04R\_A\_AG1020CG\_NB = -99988; else if R04\_AGG1020CG\_NB = -7 or R04\_AGG1122CG\_NB = -7 then R04R\_A\_AG1020CG\_NB = -99977; else if R04\_AGG1020CG\_NB = -5 then R04R\_A\_AG1020CG\_NB = -99955; else if R04\_AGG1020CG\_NB = -1 or R04\_AGG1122CG\_NB = -1 then R04R\_A\_AG1020CG\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	17	0.1 %
2	2 = 18 to 24 years old	19	0.1 %
3	3 = 25 to 34 years old	6	0.0 %
4	4 = 35 to 44 years old	6	0.0 %
5	5 = 45 to 54 years old	4	0.0 %
6	6 = 55 years old or older	2	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33765	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,768</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3566-3571 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04\_AG1008CG: When first started smoking cigarillos, smoked cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking cigarillos, did you smoke cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to Box R04\_AGR59.]

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GRILLO\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR (R04\_ADULTTYPE = 3 AND R04\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1166	3.4 %
2	2 = No	1320	3.9 %
3	3 = I don't know	347	1.0 %
	<b>Total</b>	<b>2,833</b>	<b>8.4%</b>

This variable has 2,833 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	30981	91.6 %
<b>Total</b>		<b>30,989</b>	<b>91.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3572-3577 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1011CG\_01: Flavor of cigarillo when first started smoking: Menthol or mint

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

**ASK:** Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

**ASK Specification:** IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GRILLO\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	236	0.7 %
2	2 = Not Marked	929	2.7 %
<b>Total</b>		<b>1,165</b>	<b>3.4%</b>

This variable has 1,165 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32654	96.5 %
<b>Total</b>		<b>32,657</b>	<b>96.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3578-3583 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1011CG\_02: Flavor of cigarillo when first started smoking: Clove or spice

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GRILLO\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	129	0.4 %
2	2 = Not Marked	1036	3.1 %
	<b>Total</b>	<b>1,165</b>	<b>3.4%</b>

This variable has 1,165 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32654	96.5 %
	<b>Total</b>	<b>32,657</b>	<b>96.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3584-3589 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1011CG\_03: Flavor of cigarillo when first started smoking: Fruit

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GRILLO\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	608	1.8 %
2	2 = Not Marked	557	1.6 %
	<b>Total</b>	<b>1,165</b>	<b>3.4%</b>

This variable has 1,165 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32654	96.5 %	
	<b>Total</b>	<b>32,657</b>	<b>96.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3590-3595 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1011CG\_04: Flavor of cigarillo when first started smoking: Chocolate

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GRILLO\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	118	0.3 %
2	2 = Not Marked	1047	3.1 %
	<b>Total</b>	<b>1,165</b>	<b>3.4%</b>

This variable has 1,165 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32654	96.5 %
	<b>Total</b>	<b>32,657</b>	<b>96.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3596-3601 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1011CG\_05: Flavor of cigarillo when first started smoking: An alcoholic drink

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GRILLO\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	205	0.6 %
2	2 = Not Marked	960	2.8 %
	<b>Total</b>	<b>1,165</b>	<b>3.4%</b>

This variable has 1,165 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32654	96.5 %	
<b>Total</b>		<b>32,657</b>	<b>96.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3602-3607 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1011CG\_06: Flavor of cigarillo when first started smoking: Candy or other sweets

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GRILLO\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	300	0.9 %
2	2 = Not Marked	865	2.6 %
<b>Total</b>		<b>1,165</b>	<b>3.4%</b>

This variable has 1,165 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32654	96.5 %	
<b>Total</b>		<b>32,657</b>	<b>96.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3608-3613 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1011CG\_07: Flavor of cigarillo when first started smoking: Some other flavor

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GRILLO\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1008CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.1 %
2	2 = Not Marked	1137	3.4 %
	<b>Total</b>	<b>1,165</b>	<b>3.4%</b>

This variable has 1,165 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32654	96.5 %
	<b>Total</b>	<b>32,657</b>	<b>96.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3614-3619 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1025CG\_RS: Around this time 12 months ago, smoked cigarillos every day, some days or not at all

Around this time 12 months ago, were you smoking cigarillos...?

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_GRILLO\_USER\_STATUS = 1, 2, 3, 4, 5 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	82	0.2 %
2	2 = Some days	461	1.4 %
3	3 = Not at all	1693	5.0 %
<b>Total</b>		<b>2,236</b>	<b>6.6%</b>

This variable has 2,236 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	31580	93.4 %	
<b>Total</b>		<b>31,586</b>	<b>93.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3620-3625 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1021CG: Average number of cigarillos now smoked each day

On average, about how many cigarillos do you now smoke each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to R04\_AG1024CG.]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

This variable has 196 valid cases out of 33,822 total cases.

- Mean: 3.66
- Median: 3.00
- Mode: 2.00
- Minimum: -2.00
- Maximum: 25.00
- Standard Deviation: 4.11

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	33623	99.4 %
<b>Total</b>		<b>33,626</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3626-3631 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1022CG: In past 30 days, number of days smoked cigarillos

On how many of the past 30 days did you smoke cigarillos?

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 2,509 valid cases out of 33,822 total cases.

- Mean: 4.19
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.18

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	10	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	31286	92.5 %
<b>Total</b>		<b>31,313</b>	<b>92.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3632-3637 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AG9029CG\_NN: Time since last smoked cigarillos - Number (Some day or current experimental smokers)

About how long has it been since you last smoked cigarillos?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AGR30.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 441 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	39	0.1 %
-1	-1 = Inapplicable	33335	98.6 %
<b>Total</b>		<b>33,381</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3638-3643 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AG9029CG\_UN: Time since last smoked cigarillos - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked cigarillos?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AGR30.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	53	0.2 %
2	2 = Months	303	0.9 %
3	3 = Years	124	0.4 %
	<b>Total</b>	<b>480</b>	<b>1.4%</b>

This variable has 480 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33340	98.6 %
	<b>Total</b>	<b>33,342</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3644-3649 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1023CG: In past 30 days, average number of cigarillos smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R04\_AG1022 days/days you smoked], how many cigarillos did you usually smoke each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to Box R04\_AGR30.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0.

This variable has 1,584 valid cases out of 33,822 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 70.00
- Standard Deviation: 4.05

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>				
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	7	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32223	95.3 %	
	<b>Total</b>	<b>32,238</b>	<b>95.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3650-3655 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1024CG\_NN: Time to first cigarillo after waking on days smoked - Number (current smokers)

[On the days that you smoke cigarillos, how/How] soon after you wake up do you typically smoke your first cigarillo of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092CG.]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_GRILLO\_USER\_STATUS = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 1,771 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	41	0.1 %	
-7	-7 = Refused	10	0.0 %	
-5	-5 = Improbable response removed	16	0.0 %	
-1	-1 = Inapplicable	31982	94.6 %	
	<b>Total</b>	<b>32,051</b>	<b>94.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3656-3661 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1024CG\_UN: Time to first cigarillo after waking on days smoked - Unit (current smokers)

[On the days that you smoke cigarillos, how/How] soon after you wake up do you typically smoke your first cigarillo of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092CG.]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_GRILLO\_USER\_STATUS = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	367	1.1 %
2	2 = Hours after waking	1420	4.2 %
	<b>Total</b>	<b>1,787</b>	<b>5.3%</b>

This variable has 1,787 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32033	94.7 %
	<b>Total</b>	<b>32,035</b>	<b>94.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3662-3667 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1092CG: Smoke first cigarillo of the day within 30 minutes after waking (current smokers)

[On the days that you smoke cigarillos, would/Would] you say you smoke your first cigarillo of the day within the first 30 minutes after you wake up?

[Go to Box R04\_AGR34.]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first traditional cigar/cigarillo/filtered cigar.

ASK Specification: IF R04\_GRILLO\_USER\_STATUS = 1, 2 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1024CG\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	38	0.1 %
3	3 = It varies	6	0.0 %
	<b>Total</b>	<b>48</b>	<b>0.1%</b>

This variable has 48 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33769	99.8 %
	<b>Total</b>	<b>33,774</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3668-3673 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1024CG\_30D\_NN: Time to first cigarillo after waking on days smoked - Number (non-current smokers)

On the days that you smoked cigarillos, how soon after you woke up did you typically smoke your first cigarillo of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092CG\_30D.]

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 849 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	10	0.0 %
-5	-5 = Improbable response removed	5	0.0 %
-1	-1 = Inapplicable	32927	97.4 %
	<b>Total</b>	<b>32,973</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3674-3679 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AG1024CG\_30D\_UN: Time to first cigarillo after waking on days smoked - Unit (non-current smokers)

On the days that you smoked cigarillos, how soon after you woke up did you typically smoke your first cigarillo of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092CG\_30D.]

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Display as Quantity/Units.]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	244	0.7 %
2	2 = Hours after waking	610	1.8 %
	<b>Total</b>	<b>854</b>	<b>2.5%</b>

This variable has 854 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32966	97.5 %
	<b>Total</b>	<b>32,968</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3680-3685 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1092CG\_30D: Smoked first cigarillo of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked cigarillos, would you say you smoked your first cigarillo of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically

smoked their first traditional cigar/cigarillo/filtered cigar.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1024CG\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	30	0.1 %
3	3 = It varies	2	0.0 %
<b>Total</b>		<b>33</b>	<b>0.1%</b>

This variable has 33 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33781	99.9 %
<b>Total</b>		<b>33,789</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3686-3691 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0100CG: When last smoked a cigarillo

When did you last smoke a cigarillo?

[If In the past hour (1), GO TO R04\_AG0103CG; If Three or more days ago (5), Don't Know (-8), or Refused (-7), GO TO R04\_AG1130CG]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	193	0.6 %

Value	Label	Unweighted Frequency	%
2	2 = Sometime today	173	0.5 %
3	3 = Yesterday	310	0.9 %
4	4 = Day before yesterday	127	0.4 %
5	5 = Three or more days ago	975	2.9 %
	<b>Total</b>	<b>1,778</b>	<b>5.3%</b>

This variable has 1,778 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32026	94.7 %
	<b>Total</b>	<b>32,044</b>	<b>94.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3692-3697 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0102CG: Time period of day when you last smoked a cigarillo

When you last smoked a cigarillo [FILL BASED ON R04\_AG0100CG], was it...

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)) AND R04\_AG0100CG = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	67	0.2 %
2	2 = After 6AM but before noon	140	0.4 %
3	3 = Between noon and 6PM	198	0.6 %
4	4 = After 6PM but before midnight	202	0.6 %
	<b>Total</b>	<b>607</b>	<b>1.8%</b>

This variable has 607 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33210	98.2 %
<b>Total</b>		<b>33,215</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3698-3703 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0103CG: Number of cigarillos smoked today/yesterday/day before yesterday

How many cigarillos [have/did] you [smoked/smoke] [FILL BASED ON R04\_AG0100CG]?

(If less than 1, enter 1.)

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)) AND R04\_AG0100CG = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 799 valid cases out of 33,822 total cases.

- Mean: 2.15
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 3.63

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33017	97.6 %
	<b>Total</b>	<b>33,023</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3704-3709 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AG1130CG: In past 30 days, any of the cigarillos smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AG1030CG.]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	851	2.5 %
2	2 = No	787	2.3 %
3	3 = I don't know	152	0.4 %
<b>Total</b>		<b>1,790</b>	<b>5.3%</b>

This variable has 1,790 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32026	94.7 %
<b>Total</b>		<b>32,032</b>	<b>94.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3710-3715 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131CG\_01: In past 30 days, cigarillo flavor smoked: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)) AND R04\_AG1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	169	0.5 %
2	2 = Not Marked	680	2.0 %
	<b>Total</b>	<b>849</b>	<b>2.5%</b>

This variable has 849 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32969	97.5 %
	<b>Total</b>	<b>32,973</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3716-3721 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AG1131CG\_02: In past 30 days, cigarillo flavor smoked: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and

smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)) AND R04\_AG1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	52	0.2 %
2	2 = Not Marked	797	2.4 %
	<b>Total</b>	<b>849</b>	<b>2.5%</b>

This variable has 849 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32969	97.5 %
	<b>Total</b>	<b>32,973</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3722-3727 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131CG\_03: In past 30 days, cigarillo flavor smoked: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR

R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0))

AND R04\_AG1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	431	1.3 %
2	2 = Not Marked	418	1.2 %
	<b>Total</b>	<b>849</b>	<b>2.5%</b>

This variable has 849 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32969	97.5 %
	<b>Total</b>	<b>32,973</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3728-3733 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## **R04\_AG1131CG\_04: In past 30 days, cigarillo flavor smoked: Chocolate**

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)) AND R04\_AG1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	67	0.2 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	782	2.3 %
	<b>Total</b>	<b>849</b>	<b>2.5%</b>

This variable has 849 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32969	97.5 %
	<b>Total</b>	<b>32,973</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3734-3739 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131CG\_05: In past 30 days, cigarillo flavor smoked: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)) AND R04\_AG1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	196	0.6 %
2	2 = Not Marked	653	1.9 %
	<b>Total</b>	<b>849</b>	<b>2.5%</b>

This variable has 849 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32969	97.5 %
<b>Total</b>		<b>32,973</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3740-3745 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131CG\_06: In past 30 days, cigarillo flavor smoked: Candy or sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)) AND R04\_AG1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	198	0.6 %
2	2 = Not Marked	651	1.9 %
<b>Total</b>		<b>849</b>	<b>2.5%</b>

This variable has 849 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32969	97.5 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>32,973</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3746-3751 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131CG\_07: In past 30 days, cigarillo flavor smoked: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)) AND R04\_AG1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.1 %
2	2 = Not Marked	819	2.4 %
	<b>Total</b>	<b>849</b>	<b>2.5%</b>

This variable has 849 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32969	97.5 %
	<b>Total</b>	<b>32,973</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3752-3757 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1147CG: How often smoked flavored cigarillos on days smoked in past 30 days

On the days you smoked cigarillos in the past 30 days, how often did you smoke flavored cigarillos?

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GRILLO\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R04\_CURRENT\_GRILLO\_USE = 2 OR R04\_GRILLO\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1022CG != 0)) AND R04\_AG1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	409	1.2 %
2	2 = Most of the time	135	0.4 %
3	3 = Sometimes	137	0.4 %
4	4 = Rarely	155	0.5 %
5	5 = Never	15	0.0 %
	<b>Total</b>	<b>851</b>	<b>2.5%</b>

This variable has 851 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32969	97.5 %
	<b>Total</b>	<b>32,971</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3758-3763 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1030CG: How you usually buy/bought your cigarillos

The next questions ask about your experience buying cigarillos.

How [do/did] you usually buy cigarillos for yourself?

[If From the internet (2) or By telephone (3), Go to R04\_AG1039CG. If I do not buy my own cigarillos (4),

Don't Know (-8), or Refused (-7), Go to R04\_AG9040CG.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	2238	6.6 %
2	2 = From the internet	39	0.1 %
3	3 = By telephone	16	0.0 %
4	4 = I do not buy my own cigarillos	423	1.3 %
	<b>Total</b>	<b>2,716</b>	<b>8.0%</b>

This variable has 2,716 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	31089	91.9 %
	<b>Total</b>	<b>31,106</b>	<b>92.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3764-3769 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AG1032CG: Geographic area where you usually buy/bought your cigarillos

[Do/Did] you usually buy cigarillos...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	2198	6.5 %
2	2 = In another state	27	0.1 %
3	3 = Outside the US	10	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,235</b>	<b>6.6%</b>

This variable has 2,235 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31582	93.4 %
	<b>Total</b>	<b>31,587</b>	<b>93.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3770-3775 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1033CG: Retail location where your cigarillos are purchased most of the time

Where [do/did] you buy your cigarillos most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillos/filtered cigars smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	68	0.2 %
2	2 = A convenience store or gas station	1794	5.3 %
3	3 = A supermarket, grocery store, or drug store	87	0.3 %
4	4 = A warehouse club, such as Sam's or Costco	3	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	191	0.6 %
6	6 = A duty free shop or military commissary	3	0.0 %
7	7 = A bar, pub, restaurant or casino	4	0.0 %
8	8 = A friend or relative	1	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = A liquor store	78	0.2 %
11	11 = Somewhere else	4	0.0 %
	<b>Total</b>	<b>2,233</b>	<b>6.6%</b>

This variable has 2,233 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31582	93.4 %
<b>Total</b>		<b>31,589</b>	<b>93.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3776-3781 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1039CG: Usually buy/bought cigarillos by the box, pack or as singles

{Do you usually buy cigarillos/Did you buy the last cigarillos you smoked} by the box or pack, or as single cigarillos?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1030CG = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	880	2.6 %
2	2 = Single cigarillos	1411	4.2 %
<b>Total</b>		<b>2,291</b>	<b>6.8%</b>

This variable has 2,291 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31527	93.2 %
<b>Total</b>		<b>31,531</b>	<b>93.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3782-3787 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1040CG: Number of cigarillos that come/came in box or pack usually buy/bought

How many cigarillos [come/came] in the box or pack that you [usually buy/bought]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1030CG = 1, 2, 3 AND R04\_AG1039CG = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 872 valid cases out of 33,822 total cases.

- Mean: 6.50
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 82.00
- Standard Deviation: 7.91

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	1	0.0 %	
-1	-1 = Inapplicable	32940	97.4 %	
	<b>Total</b>	<b>32,950</b>	<b>97.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3788-3793 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AG1042CG\_D: Amount usually paid for a box or pack of cigarillos - Dollars

[How much do you usually pay for a box or pack of cigarillos/How much did you pay for the last box or pack of cigarillos that you smoked]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AG9040CG.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1030CG = 1, 2, 3 AND R04\_AG1039CG = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 858 valid cases out of 33,822 total cases.

- Mean: 4.65
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 11.71

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32940	97.4 %
<b>Total</b>		<b>32,964</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3794-3799 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AG1042CG\_C: Amount usually paid for a box or pack of cigarillos - Cents

[How much do you usually pay for a box or pack of cigarillos/How much did you pay for the last box or pack of cigarillos that you smoked]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AG9040CG.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1030CG = 1, 2, 3 AND R04\_AG1039CG = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 858 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data			
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32962	97.5 %
	<b>Total</b>	<b>32,964</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3800-3805 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1043CG\_D: Amount usually paid for a single cigarillo - Dollars

[How much do you usually pay for a single cigarillo?/How much did you pay for the single cigarillo that you last smoked?]

**ASK:** Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars.

**ASK Specification:** IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1030CG = 1, 2, 3 AND R04\_AG1039CG = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1,396 valid cases out of 33,822 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 2.87

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32409	95.8 %
	<b>Total</b>	<b>32,426</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3806-3811 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1043CG\_C: Amount usually paid for a single cigarillo - Cents

[How much do you usually pay for a single cigarillo?/How much did you pay for the single cigarillo that you last smoked?]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1030CG = 1, 2, 3 AND R04\_AG1039CG = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1,396 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32424	95.9 %
<b>Total</b>		<b>32,426</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 3812-3817 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG9040CG: Group in picture most like cigarillo usually/last smoked

Please look at this picture. Which group is most like the cigarillo you [usually smoke/last smoked]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	157	0.5 %

Value	Label	Unweighted Frequency	%
2	2 = Group 2	1563	4.6 %
3	3 = Group 3	1063	3.1 %
4	4 = Group 4	296	0.9 %
	<b>Total</b>	<b>3,079</b>	<b>9.1%</b>

This variable has 3,079 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	20	0.1 %	
-7	-7 = Refused	23	0.1 %	
-1	-1 = Inapplicable	30698	90.8 %	
	<b>Total</b>	<b>30,743</b>	<b>90.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3818-3823 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1047CG: Have a regular brand of cigarillos you usually smoke/smoked

[Do/Did] you have a regular brand of cigarillos that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1750	5.2 %
2	2 = No	1363	4.0 %
	<b>Total</b>	<b>3,113</b>	<b>9.2%</b>

This variable has 3,113 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	30698	90.8 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>30,709</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3824-3829 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1050CG: Regular/last brand of cigarillos smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AG1945CG.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1476	4.4 %
2	2 = No	1325	3.9 %
3	3 = I don't know	315	0.9 %
<b>Total</b>		<b>3,116</b>	<b>9.2%</b>

This variable has 3,116 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30698	90.8 %
<b>Total</b>		<b>30,706</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3830-3835 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012CG\_01: Cigarillo flavor usually/last smoked: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	267	0.8 %
2	2 = Not Marked	1207	3.6 %
	<b>Total</b>	<b>1,474</b>	<b>4.4%</b>

This variable has 1,474 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32344	95.6 %
	<b>Total</b>	<b>32,348</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3836-3841 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012CG\_02: Cigarillo flavor usually/last smoked: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	90	0.3 %
2	2 = Not Marked	1384	4.1 %
	<b>Total</b>	<b>1,474</b>	<b>4.4%</b>

This variable has 1,474 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32344	95.6 %
	<b>Total</b>	<b>32,348</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3842-3847 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012CG\_03: Cigarillo flavor usually/last smoked: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	735	2.2 %
2	2 = Not Marked	739	2.2 %
	<b>Total</b>	<b>1,474</b>	<b>4.4%</b>

This variable has 1,474 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		2	0.0 %
-1	-1 = Inapplicable		32344	95.6 %
<b>Total</b>			<b>32,348</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3848-3853 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1012CG\_04: Cigarillo flavor usually/last smoked: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	124	0.4 %
2	2 = Not Marked	1350	4.0 %
	<b>Total</b>	<b>1,474</b>	<b>4.4%</b>

This variable has 1,474 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32344	95.6 %	
	<b>Total</b>	<b>32,348</b>	<b>95.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3854-3859 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1012CG\_05: Cigarillo flavor usually/last smoked: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	370	1.1 %
2	2 = Not Marked	1104	3.3 %
	<b>Total</b>	<b>1,474</b>	<b>4.4%</b>

This variable has 1,474 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32344	95.6 %
	<b>Total</b>	<b>32,348</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3860-3865 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012CG\_06: Cigarillo flavor usually/last smoked: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	328	1.0 %
2	2 = Not Marked	1146	3.4 %
	<b>Total</b>	<b>1,474</b>	<b>4.4%</b>

This variable has 1,474 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32344	95.6 %
	<b>Total</b>	<b>32,348</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3866-3871 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012CG\_07: Cigarillo flavor usually/last smoked: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.1 %
2	2 = Not Marked	1425	4.2 %
	<b>Total</b>	<b>1,474</b>	<b>4.4%</b>

This variable has 1,474 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		2	0.0 %
-1	-1 = Inapplicable		32344	95.6 %
<b>Total</b>			<b>32,348</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3872-3877 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1945CG: Know the name of brand of cigarillos usually/last smoked

Do you know the name of the brand of cigarillos you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1990	5.9 %
2	2 = No	1126	3.3 %
<b>Total</b>		<b>3,116</b>	<b>9.2%</b>

This variable has 3,116 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	30698	90.8 %	
<b>Total</b>		<b>30,706</b>	<b>90.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3878-3883 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1048CG\_BRAND: Brand of cigarillos usually/last smoked

What brand of cigarillos [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1945CG = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 1,980 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	31830	94.1 %
<b>Total</b>		<b>31,842</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3884-3889 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1070CG\_PRODUCT: Sub-brand of cigarillo product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG1945CG = 1 AND R04\_AG1048CG\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AG1048CG\_BRAND.]

This variable has 1,931 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %

Missing Data				
-7	-7 = Refused		4	0.0 %
-1	-1 = Inapplicable		31878	94.3 %
<b>Total</b>			<b>31,891</b>	<b>94.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3890-3895 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1051CG\_NN: How long smoked regular brand of cigarillo - Number

About how long [did you smoke/have you been smoking] your regular brand of cigarillo?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

This variable has 1,718 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		2	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		30	0.1 %
-7	-7 = Refused		2	0.0 %
-5	-5 = Improbable response removed		0	0.0 %
-1	-1 = Inapplicable		32070	94.8 %
<b>Total</b>			<b>32,104</b>	<b>94.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3896-3901 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1051CG\_UN: How long smoked regular brand of cigarillo - Unit

About how long [did you smoke/have you been smoking] your regular brand of cigarillo?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

Value	Label	Unweighted Frequency	%
1	1 = Days	239	0.7 %
2	2 = Months	346	1.0 %
3	3 = Years	1133	3.3 %
<b>Total</b>		<b>1,718</b>	<b>5.1%</b>

This variable has 1,718 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32102	94.9 %	
<b>Total</b>		<b>32,102</b>	<b>94.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 3902-3907 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0104CG: Brand of very last cigarillo smoked is same as brand regularly/last smoked

You said earlier that you smoked a cigarillo [TIME OF LAST USE].

Think about the very last cigarillo you smoked.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_AG0100CG = 1, 2, 3, 4 AND R04\_AG1945CG = 1  
AND R04\_AG1048CG\_BRAND != 9995, -8, -7 AND R04\_AG1070CG\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	431	1.3 %

Value	Label	Unweighted Frequency	%
2	2 = No	76	0.2 %
	<b>Total</b>	<b>507</b>	<b>1.5%</b>

This variable has 507 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	69	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33244	98.3 %
	<b>Total</b>	<b>33,315</b>	<b>98.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3908-3913 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1060CG\_RANDOM\_01: AG1060CG series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060CG through R04\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30698	90.8 %
-97777	-	2	0.0 %
R04_AG1060CG	-	515	1.5 %
R04_AG1062CG	-	487	1.4 %
R04_AG1063CG	-	478	1.4 %
R04_AG1064CG	-	289	0.9 %
R04_AG1066CG	-	440	1.3 %
R04_AG1075CG	-	429	1.3 %
R04_AG1085CG	-	484	1.4 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3914-3925 (width: 12; decimal: 0)

*Variable Type:* character

---

## R04\_AG1060CG\_RANDOM\_02: AG1060CG series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060CG through R04\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30698	90.8 %
-97777	-	2	0.0 %
R04_AG1060CG	-	478	1.4 %
R04_AG1062CG	-	479	1.4 %
R04_AG1063CG	-	490	1.4 %
R04_AG1064CG	-	278	0.8 %
R04_AG1066CG	-	464	1.4 %
R04_AG1075CG	-	482	1.4 %
R04_AG1085CG	-	451	1.3 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

Location: 3926-3937 (width: 12; decimal: 0)

Variable Type: character

---

## R04\_AG1060CG\_RANDOM\_03: AG1060CG series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060CG through R04\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30698	90.8 %
-97777	-	2	0.0 %
R04_AG1060CG	-	425	1.3 %
R04_AG1062CG	-	475	1.4 %
R04_AG1063CG	-	486	1.4 %
R04_AG1064CG	-	308	0.9 %
R04_AG1066CG	-	504	1.5 %

Value	Label	Unweighted Frequency	%
R04_AG1075CG	-	471	1.4 %
R04_AG1085CG	-	453	1.3 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3938-3949 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060CG\_RANDOM\_04: AG1060CG series random question 4

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060CG through R04\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30698	90.8 %
-97777	-	2	0.0 %
R04_AG1060CG	-	457	1.4 %
R04_AG1062CG	-	464	1.4 %
R04_AG1063CG	-	482	1.4 %
R04_AG1064CG	-	284	0.8 %
R04_AG1066CG	-	473	1.4 %
R04_AG1075CG	-	508	1.5 %
R04_AG1085CG	-	454	1.3 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3950-3961 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060CG\_RANDOM\_05: AG1060CG series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060CG through R04\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30698	90.8 %
-97777	-	2	0.0 %
R04_AG1060CG	-	486	1.4 %
R04_AG1062CG	-	437	1.3 %
R04_AG1063CG	-	472	1.4 %
R04_AG1064CG	-	300	0.9 %
R04_AG1066CG	-	461	1.4 %
R04_AG1075CG	-	483	1.4 %
R04_AG1085CG	-	483	1.4 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3962-3973 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060CG\_RANDOM\_06: AG1060CG series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060CG through R04\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30698	90.8 %
-97777	-	2	0.0 %
R04_AG1060CG	-	481	1.4 %
R04_AG1062CG	-	503	1.5 %
R04_AG1063CG	-	444	1.3 %
R04_AG1064CG	-	308	0.9 %
R04_AG1066CG	-	439	1.3 %
R04_AG1075CG	-	453	1.3 %
R04_AG1085CG	-	494	1.5 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3974-3985 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060CG\_RANDOM\_07: AG1060CG series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060CG through R04\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31717	93.8 %
-97777	-	2	0.0 %
R04_AG1060CG	-	280	0.8 %
R04_AG1062CG	-	277	0.8 %
R04_AG1063CG	-	270	0.8 %
R04_AG1064CG	-	336	1.0 %
R04_AG1066CG	-	341	1.0 %
R04_AG1075CG	-	296	0.9 %
R04_AG1085CG	-	303	0.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 3986-3997 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060CG: Smoke/smoked cigarillos because: They are/were affordable

The next questions are about the reasons people smoke cigarillos.

Please select which reasons [apply to you/applied to you when you used to smoke cigarillos].

I [smoke/smoked] cigarillos because...

They [are/were] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1964	5.8 %
2	2 = No	1144	3.4 %
	Total	3,108	9.2%

This variable has 3,108 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30698	90.8 %
<b>Total</b>		<b>30,714</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 3998-4003 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1085CG: Smoke/smoked cigarillos because: Can/could smoked them in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people smoke cigarillos.

Please select which reasons [apply to you/applied to you when you used to smoke cigarillos].

I [can/could] smoke cigarillos at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	356	1.1 %
2	2 = No	2757	8.2 %
<b>Total</b>		<b>3,113</b>	<b>9.2%</b>

This variable has 3,113 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30698	90.8 %
<b>Total</b>		<b>30,709</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4004-4009 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG1062CG: Smoke/smoked cigarillos because: They might be/have been less harmful than cigarettes

The next questions are about the reasons people smoke cigarillos.

Please select which reasons [apply to you/applied to you when you used to smoke cigarillos].

They might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	590	1.7 %
2	2 = No	2513	7.4 %
	<b>Total</b>	<b>3,103</b>	<b>9.2%</b>

This variable has 3,103 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	30698	90.8 %
	<b>Total</b>	<b>30,719</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 4010-4015 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG1075CG: Smoke/smoked cigarillos because: They might be/have been less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke cigarillos.

Please select which reasons [apply to you/applied to you when you used to smoke cigarillos].

They might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)

AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	501	1.5 %
2	2 = No	2604	7.7 %
	<b>Total</b>	<b>3,105</b>	<b>9.2%</b>

This variable has 3,105 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	30698	90.8 %
	<b>Total</b>	<b>30,717</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4016-4021 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1063CG: Smoke/smoked cigarillos because: They come/came in flavors I like/liked

The next questions are about the reasons people smoke cigarillos.

Please select which reasons [apply to you/applied to you when you used to smoke cigarillos].

Cigarillos [come/came] in flavors I [like/liked].

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

**ASK Specification:** IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1930	5.7 %
2	2 = No	1178	3.5 %
	<b>Total</b>	<b>3,108</b>	<b>9.2%</b>

This variable has 3,108 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>			
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	30698	90.8 %
<b>Total</b>		<b>30,714</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4022-4027 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1064CG: Smoke/smoked cigarillos because: Smoking them helps people to quit smoking cigarettes

The next questions are about the reasons people smoke cigarillos.

Please select which reasons [apply to you/applied to you when you used to smoke cigarillos].

Smoking cigarillos helps people quit smoking cigarettes.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers.

**ASK Specification:** IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_CIG\_USER\_STATUS = 1, 2, 4.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	292	0.9 %
2	2 = No	1795	5.3 %
<b>Total</b>		<b>2,087</b>	<b>6.2%</b>

This variable has 2,087 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31717	93.8 %
<b>Total</b>		<b>31,735</b>	<b>93.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4028-4033 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1066CG: Smoke/smoked cigarillos because: Smoking them feels/felt like smoking a regular cigarette

The next questions are about the reasons people smoke cigarillos.

Please select which reasons [apply to you/applied to you when you used to smoke cigarillos].

Smoking a cigarillo [feels/felt] like smoking a regular cigarette.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	715	2.1 %
2	2 = No	2394	7.1 %
	<b>Total</b>	<b>3,109</b>	<b>9.2%</b>

This variable has 3,109 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30698	90.8 %
	<b>Total</b>	<b>30,713</b>	<b>90.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 4034-4039 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AG1080CG: Smoke/smoked cigarillos as a way of cutting down on cigarette smoking

The next questions are about the reasons people smoke cigarillos.

Please select which reasons [apply to you/applied to you when you used to smoke cigarillos].

[Do/Did] you smoke cigarillos as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	387	1.1 %
2	2 = No	1411	4.2 %
	<b>Total</b>	<b>1,798</b>	<b>5.3%</b>

This variable has 1,798 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32015	94.7 %
	<b>Total</b>	<b>32,024</b>	<b>94.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4040-4045 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1139CG: Level of agreement: It is/was easier to talk and get along with other people when smoking a cigarillo

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a cigarillo.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1968	5.8 %
2	2 = 2 on a scale of 1 to 4	605	1.8 %
3	3 = 3 on a scale of 1 to 4	348	1.0 %
4	4 = Very true of me	177	0.5 %
	<b>Total</b>	<b>3,098</b>	<b>9.2%</b>

This variable has 3,098 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	30698	90.8 %	
	<b>Total</b>	<b>30,724</b>	<b>90.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4046-4051 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1140CG: Level of agreement: Feel/felt more confident with other people while smoking a cigarillo

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

While smoking a cigarillo, I [feel/felt] more confident with other people.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

**ASK Specification:** IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1 AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2114	6.3 %
2	2 = 2 on a scale of 1 to 4	571	1.7 %
3	3 = 3 on a scale of 1 to 4	279	0.8 %
4	4 = Very true of me	135	0.4 %
	<b>Total</b>	<b>3,099</b>	<b>9.2%</b>

This variable has 3,099 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	12	0.0 %	
-1	-1 = Inapplicable	30698	90.8 %	
	<b>Total</b>	<b>30,723</b>	<b>90.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4052-4057 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG1141CG: Level of agreement: Smoke/smoked cigarillos much more when with other people

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] cigarillos much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R04\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1609	4.8 %
2	2 = 2 on a scale of 1 to 4	563	1.7 %
3	3 = 3 on a scale of 1 to 4	508	1.5 %
4	4 = Very true of me	422	1.2 %
	<b>Total</b>	<b>3,102</b>	<b>9.2%</b>

This variable has 3,102 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	30698	90.8 %	
	<b>Total</b>	<b>30,720</b>	<b>90.8%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 4058-4063 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AG1006FC\_RS: DERIVED - Age group when first smoked part or all of a filtered cigar, even one or two puffs (6 levels)

Long Description: How old were you the first time you smoked part or all of a filtered cigar, even one or two puffs?

Algorithm: if (0 <= R04\_AG1006FC\_RS < 18) or R04\_AG1120FC\_RS = 1 then  
R04R\_A\_AG1006FC\_RS = 1; else if (18 <= R04\_AG1006FC\_RS <= 24) or R04\_AG1120FC\_RS  
= 2 then R04R\_A\_AG1006FC\_RS = 2; else if (25 <= R04\_AG1006FC\_RS <= 34) or  
R04\_AG1120FC\_RS = 3 then R04R\_A\_AG1006FC\_RS = 3; else if (35 <= R04\_AG1006FC\_RS

$\leq 44$ ) or R04\_AG1120FC\_RS = 4 then R04R\_A\_AG1006FC\_RS = 4; else if (45  $\leq$  R04\_AG1006FC\_RS  $\leq$  54) or R04\_AG1120FC\_RS = 5 then R04R\_A\_AG1006FC\_RS = 5; else if (R04\_AG1006FC\_RS  $\geq$  55) or R04\_AG1120FC\_RS = 6 then R04R\_A\_AG1006FC\_RS = 6; else if R04\_AG1006FC\_RS = -9 or R04\_AG1120FC\_RS = -9 then R04R\_A\_AG1006FC\_RS = -99999; else if R04\_AG1006FC\_RS = -8 or R04\_AG1120FC\_RS = -8 then R04R\_A\_AG1006FC\_RS = -99988; else if R04\_AG1006FC\_RS = -7 or R04\_AG1120FC\_RS = -7 then R04R\_A\_AG1006FC\_RS = -99977; else if R04\_AG1006FC\_RS = -5 then R04R\_A\_AG1006FC\_RS = -99955; else if R04\_AG1006FC\_RS = -1 or R04\_AG1120FC\_RS = -1 then R04R\_A\_AG1006FC\_RS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	477	1.4 %
2	2 = 18 to 24 years old	544	1.6 %
3	3 = 25 to 34 years old	145	0.4 %
4	4 = 35 to 44 years old	71	0.2 %
5	5 = 45 to 54 years old	43	0.1 %
6	6 = 55 years old or older	13	0.0 %
<b>Total</b>		<b>1,293</b>	<b>3.8%</b>

This variable has 1,293 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	36	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32484	96.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,529</b>	<b>96.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4064-4069 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AG1005FC: Number of filtered cigars smoked in entire life

How many filtered cigars have you smoked in your entire life?

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R03\_NUMLIFE\_GFILTR != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	1848	5.5 %
2	2 = 1 to 10	1657	4.9 %
3	3 = 11 to 20	659	1.9 %
4	4 = 21 to 50	567	1.7 %
5	5 = 51 to 99	255	0.8 %
6	6 = 100 or more	409	1.2 %
	<b>Total</b>	<b>5,395</b>	<b>16.0%</b>

This variable has 5,395 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	126	0.4 %	
-7	-7 = Refused	65	0.2 %	
-1	-1 = Inapplicable	28234	83.5 %	
	<b>Total</b>	<b>28,427</b>	<b>84.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4070-4075 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1100FC: Ever smoked filtered cigars fairly regularly

Have you ever smoked filtered cigars fairly regularly?

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R03\_REGUSE\_GFILTR != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	456	1.3 %
2	2 = No	4815	14.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,271</b>	<b>15.6%</b>

This variable has 5,271 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	28538	84.4 %
	<b>Total</b>	<b>28,551</b>	<b>84.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4076-4081 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AG1007FC\_NB: DERIVED - Age group when you first started smoking filtered cigars fairly regularly (6 levels)

Long Description: How old were you when you first started smoking filtered cigars fairly regularly?

```
Algorithm: if (0 <= R04_AG1007FC_NB < 18) or R04_AG1121FC_NB = 1 then
R04R_A_AG1007FC_NB = 1; else if (18 <= R04_AG1007FC_NB <= 24) or
R04_AG1121FC_NB = 2 then R04R_A_AG1007FC_NB = 2; else if (25
<= R04_AG1007FC_NB <= 34) or R04_AG1121FC_NB = 3 then R04R_A_AG1007FC_NB
= 3; else if (35 <= R04_AG1007FC_NB <= 44) or R04_AG1121FC_NB = 4
then R04R_A_AG1007FC_NB = 4; else if (45 <= R04_AG1007FC_NB <= 54)
or R04_AG1121FC_NB = 5 then R04R_A_AG1007FC_NB = 5; else if (R04_AG1007FC_NB
=> 55) or R04_AG1121FC_NB = 6 then R04R_A_AG1007FC_NB = 6; else if
R04_AG1007FC_NB = -9 or R04_AG1121FC_NB = -9 then R04R_A_AG1007FC_NB
= -99999; else if R04_AG1007FC_NB = -8 or R04_AG1121FC_NB = -8 then
R04R_A_AG1007FC_NB = -99988; else if R04_AG1007FC_NB = -7 or
R04_AG1121FC_NB = -7 then R04R_A_AG1007FC_NB = -99977; else if
R04_AG1007FC_NB = -5 then R04R_A_AG1007FC_NB = -99955; else if
R04_AG1007FC_NB = -1 or R04_AG1121FC_NB = -1 then R04R_A_AG1007FC_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	55	0.2 %
2	2 = 18 to 24 years old	67	0.2 %
3	3 = 25 to 34 years old	24	0.1 %
4	4 = 35 to 44 years old	17	0.1 %
5	5 = 45 to 54 years old	15	0.0 %
6	6 = 55 years old or older	10	0.0 %
	<b>Total</b>	<b>188</b>	<b>0.6%</b>

This variable has 188 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33631	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,634</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4082-4087 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AG1020FC\_NB: DERIVED - Age group when you first started smoking filtered cigars every day (6 levels)

Long Description: How old were you when you first started smoking filtered cigars every day?

```
Algorithm: if (0 <= R04_AGG1020FC_NB < 18) or R04_AGG1122FC_NB = 1 then
R04R_A_AG1020FC_NB = 1; else if (18 <= R04_AGG1020FC_NB <= 24) or
R04_AGG1122FC_NB = 2 then R04R_A_AG1020FC_NB = 2; else if (25 <=
R04_AGG1020FC_NB <= 34) or R04_AGG1122FC_NB = 3 then R04R_A_AG1020FC_NB
= 3; else if (35 <= R04_AGG1020FC_NB <= 44) or R04_AGG1122FC_NB = 4 then
R04R_A_AG1020FC_NB = 4; else if (45 <= R04_AGG1020FC_NB <= 54) or
R04_AGG1122FC_NB = 5 then R04R_A_AG1020FC_NB = 5; else if (R04_AGG1020FC_NB
=> 55) or R04_AGG1122FC_NB = 6 then R04R_A_AG1020FC_NB = 6; else if
R04_AGG1020FC_NB = -9 or R04_AGG1122FC_NB = -9 then R04R_A_AG1020FC_NB
=-99999; else if R04_AGG1020FC_NB = -8 or R04_AGG1122FC_NB = -8 then
R04R_A_AG1020FC_NB = -99988; else if R04_AGG1020FC_NB = -7 or
R04_AGG1122FC_NB = -7 then R04R_A_AG1020FC_NB = -99977; else if
R04_AGG1020FC_NB = -5 then R04R_A_AG1020FC_NB = -99955; else if
R04_AGG1020FC_NB = -1 or R04_AGG1122FC_NB = -1 then
R04R_A_AG1020FC_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	6	0.0 %
2	2 = 18 to 24 years old	6	0.0 %
3	3 = 25 to 34 years old	4	0.0 %
4	4 = 35 to 44 years old	6	0.0 %
5	5 = 45 to 54 years old	8	0.0 %
6	6 = 55 years old or older	5	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>35</b>	<b>0.1%</b>

This variable has 35 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33785	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,787</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4088-4093 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04\_AG1008FC: When first started smoking filtered cigars, smoked filtered cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking filtered cigars, did you smoke filtered cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to Box R04\_AGR59.]

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GFILTR\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR (R04\_ADULTTYPE = 3 AND R04\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	629	1.9 %
2	2 = No	928	2.7 %
3	3 = I don't know	273	0.8 %
	<b>Total</b>	<b>1,830</b>	<b>5.4%</b>

This variable has 1,830 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31983	94.6 %
<b>Total</b>		<b>31,992</b>	<b>94.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4094-4099 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1011FC\_01: Flavor of filtered cigar when first started smoking: Menthol or mint

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

**ASK:** Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

**ASK Specification:** IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GFILTR\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	206	0.6 %
2	2 = Not Marked	422	1.2 %
<b>Total</b>		<b>628</b>	<b>1.9%</b>

This variable has 628 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33191	98.1 %
<b>Total</b>		<b>33,194</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4100-4105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1011FC\_02: Flavor of filtered cigar when first started smoking: Clove or spice

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GFILTR\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	120	0.4 %
2	2 = Not Marked	508	1.5 %
	<b>Total</b>	<b>628</b>	<b>1.9%</b>

This variable has 628 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33191	98.1 %
	<b>Total</b>	<b>33,194</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4106-4111 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1011FC\_03: Flavor of filtered cigar when first started smoking: Fruit

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GFILTR\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	275	0.8 %
2	2 = Not Marked	353	1.0 %
	<b>Total</b>	<b>628</b>	<b>1.9%</b>

This variable has 628 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33191	98.1 %	
	<b>Total</b>	<b>33,194</b>	<b>98.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4112-4117 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1011FC\_04: Flavor of filtered cigar when first started smoking: Chocolate

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GFILTR\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	63	0.2 %
2	2 = Not Marked	565	1.7 %
	<b>Total</b>	<b>628</b>	<b>1.9%</b>

This variable has 628 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33191	98.1 %
	<b>Total</b>	<b>33,191</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4118-4123 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1011FC\_05: Flavor of filtered cigar when first started smoking: An alcoholic drink

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GFILTR\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	69	0.2 %
2	2 = Not Marked	559	1.7 %
	<b>Total</b>	<b>628</b>	<b>1.9%</b>

This variable has 628 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33191	98.1 %	
<b>Total</b>		<b>33,194</b>	<b>98.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4124-4129 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1011FC\_06: Flavor of filtered cigar when first started smoking: Candy or other sweets

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GFILTR\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	114	0.3 %
2	2 = Not Marked	514	1.5 %
<b>Total</b>		<b>628</b>	<b>1.9%</b>

This variable has 628 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33191	98.1 %	
<b>Total</b>		<b>33,194</b>	<b>98.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4130-4135 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1011FC\_07: Flavor of filtered cigar when first started smoking: Some other flavor

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_GFILTR\_ADULT = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1008FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	619	1.8 %
	<b>Total</b>	<b>628</b>	<b>1.9%</b>

This variable has 628 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33191	98.1 %
	<b>Total</b>	<b>33,194</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4136-4141 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1025FC\_RS: Around this time 12 months ago, smoked filtered cigars every day, some days or not at all

Around this time 12 months ago, were you smoking filtered cigars...?

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_GFILTR\_USER\_STATUS = 1, 2, 3, 4, 5 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	40	0.1 %
2	2 = Some days	193	0.6 %
3	3 = Not at all	1094	3.2 %
<b>Total</b>		<b>1,327</b>	<b>3.9%</b>

This variable has 1,327 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32489	96.1 %	
<b>Total</b>		<b>32,495</b>	<b>96.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4142-4147 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1021FC: Average number of filtered cigars now smoked each day

On average, about how many filtered cigars do you now smoke each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to R04\_AG1024FC.]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

This variable has 180 valid cases out of 33,822 total cases.

- Mean: 10.94
- Median: 10.00
- Mode: 20.00
- Minimum: -2.00
- Maximum: 40.00
- Standard Deviation: 9.06

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33639	99.5 %
<b>Total</b>		<b>33,642</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4148-4153 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1022FC: In past 30 days, number of days smoked filtered cigars

On how many of the past 30 days did you smoke filtered cigars?

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 1,169 valid cases out of 33,822 total cases.

- Mean: 3.87
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.17

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32640	96.5 %
<b>Total</b>		<b>32,653</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4154-4159 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AG9029FC\_NN: Time since last smoked filtered cigars - Number (Some day or current experimental smokers)

About how long has it been since you last smoked filtered cigars?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AGR30.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 254 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	47	0.1 %	
-1	-1 = Inapplicable	33518	99.1 %	
<b>Total</b>		<b>33,568</b>	<b>99.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4160-4165 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AG9029FC\_UN: Time since last smoked filtered cigars - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked filtered cigars?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AGR30.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	42	0.1 %
2	2 = Months	142	0.4 %
3	3 = Years	117	0.3 %
	<b>Total</b>	<b>301</b>	<b>0.9%</b>

This variable has 301 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33519	99.1 %
	<b>Total</b>	<b>33,521</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4166-4171 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1023FC: In past 30 days, average number of filtered cigars smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R04\_AG1022 days/days you smoked], how many filtered cigars did you usually smoke each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to Box R04\_AGR30.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0.

This variable has 656 valid cases out of 33,822 total cases.

- Mean: 2.12
- Median: 1.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 30.00
- Standard Deviation: 4.82

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>			
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33157	98.0 %
	<b>Total</b>	<b>33,166</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4172-4177 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1024FC\_NN: Time to first filtered cigar after waking on days smoked - Number (current smokers)

[On the days that you smoke filtered cigars, how/How soon after you wake up do you typically smoke your first filtered cigar of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092FC.]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_GFILTR\_USER\_STATUS = 1, 2 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 927 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	9	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	32860	97.2 %
	<b>Total</b>	<b>32,895</b>	<b>97.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4178-4183 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1024FC\_UN: Time to first filtered cigar after waking on days smoked - Unit (current smokers)

[On the days that you smoke filtered cigars, how/How soon after you wake up do you typically smoke your first filtered cigar of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092FC.]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_GFILTR\_USER\_STATUS = 1, 2 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	337	1.0 %
2	2 = Hours after waking	591	1.7 %
	<b>Total</b>	<b>928</b>	<b>2.7%</b>

This variable has 928 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32892	97.3 %
	<b>Total</b>	<b>32,894</b>	<b>97.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4184-4189 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1092FC: Smoke first filtered cigar of the day within 30 minutes after waking (current smokers)

[On the days that you smoke filtered cigars, would/Would] you say you smoke your first filtered cigar of the day within the first 30 minutes after you wake up?

[Go to Box R04\_AGR34.]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first traditional cigar/cigarillo/filtered cigar.

ASK Specification: IF R04\_GFILTR\_USER\_STATUS = 1, 2 AND R04\_AG1024FC\_NN = -8, -7 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	23	0.1 %
3	3 = It varies	4	0.0 %
	<b>Total</b>	<b>27</b>	<b>0.1%</b>

This variable has 27 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33788	99.9 %
	<b>Total</b>	<b>33,795</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4190-4195 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1024FC\_30D\_NN: Time to first filtered cigar after waking on days smoked - Number (non-current smokers)

On the days that you smoked filtered cigars, how soon after you woke up did you typically smoke your first filtered cigar of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092FC\_30D.]

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 367 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	8	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	33419	98.8 %
	<b>Total</b>	<b>33,455</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4196-4201 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AG1024FC\_30D\_UN: Time to first filtered cigar after waking on days smoked - Unit (non-current smokers)

On the days that you smoked filtered cigars, how soon after you woke up did you typically smoke your first filtered cigar of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AG1092FC\_30D.]

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	117	0.3 %
2	2 = Hours after waking	252	0.7 %
	<b>Total</b>	<b>369</b>	<b>1.1%</b>

This variable has 369 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33451	98.9 %
	<b>Total</b>	<b>33,453</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4202-4207 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1092FC\_30D: Smoked first filtered cigar of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked filtered cigars, would you say you smoked your first filtered cigar of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically

smoked their first traditional cigar/cigarillo/filtered cigar.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1024FC\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	19	0.1 %
3	3 = It varies	6	0.0 %
<b>Total</b>		<b>27</b>	<b>0.1%</b>

This variable has 27 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33788	99.9 %
<b>Total</b>		<b>33,795</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4208-4213 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0100FC: When last smoked a filtered cigar

When did you last smoke a filtered cigar?

[If In the past hour (1), GO TO R04\_AG0103FC; If Three or more days ago (5), Don't Know (-8), or Refused (-7), GO TO R04\_AG1130FC]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	183	0.5 %

Value	Label	Unweighted Frequency	%
2	2 = Sometime today	98	0.3 %
3	3 = Yesterday	88	0.3 %
4	4 = Day before yesterday	55	0.2 %
5	5 = Three or more days ago	408	1.2 %
	<b>Total</b>	<b>832</b>	<b>2.5%</b>

This variable has 832 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32976	97.5 %
	<b>Total</b>	<b>32,990</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4214-4219 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0102FC: Time period of day when you last smoked a filtered cigar

When you last smoked a filtered cigar [FILL BASED ON R04\_AG0100FC], was it...

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	29	0.1 %
2	2 = After 6AM but before noon	79	0.2 %
3	3 = Between noon and 6PM	89	0.3 %
4	4 = After 6PM but before midnight	44	0.1 %
	<b>Total</b>	<b>241</b>	<b>0.7%</b>

This variable has 241 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33579	99.3 %
<b>Total</b>		<b>33,581</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4220-4225 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG0103FC: Number of filtered cigars smoked today/yesterday/day before yesterday

How many filtered cigars [have/did] you [smoked/smoke] [FILL BASED ON R04\_AG0100FC]?  
(If less than 1, enter 1.)

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 422 valid cases out of 33,822 total cases.

- Mean: 4.52
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 43.00
- Standard Deviation: 4.88

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33396	98.7 %
	<b>Total</b>	<b>33,400</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4226-4231 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AG1130FC: In past 30 days, any of the filtered cigars smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the filtered cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AG1030CG.]

**ASK:** Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

**ASK Specification:** IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)

Value	Label	Unweighted Frequency	%
1	1 = Yes	373	1.1 %
2	2 = No	392	1.2 %
3	3 = I don't know	77	0.2 %
<b>Total</b>		<b>842</b>	<b>2.5%</b>

This variable has 842 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32976	97.5 %
<b>Total</b>		<b>32,980</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4232-4237 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1131FC\_01: In past 30 days, filtered cigar flavor smoked: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	177	0.5 %
2	2 = Not Marked	194	0.6 %
	<b>Total</b>	<b>371</b>	<b>1.1%</b>

This variable has 371 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33447	98.9 %
	<b>Total</b>	<b>33,451</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4238-4243 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1131FC\_02: In past 30 days, filtered cigar flavor smoked: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and

smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	38	0.1 %
2	2 = Not Marked	333	1.0 %
	<b>Total</b>	<b>371</b>	<b>1.1%</b>

This variable has 371 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33447	98.9 %	
	<b>Total</b>	<b>33,451</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4244-4249 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131FC\_03: In past 30 days, filtered cigar flavor smoked: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR

R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	131	0.4 %
2	2 = Not Marked	240	0.7 %
	<b>Total</b>	<b>371</b>	<b>1.1%</b>

This variable has 371 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33447	98.9 %
	<b>Total</b>	<b>33,451</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4250-4255 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131FC\_04: In past 30 days, filtered cigar flavor smoked: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.1 %
2	2 = Not Marked	345	1.0 %
	<b>Total</b>	<b>371</b>	<b>1.1%</b>

This variable has 371 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33447	98.9 %
	<b>Total</b>	<b>33,451</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4256-4261 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131FC\_05: In past 30 days, filtered cigar flavor smoked: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.1 %
2	2 = Not Marked	329	1.0 %
	<b>Total</b>	<b>371</b>	<b>1.1%</b>

This variable has 371 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33447	98.9 %
<b>Total</b>		<b>33,451</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4262-4267 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1131FC\_06: In past 30 days, filtered cigar flavor smoked: Candy or sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	60	0.2 %
2	2 = Not Marked	311	0.9 %
<b>Total</b>		<b>371</b>	<b>1.1%</b>

This variable has 371 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33447	98.9 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,451</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4268-4273 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1131FC\_07: In past 30 days, filtered cigar flavor smoked: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	365	1.1 %
	<b>Total</b>	<b>371</b>	<b>1.1%</b>

This variable has 371 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33447	98.9 %
	<b>Total</b>	<b>33,451</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4274-4279 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1147FC: How often smoked flavored filtered cigars on days smoked in past 30 days

On the days you smoked filtered cigars in the past 30 days, how often did you smoke flavored filtered cigars?

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF ((R04\_CURRENT\_GFILTR\_USE = 1 AND R04\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R04\_CURRENT\_GFILTR\_USE = 2 OR R04\_GFILTR\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1022FC != 0)) AND R04\_AG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	173	0.5 %
2	2 = Most of the time	50	0.1 %
3	3 = Sometimes	70	0.2 %
4	4 = Rarely	60	0.2 %
5	5 = Never	20	0.1 %
	<b>Total</b>	<b>373</b>	<b>1.1%</b>

This variable has 373 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33447	98.9 %	
	<b>Total</b>	<b>33,449</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 4280-4285 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AG1030FC: How you usually buy/bought your filtered cigars

The next questions ask about your experience buying filtered cigars.

How [do/did] you usually buy filtered cigars for yourself?

[If From the internet (2) or By telephone (3), Go to R04\_AG1039FC. If I do not buy my own filtered cigars (4),

Don't Know (-8), or Refused (-7), Go to R04\_AG9040FC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	1007	3.0 %
2	2 = From the internet	18	0.1 %
3	3 = By telephone	5	0.0 %
4	4 = I do not buy my own filtered cigars	313	0.9 %
	<b>Total</b>	<b>1,343</b>	<b>4.0%</b>

This variable has 1,343 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	32459	96.0 %
	<b>Total</b>	<b>32,479</b>	<b>96.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 4286-4291 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AG1032FC: Geographic area where you usually buy/bought your filtered cigars

[Do/Did] you usually buy filtered cigars...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	983	2.9 %
2	2 = In another state	18	0.1 %
3	3 = Outside the US	3	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,004</b>	<b>3.0%</b>

This variable has 1,004 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32813	97.0 %
	<b>Total</b>	<b>32,818</b>	<b>97.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4292-4297 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1033FC: Retail location where your filtered cigars are purchased most of the time

Where [do/did] you buy your filtered cigars most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillos/filtered cigars smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	38	0.1 %
2	2 = A convenience store or gas station	727	2.1 %
3	3 = A supermarket, grocery store, or drug store	53	0.2 %
4	4 = A warehouse club, such as Sam's or Costco	1	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	145	0.4 %
6	6 = A duty free shop or military commissary	2	0.0 %
7	7 = A bar, pub, restaurant or casino	2	0.0 %
8	8 = A friend or relative	2	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = A liquor store	34	0.1 %
11	11 = Somewhere else	2	0.0 %
	<b>Total</b>	<b>1,006</b>	<b>3.0%</b>

This variable has 1,006 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32813	97.0 %
<b>Total</b>		<b>32,816</b>	<b>97.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4298-4303 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1039FC: Usually buy/bought filtered cigars by the box, pack or as singles

{Do you usually buy filtered cigars/Did you buy the last filtered cigars you smoked} by the box or pack, or as single filtered cigars?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1030FC = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	641	1.9 %
2	2 = Single filtered cigars	384	1.1 %
<b>Total</b>		<b>1,025</b>	<b>3.0%</b>

This variable has 1,025 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32790	96.9 %
<b>Total</b>		<b>32,797</b>	<b>97.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4304-4309 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1040FC: Number of filtered cigars that come/came in box or pack usually buy/bought

How many filtered cigars [come/came] in the box or pack that you [usually buy/bought]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1030FC = 1, 2, 3 AND R04\_AG1039FC = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 634 valid cases out of 33,822 total cases.

- Mean: 15.49
- Median: 20.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 18.98

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33179	98.1 %	
<b>Total</b>		<b>33,188</b>	<b>98.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4310-4315 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AG1042FC\_D: Amount usually paid for a box or pack of filtered cigars - Dollars

[How much do you usually pay for a box or pack of filtered cigars/How much did you pay for the last box or pack of filtered cigars that you smoked?]

[If Don't Know (-8) or Refused (-7), Go to R04\_AG9040FC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1030FC = 1, 2, 3 AND R04\_AG1039FC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 628 valid cases out of 33,822 total cases.

- Mean: 4.53
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 61.00
- Standard Deviation: 6.01

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33179	98.1 %
<b>Total</b>		<b>33,194</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4316-4321 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AG1042FC\_C: Amount usually paid for a box or pack of filtered cigars - Cents

[How much do you usually pay for a box or pack of filtered cigars/How much did you pay for the last box or pack of filtered cigars that you smoked]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AG9040FC.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1030FC = 1, 2, 3 AND R04\_AG1039FC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 628 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data			
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33192	98.1 %
	<b>Total</b>	<b>33,194</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4322-4327 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1043FC\_D: Amount usually paid for a single filtered cigar - Dollars

[How much do you usually pay for a single filtered cigar?/How much did you pay for the single filtered cigar that you last smoked?]

**ASK:** Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars.

**ASK Specification:** IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1030FC = 1, 2, 3 AND R04\_AG1039FC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 376 valid cases out of 33,822 total cases.

- Mean: 3.13
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 17.28

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33436	98.9 %
	<b>Total</b>	<b>33,446</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4328-4333 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1043FC\_C: Amount usually paid for a single filtered cigar - Cents

[How much do you usually pay for a single filtered cigar?/How much did you pay for the single filtered cigar that you last smoked?]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1030FC = 1, 2, 3 AND R04\_AG1039FC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 376 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33444	98.9 %
<b>Total</b>		<b>33,446</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 4334-4339 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG9040FC: Group in picture most like filtered cigar usually/last smoked

Please look at this picture. Which group is most like the filtered cigar you [usually smoke/last smoked]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	94	0.3 %

Value	Label	Unweighted Frequency	%
2	2 = Group 2	424	1.3 %
3	3 = Group 3	201	0.6 %
4	4 = Group 4	927	2.7 %
	<b>Total</b>	<b>1,646</b>	<b>4.9%</b>

This variable has 1,646 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	31	0.1 %	
-7	-7 = Refused	20	0.1 %	
-1	-1 = Inapplicable	32123	95.0 %	
	<b>Total</b>	<b>32,176</b>	<b>95.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4340-4345 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1047FC: Have a regular brand of filtered cigars you usually smoke/smoked

[Do/Did] you have a regular brand of filtered cigars that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	792	2.3 %
2	2 = No	898	2.7 %
	<b>Total</b>	<b>1,690</b>	<b>5.0%</b>

This variable has 1,690 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	32123	95.0 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>32,132</b>	<b>95.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4346-4351 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1050FC: Regular/last brand of filtered cigars smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AG1945FC.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	738	2.2 %
2	2 = No	736	2.2 %
3	3 = I don't know	213	0.6 %
<b>Total</b>		<b>1,687</b>	<b>5.0%</b>

This variable has 1,687 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32123	95.0 %
<b>Total</b>		<b>32,135</b>	<b>95.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4352-4357 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012FC\_01: Filtered cigar flavor usually/last smoked: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	275	0.8 %
2	2 = Not Marked	462	1.4 %
	<b>Total</b>	<b>737</b>	<b>2.2%</b>

This variable has 737 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33082	97.8 %
	<b>Total</b>	<b>33,085</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4358-4363 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1012FC\_02: Filtered cigar flavor usually/last smoked: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	92	0.3 %
2	2 = Not Marked	645	1.9 %
	<b>Total</b>	<b>737</b>	<b>2.2%</b>

This variable has 737 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33082	97.8 %
	<b>Total</b>	<b>33,085</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4364-4369 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1012FC\_03: Filtered cigar flavor usually/last smoked: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	287	0.8 %
2	2 = Not Marked	450	1.3 %
	<b>Total</b>	<b>737</b>	<b>2.2%</b>

This variable has 737 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		33082	97.8 %
<b>Total</b>			<b>33,085</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4370-4375 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1012FC\_04: Filtered cigar flavor usually/last smoked: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	54	0.2 %
2	2 = Not Marked	683	2.0 %
	<b>Total</b>	<b>737</b>	<b>2.2%</b>

This variable has 737 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33082	97.8 %	
	<b>Total</b>	<b>33,085</b>	<b>97.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4376-4381 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1012FC\_05: Filtered cigar flavor usually/last smoked: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	98	0.3 %
2	2 = Not Marked	639	1.9 %
	<b>Total</b>	<b>737</b>	<b>2.2%</b>

This variable has 737 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33082	97.8 %
	<b>Total</b>	<b>33,085</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4382-4387 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012FC\_06: Filtered cigar flavor usually/last smoked: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	137	0.4 %
2	2 = Not Marked	600	1.8 %
	<b>Total</b>	<b>737</b>	<b>2.2%</b>

This variable has 737 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33082	97.8 %
	<b>Total</b>	<b>33,082</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4388-4393 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1012FC\_07: Filtered cigar flavor usually/last smoked: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	725	2.1 %
	<b>Total</b>	<b>737</b>	<b>2.2%</b>

This variable has 737 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		33082	97.8 %
<b>Total</b>			<b>33,085</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4394-4399 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1945FC: Know the name of brand of filtered cigars usually/last smoked

Do you know the name of the brand of filtered cigars you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	920	2.7 %
2	2 = No	766	2.3 %
<b>Total</b>		<b>1,686</b>	<b>5.0%</b>

This variable has 1,686 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	32123	95.0 %	
<b>Total</b>		<b>32,136</b>	<b>95.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4400-4405 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1048FC\_BRAND: Brand of filtered cigars usually/last smoked

What brand of filtered cigars [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 913 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32900	97.3 %
<b>Total</b>		<b>32,909</b>	<b>97.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4406-4411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1070FC\_PRODUCT: Sub-brand of filtered cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1945FC = 1 AND R04\_AG1048FC\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AG1048FC\_BRAND.]

This variable has 844 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32975	97.5 %	
<b>Total</b>		<b>32,978</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4412-4417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1051FC\_NN: How long smoked regular brand of filtered cigar - Number

About how long [did you smoke/have you been smoking] your regular brand of filtered cigar?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1047FC = 1.

[PROGRAM NOTE: Display as Quantity/Units.

Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

This variable has 774 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	7	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33028	97.7 %	
<b>Total</b>		<b>33,048</b>	<b>97.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4418-4423 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AG1051FC\_UN: How long smoked regular brand of filtered cigar - Unit

About how long [did you smoke/have you been smoking] your regular brand of filtered cigar?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG1047FC = 1.

[PROGRAM NOTE: Display as Quantity/Units.  
Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

Value	Label	Unweighted Frequency	%
1	1 = Days	105	0.3 %
2	2 = Months	173	0.5 %
3	3 = Years	496	1.5 %
<b>Total</b>		<b>774</b>	<b>2.3%</b>

This variable has 774 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33046	97.7 %	
<b>Total</b>		<b>33,048</b>	<b>97.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4424-4429 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG0104FC: Brand of very last filtered cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a filtered cigar [TIME OF LAST USE].

Think about the very last filtered cigar you smoked.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_AG0100FC = 1, 2, 3, 4 AND R04\_AG1945FC = 1  
AND R04\_AG1048FC\_BRAND != 9995, -8, -7 AND R04\_AG1070FC\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	188	0.6 %
2	2 = No	27	0.1 %
	<b>Total</b>	<b>215</b>	<b>0.6%</b>

This variable has 215 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	16	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33589	99.3 %
	<b>Total</b>	<b>33,607</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4430-4435 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1060FC\_RANDOM\_01: AG1060FC series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060FC through R04\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32123	95.0 %
-97777	-	2	0.0 %
R04_AG1060FC	-	250	0.7 %
R04_AG1062FC	-	257	0.8 %
R04_AG1063FC	-	239	0.7 %
R04_AG1064FC	-	193	0.6 %
R04_AG1066FC	-	254	0.8 %
R04_AG1075FC	-	254	0.8 %
R04_AG1085FC	-	250	0.7 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4436-4447 (width: 12; decimal: 0)

*Variable Type:* character

---

## R04\_AG1060FC\_RANDOM\_02: AG1060FC series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060FC through R04\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32123	95.0 %
-97777	-	2	0.0 %
R04_AG1060FC	-	234	0.7 %
R04_AG1062FC	-	265	0.8 %
R04_AG1063FC	-	259	0.8 %
R04_AG1064FC	-	182	0.5 %
R04_AG1066FC	-	266	0.8 %
R04_AG1075FC	-	232	0.7 %
R04_AG1085FC	-	259	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

Location: 4448-4459 (width: 12; decimal: 0)

Variable Type: character

---

## R04\_AG1060FC\_RANDOM\_03: AG1060FC series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060FC through R04\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32123	95.0 %
-97777	-	2	0.0 %
R04_AG1060FC	-	264	0.8 %
R04_AG1062FC	-	239	0.7 %
R04_AG1063FC	-	239	0.7 %
R04_AG1064FC	-	199	0.6 %
R04_AG1066FC	-	230	0.7 %

Value	Label	Unweighted Frequency	%
R04_AG1075FC	-	250	0.7 %
R04_AG1085FC	-	276	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4460-4471 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060FC\_RANDOM\_04: AG1060FC series random question 4

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060FC through R04\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32123	95.0 %
-97777	-	2	0.0 %
R04_AG1060FC	-	275	0.8 %
R04_AG1062FC	-	254	0.8 %
R04_AG1063FC	-	236	0.7 %
R04_AG1064FC	-	186	0.5 %
R04_AG1066FC	-	224	0.7 %
R04_AG1075FC	-	278	0.8 %
R04_AG1085FC	-	244	0.7 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4472-4483 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060FC\_RANDOM\_05: AG1060FC series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060FC through R04\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32123	95.0 %
-97777	-	2	0.0 %
R04_AG1060FC	-	248	0.7 %
R04_AG1062FC	-	254	0.8 %
R04_AG1063FC	-	246	0.7 %
R04_AG1064FC	-	203	0.6 %
R04_AG1066FC	-	245	0.7 %
R04_AG1075FC	-	259	0.8 %
R04_AG1085FC	-	242	0.7 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4484-4495 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060FC\_RANDOM\_06: AG1060FC series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060FC through R04\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32123	95.0 %
-97777	-	2	0.0 %
R04_AG1060FC	-	252	0.7 %
R04_AG1062FC	-	236	0.7 %
R04_AG1063FC	-	266	0.8 %
R04_AG1064FC	-	208	0.6 %
R04_AG1066FC	-	254	0.8 %
R04_AG1075FC	-	240	0.7 %
R04_AG1085FC	-	241	0.7 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4496-4507 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060FC\_RANDOM\_07: AG1060FC series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AG1060FC through R04\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32471	96.0 %
-97777	-	2	0.0 %
R04_AG1060FC	-	174	0.5 %
R04_AG1062FC	-	192	0.6 %
R04_AG1063FC	-	212	0.6 %
R04_AG1064FC	-	178	0.5 %
R04_AG1066FC	-	224	0.7 %
R04_AG1075FC	-	184	0.5 %
R04_AG1085FC	-	185	0.5 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4508-4519 (width: 12; decimal: 0)

*Variable Type:* character

## R04\_AG1060FC: Smoke/smoked filtered cigars because: They are/were affordable

The next questions are about the reasons people smoke filtered cigars.

Please select which reasons [apply to you/applied to you when you used to smoke filtered cigars].

I [smoke/smoked] filtered cigars because...

They [are/were] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1001	3.0 %
2	2 = No	683	2.0 %
	Total	1,684	5.0%

This variable has 1,684 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32123	95.0 %
<b>Total</b>		<b>32,138</b>	<b>95.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4520-4525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1085FC: Smoke/smoked filtered cigars because: Can/could smoke them in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people smoke filtered cigars.

Please select which reasons [apply to you/applied to you when you used to smoke filtered cigars].

I [can/could] smoke filtered cigars at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	210	0.6 %
2	2 = No	1474	4.4 %
<b>Total</b>		<b>1,684</b>	<b>5.0%</b>

This variable has 1,684 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32123	95.0 %
<b>Total</b>		<b>32,138</b>	<b>95.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4526-4531 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG1062FC: Smoke/smoked filtered cigars because: They might be/have been less harmful than cigarettes

The next questions are about the reasons people smoke filtered cigars.

Please select which reasons [apply to you/applied to you when you used to smoke filtered cigars].

They might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	305	0.9 %
2	2 = No	1380	4.1 %
	<b>Total</b>	<b>1,685</b>	<b>5.0%</b>

This variable has 1,685 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32123	95.0 %
	<b>Total</b>	<b>32,137</b>	<b>95.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 4532-4537 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG1075FC: Smoke/smoked filtered cigars because: They might be/have been less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke filtered cigars.

Please select which reasons [apply to you/applied to you when you used to smoke filtered cigars].

They might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)

AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	266	0.8 %
2	2 = No	1415	4.2 %
	<b>Total</b>	<b>1,681</b>	<b>5.0%</b>

This variable has 1,681 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32123	95.0 %
	<b>Total</b>	<b>32,141</b>	<b>95.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4538-4543 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1063FC: Smoke/smoked filtered cigars because: They come/came in flavors I like/liked

The next questions are about the reasons people smoke filtered cigars.

Please select which reasons [apply to you/applied to you when you used to smoke filtered cigars].

Filtered cigars [come/came] in flavors I [like/liked].

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

**ASK Specification:** IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	900	2.7 %
2	2 = No	782	2.3 %
	<b>Total</b>	<b>1,682</b>	<b>5.0%</b>

This variable has 1,682 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>				
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	32123	95.0 %	
<b>Total</b>		<b>32,140</b>	<b>95.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4544-4549 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1064FC: Smoke/smoked filtered cigars because: Smoking them helps people to quit smoking cigarettes

The next questions are about the reasons people smoke filtered cigars.

Please select which reasons [apply to you/applied to you when you used to smoke filtered cigars].

Smoking filtered cigars helps people quit smoking cigarettes.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers.

**ASK Specification:** IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_CIG\_USER\_STATUS = 1, 2, 4.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	202	0.6 %
2	2 = No	1134	3.4 %
	<b>Total</b>	<b>1,336</b>	<b>4.0%</b>

This variable has 1,336 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32471	96.0 %
	<b>Total</b>	<b>32,486</b>	<b>96.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4550-4555 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1066FC: Smoke/smoked filtered cigars because: Smoking them feels/felt like smoking a regular cigarette

The next questions are about the reasons people smoke filtered cigars.

Please select which reasons [apply to you/applied to you when you used to smoke filtered cigars].

Smoking a filtered cigar [feels/felt] like smoking a regular cigarette.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	623	1.8 %
2	2 = No	1057	3.1 %
	<b>Total</b>	<b>1,680</b>	<b>5.0%</b>

This variable has 1,680 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32123	95.0 %
	<b>Total</b>	<b>32,142</b>	<b>95.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 4556-4561 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AG1080FC: Smoke/smoked filtered cigars as a way of cutting down on cigarette smoking

The next questions are about the reasons people smoke filtered cigars.

Please select which reasons [apply to you/applied to you when you used to smoke filtered cigars].

[Do/Did] you smoke filtered cigars as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	250	0.7 %
2	2 = No	908	2.7 %
	<b>Total</b>	<b>1,158</b>	<b>3.4%</b>

This variable has 1,158 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32661	96.6 %
	<b>Total</b>	<b>32,664</b>	<b>96.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4562-4567 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1139FC: Level of agreement: It is/was easier to talk and get along with other people when smoking a filtered cigar

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a filtered cigar.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1069	3.2 %
2	2 = 2 on a scale of 1 to 4	322	1.0 %
3	3 = 3 on a scale of 1 to 4	171	0.5 %
4	4 = Very true of me	120	0.4 %
	<b>Total</b>	<b>1,682</b>	<b>5.0%</b>

This variable has 1,682 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	32123	95.0 %	
	<b>Total</b>	<b>32,140</b>	<b>95.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4568-4573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG1140FC: Level of agreement: Feel/felt more confident with other people while smoking a filtered cigar

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

While smoking a filtered cigar, I [feel/felt] more confident with other people.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

**ASK Specification:** IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Not true of me at all	1130	3.3 %
2	2 = 2 on a scale of 1 to 4	301	0.9 %
3	3 = 3 on a scale of 1 to 4	154	0.5 %
4	4 = Very true of me	98	0.3 %
	<b>Total</b>	<b>1,683</b>	<b>5.0%</b>

This variable has 1,683 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	32123	95.0 %	
	<b>Total</b>	<b>32,139</b>	<b>95.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4574-4579 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AG1141FC: Level of agreement: Smoke/smoked filtered cigars much more when with other people

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] filtered cigars much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R04\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	938	2.8 %
2	2 = 2 on a scale of 1 to 4	304	0.9 %
3	3 = 3 on a scale of 1 to 4	232	0.7 %
4	4 = Very true of me	209	0.6 %
	<b>Total</b>	<b>1,683</b>	<b>5.0%</b>

This variable has 1,683 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	32123	95.0 %	
	<b>Total</b>	<b>32,139</b>	<b>95.0%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 4580-4585 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AP1006\_RS: DERIVED - Age group when you first smoked a pipe filled with tobacco, even one or two puffs (6 levels)

Long Description: How old were you the first time you smoked a pipe filled with tobacco, even one or two puffs?

Algorithm: if (0 <= R04\_AP1006\_RS < 18) or R04\_AP1120\_RS = 1 then R04R\_A\_AP1006\_RS = 1;  
else if (18 <= R04\_AP1006\_RS <= 24) or R04\_AP1120\_RS = 2 then R04R\_A\_AP1006\_RS = 2;  
else if (25 <= R04\_AP1006\_RS <= 34) or R04\_AP1120\_RS = 3 then R04R\_A\_AP1006\_RS  
= 3; else if (35 <= R04\_AP1006\_RS <= 44) or R04\_AP1120\_RS = 4 then  
R04R\_A\_AP1006\_RS = 4; else if (45 <= R04\_AP1006\_RS <= 54) or R04\_AP1120\_RS = 5

```

then R04R_A_AP1006_RS = 5; else if (R04_AP1006_RS >= 55) or R04_AP1120_RS = 6
then R04R_A_AP1006_RS = 6; else if R04_AP1006_RS = -9 or R04_AP1120_RS = -9
then R04R_A_AP1006_RS = -99999; else if R04_AP1006_RS = -8 or R04_AP1120_RS
= -8 then R04R_A_AP1006_RS = -99988; else if R04_AP1006_RS = -7 or R04_AP1120_RS
= -7 then R04R_A_AP1006_RS = -99977; else if R04_AP1006_RS = -5 then
R04R_A_AP1006_RS = -99955; else if R04_AP1006_RS = -1 or R04_AP1120_RS = -1
then R04R_A_AP1006_RS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	389	1.2 %
2	2 = 18 to 24 years old	465	1.4 %
3	3 = 25 to 34 years old	170	0.5 %
4	4 = 35 to 44 years old	50	0.1 %
5	5 = 45 to 54 years old	17	0.1 %
6	6 = 55 years old or older	7	0.0 %
	<b>Total</b>	<b>1,098</b>	<b>3.2%</b>

This variable has 1,098 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	23	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32691	96.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>32,724</b>	<b>96.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4586-4591 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AP1005: Number of bowls filled with pipe tobacco smoked in entire life

How many bowls filled with pipe tobacco have you smoked in your entire life?

ASK: Continuing and aged-up adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview, or new cohort adult respondents who have ever smoked a pipe.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_PIPE = 1 AND R03\_NUMLIFE\_PIPE != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_PIPE = 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	1831	5.4 %
2	2 = 1 to 10	1305	3.9 %
3	3 = 11 to 20	513	1.5 %
4	4 = 21 to 50	412	1.2 %
5	5 = 51 to 99	157	0.5 %
6	6 = 100 or more	191	0.6 %
<b>Total</b>		<b>4,409</b>	<b>13.0%</b>

This variable has 4,409 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	116	0.3 %
-7	-7 = Refused	53	0.2 %
-1	-1 = Inapplicable	29242	86.5 %
<b>Total</b>		<b>29,413</b>	<b>87.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4592-4597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1100: Ever smoked a pipe filled with tobacco fairly regularly

Have you ever smoked a pipe filled with tobacco fairly regularly?

ASK: Continuing and aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked a pipe.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_PIPE = 1  
AND R03\_REGUSE\_PIPE != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_PIPE = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	277	0.8 %
2	2 = No	3927	11.6 %
<b>Total</b>		<b>4,204</b>	<b>12.4%</b>

This variable has 4,204 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	29604	87.5 %	
<b>Total</b>		<b>29,618</b>	<b>87.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4598-4603 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AP1007\_NB: DERIVED - Age group when you first started smoking a pipe filled with tobacco fairly regularly (6 levels)

Long Description: How old were you when you first started smoking a pipe filled with tobacco fairly regularly?

Algorithm: if (0 <= R04\_AP1007\_NB < 18) or R04\_AP1121\_NB = 1 then  
 R04R\_A\_AP1007\_NB = 1; else if (18 <= R04\_AP1007\_NB <= 24) or  
 R04\_AP1121\_NB = 2 then R04R\_A\_AP1007\_NB = 2; else if (25 <= R04\_AP1007\_NB <= 34)  
 or R04\_AP1121\_NB = 3 then R04R\_A\_AP1007\_NB = 3; else if (35 <= R04\_AP1007\_NB <= 44)  
 or R04\_AP1121\_NB = 4 then R04R\_A\_AP1007\_NB = 4; else if (45 <= R04\_AP1007\_NB <= 54)  
 or R04\_AP1121\_NB = 5 then R04R\_A\_AP1007\_NB = 5; else if (R04\_AP1007\_NB => 55) or  
 R04\_AP1121\_NB = 6 then R04R\_A\_AP1007\_NB = 6; else if R04\_AP1007\_NB = -9 or  
 R04\_AP1121\_NB = -9 then R04R\_A\_AP1007\_NB = -99999; else if R04\_AP1007\_NB = -8  
 or R04\_AP1121\_NB = -8 then R04R\_A\_AP1007\_NB = -99988; else if R04\_AP1007\_NB = -7  
 or R04\_AP1121\_NB = -7 then R04R\_A\_AP1007\_NB = -99977; else if R04\_AP1007\_NB  
 = -5 then R04R\_A\_AP1007\_NB = -99955; else if R04\_AP1007\_NB = -1 or  
 R04\_AP1121\_NB = -1 then R04R\_A\_AP1007\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	31	0.1 %
2	2 = 18 to 24 years old	75	0.2 %
3	3 = 25 to 34 years old	48	0.1 %
4	4 = 35 to 44 years old	14	0.0 %
5	5 = 45 to 54 years old	5	0.0 %
6	6 = 55 years old or older	2	0.0 %
<b>Total</b>		<b>175</b>	<b>0.5%</b>

This variable has 175 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

<b>Missing Data</b>			
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33643	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,647</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4604-4609 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AP1020\_NB: DERIVED - Age group when you first started smoking a pipe filled with tobacco every day (6 levels)

Long Description: How old were you when you first started smoking a pipe filled with tobacco every day?

```
Algorithm: if (0 <= R04_AP1020_NB < 18) or R04_AP1122_NB = 1 then R04R_A_AP1020_NB = 1;
else if (18 <= R04_AP1020_NB <= 24) or R04_AP1122_NB = 2 then R04R_A_AP1020_NB = 2;
else if (25 <= R04_AP1020_NB <= 34) or R04_AP1122_NB = 3 then R04R_A_AP1020_NB
= 3; else if (35 <= R04_AP1020_NB <= 44) or R04_AP1122_NB = 4 then R04R_A_AP1020_NB = 4;
else if (45 <= R04_AP1020_NB <= 54) or R04_AP1122_NB = 5 then R04R_A_AP1020_NB = 5;
else if (R04_AP1020_NB => 55) or R04_AP1122_NB = 6 then R04R_A_AP1020_NB = 6;
else if R04_AP1020_NB = -9 or R04_AP1122_NB = -9 then R04R_A_AP1020_NB = -99999;
else if R04_AP1020_NB = -8 or R04_AP1122_NB = -8 then R04R_A_AP1020_NB = -99988;
else if R04_AP1020_NB = -7 or R04_AP1122_NB = -7 then R04R_A_AP1020_NB = -99977;
else if R04_AP1020_NB = -5 then R04R_A_AP1020_NB = -99955; else if R04_AP1020_NB
= -1 or R04_AP1122_NB = -1 then R04R_A_AP1020_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	0	0.0 %
2	2 = 18 to 24 years old	3	0.0 %
3	3 = 25 to 34 years old	2	0.0 %
4	4 = 35 to 44 years old	1	0.0 %
5	5 = 45 to 54 years old	1	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>7</b>	<b>0.0%</b>

This variable has 7 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

Missing Data			
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33813	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,815</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4610-4615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777)

## R04\_AP1008: When first started smoking a pipe, smoked a pipe with tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to Box R04\_AP434.]

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_PIPE\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_PIPE = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	272	0.8 %
2	2 = No	885	2.6 %
3	3 = I don't know	161	0.5 %
<b>Total</b>		<b>1,318</b>	<b>3.9%</b>

This variable has 1,318 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32498	96.1 %
<b>Total</b>		<b>32,504</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4616-4621 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1)

---

## R04\_AP1011\_01: Flavor of pipe tobacco when first started smoking: Menthol or mint

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored, or new cohort adult respondents who have ever smoked a pipe and whose first pipe tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_PIPE\_ADULT = 1 AND R04\_AP1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	66	0.2 %
2	2 = Not Marked	206	0.6 %
	<b>Total</b>	<b>272</b>	<b>0.8%</b>

This variable has 272 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33548	99.2 %
	<b>Total</b>	<b>33,550</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 4622-4627 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AP1011\_02: Flavor of pipe tobacco when first started smoking: Clove or spice

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored, or new cohort adult respondents who have ever smoked a pipe and whose first pipe tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_PIPE\_ADULT = 1 AND R04\_AP1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	43	0.1 %
2	2 = Not Marked	229	0.7 %
	<b>Total</b>	<b>272</b>	<b>0.8%</b>

This variable has 272 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33548	99.2 %
	<b>Total</b>	<b>33,550</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4628-4633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1011\_03: Flavor of pipe tobacco when first started smoking: Fruit

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored, or new cohort adult respondents who have ever smoked a pipe and whose first pipe tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_PIPE\_ADULT = 1 AND R04\_AP1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	134	0.4 %
2	2 = Not Marked	138	0.4 %
	<b>Total</b>	<b>272</b>	<b>0.8%</b>

This variable has 272 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	33548	99.2 %
	<b>Total</b>	<b>33,550</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4634-4639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1011\_04: Flavor of pipe tobacco when first started smoking: Chocolate

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored, or new cohort adult respondents who have ever smoked a pipe and whose first pipe tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_PIPE\_ADULT = 1 AND R04\_AP1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_NEVER\_PIPE = 1 AND R04\_AP1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.1 %
2	2 = Not Marked	250	0.7 %
	<b>Total</b>	<b>272</b>	<b>0.8%</b>

This variable has 272 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33548	99.2 %
	<b>Total</b>	<b>33,550</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4640-4645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1011\_05: Flavor of pipe tobacco when first started smoking: An alcoholic drink

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored, or new cohort adult respondents who have ever smoked a pipe and whose first pipe tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_PIPE\_ADULT = 1 AND R04\_AP1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.1 %
2	2 = Not Marked	242	0.7 %
	<b>Total</b>	<b>272</b>	<b>0.8%</b>

This variable has 272 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33548	99.2 %
	<b>Total</b>	<b>33,550</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4646-4651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1011\_06: Flavor of pipe tobacco when first started smoking: Candy or other sweets

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored, or new cohort adult respondents who have ever smoked a pipe and whose first pipe tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_PIPE\_ADULT = 1 AND R04\_AP1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.2 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	221	0.7 %
	<b>Total</b>	<b>272</b>	<b>0.8%</b>

This variable has 272 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33548	99.2 %
	<b>Total</b>	<b>33,550</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4652-4657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1011\_07: Flavor of pipe tobacco when first started smoking: Some other flavor

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored, or new cohort adult respondents who have ever smoked a pipe and whose first pipe tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_PIPE\_ADULT = 1 AND R04\_AP1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_PIPE = 1 AND R04\_AP1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	263	0.8 %
	<b>Total</b>	<b>272</b>	<b>0.8%</b>

This variable has 272 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33548	99.2 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,550</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4658-4663 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1025\_RS: Around this time 12 months ago, smoked a pipe filled with tobacco every day, some days or not at all

Around this time 12 months ago, were you smoking a pipe filled with tobacco every day, some days, or not at all?

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established pipe smokers.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_PIPE\_USER\_STATUS = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Every day	15	0.0 %
2	2 = Some days	92	0.3 %
3	3 = Not at all	1020	3.0 %
<b>Total</b>		<b>1,127</b>	<b>3.3%</b>

This variable has 1,127 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32692	96.7 %
<b>Total</b>		<b>32,695</b>	<b>96.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4664-4669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1021: Average number of bowls filled with pipe tobacco now smoke each day

On average, about how many bowls filled with pipe tobacco do you now smoke each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to R04\_AP1024.]

ASK: Adult respondents who are every day established pipe smokers.

ASK Specification: IF R04\_CURRENT\_PIPE\_USE = 1.

This variable has 44 valid cases out of 33,822 total cases.

- Mean: 6.68
- Median: 5.50
- Mode: 6.00
- Minimum: -2.00
- Maximum: 40.00
- Standard Deviation: 7.09

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33776	99.9 %
	<b>Total</b>	<b>33,778</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4670-4675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AP1022: In past 30 days, number of days smoked a pipe filled with tobacco

On how many of the past 30 days did you smoke a pipe filled with tobacco?

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2  
OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

[PROGRAM NOTE: Range check: 0-30 days. ]

This variable has 516 valid cases out of 33,822 total cases.

- Mean: 2.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 5.05

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %

<b>Missing Data</b>				
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33296	98.4 %	
<b>Total</b>		<b>33,306</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4676-4681 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AP9029\_NN: Time since last smoked a pipe filled with tobacco - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a pipe filled with tobacco?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_APR29.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2) AND R04\_AP1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 140 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	30	0.1 %	
-1	-1 = Inapplicable	33648	99.5 %	
<b>Total</b>		<b>33,682</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4682-4687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AP9029\_UN: Time since last smoked a pipe filled with tobacco - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a pipe filled with tobacco?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_APR29.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers

and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2) AND R04\_AP1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	23	0.1 %
2	2 = Months	92	0.3 %
3	3 = Years	55	0.2 %
<b>Total</b>		<b>170</b>	<b>0.5%</b>

This variable has 170 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33650	99.5 %
<b>Total</b>		<b>33,652</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4688-4693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R04\_AP1023: In past 30 days, average number of bowls filled with pipe tobacco smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R04\_AP1022 days/days you smoked], how many bowls filled with pipe tobacco did you usually smoke each day?

[If Less than 1 each day (-2), Don't Know (-8), or Refused (-7), Go to Box R04\_AP29.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0.

This variable has 251 valid cases out of 33,822 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00

- Maximum: 20.00
- Standard Deviation: 3.38

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33565	99.2 %	
	<b>Total</b>	<b>33,571</b>	<b>99.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4694-4699 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AP1024\_NN: Time to first pipe bowl after waking on days smoked - Number (current smokers)

[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AP1092.]

ASK: Adult respondents who are current established or current experimental pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 400 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	2	0.0 %	
-1	-1 = Inapplicable	33404	98.8 %	
	<b>Total</b>	<b>33,422</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4700-4705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AP1024\_UN: Time to first pipe bowl after waking on days smoked - Unit (current smokers)

[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AP1092.]

ASK: Adult respondents who are current established or current experimental pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	108	0.3 %
2	2 = Hours after waking	294	0.9 %
	<b>Total</b>	<b>402</b>	<b>1.2%</b>

This variable has 402 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33418	98.8 %
	<b>Total</b>	<b>33,420</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4706-4711 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1092: Take first puff from a pipe of the day within 30 minutes after waking (current smokers)

[On the days that you smoke a pipe filled with tobacco, would/Would] you say you take your first puff from a pipe within the first 30 minutes after you wake up?

[Go to R04\_AP0100.]

ASK: Adult respondents who are current established or current experimental pipe smokers and did not know or refused to report how soon after waking up they first smoke a pipe.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2 AND R04\_AP1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	6	0.0 %
3	3 = It varies	1	0.0 %
	<b>Total</b>	<b>8</b>	<b>0.0%</b>

This variable has 8 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33806	100.0 %
	<b>Total</b>	<b>33,814</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4712-4717 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1024\_30D\_NN: Time to first pipe bowl after waking on days smoked - Number (non-current smokers)

On the days that you smoked a pipe filled with tobacco, how soon after you woke up did you typically take your first puff from a pipe? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AP1092\_30D.]

ASK: Adult respondents who are non-current 30-day pipe smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 140 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	33668	99.5 %
	<b>Total</b>	<b>33,682</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4718-4723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AP1024\_30D\_UN: Time to first pipe bowl after waking on days smoked - Unit (non-current smokers)

On the days that you smoked a pipe filled with tobacco, how soon after you woke up did you typically take your first puff from a pipe? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AP1092\_30D.]

ASK: Adult respondents who are non-current 30-day pipe smokers.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

[PROGRAM NOTE: Display as Quantity/Units.]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	32	0.1 %
2	2 = Hours after waking	110	0.3 %
	<b>Total</b>	<b>142</b>	<b>0.4%</b>

This variable has 142 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33678	99.6 %
	<b>Total</b>	<b>33,680</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4724-4729 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1092\_30D: Took first puff from a pipe of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked a pipe filled with tobacco, would you say you took your first puff from a pipe within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day pipe smokers and did not know or refused to report how soon after waking up they typically take their first puff from a pipe.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1  
AND R04\_AP1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	7	0.0 %
3	3 = It varies	0	0.0 %
<b>Total</b>		<b>7</b>	<b>0.0%</b>

This variable has 7 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33810	100.0 %	
<b>Total</b>		<b>33,815</b>	<b>100.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4730-4735 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP0100: When last smoked a pipe filled with tobacco

When did you last smoke a pipe filled with tobacco?

[If In the past hour (1) Go to R04\_AP0103. If Three or more days ago (5), Don't Know (-8), or Refused (-7), Go to R04\_AP1130.]

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_CURRENT\_PIPE\_USE = 1 OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	41	0.1 %
2	2 = Sometime today	35	0.1 %
3	3 = Yesterday	36	0.1 %
4	4 = Day before yesterday	21	0.1 %
5	5 = Three or more days ago	159	0.5 %
<b>Total</b>		<b>292</b>	<b>0.9%</b>

This variable has 292 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33521	99.1 %	
<b>Total</b>		<b>33,530</b>	<b>99.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4736-4741 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP0102: Time period of day when you last smoked a pipe filled with tobacco

When you last smoked a pipe filled with tobacco [FILL BASED ON R04\_AP0100], was it...

ASK: Adult respondents who are every day established pipe smokers and last smoked a pipe sometime today, yesterday or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 1 AND R04\_AP0100 = 2, 3, 4) OR  
 ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR  
 R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0 AND R04\_AP0100 = 2, 3, 4).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Between midnight and 6AM	7	0.0 %
2	2 = After 6AM but before noon	31	0.1 %
3	3 = Between noon and 6PM	25	0.1 %
4	4 = After 6PM but before midnight	28	0.1 %
<b>Total</b>		<b>91</b>	<b>0.3%</b>

This variable has 91 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33728	99.7 %	
<b>Total</b>		<b>33,731</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4742-4747 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AP0103: Number of bowls filled with pipe tobacco smoked today/yesterday/day before yesterday

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke]  
[FILL BASED ON R04\_AP0100]? (If less than 1, enter 1.)

(If less than 1, enter 1.) [If Don't Know (-8) or Refused (-7), Go to R04\_AP1130.]

ASK: Adult respondents who are every day established pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 1 AND R04\_AP0100 = 1, 2, 3, 4) OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0 AND R04\_AP0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow only 3 digits. ]

This variable has 132 valid cases out of 33,822 total cases.

- Mean: 7.47
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 333.00
- Standard Deviation: 33.82

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33687	99.6 %
	<b>Total</b>	<b>33,690</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 4748-4753 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AP1130: In past 30 days, any of the pipe tobacco smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AP1030]

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04\_CURRENT\_PIPE\_USE = 1 OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = Yes	83	0.2 %
2	2 = No	183	0.5 %
3	3 = I don't know	27	0.1 %
<b>Total</b>		<b>293</b>	<b>0.9%</b>

This variable has 293 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33521	99.1 %	
<b>Total</b>		<b>33,529</b>	<b>99.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4754-4759 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1131\_01: In past 30 days, pipe tobacco flavor smoked: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 1 AND R04\_AP1130 = 1) OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0 AND R04\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.1 %
2	2 = Not Marked	56	0.2 %
	<b>Total</b>	<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33737	99.7 %
	<b>Total</b>	<b>33,740</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4760-4765 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AP1131\_02: In past 30 days, pipe tobacco flavor smoked: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 1 AND R04\_AP1130 = 1) OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0 AND R04\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	74	0.2 %
	<b>Total</b>	<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33737	99.7 %	
<b>Total</b>		<b>33,740</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4766-4771 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AP1131\_03: In past 30 days, pipe tobacco flavor smoked: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 1 AND R04\_AP1130 = 1) OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0 AND R04\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	35	0.1 %
2	2 = Not Marked	47	0.1 %
<b>Total</b>		<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33737	99.7 %	
<b>Total</b>		<b>33,740</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4772-4777 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AP1131\_04: In past 30 days, pipe tobacco flavor smoked: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 1 AND R04\_AP1130 = 1) OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0 AND R04\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	73	0.2 %
	<b>Total</b>	<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33737	99.7 %
	<b>Total</b>	<b>33,740</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4778-4783 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1131\_05: In past 30 days, pipe tobacco flavor smoked: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 1 AND R04\_AP1130 = 1) OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)

AND R04\_AP1022 != 0 AND R04\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	71	0.2 %
	<b>Total</b>	<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33737	99.7 %
	<b>Total</b>	<b>33,740</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4784-4789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1131\_06: In past 30 days, pipe tobacco flavor smoked: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 1 AND R04\_AP1130 = 1) OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0 AND R04\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	68	0.2 %
	<b>Total</b>	<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33737	99.7 %	
<b>Total</b>		<b>33,740</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4790-4795 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1131\_07: In past 30 days, pipe tobacco flavor smoked: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_PIPE\_USE = 1 AND R04\_AP1130 = 1) OR ((R04\_CURRENT\_PIPE\_USE = 2 OR R04\_PIPE\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1022 != 0 AND R04\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	75	0.2 %
<b>Total</b>		<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33737	99.7 %	
<b>Total</b>		<b>33,740</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4796-4801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1030: How you usually buy your pipe tobacco

The next questions ask about your experience buying pipe tobacco.

[If From the internet (2) or By telephone (3), Go to R04\_AP1034. If I do not buy my own pipe tobacco (4), Don't Know (-8), or Refused (-7), Go to R04\_AP1047.]

How [do/did] you usually buy pipe tobacco for yourself?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	361	1.1 %
2	2 = From the internet	28	0.1 %
3	3 = By telephone	12	0.0 %
4	4 = I do not buy my own pipe tobacco	151	0.4 %
<b>Total</b>		<b>552</b>	<b>1.6%</b>

This variable has 552 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	4	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33252	98.3 %	
<b>Total</b>		<b>33,270</b>	<b>98.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4802-4807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1032: Geographic area where you usually buy your pipe tobacco

The next questions ask about your experience buying pipe tobacco.

[Do/Did] you usually buy pipe tobacco...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)

AND R04\_AP1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	338	1.0 %
2	2 = In another state	16	0.0 %
3	3 = Outside the US	6	0.0 %
<b>Total</b>		<b>360</b>	<b>1.1%</b>

This variable has 360 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33459	98.9 %	
<b>Total</b>		<b>33,462</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4808-4813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1033: Retail location where your pipe tobacco is purchased most of the time

The next questions ask about your experience buying pipe tobacco.

Where [do/did] you buy your pipe tobacco most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	128	0.4 %
2	2 = A supermarket, grocery store, or drug store	28	0.1 %
3	3 = A warehouse club, such as Sam's or Costco	2	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	175	0.5 %
5	5 = A duty free shop or military commissary	3	0.0 %
6	6 = A bar, pub, restaurant or casino	1	0.0 %
7	7 = A friend or relative	4	0.0 %
8	8 = A swap meet or flea market	1	0.0 %

Value	Label	Unweighted Frequency	%
9	9 = A liquor store	13	0.0 %
10	10 = Somewhere else	4	0.0 %
	<b>Total</b>	<b>359</b>	<b>1.1%</b>

This variable has 359 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33459	98.9 %
	<b>Total</b>	<b>33,463</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4814-4819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AP1034\_D: Amount usually paid for a pouch of pipe tobacco - Dollars

The next questions ask about your experience buying pipe tobacco.

How much [do/did] you usually pay for a pouch of pipe tobacco?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 381 valid cases out of 33,822 total cases.

- Mean: 11.56
- Median: 7.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 555.00
- Standard Deviation: 30.66

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	2	0.0 %

Missing Data				
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33419	98.8 %	
<b>Total</b>		<b>33,441</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4820-4825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AP1034\_C: Amount usually paid for a pouch of pipe tobacco - Cents

The next questions ask about your experience buying pipe tobacco.

How much [do/did] you usually pay for a pouch of pipe tobacco?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity. ]

This variable has 381 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33439	98.9 %	
<b>Total</b>		<b>33,441</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4826-4831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AP1047: Have a regular brand of pipe tobacco you usually smoke

[Do/Did] you have a regular brand of pipe tobacco that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	184	0.5 %
2	2 = No	524	1.5 %
	<b>Total</b>	<b>708</b>	<b>2.1%</b>

This variable has 708 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,114</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4832-4837 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1050: Regular/last brand of pipe tobacco smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AP1945.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	162	0.5 %
2	2 = No	436	1.3 %
3	3 = I don't know	110	0.3 %
	<b>Total</b>	<b>708</b>	<b>2.1%</b>

This variable has 708 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %

Missing Data			
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,114</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4838-4843 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1012\_01: Pipe tobacco flavor usually/last smoked: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	44	0.1 %
2	2 = Not Marked	118	0.3 %
	<b>Total</b>	<b>162</b>	<b>0.5%</b>

This variable has 162 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33658	99.5 %
	<b>Total</b>	<b>33,660</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4844-4849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1012\_02: Pipe tobacco flavor usually/last smoked: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.1 %
2	2 = Not Marked	139	0.4 %
	<b>Total</b>	<b>162</b>	<b>0.5%</b>

This variable has 162 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33658	99.5 %
	<b>Total</b>	<b>33,660</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 4850-4855 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AP1012\_03: Pipe tobacco flavor usually/last smoked: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	68	0.2 %
2	2 = Not Marked	94	0.3 %
	<b>Total</b>	<b>162</b>	<b>0.5%</b>

This variable has 162 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33658	99.5 %
<b>Total</b>		<b>33,660</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4856-4861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1012\_04: Pipe tobacco flavor usually/last smoked: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	145	0.4 %
<b>Total</b>		<b>162</b>	<b>0.5%</b>

This variable has 162 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33658	99.5 %
<b>Total</b>		<b>33,660</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4862-4867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1012\_05: Pipe tobacco flavor usually/last smoked: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.0 %
2	2 = Not Marked	146	0.4 %
	<b>Total</b>	<b>162</b>	<b>0.5%</b>

This variable has 162 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33658	99.5 %
	<b>Total</b>	<b>33,660</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4868-4873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1012\_06: Pipe tobacco flavor usually/last smoked: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	29	0.1 %
2	2 = Not Marked	133	0.4 %
	<b>Total</b>	<b>162</b>	<b>0.5%</b>

This variable has 162 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33658	99.5 %
	<b>Total</b>	<b>33,660</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4874-4879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1012\_07: Pipe tobacco flavor usually/last smoked: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	153	0.5 %
	<b>Total</b>	<b>162</b>	<b>0.5%</b>

This variable has 162 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33658	99.5 %
	<b>Total</b>	<b>33,660</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4880-4885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1945: Know the name of brand of pipe tobacco usually/smoked

Do you know the name of the brand of pipe tobacco you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	185	0.5 %
2	2 = No	523	1.5 %
	<b>Total</b>	<b>708</b>	<b>2.1%</b>

This variable has 708 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,114</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4886-4891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1048\_BRAND: Brand of pipe tobacco usually/last smoked

What brand of pipe tobacco [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"/If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 180 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33635	99.4 %
<b>Total</b>		<b>33,642</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4892-4897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1070\_PRODUCT: Sub-brand of pipe tobacco usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"/If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP1945 = 1 AND R04\_AP1048\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AP1048\_BRAND.]

This variable has 135 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33685	99.6 %
<b>Total</b>		<b>33,687</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4898-4903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AP1051\_NN: How long smoked regular brand of pipe tobacco - Number

About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AP25]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

This variable has 180 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	33636	99.5 %
<b>Total</b>		<b>33,642</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4904-4909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AP1051\_UN: How long smoked regular brand of pipe tobacco - Unit

About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AP25]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1)  
AND R04\_AP1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	24	0.1 %
2	2 = Months	29	0.1 %
3	3 = Years	129	0.4 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

This variable has 182 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33638	99.5 %	
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4910-4915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP0104: Brand of very last bowl of pipe tobacco smoked is same as brand regularly/last smoked

You said earlier that you last smoked a pipe [TIME OF LAST USE].

Think about the very last bowl of pipe tobacco you smoked.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and subbrand of pipe tobacco.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_AP0100 = 1, 2, 3, 4 AND R04\_AP1945 = 1 AND R04\_AP1048\_BRAND != 9995, -8, -7 AND R04\_AP1070\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.1 %
2	2 = No	8	0.0 %
	<b>Total</b>	<b>33</b>	<b>0.1%</b>

This variable has 33 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33787	99.9 %	
<b>Total</b>		<b>33,789</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 4916-4921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1060\_RANDOM\_01: AP1060 series random question 1

[ICPSR NOTE: The 6 items that follow in the questionnaire (R04\_AP1060 through R04\_AP1064) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33106	97.9 %
-97777	-	2	0.0 %
R04_AP1060	-	130	0.4 %
R04_AP1062	-	153	0.5 %
R04_AP1063	-	105	0.3 %
R04_AP1064	-	75	0.2 %
R04_AP1075	-	122	0.4 %
R04_AP1085	-	129	0.4 %
<b>Total</b>		<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4922-4931 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AP1060\_RANDOM\_02: AP1060 series random question 2

[ICPSR NOTE: The 6 items that follow in the questionnaire (R04\_AP1060 through R04\_AP1064) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_APD01 for further information about the randomization of the order

[these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33106	97.9 %
-97777	-	2	0.0 %
R04_AP1060	-	120	0.4 %
R04_AP1062	-	126	0.4 %
R04_AP1063	-	123	0.4 %
R04_AP1064	-	70	0.2 %
R04_AP1075	-	144	0.4 %
R04_AP1085	-	131	0.4 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4932-4941 (width: 10; decimal: 0)

*Variable Type:* character

---

### **R04\_AP1060\_RANDOM\_03: AP1060 series random question 3**

[ICPSR NOTE: The 6 items that follow in the questionnaire (R04\_AP1060 through R04\_AP1064) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33106	97.9 %
-97777	-	2	0.0 %
R04_AP1060	-	126	0.4 %
R04_AP1062	-	129	0.4 %
R04_AP1063	-	126	0.4 %
R04_AP1064	-	80	0.2 %
R04_AP1075	-	134	0.4 %
R04_AP1085	-	119	0.4 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4942-4951 (width: 10; decimal: 0)

*Variable Type:* character

---

### **R04\_AP1060\_RANDOM\_04: AP1060 series random question 4**

[ICPSR NOTE: The 6 items that follow in the questionnaire (R04\_AP1060 through R04\_AP1064) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33106	97.9 %
-97777	-	2	0.0 %
R04_AP1060	-	126	0.4 %
R04_AP1062	-	121	0.4 %
R04_AP1063	-	136	0.4 %
R04_AP1064	-	86	0.3 %
R04_AP1075	-	113	0.3 %
R04_AP1085	-	132	0.4 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4952-4961 (*width:* 10; *decimal:* 0)

*Variable Type:* character

---

## **R04\_AP1060\_RANDOM\_05: AP1060 series random question 5**

[ICPSR NOTE: The 6 items that follow in the questionnaire (R04\_AP1060 through R04\_AP1064) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33106	97.9 %
-97777	-	2	0.0 %
R04_AP1060	-	138	0.4 %
R04_AP1062	-	108	0.3 %
R04_AP1063	-	137	0.4 %
R04_AP1064	-	88	0.3 %
R04_AP1075	-	118	0.3 %
R04_AP1085	-	125	0.4 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4962-4971 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AP1060\_RANDOM\_06: AP1060 series random question 6

[ICPSR NOTE: The 6 items that follow in the questionnaire (R04\_AP1060 through R04\_AP1064) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33345	98.6 %
-97777	-	2	0.0 %
R04_AP1060	-	74	0.2 %
R04_AP1062	-	77	0.2 %
R04_AP1063	-	87	0.3 %
R04_AP1064	-	76	0.2 %
R04_AP1075	-	83	0.2 %
R04_AP1085	-	78	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 4972-4981 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AP1060: Smoke/smoked a pipe filled with tobacco because: It is/was affordable

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It [is/was] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	322	1.0 %
2	2 = No	380	1.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>702</b>	<b>2.1%</b>

This variable has 702 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,120</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4982-4987 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1085: Smoke/smoked a pipe filled with tobacco because: Can/could smoke it in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

I [can/could] smoke pipes at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	82	0.2 %
2	2 = No	620	1.8 %
	<b>Total</b>	<b>702</b>	<b>2.1%</b>

This variable has 702 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33106	97.9 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,120</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4988-4993 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AP1062: Smoke/smoked a pipe filled with tobacco because: It might be less harmful than smoking cigarettes

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	185	0.5 %
2	2 = No	521	1.5 %
	<b>Total</b>	<b>706</b>	<b>2.1%</b>

This variable has 706 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,116</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 4994-4999 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AP1075: Smoke/smoked a pipe filled with tobacco because: It might be less harmful to people around me than cigarettes.

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	142	0.4 %
2	2 = No	567	1.7 %
	<b>Total</b>	<b>709</b>	<b>2.1%</b>

This variable has 709 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,113</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5000-5005 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1063: Smoke/smoked a pipe filled with tobacco because: It comes/came in flavors I like/liked

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

Pipe tobacco [comes/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	321	0.9 %
2	2 = No	387	1.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>708</b>	<b>2.1%</b>

This variable has 708 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,114</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5006-5011 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AP1064: Smoke/smoked a pipe filled with tobacco because: Smoking it helps people to quit smoking cigarettes

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

Smoking a pipe helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	96	0.3 %
2	2 = No	374	1.1 %
	<b>Total</b>	<b>470</b>	<b>1.4%</b>

This variable has 470 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %

Missing Data			
-1	-1 = Inapplicable	33345	98.6 %
	<b>Total</b>	<b>33,352</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5012-5017 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AP1080: Smoke/smoked a pipe filled with tobacco as a way of cutting down on cigarette smoking

[Do/Did] you smoke pipes filled with tobacco as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R04\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.2 %
2	2 = No	325	1.0 %
	<b>Total</b>	<b>404</b>	<b>1.2%</b>

This variable has 404 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33413	98.8 %
	<b>Total</b>	<b>33,418</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5018-5023 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AP1139: Level of agreement: It is/was easier to talk and get along with other people when smoking a pipe

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a pipe.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	480	1.4 %
2	2 = 2 on a scale of 1 to 4	123	0.4 %
3	3 = 3 on a scale of 1 to 4	72	0.2 %
4	4 = Very true of me	32	0.1 %
	<b>Total</b>	<b>707</b>	<b>2.1%</b>

This variable has 707 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,115</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5024-5029 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AP1140: Level of agreement: Feel/felt more confident with other people while smoking a pipe

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While smoking a pipe, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	483	1.4 %
2	2 = 2 on a scale of 1 to 4	111	0.3 %
3	3 = 3 on a scale of 1 to 4	77	0.2 %
4	4 = Very true of me	33	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>704</b>	<b>2.1%</b>

This variable has 704 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,118</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5030-5035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AP1141: Level of agreement: Smoke/smoked a pipe much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] a pipe much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04\_PIPE\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	458	1.4 %
2	2 = 2 on a scale of 1 to 4	97	0.3 %
3	3 = 3 on a scale of 1 to 4	87	0.3 %
4	4 = Very true of me	66	0.2 %
	<b>Total</b>	<b>708</b>	<b>2.1%</b>

This variable has 708 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33106	97.9 %
	<b>Total</b>	<b>33,114</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5036-5041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1090: Own a hookah

Do you own a hookah?

ASK: Adult respondents who have ever smoked hookah.

ASK Specification: IF R04\_EVER\_NEVER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	901	2.7 %
2	2 = No	9568	28.3 %
	<b>Total</b>	<b>10,469</b>	<b>31.0%</b>

This variable has 10,469 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	23341	69.0 %
	<b>Total</b>	<b>23,353</b>	<b>69.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5042-5047 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH9041: Anyone else in home own a hookah

Does anyone else living in your home own a hookah?

ASK: Young adult respondents who have ever smoked hookah.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_EVER\_NEVER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	210	0.6 %
2	2 = No	4138	12.2 %
	<b>Total</b>	<b>4,348</b>	<b>12.9%</b>

This variable has 4,348 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	29465	87.1 %
<b>Total</b>		<b>29,474</b>	<b>87.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5048-5053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AH1006\_RS: DERIVED - Age group when first smoked tobacco in a hookah, even one or two puffs (6 levels)

Long Description: How old were you the first time you smoked tobacco in a hookah, even one or two puffs?

```
Algorithm: if (0 <= R04_AH1006_RS < 18) or R04_AH1120_RS = 1 then
R04R_A_AH1006_RS = 1; else if (18 <= R04_AH1006_RS <= 24) or R04_AH1120_RS = 2
then R04R_A_AH1006_RS = 2; else if (25 <= R04_AH1006_RS <= 34) or
R04_AH1120_RS = 3 then R04R_A_AH1006_RS = 3; else if (35 <= R04_AH1006_RS <= 44)
or R04_AH1120_RS = 4 then R04R_A_AH1006_RS = 4; else if
(45 <= R04_AH1006_RS <= 54) or R04_AH1120_RS = 5 then R04R_A_AH1006_RS = 5;
else if (R04_AH1006_RS >= 55) or R04_AH1120_RS = 6 then R04R_A_AH1006_RS = 6;
else if R04_AH1006_RS = -9 or R04_AH1120_RS = -9 then R04R_A_AH1006_RS =
-99999; else if R04_AH1006_RS = -8 or R04_AH1120_RS = -8 then R04R_A_AH1006_RS
= -99988; else if R04_AH1006_RS = -7 or R04_AH1120_RS = -7 then
R04R_A_AH1006_RS = -99977; else if R04_AH1006_RS = -5 then R04R_A_AH1006_RS
= -99955; else if R04_AH1006_RS = -1 or R04_AH1120_RS = -1 then
R04R_A_AH1006_RS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	514	1.5 %
2	2 = 18 to 24 years old	1105	3.3 %
3	3 = 25 to 34 years old	231	0.7 %
4	4 = 35 to 44 years old	107	0.3 %
5	5 = 45 to 54 years old	55	0.2 %
6	6 = 55 years old or older	18	0.1 %
<b>Total</b>		<b>2,030</b>	<b>6.0%</b>

This variable has 2,030 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	19	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31765	93.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>31,792</b>	<b>94.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5054-5059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777)

## R04\_AH1005: Number of times smoked hookah in entire life

How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

ASK: Continuing and aged-up adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times as of their last completed interview, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_HOOK = 1 AND R03\_NUMLIFE\_HOOK != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_HOOK = 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 to 10	6837	20.2 %
2	2 = 11 to 20	1425	4.2 %
3	3 = 21 to 50	875	2.6 %
4	4 = 51 to 99	252	0.7 %
5	5 = 100 or more	162	0.5 %
<b>Total</b>		<b>9,551</b>	<b>28.2%</b>

This variable has 9,551 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	246	0.7 %
-7	-7 = Refused	112	0.3 %
-1	-1 = Inapplicable	23911	70.7 %
<b>Total</b>		<b>24,271</b>	<b>71.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5060-5065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1100: Ever smoked hookah fairly regularly

Have you ever smoked tobacco in a hookah fairly regularly?

ASK: Continuing and aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_HOOK = 1 AND R03\_REGUSE\_HOOK != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_HOOK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	353	1.0 %
2	2 = No	8420	24.9 %
	<b>Total</b>	<b>8,773</b>	<b>25.9%</b>

This variable has 8,773 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	25032	74.0 %
	<b>Total</b>	<b>25,049</b>	<b>74.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5066-5071 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AH1007\_NB: DERIVED - Age group when you first started smoking hookah fairly regularly (6 levels)

Long Description: How old were you when you first started smoking hookah fairly regularly?

Algorithm: if (0 <= R04\_AH1007\_NB < 18) or R04\_AH1121\_NB = 1 then  
R04R\_A\_AH1007\_NB = 1; else if (18 <= R04\_AH1007\_NB <= 24) or R04\_AH1121\_NB = 2  
then R04R\_A\_AH1007\_NB = 2; else if (25 <= R04\_AH1007\_NB <= 34) or  
R04\_AH1121\_NB = 3 then R04R\_A\_AH1007\_NB = 3; else if (35 <= R04\_AH1007\_NB  
<= 44) or R04\_AH1121\_NB = 4 then R04R\_A\_AH1007\_NB = 4; else if (45 <=  
R04\_AH1007\_NB <= 54) or R04\_AH1121\_NB = 5 then R04R\_A\_AH1007\_NB = 5; else  
if (R04\_AH1007\_NB >= 55) or R04\_AH1121\_NB = 6 then R04R\_A\_AH1007\_NB = 6;  
else if R04\_AH1007\_NB = -9 or R04\_AH1121\_NB = -9 then R04R\_A\_AH1007\_NB =

-99999; else if R04\_AH1007\_NB = -8 or R04\_AH1121\_NB = -8 then R04R\_A\_AH1007\_NB = -99988; else if R04\_AH1007\_NB = -7 or R04\_AH1121\_NB = -7 then R04R\_A\_AH1007\_NB = -99977; else if R04\_AH1007\_NB = -5 then R04R\_A\_AH1007\_NB = -99955; else if R04\_AH1007\_NB = -1 or R04\_AH1121\_NB = -1 then R04R\_A\_AH1007\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	59	0.2 %
2	2 = 18 to 24 years old	123	0.4 %
3	3 = 25 to 34 years old	10	0.0 %
4	4 = 35 to 44 years old	6	0.0 %
5	5 = 45 to 54 years old	2	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>200</b>	<b>0.6%</b>

This variable has 200 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33620	99.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,622</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5072-5077 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AH1020\_NB: DERIVED - Age group when you first started smoking hookah every day (6 levels)

Long Description: How old were you when you first started smoking hookah every day?

Algorithm: if (0 <= R04\_AH1020\_NB < 18) or R04\_AH1122\_NB = 1 then R04R\_A\_AH1020\_NB = 1; else if (18 <= R04\_AH1020\_NB <= 24) or R04\_AH1122\_NB = 2 then R04R\_A\_AH1020\_NB = 2; else if (25 <= R04\_AH1020\_NB <= 34) or R04\_AH1122\_NB = 3 then R04R\_A\_AH1020\_NB = 3; else if (35 <= R04\_AH1020\_NB <= 44) or R04\_AH1122\_NB = 4 then R04R\_A\_AH1020\_NB = 4; else if (45 <= R04\_AH1020\_NB <= 54) or R04\_AH1122\_NB = 5 then R04R\_A\_AH1020\_NB = 5; else if (R04\_AH1020\_NB => 55) or R04\_AH1122\_NB = 6 then R04R\_A\_AH1020\_NB = 6; else if R04\_AH1020\_NB = -9 or R04\_AH1122\_NB = -9 then R04R\_A\_AH1020\_NB = -99999; else if R04\_AH1020\_NB = -8 or R04\_AH1122\_NB

= -8 then R04R\_A\_AH1020\_NB = -99988; else if R04\_AH1020\_NB = -7 or R04\_AH1122\_NB = -7 then R04R\_A\_AH1020\_NB = -99977; else if R04\_AH1020\_NB = -5 then R04R\_A\_AH1020\_NB = -99955; else if R04\_AH1020\_NB = -1 or R04\_AH1122\_NB = -1 then R04R\_A\_AH1020\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	3	0.0 %
2	2 = 18 to 24 years old	2	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>5</b>	<b>0.0%</b>

This variable has 5 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33815	100.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>33,817</b>	<b>100.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5078-5083 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04\_AH1008: When first started smoking hookah, smoked shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to Box R04\_AHR27.]

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_HOOK\_ADULT = 1) OR

(R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_HOOK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1580	4.7 %
2	2 = No	512	1.5 %
3	3 = I don't know	366	1.1 %
	<b>Total</b>	<b>2,458</b>	<b>7.3%</b>

This variable has 2,458 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31356	92.7 %
	<b>Total</b>	<b>31,364</b>	<b>92.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5084-5089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1011\_01: Flavor of hookah tobacco when first started smoking: Menthol or mint

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored, or new cohort adult respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_HOOK\_ADULT = 1 AND R04\_AH1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	368	1.1 %
2	2 = Not Marked	1204	3.6 %
	<b>Total</b>	<b>1,572</b>	<b>4.6%</b>

This variable has 1,572 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32240	95.3 %
	<b>Total</b>	<b>32,250</b>	<b>95.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5090-5095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1011\_02: Flavor of hookah tobacco when first started smoking: Clove or spice

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored, or new cohort adult respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_HOOK\_ADULT = 1 AND R04\_AH1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	137	0.4 %
2	2 = Not Marked	1435	4.2 %
	<b>Total</b>	<b>1,572</b>	<b>4.6%</b>

This variable has 1,572 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32240	95.3 %
	<b>Total</b>	<b>32,250</b>	<b>95.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5096-5101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AH1011\_03: Flavor of hookah tobacco when first started smoking: Fruit

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored, or new cohort adult respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_HOOK\_ADULT = 1 AND R04\_AH1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1282	3.8 %
2	2 = Not Marked	290	0.9 %
	<b>Total</b>	<b>1,572</b>	<b>4.6%</b>

This variable has 1,572 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32240	95.3 %
	<b>Total</b>	<b>32,250</b>	<b>95.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5102-5107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1011\_04: Flavor of hookah tobacco when first started smoking: Chocolate

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored, or new cohort adult respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_HOOK\_ADULT = 1 AND R04\_AH1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	115	0.3 %
2	2 = Not Marked	1457	4.3 %
	<b>Total</b>	<b>1,572</b>	<b>4.6%</b>

This variable has 1,572 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32240	95.3 %
	<b>Total</b>	<b>32,250</b>	<b>95.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5108-5113 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1011\_05: Flavor of hookah tobacco when first started smoking: An alcoholic drink

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored, or new cohort adult respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_HOOK\_ADULT = 1 AND R04\_AH1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	133	0.4 %
2	2 = Not Marked	1439	4.3 %
	<b>Total</b>	<b>1,572</b>	<b>4.6%</b>

This variable has 1,572 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	32240	95.3 %
	<b>Total</b>	<b>32,250</b>	<b>95.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5114-5119 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1011\_06: Flavor of hookah tobacco when first started smoking: Candy or other sweets

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored, or new cohort adult respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_HOOK\_ADULT = 1 AND R04\_AH1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_NEVER\_HOOK = 1 AND R04\_AH1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	472	1.4 %
2	2 = Not Marked	1100	3.3 %
	<b>Total</b>	<b>1,572</b>	<b>4.6%</b>

This variable has 1,572 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32240	95.3 %
	<b>Total</b>	<b>32,250</b>	<b>95.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5120-5125 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1011\_07: Flavor of hookah tobacco when first started smoking: Some other flavor

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored, or new cohort adult respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_HOOK\_ADULT = 1 AND R04\_AH1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_HOOK = 1 AND R04\_AH1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	1554	4.6 %
	<b>Total</b>	<b>1,572</b>	<b>4.6%</b>

This variable has 1,572 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32240	95.3 %	
	<b>Total</b>	<b>32,250</b>	<b>95.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5126-5131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH9003: How often you usually smoke hookah

Which of the following choices best describes your hookah smoking? Usually I smoke tobacco in a hookah...

ASK: Adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they smoke hookah every day, some days, or not at all.

ASK Specification: IF R04\_EVER\_NEVER\_HOOK = 1 AND  
(R04\_AH1004 = 1 OR R04\_AH1002\_12M = 1)  
AND R04\_AH1003 != 1.

[PROGRAM NOTE: DISPLAY RESPONSE OPTION 1 ONLY IF R04\_AH1003 = -8, -7 ]

Value	Label	Unweighted Frequency	%
1	1 = Every day	1	0.0 %
2	2 = Weekly	166	0.5 %

Value	Label	Unweighted Frequency	%
3	3 = Monthly	233	0.7 %
4	4 = Every couple of months	893	2.6 %
5	5 = About once a year	1258	3.7 %
<b>Total</b>		<b>2,551</b>	<b>7.5%</b>

This variable has 2,551 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	38	0.1 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	31209	92.3 %
<b>Total</b>		<b>31,271</b>	<b>92.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5132-5137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1025\_RS: Around this time 12 months ago, smoked tobacco in a hookah every day, some days, or not at all

Around this time 12 months ago, were you smoking tobacco in a hookah every day, some days, or not at all?

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established hookah smokers.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_HOOK\_USER\_STATUS = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Every day	13	0.0 %
2	2 = Some days	306	0.9 %
3	3 = Not at all	1733	5.1 %
<b>Total</b>		<b>2,052</b>	<b>6.1%</b>

This variable has 2,052 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	31767	93.9 %
	<b>Total</b>	<b>31,770</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5138-5143 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH9011\_01: Place where usually smoke/smoked hookah: In your home

Where [do/did] you usually smoke hookah? Choose all that apply.

In your home

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	654	1.9 %
2	2 = Not Marked	1404	4.2 %
	<b>Total</b>	<b>2,058</b>	<b>6.1%</b>

This variable has 2,058 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	31730	93.8 %
	<b>Total</b>	<b>31,764</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5144-5149 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH9011\_02: Place where usually smoke/smoked hookah: In someone else's home

Where [do/did] you usually smoke hookah? Choose all that apply.

In someone else's home

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	810	2.4 %
2	2 = Not Marked	1248	3.7 %
	<b>Total</b>	<b>2,058</b>	<b>6.1%</b>

This variable has 2,058 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	17	0.1 %	
-1	-1 = Inapplicable	31730	93.8 %	
	<b>Total</b>	<b>31,764</b>	<b>93.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5150-5155 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH9011\_03: Place where usually smoke/smoked hookah: In a hookah bar or café

Where [do/did] you usually smoke hookah? Choose all that apply.

In a hookah bar or hookah café

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1204	3.6 %
2	2 = Not Marked	854	2.5 %
	<b>Total</b>	<b>2,058</b>	<b>6.1%</b>

This variable has 2,058 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	31730	93.8 %
<b>Total</b>		<b>31,764</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5156-5161 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH9011\_04: Place where usually smoke/smoked hookah: In a dance club or lounge

Where [do/did] you usually smoke hookah? Choose all that apply.

In a dance club or lounge

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	438	1.3 %
2	2 = Not Marked	1620	4.8 %
<b>Total</b>		<b>2,058</b>	<b>6.1%</b>

This variable has 2,058 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	31730	93.8 %
<b>Total</b>		<b>31,764</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5162-5167 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AH9011\_05: Place where usually smoke/smoked hookah: Somewhere else

Where [do/did] you usually smoke hookah? Choose all that apply.

Somewhere else (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.1 %
2	2 = Not Marked	2016	6.0 %
	<b>Total</b>	<b>2,058</b>	<b>6.1%</b>

This variable has 2,058 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	17	0.1 %	
-1	-1 = Inapplicable	31730	93.8 %	
	<b>Total</b>	<b>31,764</b>	<b>93.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5168-5173 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH9012: Usually share/shared the same hookah with others

[Do/Did] you usually share a hookah with others when you [smoke/smoked]?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AH9014.]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1804	5.3 %
2	2 = No	277	0.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,081</b>	<b>6.2%</b>

This variable has 2,081 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31730	93.8 %
	<b>Total</b>	<b>31,741</b>	<b>93.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5174-5179 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH9013: Number of people you usually shared hookah with

How many people [do/did] you usually share a hookah with?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and usually share a hookah with others.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH9012 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 other person	223	0.7 %
2	2 = 2 other people	567	1.7 %
3	3 = 3 other people	563	1.7 %
4	4 = 4 or more other people	450	1.3 %
	<b>Total</b>	<b>1,803</b>	<b>5.3%</b>

This variable has 1,803 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32016	94.7 %
	<b>Total</b>	<b>32,019</b>	<b>94.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5180-5185 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH9014: Average length of one hookah session

On average, how long [is/was] one hookah session for you[ and the people you share/d it with]?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 30 minutes	491	1.5 %
2	2 = More than 30 minutes up to 1 hour	788	2.3 %
3	3 = 1 to 2 hours	619	1.8 %
4	4 = More than 2 hours	165	0.5 %
	<b>Total</b>	<b>2,063</b>	<b>6.1%</b>

This variable has 2,063 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	31730	93.8 %
	<b>Total</b>	<b>31,759</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5186-5191 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH9015: Average number of times hookah is refilled with tobacco when smoked/shared

On average, when you [smoke/smoked/share a/shared a] hookah, how many times [is/was] the hookah refilled with tobacco during a session?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = 0 times	552	1.6 %
2	2 = 1 time	822	2.4 %
3	3 = 2 to 3 times	618	1.8 %
4	4 = 4 or more times	79	0.2 %
	<b>Total</b>	<b>2,071</b>	<b>6.1%</b>

This variable has 2,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31730	93.8 %
	<b>Total</b>	<b>31,751</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5192-5197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH9016: How often you personally set up the hookah

How often [do/did] you personally set up the hookah?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	156	0.5 %
2	2 = Most of the time	212	0.6 %
3	3 = Some of the time	300	0.9 %
4	4 = Rarely	428	1.3 %
5	5 = Never, someone else always (set/sets) it up for me	976	2.9 %
	<b>Total</b>	<b>2,072</b>	<b>6.1%</b>

This variable has 2,072 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %

Missing Data				
-7	-7 = Refused		7	0.0 %
-1	-1 = Inapplicable		31730	93.8 %
<b>Total</b>			<b>31,750</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5198-5203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH9043: When smoked hookah whether shisha usually contain tobacco

When you [smoke/smoked] hookah, [did/does] your shisha usually contain tobacco?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1050	3.1 %
2	2 = No	421	1.2 %
3	3 = I don't know	608	1.8 %
<b>Total</b>		<b>2,079</b>	<b>6.1%</b>

This variable has 2,079 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	31730	93.8 %	
<b>Total</b>		<b>31,743</b>	<b>93.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5204-5209 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH9042: Ever used another liquid besides water in the bowl of the hookah

Have you ever used another liquid besides water in the bowl of the hookah?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	402	1.2 %
2	2 = No	1676	5.0 %
	<b>Total</b>	<b>2,078</b>	<b>6.1%</b>

This variable has 2,078 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31730	93.8 %
	<b>Total</b>	<b>31,744</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5210-5215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH9004: Average number of times you smoke a hookah in a month

On average, about how many times do you smoke hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AHR25.]

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly.

ASK Specification: IF (R04\_AH1004 = 1 OR R04\_AH1002\_12M = 1) AND R04\_AH1003 != 1 AND R04\_AH9003 = 3.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 233 valid cases out of 33,822 total cases.

- Mean: 2.85
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 34.00
- Standard Deviation: 3.29

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33587	99.3 %
<b>Total</b>		<b>33,589</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5216-5221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AH9005: Average number of times you smoke a hookah in a week

On average, about how many times do you smoke hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AHR25.]

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly.

ASK Specification: IF (R04\_AH1004 = 1 OR R04\_AH1002\_12M = 1) AND R04\_AH1003 != 1 AND R04\_AH9003 = 2.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 165 valid cases out of 33,822 total cases.

- Mean: 3.22
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 65.00
- Standard Deviation: 5.85

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33654	99.5 %
<b>Total</b>		<b>33,657</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5222-5227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AH9006: Average number of times you smoke a hookah in a day

On average, about how many times do you smoke hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AHR25]

ASK: Adult respondents who are every day established hookah smokers or smoke hookah every day.

ASK Specification: IF R04\_CURRENT\_HOOK\_USE = 1 OR R04\_AH1003 = 1 OR R04\_AH9003 = 1.

[PROGRAM NOTE: Allow 2 digits ]

This variable has 37 valid cases out of 33,822 total cases.

- Mean: 7.00
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 85.00
- Standard Deviation: 14.62

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33783	99.9 %
<b>Total</b>		<b>33,785</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5228-5233 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AH1024: Time of the day to first puff from hookah after waking on days smoked

[On the days that you smoke hookah, what/What] time of day do you typically take your first puff of tobacco from a hookah?

[If a valid response (1 to 4), Go to Box R04\_AHR02.]

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = After 6 AM but before noon	47	0.1 %
2	2 = Between noon and 6 PM	136	0.4 %
3	3 = After 6 PM but before midnight	1089	3.2 %
4	4 = Between midnight and 6 AM	328	1.0 %
	<b>Total</b>	<b>1,600</b>	<b>4.7%</b>

This variable has 1,600 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	32167	95.1 %
	<b>Total</b>	<b>32,222</b>	<b>95.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5234-5239 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1092: Take first puff from a hookah of the day within 30 minutes after waking

[On the days that you smoke hookah, would/Would] you say you typically take your first puff of tobacco from a hookah within the first 30 minutes after you wake up?

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and did not know or refused to report what time of day they smoke hookah.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1024 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	36	0.1 %
3	3 = It varies	4	0.0 %
	<b>Total</b>	<b>42</b>	<b>0.1%</b>

This variable has 42 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %

Missing Data				
-7	-7 = Refused		4	0.0 %
-1	-1 = Inapplicable		33767	99.8 %
<b>Total</b>			<b>33,780</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5240-5245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH0100: When last smoked hookah

When did you last smoke tobacco in a hookah?

[If In the past hour (1), Go to R04\_AH0103. If Three or more days ago (5), Don't Know (-8), or Refused (-7), Go to Box R04\_AH1130.]

ASK: Adult respondents who are past 30 day hookah smokers.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	24	0.1 %
2	2 = Sometime today	21	0.1 %
3	3 = Yesterday	89	0.3 %
4	4 = Day before yesterday	39	0.1 %
5	5 = Three or more days ago	926	2.7 %
<b>Total</b>		<b>1,099</b>	<b>3.2%</b>

This variable has 1,099 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	32661	96.6 %
<b>Total</b>		<b>32,723</b>	<b>96.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5246-5251 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH0102: Time period of day when you last smoked hookah

When you last smoked tobacco in a hookah [FILL BASED ON R04\_AH0100], was it...

ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	27	0.1 %
2	2 = After 6AM but before noon	18	0.1 %
3	3 = Between noon and 6PM	35	0.1 %
4	4 = After 6PM but before midnight	68	0.2 %
	<b>Total</b>	<b>148</b>	<b>0.4%</b>

This variable has 148 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33671	99.6 %	
	<b>Total</b>	<b>33,674</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5252-5257 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH0103: Number of puffs taken from a hookah today/yesterday/day before yesterday

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R04\_AH0100]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AH1130.]

ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 167 valid cases out of 33,822 total cases.

- Mean: 20.43
- Median: 9.00
- Mode: 5.00

- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 30.70

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33647	99.5 %
<b>Total</b>		<b>33,655</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5258-5263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AH1130: In past 30 days, any of the shisha or hookah tobacco smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AHR23.]

ASK: Adult respondents who are past 30-day hookah smokers.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	687	2.0 %
2	2 = No	307	0.9 %
3	3 = I don't know	155	0.5 %
<b>Total</b>		<b>1,149</b>	<b>3.4%</b>

This variable has 1,149 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32661	96.6 %
<b>Total</b>		<b>32,673</b>	<b>96.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5264-5269 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1131\_01: In past 30 days, hookah tobacco flavor smoked: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	282	0.8 %
2	2 = Not Marked	404	1.2 %
	<b>Total</b>	<b>686</b>	<b>2.0%</b>

This variable has 686 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33133	98.0 %
	<b>Total</b>	<b>33,136</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5270-5275 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1131\_02: In past 30 days, hookah tobacco flavor smoked: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	46	0.1 %
2	2 = Not Marked	640	1.9 %
	<b>Total</b>	<b>686</b>	<b>2.0%</b>

This variable has 686 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33133	98.0 %
	<b>Total</b>	<b>33,136</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5276-5281 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1131\_03: In past 30 days, hookah tobacco flavor smoked: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	522	1.5 %
2	2 = Not Marked	164	0.5 %
	<b>Total</b>	<b>686</b>	<b>2.0%</b>

This variable has 686 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33133	98.0 %	
<b>Total</b>		<b>33,136</b>	<b>98.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5282-5287 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R04\_AH1131\_04: In past 30 days, hookah tobacco flavor smoked: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.1 %
2	2 = Not Marked	637	1.9 %
	<b>Total</b>	<b>686</b>	<b>2.0%</b>

This variable has 686 valid cases out of 33,822 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33133	98.0 %	
	<b>Total</b>	<b>33,136</b>	<b>98.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5288-5293 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R04\_AH1131\_05: In past 30 days, hookah tobacco flavor smoked: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	67	0.2 %
2	2 = Not Marked	619	1.8 %
	<b>Total</b>	<b>686</b>	<b>2.0%</b>

This variable has 686 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33133	98.0 %
	<b>Total</b>	<b>33,133</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5294-5299 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1131\_06: In past 30 days, hookah tobacco flavor smoked: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	172	0.5 %
2	2 = Not Marked	514	1.5 %
	<b>Total</b>	<b>686</b>	<b>2.0%</b>

This variable has 686 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33133	98.0 %
<b>Total</b>		<b>33,136</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5300-5305 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1131\_07: In past 30 days, hookah tobacco flavor smoked: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.0 %
2	2 = Not Marked	676	2.0 %
<b>Total</b>		<b>686</b>	<b>2.0%</b>

This variable has 686 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33133	98.0 %
<b>Total</b>		<b>33,136</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5306-5311 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1147: How often smoked flavored hookah tobacco on days smoked in past 30 days

On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke flavored shisha or hookah tobacco?

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04\_THIRTY\_DAY\_USER\_HOOK = 1 AND R04\_AH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	369	1.1 %
2	2 = Most of the time	89	0.3 %
3	3 = Sometimes	85	0.3 %
4	4 = Rarely	100	0.3 %
5	5 = Never	41	0.1 %
<b>Total</b>		<b>684</b>	<b>2.0%</b>

This variable has 684 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33133	98.0 %
<b>Total</b>		<b>33,138</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5312-5317 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1030: How you usually buy your shisha or hookah tobacco

The next questions ask about your experience buying shisha or hookah tobacco.

How do you usually buy shisha or hookah tobacco for yourself?

[If From the internet (2) or By telephone (3), Go to R04\_AH1034. If I do not buy my own shisha or hookah tobacco (4), Don't Know (-8), or Refused (-7), Go to R04\_AH1047.]

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or hookah bar)	763	2.3 %
2	2 = From the internet	34	0.1 %
3	3 = By telephone	12	0.0 %
4	4 = I do not buy my own shisha or hookah tobacco	829	2.5 %
	<b>Total</b>	<b>1,638</b>	<b>4.8%</b>

This variable has 1,638 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32167	95.1 %
	<b>Total</b>	<b>32,184</b>	<b>95.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5318-5323 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1032: Geographic area where you usually buy your shisha or hookah tobacco

The next questions ask about your experience buying shisha or hookah tobacco.

Do you usually buy shisha or hookah tobacco...?

**ASK:** Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.

**ASK Specification:** IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	728	2.2 %
2	2 = In another state	16	0.0 %
3	3 = Outside the US	13	0.0 %
	<b>Total</b>	<b>757</b>	<b>2.2%</b>

This variable has 757 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

Missing Data				
-7	-7 = Refused		3	0.0 %
-1	-1 = Inapplicable		33057	97.7 %
<b>Total</b>			<b>33,065</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5324-5329 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1033: Retail location where your shisha or hookah tobacco is purchased most of the time

The next questions ask about your experience buying shisha or hookah tobacco.

Where do you buy your shisha or hookah tobacco most of the time?

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A hookah bar or café	352	1.0 %
2	2 = A convenience store or gas station	101	0.3 %
3	3 = A supermarket, grocery store, or drug store	22	0.1 %
4	4 = A warehouse club, such as Sam's or Costco	1	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	254	0.8 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	5	0.0 %
8	8 = A friend or relative	5	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = A liquor store	12	0.0 %
11	11 = Somewhere else	6	0.0 %
<b>Total</b>		<b>758</b>	<b>2.2%</b>

This variable has 758 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33057	97.7 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,064</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5330-5335 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1047: Have a regular brand of shisha or hookah tobacco you usually smoke

[Do/Did] you have a regular brand of shisha or hookah tobacco that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	321	0.9 %
2	2 = No	1756	5.2 %
	<b>Total</b>	<b>2,077</b>	<b>6.1%</b>

This variable has 2,077 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31730	93.8 %
	<b>Total</b>	<b>31,745</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5336-5341 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1050: Regular/last brand of hookah smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AH1945]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1318	3.9 %
2	2 = No	388	1.1 %
3	3 = I don't know	372	1.1 %
<b>Total</b>		<b>2,078</b>	<b>6.1%</b>

This variable has 2,078 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	31730	93.8 %	
<b>Total</b>		<b>31,744</b>	<b>93.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5342-5347 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1012\_01: Hookah tobacco flavor usually/last smoked: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	474	1.4 %
2	2 = Not Marked	841	2.5 %
<b>Total</b>		<b>1,315</b>	<b>3.9%</b>

This variable has 1,315 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32502	96.1 %
	<b>Total</b>	<b>32,507</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5348-5353 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1012\_02: Hookah tobacco flavor usually/last smoked: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	75	0.2 %
2	2 = Not Marked	1240	3.7 %
	<b>Total</b>	<b>1,315</b>	<b>3.9%</b>

This variable has 1,315 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32502	96.1 %
	<b>Total</b>	<b>32,507</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5354-5359 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1012\_03: Hookah tobacco flavor usually/last smoked: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1037	3.1 %
2	2 = Not Marked	278	0.8 %
	<b>Total</b>	<b>1,315</b>	<b>3.9%</b>

This variable has 1,315 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32502	96.1 %
	<b>Total</b>	<b>32,507</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5360-5365 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1012\_04: Hookah tobacco flavor usually/last smoked: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	104	0.3 %
2	2 = Not Marked	1211	3.6 %
	<b>Total</b>	<b>1,315</b>	<b>3.9%</b>

This variable has 1,315 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32502	96.1 %
	<b>Total</b>	<b>32,507</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5366-5371 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1012\_05: Hookah tobacco flavor usually/last smoked: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	185	0.5 %
2	2 = Not Marked	1130	3.3 %
	<b>Total</b>	<b>1,315</b>	<b>3.9%</b>

This variable has 1,315 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %

Missing Data			
-1	-1 = Inapplicable	32502	96.1 %
	<b>Total</b>	<b>32,507</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5372-5377 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1012\_06: Hookah tobacco flavor usually/last smoked: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	395	1.2 %
2	2 = Not Marked	920	2.7 %
	<b>Total</b>	<b>1,315</b>	<b>3.9%</b>

This variable has 1,315 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32502	96.1 %
	<b>Total</b>	<b>32,507</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5378-5383 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1012\_07: Hookah tobacco flavor usually/last smoked: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	1297	3.8 %
	<b>Total</b>	<b>1,315</b>	<b>3.9%</b>

This variable has 1,315 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32502	96.1 %
	<b>Total</b>	<b>32,507</b>	<b>96.1%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5384-5389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AH1945: Know the name of brand of shisha or hookah tobacco usually/last smoked

Do you know the name of the brand of shisha or hookah tobacco you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	325	1.0 %
2	2 = No	1753	5.2 %
	<b>Total</b>	<b>2,078</b>	<b>6.1%</b>

This variable has 2,078 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	31730	93.8 %	
<b>Total</b>		<b>31,744</b>	<b>93.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5390-5395 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1048\_BRAND: Brand of shisha or hookah tobacco usually/last smoked

What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"/If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. ]

This variable has 323 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33495	99.0 %	
<b>Total</b>		<b>33,499</b>	<b>99.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5396-5401 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1070\_PRODUCT: Sub-brand of hookah tobacco usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"/If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1945 = 1 AND R04\_AH1048\_BRAND != 9995, -8, -7.

This variable has 306 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33511	99.1 %	
<b>Total</b>		<b>33,516</b>	<b>99.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5402-5407 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH9108: Usual/last brand of shisha smoked contains tobacco

Does this brand of shisha contain tobacco?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH1945 = 1 AND (R04\_AH1048\_BRAND != 9995, -8, -7 OR (R04\_AH1048\_BRAND = 9995 AND R04\_AH1049 != -1, -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	223	0.7 %
2	2 = No	33	0.1 %
3	3 = I don't know	60	0.2 %
<b>Total</b>		<b>316</b>	<b>0.9%</b>

This variable has 316 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	

Missing Data				
-1	-1 = Inapplicable		33504	99.1 %
<b>Total</b>			<b>33,506</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5408-5413 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1051\_NN: How long smoked regular brand of shisha or hookah tobacco - Number

About how long [did you smoke/have you been smoking] your regular brand of shisha or hookah tobacco?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AHR19.]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_AH1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

This variable has 319 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		2	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		2	0.0 %
-7	-7 = Refused		0	0.0 %
-5	-5 = Improbable response removed		0	0.0 %
-1	-1 = Inapplicable		33499	99.0 %
<b>Total</b>			<b>33,503</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5414-5419 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AH1051\_UN: How long smoked regular brand of shisha or hookah tobacco - Unit

About how long [did you smoke/have you been smoking] your regular brand of shisha or hookah tobacco?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AHR19.]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)

AND R04\_AH1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	44	0.1 %
2	2 = Months	79	0.2 %
3	3 = Years	196	0.6 %
<b>Total</b>		<b>319</b>	<b>0.9%</b>

This variable has 319 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33501	99.1 %
<b>Total</b>		<b>33,503</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5420-5425 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH0104: Brand of very last puff of hookah smoked is same as brand regularly/last smoked

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and subbrand of shisha or hookah tobacco.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1) AND R04\_AH0100 = 1, 2, 3, 4 AND R04\_AH1945 = 1 AND R04\_AH1048\_BRAND != 9995, -8, -7 AND R04\_AH1070\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.1 %
2	2 = No	15	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33761	99.8 %
	<b>Total</b>	<b>33,768</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5426-5431 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1060\_RANDOM\_01: AH1060 series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AH1060 through R04\_AH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31730	93.8 %
-97777	-	2	0.0 %
R04_AH1060	-	321	0.9 %
R04_AH1062	-	313	0.9 %
R04_AH1063	-	298	0.9 %
R04_AH1064	-	157	0.5 %
R04_AH1073	-	352	1.0 %
R04_AH1075	-	306	0.9 %
R04_AH1085	-	343	1.0 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5432-5441 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AH1060\_RANDOM\_02: AH1060 series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AH1060 through R04\_AH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31730	93.8 %
-97777	-	2	0.0 %
R04_AH1060	-	340	1.0 %
R04_AH1062	-	301	0.9 %
R04_AH1063	-	309	0.9 %
R04_AH1064	-	166	0.5 %
R04_AH1073	-	325	1.0 %
R04_AH1075	-	325	1.0 %
R04_AH1085	-	324	1.0 %
		Total	33,822 100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5442-5451 (width: 10; decimal: 0)

*Variable Type:* character

---

### R04\_AH1060\_RANDOM\_03: AH1060 series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AH1060 through R04\_AH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31730	93.8 %
-97777	-	2	0.0 %
R04_AH1060	-	341	1.0 %
R04_AH1062	-	330	1.0 %
R04_AH1063	-	342	1.0 %
R04_AH1064	-	139	0.4 %
R04_AH1073	-	332	1.0 %
R04_AH1075	-	324	1.0 %

Value	Label	Unweighted Frequency	%
R04_AH1085	-	282	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5452-5461 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AH1060\_RANDOM\_04: AH1060 series random question 4

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AH1060 through R04\_AH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31730	93.8 %
-97777	-	2	0.0 %
R04_AH1060	-	307	0.9 %
R04_AH1062	-	323	1.0 %
R04_AH1063	-	308	0.9 %
R04_AH1064	-	154	0.5 %
R04_AH1073	-	318	0.9 %
R04_AH1075	-	327	1.0 %
R04_AH1085	-	353	1.0 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5462-5471 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AH1060\_RANDOM\_05: AH1060 series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AH1060 through R04\_AH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31730	93.8 %
-97777	-	2	0.0 %
R04_AH1060	-	333	1.0 %
R04_AH1062	-	329	1.0 %
R04_AH1063	-	334	1.0 %
R04_AH1064	-	151	0.4 %
R04_AH1073	-	319	0.9 %
R04_AH1075	-	320	0.9 %
R04_AH1085	-	304	0.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5472-5481 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AH1060\_RANDOM\_06: AH1060 series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AH1060 through R04\_AH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31730	93.8 %
-97777	-	2	0.0 %
R04_AH1060	-	297	0.9 %
R04_AH1062	-	347	1.0 %
R04_AH1063	-	330	1.0 %
R04_AH1064	-	160	0.5 %
R04_AH1073	-	298	0.9 %
R04_AH1075	-	337	1.0 %
R04_AH1085	-	321	0.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5482-5491 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AH1060\_RANDOM\_07: AH1060 series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AH1060 through R04\_AH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32737	96.8 %
-97777	-	2	0.0 %
R04_AH1060	-	151	0.4 %
R04_AH1062	-	147	0.4 %
R04_AH1063	-	169	0.5 %
R04_AH1064	-	156	0.5 %
R04_AH1073	-	146	0.4 %
R04_AH1075	-	151	0.4 %
R04_AH1085	-	163	0.5 %
<b>Total</b>		<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5492-5501 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AH1060: Smoke/smoked hookah because: It is/was affordable

The next questions are about the reasons people smoke hookah.

Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It [is/was] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	712	2.1 %
2	2 = No	1372	4.1 %
<b>Total</b>		<b>2,084</b>	<b>6.2%</b>

This variable has 2,084 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	31730	93.8 %	
<b>Total</b>		<b>31,738</b>	<b>93.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5502-5507 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1085: Smoke/smoked hookah because: Can/could smoke it in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people smoke hookah.

Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

I [can/could] smoke hookah at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	621	1.8 %
2	2 = No	1461	4.3 %
<b>Total</b>		<b>2,082</b>	<b>6.2%</b>

This variable has 2,082 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	31730	93.8 %	
<b>Total</b>		<b>31,740</b>	<b>93.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5508-5513 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1062: Smoke/smoked hookah because: It might be less harmful than smoking cigarettes

The next questions are about the reasons people smoke hookah.

Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	707	2.1 %
2	2 = No	1374	4.1 %
	<b>Total</b>	<b>2,081</b>	<b>6.2%</b>

This variable has 2,081 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31730	93.8 %
	<b>Total</b>	<b>31,741</b>	<b>93.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5514-5519 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AH1075: Smoke/smoked hookah because: It might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke hookah.

Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	712	2.1 %
2	2 = No	1368	4.0 %
	<b>Total</b>	<b>2,080</b>	<b>6.1%</b>

This variable has 2,080 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31730	93.8 %
	<b>Total</b>	<b>31,742</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5520-5525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AH1063: Smoke/smoked hookah because: It comes/came in flavors I like/liked

The next questions are about the reasons people smoke hookah.

Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

Shisha or hookah tobacco [comes/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1424	4.2 %
2	2 = No	654	1.9 %
	<b>Total</b>	<b>2,078</b>	<b>6.1%</b>

This variable has 2,078 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	31730	93.8 %	
<b>Total</b>		<b>31,744</b>	<b>93.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5526-5531 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1064: Smoke/smoked hookah because: Smoking hookah helps people quit smoking cigarettes

The next questions are about the reasons people smoke hookah.

Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

Smoking hookah helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	161	0.5 %
2	2 = No	917	2.7 %
<b>Total</b>		<b>1,078</b>	<b>3.2%</b>

This variable has 1,078 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32737	96.8 %	
<b>Total</b>		<b>32,744</b>	<b>96.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5532-5537 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AH1073: Smoke/smoked hookah because: Smoking hookah is part of my cultural tradition

The next questions are about the reasons people smoke hookah.

Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

Smoking hookah is part of my cultural tradition.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	221	0.7 %
2	2 = No	1861	5.5 %
	<b>Total</b>	<b>2,082</b>	<b>6.2%</b>

This variable has 2,082 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31730	93.8 %
	<b>Total</b>	<b>31,740</b>	<b>93.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5538-5543 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AH1080: Smoke/smoked hookah as a way of cutting down on cigarette smoking

[Do/Did] you smoke hookah as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1)  
AND R04\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	114	0.3 %
2	2 = No	965	2.9 %
	<b>Total</b>	<b>1,079</b>	<b>3.2%</b>

This variable has 1,079 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32737	96.8 %
	<b>Total</b>	<b>32,743</b>	<b>96.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5544-5549 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1139: Level of agreement: Easier to talk and get along with other people when smoking hookah

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking hookah.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1019	3.0 %
2	2 = Somewhat untrue of me	451	1.3 %
3	3 = Somewhat true of me	386	1.1 %
4	4 = Very true of me	220	0.7 %
	<b>Total</b>	<b>2,076</b>	<b>6.1%</b>

This variable has 2,076 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %

Missing Data				
-7	-7 = Refused		3	0.0 %
-1	-1 = Inapplicable		31730	93.8 %
<b>Total</b>			<b>31,746</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5550-5555 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1140: Level of agreement: Feel/felt more confident with other people while smoking hookah

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

While smoking hookah, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1178	3.5 %
2	2 = 2 on a scale of 1 to 4	429	1.3 %
3	3 = 3 on a scale of 1 to 4	297	0.9 %
4	4 = Very true of me	168	0.5 %
<b>Total</b>		<b>2,072</b>	<b>6.1%</b>

This variable has 2,072 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		2	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		13	0.0 %
-7	-7 = Refused		5	0.0 %
-1	-1 = Inapplicable		31730	93.8 %
<b>Total</b>			<b>31,750</b>	<b>93.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5556-5561 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1141: Level of agreement: Smoke/smoked hookah much more when with other people

Please rate your level of agreement for each statement using the following scale:  
 1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] hookah much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2, 4 OR R04\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	592	1.8 %
2	2 = 2 on a scale of 1 to 4	303	0.9 %
3	3 = 3 on a scale of 1 to 4	423	1.3 %
4	4 = Very true of me	754	2.2 %
	<b>Total</b>	<b>2,072</b>	<b>6.1%</b>

This variable has 2,072 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	31730	93.8 %	
	<b>Total</b>	<b>31,750</b>	<b>93.9%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 5562-5567 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04R\_A\_AU1006\_RS: DERIVED - Age group when first used snus, even one or two times (6 levels)

Long Description: How old were you when you first used snus, even one or two times?

```
Algorithm: if (0 <= R04_AU1006_RS < 18) or R04_AU1120_RS = 1 then R04R_A_AU1006_RS = 1; else if (18 <= R04_AU1006_RS <= 24) or R04_AU1120_RS = 2 then R04R_A_AU1006_RS = 2; else if (25 <= R04_AU1006_RS <= 34) or R04_AU1120_RS = 3 then R04R_A_AU1006_RS = 3; else if (35 <= R04_AU1006_RS <= 44) or R04_AU1120_RS = 4 then R04R_A_AU1006_RS = 4; else if (45 <= R04_AU1006_RS <= 54) or R04_AU1120_RS = 5 then R04R_A_AU1006_RS = 5; else if (R04_AU1006_RS >= 55) or R04_AU1120_RS = 6 then R04R_A_AU1006_RS = 6; else if R04_AU1006_RS = -9 or R04_AU1120_RS = -9 then R04R_A_AU1006_RS = -99999; else if R04_AU1006_RS = -8 or R04_AU1120_RS = -8 then R04R_A_AU1006_RS = -99988; else if R04_AU1006_RS = -7 or R04_AU1120_RS = -7 then R04R_A_AU1006_RS = -99977; else if R04_AU1006_RS = -5 then R04R_A_AU1006_RS = -99955; else if R04_AU1006_RS = -1 or R04_AU1120_RS = -1 then R04R_A_AU1006_RS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	294	0.9 %
2	2 = 18 to 24 years old	306	0.9 %
3	3 = 25 to 34 years old	116	0.3 %
4	4 = 35 to 44 years old	46	0.1 %
5	5 = 45 to 54 years old	17	0.1 %
6	6 = 55 years old or older	4	0.0 %
	<b>Total</b>	<b>783</b>	<b>2.3%</b>

This variable has 783 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	8	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33024	97.6 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,039</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5568-5573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AU1005: Number of times used snus in your entire life

How many times have you used snus in your entire life?

ASK: Continuing and aged-up adult respondents who have ever used snus and had not used snus 100 or more times as of their last completed interview, or new cohort adult respondents who have ever used snus.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_SNUS = 1 AND R03\_NUMLIFE\_SNUS != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 to 10	1671	4.9 %
2	2 = 11 to 20	330	1.0 %
3	3 = 21 to 50	251	0.7 %
4	4 = 51 to 99	93	0.3 %

Value	Label	Unweighted Frequency	%
5	5 = 100 or more	227	0.7 %
	<b>Total</b>	<b>2,572</b>	<b>7.6%</b>

This variable has 2,572 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	76	0.2 %
-7	-7 = Refused	35	0.1 %
-1	-1 = Inapplicable	31137	92.1 %
	<b>Total</b>	<b>31,250</b>	<b>92.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5574-5579 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1100: Ever used snus fairly regularly

Have you ever used snus fairly regularly?

ASK: Continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used snus.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_SNUS = 1  
AND R03\_REGUSE\_SNUS != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	299	0.9 %
2	2 = No	2159	6.4 %
	<b>Total</b>	<b>2,458</b>	<b>7.3%</b>

This variable has 2,458 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31359	92.7 %
	<b>Total</b>	<b>31,364</b>	<b>92.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5580-5585 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04R\_A\_AU1007\_NB: DERIVED - Age group you were in when first started using snus pouches fairly regularly (6 levels)

Long Description: How old were you when you first started using snus pouches fairly regularly?

Algorithm: if (0 <= R04\_AU1007\_NB < 18) or R04\_AU1121\_NB = 1 then  
R04R\_A\_AU1007\_NB = 1; else if (18 <= R04\_AU1007\_NB <= 24) or R04\_AU1121\_NB = 2  
then R04R\_A\_AU1007\_NB = 2; else if (25 <= R04\_AU1007\_NB <= 34) or  
R04\_AU1121\_NB = 3 then R04R\_A\_AU1007\_NB = 3; else if (35 <= R04\_AU1007\_NB <= 44)  
or R04\_AU1121\_NB = 4 then R04R\_A\_AU1007\_NB = 4; else if (45 <=  
R04\_AU1007\_NB <= 54) or R04\_AU1121\_NB = 5 then R04R\_A\_AU1007\_NB = 5;  
else if (R04\_AU1007\_NB >= 55) or R04\_AU1121\_NB = 6 then  
R04R\_A\_AU1007\_NB = 6; else if R04\_AU1007\_NB = -9 or R04\_AU1121\_NB = -9  
then R04R\_A\_AU1007\_NB = -99999; else if R04\_AU1007\_NB = -8 or  
R04\_AU1121\_NB = -8 then R04R\_A\_AU1007\_NB = -99988; else if  
R04\_AU1007\_NB = -7 or R04\_AU1121\_NB = -7 then R04R\_A\_AU1007\_NB =  
-99977; else if R04\_AU1007\_NB = -5 then R04R\_A\_AU1007\_NB =  
-99955; else if R04\_AU1007\_NB = -1 or  
R04\_AU1121\_NB = -1 then R04R\_A\_AU1007\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	71	0.2 %
2	2 = 18 to 24 years old	57	0.2 %
3	3 = 25 to 34 years old	32	0.1 %
4	4 = 35 to 44 years old	16	0.0 %
5	5 = 45 to 54 years old	6	0.0 %
6	6 = 55 years old or older	1	0.0 %
	<b>Total</b>	<b>183</b>	<b>0.5%</b>

This variable has 183 valid cases out of 33,822 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33637	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,639</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5586-5591 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_AU1020\_NB: DERIVED - Age group you were in when first started using snus pouches every day (6 levels)

Long Description: How old were you when you first started using snus pouches every day?

Algorithm: if (0 <= R04\_AU1020\_NB < 18) or R04\_AU1122\_NB = 1 then R04R\_A\_AU1020\_NB = 1;  
else if (18 <= R04\_AU1020\_NB <= 24) or R04\_AU1122\_NB = 2 then R04R\_A\_AU1020\_NB = 2;  
else if (25 <= R04\_AU1020\_NB <= 34) or R04\_AU1122\_NB = 3 then  
R04R\_A\_AU1020\_NB = 3; else if (35 <= R04\_AU1020\_NB <= 44) or R04\_AU1122\_NB = 4  
then R04R\_A\_AU1020\_NB = 4; else if (45 <= R04\_AU1020\_NB <= 54) or R04\_AU1122\_NB  
= 5 then R04R\_A\_AU1020\_NB = 5; else if (R04\_AU1020\_NB >= 55) or R04\_AU1122\_NB  
= 6 then R04R\_A\_AU1020\_NB = 6; else if R04\_AU1020\_NB = -9 or R04\_AU1122\_NB  
= -9 then R04R\_A\_AU1020\_NB = -99999; else if R04\_AU1020\_NB = -8 or R04\_AU1122\_NB  
= -8 then R04R\_A\_AU1020\_NB = -99988; else if R04\_AU1020\_NB = -7 or R04\_AU1122\_NB =  
-7 then R04R\_A\_AU1020\_NB = -99977; else if R04\_AU1020\_NB = -5 then  
R04R\_A\_AU1020\_NB = -99955; else if R04\_AU1020\_NB = -1 or R04\_AU1122\_NB = -1  
then R04R\_A\_AU1020\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	16	0.0 %
2	2 = 18 to 24 years old	8	0.0 %
3	3 = 25 to 34 years old	3	0.0 %
4	4 = 35 to 44 years old	5	0.0 %
5	5 = 45 to 54 years old	3	0.0 %
6	6 = 55 years old or older	1	0.0 %
<b>Total</b>		<b>36</b>	<b>0.1%</b>

This variable has 36 valid cases out of 33,822 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33784	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,786</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5592-5597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04\_AU1008: When first started using snus, used snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AUR50.]

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview, or new cohort adult respondents who have ever used snus.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SNUS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	583	1.7 %
2	2 = No	371	1.1 %
3	3 = I don't know	130	0.4 %
<b>Total</b>		<b>1,084</b>	<b>3.2%</b>

This variable has 1,084 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32733	96.8 %	
<b>Total</b>		<b>32,738</b>	<b>96.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5598-5603 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AU1011\_01: Flavor of snus when first started using: Menthol or mint

Which flavor did you first start using? Choose all that apply.

Menthol or mint

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview

and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SNUS\_ADULT = 1 AND R04\_AU1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	291	0.9 %
2	2 = Not Marked	290	0.9 %
	<b>Total</b>	<b>581</b>	<b>1.7%</b>

This variable has 581 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33237	98.3 %
	<b>Total</b>	<b>33,241</b>	<b>98.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5604-5609 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1011\_02: Flavor of snus when first started using: Wintergreen, spearmint or frost

Which flavor did you first start using? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SNUS\_ADULT = 1 AND R04\_AU1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	371	1.1 %
2	2 = Not Marked	210	0.6 %
	<b>Total</b>	<b>581</b>	<b>1.7%</b>

This variable has 581 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33237	98.3 %
<b>Total</b>		<b>33,241</b>	<b>98.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5610-5615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1011\_03: Flavor of snus when first started using: Clove or spice

Which flavor did you first start using? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SNUS\_ADULT = 1 AND R04\_AU1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_NEVER\_SNUS = 1 AND R04\_AU1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	17	0.1 %
2	2 = Not Marked	564	1.7 %
<b>Total</b>		<b>581</b>	<b>1.7%</b>

This variable has 581 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33237	98.3 %
<b>Total</b>		<b>33,241</b>	<b>98.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5616-5621 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AU1011\_04: Flavor of snus when first started using: Fruit

Which flavor did you first start using? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SNUS\_ADULT = 1 AND R04\_AU1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	54	0.2 %
2	2 = Not Marked	527	1.6 %
	<b>Total</b>	<b>581</b>	<b>1.7%</b>

This variable has 581 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33237	98.3 %
	<b>Total</b>	<b>33,241</b>	<b>98.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5622-5627 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AU1011\_05: Flavor of snus when first started using: Chocolate

Which flavor did you first start using? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SNUS\_ADULT = 1 AND R04\_AU1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	576	1.7 %
	<b>Total</b>	<b>581</b>	<b>1.7%</b>

This variable has 581 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33237	98.3 %
	<b>Total</b>	<b>33,241</b>	<b>98.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5628-5633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1011\_06: Flavor of snus when first started using: An alcoholic drink

Which flavor did you first start using? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SNUS\_ADULT = 1 AND R04\_AU1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	575	1.7 %
	<b>Total</b>	<b>581</b>	<b>1.7%</b>

This variable has 581 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33237	98.3 %	
<b>Total</b>		<b>33,241</b>	<b>98.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5634-5639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1011\_07: Flavor of snus when first started using: Candy or other sweets

Which flavor did you first start using? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SNUS\_ADULT = 1 AND R04\_AU1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	568	1.7 %
	<b>Total</b>	<b>581</b>	<b>1.7%</b>

This variable has 581 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33237	98.3 %	
<b>Total</b>		<b>33,241</b>	<b>98.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5640-5645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1011\_08: Flavor of snus when first started using: Some other flavor

Which flavor did you first start using? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SNUS\_ADULT = 1 AND R04\_AU1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SNUS = 1 AND R04\_AU1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	580	1.7 %
	<b>Total</b>	<b>581</b>	<b>1.7%</b>

This variable has 581 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33237	98.3 %
	<b>Total</b>	<b>33,241</b>	<b>98.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5646-5651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1025\_RS: Around this time 12 months ago, used snus every day, some days or not at all

Around this time 12 months ago, were you using snus every day, some days, or not at all?

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established snus users.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_SNUS\_USER\_STATUS = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Every day	39	0.1 %
2	2 = Some days	77	0.2 %

Value	Label	Unweighted Frequency	%
3	3 = Not at all	680	2.0 %
	<b>Total</b>	<b>796</b>	<b>2.4%</b>

This variable has 796 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33024	97.6 %
	<b>Total</b>	<b>33,026</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5652-5657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1021: Average number of times now use snus each day

On average, about how many times do you now use snus each day?

[If Don't Know (-8) or Refused (-7), Go to R04\_AU1024.]

ASK: Adult respondents who are every day established snus users.

ASK Specification: IF R04\_CURRENT\_SNUS\_USE = 1.

This variable has 123 valid cases out of 33,822 total cases.

- Mean: 6.41
- Median: 5.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 5.24

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33696	99.6 %
	<b>Total</b>	<b>33,699</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5658-5663 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AU1022: In past 30 days, number of days used snus

On how many of the past 30 days did you use snus?

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 495 valid cases out of 33,822 total cases.

- Mean: 3.34
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.54

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33318	98.5 %	
<b>Total</b>		<b>33,327</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5664-5669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AU9029\_NN: How long since you last used snus - Number (Some day or current experimental users)

About how long has it been since you last used snus?

[If Don't Know (-8) or Refused (-7), Go to R04\_AUR26.]

ASK: Adult respondents who are some day established or current experimental snus users and used on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2) AND R04\_AU1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 106 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	27	0.1 %
-1	-1 = Inapplicable	33682	99.6 %
<b>Total</b>		<b>33,716</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5670-5675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AU9029\_UN: How long since you last used snus - Unit (Some day or current experimental users)

About how long has it been since you last used snus?

[If Don't Know (-8) or Refused (-7), Go to R04\_AUR26.]

ASK: Adult respondents who are some day established or current experimental snus users and used on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2) AND R04\_AU1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	24	0.1 %
2	2 = Months	51	0.2 %
3	3 = Years	58	0.2 %
<b>Total</b>		<b>133</b>	<b>0.4%</b>

This variable has 133 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33687	99.6 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,689</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5676-5681 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1023: In past 30 days, average number of times per day used snus on days used

On average, on those [FILL NUMBER OF DAYS FROM R04\_AU1022 days/days you used], how many times did you usually use snus each day?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AUR26.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_AU1022 != 0.

This variable has 258 valid cases out of 33,822 total cases.

- Mean: 3.33
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 44.00
- Standard Deviation: 5.24

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33556	99.2 %
	<b>Total</b>	<b>33,564</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5682-5687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AU1024\_NN: Time to first snus product after waking on days used - Number (current users)

[On the days that you use snus, how/How] soon after you wake up do you typically use your first snus product of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AU1092.]

ASK: Adult respondents who are current established or current experimental snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 438 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	3	0.0 %
-1	-1 = Inapplicable	33358	98.6 %
<b>Total</b>		<b>33,384</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5688-5693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AU1024\_UN: Time to first snus product after waking on days used - Unit (current users)

[On the days that you use snus, how/How] soon after you wake up do you typically use your first snus product of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AU1092.]

ASK: Adult respondents who are current established or current experimental snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	147	0.4 %
2	2 = Hours after waking	294	0.9 %
<b>Total</b>		<b>441</b>	<b>1.3%</b>

This variable has 441 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33379	98.7 %	
<b>Total</b>		<b>33,381</b>	<b>98.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5694-5699 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1092: Use first snus product of the day within 30 minutes after waking (current smokers)

[On the days that you use snus, would/Would] you say you use your first snus product of the day within the first 30 minutes after you wake up?

[Go to R04\_AUR28.]

ASK: Adult respondents who are current established or current experimental snus users and did not know or refused to report how soon after waking up they first use snus.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AU1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	10	0.0 %
3	3 = It varies	2	0.0 %
<b>Total</b>		<b>14</b>	<b>0.0%</b>

This variable has 14 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33799	99.9 %	
<b>Total</b>		<b>33,808</b>	<b>100.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5700-5705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AU1024\_30D\_NN: Time to first snus product of the day after waking on the days used - Number (non-current users)

On the days that you used snus, how soon after you woke up did you typically use your first snus product of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AU1092\_30D.]

ASK: Adult respondents who are non-current 30-day snus users.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 148 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	33656	99.5 %
<b>Total</b>		<b>33,674</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5706-5711 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

---

## R04\_AU1024\_30D\_UN: Time to first snus product of the day after waking on the days used - Unit (non-current users)

On the days that you used snus, how soon after you woke up did you typically use your first snus product of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AU1092\_30D.]

ASK: Adult respondents who are non-current 30-day snus users.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	50	0.1 %
2	2 = Hours after waking	100	0.3 %
<b>Total</b>		<b>150</b>	<b>0.4%</b>

This variable has 150 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33670	99.6 %
<b>Total</b>		<b>33,672</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5712-5717 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1092\_30D: Used first snus product of the day within 30 minutes after waking (non-current users)

On the days that you used snus, would you say you used your first snus product of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day snus users and did not know or refused to report how soon after waking up they typically used their first snus of the day.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1  
AND R04\_AU1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	11	0.0 %
3	3 = It varies	1	0.0 %
<b>Total</b>		<b>12</b>	<b>0.0%</b>

This variable has 12 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33806	100.0 %
<b>Total</b>		<b>33,810</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5718-5723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU0100: When last used snus

When did you last use snus?

[If In the past hour (1) Go to R04\_AU0103. If Three or more days ago (5), Don't Know (-8), or Refused (-7), Go to R04\_AU1130.]

ASK: Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_SNUS\_USE = 1 OR ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_AU1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	94	0.3 %
2	2 = Sometime today	34	0.1 %
3	3 = Yesterday	50	0.1 %
4	4 = Day before yesterday	15	0.0 %
5	5 = Three or more days ago	185	0.5 %
	<b>Total</b>	<b>378</b>	<b>1.1%</b>

This variable has 378 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	33432	98.8 %
	<b>Total</b>	<b>33,444</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5724-5729 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU0102: Time period of day when you last used snus

When you last used snus [FILL BASED ON R04\_AU0100], was it...

ASK: Adult respondents who are every day established snus users and last used snus sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU0100 = 2, 3, 4) OR  
 ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR  
 R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
 AND R04\_AU1022 != 0 AND R04\_AU0100 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	8	0.0 %
2	2 = After 6AM but before noon	31	0.1 %
3	3 = Between noon and 6PM	38	0.1 %
4	4 = After 6PM but before midnight	22	0.1 %
	<b>Total</b>	<b>99</b>	<b>0.3%</b>

This variable has 99 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33721	99.7 %
	<b>Total</b>	<b>33,723</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5730-5735 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU0103: Number of times snus used today/yesterday/day before yesterday

How many times [have/did] you [used/use] snus [FILL BASED ON R04\_AU0100]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AU1130.]

ASK: Adult respondents who are every day established snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU0100 = 1, 2, 3, 4) OR  
 ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
 AND R04\_AU1022 != 0 AND R04\_AU0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 192 valid cases out of 33,822 total cases.

- Mean: 4.54

- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 8.43

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33627	99.4 %
<b>Total</b>		<b>33,630</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5736-5741 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AU1130: In past 30 days, any of the snus used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AU9041.]

ASK: Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_SNUS\_USE = 1 OR ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_AU1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = Yes	249	0.7 %
2	2 = No	99	0.3 %
3	3 = I don't know	33	0.1 %
<b>Total</b>		<b>381</b>	<b>1.1%</b>

This variable has 381 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33432	98.8 %	
<b>Total</b>		<b>33,441</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5742-5747 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1131\_01: In past 30 days, snus flavor used: Menthol or mint

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU1130 = 1) OR  
 ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR  
 R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
 AND R04\_AU1022 != 0 AND R04\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	109	0.3 %
2	2 = Not Marked	140	0.4 %
	<b>Total</b>	<b>249</b>	<b>0.7%</b>

This variable has 249 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33571	99.3 %
	<b>Total</b>	<b>33,573</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5748-5753 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AU1131\_02: In past 30 days, snus flavor used: Wintergreen, spearmint or frost

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU1130 = 1) OR  
((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1022 != 0 AND R04\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	164	0.5 %
2	2 = Not Marked	85	0.3 %
	<b>Total</b>	<b>249</b>	<b>0.7%</b>

This variable has 249 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33571	99.3 %
	<b>Total</b>	<b>33,573</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5754-5759 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AU1131\_03: In past 30 days, snus flavor used: Clove or spice

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did

not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU1130 = 1) OR  
 ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR  
 R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
 AND R04\_AU1022 != 0 AND R04\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	242	0.7 %
	<b>Total</b>	<b>249</b>	<b>0.7%</b>

This variable has 249 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33571	99.3 %
	<b>Total</b>	<b>33,573</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5760-5765 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1131\_04: In past 30 days, snus flavor used: Fruit

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU1130 = 1) OR  
 ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR  
 R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
 AND R04\_AU1022 != 0 AND R04\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	231	0.7 %
	<b>Total</b>	<b>249</b>	<b>0.7%</b>

This variable has 249 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33571	99.3 %
	<b>Total</b>	<b>33,573</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5766-5771 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1131\_05: In past 30 days, snus flavor used: Chocolate

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU1130 = 1) OR ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR

R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)

AND R04\_AU1022 != 0 AND R04\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	246	0.7 %
	<b>Total</b>	<b>249</b>	<b>0.7%</b>

This variable has 249 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33571	99.3 %
	<b>Total</b>	<b>33,573</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5772-5777 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1131\_06: In past 30 days, snus flavor used: An alcoholic drink

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU1130 = 1) OR  
 ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR  
 R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
 AND R04\_AU1022 != 0 AND R04\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	246	0.7 %
	<b>Total</b>	<b>249</b>	<b>0.7%</b>

This variable has 249 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33571	99.3 %
	<b>Total</b>	<b>33,573</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5778-5783 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AU1131\_07: In past 30 days, snus flavor used: Candy or other sweets

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU1130 = 1) OR  
((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR  
R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1022 != 0 AND R04\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	242	0.7 %
	<b>Total</b>	<b>249</b>	<b>0.7%</b>

This variable has 249 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33571	99.3 %
	<b>Total</b>	<b>33,573</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5784-5789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AU1131\_08: In past 30 days, snus flavor used: Some other flavor

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental,

or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU1130 = 1) OR  
 ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2 OR  
 R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
 AND R04\_AU1022 != 0 AND R04\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	247	0.7 %
	<b>Total</b>	<b>249</b>	<b>0.7%</b>

This variable has 249 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33571	99.3 %
	<b>Total</b>	<b>33,573</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5790-5795 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1147: How often used flavored snus on days used in past 30 days

On the days you used snus in the past 30 days, how often did you use flavored snus?

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SNUS\_USE = 1 AND R04\_AU1130 = 1) OR  
 ((R04\_CURRENT\_SNUS\_USE = 2 OR R04\_SNUS\_USER\_STATUS = 2  
 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
 AND R04\_AU1022 != 0 AND R04\_AU1130 = 1).

Value	Label	Unweighted Frequency	%
1	1 = All of the time	163	0.5 %

Value	Label	Unweighted Frequency	%
2	2 = Most of the time	29	0.1 %
3	3 = Sometimes	23	0.1 %
4	4 = Rarely	29	0.1 %
5	5 = Never	5	0.0 %
	<b>Total</b>	<b>249</b>	<b>0.7%</b>

This variable has 249 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33571	99.3 %
	<b>Total</b>	<b>33,573</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5796-5801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU9041: Type of snus used

What type of snus [do you use/have you used]?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

[If Snus pouches (1), Loose snus (2), Don't Know (-8) or Refused (-7), GO TO R04\_AU1030]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	398	1.2 %
2	2 = Loose snus	134	0.4 %
3	3 = Both snus pouches and loose snus	54	0.2 %
	<b>Total</b>	<b>586</b>	<b>1.7%</b>

This variable has 586 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	25	0.1 %	
-7	-7 = Refused	15	0.0 %	
-1	-1 = Inapplicable	33194	98.1 %	
<b>Total</b>		<b>33,236</b>	<b>98.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5802-5807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU9042: Type of snus used most often

You mentioned you have used both snus pouches and loose snus.

Which type of snus [do/did] you use most often?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and have used both snus pouches and loose snus.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	26	0.1 %
2	2 = Loose snus	28	0.1 %
<b>Total</b>		<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33766	99.8 %	
<b>Total</b>		<b>33,768</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5808-5813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1030: How you usually buy your snus

The next questions ask about your experience buying snus.

[Please think about the type of snus you use most often when answering these questions.]

How [do/did] you usually buy snus for yourself?

[If From the internet (2) or By telephone (3), Go to R04\_AU1042; If I do not buy my own snus pouches (4), Don't Know (-8), or Refused (-7), Go to R04\_AU1047.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	491	1.5 %
2	2 = From the internet	10	0.0 %
3	3 = By telephone	6	0.0 %
4	4 = I do not buy my own snus pouches	110	0.3 %
	<b>Total</b>	<b>617</b>	<b>1.8%</b>

This variable has 617 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33194	98.1 %
	<b>Total</b>	<b>33,205</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5814-5819 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AU1032: Geographic area where you usually buy your snus

[Do/Did] you usually buy snus...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2  
OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	471	1.4 %
2	2 = In another state	15	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = Outside the US	3	0.0 %
	<b>Total</b>	<b>489</b>	<b>1.4%</b>

This variable has 489 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33329	98.5 %
	<b>Total</b>	<b>33,333</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5820-5825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1033: Retail location where your snus is purchased most of the time

Where [do/did] you buy your snus most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_AU1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	427	1.3 %
2	2 = A supermarket, grocery store, or drug store	23	0.1 %
3	3 = A warehouse club, such as Sam's or Costco	4	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	29	0.1 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	0	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = A liquor store	6	0.0 %
10	10 = Somewhere else	0	0.0 %
	<b>Total</b>	<b>489</b>	<b>1.4%</b>

This variable has 489 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33329	98.5 %	
<b>Total</b>		<b>33,333</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5826-5831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1042\_D: Amount usually paid for a container of snus - Dollars

How much [do you usually/did you] pay for a container of snus?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AUR52]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 495 valid cases out of 33,822 total cases.

- Mean: 5.19
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 10.77

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	10	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33313	98.5 %	
<b>Total</b>		<b>33,327</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5832-5837 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AU1042\_C: Amount usually paid for a container of snus - Cents

How much [do you usually/did you] pay for a container of snus?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AUR52]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 495 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33325	98.5 %	
<b>Total</b>		<b>33,327</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5838-5843 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AU9001: Number of pouches of snus in the container you usually buy/bought

How many pouches [are/were] in the container of snus that you usually [buy/bought]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AU1047.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1030 = 1, 2, 3 AND (R04\_AU9041 = 1 OR R04\_AU9042 = 1).

This variable has 330 valid cases out of 33,822 total cases.

- Mean: 14.83
- Median: 15.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 50.00

- Standard Deviation: 6.13

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	20	0.1 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33470	99.0 %	
<b>Total</b>		<b>33,492</b>	<b>99.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5844-5849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AU9002: Number of days to use up the container of snus

About how many days [does/did] it take you to use up a container this size?

[If Don't Know (-8) or Refused (-7), Go to R04\_AU1047.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches and provided the number of snus pouches in the container they usually buy.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1030 = 1, 2, 3 AND (R04\_AU9041 = 1 OR R04\_AU9042 = 1) AND R04\_AU9001 != -8, -7.

This variable has 327 valid cases out of 33,822 total cases.

- Mean: 11.55
- Median: 4.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 360.00
- Standard Deviation: 26.21

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33490	99.0 %	
<b>Total</b>		<b>33,495</b>	<b>99.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5850-5855 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

---

## R04\_AU1047: Have a regular brand of snus you usually use

[Do/Did] you have a regular brand of snus that you usually [use/used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	386	1.1 %
2	2 = No	396	1.2 %
	<b>Total</b>	<b>782</b>	<b>2.3%</b>

This variable has 782 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33032	97.7 %
	<b>Total</b>	<b>33,040</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 5856-5861 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AU1050: Regular/last brand of snus used was flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AU1945.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	468	1.4 %
2	2 = No	208	0.6 %
3	3 = I don't know	104	0.3 %
	<b>Total</b>	<b>780</b>	<b>2.3%</b>

This variable has 780 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33032	97.7 %	
	<b>Total</b>	<b>33,042</b>	<b>97.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5862-5867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1012\_01: Snus flavor usually/last used: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	202	0.6 %
2	2 = Not Marked	265	0.8 %
	<b>Total</b>	<b>467</b>	<b>1.4%</b>

This variable has 467 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		33352	98.6 %
<b>Total</b>			<b>33,355</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5868-5873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1012\_02: Snus flavor usually/last used: Wintergreen, spearmint or frost

Which flavor [is/was] it? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	312	0.9 %
2	2 = Not Marked	155	0.5 %
	<b>Total</b>	<b>467</b>	<b>1.4%</b>

This variable has 467 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33352	98.6 %	
	<b>Total</b>	<b>33,355</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5874-5879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1012\_03: Snus flavor usually/last used: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	459	1.4 %
	<b>Total</b>	<b>467</b>	<b>1.4%</b>

This variable has 467 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33352	98.6 %
	<b>Total</b>	<b>33,355</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5880-5885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1012\_04: Snus flavor usually/last used: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.1 %
2	2 = Not Marked	434	1.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>467</b>	<b>1.4%</b>

This variable has 467 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33352	98.6 %
	<b>Total</b>	<b>33,355</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5886-5891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1012\_05: Snus flavor usually/last used: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	465	1.4 %
	<b>Total</b>	<b>467</b>	<b>1.4%</b>

This variable has 467 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33352	98.6 %
	<b>Total</b>	<b>33,355</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5892-5897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1012\_06: Snus flavor usually/last used: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	463	1.4 %
	<b>Total</b>	<b>467</b>	<b>1.4%</b>

This variable has 467 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33352	98.6 %
	<b>Total</b>	<b>33,355</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5898-5903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1012\_07: Snus flavor usually/last used: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)

AND R04\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	454	1.3 %
	<b>Total</b>	<b>467</b>	<b>1.4%</b>

This variable has 467 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33352	98.6 %
	<b>Total</b>	<b>33,355</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5904-5909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1012\_08: Snus flavor usually/last used: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	464	1.4 %
	<b>Total</b>	<b>467</b>	<b>1.4%</b>

This variable has 467 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33352	98.6 %	
	<b>Total</b>	<b>33,355</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5910-5915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1945: Know the name of brand of snus usually/last used

Do you know the name of the brand of snus you [usually use/usually used/last used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	456	1.3 %
2	2 = No	325	1.0 %
	<b>Total</b>	<b>781</b>	<b>2.3%</b>

This variable has 781 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33032	97.7 %	
	<b>Total</b>	<b>33,041</b>	<b>97.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5916-5921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1048\_BRAND: Brand of snus usually/last used

What brand of snus [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT"/If you do not see it below,

touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_AU1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. ]

This variable has 450 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33364	98.6 %	
<b>Total</b>		<b>33,372</b>	<b>98.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 5922-5927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AU1070\_PRODUCT: Sub-brand of snus product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"/If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_AU1945 = 1 AND R04\_AU1048\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AU1048\_BRAND. ]

This variable has 435 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	2	0.0 %	

<b>Missing Data</b>			
-1	-1 = Inapplicable	33383	98.7 %
	<b>Total</b>	<b>33,387</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5928-5933 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1051\_NN: How long used regular brand of snus - Number

About how long [did you use/have you been using] your regular brand of snus?

[If Don't Know (-8) or Refused (-7), Go to R04\_AUR18.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and have a regular brand of snus.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_AU1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.]

This variable has 383 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33434	98.9 %
	<b>Total</b>	<b>33,439</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5934-5939 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AU1051\_UN: How long used regular brand of snus - Unit

About how long [did you use/have you been using] your regular brand of snus?

[If Don't Know (-8) or Refused (-7), Go to R04\_AUR18.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and have a regular brand of snus.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)

AND R04\_AU1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	41	0.1 %
2	2 = Months	97	0.3 %
3	3 = Years	245	0.7 %
<b>Total</b>		<b>383</b>	<b>1.1%</b>

This variable has 383 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33437	98.9 %
<b>Total</b>		<b>33,439</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5940-5945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU0104: Brand of very last snus used is same as brand regularly/last used

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and last used snus in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_AU0100 = 1, 2, 3, 4 AND R04\_AU1945 = 1 AND R04\_AU1048\_BRAND != 9995, -8, -7 AND  
R04\_AU1070\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.2 %
2	2 = No	7	0.0 %
<b>Total</b>		<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	8	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33730	99.7 %
<b>Total</b>		<b>33,740</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 5946-5951 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1060\_RANDOM\_01: AU1060 series random question 1

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AU1060 through R04\_AU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	97.7 %
-97777	-	2	0.0 %
R04_AU1060	-	88	0.3 %
R04_AU1062	-	101	0.3 %
R04_AU1063	-	100	0.3 %
R04_AU1064	-	38	0.1 %
R04_AU1065	-	85	0.3 %
R04_AU1067	-	73	0.2 %
R04_AU1075	-	94	0.3 %
R04_AU1076	-	104	0.3 %
R04_AU1085	-	105	0.3 %
<b>Total</b>		<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5952-5961 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AU1060\_RANDOM\_02: AU1060 series random question 2

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AU1060 through R04\_AU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	97.7 %
-97777	-	2	0.0 %
R04_AU1060	-	96	0.3 %
R04_AU1062	-	85	0.3 %
R04_AU1063	-	86	0.3 %
R04_AU1064	-	52	0.2 %
R04_AU1065	-	93	0.3 %
R04_AU1067	-	97	0.3 %
R04_AU1075	-	101	0.3 %
R04_AU1076	-	82	0.2 %
R04_AU1085	-	96	0.3 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5962-5971 (width: 10; decimal: 0)

*Variable Type:* character

---

### **R04\_AU1060\_RANDOM\_03: AU1060 series random question 3**

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AU1060 through R04\_AU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	97.7 %
-97777	-	2	0.0 %
R04_AU1060	-	80	0.2 %
R04_AU1062	-	102	0.3 %
R04_AU1063	-	91	0.3 %
R04_AU1064	-	54	0.2 %

Value	Label	Unweighted Frequency	%
R04_AU1065	-	93	0.3 %
R04_AU1067	-	88	0.3 %
R04_AU1075	-	101	0.3 %
R04_AU1076	-	93	0.3 %
R04_AU1085	-	86	0.3 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5972-5981 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AU1060\_RANDOM\_04: AU1060 series random question 4

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AU1060 through R04\_AU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	97.7 %
-97777	-	2	0.0 %
R04_AU1060	-	114	0.3 %
R04_AU1062	-	73	0.2 %
R04_AU1063	-	87	0.3 %
R04_AU1064	-	67	0.2 %
R04_AU1065	-	84	0.2 %
R04_AU1067	-	92	0.3 %
R04_AU1075	-	89	0.3 %
R04_AU1076	-	90	0.3 %
R04_AU1085	-	92	0.3 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5982-5991 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AU1060\_RANDOM\_05: AU1060 series random question 5

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AU1060 through R04\_AU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	97.7 %
-97777	-	2	0.0 %
R04_AU1060	-	87	0.3 %
R04_AU1062	-	98	0.3 %
R04_AU1063	-	94	0.3 %
R04_AU1064	-	56	0.2 %
R04_AU1065	-	98	0.3 %
R04_AU1067	-	83	0.2 %
R04_AU1075	-	81	0.2 %
R04_AU1076	-	93	0.3 %
R04_AU1085	-	98	0.3 %
		Total	33,822 100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 5992-6001 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AU1060\_RANDOM\_06: AU1060 series random question 6

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AU1060 through R04\_AU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	97.7 %
-97777	-	2	0.0 %
R04_AU1060	-	95	0.3 %
R04_AU1062	-	87	0.3 %
R04_AU1063	-	78	0.2 %
R04_AU1064	-	65	0.2 %
R04_AU1065	-	88	0.3 %
R04_AU1067	-	100	0.3 %

Value	Label	Unweighted Frequency	%
R04_AU1075	-	91	0.3 %
R04_AU1076	-	89	0.3 %
R04_AU1085	-	95	0.3 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6002-6011 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AU1060\_RANDOM\_07: AU1060 series random question 7

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AU1060 through R04\_AU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	97.7 %
-97777	-	2	0.0 %
R04_AU1060	-	81	0.2 %
R04_AU1062	-	98	0.3 %
R04_AU1063	-	107	0.3 %
R04_AU1064	-	50	0.1 %
R04_AU1065	-	100	0.3 %
R04_AU1067	-	86	0.3 %
R04_AU1075	-	93	0.3 %
R04_AU1076	-	90	0.3 %
R04_AU1085	-	83	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6012-6021 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AU1060\_RANDOM\_08: AU1060 series random question 8

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AU1060 through R04\_AU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	97.7 %
-97777	-	2	0.0 %
R04_AU1060	-	90	0.3 %
R04_AU1062	-	84	0.2 %
R04_AU1063	-	93	0.3 %
R04_AU1064	-	54	0.2 %
R04_AU1065	-	93	0.3 %
R04_AU1067	-	112	0.3 %
R04_AU1075	-	88	0.3 %
R04_AU1076	-	96	0.3 %
R04_AU1085	-	78	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6022-6031 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AU1060\_RANDOM\_09: AU1060 series random question 9

[ICPSR NOTE: The 9 items that follow in the questionnaire (R04\_AU1060 through R04\_AU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33342	98.6 %
-97777	-	2	0.0 %
R04_AU1060	-	57	0.2 %
R04_AU1062	-	60	0.2 %
R04_AU1063	-	52	0.2 %
R04_AU1064	-	42	0.1 %
R04_AU1065	-	54	0.2 %
R04_AU1067	-	57	0.2 %
R04_AU1075	-	50	0.1 %
R04_AU1076	-	51	0.2 %
R04_AU1085	-	55	0.2 %

Value	Label	Unweighted Frequency	%
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6032-6041 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AU1060: Use/used snus because: It is/was affordable

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

It [is/was] affordable.

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

**ASK Specification:** IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	344	1.0 %
2	2 = No	433	1.3 %
	<b>Total</b>	<b>777</b>	<b>2.3%</b>

This variable has 777 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33032	97.7 %	
	<b>Total</b>	<b>33,045</b>	<b>97.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6042-6047 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AU1085: Use/used snus because: I can/could use it at times when or in places where smoking cigarettes [isn't/wasn't] allowed

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

I [can/could] use snus at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4  
OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	528	1.6 %
2	2 = No	252	0.7 %
	<b>Total</b>	<b>780</b>	<b>2.3%</b>

This variable has 780 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33032	97.7 %
	<b>Total</b>	<b>33,042</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6048-6053 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1062: Use/used snus because: It might be less harmful to me than smoking cigarettes

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

It might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	286	0.8 %
2	2 = No	489	1.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>775</b>	<b>2.3%</b>

This variable has 775 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33032	97.7 %
	<b>Total</b>	<b>33,047</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6054-6059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1075: Use/used snus because: It might be less harmful to people around me than cigarettes

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

It might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	431	1.3 %
2	2 = No	348	1.0 %
	<b>Total</b>	<b>779</b>	<b>2.3%</b>

This variable has 779 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33032	97.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,043</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6060-6065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1063: Use/used snus because: It comes/came in flavors I like/liked

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

Snus [comes/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4

OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	478	1.4 %
2	2 = No	298	0.9 %
	<b>Total</b>	<b>776</b>	<b>2.3%</b>

This variable has 776 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33032	97.7 %
	<b>Total</b>	<b>33,046</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6066-6071 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1064: Use/used snus because: Using snus help people to quit smoking cigarettes

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

Using snus helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	166	0.5 %
2	2 = No	307	0.9 %
	<b>Total</b>	<b>473</b>	<b>1.4%</b>

This variable has 473 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33342	98.6 %	
	<b>Total</b>	<b>33,349</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6072-6077 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1065: Use/used snus because: Snus doesn't smell

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

Snus doesn't smell.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4  
OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	355	1.0 %

Value	Label	Unweighted Frequency	%
2	2 = No	423	1.3 %
	<b>Total</b>	<b>778</b>	<b>2.3%</b>

This variable has 778 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33032	97.7 %
	<b>Total</b>	<b>33,044</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6078-6083 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1067: Use/used snus because: Snus is/was more acceptable to non-tobacco users

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

Snus [is/was] more acceptable to non-tobacco users.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	331	1.0 %
2	2 = No	446	1.3 %
	<b>Total</b>	<b>777</b>	<b>2.3%</b>

This variable has 777 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33032	97.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,045</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6084-6089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1076: Use/used snus because: No one can tell when I am using it

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

No one [can/could] tell when I [am/was] using snus.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	433	1.3 %
2	2 = No	344	1.0 %
	<b>Total</b>	<b>777</b>	<b>2.3%</b>

This variable has 777 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33032	97.7 %
	<b>Total</b>	<b>33,045</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6090-6095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1086: In past 30 days, used snus at times when could not smoke regular cigarettes

In the past 30 days have you used snus at times when or in places where you could not smoke cigarettes?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AU1080.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day

snus users and are current established or current experimental cigarette smokers.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	141	0.4 %
2	2 = No	178	0.5 %
	<b>Total</b>	<b>319</b>	<b>0.9%</b>

This variable has 319 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	15	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33481	99.0 %
	<b>Total</b>	<b>33,503</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6096-6101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1087: Frequency with which snus is used when could not smoke regular cigarettes

How often [do/did] you use snus at times when or in places where you could not smoke regular cigarettes?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and are current established or current experimental cigarette smokers and used snus at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AU1086 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	43	0.1 %
2	2 = Some days	59	0.2 %
3	3 = Rarely	38	0.1 %
	<b>Total</b>	<b>140</b>	<b>0.4%</b>

This variable has 140 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33679	99.6 %
	<b>Total</b>	<b>33,682</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6102-6107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1080: Use/used snus as a way of cutting down on cigarette smoking

[Do/Did] you use snus as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1)  
AND R04\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	162	0.5 %
2	2 = No	272	0.8 %
	<b>Total</b>	<b>434</b>	<b>1.3%</b>

This variable has 434 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33384	98.7 %
	<b>Total</b>	<b>33,388</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6108-6113 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1139: Level of agreement: Easier to talk and get along with other people when using snus

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using snus.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	464	1.4 %
2	2 = 2 on a scale of 1 to 4	135	0.4 %
3	3 = 3 on a scale of 1 to 4	109	0.3 %
4	4 = Very true of me	66	0.2 %
	<b>Total</b>	<b>774</b>	<b>2.3%</b>

This variable has 774 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	33032	97.7 %
	<b>Total</b>	<b>33,048</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6114-6119 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1140: Level of agreement: Feel/felt more confident with other people while using snus

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

While using snus, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	515	1.5 %
2	2 = 2 on a scale of 1 to 4	124	0.4 %
3	3 = 3 on a scale of 1 to 4	86	0.3 %

Value	Label	Unweighted Frequency	%
4	4 = Very true of me	46	0.1 %
	<b>Total</b>	<b>771</b>	<b>2.3%</b>

This variable has 771 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	33032	97.7 %
	<b>Total</b>	<b>33,051</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6120-6125 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1141: Level of agreement: Use/used snus much more when with other people

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

I [use/used] snus much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	465	1.4 %
2	2 = 2 on a scale of 1 to 4	124	0.4 %
3	3 = 3 on a scale of 1 to 4	104	0.3 %
4	4 = Very true of me	80	0.2 %
	<b>Total</b>	<b>773</b>	<b>2.3%</b>

This variable has 773 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	33032	97.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,049</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6126-6131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AS1006\_RS: DERIVED - Age group when you first used smokeless tobacco, even one or two times (6 levels)

Long Description: How old were you when you first used smokeless tobacco, even one or two times?

```
Algorithm: if (0 <= R04_AS1006_RS < 18) or R04_AS1120_RS = 1 then R04R_A_AS1006_RS = 1;
else if (18 <= R04_AS1006_RS <= 24) or R04_AS1120_RS = 2 then R04R_A_AS1006_RS = 2;
else if (25 <= R04_AS1006_RS <= 34) or R04_AS1120_RS = 3 then R04R_A_AS1006_RS
= 3; else if (35 <= R04_AS1006_RS <= 44) or R04_AS1120_RS = 4 then R04R_A_AS1006_RS
= 4; else if (45 <= R04_AS1006_RS <= 54) or
R04_AS1120_RS = 5 then R04R_A_AS1006_RS = 5; else if (R04_AS1006_RS >= 55)
or R04_AS1120_RS = 6 then R04R_A_AS1006_RS = 6;
else if R04_AS1006_RS = -9 or R04_AS1120_RS = -9 then R04R_A_AS1006_RS = -99999;
else if R04_AS1006_RS = -8 or R04_AS1120_RS
= -8 then R04R_A_AS1006_RS = -99988; else if R04_AS1006_RS = -7 or R04_AS1120_RS
= -7 then R04R_A_AS1006_RS = -99977; else if
R04_AS1006_RS = -5 then R04R_A_AS1006_RS = -99955; else if R04_AS1006_RS = -1 or
R04_AS1120_RS = -1 then R04R_A_AS1006_RS =
-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	648	1.9 %
2	2 = 18 to 24 years old	446	1.3 %
3	3 = 25 to 34 years old	98	0.3 %
4	4 = 35 to 44 years old	32	0.1 %
5	5 = 45 to 54 years old	13	0.0 %
6	6 = 55 years old or older	5	0.0 %
	<b>Total</b>	<b>1,242</b>	<b>3.7%</b>

This variable has 1,242 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	23	0.1 %

Missing Data			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32552	96.2 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>32,580</b>	<b>96.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6132-6137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04\_AS1005: Number of times used smokeless tobacco in entire life

How many times have you used smokeless tobacco in your entire life?

ASK: Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not used 100 or more times as of their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R03\_NUMLIFE\_SMKLS != 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 to 10	2237	6.6 %
2	2 = 11 to 20	446	1.3 %
3	3 = 21 to 50	379	1.1 %
4	4 = 51 to 99	178	0.5 %
5	5 = 100 or more	527	1.6 %
<b>Total</b>		<b>3,767</b>	<b>11.1%</b>

This variable has 3,767 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	83	0.2 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	29933	88.5 %
<b>Total</b>		<b>30,055</b>	<b>88.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6138-6143 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1100: Ever used smokeless tobacco fairly regularly

Have you ever used smokeless tobacco fairly regularly?

ASK: Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_EVER\_NEVER\_SMKLS = 1  
AND R03\_REGUSE\_SMKLS != 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	627	1.9 %
2	2 = No	2851	8.4 %
	<b>Total</b>	<b>3,478</b>	<b>10.3%</b>

This variable has 3,478 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	30336	89.7 %
	<b>Total</b>	<b>30,344</b>	<b>89.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6144-6149 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AS1007\_NB: DERIVED - Age group you were in when first started using smokeless tobacco fairly regularly (6 levels)

Long Description: How old were you when you first started using smokeless tobacco fairly regularly?

Algorithm: IF (0 <= R04\_AS1007\_NB < 18) OR R04\_AS1121\_NB = 1 THEN  
R04R\_A\_AS1007\_NB = 1; ELSE IF (18 <= R04\_AS1007\_NB  
<= 24) OR R04\_AS1121\_NB = 2 THEN R04R\_A\_AS1007\_NB = 2; ELSE IF  
(25 <= R04\_AS1007\_NB <= 34) OR R04\_AS1121\_NB = 3 THEN  
R04R\_A\_AS1007\_NB = 3; ELSE IF (35 <= R04\_AS1007\_NB <= 44) OR R04\_AS1121\_NB  
= 4 THEN R04R\_A\_AS1007\_NB = 4; ELSE IF (45 <  
R04\_AS1007\_NB <= 54) OR R04\_AS1121\_NB = 5 THEN R04R\_A\_AS1007\_NB = 5;  
ELSE IF (R04\_AS1007\_NB >= 55) OR R04\_AS1121\_NB  
= 6 THEN R04R\_A\_AS1007\_NB = 6; ELSE IF R04\_AS1007\_NB = -9 OR R04\_AS1121\_NB  
= -9 THEN R04R\_A\_AS1007\_NB = -99999; ELSE IF  
R04\_AS1007\_NB = -8 OR R04\_AS1121\_NB = -8 THEN R04R\_A\_AS1007\_NB = -99988;  
ELSE IF R04\_AS1007\_NB = -7 OR R04\_AS1121\_NB = -7  
THEN R04R\_A\_AS1007\_NB = -99977; ELSE IF R04\_AS1007\_NB = -5 THEN R04R\_A\_AS1007\_NB

= -99955; ELSE IF R04\_AS1007\_NB = -1 OR  
R04\_AS1121\_NB = -1 THEN R04R\_A\_AS1007\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	217	0.6 %
2	2 = 18 to 24 years old	177	0.5 %
3	3 = 25 to 34 years old	50	0.1 %
4	4 = 35 to 44 years old	19	0.1 %
5	5 = 45 to 54 years old	8	0.0 %
6	6 = 55 years old or older	4	0.0 %
<b>Total</b>		<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33344	98.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,347</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6150-6155 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_AS1020\_NB: DERIVED - Age group you were in when first started using smokeless tobacco every day (6 levels)

Long Description: How old were you when you first started using smokeless tobacco every day?

Algorithm: IF (0 <= R04\_AS1020\_NB < 18) OR R04\_AS1122\_NB = 1 THEN R04R\_A\_AS1020\_NB = 1; ELSE IF (18 <= R04\_AS1020\_NB <= 24) OR R04\_AS1122\_NB = 2 THEN R04R\_A\_AS1020\_NB = 2; ELSE IF (25 <= R04\_AS1020\_NB <= 34) OR R04\_AS1122\_NB = 3 THEN R04R\_A\_AS1020\_NB = 3; ELSE IF (35 <= R04\_AS1020\_NB <= 44) OR R04\_AS1122\_NB = 4 THEN R04R\_A\_AS1020\_NB = 4; ELSE IF (45 <= R04\_AS1020\_NB <= 54) OR R04\_AS1122\_NB = 5 THEN R04R\_A\_AS1020\_NB = 5; ELSE IF (R04\_AS1020\_NB >= 55) OR R04\_AS1122\_NB = 6 THEN R04R\_A\_AS1020\_NB = 6; ELSE IF R04\_AS1020\_NB = -9 OR R04\_AS1122\_NB = -9

THEN R04R\_A\_AS1020\_NB = -99999; ELSE IF  
 R04\_AS1020\_NB = -8 OR R04\_AS1122\_NB = -8 THEN R04R\_A\_AS1020\_NB = -99988; ELSE IF  
 R04\_AS1020\_NB = -7 OR R04\_AS1122\_NB = -7  
 THEN R04R\_A\_AS1020\_NB = -99977; ELSE IF R04\_AS1020\_NB = -5 THEN R04R\_A\_AS1020\_NB  
 = -99955; ELSE IF R04\_AS1020\_NB = -1 OR  
 R04\_AS1122\_NB = -1 THEN R04R\_A\_AS1020\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	83	0.2 %
2	2 = 18 to 24 years old	62	0.2 %
3	3 = 25 to 34 years old	17	0.1 %
4	4 = 35 to 44 years old	5	0.0 %
5	5 = 45 to 54 years old	8	0.0 %
6	6 = 55 years old or older	2	0.0 %
<b>Total</b>		<b>177</b>	<b>0.5%</b>

This variable has 177 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33643	99.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,645</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6156-6161 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

### R04\_AS1008: When first started using smokeless tobacco, used smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AS1008.]

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their

last completed interview, or new cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SMKLS\_ADULT = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	818	2.4 %
2	2 = No	555	1.6 %
3	3 = I don't know	133	0.4 %
<b>Total</b>		<b>1,506</b>	<b>4.5%</b>

This variable has 1,506 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32310	95.5 %
<b>Total</b>		<b>32,316</b>	<b>95.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6162-6167 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1011\_01: Flavor of smokeless tobacco when first started using: Menthol or mint

Which flavor did you first start using? Choose all that apply.

Menthol or mint

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SMKLS\_ADULT = 1 AND R04\_AS1008 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	368	1.1 %
2	2 = Not Marked	450	1.3 %
<b>Total</b>		<b>818</b>	<b>2.4%</b>

This variable has 818 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33002	97.6 %	
<b>Total</b>		<b>33,004</b>	<b>97.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6168-6173 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1011\_02: Flavor of smokeless tobacco when first started using: Wintergreen, spearmint or frost

Which flavor did you first start using? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SMKLS\_ADULT = 1 AND R04\_AS1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	579	1.7 %
2	2 = Not Marked	239	0.7 %
<b>Total</b>		<b>818</b>	<b>2.4%</b>

This variable has 818 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33002	97.6 %	
<b>Total</b>		<b>33,004</b>	<b>97.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6174-6179 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AS1011\_03: Flavor of smokeless tobacco when first started using: Clove or spice

Which flavor did you first start using? Choose all that apply.

Clove or spice

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SMKLS\_ADULT = 1 AND R04\_AS1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	801	2.4 %
	<b>Total</b>	<b>818</b>	<b>2.4%</b>

This variable has 818 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33002	97.6 %
	<b>Total</b>	<b>33,004</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 6180-6185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AS1011\_04: Flavor of smokeless tobacco when first started using: Fruit

Which flavor did you first start using? Choose all that apply.

Fruit

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SMKLS\_ADULT = 1 AND R04\_AS1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	112	0.3 %
2	2 = Not Marked	706	2.1 %
	<b>Total</b>	<b>818</b>	<b>2.4%</b>

This variable has 818 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33002	97.6 %
	<b>Total</b>	<b>33,004</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6186-6191 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1011\_05: Flavor of smokeless tobacco when first started using: Chocolate

Which flavor did you first start using? Choose all that apply.

Chocolate

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SMKLS\_ADULT = 1 AND R04\_AS1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	814	2.4 %
	<b>Total</b>	<b>818</b>	<b>2.4%</b>

This variable has 818 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33002	97.6 %	
<b>Total</b>		<b>33,004</b>	<b>97.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6192-6197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1011\_06: Flavor of smokeless tobacco when first started using: An alcoholic drink

Which flavor did you first start using? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SMKLS\_ADULT = 1 AND R04\_AS1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	807	2.4 %
	<b>Total</b>	<b>818</b>	<b>2.4%</b>

This variable has 818 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33002	97.6 %	
	<b>Total</b>	<b>33,004</b>	<b>97.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6198-6203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1011\_07: Flavor of smokeless tobacco when first started using: Candy or other sweets

Which flavor did you first start using? Choose all that apply.

Candy or other sweets

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SMKLS\_ADULT = 1 AND R04\_AS1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.1 %
2	2 = Not Marked	795	2.4 %
	<b>Total</b>	<b>818</b>	<b>2.4%</b>

This variable has 818 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33002	97.6 %
	<b>Total</b>	<b>33,004</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6204-6209 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1011\_08: Flavor of smokeless tobacco when first started using: Some other flavor

Which flavor did you first start using? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_INIT\_SMKLS\_ADULT = 1 AND R04\_AS1008 = 1)  
OR (R04\_ADULTTYPE = 3 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_AS1008 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	814	2.4 %
	<b>Total</b>	<b>818</b>	<b>2.4%</b>

This variable has 818 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33002	97.6 %
	<b>Total</b>	<b>33,002</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6210-6215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1025\_RS: Around this time 12 months ago, used smokeless tobacco every day, some days or not at all

Around this time 12 months ago, were you using smokeless tobacco every day, some days, or not at all?

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established smokeless tobacco users.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_SMKLS\_USER\_STATUS = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Every day	168	0.5 %
2	2 = Some days	154	0.5 %
3	3 = Not at all	945	2.8 %
	<b>Total</b>	<b>1,267</b>	<b>3.7%</b>

This variable has 1,267 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32552	96.2 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>32,555</b>	<b>96.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6216-6221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1021: Average number of times smokeless tobacco now used each day

On average, about how many times do you now use smokeless tobacco each day?

[If Don't Know (-8) or Refused (-7), Go to R04\_AS1024.]

ASK: Adult respondents who are every day established smokeless tobacco users.

ASK Specification: IF R04\_CURRENT\_SMKLS\_USE = 1.

This variable has 798 valid cases out of 33,822 total cases.

- Mean: 7.45
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 5.63

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	33020	97.6 %
	<b>Total</b>	<b>33,024</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6222-6227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AS1022: In past 30 days, number of days used smokeless tobacco

On how many of the past 30 days did you use smokeless tobacco?

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless users.

ASK Specification: IF R04\_CURRENT\_SMKLS\_USE = 2

OR R04\_SMKLS\_USER\_STATUS = 2

OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 865 valid cases out of 33,822 total cases.

- Mean: 6.43
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.41

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	7	0.0 %
-1	-1 = Inapplicable	32938	97.4 %
	<b>Total</b>	<b>32,957</b>	<b>97.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6228-6233 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AS9029\_NN: Time since last used smokeless tobacco - Number (Some day or current experimental users)

About how long has it been since you last used smokeless tobacco?

[NUMBER OF DAYS / MONTHS / YEARS] [If Don't Know (-8) or Refused (-7), Go to R04\_AS26.]

ASK: Adult respondents who are some day established or current experimental smokeless tobacco users and used on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2)  
AND R04\_AS1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units.]

This variable has 140 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	31	0.1 %

Missing Data			
-1	-1 = Inapplicable	33646	99.5 %
	<b>Total</b>	<b>33,682</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6234-6239 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AS9029\_UN: Time since last used smokeless tobacco - Unit (Some day or current experimental users)

About how long has it been since you last used smokeless tobacco?

[NUMBER OF DAYS / MONTHS / YEARS] [If Don't Know (-8) or Refused (-7), Go to R04\_AS26.]

ASK: Adult respondents who are some day established or current experimental smokeless tobacco users and used on 0 days of the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2)  
AND R04\_AS1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	29	0.1 %
2	2 = Months	92	0.3 %
3	3 = Years	50	0.1 %
	<b>Total</b>	<b>171</b>	<b>0.5%</b>

This variable has 171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33649	99.5 %
	<b>Total</b>	<b>33,651</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6240-6245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1023: In past 30 days, average number of times used smokeless tobacco per day on days used

On average, on those [FILL NUMBER OF DAYS FROM R04\_AS1022 days/days you used], how many times did you usually use smokeless tobacco each day?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_ASR26.]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0.

This variable has 589 valid cases out of 33,822 total cases.

- Mean: 3.22
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.42

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	5	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33223	98.2 %	
<b>Total</b>		<b>33,233</b>	<b>98.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6246-6251 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AS1024\_NN: Time to first use of smokeless tobacco after waking on days used - Number (Current users)

[On the days that you use smokeless tobacco, how/How] soon after you wake up do you typically use your first smokeless tobacco product of the day?

Please enter the number of minutes or hours. [MINUTES AFTER WAKING / HOURS AFTER WAKING]

[If Don't Know (-8) or Refused (-7), Go to R04\_AS1092.]

ASK: Adult respondents who are current established or current experimental smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 1,448 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	7	0.0 %
-5	-5 = Improbable response removed	3	0.0 %
-1	-1 = Inapplicable	32347	95.6 %
<b>Total</b>		<b>32,374</b>	<b>95.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6252-6257 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AS1024\_UN: Time to first use of smokeless tobacco after waking on days used - Unit (Current users)

[On the days that you use smokeless tobacco, how/How soon after you wake up do you typically use your first smokeless tobacco product of the day?

Please enter the number of minutes or hours. [MINUTES AFTER WAKING / HOURS AFTER WAKING]

[If Don't Know (-8) or Refused (-7), Go to R04\_AS1092.]

ASK: Adult respondents who are current established or current experimental smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Minutes after waking	509	1.5 %
2	2 = Hours after waking	942	2.8 %
<b>Total</b>		<b>1,451</b>	<b>4.3%</b>

This variable has 1,451 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32369	95.7 %
<b>Total</b>		<b>32,371</b>	<b>95.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6258-6263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1092: Use first smokeless tobacco of the day within 30 minutes after waking (Current users)

[On the days that you use smokeless tobacco, would/Would] you say you use your first smokeless tobacco product of the day within the first 30 minutes after you wake up?

[Go to R04\_ASR28.]

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and did not know or refused to report how soon after waking up they first use smokeless tobacco.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AS1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	17	0.1 %
3	3 = It varies	3	0.0 %
<b>Total</b>		<b>20</b>	<b>0.1%</b>

This variable has 20 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33798	99.9 %
<b>Total</b>		<b>33,802</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6264-6269 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1024\_30D\_NN: Time to first use of smokeless tobacco after waking on days used - Number (non-current users)

On the days that you used smokeless tobacco, how soon after you woke up did you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AS1092\_30D.]

ASK: Adult respondents who are non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 195 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33611	99.4 %	
<b>Total</b>		<b>33,627</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6270-6275 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AS1024\_30D\_UN: Time to first use of smokeless tobacco after waking on days used - Unit (non-current users)

On the days that you used smokeless tobacco, how soon after you woke up did you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

[If Don't Know (-8) or Refused (-7), Go to R04\_AS1092\_30D.]

ASK: Adult respondents who are non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	45	0.1 %
2	2 = Hours after waking	150	0.4 %
	<b>Total</b>	<b>195</b>	<b>0.6%</b>

This variable has 195 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33625	99.4 %	
<b>Total</b>		<b>33,627</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6276-6281 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1092\_30D: Used first smokeless tobacco of the day within 30 minutes after waking (non-current users)

On the days that you used smokeless tobacco, would you say you used your first smokeless tobacco product of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day smokeless tobacco users and did not know or refused to report how soon after waking up they typically used their first smokeless tobacco of the day.

ASK Specification: IF R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1  
AND R04\_AS1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	12	0.0 %
3	3 = It varies	1	0.0 %
<b>Total</b>		<b>13</b>	<b>0.0%</b>

This variable has 13 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33806	100.0 %
<b>Total</b>		<b>33,809</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6282-6287 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS0100: When last used smokeless tobacco

When did you last use smokeless tobacco [not including snus]?

[If In the past hour (1), Go to R04\_AS0103. If Three or more days ago (5), Don't Know (-8), or Refused (-7), Go to R04\_AS1130.]

ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_SMKLS\_USE = 1 OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	623	1.8 %
2	2 = Sometime today	223	0.7 %
3	3 = Yesterday	166	0.5 %
4	4 = Day before yesterday	59	0.2 %
5	5 = Three or more days ago	318	0.9 %
<b>Total</b>		<b>1,389</b>	<b>4.1%</b>

This variable has 1,389 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32423	95.9 %
<b>Total</b>		<b>32,433</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6288-6293 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS0102: Time period of day when you last used smokeless tobacco

When you last used smokeless tobacco [not including snus] [FILL BASED ON R04\_AS0100], was it...

ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS0100 = 2, 3, 4) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS0100 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	47	0.1 %
2	2 = After 6AM but before noon	128	0.4 %
3	3 = Between noon and 6PM	178	0.5 %

Value	Label	Unweighted Frequency	%
4	4 = After 6PM but before midnight	94	0.3 %
	<b>Total</b>	<b>447</b>	<b>1.3%</b>

This variable has 447 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33372	98.7 %
	<b>Total</b>	<b>33,375</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6294-6299 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS0103: Number of times used smokeless tobacco today/yesterday/day before yesterday

How many times [have/did] you [used/use] smokeless tobacco [not including snus] [FILL BASED ON R04\_AS0100]?

[If Don't Know (-8) or Refused (-7), Go to R04\_AS1130.]

ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS0100 = 1, 2, 3, 4) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow only 3 digits. ]

This variable has 1,068 valid cases out of 33,822 total cases.

- Mean: 4.90
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 900.00
- Standard Deviation: 27.87

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32749	96.8 %
	<b>Total</b>	<b>32,754</b>	<b>96.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6300-6305 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AS1130: In past 30 days, any of the smokeless tobacco used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AS9041.]

ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04\_CURRENT\_SMKLS\_USE = 1 OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = Yes	854	2.5 %
2	2 = No	503	1.5 %
3	3 = I don't know	36	0.1 %
	<b>Total</b>	<b>1,393</b>	<b>4.1%</b>

This variable has 1,393 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32423	95.9 %
	<b>Total</b>	<b>32,429</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6306-6311 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1131\_01: In past 30 days, smokeless tobacco flavor used: Menthol or mint

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS1130 = 1) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	268	0.8 %
2	2 = Not Marked	585	1.7 %
	<b>Total</b>	<b>853</b>	<b>2.5%</b>

This variable has 853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32966	97.5 %
	<b>Total</b>	<b>32,969</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6312-6317 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1131\_02: In past 30 days, smokeless tobacco flavor used: Wintergreen, spearmint or frost

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored

smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS1130 = 1) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	636	1.9 %
2	2 = Not Marked	217	0.6 %
	<b>Total</b>	<b>853</b>	<b>2.5%</b>

This variable has 853 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32966	97.5 %	
	<b>Total</b>	<b>32,969</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6318-6323 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

### R04\_AS1131\_03: In past 30 days, smokeless tobacco flavor used: Clove or spice

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS1130 = 1) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	846	2.5 %
	<b>Total</b>	<b>853</b>	<b>2.5%</b>

This variable has 853 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32966	97.5 %
	<b>Total</b>	<b>32,969</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6324-6329 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1131\_04: In past 30 days, smokeless tobacco flavor used: Fruit

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS1130 = 1) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	64	0.2 %
2	2 = Not Marked	789	2.3 %
	<b>Total</b>	<b>853</b>	<b>2.5%</b>

This variable has 853 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32966	97.5 %
	<b>Total</b>	<b>32,969</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6330-6335 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1131\_05: In past 30 days, smokeless tobacco flavor used: Chocolate

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS1130 = 1) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	849	2.5 %
	<b>Total</b>	<b>853</b>	<b>2.5%</b>

This variable has 853 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32966	97.5 %
	<b>Total</b>	<b>32,969</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6336-6341 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AS1131\_06: In past 30 days, smokeless tobacco flavor used: An alcoholic drink

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS1130 = 1) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	845	2.5 %
	<b>Total</b>	<b>853</b>	<b>2.5%</b>

This variable has 853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32966	97.5 %
	<b>Total</b>	<b>32,969</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6342-6347 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AS1131\_07: In past 30 days, smokeless tobacco flavor used: Candy or other sweets

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day

established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS1130 = 1) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	845	2.5 %
	<b>Total</b>	<b>853</b>	<b>2.5%</b>

This variable has 853 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32966	97.5 %
	<b>Total</b>	<b>32,969</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6348-6353 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1131\_08: In past 30 days, smokeless tobacco flavor used: Some other flavor

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS1130 = 1) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	840	2.5 %
	<b>Total</b>	<b>853</b>	<b>2.5%</b>

This variable has 853 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32966	97.5 %
	<b>Total</b>	<b>32,969</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6354-6359 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1147: How often used flavored smokeless tobacco on days used in past 30 days

On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04\_CURRENT\_SMKLS\_USE = 1 AND R04\_AS1130 = 1) OR ((R04\_CURRENT\_SMKLS\_USE = 2 OR R04\_SMKLS\_USER\_STATUS = 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1022 != 0 AND R04\_AS1130 = 1).

Value	Label	Unweighted Frequency	%
1	1 = All of the time	613	1.8 %
2	2 = Most of the time	103	0.3 %
3	3 = Sometimes	75	0.2 %
4	4 = Rarely	45	0.1 %
5	5 = Never	17	0.1 %
	<b>Total</b>	<b>853</b>	<b>2.5%</b>

This variable has 853 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32966	97.5 %
	<b>Total</b>	<b>32,969</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6360-6365 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS9041: Type of smokeless tobacco used in past 30 days

What type of smokeless tobacco [do you use/have you used]?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

{If Loose smokeless tobacco (such as dip, spit or chewing tobacco) (1), Smokeless tobacco pouches (not including snus) (2), Don't Know (-8) or Refused (-7), GO TO R04\_AS1030]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Loose smokeless tobacco (such as dip, spit or chewing tobacco)	1221	3.6 %
2	2 = Smokeless tobacco pouches (not including snus)	211	0.6 %
3	3 = Both loose and pouched smokeless tobacco	222	0.7 %
	<b>Total</b>	<b>1,654</b>	<b>4.9%</b>

This variable has 1,654 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	32138	95.0 %
	<b>Total</b>	<b>32,168</b>	<b>95.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6366-6371 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AS9042: Type of smokeless tobacco used most often in past 30 days

You mentioned you have used both loose and pouched smokeless tobacco.

Which type of smokeless tobacco [do/did] you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and have used both loose and pouched smokeless tobacco.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Loose smokeless tobacco (such as dip, spit or chewing tobacco)	143	0.4 %
2	2 = Smokeless tobacco pouches (not including snus)	78	0.2 %
	<b>Total</b>	<b>221</b>	<b>0.7%</b>

This variable has 221 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33598	99.3 %	
	<b>Total</b>	<b>33,601</b>	<b>99.3%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 6372-6377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AS1030: How you usually buy your smokeless tobacco

The next questions ask about your experience buying smokeless tobacco.

[Please think of the type of smokeless tobacco you use most often when answering these questions.]

How [do/did] you usually buy smokeless tobacco for yourself?

[If From the internet (2) or By telephone (3), Go to R04\_AS1042. If I do not buy my own smokeless tobacco(4), Don't Know (-8), or Refused (-7), Go to R04\_AS1047.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	1504	4.4 %
2	2 = From the internet	11	0.0 %
3	3 = By telephone	1	0.0 %
4	4 = I do not buy my own smokeless tobacco	159	0.5 %
	<b>Total</b>	<b>1,675</b>	<b>5.0%</b>

This variable has 1,675 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32138	95.0 %
	<b>Total</b>	<b>32,147</b>	<b>95.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6378-6383 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1032: Geographic area where you usually buy your smokeless tobacco

The next questions ask about your experience buying smokeless tobacco.

[Please think of the type of smokeless tobacco you use most often when answering these questions.]

[Do/Did] you usually buy smokeless tobacco...?

**ASK:** Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person.

**ASK Specification:** IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1)  
AND R04\_AS1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1457	4.3 %
2	2 = In another state	42	0.1 %
3	3 = Outside the US	2	0.0 %
	<b>Total</b>	<b>1,501</b>	<b>4.4%</b>

This variable has 1,501 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32316	95.5 %	
<b>Total</b>		<b>32,321</b>	<b>95.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6384-6389 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1033: Retail location where your smokeless tobacco is purchased most of the time

The next questions ask about your experience buying smokeless tobacco.

[Please think of the type of smokeless tobacco you use most often when answering these questions.]

Where [do/did] you buy your smokeless tobacco most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1)  
AND R04\_AS1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	1282	3.8 %
2	2 = A supermarket, grocery store, or drug store	74	0.2 %
3	3 = A warehouse club, such as Sam's or Costco	15	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	115	0.3 %
5	5 = A duty free shop or military commissary	2	0.0 %
6	6 = A bar, pub, restaurant or casino	1	0.0 %
7	7 = A friend or relative	3	0.0 %
8	8 = A swap meet or flea market	1	0.0 %
9	9 = A liquor store	8	0.0 %
10	10 = Somewhere else	2	0.0 %
<b>Total</b>		<b>1,503</b>	<b>4.4%</b>

This variable has 1,503 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32316	95.5 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>32,319</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6390-6395 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1042\_D: Amount usually paid for a container of smokeless tobacco - Dollars

The next questions ask about your experience buying smokeless tobacco.

[Please think of the type of smokeless tobacco you use most often when answering these questions.]

How much [do you usually/did you] pay for a container of smokeless tobacco?

[If Don't Know (-8) or Refused (-7), Go to R04\_ASR52.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1)  
AND R04\_AS1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1,501 valid cases out of 33,822 total cases.

- Mean: 4.45
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 3.98

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32304	95.5 %
	<b>Total</b>	<b>32,321</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6396-6401 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AS1042\_C: Amount usually paid for a container of smokeless tobacco - Cents

The next questions ask about your experience buying smokeless tobacco.

[Please think of the type of smokeless tobacco you use most often when answering these questions.]

How much [do you usually/did you] pay for a container of smokeless tobacco?

[If Don't Know (-8) or Refused (-7), Go to R04\_AS52.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1)  
AND R04\_AS1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1,501 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32319	95.6 %
<b>Total</b>		<b>32,321</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6402-6407 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AS9001: Number of pouches in the container of smokeless tobacco you usually buy

How many pouches [are/were] in the container of smokeless tobacco that you usually [buy/bought]?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AS1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1)  
AND R04\_AS1030 = 1, 2, 3 AND (R04\_AS9041 = 2 OR R04\_AS9042 = 2).

This variable has 245 valid cases out of 33,822 total cases.

- Mean: 15.67
- Median: 15.00
- Mode: 20.00
- Minimum: 0.00

- Maximum: 88.00
- Standard Deviation: 8.58

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33561	99.2 %
<b>Total</b>		<b>33,577</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6408-6413 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AS9002: Number of days to use up the container of smokeless tobacco

About how many days [does/did] it take you to use up a container this size?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AS1047]

**ASK:** Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches and provided the number of smokeless tobacco pouches in the container they usually buy.

**ASK Specification:** IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1030 = 1, 2, 3 AND (R04\_AS9041 = 2 OR R04\_AS9042 = 2) AND R04\_AS9001 != -8, -7.

This variable has 243 valid cases out of 33,822 total cases.

- Mean: 10.27
- Median: 4.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 26.47

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33575	99.3 %
<b>Total</b>		<b>33,579</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6414-6419 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AS1047: Have a regular brand of smokeless tobacco you usually use

[Do/Did] you have a regular brand of smokeless tobacco that you usually [use/used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1515	4.5 %
2	2 = No	492	1.5 %
	<b>Total</b>	<b>2,007</b>	<b>5.9%</b>

This variable has 2,007 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	31804	94.0 %	
	<b>Total</b>	<b>31,815</b>	<b>94.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6420-6425 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1050: Regular/last brand of smokeless tobacco used was flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AS1945.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1172	3.5 %
2	2 = No	731	2.2 %
3	3 = I don't know	110	0.3 %
<b>Total</b>		<b>2,013</b>	<b>6.0%</b>

This variable has 2,013 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31804	94.0 %
<b>Total</b>		<b>31,809</b>	<b>94.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6426-6431 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1012\_01: Smokeless tobacco flavor usually/last used: Menthol or mint

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	380	1.1 %
2	2 = Not Marked	791	2.3 %
<b>Total</b>		<b>1,171</b>	<b>3.5%</b>

This variable has 1,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		32648	96.5 %
<b>Total</b>			<b>32,651</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6432-6437 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1012\_02: Smokeless tobacco flavor usually/last used: Wintergreen, spearmint or frost

Which flavor [is/was] it? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	857	2.5 %
2	2 = Not Marked	314	0.9 %
	<b>Total</b>	<b>1,171</b>	<b>3.5%</b>

This variable has 1,171 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32648	96.5 %	
	<b>Total</b>	<b>32,651</b>	<b>96.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6438-6443 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1012\_03: Smokeless tobacco flavor usually/last used: Clove or spice

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	1163	3.4 %
	<b>Total</b>	<b>1,171</b>	<b>3.5%</b>

This variable has 1,171 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32648	96.5 %
	<b>Total</b>	<b>32,651</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6444-6449 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1012\_04: Smokeless tobacco flavor usually/last used: Fruit

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	94	0.3 %
2	2 = Not Marked	1077	3.2 %
	<b>Total</b>	<b>1,171</b>	<b>3.5%</b>

This variable has 1,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32648	96.5 %
	<b>Total</b>	<b>32,651</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6450-6455 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1012\_05: Smokeless tobacco flavor usually/last used: Chocolate

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	1169	3.5 %
	<b>Total</b>	<b>1,171</b>	<b>3.5%</b>

This variable has 1,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	32648	96.5 %
	<b>Total</b>	<b>32,651</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6456-6461 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1012\_06: Smokeless tobacco flavor usually/last used: An alcoholic drink

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	1163	3.4 %
	<b>Total</b>	<b>1,171</b>	<b>3.5%</b>

This variable has 1,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32648	96.5 %
	<b>Total</b>	<b>32,651</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6462-6467 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1012\_07: Smokeless tobacco flavor usually/last used: Candy or other sweets

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	1157	3.4 %
	<b>Total</b>	<b>1,171</b>	<b>3.5%</b>

This variable has 1,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32648	96.5 %
	<b>Total</b>	<b>32,651</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6468-6473 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1012\_08: Smokeless tobacco flavor usually/last used: Some other flavor

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	1161	3.4 %
	<b>Total</b>	<b>1,171</b>	<b>3.5%</b>

This variable has 1,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32648	96.5 %
	<b>Total</b>	<b>32,651</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6474-6479 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1945: Know the name of brand of smokeless tobacco usually/last used

Do you know the name of the brand of smokeless tobacco you [usually use/usually used/last used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1633	4.8 %
2	2 = No	379	1.1 %
	<b>Total</b>	<b>2,012</b>	<b>5.9%</b>

This variable has 2,012 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31804	94.0 %
	<b>Total</b>	<b>31,810</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6480-6485 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AS1048\_BRAND: Brand of smokeless tobacco usually/last used

What brand of smokeless tobacco [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen.

[If you do not see it below, touch the button marked "NEXT"/If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of snus they usually use or last used.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. ]

This variable has 1,628 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32187	95.2 %	
<b>Total</b>		<b>32,194</b>	<b>95.2%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 6486-6491 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AS1070\_PRODUCT: Sub-brand of smokeless tobacco product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"/If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1945 = 1 AND R04\_AS1048\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04\_AS1048\_BRAND. ]

This variable has 1,587 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32227	95.3 %
<b>Total</b>		<b>32,235</b>	<b>95.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6492-6497 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1051\_NN: How long used regular brand of smokeless tobacco - Number

About how long [did you use/have you been using] your regular brand of smokeless tobacco?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_ASR18.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

This variable has 1,501 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	32305	95.5 %
<b>Total</b>		<b>32,321</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6498-6503 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AS1051\_UN: How long used regular brand of smokeless tobacco - Unit

About how long [did you use/have you been using] your regular brand of smokeless tobacco?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_AS18.]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	60	0.2 %
2	2 = Months	178	0.5 %
3	3 = Years	1265	3.7 %
<b>Total</b>		<b>1,503</b>	<b>4.4%</b>

This variable has 1,503 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32317	95.6 %
<b>Total</b>		<b>32,319</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 6504-6509 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AS104: Brand of very last smokeless tobacco used is same as brand regularly/last used

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_AS100 = 1, 2, 3, 4 AND R04\_AS1945 = 1 AND R04\_AS1048\_BRAND != 9995, -8, -7 AND R04\_AS1070\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	856	2.5 %
2	2 = No	52	0.2 %
	<b>Total</b>	<b>908</b>	<b>2.7%</b>

This variable has 908 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	25	0.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32886	97.2 %
	<b>Total</b>	<b>32,914</b>	<b>97.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6510-6515 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1060\_RANDOM\_01: AS1060 series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R04\_AS1060 through R04\_AS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31804	94.0 %
-97777	-	2	0.0 %
R04_AS1060	-	289	0.9 %
R04_AS1062	-	238	0.7 %
R04_AS1063	-	274	0.8 %
R04_AS1064	-	148	0.4 %
R04_AS1065	-	282	0.8 %
R04_AS1067	-	261	0.8 %
R04_AS1075	-	257	0.8 %
R04_AS1085	-	267	0.8 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6516-6525 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AS1060\_RANDOM\_02: AS1060 series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R04\_AS1060 through R04\_AS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31804	94.0 %
-97777	-	2	0.0 %
R04_AS1060	-	256	0.8 %
R04_AS1062	-	286	0.8 %
R04_AS1063	-	265	0.8 %
R04_AS1064	-	127	0.4 %
R04_AS1065	-	288	0.9 %
R04_AS1067	-	261	0.8 %
R04_AS1075	-	270	0.8 %
R04_AS1085	-	263	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6526-6535 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AS1060\_RANDOM\_03: AS1060 series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R04\_AS1060 through R04\_AS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31804	94.0 %
-97777	-	2	0.0 %
R04_AS1060	-	262	0.8 %
R04_AS1062	-	279	0.8 %

Value	Label	Unweighted Frequency	%
R04_AS1063	-	281	0.8 %
R04_AS1064	-	106	0.3 %
R04_AS1065	-	252	0.7 %
R04_AS1067	-	290	0.9 %
R04_AS1075	-	277	0.8 %
R04_AS1085	-	269	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6536-6545 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AS1060\_RANDOM\_04: AS1060 series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R04\_AS1060 through R04\_AS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AS03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31804	94.0 %
-97777	-	2	0.0 %
R04_AS1060	-	278	0.8 %
R04_AS1062	-	279	0.8 %
R04_AS1063	-	254	0.8 %
R04_AS1064	-	112	0.3 %
R04_AS1065	-	272	0.8 %
R04_AS1067	-	272	0.8 %
R04_AS1075	-	272	0.8 %
R04_AS1085	-	277	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6546-6555 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AS1060\_RANDOM\_05: AS1060 series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R04\_AS1060 through R04\_AS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AS03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31804	94.0 %
-97777	-	2	0.0 %
R04_AS1060	-	273	0.8 %
R04_AS1062	-	267	0.8 %
R04_AS1063	-	281	0.8 %
R04_AS1064	-	113	0.3 %
R04_AS1065	-	274	0.8 %
R04_AS1067	-	253	0.7 %
R04_AS1075	-	262	0.8 %
R04_AS1085	-	293	0.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6556-6565 (width: 10; decimal: 0)

*Variable Type:* character

---

## **R04\_AS1060\_RANDOM\_06: AS1060 series random question 6**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R04\_AS1060 through R04\_AS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AS03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31804	94.0 %
-97777	-	2	0.0 %
R04_AS1060	-	273	0.8 %
R04_AS1062	-	270	0.8 %
R04_AS1063	-	262	0.8 %
R04_AS1064	-	124	0.4 %
R04_AS1065	-	262	0.8 %
R04_AS1067	-	273	0.8 %
R04_AS1075	-	275	0.8 %

Value	Label	Unweighted Frequency	%
R04_AS1085	-	277	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6566-6575 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AS1060\_RANDOM\_07: AS1060 series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R04\_AS1060 through R04\_AS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31804	94.0 %
-97777	-	2	0.0 %
R04_AS1060	-	259	0.8 %
R04_AS1062	-	267	0.8 %
R04_AS1063	-	286	0.8 %
R04_AS1064	-	116	0.3 %
R04_AS1065	-	257	0.8 %
R04_AS1067	-	266	0.8 %
R04_AS1075	-	279	0.8 %
R04_AS1085	-	286	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6576-6585 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AS1060\_RANDOM\_08: AS1060 series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R04\_AS1060 through R04\_AS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32839	97.1 %
-97777	-	2	0.0 %
R04_AS1060	-	126	0.4 %
R04_AS1062	-	130	0.4 %
R04_AS1063	-	113	0.3 %
R04_AS1064	-	135	0.4 %
R04_AS1065	-	129	0.4 %
R04_AS1067	-	140	0.4 %
R04_AS1075	-	124	0.4 %
R04_AS1085	-	84	0.2 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 6586-6595 (width: 10; decimal: 0)

*Variable Type:* character

## **R04\_AS1060: Use/used smokeless tobacco because: It is/was affordable**

The next questions are about the reasons people use smokeless tobacco.

Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It [is/was] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	936	2.8 %
2	2 = No	1069	3.2 %
	<b>Total</b>	<b>2,005</b>	<b>5.9%</b>

This variable has 2,005 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	31804	94.0 %	
	<b>Total</b>	<b>31,817</b>	<b>94.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6596-6601 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1085: Use/used smokeless tobacco because: Can/could use it in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people use smokeless tobacco.

Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

I [can/could] use smokeless tobacco at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1458	4.3 %
2	2 = No	547	1.6 %
	<b>Total</b>	<b>2,005</b>	<b>5.9%</b>

This variable has 2,005 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31804	94.0 %
	<b>Total</b>	<b>31,817</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6602-6607 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1062: Use/used smokeless tobacco because: It might be less harmful to me than cigarettes

The next questions are about the reasons people use smokeless tobacco.

Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	752	2.2 %
2	2 = No	1254	3.7 %
	<b>Total</b>	<b>2,006</b>	<b>5.9%</b>

This variable has 2,006 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	31804	94.0 %	
	<b>Total</b>	<b>31,816</b>	<b>94.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6608-6613 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1075: Use/used smokeless tobacco because: It might be less harmful to people around me than cigarettes

The next questions are about the reasons people use smokeless tobacco.

Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1239	3.7 %
2	2 = No	769	2.3 %
	<b>Total</b>	<b>2,008</b>	<b>5.9%</b>

This variable has 2,008 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31804	94.0 %
<b>Total</b>		<b>31,814</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6614-6619 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1063: Use/used smokeless tobacco because: It comes/came in flavors I like/liked

The next questions are about the reasons people use smokeless tobacco.

Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

Smokeless tobacco [comes/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1266	3.7 %
2	2 = No	737	2.2 %
<b>Total</b>		<b>2,003</b>	<b>5.9%</b>

This variable has 2,003 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31804	94.0 %
<b>Total</b>		<b>31,819</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6620-6625 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1064: Use/used smokeless tobacco because: Using it helps people to quit smoking cigarettes

The next questions are about the reasons people use smokeless tobacco.

Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

Using smokeless tobacco helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	319	0.9 %
2	2 = No	656	1.9 %
	<b>Total</b>	<b>975</b>	<b>2.9%</b>

This variable has 975 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32839	97.1 %
	<b>Total</b>	<b>32,847</b>	<b>97.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6626-6631 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1065: Use/used smokeless tobacco because: It doesn't smell

The next questions are about the reasons people use smokeless tobacco.

Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

Smokeless tobacco doesn't smell.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	796	2.4 %
2	2 = No	1211	3.6 %
	<b>Total</b>	<b>2,007</b>	<b>5.9%</b>

This variable has 2,007 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31804	94.0 %
	<b>Total</b>	<b>31,815</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6632-6637 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1067: Use/used smokeless tobacco because: It is/was more acceptable to non-tobacco users

The next questions are about the reasons people use smokeless tobacco.

Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

Smokeless tobacco [is/was] more acceptable to non-tobacco users.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	766	2.3 %
2	2 = No	1238	3.7 %
	<b>Total</b>	<b>2,004</b>	<b>5.9%</b>

This variable has 2,004 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	31804	94.0 %	
<b>Total</b>		<b>31,818</b>	<b>94.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6638-6643 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1086: In past 30 days, used smokeless tobacco at times when could not smoke regular cigarettes

In the past 30 days have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AS1080.]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users, and are current established or current experimental cigarette smokers.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1)  
AND R04\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	403	1.2 %
2	2 = No	283	0.8 %
<b>Total</b>		<b>686</b>	<b>2.0%</b>

This variable has 686 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33130	98.0 %	
<b>Total</b>		<b>33,136</b>	<b>98.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6644-6649 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1087: Frequency with which smokeless tobacco is used when could not smoke regular cigarettes

How often [do/did] you use smokeless tobacco at times when or in places where you could not smoke regular cigarettes?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and are current established or current experimental cigarette smokers and used smokeless tobacco at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AS1086 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	142	0.4 %
2	2 = Some days	181	0.5 %
3	3 = Rarely	79	0.2 %
<b>Total</b>		<b>402</b>	<b>1.2%</b>

This variable has 402 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33417	98.8 %
<b>Total</b>		<b>33,420</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 6650-6655 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AS1080: Use/used smokeless tobacco as a way of cutting down on cigarette smoking

[Do/Did] you use smokeless tobacco as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R04\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	335	1.0 %
2	2 = No	569	1.7 %
	<b>Total</b>	<b>904</b>	<b>2.7%</b>

This variable has 904 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32915	97.3 %
	<b>Total</b>	<b>32,918</b>	<b>97.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6656-6661 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1139: Level of agreement: easier to talk and get along with other people when using smokeless tobacco

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using smokeless tobacco.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1173	3.5 %
2	2 = 2 on a scale of 1 to 4	379	1.1 %
3	3 = 3 on a scale of 1 to 4	270	0.8 %
4	4 = Very true of me	185	0.5 %
	<b>Total</b>	<b>2,007</b>	<b>5.9%</b>

This variable has 2,007 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %

Missing Data				
-7	-7 = Refused		4	0.0 %
-1	-1 = Inapplicable		31804	94.0 %
<b>Total</b>			<b>31,815</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6662-6667 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AS1140: Level of agreement: Feel/felt more confident with other people while using smokeless tobacco

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

While using smokeless tobacco, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1318	3.9 %
2	2 = 2 on a scale of 1 to 4	366	1.1 %
3	3 = 3 on a scale of 1 to 4	195	0.6 %
4	4 = Very true of me	129	0.4 %
<b>Total</b>		<b>2,008</b>	<b>5.9%</b>

This variable has 2,008 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		2	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		3	0.0 %
-7	-7 = Refused		5	0.0 %
-1	-1 = Inapplicable		31804	94.0 %
<b>Total</b>			<b>31,814</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6668-6673 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AS1141: Level of agreement: Use/used smokeless tobacco much more when with other people

Please rate your level of agreement for each statement using the following scale:  
1 = not true of me at all to 4 = very true of me.

I [use/used] smokeless tobacco much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R04\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1196	3.5 %
2	2 = 2 on a scale of 1 to 4	359	1.1 %
3	3 = 3 on a scale of 1 to 4	270	0.8 %
4	4 = Very true of me	185	0.5 %
	<b>Total</b>	<b>2,010</b>	<b>5.9%</b>

This variable has 2,010 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31804	94.0 %
	<b>Total</b>	<b>31,812</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6674-6679 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AY0005: How often use tobacco product

You mentioned that you use [TOBACCO PRODUCT LIST] on some days.

Which of the following best describes how often you use these?

ASK: Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any tobacco products.

ASK Specification: IF R04\_SOME\_DAY\_PRODUCT\_COUNT > 1 AND R04\_EVERY\_DAY\_PRODUCT\_COUNT = 0.

Value	Label	Unweighted Frequency	%
1	1 = I use at least one of these every day	113	0.3 %
2	2 = There are some days I don't use either / any of these	517	1.5 %
	<b>Total</b>	<b>630</b>	<b>1.9%</b>

This variable has 630 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33185	98.1 %
	<b>Total</b>	<b>33,192</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6680-6685 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AY0010\_NN: Time to first use of any tobacco product after waking - Number

You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products?

[If Don't Know (-8) or Refused (-7), Go to R04\_AY0015.]

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product.

ASK Specification: IF R04\_CURRENT\_TOBACCO\_USE = 1 AND R04\_CURRENT\_PRODUCT\_COUNT > 1.

This variable has 2,136 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	7	0.0 %
-5	-5 = Improbable response removed	5	0.0 %
-1	-1 = Inapplicable	31643	93.6 %
	<b>Total</b>	<b>31,686</b>	<b>93.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6686-6691 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AY0010\_UN: Time to first use of any tobacco product after waking - Unit

You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products?

[If Don't Know (-8) or Refused (-7), Go to R04\_AY0015.]

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product.

ASK Specification: IF R04\_CURRENT\_TOBACCO\_USE = 1 AND R04\_CURRENT\_PRODUCT\_COUNT > 1.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	1298	3.8 %
2	2 = Hours after waking	843	2.5 %
	<b>Total</b>	<b>2,141</b>	<b>6.3%</b>

This variable has 2,141 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31679	93.7 %
	<b>Total</b>	<b>31,681</b>	<b>93.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 6692-6697 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AY0015: Has first tobacco product within the first 30 minutes after waking up

Would you say you have your first tobacco product within the first 30 minutes after you wake up?

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product and did not know or refused to report how soon after waking up they first use tobacco.

ASK Specification: IF R04\_CURRENT\_TOBACCO\_USE = 1 AND R04\_CURRENT\_PRODUCT\_COUNT > 1 AND R04\_AY0010\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.0 %
2	2 = No	14	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = It varies	4	0.0 %
	<b>Total</b>	<b>31</b>	<b>0.1%</b>

This variable has 31 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33784	99.9 %
	<b>Total</b>	<b>33,791</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6698-6703 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0306\_01: Considered using product in addition to currently used product(s): Have not considered using additional products

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

I have not considered using additional products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.

Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.

Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10352	30.6 %
2	2 = Not Marked	2071	6.1 %
	<b>Total</b>	<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	147	0.4 %	
-7	-7 = Refused	96	0.3 %	
-1	-1 = Inapplicable	21154	62.5 %	
<b>Total</b>		<b>21,399</b>	<b>63.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6704-6709 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0306\_02: Considered using product in addition to currently used product(s): Cigarettes

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.

Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.

Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	140	0.4 %
2	2 = Not Marked	12283	36.3 %
<b>Total</b>		<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	147	0.4 %	
-7	-7 = Refused	96	0.3 %	
-1	-1 = Inapplicable	21154	62.5 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>21,399</b>	<b>63.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6710-6715 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0306\_03: Considered using product in addition to currently used product(s): E-cigarettes or other electronic nicotine products

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.

Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.

Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1252	3.7 %
2	2 = Not Marked	11171	33.0 %
	<b>Total</b>	<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	147	0.4 %
-7	-7 = Refused	96	0.3 %
-1	-1 = Inapplicable	21154	62.5 %
	<b>Total</b>	<b>21,399</b>	<b>63.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6716-6721 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0306\_04: Considered using product in addition to currently used product(s): Traditional cigars

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.

Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.

Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	259	0.8 %
2	2 = Not Marked	12164	36.0 %
<b>Total</b>		<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	147	0.4 %
-7	-7 = Refused	96	0.3 %
-1	-1 = Inapplicable	21154	62.5 %
<b>Total</b>		<b>21,399</b>	<b>63.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 6722-6727 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0306\_05: Considered using product in addition to currently used product(s): Cigarillos

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.

Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.

Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	319	0.9 %
2	2 = Not Marked	12104	35.8 %
	<b>Total</b>	<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	147	0.4 %	
-7	-7 = Refused	96	0.3 %	
-1	-1 = Inapplicable	21154	62.5 %	
	<b>Total</b>	<b>21,399</b>	<b>63.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6728-6733 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0306\_06: Considered using product in addition to currently used product(s): Filtered cigars

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.  
 Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.  
 Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	201	0.6 %
2	2 = Not Marked	12222	36.1 %
	<b>Total</b>	<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	147	0.4 %
-7	-7 = Refused	96	0.3 %
-1	-1 = Inapplicable	21154	62.5 %
	<b>Total</b>	<b>21,399</b>	<b>63.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6734-6739 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0306\_07: Considered using product in addition to currently used product(s): Pipes

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.

Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.

Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	200	0.6 %
2	2 = Not Marked	12223	36.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	147	0.4 %
-7	-7 = Refused	96	0.3 %
-1	-1 = Inapplicable	21154	62.5 %
	<b>Total</b>	<b>21,399</b>	<b>63.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6740-6745 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0306\_08: Considered using product in addition to currently used product(s): Hookahs

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.

Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.

Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	306	0.9 %
2	2 = Not Marked	12117	35.8 %
	<b>Total</b>	<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	147	0.4 %	
-7	-7 = Refused	96	0.3 %	
-1	-1 = Inapplicable	21154	62.5 %	
	<b>Total</b>	<b>21,399</b>	<b>63.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6746-6751 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0306\_09: Considered using product in addition to currently used product(s): Snus

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.

Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.

Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	100	0.3 %
2	2 = Not Marked	12323	36.4 %
	<b>Total</b>	<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	147	0.4 %	
-7	-7 = Refused	96	0.3 %	
-1	-1 = Inapplicable	21154	62.5 %	
	<b>Total</b>	<b>21,399</b>	<b>63.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6752-6757 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0306\_10: Considered using product in addition to currently used product(s): Other smokeless/Smokeless tobacco

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question.

If option 1 is selected, no other options may be selected.

Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1.

Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1.

Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1.

Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1.

Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	173	0.5 %
2	2 = Not Marked	12250	36.2 %
	<b>Total</b>	<b>12,423</b>	<b>36.7%</b>

This variable has 12,423 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	147	0.4 %
-7	-7 = Refused	96	0.3 %
-1	-1 = Inapplicable	21154	62.5 %
	<b>Total</b>	<b>21,399</b>	<b>63.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6758-6763 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0307C\_01: Have not considered switching from cigarettes to another product

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8238	24.4 %
2	2 = Not Marked	1575	4.7 %
	<b>Total</b>	<b>9,813</b>	<b>29.0%</b>

This variable has 9,813 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	23911	70.7 %
	<b>Total</b>	<b>24,009</b>	<b>71.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6764-6769 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R04\_AX0307C\_03: Considered switching from cigarettes to e-cigarettes or other electronic nicotine products

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
 Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
 Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
 Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1289	3.8 %
2	2 = Not Marked	8524	25.2 %
	<b>Total</b>	<b>9,813</b>	<b>29.0%</b>

This variable has 9,813 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	23911	70.7 %
	<b>Total</b>	<b>24,009</b>	<b>71.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6770-6775 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307C\_04: Considered switching from cigarettes to traditional cigars

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	62	0.2 %
2	2 = Not Marked	9751	28.8 %
	<b>Total</b>	<b>9,813</b>	<b>29.0%</b>

This variable has 9,813 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	23911	70.7 %
<b>Total</b>		<b>24,009</b>	<b>71.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6776-6781 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307C\_05: Considered switching from cigarettes to cigarillos

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	89	0.3 %
2	2 = Not Marked	9724	28.8 %
<b>Total</b>		<b>9,813</b>	<b>29.0%</b>

This variable has 9,813 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	23911	70.7 %
<b>Total</b>		<b>24,009</b>	<b>71.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6782-6787 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0307C\_06: Considered switching from cigarettes to filtered cigars

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.2 %
2	2 = Not Marked	9762	28.9 %
	<b>Total</b>	<b>9,813</b>	<b>29.0%</b>

This variable has 9,813 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	23911	70.7 %
	<b>Total</b>	<b>24,009</b>	<b>71.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6788-6793 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0307C\_07: Considered switching from cigarettes to pipes

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	63	0.2 %
2	2 = Not Marked	9750	28.8 %
	<b>Total</b>	<b>9,813</b>	<b>29.0%</b>

This variable has 9,813 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	23911	70.7 %
	<b>Total</b>	<b>24,009</b>	<b>71.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6794-6799 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307C\_08: Considered switching from cigarettes to hookahs

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1. Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	56	0.2 %
2	2 = Not Marked	9757	28.8 %
	<b>Total</b>	<b>9,813</b>	<b>29.0%</b>

This variable has 9,813 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	23911	70.7 %
	<b>Total</b>	<b>24,009</b>	<b>71.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6800-6805 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307C\_09: Considered switching from cigarettes to snus

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	46	0.1 %
2	2 = Not Marked	9767	28.9 %
	<b>Total</b>	<b>9,813</b>	<b>29.0%</b>

This variable has 9,813 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	41	0.1 %	
-1	-1 = Inapplicable	23911	70.7 %	
	<b>Total</b>	<b>24,009</b>	<b>71.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6806-6811 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307C\_10: Considered switching from cigarettes to smokeless tobacco

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	96	0.3 %
2	2 = Not Marked	9717	28.7 %
	<b>Total</b>	<b>9,813</b>	<b>29.0%</b>

This variable has 9,813 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	41	0.1 %	
-1	-1 = Inapplicable	23911	70.7 %	
	<b>Total</b>	<b>24,009</b>	<b>71.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6812-6817 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AX0307E\_01: Have not considered switching from electronic nicotine products to another product

Have you considered switching from electronic nicotine products to any of the following products?  
Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1884	5.6 %
2	2 = Not Marked	87	0.3 %
	<b>Total</b>	<b>1,971</b>	<b>5.8%</b>

This variable has 1,971 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31827	94.1 %
	<b>Total</b>	<b>31,851</b>	<b>94.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 6818-6823 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AX0307E\_02: Considered switching from electronic nicotine products to cigarettes

Have you considered switching from electronic nicotine products to any of the following products?  
Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco

product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.1 %
2	2 = Not Marked	1946	5.8 %
	<b>Total</b>	<b>1,971</b>	<b>5.8%</b>

This variable has 1,971 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	31827	94.1 %	
	<b>Total</b>	<b>31,851</b>	<b>94.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6824-6829 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307E\_04: Considered switching from electronic nicotine products to traditional cigars

Have you considered switching from electronic nicotine products to any of the following products?

Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	1959	5.8 %
	<b>Total</b>	<b>1,971</b>	<b>5.8%</b>

This variable has 1,971 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31827	94.1 %
	<b>Total</b>	<b>31,851</b>	<b>94.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6830-6835 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307E\_05: Considered switching from electronic nicotine products to cigarillos

Have you considered switching from electronic nicotine products to any of the following products?

Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	1958	5.8 %
	<b>Total</b>	<b>1,971</b>	<b>5.8%</b>

This variable has 1,971 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	31827	94.1 %	
	<b>Total</b>	<b>31,851</b>	<b>94.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6836-6841 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307E\_06: Considered switching from electronic nicotine products to filtered cigars

Have you considered switching from electronic nicotine products to any of the following products?  
Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	1965	5.8 %
	<b>Total</b>	<b>1,971</b>	<b>5.8%</b>

This variable has 1,971 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	31827	94.1 %	
	<b>Total</b>	<b>31,851</b>	<b>94.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6842-6847 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307E\_07: Considered switching from electronic nicotine products to pipes

Have you considered switching from electronic nicotine products to any of the following products?  
Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.0 %
2	2 = Not Marked	1961	5.8 %
	<b>Total</b>	<b>1,971</b>	<b>5.8%</b>

This variable has 1,971 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31827	94.1 %
	<b>Total</b>	<b>31,851</b>	<b>94.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6848-6853 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307E\_08: Considered switching from electronic nicotine products to hookahs

Have you considered switching from electronic nicotine products to any of the following products?  
Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco

product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.1 %
2	2 = Not Marked	1952	5.8 %
	<b>Total</b>	<b>1,971</b>	<b>5.8%</b>

This variable has 1,971 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31827	94.1 %
	<b>Total</b>	<b>31,851</b>	<b>94.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6854-6859 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307E\_09: Considered switching from electronic nicotine products to snus

Have you considered switching from electronic nicotine products to any of the following products?

Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	1963	5.8 %
	<b>Total</b>	<b>1,971</b>	<b>5.8%</b>

This variable has 1,971 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31827	94.1 %
	<b>Total</b>	<b>31,851</b>	<b>94.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6860-6865 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0307E\_10: Considered switching from electronic nicotine products to smokeless tobacco

Have you considered switching from electronic nicotine products to any of the following products?  
Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	1959	5.8 %
	<b>Total</b>	<b>1,971</b>	<b>5.8%</b>

This variable has 1,971 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	31827	94.1 %	
<b>Total</b>		<b>31,851</b>	<b>94.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6866-6871 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307T\_01: Have not considered switching from traditional cigars to another product

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

I have not considered switching to another product

**ASK:** Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

**ASK Specification:** IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	530	1.6 %
2	2 = Not Marked	69	0.2 %
<b>Total</b>		<b>599</b>	<b>1.8%</b>

This variable has 599 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33218	98.2 %	
<b>Total</b>		<b>33,223</b>	<b>98.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6872-6877 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307T\_02: Considered switching from traditional cigars to cigarettes

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.0 %
2	2 = Not Marked	589	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.8%</b>

This variable has 599 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33218	98.2 %
	<b>Total</b>	<b>33,223</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6878-6883 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307T\_03: Considered switching from traditional cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product

and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	579	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.8%</b>

This variable has 599 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33218	98.2 %
	<b>Total</b>	<b>33,223</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6884-6889 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307T\_05: Considered switching from traditional cigars to cigarillos

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	585	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.8%</b>

This variable has 599 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33218	98.2 %
	<b>Total</b>	<b>33,223</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6890-6895 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307T\_06: Considered switching from traditional cigars to filtered cigars

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	592	1.8 %
	<b>Total</b>	<b>599</b>	<b>1.8%</b>

This variable has 599 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33218	98.2 %	
	<b>Total</b>	<b>33,223</b>	<b>98.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6896-6901 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307T\_07: Considered switching from traditional cigars to pipes

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	585	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.8%</b>

This variable has 599 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33218	98.2 %	
	<b>Total</b>	<b>33,223</b>	<b>98.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6902-6907 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307T\_08: Considered switching from traditional cigars to hookahs

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	592	1.8 %
	<b>Total</b>	<b>599</b>	<b>1.8%</b>

This variable has 599 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33218	98.2 %
	<b>Total</b>	<b>33,223</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 6908-6913 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307T\_09: Considered switching from traditional cigars to snus

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.  
If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	596	1.8 %
	<b>Total</b>	<b>599</b>	<b>1.8%</b>

This variable has 599 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33218	98.2 %
	<b>Total</b>	<b>33,223</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6914-6919 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307T\_10: Considered switching from traditional cigars to smokeless tobacco

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	594	1.8 %
	<b>Total</b>	<b>599</b>	<b>1.8%</b>

This variable has 599 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33218	98.2 %
	<b>Total</b>	<b>33,223</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6920-6925 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307G\_01: Have not considered switching from cigarillos to another product

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	838	2.5 %
2	2 = Not Marked	139	0.4 %
	<b>Total</b>	<b>977</b>	<b>2.9%</b>

This variable has 977 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>				
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32835	97.1 %	
<b>Total</b>		<b>32,845</b>	<b>97.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6926-6931 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307G\_02: Considered switching from cigarillos to cigarettes

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	963	2.8 %
	<b>Total</b>	<b>977</b>	<b>2.9%</b>

This variable has 977 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32835	97.1 %	
	<b>Total</b>	<b>32,845</b>	<b>97.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6932-6937 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307G\_03: Considered switching from cigarillos to e-cigarettes or other electronic nicotine products

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	69	0.2 %
2	2 = Not Marked	908	2.7 %
	<b>Total</b>	<b>977</b>	<b>2.9%</b>

This variable has 977 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32835	97.1 %
	<b>Total</b>	<b>32,845</b>	<b>97.1%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 6938-6943 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0307G\_04: Considered switching from cigarillos to traditional cigars

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.  
If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	957	2.8 %
	<b>Total</b>	<b>977</b>	<b>2.9%</b>

This variable has 977 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32835	97.1 %	
	<b>Total</b>	<b>32,845</b>	<b>97.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6944-6949 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307G\_06: Considered switching from cigarillos to filtered cigars

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	966	2.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>977</b>	<b>2.9%</b>

This variable has 977 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32835	97.1 %
	<b>Total</b>	<b>32,845</b>	<b>97.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6950-6955 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307G\_07: Considered switching from cigarillos to pipes

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	956	2.8 %
	<b>Total</b>	<b>977</b>	<b>2.9%</b>

This variable has 977 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		4	0.0 %
-1	-1 = Inapplicable		32835	97.1 %
<b>Total</b>			<b>32,845</b>	<b>97.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6956-6961 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307G\_08: Considered switching from cigarillos to hookahs

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	957	2.8 %
<b>Total</b>		<b>977</b>	<b>2.9%</b>

This variable has 977 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32835	97.1 %	
<b>Total</b>		<b>32,845</b>	<b>97.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6962-6967 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307G\_09: Considered switching from cigarillos to snus

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	975	2.9 %
	<b>Total</b>	<b>977</b>	<b>2.9%</b>

This variable has 977 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32835	97.1 %	
	<b>Total</b>	<b>32,845</b>	<b>97.1%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 6968-6973 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0307G\_10: Considered switching from cigarillos to smokeless tobacco

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
 Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
 Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
 Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
 Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	966	2.9 %
	<b>Total</b>	<b>977</b>	<b>2.9%</b>

This variable has 977 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32835	97.1 %	
	<b>Total</b>	<b>32,845</b>	<b>97.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6974-6979 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307F\_01: Have not considered switching from filtered cigars to another product

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	388	1.1 %
2	2 = Not Marked	87	0.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33338	98.6 %
	<b>Total</b>	<b>33,347</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6980-6985 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307F\_02: Considered switching from filtered cigars to cigarettes

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.0 %
2	2 = Not Marked	460	1.4 %
	<b>Total</b>	<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		3	0.0 %
-1	-1 = Inapplicable		33338	98.6 %
<b>Total</b>			<b>33,347</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 6986-6991 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307F\_03: Considered switching from filtered cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.1 %
2	2 = Not Marked	433	1.3 %
	<b>Total</b>	<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33338	98.6 %	
	<b>Total</b>	<b>33,347</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 6992-6997 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307F\_04: Considered switching from filtered cigars to traditional cigars

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	464	1.4 %
	<b>Total</b>	<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33338	98.6 %	
	<b>Total</b>	<b>33,347</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 6998-7003 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0307F\_05: Considered switching from filtered cigars to cigarillos

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
 Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
 Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
 Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
 Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.0 %
2	2 = Not Marked	465	1.4 %
	<b>Total</b>	<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33338	98.6 %	
	<b>Total</b>	<b>33,347</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7004-7009 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307F\_07: Considered switching from filtered cigars to pipes

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	472	1.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33338	98.6 %
	<b>Total</b>	<b>33,347</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7010-7015 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307F\_08: Considered switching from filtered cigars to hookahs

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	473	1.4 %
	<b>Total</b>	<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		3	0.0 %
-1	-1 = Inapplicable		33338	98.6 %
<b>Total</b>			<b>33,347</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7016-7021 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307F\_09: Considered switching from filtered cigars to snus

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	472	1.4 %
<b>Total</b>		<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33338	98.6 %	
<b>Total</b>		<b>33,347</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7022-7027 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307F\_10: Considered switching from filtered cigars to smokeless tobacco

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	468	1.4 %
	<b>Total</b>	<b>475</b>	<b>1.4%</b>

This variable has 475 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33338	98.6 %
	<b>Total</b>	<b>33,347</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7028-7033 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0307P\_01: Have not considered switching from pipes to another product

Have you considered switching from pipes to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
 Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
 Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
 Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
 Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	179	0.5 %
2	2 = Not Marked	22	0.1 %
	<b>Total</b>	<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	33614	99.4 %	
	<b>Total</b>	<b>33,621</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7034-7039 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307P\_02: Considered switching from pipes to cigarettes

Have you considered switching from pipes to any of the following products? Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	195	0.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33614	99.4 %
	<b>Total</b>	<b>33,621</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7040-7045 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307P\_03: Considered switching from pipes to e-cigarettes or other electronic nicotine products

Have you considered switching from pipes to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	194	0.6 %
	<b>Total</b>	<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		5	0.0 %
-1	-1 = Inapplicable		33614	99.4 %
<b>Total</b>			<b>33,621</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7046-7051 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307P\_04: Considered switching from pipes to traditional cigars

Have you considered switching from pipes to any of the following products? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	200	0.6 %
<b>Total</b>		<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	33614	99.4 %	
<b>Total</b>		<b>33,621</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7052-7057 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307P\_05: Considered switching from pipes to cigarillos

Have you considered switching from pipes to any of the following products? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	200	0.6 %
	<b>Total</b>	<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	33614	99.4 %	
	<b>Total</b>	<b>33,621</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 7058-7063 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0307P\_06: Considered switching from pipes to filtered cigars

Have you considered switching from pipes to any of the following products? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
 Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
 Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
 Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
 Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	198	0.6 %
	<b>Total</b>	<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	33614	99.4 %	
	<b>Total</b>	<b>33,621</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7064-7069 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307P\_08: Considered switching from pipes to hookahs

Have you considered switching from pipes to any of the following products? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	200	0.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33614	99.4 %
	<b>Total</b>	<b>33,621</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7070-7075 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307P\_09: Considered switching from pipes to snus

Have you considered switching from pipes to any of the following products? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	199	0.6 %
	<b>Total</b>	<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		5	0.0 %
-1	-1 = Inapplicable		33614	99.4 %
<b>Total</b>			<b>33,621</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7076-7081 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307P\_10: Considered switching from pipes to smokeless tobacco

Have you considered switching from pipes to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	199	0.6 %
<b>Total</b>		<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	33614	99.4 %	
<b>Total</b>		<b>33,621</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7082-7087 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307H\_01: Have not considered switching from hookahs to another product

Have you considered switching from hookahs to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	475	1.4 %
2	2 = Not Marked	68	0.2 %
	<b>Total</b>	<b>543</b>	<b>1.6%</b>

This variable has 543 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33266	98.4 %	
	<b>Total</b>	<b>33,279</b>	<b>98.4%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 7088-7093 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0307H\_02: Considered switching from hookahs to cigarettes

Have you considered switching from hookahs to any of the following products? Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
 Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
 Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
 Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
 Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	532	1.6 %
	<b>Total</b>	<b>543</b>	<b>1.6%</b>

This variable has 543 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33266	98.4 %	
	<b>Total</b>	<b>33,279</b>	<b>98.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7094-7099 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0307H\_03: Considered switching from hookahs to e-cigarettes or other electronic nicotine products

Have you considered switching from hookahs to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.1 %
2	2 = Not Marked	517	1.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>543</b>	<b>1.6%</b>

This variable has 543 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33266	98.4 %
	<b>Total</b>	<b>33,279</b>	<b>98.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7100-7105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307H\_04: Considered switching from hookahs to traditional cigars

Have you considered switching from hookahs to any of the following products? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	532	1.6 %
	<b>Total</b>	<b>543</b>	<b>1.6%</b>

This variable has 543 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %

Missing Data				
-7	-7 = Refused		4	0.0 %
-1	-1 = Inapplicable		33266	98.4 %
<b>Total</b>			<b>33,279</b>	<b>98.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7106-7111 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307H\_05: Considered switching from hookahs to cigarillos

Have you considered switching from hookahs to any of the following products? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	530	1.6 %
<b>Total</b>		<b>543</b>	<b>1.6%</b>

This variable has 543 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33266	98.4 %	
<b>Total</b>		<b>33,279</b>	<b>98.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7112-7117 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307H\_06: Considered switching from hookahs to filtered cigars

Have you considered switching from hookahs to any of the following products? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	537	1.6 %
	<b>Total</b>	<b>543</b>	<b>1.6%</b>

This variable has 543 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33266	98.4 %
	<b>Total</b>	<b>33,279</b>	<b>98.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7118-7123 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0307H\_07: Considered switching from hookahs to pipes

Have you considered switching from hookahs to any of the following products? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
 Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
 Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
 Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
 Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	538	1.6 %
	<b>Total</b>	<b>543</b>	<b>1.6%</b>

This variable has 543 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33266	98.4 %	
	<b>Total</b>	<b>33,279</b>	<b>98.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7124-7129 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307H\_09: Considered switching from hookahs to snus

Have you considered switching from hookahs to any of the following products? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	538	1.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>543</b>	<b>1.6%</b>

This variable has 543 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33266	98.4 %
	<b>Total</b>	<b>33,279</b>	<b>98.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7130-7135 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307H\_10: Considered switching from hookahs to smokeless tobacco

Have you considered switching from hookahs to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	537	1.6 %
	<b>Total</b>	<b>543</b>	<b>1.6%</b>

This variable has 543 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %

Missing Data				
-7	-7 = Refused		4	0.0 %
-1	-1 = Inapplicable		33266	98.4 %
<b>Total</b>			<b>33,279</b>	<b>98.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7136-7141 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307U\_01: Have not considered switching from snus to another product

Have you considered switching from snus to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	241	0.7 %
2	2 = Not Marked	30	0.1 %
<b>Total</b>		<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33545	99.2 %	
<b>Total</b>		<b>33,551</b>	<b>99.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7142-7147 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307U\_02: Considered switching from snus to cigarettes

Have you considered switching from snus to any of the following products? Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	266	0.8 %
	<b>Total</b>	<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33545	99.2 %
	<b>Total</b>	<b>33,551</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7148-7153 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0307U\_03: Considered switching from snus to e-cigarettes or other electronic nicotine products

Have you considered switching from snus to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.  
If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	259	0.8 %
	<b>Total</b>	<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33545	99.2 %	
	<b>Total</b>	<b>33,551</b>	<b>99.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7154-7159 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307U\_04: Considered switching from snus to traditional cigars

Have you considered switching from snus to any of the following products? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	268	0.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33545	99.2 %
	<b>Total</b>	<b>33,551</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7160-7165 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307U\_05: Considered switching from snus to cigarillos

Have you considered switching from snus to any of the following products? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	268	0.8 %
	<b>Total</b>	<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		33545	99.2 %
<b>Total</b>			<b>33,551</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7166-7171 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307U\_06: Considered switching from snus to filtered cigars

Have you considered switching from snus to any of the following products? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	267	0.8 %
<b>Total</b>		<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33545	99.2 %	
<b>Total</b>		<b>33,551</b>	<b>99.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7172-7177 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307U\_07: Considered switching from snus to pipes

Have you considered switching from snus to any of the following products? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	269	0.8 %
	<b>Total</b>	<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33545	99.2 %	
	<b>Total</b>	<b>33,551</b>	<b>99.2%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 7178-7183 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0307U\_08: Considered switching from snus to hookahs

Have you considered switching from snus to any of the following products? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
 Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
 Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
 Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
 Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	271	0.8 %
	<b>Total</b>	<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33545	99.2 %	
	<b>Total</b>	<b>33,551</b>	<b>99.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7184-7189 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307U\_10: Considered switching from snus to smokeless tobacco

Have you considered switching from snus to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	267	0.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33545	99.2 %
	<b>Total</b>	<b>33,551</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7190-7195 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307S\_01: Have not considered switching from smokeless tobacco to another product

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1212	3.6 %
2	2 = Not Marked	68	0.2 %
	<b>Total</b>	<b>1,280</b>	<b>3.8%</b>

This variable has 1,280 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		4	0.0 %
-1	-1 = Inapplicable		32532	96.2 %
<b>Total</b>			<b>32,542</b>	<b>96.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7196-7201 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307S\_02: Considered switching from smokeless tobacco to cigarettes

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	1272	3.8 %
<b>Total</b>		<b>1,280</b>	<b>3.8%</b>

This variable has 1,280 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32532	96.2 %	
<b>Total</b>		<b>32,542</b>	<b>96.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7202-7207 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307S\_03: Considered switching from smokeless tobacco to e-cigarettes or other electronic nicotine products

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	32	0.1 %
2	2 = Not Marked	1248	3.7 %
	<b>Total</b>	<b>1,280</b>	<b>3.8%</b>

This variable has 1,280 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32532	96.2 %
	<b>Total</b>	<b>32,542</b>	<b>96.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7208-7213 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0307S\_04: Considered switching from smokeless tobacco to traditional cigars

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.  
If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	1273	3.8 %
	<b>Total</b>	<b>1,280</b>	<b>3.8%</b>

This variable has 1,280 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32532	96.2 %	
	<b>Total</b>	<b>32,542</b>	<b>96.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7214-7219 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0307S\_05: Considered switching from smokeless tobacco to cigarillos

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	1276	3.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,280</b>	<b>3.8%</b>

This variable has 1,280 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32532	96.2 %
	<b>Total</b>	<b>32,542</b>	<b>96.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7220-7225 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307S\_06: Considered switching from smokeless tobacco to filtered cigars

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	1274	3.8 %
	<b>Total</b>	<b>1,280</b>	<b>3.8%</b>

This variable has 1,280 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		4	0.0 %
-1	-1 = Inapplicable		32532	96.2 %
<b>Total</b>			<b>32,542</b>	<b>96.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7226-7231 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0307S\_07: Considered switching from smokeless tobacco to pipes

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	1273	3.8 %
<b>Total</b>		<b>1,280</b>	<b>3.8%</b>

This variable has 1,280 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32532	96.2 %	
<b>Total</b>		<b>32,542</b>	<b>96.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7232-7237 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0307S\_08: Considered switching from smokeless tobacco to hookahs

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.

Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.

Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.

Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.

Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	1279	3.8 %
	<b>Total</b>	<b>1,280</b>	<b>3.8%</b>

This variable has 1,280 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32532	96.2 %	
	<b>Total</b>	<b>32,542</b>	<b>96.2%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 7238-7243 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0307S\_09: Considered switching from smokeless tobacco to snus

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses.

If option 1 is selected, no other options may be selected. Suppress option 2 if R04\_CIG\_USER\_STATUS = 1.  
 Suppress option 3 if R04\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R04\_GTRAD\_USER\_STATUS = 1.  
 Suppress option 5 if R04\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R04\_GFILTR\_USER\_STATUS = 1.  
 Suppress option 7 if R04\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R04\_HOOK\_USER\_STATUS = 1.  
 Suppress option 9 if R04\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R04\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	1267	3.7 %
	<b>Total</b>	<b>1,280</b>	<b>3.8%</b>

This variable has 1,280 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32532	96.2 %
	<b>Total</b>	<b>32,542</b>	<b>96.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7244-7249 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0010E: Consider yourself to be addicted to electronic nicotine products

Do you consider yourself addicted to electronic nicotine products?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = No, not at all	2335	6.9 %
2	2 = Yes, somewhat addicted	691	2.0 %
3	3 = Yes, very addicted	175	0.5 %
	<b>Total</b>	<b>3,201</b>	<b>9.5%</b>

This variable has 3,201 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	30614	90.5 %	
<b>Total</b>		<b>30,621</b>	<b>90.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7250-7255 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0015E: Has strong cravings to use electronic nicotine products

Do you ever have strong cravings to use electronic nicotine products?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	729	2.2 %
2	2 = No	2470	7.3 %
<b>Total</b>		<b>3,199</b>	<b>9.5%</b>

This variable has 3,199 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	30614	90.5 %	
<b>Total</b>		<b>30,623</b>	<b>90.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7256-7261 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0020E: Felt like you really needed to use electronic nicotine products

Have you ever felt like you really needed to use electronic nicotine products?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	850	2.5 %
2	2 = No	2350	6.9 %
	<b>Total</b>	<b>3,200</b>	<b>9.5%</b>

This variable has 3,200 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
	<b>Total</b>	<b>30,622</b>	<b>90.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7262-7267 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0055E: Level of agreement: Finds self reaching for electronic nicotine products without thinking about it

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1796	5.3 %
2	2 = 2 on a scale of 1 to 5	460	1.4 %
3	3 = 3 on a scale of 1 to 5	456	1.3 %
4	4 = 4 on a scale of 1 to 5	217	0.6 %
5	5 = Extremely true of me	266	0.8 %
	<b>Total</b>	<b>3,195</b>	<b>9.4%</b>

This variable has 3,195 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	30614	90.5 %	
	<b>Total</b>	<b>30,627</b>	<b>90.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7268-7273 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0025E\_RANDOM\_01: AN0025E series random question 1

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0025E	-	3206	9.5 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7274-7284 (width: 11; decimal: 0)

*Variable Type:* character

## R04\_AN0025E\_RANDOM\_02: AN0025E series random question 2

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	242	0.7 %
R04_AN0035E	-	240	0.7 %
R04_AN0045E	-	237	0.7 %
R04_AN0050E	-	250	0.7 %
R04_AN0060E	-	224	0.7 %
R04_AN0065E	-	245	0.7 %
R04_AN0070E	-	246	0.7 %
R04_AN0075E	-	227	0.7 %
R04_AN0080E	-	262	0.8 %
R04_AN0085E	-	246	0.7 %
R04_AN0090E	-	237	0.7 %
R04_AN0095E	-	221	0.7 %
R04_AN0100E	-	260	0.8 %
R04_AN0255E	-	69	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7285-7295 (width: 11; decimal: 0)

*Variable Type:* character

---

### R04\_AN0025E\_RANDOM\_03: AN0025E series random question 3

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %

Value	Label	Unweighted Frequency	%
-97777	-	2	0.0 %
R04_AN0030E	-	239	0.7 %
R04_AN0035E	-	259	0.8 %
R04_AN0045E	-	261	0.8 %
R04_AN0050E	-	242	0.7 %
R04_AN0060E	-	263	0.8 %
R04_AN0065E	-	246	0.7 %
R04_AN0070E	-	223	0.7 %
R04_AN0075E	-	219	0.6 %
R04_AN0080E	-	232	0.7 %
R04_AN0085E	-	243	0.7 %
R04_AN0090E	-	229	0.7 %
R04_AN0095E	-	239	0.7 %
R04_AN0100E	-	245	0.7 %
R04_AN0255E	-	66	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7296-7306 (width: 11; decimal: 0)

*Variable Type:* character

#### **R04\_AN0025E\_RANDOM\_04: AN0025E series random question 4**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN0025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	234	0.7 %
R04_AN0035E	-	241	0.7 %
R04_AN0045E	-	224	0.7 %
R04_AN0050E	-	240	0.7 %
R04_AN0060E	-	219	0.6 %
R04_AN0065E	-	240	0.7 %
R04_AN0070E	-	208	0.6 %

Value	Label	Unweighted Frequency	%
R04_AN0075E	-	269	0.8 %
R04_AN0080E	-	253	0.7 %
R04_AN0085E	-	235	0.7 %
R04_AN0090E	-	262	0.8 %
R04_AN0095E	-	267	0.8 %
R04_AN0100E	-	248	0.7 %
R04_AN0255E	-	66	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7307-7317 (width: 11; decimal: 0)

*Variable Type:* character

## R04\_AN0025E\_RANDOM\_05: AN0025E series random question 5

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN0025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	267	0.8 %
R04_AN0035E	-	233	0.7 %
R04_AN0045E	-	245	0.7 %
R04_AN0050E	-	242	0.7 %
R04_AN0060E	-	268	0.8 %
R04_AN0065E	-	232	0.7 %
R04_AN0070E	-	240	0.7 %
R04_AN0075E	-	240	0.7 %
R04_AN0080E	-	222	0.7 %
R04_AN0085E	-	237	0.7 %
R04_AN0090E	-	232	0.7 %
R04_AN0095E	-	231	0.7 %
R04_AN0100E	-	262	0.8 %
R04_AN0255E	-	55	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7318-7328 (width: 11; decimal: 0)

*Variable Type:* character

---

## R04\_AN0025E\_RANDOM\_06: AN0025E series random question 6

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	241	0.7 %
R04_AN0035E	-	249	0.7 %
R04_AN0045E	-	233	0.7 %
R04_AN0050E	-	226	0.7 %
R04_AN0060E	-	234	0.7 %
R04_AN0065E	-	252	0.7 %
R04_AN0070E	-	256	0.8 %
R04_AN0075E	-	263	0.8 %
R04_AN0080E	-	241	0.7 %
R04_AN0085E	-	241	0.7 %
R04_AN0090E	-	222	0.7 %
R04_AN0095E	-	262	0.8 %
R04_AN0100E	-	237	0.7 %
R04_AN0255E	-	49	0.1 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7329-7339 (width: 11; decimal: 0)

*Variable Type:* character

---

## R04\_AN0025E\_RANDOM\_07: AN0025E series random question 7

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02E for further information about the randomization of the order

[these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	248	0.7 %
R04_AN0035E	-	245	0.7 %
R04_AN0045E	-	224	0.7 %
R04_AN0050E	-	246	0.7 %
R04_AN0060E	-	262	0.8 %
R04_AN0065E	-	243	0.7 %
R04_AN0070E	-	268	0.8 %
R04_AN0075E	-	235	0.7 %
R04_AN0080E	-	224	0.7 %
R04_AN0085E	-	253	0.7 %
R04_AN0090E	-	232	0.7 %
R04_AN0095E	-	247	0.7 %
R04_AN0100E	-	222	0.7 %
R04_AN0255E	-	57	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7340-7350 (*width:* 11; *decimal:* 0)

*Variable Type:* character

---

## R04\_AN0025E\_RANDOM\_08: AN0025E series random question 8

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	246	0.7 %
R04_AN0035E	-	243	0.7 %
R04_AN0045E	-	227	0.7 %
R04_AN0050E	-	242	0.7 %

Value	Label	Unweighted Frequency	%
R04_AN0060E	-	260	0.8 %
R04_AN0065E	-	234	0.7 %
R04_AN0070E	-	248	0.7 %
R04_AN0075E	-	245	0.7 %
R04_AN0080E	-	250	0.7 %
R04_AN0085E	-	245	0.7 %
R04_AN0090E	-	232	0.7 %
R04_AN0095E	-	247	0.7 %
R04_AN0100E	-	238	0.7 %
R04_AN0255E	-	49	0.1 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7351-7361 (width: 11; decimal: 0)

*Variable Type:* character

## R04\_AN0025E\_RANDOM\_09: AN0025E series random question 9

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	254	0.8 %
R04_AN0035E	-	243	0.7 %
R04_AN0045E	-	243	0.7 %
R04_AN0050E	-	243	0.7 %
R04_AN0060E	-	218	0.6 %
R04_AN0065E	-	239	0.7 %
R04_AN0070E	-	219	0.6 %
R04_AN0075E	-	263	0.8 %
R04_AN0080E	-	254	0.8 %
R04_AN0085E	-	241	0.7 %
R04_AN0090E	-	252	0.7 %
R04_AN0095E	-	241	0.7 %

Value	Label	Unweighted Frequency	%
R04_AN0100E	-	249	0.7 %
R04_AN0255E	-	47	0.1 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7362-7372 (width: 11; decimal: 0)

*Variable Type:* character

## R04\_AN0025E\_RANDOM\_10: AN0025E series random question 10

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN0025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	231	0.7 %
R04_AN0035E	-	230	0.7 %
R04_AN0045E	-	236	0.7 %
R04_AN0050E	-	250	0.7 %
R04_AN0060E	-	227	0.7 %
R04_AN0065E	-	250	0.7 %
R04_AN0070E	-	242	0.7 %
R04_AN0075E	-	237	0.7 %
R04_AN0080E	-	252	0.7 %
R04_AN0085E	-	228	0.7 %
R04_AN0090E	-	270	0.8 %
R04_AN0095E	-	258	0.8 %
R04_AN0100E	-	236	0.7 %
R04_AN0255E	-	59	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7373-7383 (width: 11; decimal: 0)

*Variable Type:* character

## R04\_AN0025E\_RANDOM\_11: AN0025E series random question 11

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 11th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	241	0.7 %
R04_AN0035E	-	254	0.8 %
R04_AN0045E	-	260	0.8 %
R04_AN0050E	-	226	0.7 %
R04_AN0060E	-	282	0.8 %
R04_AN0065E	-	242	0.7 %
R04_AN0070E	-	237	0.7 %
R04_AN0075E	-	214	0.6 %
R04_AN0080E	-	254	0.8 %
R04_AN0085E	-	232	0.7 %
R04_AN0090E	-	256	0.8 %
R04_AN0095E	-	216	0.6 %
R04_AN0100E	-	238	0.7 %
R04_AN0255E	-	54	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

Location: 7384-7394 (width: 11; decimal: 0)

Variable Type: character

---

## R04\_AN0025E\_RANDOM\_12: AN0025E series random question 12

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 12th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %

Value	Label	Unweighted Frequency	%
-97777	-	2	0.0 %
R04_AN0030E	-	245	0.7 %
R04_AN0035E	-	246	0.7 %
R04_AN0045E	-	257	0.8 %
R04_AN0050E	-	223	0.7 %
R04_AN0060E	-	247	0.7 %
R04_AN0065E	-	245	0.7 %
R04_AN0070E	-	251	0.7 %
R04_AN0075E	-	235	0.7 %
R04_AN0080E	-	252	0.7 %
R04_AN0085E	-	244	0.7 %
R04_AN0090E	-	220	0.7 %
R04_AN0095E	-	250	0.7 %
R04_AN0100E	-	234	0.7 %
R04_AN0255E	-	57	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7395-7405 (width: 11; decimal: 0)

*Variable Type:* character

### **R04\_AN0025E\_RANDOM\_13: AN0025E series random question 13**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 13th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN0025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	246	0.7 %
R04_AN0035E	-	231	0.7 %
R04_AN0045E	-	253	0.7 %
R04_AN0050E	-	249	0.7 %
R04_AN0060E	-	221	0.7 %
R04_AN0065E	-	240	0.7 %
R04_AN0070E	-	265	0.8 %

Value	Label	Unweighted Frequency	%
R04_AN0075E	-	262	0.8 %
R04_AN0080E	-	222	0.7 %
R04_AN0085E	-	235	0.7 %
R04_AN0090E	-	243	0.7 %
R04_AN0095E	-	239	0.7 %
R04_AN0100E	-	236	0.7 %
R04_AN0255E	-	64	0.2 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7406-7416 (width: 11; decimal: 0)

*Variable Type:* character

## R04\_AN0025E\_RANDOM\_14: AN0025E series random question 14

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 14th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN0025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30614	90.5 %
-97777	-	2	0.0 %
R04_AN0030E	-	229	0.7 %
R04_AN0035E	-	237	0.7 %
R04_AN0045E	-	258	0.8 %
R04_AN0050E	-	262	0.8 %
R04_AN0060E	-	223	0.7 %
R04_AN0065E	-	245	0.7 %
R04_AN0070E	-	239	0.7 %
R04_AN0075E	-	243	0.7 %
R04_AN0080E	-	237	0.7 %
R04_AN0085E	-	253	0.7 %
R04_AN0090E	-	255	0.8 %
R04_AN0095E	-	237	0.7 %
R04_AN0100E	-	241	0.7 %
R04_AN0255E	-	47	0.1 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7417-7427 (width: 11; decimal: 0)

*Variable Type:* character

---

## R04\_AN0025E\_RANDOM\_15: AN0025E series random question 15

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025E through R04\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 15th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33018	97.6 %
-97777	-	2	0.0 %
R04_AN0030E	-	43	0.1 %
R04_AN0035E	-	55	0.2 %
R04_AN0045E	-	48	0.1 %
R04_AN0050E	-	65	0.2 %
R04_AN0060E	-	58	0.2 %
R04_AN0065E	-	53	0.2 %
R04_AN0070E	-	64	0.2 %
R04_AN0075E	-	54	0.2 %
R04_AN0080E	-	51	0.2 %
R04_AN0085E	-	73	0.2 %
R04_AN0090E	-	64	0.2 %
R04_AN0095E	-	51	0.2 %
R04_AN0100E	-	60	0.2 %
R04_AN0255E	-	63	0.2 %
<b>Total</b>		<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7428-7438 (width: 11; decimal: 0)

*Variable Type:* character

---

## R04\_AN0025E: Level of agreement: Frequently crave electronic nicotine products

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I frequently crave electronic nicotine products.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established

non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1937	5.7 %
2	2 = 2 on a scale of 1 to 5	494	1.5 %
3	3 = 3 on a scale of 1 to 5	400	1.2 %
4	4 = 4 on a scale of 1 to 5	203	0.6 %
5	5 = Extremely true of me	160	0.5 %
	<b>Total</b>	<b>3,194</b>	<b>9.4%</b>

This variable has 3,194 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
	<b>Total</b>	<b>30,628</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7439-7444 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0030E: Level of agreement: Urges keep getting stronger if don't/still have urges to use electronic nicotine products

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[My urges keep getting stronger if I don't/I still have urges to] use electronic nicotine products.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2186	6.5 %

Value	Label	Unweighted Frequency	%
2	2 = 2 on a scale of 1 to 5	430	1.3 %
3	3 = 3 on a scale of 1 to 5	282	0.8 %
4	4 = 4 on a scale of 1 to 5	174	0.5 %
5	5 = Extremely true of me	125	0.4 %
	<b>Total</b>	<b>3,197</b>	<b>9.5%</b>

This variable has 3,197 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
	<b>Total</b>	<b>30,625</b>	<b>90.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7445-7450 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0035E: Level of agreement: Electronic nicotine products control me

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

Electronic nicotine products control me.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2635	7.8 %
2	2 = 2 on a scale of 1 to 5	277	0.8 %
3	3 = 3 on a scale of 1 to 5	166	0.5 %
4	4 = 4 on a scale of 1 to 5	62	0.2 %
5	5 = Extremely true of me	53	0.2 %
	<b>Total</b>	<b>3,193</b>	<b>9.4%</b>

This variable has 3,193 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	30614	90.5 %	
<b>Total</b>		<b>30,629</b>	<b>90.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7451-7456 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0045E: Level of agreement: My electronic nicotine product use is out of control/My urge to use electronic nicotine products is out of control

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[My electronic nicotine product use is out of control./My urge to use electronic nicotine products is out of control.]

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2611	7.7 %
2	2 = 2 on a scale of 1 to 5	290	0.9 %
3	3 = 3 on a scale of 1 to 5	170	0.5 %
4	4 = 4 on a scale of 1 to 5	68	0.2 %
5	5 = Extremely true of me	58	0.2 %
<b>Total</b>		<b>3,197</b>	<b>9.5%</b>

This variable has 3,197 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	30614	90.5 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>30,625</b>	<b>90.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7457-7462 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0060E: Level of agreement: Usually want to use electronic nicotine products right after waking up

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I usually want to use electronic nicotine products right after I wake up.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2163	6.4 %
2	2 = 2 on a scale of 1 to 5	367	1.1 %
3	3 = 3 on a scale of 1 to 5	264	0.8 %
4	4 = 4 on a scale of 1 to 5	174	0.5 %
5	5 = Extremely true of me	228	0.7 %
	<b>Total</b>	<b>3,196</b>	<b>9.4%</b>

This variable has 3,196 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
	<b>Total</b>	<b>30,626</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7463-7468 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0065E: Level of agreement: Can only go a couple of hours without using electronic nicotine products

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I can only go a couple of hours without [using/wanting to use] electronic nicotine products.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2250	6.7 %
2	2 = 2 on a scale of 1 to 5	286	0.8 %
3	3 = 3 on a scale of 1 to 5	243	0.7 %
4	4 = 4 on a scale of 1 to 5	176	0.5 %
5	5 = Extremely true of me	235	0.7 %
<b>Total</b>		<b>3,190</b>	<b>9.4%</b>

This variable has 3,190 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
<b>Total</b>		<b>30,632</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7469-7474 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0050E: Level of agreement: Frequently use electronic nicotine products without thinking about it

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[I frequently use/I find myself almost using] electronic nicotine products without thinking about it.

ASK: Adult respondents who are current established or recent former established electronic nicotine

product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2090	6.2 %
2	2 = 2 on a scale of 1 to 5	400	1.2 %
3	3 = 3 on a scale of 1 to 5	319	0.9 %
4	4 = 4 on a scale of 1 to 5	199	0.6 %
5	5 = Extremely true of me	182	0.5 %
<b>Total</b>		<b>3,190</b>	<b>9.4%</b>

This variable has 3,190 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
<b>Total</b>		<b>30,632</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7475-7480 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0070E: Level of agreement: Using electronic nicotine products really helps me feel better if feeling down

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

Using electronic nicotine products [really helps/would really help]  
me feel better if I've been feeling down.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2099	6.2 %
2	2 = 2 on a scale of 1 to 5	435	1.3 %
3	3 = 3 on a scale of 1 to 5	343	1.0 %
4	4 = 4 on a scale of 1 to 5	175	0.5 %
5	5 = Extremely true of me	141	0.4 %
<b>Total</b>		<b>3,193</b>	<b>9.4%</b>

This variable has 3,193 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
<b>Total</b>		<b>30,629</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7481-7486 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0075E: Level of agreement: Using electronic nicotine products helps me think better

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

Using electronic nicotine products helps me think better.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2277	6.7 %
2	2 = 2 on a scale of 1 to 5	392	1.2 %
3	3 = 3 on a scale of 1 to 5	277	0.8 %
4	4 = 4 on a scale of 1 to 5	148	0.4 %
5	5 = Extremely true of me	98	0.3 %
<b>Total</b>		<b>3,192</b>	<b>9.4%</b>

This variable has 3,192 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
<b>Total</b>		<b>30,630</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7487-7492 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0255E: Level of agreement: Most people I spend time with are tobacco users (current established, recent former established or current experimental electronic nicotine product users)

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

Most of the people I spend time with use tobacco.

**ASK:** Adult respondents who are current established or recent former established electronic nicotine product users and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product and are only completing the e-product module in the Nicotine Dependence section.

**ASK Specification:** IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_NDSKIP = 0) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1 AND R04\_NDSKIP = 0).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	392	1.2 %
2	2 = 2 on a scale of 1 to 5	135	0.4 %
3	3 = 3 on a scale of 1 to 5	148	0.4 %
4	4 = 4 on a scale of 1 to 5	71	0.2 %
5	5 = Extremely true of me	55	0.2 %
<b>Total</b>		<b>801</b>	<b>2.4%</b>

This variable has 801 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33014	97.6 %	
<b>Total</b>		<b>33,021</b>	<b>97.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7493-7498 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0080E: Level of agreement: Would feel alone without my electronic nicotine products

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I [would ]feel alone without my electronic nicotine products.

**ASK:** Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

**ASK Specification:** IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2590	7.7 %
2	2 = 2 on a scale of 1 to 5	261	0.8 %
3	3 = 3 on a scale of 1 to 5	171	0.5 %
4	4 = 4 on a scale of 1 to 5	85	0.3 %
5	5 = Extremely true of me	85	0.3 %
<b>Total</b>		<b>3,192</b>	<b>9.4%</b>

This variable has 3,192 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	30614	90.5 %	
<b>Total</b>		<b>30,630</b>	<b>90.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7499-7504 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AN0085E: Level of agreement: Would find it really hard to stop using electronic nicotine products

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[I would find it really hard to stop using/I find it really hard to not use] electronic nicotine products.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2155	6.4 %
2	2 = 2 on a scale of 1 to 5	351	1.0 %
3	3 = 3 on a scale of 1 to 5	305	0.9 %
4	4 = 4 on a scale of 1 to 5	208	0.6 %
5	5 = Extremely true of me	172	0.5 %
<b>Total</b>		<b>3,191</b>	<b>9.4%</b>

This variable has 3,191 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	30614	90.5 %	
<b>Total</b>		<b>30,631</b>	<b>90.6%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 7505-7510 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AN0090E: Level of agreement: Would find it hard to stop using electronic nicotine products for a week

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[I would find it hard to stop using electronic nicotine products for a week./I would find it hard to not

use electronic nicotine products for another week.]

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2203	6.5 %
2	2 = 2 on a scale of 1 to 5	283	0.8 %
3	3 = 3 on a scale of 1 to 5	256	0.8 %
4	4 = 4 on a scale of 1 to 5	219	0.6 %
5	5 = Extremely true of me	230	0.7 %
<b>Total</b>		<b>3,191</b>	<b>9.4%</b>

This variable has 3,191 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	30614	90.5 %	
<b>Total</b>		<b>30,631</b>	<b>90.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7511-7516 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0095E: Level of agreement: After not using e-cigarettes for a while, need to use electronic nicotine products in order to feel less restless and irritable

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[After not using electronic nicotine products for a while, I need/I would like] to use electronic nicotine products in order to feel less restless and irritable.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2038	6.0 %
2	2 = 2 on a scale of 1 to 5	428	1.3 %
3	3 = 3 on a scale of 1 to 5	345	1.0 %
4	4 = 4 on a scale of 1 to 5	209	0.6 %
5	5 = Extremely true of me	172	0.5 %
	<b>Total</b>	<b>3,192</b>	<b>9.4%</b>

This variable has 3,192 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
	<b>Total</b>	<b>30,630</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7517-7522 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0100E: Level of agreement: After not using e-cigarettes for a while, need to use electronic nicotine products in order to keep self from experiencing any discomfort

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[After not using electronic nicotine products for a while, I need/I feel like I need] to use electronic nicotine products in order to keep myself from experiencing any discomfort.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2261	6.7 %
2	2 = 2 on a scale of 1 to 5	369	1.1 %
3	3 = 3 on a scale of 1 to 5	277	0.8 %
4	4 = 4 on a scale of 1 to 5	156	0.5 %
5	5 = Extremely true of me	135	0.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>3,198</b>	<b>9.5%</b>

This variable has 3,198 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
	<b>Total</b>	<b>30,624</b>	<b>90.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7523-7528 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0110E: Do you believe that electronic nicotine products is causing/caused health problems

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

Do you believe that using electronic nicotine products [is causing/caused] a health problem or [making/made] it worse?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	653	1.9 %
2	2 = No	2520	7.5 %
	<b>Total</b>	<b>3,173</b>	<b>9.4%</b>

This variable has 3,173 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	7	0.0 %

Missing Data			
-1	-1 = Inapplicable	30614	90.5 %
	<b>Total</b>	<b>30,649</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7529-7534 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0813E: In past 12 months, found it difficult to keep from using electronic nicotine products in places where it was prohibited

In the past 12 months, did you find it difficult to keep from using electronic nicotine products in places where it was not permitted?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	358	1.1 %
2	2 = No	2838	8.4 %
	<b>Total</b>	<b>3,196</b>	<b>9.4%</b>

This variable has 3,196 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
	<b>Total</b>	<b>30,626</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7535-7540 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0812E: In past 12 months, gave up or cut down on activities that were enjoyable or important because electronic nicotine product use was not permitted at activity

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because electronic nicotine product use was not permitted at the activity?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	135	0.4 %
2	2 = No	3055	9.0 %
	<b>Total</b>	<b>3,190</b>	<b>9.4%</b>

This variable has 3,190 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	30614	90.5 %
	<b>Total</b>	<b>30,632</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7541-7546 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AN0105E: Have you tried to quit electronic nicotine products in the past 12 months

In the past 12 months, have you tried to quit using electronic nicotine products completely?

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	303	0.9 %
2	2 = No	1688	5.0 %
	<b>Total</b>	<b>1,991</b>	<b>5.9%</b>

This variable has 1,991 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		2	0.0 %
-7	-7 = Refused		2	0.0 %
-1	-1 = Inapplicable		31825	94.1 %
	<b>Total</b>		<b>31,831</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7547-7552 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0334E: In the past 12 months, tried to quit by gradually cutting back on using electronic nicotine products

In the past 12 months, have you tried to quit by gradually cutting back on using electronic nicotine products?

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	504	1.5 %
2	2 = No	1487	4.4 %
	<b>Total</b>	<b>1,991</b>	<b>5.9%</b>

This variable has 1,991 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	31825	94.1 %	
	<b>Total</b>	<b>31,831</b>	<b>94.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7553-7558 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0115E: In past 12 months, number of times tried to quit using electronic nicotine products

In total, how many times in the past 12 months have you tried to quit electronic nicotine products completely?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_ANR24]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 1,421 valid cases out of 33,822 total cases.

- Mean: 1.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 17.26

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	14	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	32352	95.7 %
<b>Total</b>		<b>32,401</b>	<b>95.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7559-7564 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0120E: In past 12 months, stopped using electronic nicotine products for one day or longer because you were trying to quit

In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0130E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	214	0.6 %

Value	Label	Unweighted Frequency	%
2	2 = No	30	0.1 %
	<b>Total</b>	<b>244</b>	<b>0.7%</b>

This variable has 244 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33575	99.3 %
	<b>Total</b>	<b>33,578</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7565-7570 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0125E: In past 12 months, how many times you stopped using electronic nicotine products for one day or longer because you were trying to quit

In the past 12 months, how many times have you stopped using electronic nicotine products for one day or longer because you were trying to quit?

[If Don't Know (-8) or Refused (-7), Go to R04\_AN0256E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using electronic nicotine products for one day or longer.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND R04\_AN0120E = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 time	84	0.2 %
2	2 = 2 - 3 times	73	0.2 %
3	3 = 4 or more times	55	0.2 %
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data			
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33606	99.4 %
<b>Total</b>		<b>33,610</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7571-7576 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0256E: In past 12 months, stopped using electronic nicotine products more than 3 times for one day or longer because you were trying to quit

Would you say that in the past 12 months it was more than 3 times that you have stopped using electronic nicotine products for one day or longer because you were trying to quit?

**ASK:** Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using electronic nicotine products for one day or longer and did not know or refused to report how many times they stopped using electronic nicotine products for one day or longer.

**ASK Specification:** IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND R04\_AN0120E = 1 AND R04\_AN0125E = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	2	0.0 %
<b>Total</b>		<b>2</b>	<b>0.0%</b>

This variable has 2 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33818	100.0 %
<b>Total</b>		<b>33,820</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7577-7582 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0130E\_NN: In past 12 months, length of time you stopped using electronic nicotine products because you were trying to quit - Number

The last time you stopped using electronic nicotine products in the past 12 months because you were trying to quit, how long did you stop for?

[If Don't Know (-8) or Refused (-7), Go to R04\_AN0330E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits for minutes, 3 digits for hours, 3 digits for days, 3 digits for weeks, and 3 digits for months. ]

This variable has 238 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	2	0.0 %	
-1	-1 = Inapplicable	33575	99.3 %	
<b>Total</b>		<b>33,584</b>	<b>99.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7583-7588 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0130E\_UN: In past 12 months, length of time you stopped using electronic nicotine products because you were trying to quit - Unit

The last time you stopped using electronic nicotine products in the past 12 months because you were trying to quit, how long did you stop for?

[If Don't Know (-8) or Refused (-7), Go to R04\_AN0330E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits for minutes, 3 digits for hours, 3 digits for days, 3 digits for weeks, and 3 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes	9	0.0 %
2	2 = Hours	12	0.0 %
3	3 = Days	67	0.2 %
4	4 = Weeks	38	0.1 %
5	5 = Months	114	0.3 %
	<b>Total</b>	<b>240</b>	<b>0.7%</b>

This variable has 240 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33580	99.3 %
	<b>Total</b>	<b>33,580</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7589-7594 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0300E: In past 12 months, length of time stopped using electronic nicotine products the last time because you were trying to quit - Week measure

Was it more than a week, a week, or less than a week?

[GO TO BOX R04\_ANR25]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND R04\_AN0130E\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = More than one week	2	0.0 %
2	2 = One week	1	0.0 %
3	3 = Less than one week	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>3</b>	<b>0.0%</b>

This variable has 3 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33815	100.0 %
	<b>Total</b>	<b>33,819</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7595-7600 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0135E: Approximate end date of last electronic nicotine product quit attempt

When was the approximate end date of this last quit attempt that lasted [enter duration from R04\_AN0130E]?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AN0140E]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND R04\_AN0130E\_NN != -8, -7.

This variable has 219 valid cases out of 33,822 total cases.

	Missing Data		
-		33603	99.4 %
	<b>Total</b>	<b>33,603</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7601-7611 (width: 11; decimal: 0)

*Variable Type:* character

*(Range of) Missing Values:*

## R04\_AN0135E\_VALUE\_INFO: Type of response provided for R04\_AN0135E

Value	Label	Unweighted Frequency	%
1	1 = Date value	219	0.6 %
	<b>Total</b>	<b>219</b>	<b>0.6%</b>

This variable has 219 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	33580	99.3 %
	<b>Total</b>	<b>33,603</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7612-7617 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0140E: In past 12 months, was the duration of last quit attempt reported the longest you went without using electronic nicotine products because you were trying to quit

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without using electronic nicotine products because you were trying to quit?

[If Yes (1), Don't Know (-8), or Refused (-7), GO TO BOX R04\_ANR25; If No (2), Go To R04\_AN0145E]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND R04\_AN0130E\_NN != -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	186	0.5 %
2	2 = No	53	0.2 %
	<b>Total</b>	<b>239</b>	<b>0.7%</b>

This variable has 239 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33580	99.3 %	
<b>Total</b>		<b>33,583</b>	<b>99.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7618-7623 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0257E: In past 12 months, time since completely quit using electronic nicotine products is the longest you have gone without using electronic nicotine products

You previously mentioned that you stopped using electronic nicotine products

[ENTER LENGTH OF TIME SINCE LAST USE IN R04\_AV1009] ago.

Is this the longest you have gone without using electronic nicotine products in the past 12 months?

[If Yes (1), Don't Know (-8), or Refused (-7), GO TO BOX R04\_ANR25; If No (2), Go To GO TO R04\_AN0145E]

ASK: Adult respondents who are recent former established electronic nicotine product users and reported how long it has been since they last took a puff from an electronic nicotine product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 4 AND R04\_AV1009\_NN > 0 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	283	0.8 %
2	2 = No	120	0.4 %
<b>Total</b>		<b>403</b>	<b>1.2%</b>

This variable has 403 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33413	98.8 %	
<b>Total</b>		<b>33,419</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7624-7629 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0145E\_NN: In past 12 months, longest time period for which you stopped using electronic nicotine products because you were trying to quit - Number

In the past 12 months, what was the longest time you stopped using electronic nicotine products because you were trying to quit?

[If Don't Know (-8), or Refused (-7), GO TO R04\_AN0305E]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using electronic nicotine products, or Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are recent former established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an electronic nicotine product or reported the time since they last took a puff from an electronic nicotine product was not the longest they went without using electronic nicotine products.

ASK Specification: IF (R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND R04\_AN0130E\_NN != -8, -7 AND R04\_AN0140E = 2) OR (R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 4 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND (R04\_AV1009\_NN < 1 OR R04\_AN0257E = 2)).

[PROGRAM NOTE: Display as Quantity/Units.]

This variable has 191 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	9	0.0 %
-5	-5 = Improbable response removed	20	0.1 %
-1	-1 = Inapplicable	33586	99.3 %
<b>Total</b>		<b>33,631</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7630-7635 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

---

## R04\_AN0145E\_UN: In past 12 months, longest time period for which you stopped using electronic nicotine products because you were trying to quit - Unit

In the past 12 months, what was the longest time you stopped using electronic nicotine products because you were trying to quit?

[If Don't Know (-8), or Refused (-7), GO TO R04\_AN0305E]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using electronic nicotine products, or Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are recent former established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an electronic nicotine product or reported the time since they last took a puff from an electronic nicotine product was not the longest they went without using electronic nicotine products.

ASK Specification: IF (R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND R04\_AN0130E\_NN != -8, -7 AND R04\_AN0140E = 2) OR (R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_EPROD\_USER\_STATUS = 4 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND (R04\_AV1009\_NN < 1 OR R04\_AN0257E = 2)).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes	10	0.0 %
2	2 = Hours	3	0.0 %
3	3 = Days	9	0.0 %
4	4 = Weeks	12	0.0 %
5	5 = Months	177	0.5 %
<b>Total</b>		<b>211</b>	<b>0.6%</b>

This variable has 211 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33609	99.4 %
<b>Total</b>		<b>33,611</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7636-7641 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0305E: In past 12 months, longest time you stopped using electronic nicotine products because you were trying to quit - Week measure

Was it more than a week, a week, or less than a week?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit

attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using electronic nicotine products and did not know or refused to report the longest time they stopped using electronic nicotine products, or

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are recent former established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an electronic nicotine product or reported the time since they last took a puff from an electronic nicotine product was not the longest they went without using electronic nicotine products and did not know or refused to report the longest time they stopped using electronic nicotine products.

ASK Specification: IF (R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND R04\_EPROD\_USER\_STATUS = 1 AND  
(R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND  
R04\_AN0130E\_NN != -8, -7 AND R04\_AN0140E = 2 AND  
R04\_AN0145E\_NN = -8, -7) OR (R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND R04\_EPROD\_USER\_STATUS = 4  
AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7) AND  
(R04\_AV1009\_NN < 1 OR R04\_AN0257E = 2) AND  
R04\_AN0145E\_NN = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = More than one week	4	0.0 %
2	2 = One week	1	0.0 %
3	3 = Less than one week	0	0.0 %
<b>Total</b>		<b>5</b>	<b>0.0%</b>

This variable has 5 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33802	99.9 %
<b>Total</b>		<b>33,817</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7642-7647 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0210E: In past 12 months, relied on support of friends and family to help when last tried to quit using electronic nicotine products

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]

using electronic nicotine products in the past 12 months, did you rely on the support of friends and family to help you?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	129	0.4 %
2	2 = No	575	1.7 %
	<b>Total</b>	<b>704</b>	<b>2.1%</b>

This variable has 704 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33107	97.9 %
	<b>Total</b>	<b>33,118</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7648-7653 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0215E: In past 12 months, used counseling, telephone help line, books, pamphlets, videos, quit tobacco clinic, class, support group or web-based program to help when last tried to quit using electronic nicotine products

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	60	0.2 %

Value	Label	Unweighted Frequency	%
2	2 = No	645	1.9 %
	<b>Total</b>	<b>705</b>	<b>2.1%</b>

This variable has 705 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33107	97.9 %
	<b>Total</b>	<b>33,117</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7654-7659 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225E\_01: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Did not use a different tobacco product to help quit

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

I did not use a different tobacco product to help me quit

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	552	1.6 %
2	2 = Not Marked	140	0.4 %
	<b>Total</b>	<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33107	97.9 %	
<b>Total</b>		<b>33,130</b>	<b>98.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7660-7665 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0225E\_02: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Cigarettes

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

### Cigarettes

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	82	0.2 %
2	2 = Not Marked	610	1.8 %
<b>Total</b>		<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33107	97.9 %	
<b>Total</b>		<b>33,130</b>	<b>98.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7666-7671 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225E\_04: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Traditional cigars

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	678	2.0 %
	<b>Total</b>	<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33107	97.9 %
	<b>Total</b>	<b>33,130</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7672-7677 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225E\_05: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Cigarillos

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]

using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

#### Cigarillos

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.1 %
2	2 = Not Marked	673	2.0 %
	<b>Total</b>	<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33107	97.9 %
	<b>Total</b>	<b>33,130</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7678-7683 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

#### R04\_AN0225E\_06: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Filtered cigars

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

#### Filtered cigars

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	680	2.0 %
	<b>Total</b>	<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33107	97.9 %
	<b>Total</b>	<b>33,130</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7684-7689 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225E\_07: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Pipe tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Pipe tobacco

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	687	2.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33107	97.9 %
	<b>Total</b>	<b>33,130</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7690-7695 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0225E\_08: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Hookah

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Hookah

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	681	2.0 %
	<b>Total</b>	<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33107	97.9 %	
<b>Total</b>		<b>33,130</b>	<b>98.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7696-7701 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0225E\_09: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Snus

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Snus

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	688	2.0 %
	<b>Total</b>	<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33107	97.9 %	
<b>Total</b>		<b>33,130</b>	<b>98.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7702-7707 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225E\_10: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Smokeless tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Smokeless tobacco, like dip, chew, or snuff

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	671	2.0 %
	<b>Total</b>	<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33107	97.9 %	
	<b>Total</b>	<b>33,130</b>	<b>98.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7708-7713 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225E\_11: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Dissolvable tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

## Dissolvable tobacco

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R04\_AN0115E >= 1 OR R04\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	690	2.0 %
	<b>Total</b>	<b>692</b>	<b>2.0%</b>

This variable has 692 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33107	97.9 %	
	<b>Total</b>	<b>33,130</b>	<b>98.0%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 7714-7719 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AN0330\_12ME: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (current established, recent former established or current experimental electronic nicotine product users)

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR  
(R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2)

Value	Label	Unweighted Frequency	%
1	1 = Yes	282	0.8 %

Value	Label	Unweighted Frequency	%
2	2 = No	3169	9.4 %
	<b>Total</b>	<b>3,451</b>	<b>10.2%</b>

This variable has 3,451 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	30360	89.8 %
	<b>Total</b>	<b>30,371</b>	<b>89.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7720-7725 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0150E: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill the last time tried to quit using electronic nicotine products

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_ANR39.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and have used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	91	0.3 %
2	2 = No	63	0.2 %
	<b>Total</b>	<b>154</b>	<b>0.5%</b>

This variable has 154 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33665	99.5 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,668</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7726-7731 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0155E: Used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit using electronic nicotine products completely

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit using electronic nicotine products completely?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.2 %
2	2 = No	31	0.1 %
	<b>Total</b>	<b>90</b>	<b>0.3%</b>

This variable has 90 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33729	99.7 %
	<b>Total</b>	<b>33,732</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7732-7737 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0811E: Used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after stopping/cutting down on electronic nicotine product use

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your electronic nicotine product use?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit

attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them, or adult respondents who are past 12 month electronic nicotine product reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1) OR (R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 2 AND R04\_AN0330\_12ME = 1) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0330\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.2 %
2	2 = No	41	0.1 %
	<b>Total</b>	<b>97</b>	<b>0.3%</b>

This variable has 97 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	30	0.1 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33693	99.6 %	
	<b>Total</b>	<b>33,725</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7738-7743 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0336E: Main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (current established, recent former established or current experimental electronic nicotine product users)

What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and have used nicotine replacement therapy in the past 12 months and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and have used nicotine replacement therapy in the past 12 months and are only completing the e-product module in the Nicotine Dependence section.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0330\_12ME = 1 AND R04\_NDSKIP = 0) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0330\_12ME = 1 AND R04\_NDSKIP = 0).

Value	Label	Unweighted Frequency	%
1	1 = To stop using completely	10	0.0 %
2	2 = To reduce the amount you use	2	0.0 %
3	3 = To cope with times when you could not or were not allowed to use	9	0.0 %
4	4 = Some other reason	3	0.0 %
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

This variable has 24 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33796	99.9 %
	<b>Total</b>	<b>33,798</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7744-7749 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0160E\_01: NRT product used last time tried to quit using electronic nicotine products: Nicotine patch

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Nicotine patch

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.1 %
2	2 = Not Marked	63	0.2 %
	<b>Total</b>	<b>91</b>	<b>0.3%</b>

This variable has 91 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33729	99.7 %	
<b>Total</b>		<b>33,731</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7750-7755 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0160E\_02: NRT product used last time tried to quit using electronic nicotine products: Nicotine gum

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Nicotine gum

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.1 %
2	2 = Not Marked	57	0.2 %
<b>Total</b>		<b>91</b>	<b>0.3%</b>

This variable has 91 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33729	99.7 %	
<b>Total</b>		<b>33,731</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7756-7761 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0160E\_03: NRT product used last time tried to quit using electronic nicotine products: Nicotine inhaler

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Nicotine inhaler

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	89	0.3 %
	<b>Total</b>	<b>91</b>	<b>0.3%</b>

This variable has 91 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33729	99.7 %
	<b>Total</b>	<b>33,731</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7762-7767 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0160E\_04: NRT product used last time tried to quit using electronic nicotine products: Nicotine nasal spray

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Nicotine nasal spray

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	89	0.3 %
	<b>Total</b>	<b>91</b>	<b>0.3%</b>

This variable has 91 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33729	99.7 %
	<b>Total</b>	<b>33,731</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7768-7773 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0160E\_05: NRT product used last time tried to quit using electronic nicotine products: Nicotine lozenge or pill

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Nicotine lozenge or pill

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	73	0.2 %
	<b>Total</b>	<b>91</b>	<b>0.3%</b>

This variable has 91 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33729	99.7 %
	<b>Total</b>	<b>33,731</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7774-7779 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0160E\_06: NRT product used last time tried to quit using electronic nicotine products: None of the above

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

None of the above

[GO TO R04\_AN0170E]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.1 %
2	2 = Not Marked	66	0.2 %
	<b>Total</b>	<b>91</b>	<b>0.3%</b>

This variable has 91 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33729	99.7 %	
<b>Total</b>		<b>33,731</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7780-7785 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0165E\_NN: Length of time used NRT during last electronic nicotine products quit attempt - Number

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1 AND R04\_AN0160E\_06 != 1.

[PROGRAM NOTE: Display as Quantity/Units.]

This variable has 66 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33754	99.8 %	
<b>Total</b>		<b>33,756</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7786-7791 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0165E\_UN: Length of time used NRT during last electronic nicotine products quit attempt - Unit

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND R04\_AN0330\_12ME = 1 AND R04\_AN0150E = 1 AND R04\_AN0160E\_06 != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	35	0.1 %
2	2 = Weeks	13	0.0 %
3	3 = Months	18	0.1 %
	<b>Total</b>	<b>66</b>	<b>0.2%</b>

This variable has 66 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33754	99.8 %
	<b>Total</b>	<b>33,756</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7792-7797 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AN0170E: Currently using nicotine patch, gum, inhaler, nasal spray, lozenge or pill (past 12 month electronic nicotine product quitters or quit attempters)

Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0307E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0330\_12ME = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.1 %
2	2 = No	117	0.3 %
	<b>Total</b>	<b>154</b>	<b>0.5%</b>

This variable has 154 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33665	99.5 %
	<b>Total</b>	<b>33,668</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7798-7803 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AN0251E\_NN: How long been using NRT - Number (past 12 month electronic nicotine product quitters or quit attempters)

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND R04\_AN0330\_12ME = 1 AND R04\_AN0170E = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

This variable has 37 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33783	99.9 %
	<b>Total</b>	<b>33,785</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7804-7809 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0251E\_UN: How long been using NRT - Unit (past 12 month electronic nicotine product quitters or quit attempters)

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND R04\_AN0330\_12ME = 1 AND R04\_AN0170E = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

Value	Label	Unweighted Frequency	%
1	1 = Days	15	0.0 %
2	2 = Months	13	0.0 %
3	3 = Years	9	0.0 %
<b>Total</b>		<b>37</b>	<b>0.1%</b>

This variable has 37 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33783	99.9 %
<b>Total</b>		<b>33,785</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7810-7815 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0307E: When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (current or recent former electronic nicotine product users)

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If In the past hour (1), Go to R04\_AN0309E; If Three or more days ago (5), Go to R04\_AN0175E.  
If Don't Know (-8), or Refused (-7), Go to AN0331\_12ME.

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0330\_12ME = 1) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0330\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	25	0.1 %
2	2 = Sometime today	19	0.1 %
3	3 = Yesterday	17	0.1 %
4	4 = Day before yesterday	9	0.0 %
5	5 = Three or more days ago	201	0.6 %
	<b>Total</b>	<b>271</b>	<b>0.8%</b>

This variable has 271 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33538	99.2 %
	<b>Total</b>	<b>33,551</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7816-7821 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AN0308E: Time period of day when you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (current or recent former electronic nicotine product users)

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04\_AN0307E], was it...

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0330\_12ME = 1 AND R04\_AN0307E = 2, 3, 4) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0330\_12ME = 1 AND R04\_AN0307E = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	4	0.0 %
2	2 = After 6AM but before noon	16	0.0 %
3	3 = Between noon and 6PM	13	0.0 %
4	4 = After 6PM but before midnight	12	0.0 %
	<b>Total</b>	<b>45</b>	<b>0.1%</b>

This variable has 45 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33775	99.9 %
	<b>Total</b>	<b>33,777</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7822-7827 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0309E: Number of nicotine patches, gum, inhaler, nasal spray, lozenges or pills used today/yesterday/the day before yesterday (current or recent former electronic nicotine product users)

---

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill

[FILL BASED ON R04\_AN0307E], how many did you use?

[If Don't Know (-8), or Refused (-7), GO TO R04\_AN0331\_12ME]

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0330\_12ME = 1 AND R04\_AN0307E = 1, 2, 3, 4) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0330\_12ME = 1 AND R04\_AN0307E = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 2 digits.]

This variable has 70 valid cases out of 33,822 total cases.

- Mean: 3.33
- Median: 1.00

- Mode: 1.00
- Minimum: 0.00
- Maximum: 44.00
- Standard Deviation: 6.11

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33750	99.8 %	
	<b>Total</b>	<b>33,752</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7828-7833 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AN0175E\_NN: How long ago did you stop using NRT - Number (current established, recent former established or current experimental electronic nicotine product users)

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If Don't Know (-8), or Refused (-7), GO TO R04\_AN0331\_12ME]

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0330\_12ME = 1 AND R04\_AN0307E = 5) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0330\_12ME = 1 AND R04\_AN0307E = 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 198 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	2	0.0 %	
-1	-1 = Inapplicable	33619	99.4 %	
	<b>Total</b>	<b>33,624</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7834-7839 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0175E\_UN: How long ago did you stop using NRT - Unit (current established, recent former established or current experimental electronic nicotine product users)

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If Don't Know (-8), or Refused (-7), GO TO R04\_AN0331\_12ME]

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0330\_12ME = 1 AND R04\_AN0307E = 5) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0330\_12ME = 1 AND R04\_AN0307E = 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	52	0.2 %
2	2 = Months	129	0.4 %
3	3 = Years	19	0.1 %
<b>Total</b>		<b>200</b>	<b>0.6%</b>

This variable has 200 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33620	99.4 %
<b>Total</b>		<b>33,622</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7840-7845 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

**R04\_AN0331\_12ME: In past 12 months, used prescription drug: Chantix, varenicline, Wellbutrin, Zyban, or bupropion (current established, recent former established or current experimental electronic nicotine product users)**

In the past 12 months, have you used any of the following prescription drugs:  
Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR  
(R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	190	0.6 %
2	2 = No	3256	9.6 %
	<b>Total</b>	<b>3,446</b>	<b>10.2%</b>

This variable has 3,446 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	30360	89.8 %
	<b>Total</b>	<b>30,376</b>	<b>89.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7846-7851 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

**R04\_AN0180E: In past 12 months, used a prescription drug the last time tried to quit using electronic nicotine products**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0327E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0331\_12ME = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	63	0.2 %
2	2 = No	41	0.1 %
	<b>Total</b>	<b>104</b>	<b>0.3%</b>

This variable has 104 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33715	99.7 %
	<b>Total</b>	<b>33,718</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7852-7857 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0185E: Used a prescription drug to quit using electronic nicotine products completely

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit using electronic nicotine products completely?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND R04\_AN0331\_12ME = 1 AND R04\_AN0180E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.1 %
2	2 = No	26	0.1 %
	<b>Total</b>	<b>63</b>	<b>0.2%</b>

This variable has 63 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33757	99.8 %
	<b>Total</b>	<b>33,759</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7858-7863 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0190E\_01: Prescription drug used the last time tried to quit/when quit using electronic nicotine products: Chantix or varenicline

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Chantix or varenicline

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0331\_12ME = 1 AND R04\_AN0180E = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	45	0.1 %
	<b>Total</b>	<b>63</b>	<b>0.2%</b>

This variable has 63 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33757	99.8 %
	<b>Total</b>	<b>33,759</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7864-7869 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0190E\_02: Prescription drug used the last time tried to quit/when quit using electronic nicotine products: Wellbutrin, Zyban or bupropion

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Wellbutrin, Zyban, or bupropion

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0331\_12ME = 1 AND R04\_AN0180E = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	29	0.1 %
2	2 = Not Marked	34	0.1 %
	<b>Total</b>	<b>63</b>	<b>0.2%</b>

This variable has 63 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33757	99.8 %
	<b>Total</b>	<b>33,759</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7870-7875 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R04\_AN0190E\_03: Prescription drug used the last time tried to quit/when quit using electronic nicotine products: None of the above

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

None of the above

[If Marked (1), Go to R04\_AN0200E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0331\_12ME = 1 AND R04\_AN0180E = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	46	0.1 %
	<b>Total</b>	<b>63</b>	<b>0.2%</b>

This variable has 63 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33757	99.8 %
	<b>Total</b>	<b>33,759</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7876-7881 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0195E\_NN: Length of time used prescription medication during last electronic nicotine products quit attempt - Number

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND R04\_AN0331\_12ME = 1 AND R04\_AN0180E = 1 AND R04\_AN0190E\_03 != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 43 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	33774	99.9 %
	<b>Total</b>	<b>33,779</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7882-7887 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AN0195E\_UN: Length of time used prescription medication during last [e-cigarettes/electronic nicotine products] quit attempt - Unit

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1  
AND R04\_AN0331\_12ME = 1 AND R04\_AN0180E = 1 AND R04\_AN0190E\_03 != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	8	0.0 %
2	2 = Weeks	8	0.0 %
3	3 = Months	27	0.1 %
<b>Total</b>		<b>43</b>	<b>0.1%</b>

This variable has 43 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33777	99.9 %
	<b>Total</b>	<b>33,779</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7888-7893 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0200E: Currently using a prescription medication to help quit (past 12 month electronic nicotine product quitters or quit attempters)

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0327E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0331\_12ME = 1 AND R04\_AN0180E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.1 %
2	2 = No	34	0.1 %
	<b>Total</b>	<b>63</b>	<b>0.2%</b>

This variable has 63 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33757	99.8 %
	<b>Total</b>	<b>33,759</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7894-7899 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0252E\_NN: How long have you been using a prescription drug - Number (past 12 month electronic nicotine product quitters or quit attempters)

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If Don't Know (-8) or Refused (-7), Go to R04\_AN0327E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0331\_12ME = 1 AND R04\_AN0180E = 1 AND R04\_AN0200E = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

This variable has 29 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33791	99.9 %	
<b>Total</b>		<b>33,793</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7900-7905 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AN0252E\_UN: How long have you been using a prescription drug - Unit (past 12 month electronic nicotine product quitters or quit attempters)

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If Don't Know (-8) or Refused (-7), Go to R04\_AN0327E.]

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R04\_AN0331\_12ME = 1 AND R04\_AN0180E = 1 AND R04\_AN0200E = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

Value	Label	Unweighted Frequency	%
1	1 = Days	4	0.0 %
2	2 = Months	7	0.0 %
3	3 = Years	18	0.1 %
<b>Total</b>		<b>29</b>	<b>0.1%</b>

This variable has 29 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	

Missing Data			
-1	-1 = Inapplicable	33791	99.9 %
	<b>Total</b>	<b>33,793</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7906-7911 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0327E: When did you last use Chantix, varenicline, Wellbutrin, Zyban or bupropion (current or recent former electronic nicotine product users)

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If In the past hour (1), Go to R04\_AN0329E. If Three or more days ago (5), Go to R04\_AN0205E.

If Don't Know (-8), or Refused (-7), Go to Box R04\_ANR35.]

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0331\_12ME = 1) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0331\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	23	0.1 %
2	2 = Sometime today	56	0.2 %
3	3 = Yesterday	16	0.0 %
4	4 = Day before yesterday	1	0.0 %
5	5 = Three or more days ago	86	0.3 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

This variable has 182 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33630	99.4 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7912-7917 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0328E: Time period of day when you last used Chantix, varenicline, Wellbutrin, Zyban or bupropion (current or recent former electronic nicotine product users)

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04\_AN0327E], was it...

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0331\_12ME = 1 AND R04\_AN0327E = 2, 3, 4) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0331\_12ME = 1 AND R04\_AN0327E = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	11	0.0 %
2	2 = After 6AM but before noon	49	0.1 %
3	3 = Between noon and 6PM	5	0.0 %
4	4 = After 6PM but before midnight	8	0.0 %
	<b>Total</b>	<b>73</b>	<b>0.2%</b>

This variable has 73 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33747	99.8 %
	<b>Total</b>	<b>33,749</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 7918-7923 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AN0329E: Number of Chantix, varenicline, Wellbutrin, Zyban or bupropion taken today/yesterday/the day before yesterday (current or recent former electronic nicotine product users)

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04\_AN0327E], how many did you take?

[If Don't Know (-8) or Refused (-7), Go to Box R04\_ANR35.]

ASK: Adult respondents who are current established or recent former established electronic

nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0331\_12ME = 1 AND R04\_AN0327E = 1, 2, 3, 4) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0331\_12ME = 1 AND R04\_AN0327E = 1, 2, 3, 4).

This variable has 96 valid cases out of 33,822 total cases.

- Mean: 3.04
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 85.00
- Standard Deviation: 9.31

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33724	99.7 %	
<b>Total</b>		<b>33,726</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7924-7929 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0205E\_NN: How long ago you stopped using prescription medication - Number (current established, recent former established or current experimental electronic nicotine product users)

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0331\_12ME = 1 AND R04\_AN0327E = 5) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0331\_12ME = 1 AND R04\_AN0327E = 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 86 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33734	99.7 %
<b>Total</b>		<b>33,736</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 7930-7935 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AN0205E\_UN: How long ago you stopped using prescription medication - Unit (current established, recent former established or current experimental electronic nicotine product users)

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04\_EPROD\_USER\_STATUS = 1, 4 AND R04\_AN0331\_12ME = 1 AND R04\_AN0327E = 5) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2 AND R04\_AN0331\_12ME = 1 AND R04\_AN0327E = 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	14	0.0 %
2	2 = Months	63	0.2 %
3	3 = Years	9	0.0 %
<b>Total</b>		<b>86</b>	<b>0.3%</b>

This variable has 86 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33734	99.7 %	
<b>Total</b>		<b>33,736</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 7936-7941 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0804E\_RANDOM\_01: AN0804E series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804E through R04\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32080	94.8 %
-97777	-	2	0.0 %
R04_AN0804E	-	1740	5.1 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7942-7952 (width: 11; decimal: 0)

*Variable Type:* character

## R04\_AN0804E\_RANDOM\_02: AN0804E series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804E through R04\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32080	94.8 %
-97777	-	2	0.0 %
R04_AN0805E	-	291	0.9 %

Value	Label	Unweighted Frequency	%
R04_AN0806E	-	278	0.8 %
R04_AN0807E	-	336	1.0 %
R04_AN0808E	-	269	0.8 %
R04_AN0809E	-	269	0.8 %
R04_AN0810E	-	297	0.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7953-7963 (width: 11; decimal: 0)

*Variable Type:* character

### **R04\_AN0804E\_RANDOM\_03: AN0804E series random question 3**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804E through R04\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN03E and R04\_AN04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32080	94.8 %
-97777	-	2	0.0 %
R04_AN0805E	-	294	0.9 %
R04_AN0806E	-	284	0.8 %
R04_AN0807E	-	270	0.8 %
R04_AN0808E	-	284	0.8 %
R04_AN0809E	-	309	0.9 %
R04_AN0810E	-	299	0.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7964-7974 (width: 11; decimal: 0)

*Variable Type:* character

### **R04\_AN0804E\_RANDOM\_04: AN0804E series random question 4**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804E through R04\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN03E and R04\_AN04E for further information about the randomization

[of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32080	94.8 %
-97777	-	2	0.0 %
R04_AN0805E	-	296	0.9 %
R04_AN0806E	-	308	0.9 %
R04_AN0807E	-	277	0.8 %
R04_AN0808E	-	300	0.9 %
R04_AN0809E	-	286	0.8 %
R04_AN0810E	-	273	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7975-7985 (width: 11; decimal: 0)

*Variable Type:* character

---

## **R04\_AN0804E\_RANDOM\_05: AN0804E series random question 5**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804E through R04\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN03E and R04\_AN04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32080	94.8 %
-97777	-	2	0.0 %
R04_AN0805E	-	300	0.9 %
R04_AN0806E	-	292	0.9 %
R04_AN0807E	-	255	0.8 %
R04_AN0808E	-	305	0.9 %
R04_AN0809E	-	294	0.9 %
R04_AN0810E	-	294	0.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7986-7996 (width: 11; decimal: 0)

*Variable Type:* character

---

## **R04\_AN0804E\_RANDOM\_06: AN0804E series random question 6**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804E through R04\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32080	94.8 %
-97777	-	2	0.0 %
R04_AN0805E	-	258	0.8 %
R04_AN0806E	-	305	0.9 %
R04_AN0807E	-	293	0.9 %
R04_AN0808E	-	301	0.9 %
R04_AN0809E	-	303	0.9 %
R04_AN0810E	-	280	0.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 7997-8007 (width: 11; decimal: 0)

*Variable Type:* character

---

## **R04\_AN0804E\_RANDOM\_07: AN0804E series random question 7**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804E through R04\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32080	94.8 %
-97777	-	2	0.0 %
R04_AN0805E	-	301	0.9 %
R04_AN0806E	-	273	0.8 %
R04_AN0807E	-	309	0.9 %
R04_AN0808E	-	281	0.8 %
R04_AN0809E	-	279	0.8 %
R04_AN0810E	-	297	0.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8008-8018 (width: 11; decimal: 0)

*Variable Type:* character

---

## R04\_AN0804E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Felt depressed

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel depressed?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	237	0.7 %
2	2 = No	1490	4.4 %
	<b>Total</b>	<b>1,727</b>	<b>5.1%</b>

This variable has 1,727 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	32080	94.8 %
	<b>Total</b>	<b>32,095</b>	<b>94.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8019-8024 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AN0805E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Had difficulty falling asleep or staying asleep

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the

past 12 months, did you...

Have difficulty falling asleep or staying asleep?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	314	0.9 %
2	2 = No	1418	4.2 %
	<b>Total</b>	<b>1,732</b>	<b>5.1%</b>

This variable has 1,732 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32080	94.8 %
	<b>Total</b>	<b>32,090</b>	<b>94.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 8025-8030 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AN0806E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Had difficulty concentrating

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty concentrating?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	317	0.9 %

Value	Label	Unweighted Frequency	%
2	2 = No	1413	4.2 %
	<b>Total</b>	<b>1,730</b>	<b>5.1%</b>

This variable has 1,730 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32080	94.8 %
	<b>Total</b>	<b>32,092</b>	<b>94.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8031-8036 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0807E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Ate more than usual or gained weight

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Eat more than usual or gain weight?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	352	1.0 %
2	2 = No	1378	4.1 %
	<b>Total</b>	<b>1,730</b>	<b>5.1%</b>

This variable has 1,730 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		6	0.0 %
-1	-1 = Inapplicable		32080	94.8 %
<b>Total</b>			<b>32,092</b>	<b>94.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8037-8042 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R04\_AN0808E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Became easily irritated, angry or frustrated

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Become easily irritated, angry, or frustrated?

**ASK:** Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

**ASK Specification:** IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	468	1.4 %
2	2 = No	1263	3.7 %
<b>Total</b>		<b>1,731</b>	<b>5.1%</b>

This variable has 1,731 valid cases out of 33,822 total cases.

Missing Data			
-977777	-977777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32080	94.8 %
<b>Total</b>		<b>32,091</b>	<b>94.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8043-8048 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

---

## R04\_AN0809E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Felt anxious or nervous

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel anxious or nervous?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	410	1.2 %
2	2 = No	1318	3.9 %
	<b>Total</b>	<b>1,728</b>	<b>5.1%</b>

This variable has 1,728 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32080	94.8 %
	<b>Total</b>	<b>32,094</b>	<b>94.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8049-8054 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0810E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Felt more restless than usual

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel more restless than usual?

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	406	1.2 %
2	2 = No	1325	3.9 %
	<b>Total</b>	<b>1,731</b>	<b>5.1%</b>

This variable has 1,731 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32080	94.8 %
	<b>Total</b>	<b>32,091</b>	<b>94.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8055-8060 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0230E: Level of interest in quitting using electronic nicotine products on a scale of 1 to 10 (low to high)

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting electronic nicotine product use?

Please choose a number from 1 to 10.

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all interested	635	1.9 %
2	2 = 2 on a scale of 1 to 10	184	0.5 %
3	3 = 3 on a scale of 1 to 10	233	0.7 %
4	4 = 4 on a scale of 1 to 10	150	0.4 %
5	5 = 5 on a scale of 1 to 10	259	0.8 %
6	6 = 6 on a scale of 1 to 10	116	0.3 %
7	7 = 7 on a scale of 1 to 10	103	0.3 %
8	8 = 8 on a scale of 1 to 10	90	0.3 %

Value	Label	Unweighted Frequency	%
9	9 = 9 on a scale of 1 to 10	38	0.1 %
10	10 = Extremely Interested	177	0.5 %
	<b>Total</b>	<b>1,985</b>	<b>5.9%</b>

This variable has 1,985 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31825	94.1 %
	<b>Total</b>	<b>31,837</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8061-8066 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0235E: Plans to quit using electronic nicotine products for good

Do you plan to ever quit using electronic nicotine products for good?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0006E.]

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1215	3.6 %
2	2 = No	755	2.2 %
	<b>Total</b>	<b>1,970</b>	<b>5.8%</b>

This variable has 1,970 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	31825	94.1 %
	<b>Total</b>	<b>31,852</b>	<b>94.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8067-8072 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0240E: Time-frame when planning to quit using electronic nicotine products for good

When do you plan to quit electronic nicotine products for good?

[If In the next year (4), More than one year from now

(5), Don't Know (-8), or Refused (-7), Go to R04\_AX0006E.]

ASK: Adult respondents who are current established electronic nicotine product users and report planning to quit for good.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0235E = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the next 7 days	118	0.3 %
2	2 = In the next 30 days	79	0.2 %
3	3 = In the next 6 months	164	0.5 %
4	4 = In the next year	333	1.0 %
5	5 = More than one year from now	501	1.5 %
	<b>Total</b>	<b>1,195</b>	<b>3.5%</b>

This variable has 1,195 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32605	96.4 %
	<b>Total</b>	<b>32,627</b>	<b>96.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8073-8078 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0245E: Likeliness of succeeding if tried to quit using electronic nicotine products altogether in next 6 months

If you did try to quit using electronic nicotine products altogether in the next 6 months, how likely do you think you would be to succeed?

ASK: Adult respondents who are current established electronic nicotine product users and report planning to quit for good and are planning in the next 7 days, in the next

30 days, or in the next 6 months.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1 AND R04\_AN0235E = 1 AND R04\_AN0240E = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not at all likely	13	0.0 %
2	2 = A little likely	37	0.1 %
3	3 = Somewhat likely	92	0.3 %
4	4 = Very likely	219	0.6 %
	<b>Total</b>	<b>361</b>	<b>1.1%</b>

This variable has 361 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33459	98.9 %	
	<b>Total</b>	<b>33,461</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8079-8084 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0006E: If you had to do it over again, would you have started using electronic nicotine products

If you had to do it over again, would you have ever started using electronic nicotine products?

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or Adult respondents who are not current experimental or recent former established users and are current experimental electronic nicotine product users, or

Adult respondents who are not current established, current experimental, or recent former established non-electronic tobacco product users and are former experimental electronic nicotine product users.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R04\_EPROD\_USER\_STATUS = 2) OR (R04\_TOBXEPROD\_USER\_STATUS != 1, 2, 4 AND R04\_EPROD\_USER\_STATUS = 3).

Value	Label	Unweighted Frequency	%
1	1 = Definitely would not	2329	6.9 %
2	2 = Probably would not	1520	4.5 %
3	3 = Probably would	1745	5.2 %
4	4 = Definitely would	645	1.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>6,239</b>	<b>18.4%</b>

This variable has 6,239 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	54	0.2 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	27502	81.3 %
	<b>Total</b>	<b>27,583</b>	<b>81.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8085-8090 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0010: Consider yourself to be addicted to tobacco product(s)

Do you consider yourself addicted to [ND FILL2]?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4  
OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = No, not at all	4318	12.8 %
2	2 = Yes, somewhat addicted	5121	15.1 %
3	3 = Yes, very addicted	4444	13.1 %
	<b>Total</b>	<b>13,883</b>	<b>41.0%</b>

This variable has 13,883 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	142	0.4 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,939</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8091-8096 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0015: Has strong cravings to smoke/use tobacco product(s)

Do you ever have strong cravings to [ND FILL1]?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEP0D\_USER\_STATUS = 1, 4 OR  
(R04\_TOBXEP0D\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	9135	27.0 %
2	2 = No	4750	14.0 %
	<b>Total</b>	<b>13,885</b>	<b>41.1%</b>

This variable has 13,885 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	142	0.4 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,937</b>	<b>58.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8097-8102 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0020: Felt like you really needed to smoke/use tobacco product(s)

Have you ever felt like you really needed to [ND FILL1]?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEP0D\_USER\_STATUS = 1, 4  
OR (R04\_TOBXEP0D\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	9613	28.4 %
2	2 = No	4281	12.7 %
	<b>Total</b>	<b>13,894</b>	<b>41.1%</b>

This variable has 13,894 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	142	0.4 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,928</b>	<b>58.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8103-8108 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0055: Level of agreement: Finds self reaching for tobacco product(s) without thinking about it

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for [ND FILL2] without thinking about it.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	4788	14.2 %
2	2 = 2 on a scale of 1 to 5	1781	5.3 %
3	3 = 3 on a scale of 1 to 5	2689	8.0 %
4	4 = 4 on a scale of 1 to 5	1942	5.7 %
5	5 = Extremely true of me	2666	7.9 %
	<b>Total</b>	<b>13,866</b>	<b>41.0%</b>

This variable has 13,866 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	142	0.4 %	
-8	-8 = Don't know	16	0.0 %	
-7	-7 = Refused	19	0.1 %	
-1	-1 = Inapplicable	19777	58.5 %	
<b>Total</b>		<b>19,956</b>	<b>59.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8109-8114 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0025\_RANDOM\_01: AN0025 series random question 1

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0025	-	13904	41.1 %
<b>Total</b>		<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8115-8124 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AN0025\_RANDOM\_02: AN0025 series random question 2

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %

Value	Label	Unweighted Frequency	%
-97777	-	2	0.0 %
R04_AN0030	-	1004	3.0 %
R04_AN0035	-	945	2.8 %
R04_AN0045	-	1040	3.1 %
R04_AN0050	-	1022	3.0 %
R04_AN0060	-	954	2.8 %
R04_AN0065	-	982	2.9 %
R04_AN0070	-	1028	3.0 %
R04_AN0075	-	994	2.9 %
R04_AN0080	-	957	2.8 %
R04_AN0085	-	998	3.0 %
R04_AN0090	-	1021	3.0 %
R04_AN0095	-	972	2.9 %
R04_AN0100	-	968	2.9 %
R04_AN0255	-	1019	3.0 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8125-8134 (width: 10; decimal: 0)

*Variable Type:* character

### **R04\_AN0025\_RANDOM\_03: AN0025 series random question 3**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	983	2.9 %
R04_AN0035	-	927	2.7 %
R04_AN0045	-	973	2.9 %
R04_AN0050	-	964	2.9 %
R04_AN0060	-	1006	3.0 %
R04_AN0065	-	989	2.9 %
R04_AN0070	-	1006	3.0 %

Value	Label	Unweighted Frequency	%
R04_AN0075	-	1023	3.0 %
R04_AN0080	-	1037	3.1 %
R04_AN0085	-	1035	3.1 %
R04_AN0090	-	980	2.9 %
R04_AN0095	-	992	2.9 %
R04_AN0100	-	953	2.8 %
R04_AN0255	-	1036	3.1 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8135-8144 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AN0025\_RANDOM\_04: AN0025 series random question 4

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN002 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	1026	3.0 %
R04_AN0035	-	992	2.9 %
R04_AN0045	-	1033	3.1 %
R04_AN0050	-	1018	3.0 %
R04_AN0060	-	992	2.9 %
R04_AN0065	-	937	2.8 %
R04_AN0070	-	964	2.9 %
R04_AN0075	-	991	2.9 %
R04_AN0080	-	989	2.9 %
R04_AN0085	-	945	2.8 %
R04_AN0090	-	998	3.0 %
R04_AN0095	-	1008	3.0 %
R04_AN0100	-	1022	3.0 %
R04_AN0255	-	989	2.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8145-8154 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AN0025\_RANDOM\_05: AN0025 series random question 5

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	994	2.9 %
R04_AN0035	-	1062	3.1 %
R04_AN0045	-	960	2.8 %
R04_AN0050	-	956	2.8 %
R04_AN0060	-	973	2.9 %
R04_AN0065	-	1023	3.0 %
R04_AN0070	-	1054	3.1 %
R04_AN0075	-	982	2.9 %
R04_AN0080	-	1020	3.0 %
R04_AN0085	-	995	2.9 %
R04_AN0090	-	996	2.9 %
R04_AN0095	-	967	2.9 %
R04_AN0100	-	952	2.8 %
R04_AN0255	-	970	2.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8155-8164 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AN0025\_RANDOM\_06: AN0025 series random question 6

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the order

[these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	936	2.8 %
R04_AN0035	-	999	3.0 %
R04_AN0045	-	994	2.9 %
R04_AN0050	-	1008	3.0 %
R04_AN0060	-	1000	3.0 %
R04_AN0065	-	971	2.9 %
R04_AN0070	-	999	3.0 %
R04_AN0075	-	1032	3.1 %
R04_AN0080	-	973	2.9 %
R04_AN0085	-	964	2.9 %
R04_AN0090	-	994	2.9 %
R04_AN0095	-	1004	3.0 %
R04_AN0100	-	1017	3.0 %
R04_AN0255	-	1013	3.0 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8165-8174 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AN0025\_RANDOM\_07: AN0025 series random question 7

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	1045	3.1 %
R04_AN0035	-	995	2.9 %
R04_AN0045	-	950	2.8 %
R04_AN0050	-	1029	3.0 %

Value	Label	Unweighted Frequency	%
R04_AN0060	-	987	2.9 %
R04_AN0065	-	976	2.9 %
R04_AN0070	-	983	2.9 %
R04_AN0075	-	1047	3.1 %
R04_AN0080	-	981	2.9 %
R04_AN0085	-	972	2.9 %
R04_AN0090	-	1009	3.0 %
R04_AN0095	-	948	2.8 %
R04_AN0100	-	1005	3.0 %
R04_AN0255	-	977	2.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8175-8184 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AN0025\_RANDOM\_08: AN0025 series random question 8

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	996	2.9 %
R04_AN0035	-	994	2.9 %
R04_AN0045	-	961	2.8 %
R04_AN0050	-	984	2.9 %
R04_AN0060	-	992	2.9 %
R04_AN0065	-	1036	3.1 %
R04_AN0070	-	950	2.8 %
R04_AN0075	-	965	2.9 %
R04_AN0080	-	1006	3.0 %
R04_AN0085	-	1045	3.1 %
R04_AN0090	-	986	2.9 %
R04_AN0095	-	987	2.9 %

Value	Label	Unweighted Frequency	%
R04_AN0100	-	1051	3.1 %
R04_AN0255	-	951	2.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8185-8194 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AN0025\_RANDOM\_09: AN0025 series random question 9

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	1033	3.1 %
R04_AN0035	-	1017	3.0 %
R04_AN0045	-	1000	3.0 %
R04_AN0050	-	962	2.8 %
R04_AN0060	-	975	2.9 %
R04_AN0065	-	1067	3.2 %
R04_AN0070	-	986	2.9 %
R04_AN0075	-	927	2.7 %
R04_AN0080	-	1011	3.0 %
R04_AN0085	-	1016	3.0 %
R04_AN0090	-	1030	3.0 %
R04_AN0095	-	989	2.9 %
R04_AN0100	-	941	2.8 %
R04_AN0255	-	950	2.8 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8195-8204 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AN0025\_RANDOM\_10: AN0025 series random question 10

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	1002	3.0 %
R04_AN0035	-	1002	3.0 %
R04_AN0045	-	957	2.8 %
R04_AN0050	-	1024	3.0 %
R04_AN0060	-	1016	3.0 %
R04_AN0065	-	972	2.9 %
R04_AN0070	-	965	2.9 %
R04_AN0075	-	1005	3.0 %
R04_AN0080	-	979	2.9 %
R04_AN0085	-	977	2.9 %
R04_AN0090	-	954	2.8 %
R04_AN0095	-	1017	3.0 %
R04_AN0100	-	1034	3.1 %
R04_AN0255	-	1000	3.0 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8205-8214 (width: 10; decimal: 0)

*Variable Type:* character

---

## **R04\_AN0025\_RANDOM\_11: AN0025 series random question 11**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 11th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %

Value	Label	Unweighted Frequency	%
-97777	-	2	0.0 %
R04_AN0030	-	951	2.8 %
R04_AN0035	-	1029	3.0 %
R04_AN0045	-	969	2.9 %
R04_AN0050	-	936	2.8 %
R04_AN0060	-	984	2.9 %
R04_AN0065	-	1023	3.0 %
R04_AN0070	-	981	2.9 %
R04_AN0075	-	993	2.9 %
R04_AN0080	-	968	2.9 %
R04_AN0085	-	991	2.9 %
R04_AN0090	-	1036	3.1 %
R04_AN0095	-	1014	3.0 %
R04_AN0100	-	1014	3.0 %
R04_AN0255	-	1015	3.0 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8215-8224 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AN0025\_RANDOM\_12: AN0025 series random question 12

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 12th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN0025 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	941	2.8 %
R04_AN0035	-	989	2.9 %
R04_AN0045	-	983	2.9 %
R04_AN0050	-	1004	3.0 %
R04_AN0060	-	953	2.8 %
R04_AN0065	-	1016	3.0 %
R04_AN0070	-	1001	3.0 %

Value	Label	Unweighted Frequency	%
R04_AN0075	-	1006	3.0 %
R04_AN0080	-	1030	3.0 %
R04_AN0085	-	977	2.9 %
R04_AN0090	-	989	2.9 %
R04_AN0095	-	1006	3.0 %
R04_AN0100	-	993	2.9 %
R04_AN0255	-	1016	3.0 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8225-8234 (width: 10; decimal: 0)

*Variable Type:* character

### **R04\_AN0025\_RANDOM\_13: AN0025 series random question 13**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 13th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AN002 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	995	2.9 %
R04_AN0035	-	1002	3.0 %
R04_AN0045	-	1009	3.0 %
R04_AN0050	-	1010	3.0 %
R04_AN0060	-	1003	3.0 %
R04_AN0065	-	924	2.7 %
R04_AN0070	-	1005	3.0 %
R04_AN0075	-	980	2.9 %
R04_AN0080	-	995	2.9 %
R04_AN0085	-	1019	3.0 %
R04_AN0090	-	991	2.9 %
R04_AN0095	-	991	2.9 %
R04_AN0100	-	947	2.8 %
R04_AN0255	-	1033	3.1 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8235-8244 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AN0025\_RANDOM\_14: AN0025 series random question 14

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 14th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	1006	3.0 %
R04_AN0035	-	962	2.8 %
R04_AN0045	-	1034	3.1 %
R04_AN0050	-	994	2.9 %
R04_AN0060	-	1033	3.1 %
R04_AN0065	-	967	2.9 %
R04_AN0070	-	973	2.9 %
R04_AN0075	-	976	2.9 %
R04_AN0080	-	980	2.9 %
R04_AN0085	-	983	2.9 %
R04_AN0090	-	944	2.8 %
R04_AN0095	-	1065	3.1 %
R04_AN0100	-	1017	3.0 %
R04_AN0255	-	970	2.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8245-8254 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AN0025\_RANDOM\_15: AN0025 series random question 15

[ICPSR NOTE: The 15 items that follow in the questionnaire (R04\_AN0025 through R04\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 15th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND02 for further information about the randomization of the

order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	19916	58.9 %
-97777	-	2	0.0 %
R04_AN0030	-	992	2.9 %
R04_AN0035	-	989	2.9 %
R04_AN0045	-	1041	3.1 %
R04_AN0050	-	993	2.9 %
R04_AN0060	-	1036	3.1 %
R04_AN0065	-	1021	3.0 %
R04_AN0070	-	1009	3.0 %
R04_AN0075	-	983	2.9 %
R04_AN0080	-	978	2.9 %
R04_AN0085	-	987	2.9 %
R04_AN0090	-	976	2.9 %
R04_AN0095	-	944	2.8 %
R04_AN0100	-	990	2.9 %
R04_AN0255	-	965	2.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

Location: 8255-8264 (width: 10; decimal: 0)

Variable Type: character

## R04\_AN0025: Level of agreement: Frequently crave tobacco product(s)

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I frequently crave [ND FILL2].

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	3826	11.3 %
2	2 = 2 on a scale of 1 to 5	2312	6.8 %
3	3 = 3 on a scale of 1 to 5	3213	9.5 %

Value	Label	Unweighted Frequency	%
4	4 = 4 on a scale of 1 to 5	2184	6.5 %
5	5 = Extremely true of me	2331	6.9 %
	<b>Total</b>	<b>13,866</b>	<b>41.0%</b>

This variable has 13,866 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	139	0.4 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,956</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8265-8270 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0030: Level of agreement: Urges keep getting stronger if don't/Still have urges to smoke/use tobacco product(s)

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[My urges keep getting stronger if I don't/I still have urges to] [ND FILL1].

**ASK:** Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

**ASK Specification:** IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5024	14.9 %
2	2 = 2 on a scale of 1 to 5	2074	6.1 %
3	3 = 3 on a scale of 1 to 5	2661	7.9 %
4	4 = 4 on a scale of 1 to 5	1921	5.7 %
5	5 = Extremely true of me	2183	6.5 %
	<b>Total</b>	<b>13,863</b>	<b>41.0%</b>

This variable has 13,863 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	139	0.4 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	20	0.1 %	
-1	-1 = Inapplicable	19777	58.5 %	
<b>Total</b>		<b>19,959</b>	<b>59.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8271-8276 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0035: Level of agreement: Tobacco product(s) control me

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[FILL AS SHOWN BELOW] me.

**ASK:** Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

**ASK Specification:** IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4  
OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Not true of me at all	7466	22.1 %
2	2 = 2 on a scale of 1 to 5	1924	5.7 %
3	3 = 3 on a scale of 1 to 5	2189	6.5 %
4	4 = 4 on a scale of 1 to 5	1138	3.4 %
5	5 = Extremely true of me	1152	3.4 %
<b>Total</b>		<b>13,869</b>	<b>41.0%</b>

This variable has 13,869 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	139	0.4 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	20	0.1 %	
-1	-1 = Inapplicable	19777	58.5 %	
<b>Total</b>		<b>19,953</b>	<b>59.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8277-8282 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0045: Level of agreement: My tobacco product(s) smoking/use is out of control/My urge to smoke/use tobacco product(s) is out of control

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[[My [ND FILL4] is out of control./My urge to [ND FILL1] is out of control.]]

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEP0D\_USER\_STATUS = 1,  
4 OR (R04\_TOBXEP0D\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	6630	19.6 %
2	2 = 2 on a scale of 1 to 5	2141	6.3 %
3	3 = 3 on a scale of 1 to 5	2392	7.1 %
4	4 = 4 on a scale of 1 to 5	1231	3.6 %
5	5 = Extremely true of me	1470	4.3 %
	<b>Total</b>	<b>13,864</b>	<b>41.0%</b>

This variable has 13,864 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	139	0.4 %	
-8	-8 = Don't know	17	0.1 %	
-7	-7 = Refused	23	0.1 %	
-1	-1 = Inapplicable	19777	58.5 %	
	<b>Total</b>	<b>19,958</b>	<b>59.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8283-8288 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0060: Level of agreement: Usually want to smoke/use tobacco product(s) right after waking up

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I usually want to [ND FILL1] right after I wake up.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5476	16.2 %
2	2 = 2 on a scale of 1 to 5	1578	4.7 %
3	3 = 3 on a scale of 1 to 5	1863	5.5 %
4	4 = 4 on a scale of 1 to 5	1569	4.6 %
5	5 = Extremely true of me	3388	10.0 %
	<b>Total</b>	<b>13,874</b>	<b>41.0%</b>

This variable has 13,874 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	139	0.4 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,948</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 8289-8294 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AN0065: Level of agreement: Can only go a couple of hours without smoking/using tobacco product(s)

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I can only go a couple of hours without [[ND FILL3]/wanting to [ND FILL1]].

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	6138	18.1 %
2	2 = 2 on a scale of 1 to 5	1799	5.3 %
3	3 = 3 on a scale of 1 to 5	2154	6.4 %
4	4 = 4 on a scale of 1 to 5	1574	4.7 %
5	5 = Extremely true of me	2199	6.5 %
	<b>Total</b>	<b>13,864</b>	<b>41.0%</b>

This variable has 13,864 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	139	0.4 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,958</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8295-8300 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0050: Level of agreement: Frequently smoke/use tobacco product(s) without thinking about it

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[I frequently [ND FILL1]/I find myself almost [ND FILL3]] without thinking about it.

**ASK:** Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

**ASK Specification:** IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5639	16.7 %
2	2 = 2 on a scale of 1 to 5	1942	5.7 %
3	3 = 3 on a scale of 1 to 5	2450	7.2 %
4	4 = 4 on a scale of 1 to 5	1726	5.1 %
5	5 = Extremely true of me	2106	6.2 %
	<b>Total</b>	<b>13,863</b>	<b>41.0%</b>

This variable has 13,863 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	139	0.4 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	19777	58.5 %
<b>Total</b>		<b>19,959</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8301-8306 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0070: Level of agreement: Smoking/using tobacco product(s) really helps me feel better if feeling down

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[ND FILL3] [really helps/would really help] me feel better if I've been feeling down.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

[PROGRAM NOTE: Make ND FILL3 title case.]

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5237	15.5 %
2	2 = 2 on a scale of 1 to 5	2145	6.3 %
3	3 = 3 on a scale of 1 to 5	2847	8.4 %
4	4 = 4 on a scale of 1 to 5	1876	5.5 %
5	5 = Extremely true of me	1757	5.2 %
<b>Total</b>		<b>13,862</b>	<b>41.0%</b>

This variable has 13,862 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	139	0.4 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	26	0.1 %

Missing Data			
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,960</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8307-8312 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0075: Level of agreement: Smoking/using tobacco product(s) helps me think better

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[ND FILL3] helps me think better.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	6782	20.1 %
2	2 = 2 on a scale of 1 to 5	2142	6.3 %
3	3 = 3 on a scale of 1 to 5	2435	7.2 %
4	4 = 4 on a scale of 1 to 5	1316	3.9 %
5	5 = Extremely true of me	1192	3.5 %
	<b>Total</b>	<b>13,867</b>	<b>41.0%</b>

This variable has 13,867 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	139	0.4 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,955</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8313-8318 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0255: Level of agreement: Most people I spend time with are tobacco users (current established, recent former established or current experimental non-electronic tobacco users)

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

Most of the people I spend time with use tobacco.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	4338	12.8 %
2	2 = 2 on a scale of 1 to 5	2200	6.5 %
3	3 = 3 on a scale of 1 to 5	3062	9.1 %
4	4 = 4 on a scale of 1 to 5	1981	5.9 %
5	5 = Extremely true of me	2277	6.7 %
	<b>Total</b>	<b>13,858</b>	<b>41.0%</b>

This variable has 13,858 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	139	0.4 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	28	0.1 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,964</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8319-8324 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0080: Level of agreement: Would feel alone without my tobacco product(s)

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I [would] feel alone without my [ND FILL2].

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	8221	24.3 %
2	2 = 2 on a scale of 1 to 5	1858	5.5 %
3	3 = 3 on a scale of 1 to 5	1695	5.0 %
4	4 = 4 on a scale of 1 to 5	955	2.8 %
5	5 = Extremely true of me	1126	3.3 %
<b>Total</b>		<b>13,855</b>	<b>41.0%</b>

This variable has 13,855 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	139	0.4 %	
-8	-8 = Don't know	17	0.1 %	
-7	-7 = Refused	32	0.1 %	
-1	-1 = Inapplicable	19777	58.5 %	
<b>Total</b>		<b>19,967</b>	<b>59.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8325-8330 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0085: Level of agreement: Would find it really hard to stop smoking/using tobacco product(s)

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[I would find it really hard to stop [ND FILL3]. I find it really hard to not [ND FILL 1].

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1,  
4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	4437	13.1 %
2	2 = 2 on a scale of 1 to 5	1549	4.6 %
3	3 = 3 on a scale of 1 to 5	2240	6.6 %

Value	Label	Unweighted Frequency	%
4	4 = 4 on a scale of 1 to 5	2075	6.1 %
5	5 = Extremely true of me	3574	10.6 %
	<b>Total</b>	<b>13,875</b>	<b>41.0%</b>

This variable has 13,875 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	139	0.4 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>19,947</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8331-8336 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0090: Level of agreement: Would find it hard to stop smoking/using tobacco product(s) for a week

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[I would find it hard to stop [ND FILL3] for a week./I would find it hard to not [ND FILL1] for another week.]

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5072	15.0 %
2	2 = 2 on a scale of 1 to 5	1311	3.9 %
3	3 = 3 on a scale of 1 to 5	1805	5.3 %
4	4 = 4 on a scale of 1 to 5	1818	5.4 %
5	5 = Extremely true of me	3862	11.4 %
	<b>Total</b>	<b>13,868</b>	<b>41.0%</b>

This variable has 13,868 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	139	0.4 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	19777	58.5 %	
<b>Total</b>		<b>19,954</b>	<b>59.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8337-8342 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0095: Level of agreement: After not smoking/using tobacco product(s) for a while, need to smoke/use tobacco product(s) in order to feel less restless and irritable

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[After not [ND FILL3] for a while, I need/I would like] to [ND FILL1] in order to feel less restless and irritable.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	4990	14.8 %
2	2 = 2 on a scale of 1 to 5	1748	5.2 %
3	3 = 3 on a scale of 1 to 5	2543	7.5 %
4	4 = 4 on a scale of 1 to 5	2120	6.3 %
5	5 = Extremely true of me	2466	7.3 %
<b>Total</b>		<b>13,867</b>	<b>41.0%</b>

This variable has 13,867 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	139	0.4 %	
-8	-8 = Don't know	17	0.1 %	
-7	-7 = Refused	20	0.1 %	
-1	-1 = Inapplicable	19777	58.5 %	
<b>Total</b>		<b>19,955</b>	<b>59.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8343-8348 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0100: Level of agreement: After not smoking/using tobacco product(s) for a while, need to smoke/use tobacco product(s) in order to keep self from experiencing any discomfort

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

[After not [ND FILL3] for a while, I need/I feel like I need] to [ND FILL1] in order to keep myself from experiencing any discomfort.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEP0D\_USER\_STATUS = 1, 4 OR (R04\_TOBXEP0D\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	6095	18.0 %
2	2 = 2 on a scale of 1 to 5	2053	6.1 %
3	3 = 3 on a scale of 1 to 5	2420	7.2 %
4	4 = 4 on a scale of 1 to 5	1626	4.8 %
5	5 = Extremely true of me	1669	4.9 %
<b>Total</b>		<b>13,863</b>	<b>41.0%</b>

This variable has 13,863 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	139	0.4 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	19777	58.5 %
<b>Total</b>		<b>19,959</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8349-8354 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0110: Do you believe that smoking/using tobacco products is causing/caused a health problem or made it worse

Do you believe that [ND FILL3] [is causing/caused] a health problem or [making/made] it worse?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	8476	25.1 %
2	2 = No	5344	15.8 %
	<b>Total</b>	<b>13,820</b>	<b>40.9%</b>

This variable has 13,820 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	142	0.4 %
-8	-8 = Don't know	51	0.2 %
-7	-7 = Refused	30	0.1 %
-1	-1 = Inapplicable	19777	58.5 %
	<b>Total</b>	<b>20,002</b>	<b>59.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8355-8360 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0813: In past 12 months, found it difficult to keep from smoking/using tobacco product(s) in places where it was prohibited

In the past 12 months, did you find it difficult to keep from [ND FILL3] in places where it was not permitted?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1,  
4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3254	9.6 %
2	2 = No	10614	31.4 %
	<b>Total</b>	<b>13,868</b>	<b>41.0%</b>

This variable has 13,868 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	142	0.4 %	
-8	-8 = Don't know	20	0.1 %	
-7	-7 = Refused	13	0.0 %	
-1	-1 = Inapplicable	19777	58.5 %	
<b>Total</b>		<b>19,954</b>	<b>59.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8361-8366 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0812: In past 12 months, gave up or cut down on activities that were enjoyable or important because tobacco product(s) smoking/use was not permitted at activity

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND FILL4] was not permitted at the activity?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1,  
4 OR (R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1590	4.7 %
2	2 = No	12269	36.3 %
<b>Total</b>		<b>13,859</b>	<b>41.0%</b>

This variable has 13,859 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	142	0.4 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	21	0.1 %	
-1	-1 = Inapplicable	19777	58.5 %	
<b>Total</b>		<b>19,963</b>	<b>59.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8367-8372 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0105: In the past 12 months have you tried to quit smoking/using tobacco product(s)

In the past 12 months, have you tried to quit [ND FILL3] completely?

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R04\_TOBXEP0D\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3967	11.7 %
2	2 = No	7786	23.0 %
	<b>Total</b>	<b>11,753</b>	<b>34.7%</b>

This variable has 11,753 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	117	0.3 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	21925	64.8 %
	<b>Total</b>	<b>22,069</b>	<b>65.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 8373-8378 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AN0334: In the past 12 months, tried to quit by gradually cutting back on using/smoking [tobacco product(s)]

In the past 12 months, have you tried to quit by gradually cutting back on [ND FILL3]?

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R04\_TOBXEP0D\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5680	16.8 %
2	2 = No	6072	18.0 %
	<b>Total</b>	<b>11,752</b>	<b>34.7%</b>

This variable has 11,752 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	117	0.3 %	
-8	-8 = Don't know	17	0.1 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	21925	64.8 %	
	<b>Total</b>	<b>22,070</b>	<b>65.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8379-8384 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0115: In past 12 months, number of times tried to quit smoking/using tobacco product(s)

In total, how many times in the past 12 months have you tried to quit [ND FILL2] completely?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_ANR27]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 5,723 valid cases out of 33,822 total cases.

- Mean: 3.96
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 700.00
- Standard Deviation: 21.11

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	5	0.0 %	
-8	-8 = Don't know	70	0.2 %	
-7	-7 = Refused	30	0.1 %	
-5	-5 = Improbable response removed	3	0.0 %	
-1	-1 = Inapplicable	27989	82.8 %	
	<b>Total</b>	<b>28,099</b>	<b>83.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8385-8390 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AN0120: In past 12 months, stopped smoking/using tobacco product(s) for one day or longer because you were trying to quit

In the past 12 months, have you stopped [ND FILL3] for one day or longer because you were trying to quit?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0130.]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROWD\_USER\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3194	9.4 %
2	2 = No	486	1.4 %
	<b>Total</b>	<b>3,680</b>	<b>10.9%</b>

This variable has 3,680 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	30135	89.1 %
	<b>Total</b>	<b>30,142</b>	<b>89.1%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 8391-8396 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AN0125: In past 12 months, how many times you stopped smoking/using tobacco product(s) for one day or longer because you were trying to quit

In the past 12 months, how many times have you stopped [ND FILL3] for one day or longer because you were trying to quit?

[If Don't Know (-8) or Refused (-7), Go to R04\_AN0256.]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROWD\_USER\_STATUS = 1 AND

(R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7) AND R04\_AN0120 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 time	711	2.1 %
2	2 = 2 - 3 times	1511	4.5 %
3	3 = 4 or more times	961	2.8 %
<b>Total</b>		<b>3,183</b>	<b>9.4%</b>

This variable has 3,183 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	30626	90.6 %
<b>Total</b>		<b>30,639</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8397-8402 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0256: In past 12 months, stopped smoking/using tobacco product(s) more than 3 times for one day or longer because you were trying to quit

Would you say that in the past 12 months it was more than 3 times that you have stopped [NDFILL3] for one day or longer because you were trying to quit?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer and did not know or refused to report how many times they stopped using tobacco for one day or longer.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7) AND R04\_AN0120 = 1 AND R04\_AN0125 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.0 %
2	2 = No	2	0.0 %
<b>Total</b>		<b>9</b>	<b>0.0%</b>

This variable has 9 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33809	100.0 %
	<b>Total</b>	<b>33,813</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8403-8408 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0130\_NN: In past 12 months, length of time you stopped smoking/using tobacco product(s) because you were trying to quit - Number

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

[If Don't Know (-8) or Refused (-7), Go to R04\_AN0300.]

**ASK:** Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

**ASK Specification:** IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits for minutes, 3 digits for hours, 3 digits for days, 3 digits for weeks, and 3 digits for months. ]

This variable has 3,620 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.1 %
-7	-7 = Refused	5	0.0 %
-5	-5 = Improbable response removed	39	0.1 %
-1	-1 = Inapplicable	30135	89.1 %
	<b>Total</b>	<b>30,202</b>	<b>89.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8409-8414 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AN0130\_UN: In past 12 months, length of time you stopped smoking/using tobacco product(s) because you were trying to quit - Unit

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

[If Don't Know (-8) or Refused (-7), Go to R04\_AN0300.]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits for minutes, 3 digits for hours, 3 digits for days, 3 digits for weeks, and 3 digits for months. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes	62	0.2 %
2	2 = Hours	380	1.1 %
3	3 = Days	1587	4.7 %
4	4 = Weeks	688	2.0 %
5	5 = Months	942	2.8 %
<b>Total</b>		<b>3,659</b>	<b>10.8%</b>

This variable has 3,659 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	30161	89.2 %
<b>Total</b>		<b>30,163</b>	<b>89.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8415-8420 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0300: In past 12 months, length of time stopped smoking/using tobacco product(s) the last time because you were trying to quit - Week measure

Was it more than a week, a week, or less than a week?

[Go to R04\_AN0210.]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROM\_USER\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7) AND R04\_AN0130\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = More than one week	3	0.0 %
2	2 = One week	1	0.0 %
3	3 = Less than one week	6	0.0 %
<b>Total</b>		<b>10</b>	<b>0.0%</b>

This variable has 10 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	33794	99.9 %
<b>Total</b>		<b>33,812</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8421-8426 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0135: Approximate end date of last tobacco product(s) quit attempt

When was the approximate end date of this last quit attempt that lasted [enter duration from R04\_AN0130]?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AN0140]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROM\_USER\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7) AND R04\_AN0130\_NN != -8, -7.

Value	Label	Unweighted Frequency	%
01-APR-2015	-	3	0.0 %
01-APR-2016	-	9	0.0 %
01-APR-2017	-	35	0.1 %
01-AUG-2015	-	3	0.0 %

Value	Label	Unweighted Frequency	%
01-AUG-2016	-	34	0.1 %
01-AUG-2017	-	12	0.0 %
01-DEC-2015	-	4	0.0 %
01-DEC-2016	-	34	0.1 %
01-FEB-2002	-	1	0.0 %
01-FEB-2012	-	1	0.0 %
01-FEB-2016	-	12	0.0 %
01-FEB-2017	-	60	0.2 %
01-JAN-1989	-	1	0.0 %
01-JAN-2006	-	1	0.0 %
01-JAN-2012	-	1	0.0 %
01-JAN-2015	-	4	0.0 %
01-JAN-2016	-	26	0.1 %
01-JAN-2017	-	135	0.4 %
01-JUL-2015	-	2	0.0 %
01-JUL-2016	-	13	0.0 %
01-JUL-2017	-	16	0.0 %
01-JUN-2010	-	1	0.0 %
01-JUN-2015	-	1	0.0 %
01-JUN-2016	-	14	0.0 %
01-JUN-2017	-	20	0.1 %
01-MAR-2015	-	2	0.0 %
01-MAR-2016	-	19	0.1 %
01-MAR-2017	-	34	0.1 %
01-MAY-2014	-	2	0.0 %
01-MAY-2016	-	16	0.0 %
01-MAY-2017	-	24	0.1 %
01-NOV-2016	-	32	0.1 %
01-NOV-2017	-	4	0.0 %
01-OCT-2015	-	1	0.0 %
01-OCT-2016	-	28	0.1 %
01-OCT-2017	-	3	0.0 %
01-SEP-2015	-	1	0.0 %
01-SEP-2016	-	25	0.1 %
01-SEP-2017	-	5	0.0 %
02-APR-2011	-	1	0.0 %
02-APR-2015	-	1	0.0 %
02-APR-2016	-	3	0.0 %
02-APR-2017	-	13	0.0 %

Value	Label	Unweighted Frequency	%
02-AUG-2016	-	5	0.0 %
02-AUG-2017	-	1	0.0 %
02-DEC-2016	-	8	0.0 %
02-FEB-1960	-	1	0.0 %
02-FEB-1999	-	1	0.0 %
02-FEB-2010	-	1	0.0 %
02-FEB-2016	-	10	0.0 %
	<b>Total</b>	<b>3,429</b>	<b>10.1%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

This variable has 3,429 valid cases out of 33,822 total cases.

Missing Data			
-	30393	89.9 %	
	<b>Total</b>	<b>30,393</b>	<b>89.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8427-8437 (width: 11; decimal: 0)

*Variable Type:* character

*(Range of) Missing Values:*

#### R04\_AN0135\_VALUE\_INFO: Type of response provided for R04\_AN0135

Value	Label	Unweighted Frequency	%
1	1 = Date value	3429	10.1 %
	<b>Total</b>	<b>3,429</b>	<b>10.1%</b>

This variable has 3,429 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	182	0.5 %	
-7	-7 = Refused	34	0.1 %	
-5	-5 = Improbable response removed	14	0.0 %	
-1	-1 = Inapplicable	30161	89.2 %	
	<b>Total</b>	<b>30,393</b>	<b>89.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8438-8443 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## **R04\_AN0140: In past 12 months, was the duration of last quit attempt reported the longest you went without smoking/using tobacco product(s) because you were trying to quit**

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without [ND FILL3] because you were trying to quit?

[If Yes (1), Don't Know (-8), or Refused (-7) Go to R04\_ANR28. If No (2), Go to R04\_AN0145.]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7) AND R04\_AN0130\_NN != -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3164	9.4 %
2	2 = No	490	1.4 %
	<b>Total</b>	<b>3,654</b>	<b>10.8%</b>

This variable has 3,654 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	30161	89.2 %
	<b>Total</b>	<b>30,168</b>	<b>89.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8444-8449 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## **R04\_AN0257: In past 12 months, time since completely quit smoking/using tobacco product(s) is the longest you have gone without smoking/using tobacco product(s)**

You previously mentioned that you stopped [ND FILL3] [ENTER LENGTH OF TIME SINCE LAST USE IN R04\_A\*1009] ago. Is this the longest you have gone without [ND FILL3] in the past 12 months?

[If Yes (1), Don't Know (-8), or Refused (-7) Go to R04\_ANR28. If No (2), Go to R04\_AN0145.]

ASK: Adult respondents who are recent former established non-electronic tobacco users and there is at least one non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they

tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 4 AND R04\_VALID\_TIME\_LASTUSED = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	721	2.1 %
2	2 = No	302	0.9 %
	<b>Total</b>	<b>1,023</b>	<b>3.0%</b>

This variable has 1,023 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32793	97.0 %	
	<b>Total</b>	<b>32,799</b>	<b>97.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8450-8455 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R04\_AN0145\_NN: In past 12 months, longest time period for which you stopped smoking/using tobacco product(s) because you were trying to quit - Number

In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?

[If Don't Know (-8) or Refused (-7) Go to R04\_AN0305.]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco, or Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco.

ASK Specification: IF (R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7) AND R04\_AN0130\_NN != -8, -7 AND R04\_AN0140 = 2) OR (R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROD\_USER\_STATUS = 4 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7) AND (R04\_VALID\_TIME\_LASTUSED = 2 OR R04\_AN0257 = 2)).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 801 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	11	0.0 %
-5	-5 = Improbable response removed	67	0.2 %
-1	-1 = Inapplicable	32916	97.3 %
<b>Total</b>		<b>33,021</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8456-8461 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AN0145\_UN: In past 12 months, longest time period for which you stopped smoking/using tobacco product(s) because you were trying to quit - Unit

In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?

[If Don't Know (-8) or Refused (-7) Go to R04\_AN0305.]

**ASK:** Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco, or

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco.

**ASK Specification:** IF (R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7) AND R04\_AN0130\_NN != -8, -7 AND R04\_AN0140 = 2) OR (R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_TOBXEPROD\_USER\_STATUS = 4 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7) AND (R04\_VALID\_TIME\_LASTUSED = 2 OR R04\_AN0257 = 2)).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Minutes	39	0.1 %
2	2 = Hours	49	0.1 %
3	3 = Days	145	0.4 %
4	4 = Weeks	114	0.3 %
5	5 = Months	521	1.5 %
<b>Total</b>		<b>868</b>	<b>2.6%</b>

This variable has 868 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32952	97.4 %
<b>Total</b>		<b>32,954</b>	<b>97.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8462-8467 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0305: In past 12 months, longest time you stopped smoking/using tobacco product(s) because you were trying to quit - Week measure

Was it more than a week, a week, or less than a week?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users and did not know or refused to report the duration for their longest quit in the past 12 months.

ASK Specification: IF ((R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND (R04\_AN0140 = 2 OR R04\_AN0257 = 2)) OR (R04\_TOBXEPROD\_USER\_STATUS = 4 AND R04\_VALID\_TIME\_LASTUSED = 2) AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7)) AND R04\_AN0145\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = More than one week	15	0.0 %
2	2 = One week	0	0.0 %
3	3 = Less than one week	3	0.0 %
<b>Total</b>		<b>18</b>	<b>0.1%</b>

This variable has 18 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33784	99.9 %
<b>Total</b>		<b>33,804</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8468-8473 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AN0210: In past 12 months, relied on support of friends and family to help when last tried to quit smoking/using tobacco product(s)

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you rely on the support of friends and family to help you?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1  
AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1451	4.3 %
2	2 = No	3352	9.9 %
	<b>Total</b>	<b>4,803</b>	<b>14.2%</b>

This variable has 4,803 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	28996	85.7 %
	<b>Total</b>	<b>29,019</b>	<b>85.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 8474-8479 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AN0215: In past 12 months, used counseling, telephone help line, books, pamphlets, videos, quit tobacco clinic, class, support group, or web-based program to help when last tried to quit smoking/using tobacco product(s)

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	411	1.2 %
2	2 = No	4392	13.0 %
	<b>Total</b>	<b>4,803</b>	<b>14.2%</b>

This variable has 4,803 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	28996	85.7 %
	<b>Total</b>	<b>29,019</b>	<b>85.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8480-8485 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0225\_01: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Did not use a different tobacco product

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]

[ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?

Choose all that apply.

I did not use a different tobacco product to help me quit

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3966	11.7 %
2	2 = Not Marked	785	2.3 %
	<b>Total</b>	<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	41	0.1 %	
-7	-7 = Refused	31	0.1 %	
-1	-1 = Inapplicable	28996	85.7 %	
<b>Total</b>		<b>29,071</b>	<b>86.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8486-8491 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0225\_02: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Cigarettes

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Cigarettes

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	65	0.2 %
2	2 = Not Marked	4686	13.9 %
<b>Total</b>		<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	41	0.1 %	
-7	-7 = Refused	31	0.1 %	
-1	-1 = Inapplicable	28996	85.7 %	
<b>Total</b>		<b>29,071</b>	<b>86.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8492-8497 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R04\_AN0225\_03: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: E-Cigarettes or other electronic nicotine products

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]  
[ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	597	1.8 %
2	2 = Not Marked	4154	12.3 %
	<b>Total</b>	<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	28996	85.7 %
	<b>Total</b>	<b>29,071</b>	<b>86.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8498-8503 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R04\_AN0225\_04: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Traditional cigars

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]

[ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

Traditional cigars

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	4734	14.0 %
	<b>Total</b>	<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	28996	85.7 %
	<b>Total</b>	<b>29,071</b>	<b>86.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8504-8509 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0225\_05: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Cigarillos

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]  
[ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

Cigarillos

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they

currently use from the list of response options.  
 Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	47	0.1 %
2	2 = Not Marked	4704	13.9 %
	<b>Total</b>	<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	28996	85.7 %
	<b>Total</b>	<b>29,071</b>	<b>86.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8510-8515 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225\_06: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Filtered cigars

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?  
 Choose all that apply.

Filtered cigars

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.1 %
2	2 = Not Marked	4725	14.0 %
	<b>Total</b>	<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	41	0.1 %	
-7	-7 = Refused	31	0.1 %	
-1	-1 = Inapplicable	28996	85.7 %	
<b>Total</b>		<b>29,071</b>	<b>86.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8516-8521 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0225\_07: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Pipe tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Pipe tobacco

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	4740	14.0 %
<b>Total</b>		<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	41	0.1 %	
-7	-7 = Refused	31	0.1 %	
-1	-1 = Inapplicable	28996	85.7 %	
<b>Total</b>		<b>29,071</b>	<b>86.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8522-8527 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225\_08: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Hookah

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Hookah

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	29	0.1 %
2	2 = Not Marked	4722	14.0 %
	<b>Total</b>	<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	28996	85.7 %
	<b>Total</b>	<b>29,071</b>	<b>86.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8528-8533 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225\_09: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Snus

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?

Choose all that apply.

Snus

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.1 %
2	2 = Not Marked	4727	14.0 %
	<b>Total</b>	<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	28996	85.7 %
	<b>Total</b>	<b>29,071</b>	<b>86.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8534-8539 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225\_10: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Smokeless tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]

[ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?

Choose all that apply.

Smokeless tobacco, like dip, chew, or snuff

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	65	0.2 %
2	2 = Not Marked	4686	13.9 %
	<b>Total</b>	<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	28996	85.7 %
	<b>Total</b>	<b>29,071</b>	<b>86.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8540-8545 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0225\_11: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Dissolvable tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?

Choose all that apply.

Dissolvable tobacco

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0115 >= 1 OR R04\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R04\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options.

Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.0 %
2	2 = Not Marked	4736	14.0 %
	<b>Total</b>	<b>4,751</b>	<b>14.0%</b>

This variable has 4,751 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	41	0.1 %	
-7	-7 = Refused	31	0.1 %	
-1	-1 = Inapplicable	28996	85.7 %	
<b>Total</b>		<b>29,071</b>	<b>86.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8546-8551 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0330\_12M: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (current established, recent former established or current experimental non-electronic tobacco users)

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

**ASK:** Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users.

**ASK Specification:** IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1117	3.3 %
2	2 = No	11548	34.1 %
<b>Total</b>		<b>12,665</b>	<b>37.4%</b>

This variable has 12,665 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	143	0.4 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	15	0.0 %	
-1	-1 = Inapplicable	20985	62.0 %	
<b>Total</b>		<b>21,157</b>	<b>62.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8552-8557 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0150: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill the last time tried to quit smoking/using tobacco product(s)

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]

[ND FILL3] in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If No (2), Don't Know (-8), or Refused (-7), Go to BOX R04\_AN0336.]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	845	2.5 %
2	2 = No	105	0.3 %
	<b>Total</b>	<b>950</b>	<b>2.8%</b>

This variable has 950 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32868	97.2 %	
	<b>Total</b>	<b>32,872</b>	<b>97.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8558-8563 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0155: Used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit smoking/using tobacco product(s) completely

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit [ND FILL3] completely?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	657	1.9 %
2	2 = No	187	0.6 %
	<b>Total</b>	<b>844</b>	<b>2.5%</b>

This variable has 844 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32975	97.5 %
	<b>Total</b>	<b>32,978</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8564-8569 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0811: Used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after stopping/cutting down on smoking/using tobacco product(s)

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your [ND FILL4]?

ASK: Adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established electronic nicotine product users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1) OR (R04\_TWELVEMONTHQUIT\_STATUS = 2 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1)) OR (R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	748	2.2 %
2	2 = No	301	0.9 %
	<b>Total</b>	<b>1,049</b>	<b>3.1%</b>

This variable has 1,049 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	47	0.1 %

Missing Data				
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32719	96.7 %	
<b>Total</b>		<b>32,773</b>	<b>96.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8570-8575 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0336: Main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (current established, current experimental or recent former established non-electronic tobacco users)

What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are current established, current experimental or recent former established non-electronic tobacco users or are current established, current experimental, or recent former established electronic nicotine product users and have used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R04\_TOBXEPROD\_USER\_STATUS = 1, 2, 4 OR R04\_EPROD\_USER\_STATUS = 1, 2, 4)  
AND ((R04\_NDSKIP = 2, 3 AND R04\_AN0330\_12ME = 1) OR R04\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	smoking/using	831	2.5 %
2	smoke/use	234	0.7 %
3	smoke/use	192	0.6 %
4	4 = Some other reason	106	0.3 %
<b>Total</b>		<b>1,363</b>	<b>4.0%</b>

This variable has 1,363 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	32445	95.9 %	
<b>Total</b>		<b>32,459</b>	<b>96.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8576-8581 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0160\_01: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine patch

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine patch

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	484	1.4 %
2	2 = Not Marked	361	1.1 %
	<b>Total</b>	<b>845</b>	<b>2.5%</b>

This variable has 845 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32975	97.5 %
	<b>Total</b>	<b>32,977</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8582-8587 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0160\_02: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine gum

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine gum

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	242	0.7 %
2	2 = Not Marked	603	1.8 %
	<b>Total</b>	<b>845</b>	<b>2.5%</b>

This variable has 845 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32975	97.5 %
	<b>Total</b>	<b>32,977</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8588-8593 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0160\_03: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine inhaler

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine inhaler

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	824	2.4 %
	<b>Total</b>	<b>845</b>	<b>2.5%</b>

This variable has 845 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32975	97.5 %	
<b>Total</b>		<b>32,977</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8594-8599 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0160\_04: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine nasal spray

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine nasal spray

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	3	0.0 %
2	2 = Not Marked	842	2.5 %
<b>Total</b>		<b>845</b>	<b>2.5%</b>

This variable has 845 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32975	97.5 %	
<b>Total</b>		<b>32,977</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8600-8605 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AN0160\_05: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine lozenge or pill

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine lozenge or pill

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	173	0.5 %
2	2 = Not Marked	672	2.0 %
	<b>Total</b>	<b>845</b>	<b>2.5%</b>

This variable has 845 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32975	97.5 %
	<b>Total</b>	<b>32,977</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 8606-8611 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AN0160\_06: NRT product used last time tried to quit smoking/using tobacco product(s): None of the above

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

None of the above

[If None of the above (6) Go to BOX R04\_ANR06]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	78	0.2 %
2	2 = Not Marked	767	2.3 %
	<b>Total</b>	<b>845</b>	<b>2.5%</b>

This variable has 845 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32975	97.5 %
	<b>Total</b>	<b>32,977</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8612-8617 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0165\_NN: Length of time used NRT during last tobacco product(s) quit attempt - Number

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1 AND R04\_AN0160\_06 != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 763 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data			
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33053	97.7 %
<b>Total</b>		<b>33,059</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8618-8623 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AN0165\_UN: Length of time used NRT during last tobacco product(s) quit attempt - Unit

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0330\_12ME = 1 OR R04\_AN0330\_12M = 1) AND R04\_AN0150 = 1 AND R04\_AN0160\_06 != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	375	1.1 %
2	2 = Weeks	227	0.7 %
3	3 = Months	161	0.5 %
<b>Total</b>		<b>763</b>	<b>2.3%</b>

This variable has 763 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33057	97.7 %
<b>Total</b>		<b>33,059</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8624-8629 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0170: Currently using nicotine patch, gum, inhaler, nasal spray, lozenge or pill (past 12 month non-electronic tobacco quitters or quit attempters)

Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0307.]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04\_NDSKIP = 0, 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_AN0330\_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	153	0.5 %
2	2 = No	616	1.8 %
	<b>Total</b>	<b>769</b>	<b>2.3%</b>

This variable has 769 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33051	97.7 %
	<b>Total</b>	<b>33,053</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8630-8635 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0251\_NN: How long been using NRT - Number (past 12 month non-electronic tobacco quitters or quit attempters)

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R04\_NDSKIP = 0, 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_AN0330\_12M = 1 AND R04\_AN0170 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

This variable has 151 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	33667	99.5 %
<b>Total</b>		<b>33,671</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8636-8641 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AN0251\_UN: How long been using NRT - Unit (past 12 month non-electronic tobacco quitters or quit attempters)

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

**ASK:** Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

**ASK Specification:** IF R04\_NDSKIP = 0, 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_AN0330\_12M = 1 AND R04\_AN0170 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Days	77	0.2 %
2	2 = Months	58	0.2 %
3	3 = Years	18	0.1 %
<b>Total</b>		<b>153</b>	<b>0.5%</b>

This variable has 153 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33667	99.5 %
<b>Total</b>		<b>33,669</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8642-8647 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0307: When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (current or recent former tobacco users)

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If In the past hour (1), Go to R04\_AN0309.

If Three or more days ago (5), Go to R04\_AN0175.

If Don't Know (-8) or Refused (-7), Go to R04\_AN0331\_12M.]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0330\_12M = 1) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4 AND R04\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	78	0.2 %
2	2 = Sometime today	54	0.2 %
3	3 = Yesterday	53	0.2 %
4	4 = Day before yesterday	22	0.1 %
5	5 = Three or more days ago	849	2.5 %
	<b>Total</b>	<b>1,056</b>	<b>3.1%</b>

This variable has 1,056 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.1 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	32703	96.7 %
	<b>Total</b>	<b>32,766</b>	<b>96.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8648-8653 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0308: Time period of day when you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (current or recent former tobacco users)

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04\_AN0307], was it...

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0330\_12M = 1 AND R04\_AN0307 = 2, 3, 4) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4 AND R04\_AN0330\_12M = 1 AND R04\_AN0307 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	20	0.1 %
2	2 = After 6AM but before noon	60	0.2 %
3	3 = Between noon and 6PM	33	0.1 %
4	4 = After 6PM but before midnight	15	0.0 %
	<b>Total</b>	<b>128</b>	<b>0.4%</b>

This variable has 128 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33691	99.6 %	
	<b>Total</b>	<b>33,694</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8654-8659 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0309: Number of nicotine patches, gum, inhaler, nasal spray, lozenges or pills used today/yesterday/the day before yesterday (current or recent former tobacco users)

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04\_AN0307],

how many did you use?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AN0331\_12M]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0330\_12M = 1 AND R04\_AN0307 = 1, 2, 3, 4) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4 AND R04\_AN0330\_12M = 1 AND R04\_AN0307 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 2 digits.]

This variable has 205 valid cases out of 33,822 total cases.

- Mean: 2.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 83.00
- Standard Deviation: 7.04

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33613	99.4 %	
<b>Total</b>		<b>33,617</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8660-8665 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0175\_NN: How long ago did you stop using NRT - Number (current established or recent former established non-electronic tobacco users)

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AN0331\_12M]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago, or

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0330\_12M = 1 AND R04\_AN0307 = 5) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4 AND R04\_AN0330\_12M = 1 AND R04\_AN0307 = 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 835 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	2	0.0 %	
-1	-1 = Inapplicable	32971	97.5 %	
<b>Total</b>		<b>32,987</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8666-8671 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0175\_UN: How long ago did you stop using NRT - Unit (current established or recent former established non-electronic tobacco users)

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If Don't Know (-8) or Refused (-7), GO TO R04\_AN0331\_12M]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago, or

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND

R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0330\_12M = 1 AND R04\_AN0307 = 5) OR  
(R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4  
AND R04\_AN0330\_12M = 1 AND R04\_AN0307 = 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	189	0.6 %
2	2 = Months	570	1.7 %
3	3 = Years	78	0.2 %
<b>Total</b>		<b>837</b>	<b>2.5%</b>

This variable has 837 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32983	97.5 %	
<b>Total</b>		<b>32,985</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8672-8677 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### **R04\_AN0331\_12M: In past 12 months, used prescription drug: Chantix, varenicline, Wellbutrin, Zyban, or bupropion (current established, recent former established or current experimental non-electronic tobacco users)**

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4)  
OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4).

Value	Label	Unweighted Frequency	%
1	1 = Yes	561	1.7 %

Value	Label	Unweighted Frequency	%
2	2 = No	12101	35.8 %
	<b>Total</b>	<b>12,662</b>	<b>37.4%</b>

This variable has 12,662 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	143	0.4 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	20985	62.0 %
	<b>Total</b>	<b>21,160</b>	<b>62.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8678-8683 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0180: In past 12 months, used a prescription drug the last time tried to quit smoking/using tobacco product(s)

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]  
[ND FILL3] in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_ANR08.]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0331\_12ME = 1 OR R04\_AN0331\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	374	1.1 %
2	2 = No	76	0.2 %
	<b>Total</b>	<b>450</b>	<b>1.3%</b>

This variable has 450 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33368	98.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,372</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8684-8689 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0185: Used a prescription drug to quit smoking/using tobacco product(s) completely

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit [ND FILL3] completely?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R04\_AN0331\_12ME = 1 OR R04\_AN0331\_12M = 1) AND R04\_AN0180 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	296	0.9 %
2	2 = No	78	0.2 %
	<b>Total</b>	<b>374</b>	<b>1.1%</b>

This variable has 374 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33446	98.9 %
	<b>Total</b>	<b>33,448</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8690-8695 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0190\_01: Prescription drug used the last time tried to quit/when quit smoking/using tobacco product(s): Chantix or varenicline

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

Chantix or varenicline

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription

drug to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0331\_12ME = 1 OR R04\_AN0331\_12M = 1) AND R04\_AN0180 = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	212	0.6 %
2	2 = Not Marked	160	0.5 %
	<b>Total</b>	<b>372</b>	<b>1.1%</b>

This variable has 372 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33446	98.9 %
	<b>Total</b>	<b>33,450</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8696-8701 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0190\_02: Prescription drug used the last time tried to quit/when quit smoking/using tobacco product(s): Wellbutrin, Zyban, or bupropion

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

Wellbutrin, Zyban, or bupropion

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0331\_12ME = 1 OR R04\_AN0331\_12M = 1) AND R04\_AN0180 = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	146	0.4 %
2	2 = Not Marked	226	0.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>372</b>	<b>1.1%</b>

This variable has 372 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33446	98.9 %
	<b>Total</b>	<b>33,450</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8702-8707 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

### R04\_AN0190\_03: Prescription drug used the last time tried to quit/when quit smoking/using tobacco product(s): None of the above

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

None of the above

[If None of the above (3), Go to Box R04\_ANR08.]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0331\_12ME = 1 OR R04\_AN0331\_12M = 1) AND R04\_AN0180 = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.1 %
2	2 = Not Marked	347	1.0 %
	<b>Total</b>	<b>372</b>	<b>1.1%</b>

This variable has 372 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

Missing Data				
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33446	98.9 %	
<b>Total</b>		<b>33,450</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8708-8713 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0195\_NN: Length of time used prescription medication during last tobacco product(s) quit attempt - Number

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0331\_12ME = 1 OR R04\_AN0331\_12M = 1) AND R04\_AN0180 = 1 AND R04\_AN0190\_03 != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 338 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	5	0.0 %	
-1	-1 = Inapplicable	33471	99.0 %	
<b>Total</b>		<b>33,484</b>	<b>99.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8714-8719 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AN0195\_UN: Length of time used prescription medication during last tobacco product(s) quit attempt - Unit

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1 AND (R04\_AN0331\_12ME = 1 OR R04\_AN0331\_12M = 1) AND R04\_AN0180 = 1 AND R04\_AN0190\_03 != 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	88	0.3 %
2	2 = Weeks	92	0.3 %
3	3 = Months	163	0.5 %
<b>Total</b>		<b>343</b>	<b>1.0%</b>

This variable has 343 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33477	99.0 %
<b>Total</b>		<b>33,479</b>	<b>99.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8720-8725 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0200: Currently using a prescription medication to help quit (past 12 month non-electronic tobacco quitters or quit attempters)

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0327.]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04\_NDSKIP = 0, 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_AN0331\_12M = 1 AND R04\_AN0180 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	107	0.3 %

Value	Label	Unweighted Frequency	%
2	2 = No	192	0.6 %
	<b>Total</b>	<b>299</b>	<b>0.9%</b>

This variable has 299 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33519	99.1 %
	<b>Total</b>	<b>33,523</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8726-8731 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0252\_NN: How long have you been using a prescription drug - Number (past 12 month non-electronic tobacco quitters or quit attempters)

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0327.]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R04\_NDSKIP = 0, 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_AN0331\_12M = 1 AND R04\_AN0180 = 1 AND R04\_AN0200 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

This variable has 106 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33713	99.7 %
	<b>Total</b>	<b>33,716</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8732-8737 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AN0252\_UN: How long have you been using a prescription drug - Unit (past 12 month non-electronic tobacco quitters or quit attempters)

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0327.]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R04\_NDSKIP = 0, 1 AND R04\_TWELVEMONTHQUIT\_STATUS = 1 AND R04\_AN0331\_12M = 1 AND R04\_AN0180 = 1 AND R04\_AN0200 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

Value	Label	Unweighted Frequency	%
1	1 = Days	36	0.1 %
2	2 = Months	45	0.1 %
3	3 = Years	25	0.1 %
<b>Total</b>		<b>106</b>	<b>0.3%</b>

This variable has 106 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33714	99.7 %
<b>Total</b>		<b>33,716</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8738-8743 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0327: When did you last use Chantix, varenicline, Wellbutrin, Zyban or bupropion (current or recent former tobacco users)

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If In the past hour (1), Go to R04\_AN0329 If Three or more days ago (5), Go to R04\_AN0205 If Don't Know (-8) or Refused (-7), Go to Box R04\_ANR18.]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription drug in the past 12 months.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0331\_12M = 1) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4 AND R04\_AN0331\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	37	0.1 %
2	2 = Sometime today	125	0.4 %
3	3 = Yesterday	64	0.2 %
4	4 = Day before yesterday	13	0.0 %
5	5 = Three or more days ago	299	0.9 %
<b>Total</b>		<b>538</b>	<b>1.6%</b>

This variable has 538 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33259	98.3 %
<b>Total</b>		<b>33,284</b>	<b>98.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8744-8749 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0328: Time period of day when you last used Chantix, varenicline, Wellbutrin, Zyban or bupropion (current or recent former tobacco users)

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04\_AN0327], was it...

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription

drug in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0331\_12M = 1 AND R04\_AN0327 = 2, 3, 4) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4 AND R04\_AN0331\_12M = 1 AND R04\_AN0327 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	17	0.1 %
2	2 = After 6AM but before noon	138	0.4 %
3	3 = Between noon and 6PM	22	0.1 %
4	4 = After 6PM but before midnight	24	0.1 %
	<b>Total</b>	<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33618	99.4 %	
	<b>Total</b>	<b>33,621</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 8750-8755 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AN0329: Number of Chantix, varenicline, Wellbutrin, Zyban or bupropion taken today/yesterday/the day before yesterday (current or recent former tobacco users)

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04\_AN0327], how many did you take?

[Go to Box R04\_ANR18.]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0331\_12M = 1 AND R04\_AN0327 = 1, 2, 3, 4) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4

AND R04\_AN0331\_12M = 1 AND R04\_AN0327 = 1, 2, 3, 4).

This variable has 239 valid cases out of 33,822 total cases.

- Mean: 1.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 4.82

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33581	99.3 %
	<b>Total</b>	<b>33,583</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8756-8761 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AN0205\_NN: How long ago you stopped using prescription medication - Number (current established, recent former established or current experimental non-electronic tobacco users)

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0331\_12M = 1 AND R04\_AN0327 = 5) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4 AND R04\_AN0331\_12M = 1 AND R04\_AN0327 = 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 297 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data			
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33521	99.1 %
	<b>Total</b>	<b>33,525</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8762-8767 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AN0205\_UN: How long ago you stopped using prescription medication - Unit (current established, recent former established or current experimental non-electronic tobacco users)

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_AN0331\_12M = 1 AND R04\_AN0327 = 5) OR (R04\_NDSKIP = 0, 1 AND R04\_TOBXEPROD\_USER\_STATUS = 2 AND R04\_EPROD\_USER\_STATUS != 1, 2, 4 AND R04\_AN0331\_12M = 1 AND R04\_AN0327 = 5).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	57	0.2 %
2	2 = Months	204	0.6 %
3	3 = Years	36	0.1 %
	<b>Total</b>	<b>297</b>	<b>0.9%</b>

This variable has 297 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33523	99.1 %
	<b>Total</b>	<b>33,525</b>	<b>99.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8768-8773 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0804\_RANDOM\_01: AN0804 series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804 through R04\_AN0809) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03 and R04\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	25718	76.0 %
-97777	-	2	0.0 %
R04_AN0804	-	8102	24.0 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8774-8783 (width: 10; decimal: 0)

*Variable Type:* character

---

## R04\_AN0804\_RANDOM\_02: AN0804 series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804 through R04\_AN0809) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03 and R04\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	25718	76.0 %
-97777	-	2	0.0 %
R04_AN0805	-	1357	4.0 %
R04_AN0806	-	1310	3.9 %
R04_AN0807	-	1368	4.0 %
R04_AN0808	-	1367	4.0 %
R04_AN0809	-	1307	3.9 %
R04_AN0810	-	1393	4.1 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8784-8793 (width: 10; decimal: 0)

*Variable Type:* character

---

### R04\_AN0804\_RANDOM\_03: AN0804 series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804 through R04\_AN0809) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03 and R04\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	25718	76.0 %
-97777	-	2	0.0 %
R04_AN0805	-	1379	4.1 %
R04_AN0806	-	1365	4.0 %
R04_AN0807	-	1347	4.0 %
R04_AN0808	-	1267	3.7 %
R04_AN0809	-	1406	4.2 %
R04_AN0810	-	1338	4.0 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8794-8803 (width: 10; decimal: 0)

*Variable Type:* character

---

### R04\_AN0804\_RANDOM\_04: AN0804 series random question 4

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804 through R04\_AN0809) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03 and R04\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	25718	76.0 %
-97777	-	2	0.0 %
R04_AN0805	-	1380	4.1 %
R04_AN0806	-	1296	3.8 %
R04_AN0807	-	1376	4.1 %

Value	Label	Unweighted Frequency	%
R04_AN0808	-	1390	4.1 %
R04_AN0809	-	1336	4.0 %
R04_AN0810	-	1324	3.9 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8804-8813 (width: 10; decimal: 0)

*Variable Type:* character

## **R04\_AN0804\_RANDOM\_05: AN0804 series random question 5**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804 through R04\_AN0809) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03 and R04\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	25718	76.0 %
-97777	-	2	0.0 %
R04_AN0805	-	1352	4.0 %
R04_AN0806	-	1349	4.0 %
R04_AN0807	-	1316	3.9 %
R04_AN0808	-	1337	4.0 %
R04_AN0809	-	1368	4.0 %
R04_AN0810	-	1380	4.1 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8814-8823 (width: 10; decimal: 0)

*Variable Type:* character

## **R04\_AN0804\_RANDOM\_06: AN0804 series random question 6**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804 through R04\_AN0809) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03 and R04\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	25718	76.0 %
-97777	-	2	0.0 %
R04_AN0805	-	1363	4.0 %
R04_AN0806	-	1354	4.0 %
R04_AN0807	-	1357	4.0 %
R04_AN0808	-	1363	4.0 %
R04_AN0809	-	1345	4.0 %
R04_AN0810	-	1320	3.9 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8824-8833 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AN0804\_RANDOM\_07: AN0804 series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R04\_AN0804 through R04\_AN0809) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R04\_AND03 and R04\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	25718	76.0 %
-97777	-	2	0.0 %
R04_AN0805	-	1271	3.8 %
R04_AN0806	-	1428	4.2 %
R04_AN0807	-	1338	4.0 %
R04_AN0808	-	1378	4.1 %
R04_AN0809	-	1340	4.0 %
R04_AN0810	-	1347	4.0 %
	Total	33,822	100.0%

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 8834-8843 (width: 10; decimal: 0)

*Variable Type:* character

## R04\_AN0804: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Felt depressed

The next questions ask about how you felt within days after [the time you tried

to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3]  
in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Feel depressed?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit  
attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1902	5.6 %
2	2 = No	6156	18.2 %
	<b>Total</b>	<b>8,058</b>	<b>23.8%</b>

This variable has 8,058 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	25713	76.0 %
	<b>Total</b>	<b>25,764</b>	<b>76.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8844-8849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0805: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Had difficulty falling asleep or staying asleep

The next questions ask about how you felt within days after [the time you tried  
to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3]  
in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Have difficulty falling asleep or staying asleep?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit  
attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2500	7.4 %
2	2 = No	5558	16.4 %
	<b>Total</b>	<b>8,058</b>	<b>23.8%</b>

This variable has 8,058 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	32	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	25713	76.0 %
	<b>Total</b>	<b>25,764</b>	<b>76.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8850-8855 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0806: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Had difficulty concentrating

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Have difficulty concentrating?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2444	7.2 %
2	2 = No	5614	16.6 %
	<b>Total</b>	<b>8,058</b>	<b>23.8%</b>

This variable has 8,058 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	29	0.1 %

Missing Data				
-7	-7 = Refused		15	0.0 %
-1	-1 = Inapplicable		25713	76.0 %
<b>Total</b>			<b>25,764</b>	<b>76.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8856-8861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R04\_AN0807: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Ate more than usual or gained weight

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Eat more than usual or gain weight?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3350	9.9 %
2	2 = No	4708	13.9 %
<b>Total</b>		<b>8,058</b>	<b>23.8%</b>

This variable has 8,058 valid cases out of 33,822 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	5	0.0 %	
-8	-8 = Don't know	26	0.1 %	
-7	-7 = Refused	18	0.1 %	
-1	-1 = Inapplicable	25713	76.0 %	
<b>Total</b>		<b>25,764</b>	<b>76.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8862-8867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

---

## R04\_AN0808: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Became easily irritated, angry or frustrated

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Become easily irritated, angry, or frustrated?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4155	12.3 %
2	2 = No	3902	11.5 %
	<b>Total</b>	<b>8,057</b>	<b>23.8%</b>

This variable has 8,057 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	25713	76.0 %
	<b>Total</b>	<b>25,765</b>	<b>76.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8868-8873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0809: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Felt anxious or nervous

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Feel anxious or nervous?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3732	11.0 %
2	2 = No	4315	12.8 %
	<b>Total</b>	<b>8,047</b>	<b>23.8%</b>

This variable has 8,047 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	5	0.0 %	
-8	-8 = Don't know	35	0.1 %	
-7	-7 = Refused	20	0.1 %	
-1	-1 = Inapplicable	25713	76.0 %	
	<b>Total</b>	<b>25,775</b>	<b>76.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8874-8879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0810: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Felt more restless than usual

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Feel more restless than usual?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3566	10.5 %
2	2 = No	4484	13.3 %
	<b>Total</b>	<b>8,050</b>	<b>23.8%</b>

This variable has 8,050 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	5	0.0 %	
-8	-8 = Don't know	31	0.1 %	
-7	-7 = Refused	21	0.1 %	
-1	-1 = Inapplicable	25713	76.0 %	
<b>Total</b>		<b>25,772</b>	<b>76.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8880-8885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0230: Level of interest in quitting smoking/using tobacco product(s) on a scale of 1 to 10 (low to high)

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND FILL 4]? Please choose a number from 1 to 10.

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Not at all interested	1619	4.8 %
2	2 = 2 on a scale of 1 to 10	585	1.7 %
3	3 = 3 on a scale of 1 to 10	778	2.3 %
4	4 = 4 on a scale of 1 to 10	702	2.1 %
5	5 = 5 on a scale of 1 to 10	1729	5.1 %
6	6 = 6 on a scale of 1 to 10	833	2.5 %
7	7 = 7 on a scale of 1 to 10	969	2.9 %
8	8 = 8 on a scale of 1 to 10	1197	3.5 %
9	9 = 9 on a scale of 1 to 10	647	1.9 %
10	10 = Extremely Interested	2683	7.9 %
<b>Total</b>		<b>11,742</b>	<b>34.7%</b>

This variable has 11,742 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	117	0.3 %	
-8	-8 = Don't know	18	0.1 %	
-7	-7 = Refused	18	0.1 %	
-1	-1 = Inapplicable	21925	64.8 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>22,080</b>	<b>65.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8886-8891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0235: Plans to quit smoking/using tobacco product(s) for good

Do you plan to ever quit [ND FILL3] for good?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0006.]

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8841	26.1 %
2	2 = No	2843	8.4 %
	<b>Total</b>	<b>11,684</b>	<b>34.5%</b>

This variable has 11,684 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	117	0.3 %
-8	-8 = Don't know	75	0.2 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	21925	64.8 %
	<b>Total</b>	<b>22,138</b>	<b>65.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8892-8897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0240: Time-frame when planning to quit smoking/using tobacco product(s) for good

When do you plan to quit [ND FILL3] for good?

[If In the next year (4), More than one year from now (5), Don't Know (-8), or Refused (-7), Go to R04\_AX0006.]

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0235 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the next 7 days	706	2.1 %
2	2 = In the next 30 days	875	2.6 %
3	3 = In the next 6 months	1570	4.6 %
4	4 = In the next year	2770	8.2 %
5	5 = More than one year from now	2699	8.0 %
	<b>Total</b>	<b>8,620</b>	<b>25.5%</b>

This variable has 8,620 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	178	0.5 %	
-7	-7 = Refused	43	0.1 %	
-1	-1 = Inapplicable	24979	73.9 %	
	<b>Total</b>	<b>25,202</b>	<b>74.5%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 8898-8903 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AN0245: Likeliness of succeeding if tried to quit smoking/using tobacco product(s) altogether in next 6 months

If you did try to quit [ND FILL3] altogether in the next 6 months, how likely do you think you would be to succeed?

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1 AND R04\_AN0235 = 1 AND R04\_AN0240 = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not at all likely	107	0.3 %
2	2 = A little likely	411	1.2 %
3	3 = Somewhat likely	1293	3.8 %
4	4 = Very likely	1337	4.0 %
	<b>Total</b>	<b>3,148</b>	<b>9.3%</b>

This variable has 3,148 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30669	90.7 %
<b>Total</b>		<b>30,674</b>	<b>90.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8904-8909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0006: If you had to do it over again, you would have started using tobacco

If you had to do it over again, would you have ever started using tobacco [(not including e-cigarettes or electronic nicotine products)]?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or Adult respondents who are not current established or recent former established electronic nicotine product users and are current experimental non-electronic tobacco users, or Adult respondents who are not current established, current experimental, or recent former established electronic nicotine product users and are former experimental non-electronic tobacco users.

ASK Specification: IF R04\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R04\_EPROD\_USER\_STATUS != 1, 4 AND R04\_TOBXEPROD\_USER\_STATUS = 2) OR (R04\_EPROD\_USER\_STATUS != 1, 2, 4 AND R04\_TOBXEPROD\_USER\_STATUS = 3).

Value	Label	Unweighted Frequency	%
1	1 = Definitely would not	12384	36.6 %
2	2 = Probably would not	4462	13.2 %
3	3 = Probably would	2943	8.7 %
4	4 = Definitely would	739	2.2 %
<b>Total</b>		<b>20,528</b>	<b>60.7%</b>

This variable has 20,528 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	174	0.5 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	12986	38.4 %
<b>Total</b>		<b>13,294</b>	<b>39.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8910-8915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AR0141: In past 12 months, how often have you seen a list of the chemicals contained in tobacco products

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	14145	41.8 %
2	2 = Rarely	9677	28.6 %
3	3 = Sometimes	6126	18.1 %
4	4 = Often	2279	6.7 %
5	5 = Very often	1512	4.5 %
<b>Total</b>		<b>33,739</b>	<b>99.8%</b>

This variable has 33,739 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	57	0.2 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>83</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8916-8921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AR0142: In past 12 months, how often have you thought about the chemicals contained in tobacco products

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	13312	39.4 %

Value	Label	Unweighted Frequency	%
2	2 = Rarely	9198	27.2 %
3	3 = Sometimes	6776	20.0 %
4	4 = Often	2798	8.3 %
5	5 = Very often	1683	5.0 %
	<b>Total</b>	<b>33,767</b>	<b>99.8%</b>

This variable has 33,767 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.1 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>55</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8922-8927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0095: In past 30 days, how often have you noticed health warnings on packages of roll-your-own tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of roll-your-own tobacco?

ASK: Adult respondents who are current established cigarette smokers and smoke roll-your-own cigarettes.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1 AND R04\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Never	409	1.2 %
2	2 = Rarely	281	0.8 %
3	3 = Sometimes	264	0.8 %
4	4 = Often	159	0.5 %
5	5 = Very often	132	0.4 %
	<b>Total</b>	<b>1,245</b>	<b>3.7%</b>

This variable has 1,245 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		32570	96.3 %
<b>Total</b>			<b>32,577</b>	<b>96.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8928-8933 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0005: In past 30 days, how often have you noticed health warnings on cigarette packages

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	14676	43.4 %
2	2 = Rarely	7421	21.9 %
3	3 = Sometimes	5456	16.1 %
4	4 = Often	3439	10.2 %
5	5 = Very often	2753	8.1 %
<b>Total</b>		<b>33,745</b>	<b>99.8%</b>

This variable has 33,745 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	50	0.1 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>77</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8934-8939 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0202: In past 30 days, how often have you read or looked closely at the health warnings on cigarette packs

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have

noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1351	4.0 %
2	2 = Rarely	2968	8.8 %
3	3 = Sometimes	2218	6.6 %
4	4 = Often	956	2.8 %
5	5 = Very often	772	2.3 %
<b>Total</b>		<b>8,265</b>	<b>24.4%</b>

This variable has 8,265 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	25546	75.5 %
<b>Total</b>		<b>25,557</b>	<b>75.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8940-8945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AR0010: In past 30 days, how often have health warnings stopped you from having a cigarette when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	4813	14.2 %
2	2 = Rarely	1765	5.2 %
3	3 = Sometimes	1116	3.3 %
4	4 = Often	329	1.0 %
5	5 = Very often	235	0.7 %
<b>Total</b>		<b>8,258</b>	<b>24.4%</b>

This variable has 8,258 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	25546	75.5 %
<b>Total</b>		<b>25,564</b>	<b>75.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8946-8951 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0015: In past 30 days, tried to avoid looking at or thinking about the health warnings on cigarette packs

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1368	4.0 %
2	2 = No	6892	20.4 %
<b>Total</b>		<b>8,260</b>	<b>24.4%</b>

This variable has 8,260 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	25546	75.5 %
<b>Total</b>		<b>25,562</b>	<b>75.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8952-8957 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0025: Believability of health warnings on cigarette packs

How believable do you consider the health warnings on cigarette packs to be?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	155	0.5 %
2	2 = A little believable	484	1.4 %
3	3 = Somewhat believable	1471	4.3 %
4	4 = Very believable	3422	10.1 %
5	5 = Extremely believable	2723	8.1 %
	<b>Total</b>	<b>8,255</b>	<b>24.4%</b>

This variable has 8,255 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	25546	75.5 %
	<b>Total</b>	<b>25,567</b>	<b>75.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8958-8963 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0035: Extent to which health warnings on cigarette packs make you think about the health risks of smoking

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2 AND R04\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1384	4.1 %

Value	Label	Unweighted Frequency	%
2	2 = A little	2387	7.1 %
3	3 = Somewhat	2709	8.0 %
4	4 = A lot	1785	5.3 %
	<b>Total</b>	<b>8,265</b>	<b>24.4%</b>

This variable has 8,265 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	25546	75.5 %	
	<b>Total</b>	<b>25,557</b>	<b>75.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8964-8969 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0040: Extent to which health warnings on cigarette packs makes you more likely to quit/stay quit from smoking

To what extent, if at all, do the health warnings on cigarette packs make you [more likely to quit smoking/more likely to not start smoking again]?

[Go to R04\_AR0110.]

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2, 3, 4, 5 AND R04\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	3685	10.9 %
2	2 = A little	3100	9.2 %
3	3 = Somewhat	3590	10.6 %
4	4 = A lot	3401	10.1 %
	<b>Total</b>	<b>13,776</b>	<b>40.7%</b>

This variable has 13,776 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	34	0.1 %	
-7	-7 = Refused	16	0.0 %	
-1	-1 = Inapplicable	19994	59.1 %	
	<b>Total</b>	<b>20,046</b>	<b>59.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 8970-8975 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0055: Extent to which health warnings on cigarette packs made you less likely to start smoking

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

ASK: Adult respondents who have never smoked a cigarette and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04\_EVER\_NEVER\_CIGS = 2 AND R04\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1244	3.7 %
2	2 = A little	474	1.4 %
3	3 = Somewhat	905	2.7 %
4	4 = A lot	2572	7.6 %
	<b>Total</b>	<b>5,195</b>	<b>15.4%</b>

This variable has 5,195 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	28585	84.5 %
	<b>Total</b>	<b>28,627</b>	<b>84.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8976-8981 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0110: In past 30 days, how often noticed health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	25524	75.5 %
2	2 = Rarely	4436	13.1 %
3	3 = Sometimes	2032	6.0 %
4	4 = Often	864	2.6 %
5	5 = Very often	831	2.5 %
<b>Total</b>		<b>33,687</b>	<b>99.6%</b>

This variable has 33,687 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	89	0.3 %	
-7	-7 = Refused	44	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>135</b>	<b>0.4%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 8982-8987 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AR0222: In past 30 days, how often you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

ASK: Adult respondents who are current established or current experimental electronic nicotine product users and have noticed the health warnings on electronic nicotine product packages in the past 30 days.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2 AND R04\_AR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	231	0.7 %
2	2 = Rarely	512	1.5 %

Value	Label	Unweighted Frequency	%
3	3 = Sometimes	293	0.9 %
4	4 = Often	126	0.4 %
5	5 = Very often	104	0.3 %
<b>Total</b>		<b>1,266</b>	<b>3.7%</b>

This variable has 1,266 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32550	96.2 %
<b>Total</b>		<b>32,556</b>	<b>96.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8988-8993 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0226: Extent to which health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them?

ASK: Adult respondents who are current established or current experimental electronic nicotine product users and have noticed the health warnings on electronic nicotine product packages in the past 30 days.

ASK Specification: IF R04\_EPROD\_USER\_STATUS = 1, 2 AND R04\_AR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	370	1.1 %
2	2 = A little	458	1.4 %
3	3 = Somewhat	345	1.0 %
4	4 = A lot	92	0.3 %
<b>Total</b>		<b>1,265</b>	<b>3.7%</b>

This variable has 1,265 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

Missing Data				
-7	-7 = Refused		3	0.0 %
-1	-1 = Inapplicable		32550	96.2 %
<b>Total</b>			<b>32,557</b>	<b>96.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 8994-8999 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0115: In past 30 days, how often noticed health warnings on packages of traditional cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	26410	78.1 %
2	2 = Rarely	3854	11.4 %
3	3 = Sometimes	1798	5.3 %
4	4 = Often	811	2.4 %
5	5 = Very often	799	2.4 %
<b>Total</b>		<b>33,672</b>	<b>99.6%</b>

This variable has 33,672 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	101	0.3 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>150</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9000-9005 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0229: In past 30 days, how often you read or looked closely at the health warnings on packages of traditional cigars

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of traditional cigars?

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R04\_GTRAD\_USER\_STATUS = 1, 2 AND R04\_AR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	129	0.4 %
2	2 = Rarely	286	0.8 %
3	3 = Sometimes	150	0.4 %
4	4 = Often	55	0.2 %
5	5 = Very often	40	0.1 %
<b>Total</b>		<b>660</b>	<b>2.0%</b>

This variable has 660 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33160	98.0 %
<b>Total</b>		<b>33,162</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9006-9011 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AR0233: Extent to which health warnings on packages of traditional cigars make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R04\_GTRAD\_USER\_STATUS = 1, 2 AND R04\_AR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	140	0.4 %

Value	Label	Unweighted Frequency	%
2	2 = A little	257	0.8 %
3	3 = Somewhat	193	0.6 %
4	4 = A lot	69	0.2 %
	<b>Total</b>	<b>659</b>	<b>1.9%</b>

This variable has 659 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33160	98.0 %	
	<b>Total</b>	<b>33,163</b>	<b>98.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9012-9017 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0120: In past 30 days, how often noticed health warnings on packages of cigarillos

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	25831	76.4 %
2	2 = Rarely	3950	11.7 %
3	3 = Sometimes	2025	6.0 %
4	4 = Often	996	2.9 %
5	5 = Very often	900	2.7 %
	<b>Total</b>	<b>33,702</b>	<b>99.6%</b>

This variable has 33,702 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	84	0.2 %	
-7	-7 = Refused	34	0.1 %	

Missing Data			
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>120</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9018-9023 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0236: In past 30 days, how often you read or looked closely at the health warnings on packages of cigarillos

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R04\_GRILLO\_USER\_STATUS = 1, 2 AND R04\_AR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	159	0.5 %
2	2 = Rarely	346	1.0 %
3	3 = Sometimes	255	0.8 %
4	4 = Often	104	0.3 %
5	5 = Very often	75	0.2 %
	<b>Total</b>	<b>939</b>	<b>2.8%</b>

This variable has 939 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32879	97.2 %
	<b>Total</b>	<b>32,883</b>	<b>97.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9024-9029 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0240: Extent to which health warnings on packages of cigarillos make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R04\_GRILLO\_USER\_STATUS = 1, 2 AND R04\_AR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	181	0.5 %
2	2 = A little	323	1.0 %
3	3 = Somewhat	302	0.9 %
4	4 = A lot	131	0.4 %
	<b>Total</b>	<b>937</b>	<b>2.8%</b>

This variable has 937 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32879	97.2 %	
	<b>Total</b>	<b>32,885</b>	<b>97.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9030-9035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0125: In past 30 days, how often noticed health warnings on packages of filtered cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	26365	78.0 %
2	2 = Rarely	3739	11.1 %
3	3 = Sometimes	1850	5.5 %
4	4 = Often	889	2.6 %

Value	Label	Unweighted Frequency	%
5	5 = Very often	852	2.5 %
	<b>Total</b>	<b>33,695</b>	<b>99.6%</b>

This variable has 33,695 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	91	0.3 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>127</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9036-9041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0243: In past 30 days, how often you read or looked closely at the health warnings on packages of filtered cigars

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R04\_GFILTR\_USER\_STATUS = 1, 2 AND R04\_AR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	58	0.2 %
2	2 = Rarely	180	0.5 %
3	3 = Sometimes	139	0.4 %
4	4 = Often	61	0.2 %
5	5 = Very often	50	0.1 %
	<b>Total</b>	<b>488</b>	<b>1.4%</b>

This variable has 488 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %

Missing Data			
-1	-1 = Inapplicable	33330	98.5 %
	<b>Total</b>	<b>33,334</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9042-9047 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0247: Extent to which health warnings on packages of filtered cigars make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R04\_GFILTR\_USER\_STATUS = 1, 2 AND R04\_AR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	72	0.2 %
2	2 = A little	175	0.5 %
3	3 = Somewhat	160	0.5 %
4	4 = A lot	82	0.2 %
	<b>Total</b>	<b>489</b>	<b>1.4%</b>

This variable has 489 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33330	98.5 %
	<b>Total</b>	<b>33,333</b>	<b>98.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9048-9053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0130: In past 30 days, how often noticed health warnings on packages of pipe tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPES AND PIPE TOBACCO]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	28176	83.3 %
2	2 = Rarely	2961	8.8 %
3	3 = Sometimes	1284	3.8 %
4	4 = Often	610	1.8 %
5	5 = Very often	662	2.0 %
	<b>Total</b>	<b>33,693</b>	<b>99.6%</b>

This variable has 33,693 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	90	0.3 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>129</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9054-9059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AR0135: In past 30 days, how often noticed health warnings on packages of shisha or hookah tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	29073	86.0 %
2	2 = Rarely	2576	7.6 %
3	3 = Sometimes	1045	3.1 %
4	4 = Often	460	1.4 %
5	5 = Very often	542	1.6 %
	<b>Total</b>	<b>33,696</b>	<b>99.6%</b>

This variable has 33,696 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>126</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9060-9065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0250: In past 30 days, how often you read or looked closely at the health warnings on packages of shisha or hookah tobacco

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of shisha or hookah tobacco?

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2 AND R04\_AR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	108	0.3 %
2	2 = Rarely	207	0.6 %
3	3 = Sometimes	121	0.4 %
4	4 = Often	37	0.1 %
5	5 = Very often	30	0.1 %
<b>Total</b>		<b>503</b>	<b>1.5%</b>

This variable has 503 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33317	98.5 %
<b>Total</b>		<b>33,319</b>	<b>98.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9066-9071 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AR0254: Extent to which health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R04\_HOOK\_USER\_STATUS = 1, 2 AND R04\_AR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	107	0.3 %
2	2 = A little	167	0.5 %
3	3 = Somewhat	156	0.5 %
4	4 = A lot	71	0.2 %
<b>Total</b>		<b>501</b>	<b>1.5%</b>

This variable has 501 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33317	98.5 %
<b>Total</b>		<b>33,321</b>	<b>98.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9072-9077 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AR0206: In past 30 days, how often have you noticed health warnings on snus containers

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	28152	83.2 %
2	2 = Rarely	2611	7.7 %
3	3 = Sometimes	1429	4.2 %
4	4 = Often	747	2.2 %
5	5 = Very often	756	2.2 %
	<b>Total</b>	<b>33,695</b>	<b>99.6%</b>

This variable has 33,695 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	93	0.3 %
-7	-7 = Refused	32	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>127</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9078-9083 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0207: In past 30 days, how often have you read or looked closely at health warnings on snus containers

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	43	0.1 %
2	2 = Rarely	102	0.3 %
3	3 = Sometimes	68	0.2 %
4	4 = Often	32	0.1 %
5	5 = Very often	23	0.1 %
	<b>Total</b>	<b>268</b>	<b>0.8%</b>

This variable has 268 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
<b>Total</b>		<b>33,554</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9084-9089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0208: In past 30 days, how often health warnings stopped you from having a snus product

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus product when you were about to use one?

**ASK:** Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

**ASK Specification:** IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	138	0.4 %
2	2 = Rarely	56	0.2 %
3	3 = Sometimes	45	0.1 %
4	4 = Often	13	0.0 %
5	5 = Very often	16	0.0 %
<b>Total</b>		<b>268</b>	<b>0.8%</b>

This variable has 268 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
<b>Total</b>		<b>33,554</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9090-9095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AR0209: In past 30 days, tried to avoid looking at or thinking about health warnings on snus containers

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.1 %
2	2 = No	221	0.7 %
	<b>Total</b>	<b>268</b>	<b>0.8%</b>

This variable has 268 valid cases out of 33,822 total cases.

Value	Missing Data	Unweighted Frequency	%
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
	<b>Total</b>	<b>33,554</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9096-9101 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AR0210: Believability of health warnings on snus containers

How believable do you consider the health warnings on snus containers to be?

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	11	0.0 %
2	2 = A little believable	43	0.1 %
3	3 = Somewhat believable	54	0.2 %
4	4 = Very believable	90	0.3 %

Value	Label	Unweighted Frequency	%
5	5 = Extremely believable	70	0.2 %
	<b>Total</b>	<b>268</b>	<b>0.8%</b>

This variable has 268 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %
	<b>Total</b>	<b>33,554</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9102-9107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0211: Extent to which health warnings on snus containers make you think about the health risks of snus

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2 AND R04\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	63	0.2 %
2	2 = A little	95	0.3 %
3	3 = Somewhat	73	0.2 %
4	4 = A lot	37	0.1 %
	<b>Total</b>	<b>268</b>	<b>0.8%</b>

This variable has 268 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33552	99.2 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,554</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9108-9113 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0212: Extent to which health warnings on snus containers makes you more likely to quit/stay quit from using snus

To what extent, if at all, do the health warnings on snus containers make you [more likely to quit using snus/ more likely to not start using snus again]?

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04\_SNUS\_USER\_STATUS = 1, 2, 3, 4, 5 AND R04\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	295	0.9 %
2	2 = A little	215	0.6 %
3	3 = Somewhat	239	0.7 %
4	4 = A lot	178	0.5 %
	<b>Total</b>	<b>927</b>	<b>2.7%</b>

This variable has 927 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32890	97.2 %
	<b>Total</b>	<b>32,895</b>	<b>97.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9114-9119 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0060: In past 30 days, how often have you noticed health warnings on packages of smokeless tobacco products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit, chew and moist snuff?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	26990	79.8 %
2	2 = Rarely	2917	8.6 %
3	3 = Sometimes	1807	5.3 %
4	4 = Often	984	2.9 %
5	5 = Very often	1010	3.0 %
	<b>Total</b>	<b>33,708</b>	<b>99.7%</b>

This variable has 33,708 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	83	0.2 %
-7	-7 = Refused	29	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>114</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9120-9125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AR0205: In past 30 days, how often have you read or looked closely at health warnings on smokeless tobacco packages

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	148	0.4 %
2	2 = Rarely	320	0.9 %
3	3 = Sometimes	314	0.9 %
4	4 = Often	150	0.4 %

Value	Label	Unweighted Frequency	%
5	5 = Very often	100	0.3 %
	<b>Total</b>	<b>1,032</b>	<b>3.1%</b>

This variable has 1,032 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32787	96.9 %
	<b>Total</b>	<b>32,790</b>	<b>96.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9126-9131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AR0065: In past 30 days, how often have health warnings stopped you from having a smokeless tobacco product when about to use one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	633	1.9 %
2	2 = Rarely	199	0.6 %
3	3 = Sometimes	123	0.4 %
4	4 = Often	40	0.1 %
5	5 = Very often	33	0.1 %
	<b>Total</b>	<b>1,028</b>	<b>3.0%</b>

This variable has 1,028 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	32787	96.9 %
	<b>Total</b>	<b>32,794</b>	<b>97.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9132-9137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0070: In past 30 days, tried to avoid looking at or thinking about health warnings on packages of smokeless tobacco products

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	140	0.4 %
2	2 = No	890	2.6 %
	<b>Total</b>	<b>1,030</b>	<b>3.0%</b>

This variable has 1,030 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32787	96.9 %
	<b>Total</b>	<b>32,792</b>	<b>97.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9138-9143 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0075: Believability of health warnings on packages of smokeless tobacco products

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	32	0.1 %
2	2 = A little believable	85	0.3 %
3	3 = Somewhat believable	243	0.7 %
4	4 = Very believable	430	1.3 %
5	5 = Extremely believable	242	0.7 %
	<b>Total</b>	<b>1,032</b>	<b>3.1%</b>

This variable has 1,032 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32787	96.9 %
	<b>Total</b>	<b>32,790</b>	<b>96.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9144-9149 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AR0085: Extent to which health warnings on packages of smokeless tobacco products makes you think about health risks of using smokeless tobacco products

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2 AND R04\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	201	0.6 %
2	2 = A little	357	1.1 %
3	3 = Somewhat	345	1.0 %
4	4 = A lot	129	0.4 %
	<b>Total</b>	<b>1,032</b>	<b>3.1%</b>

This variable has 1,032 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32787	96.9 %	
<b>Total</b>		<b>32,790</b>	<b>96.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9150-9155 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR0090: Extent to which health warnings on packages of smokeless tobacco products makes you more likely to quit/stay quit from using smokeless tobacco products

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you [more likely to quit using smokeless tobacco products/ more likely to not start using smokeless tobacco products again]?

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04\_SMKLS\_USER\_STATUS = 1, 2, 3, 4, 5 AND R04\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	518	1.5 %
2	2 = A little	525	1.6 %
3	3 = Somewhat	535	1.6 %
4	4 = A lot	386	1.1 %
<b>Total</b>		<b>1,964</b>	<b>5.8%</b>

This variable has 1,964 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	31854	94.2 %	
<b>Total</b>		<b>31,858</b>	<b>94.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9156-9161 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0722: Perception of harmfulness of nicotine to health

How harmful do you think nicotine is to health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	771	2.3 %
2	2 = Slightly harmful	1666	4.9 %
3	3 = Somewhat harmful	5503	16.3 %
4	4 = Very harmful	10989	32.5 %
5	5 = Extremely harmful	14797	43.7 %
	<b>Total</b>	<b>33,726</b>	<b>99.7%</b>

This variable has 33,726 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	72	0.2 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>96</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9162-9167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0250: Extent to which you believe nicotine to be the main substance that makes people want to use tobacco products

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	15318	45.3 %
2	2 = Probably yes	13694	40.5 %
3	3 = Probably not	3105	9.2 %
4	4 = Definitely not	1531	4.5 %
	<b>Total</b>	<b>33,648</b>	<b>99.5%</b>

This variable has 33,648 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	135	0.4 %	
-7	-7 = Refused	37	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>174</b>	<b>0.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9168-9173 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0723: Perception of harmfulness of an additive-free tobacco product compared to a regular tobacco product

Do you think a tobacco product described as additive-free is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	4695	13.9 %
2	2 = About the same	25516	75.4 %
3	3 = More harmful	3212	9.5 %
<b>Total</b>		<b>33,423</b>	<b>98.8%</b>

This variable has 33,423 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	349	1.0 %	
-7	-7 = Refused	48	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>399</b>	<b>1.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9174-9179 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0724: Perception of harmfulness of an organic tobacco product compared to a regular tobacco product

Do you think a tobacco product described as organic is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	5216	15.4 %
2	2 = About the same	26092	77.1 %
3	3 = More harmful	2160	6.4 %
<b>Total</b>		<b>33,468</b>	<b>99.0%</b>

This variable has 33,468 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	321	0.9 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>354</b>	<b>1.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9180-9185 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0004: In past 30 days, how often you thought about the harm your tobacco use might be doing to you

In the past 30 days, how often did you think about the harm your tobacco use might be doing to you?

ASK: Adult respondents who are current established or current experimental tobacco users.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Never	2648	7.8 %
2	2 = Rarely	3110	9.2 %
3	3 = Sometimes	4799	14.2 %
4	4 = Often	2248	6.6 %
5	5 = Very often	1566	4.6 %
<b>Total</b>		<b>14,371</b>	<b>42.5%</b>

This variable has 14,371 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	26	0.1 %	
-7	-7 = Refused	18	0.1 %	
-1	-1 = Inapplicable	19405	57.4 %	
<b>Total</b>		<b>19,451</b>	<b>57.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9186-9191 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9050: General perception: Harmfulness of cigarettes to health

How harmful do you think cigarettes are to health?

ASK: All adult respondents.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Not at all harmful	472	1.4 %
2	2 = Slightly harmful	773	2.3 %
3	3 = Somewhat harmful	3682	10.9 %
4	4 = Very harmful	10143	30.0 %
5	5 = Extremely harmful	18673	55.2 %
<b>Total</b>		<b>33,743</b>	<b>99.8%</b>

This variable has 33,743 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	54	0.2 %	
-7	-7 = Refused	23	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>79</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9192-9197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1149: Harmfulness of nicotine in cigarettes to health

How harmful do you think the nicotine in cigarettes is to health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	658	1.9 %
2	2 = Slightly harmful	1879	5.6 %
3	3 = Somewhat harmful	6225	18.4 %
4	4 = Very harmful	10676	31.6 %
5	5 = Extremely harmful	14258	42.2 %
	<b>Total</b>	<b>33,696</b>	<b>99.6%</b>

This variable has 33,696 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	94	0.3 %	
-7	-7 = Refused	30	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>126</b>	<b>0.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9198-9203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9046: General perception: Harmfulness of certain types of cigarettes to health

In your opinion, do you think that some types of cigarettes are less harmful to a person's health than other types?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6480	19.2 %
2	2 = No	19060	56.4 %
3	3 = I don't know	8220	24.3 %
	<b>Total</b>	<b>33,760</b>	<b>99.8%</b>

This variable has 33,760 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	30	0.1 %	

Missing Data				
-7	-7 = Refused		30	0.1 %
-1	-1 = Inapplicable		0	0.0 %
<b>Total</b>			<b>62</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9204-9209 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AC9040\_NB: Flavored cigarettes less harmful, no different or more harmful than regular cigarettes

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	138	0.4 %
2	2 = No different	5984	17.7 %
3	3 = More harmful	1783	5.3 %
<b>Total</b>		<b>7,905</b>	<b>23.4%</b>

This variable has 7,905 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	47	0.1 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	25855	76.4 %	
<b>Total</b>		<b>25,917</b>	<b>76.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9210-9215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AC9047: General perception: Harmfulness of nicotine levels in cigarettes to health

In your opinion, do you think that cigarettes with lower amounts of nicotine are less harmful, about the same, or more harmful to a person's health than regular cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	4510	13.3 %
2	2 = About the same	27026	79.9 %
3	3 = More harmful	2071	6.1 %
<b>Total</b>		<b>33,607</b>	<b>99.4%</b>

This variable has 33,607 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	177	0.5 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>215</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9216-9221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9051: General perception: Cigarettes with lower amounts of nicotine are less addictive, about the same, or more addictive than regular cigarettes

In your opinion, do you think that cigarettes with lower amounts of nicotine are less addictive, about the same, or more addictive than regular cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less addictive	6185	18.3 %
2	2 = About the same	25505	75.4 %
3	3 = More addictive	1903	5.6 %
<b>Total</b>		<b>33,593</b>	<b>99.3%</b>

This variable has 33,593 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	191	0.6 %
-7	-7 = Refused	36	0.1 %

Missing Data			
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>229</b>	<b>0.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9222-9227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9055: In past 30 days, stubbed out a cigarette before finishing it because you thought about the harm of smoking

In the past 30 days, have you stubbed out a cigarette before you finished it because you thought about the harm of smoking?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3382	10.0 %
2	2 = No	7558	22.3 %
	<b>Total</b>	<b>10,940</b>	<b>32.3%</b>

This variable has 10,940 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	22853	67.6 %
	<b>Total</b>	<b>22,882</b>	<b>67.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9228-9233 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC1170: General perception: Harmfulness of smoking cigarettes some days but not every day

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	689	2.0 %
2	2 = A little harm	3200	9.5 %
3	3 = Some harm	14518	42.9 %
4	4 = A lot of harm	15249	45.1 %
	<b>Total</b>	<b>33,656</b>	<b>99.5%</b>

This variable has 33,656 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>166</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9234-9239 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1110: General perception: Harmfulness of today's cigarettes compared to those of five years ago

How harmful do you think today's cigarettes are compared to those of five years ago?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Much less harmful	477	1.4 %
2	2 = Somewhat less harmful	2163	6.4 %
3	3 = About the same	19091	56.4 %
4	4 = Somewhat more harmful	4965	14.7 %
5	5 = Much more harmful	6799	20.1 %
	<b>Total</b>	<b>33,495</b>	<b>99.0%</b>

This variable has 33,495 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	288	0.9 %
-7	-7 = Refused	37	0.1 %

Missing Data				
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>327</b>	<b>1.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9240-9245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9120: Extent to which you believe nicotine in cigarettes to be the chemical that causes most of the cancer caused by smoking

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	8060	23.8 %
2	2 = Probably yes	14106	41.7 %
3	3 = Probably not	8732	25.8 %
4	4 = Definitely not	2439	7.2 %
<b>Total</b>		<b>33,337</b>	<b>98.6%</b>

This variable has 33,337 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	440	1.3 %	
-7	-7 = Refused	43	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>485</b>	<b>1.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9246-9251 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AE9050: General perception: Harmfulness of using e-cigarettes or other electronic nicotine products to health

How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	943	2.8 %
2	2 = Slightly harmful	3508	10.4 %
3	3 = Somewhat harmful	10186	30.1 %
4	4 = Very harmful	9982	29.5 %
5	5 = Extremely harmful	8714	25.8 %
	<b>Total</b>	<b>33,333</b>	<b>98.6%</b>

This variable has 33,333 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	424	1.3 %
-7	-7 = Refused	63	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>489</b>	<b>1.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9252-9257 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1149: Harmfulness of e-cigarettes or other electronic nicotine products to health

How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	891	2.6 %
2	2 = Slightly harmful	3711	11.0 %
3	3 = Somewhat harmful	10354	30.6 %
4	4 = Very harmful	10211	30.2 %
5	5 = Extremely harmful	8264	24.4 %
	<b>Total</b>	<b>33,431</b>	<b>98.8%</b>

This variable has 33,431 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	348	1.0 %

Missing Data				
-7	-7 = Refused		41	0.1 %
-1	-1 = Inapplicable		0	0.0 %
<b>Total</b>			<b>391</b>	<b>1.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9258-9263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1170: General perception: How much people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	1080	3.2 %
2	2 = A little harm	5493	16.2 %
3	3 = Some harm	15198	44.9 %
4	4 = A lot of harm	11676	34.5 %
<b>Total</b>		<b>33,447</b>	<b>98.9%</b>

This variable has 33,447 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		2	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		327	1.0 %
-7	-7 = Refused		46	0.1 %
-1	-1 = Inapplicable		0	0.0 %
<b>Total</b>			<b>375</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9264-9269 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1669: In past 12 months, seen any e-cigarettes or other electronic nicotine products that claim to be less harmful

In the past 12 months, have you seen any e-cigarettes or other electronic nicotine products that claim to be less harmful?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AE1099.]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9065	26.8 %
2	2 = No	24567	72.6 %
	<b>Total</b>	<b>33,632</b>	<b>99.4%</b>

This variable has 33,632 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	157	0.5 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>190</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9270-9275 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1670: Likelihood of using e-cigarettes or other electronic nicotine products that claim to be less harmful in the next 30 days

How likely is it that you will use one of these e-cigarettes or other electronic nicotine products that claim to be less harmful in the next 30 days?

ASK: Adult respondents who have seen e-cigarettes or other electronic nicotine products that claim to be less harmful in the past 12 months.

ASK Specification: IF R04\_AV1669 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	500	1.5 %
2	2 = Somewhat likely	834	2.5 %
3	3 = Somewhat unlikely	871	2.6 %
4	4 = Very unlikely	6845	20.2 %
	<b>Total</b>	<b>9,050</b>	<b>26.8%</b>

This variable has 9,050 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	24755	73.2 %
	<b>Total</b>	<b>24,772</b>	<b>73.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9276-9281 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AE1099: General perception: Harmfulness of using e-cigarettes or other electronic nicotine products compared to smoking cigarettes

Is using e-cigarettes or other electronic nicotine products less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	8239	24.4 %
2	2 = About the same	21826	64.5 %
3	3 = More harmful	3297	9.7 %
	<b>Total</b>	<b>33,362</b>	<b>98.6%</b>

This variable has 33,362 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	407	1.2 %
-7	-7 = Refused	51	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>460</b>	<b>1.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9282-9287 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV1148: Harmfulness of using menthol or mint flavored e-cigarettes compared to tobacco-flavored or unflavored e-cigarettes

Some e-cigarettes and other electronic nicotine products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts or

other sweets. Other e-cigarettes or electronic nicotine products are tobacco-flavored or unflavored.

Do you think using menthol or mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1402	4.1 %
2	2 = About the same	27450	81.2 %
3	3 = More harmful	4570	13.5 %
<b>Total</b>		<b>33,422</b>	<b>98.8%</b>

This variable has 33,422 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	344	1.0 %
-7	-7 = Refused	54	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>400</b>	<b>1.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9288-9293 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AV1152: Harmfulness of using flavored e-cigarettes (other than menthol or mint) compared to tobacco-flavored or unflavored e-cigarettes

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1397	4.1 %
2	2 = About the same	28369	83.9 %
3	3 = More harmful	3687	10.9 %
<b>Total</b>		<b>33,453</b>	<b>98.9%</b>

This variable has 33,453 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	329	1.0 %	
-7	-7 = Refused	38	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>369</b>	<b>1.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9294-9299 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG9050: General perception: Harmfulness of traditional cigars to health

How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	456	1.3 %
2	2 = Slightly harmful	1443	4.3 %
3	3 = Somewhat harmful	7076	20.9 %
4	4 = Very harmful	11698	34.6 %
5	5 = Extremely harmful	12908	38.2 %
	<b>Total</b>	<b>33,581</b>	<b>99.3%</b>

This variable has 33,581 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	0.6 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>241</b>	<b>0.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9300-9305 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG9060: General perception: How much people harm themselves when they smoke traditional cigars some days but not every day

How much do you think people harm themselves when they smoke traditional cigars some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	600	1.8 %
2	2 = A little harm	3693	10.9 %
3	3 = Some harm	14997	44.3 %
4	4 = A lot of harm	14303	42.3 %
	<b>Total</b>	<b>33,593</b>	<b>99.3%</b>

This variable has 33,593 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	189	0.6 %	
-7	-7 = Refused	38	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>229</b>	<b>0.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9306-9311 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1099: General perception: Harmfulness of smoking traditional cigars compared to smoking cigarettes

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3789	11.2 %
2	2 = About the same	21000	62.1 %
3	3 = More harmful	8722	25.8 %
	<b>Total</b>	<b>33,511</b>	<b>99.1%</b>

This variable has 33,511 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	

Missing Data				
-8	-8 = Don't know	260	0.8 %	
-7	-7 = Refused	49	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>311</b>	<b>0.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9312-9317 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG9054: General perception: Harmfulness of cigarillos to health

How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	401	1.2 %
2	2 = Slightly harmful	1412	4.2 %
3	3 = Somewhat harmful	7883	23.3 %
4	4 = Very harmful	12048	35.6 %
5	5 = Extremely harmful	11755	34.8 %
<b>Total</b>		<b>33,499</b>	<b>99.0%</b>

This variable has 33,499 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	269	0.8 %	
-7	-7 = Refused	52	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>323</b>	<b>1.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9318-9323 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG9061: General perception: How much people harm themselves when they smoke cigarillos some days but not every day

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	485	1.4 %
2	2 = A little harm	3334	9.9 %
3	3 = Some harm	16411	48.5 %
4	4 = A lot of harm	13303	39.3 %
	<b>Total</b>	<b>33,533</b>	<b>99.1%</b>

This variable has 33,533 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	251	0.7 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>289</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9324-9329 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1106: General perception: Harmfulness of smoking cigarillos compared to smoking cigarettes

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2361	7.0 %
2	2 = About the same	24647	72.9 %
3	3 = More harmful	6467	19.1 %
	<b>Total</b>	<b>33,475</b>	<b>99.0%</b>

This variable has 33,475 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	305	0.9 %

Missing Data				
-7	-7 = Refused		40	0.1 %
-1	-1 = Inapplicable		0	0.0 %
<b>Total</b>			<b>347</b>	<b>1.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9330-9335 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG9055: General perception: Harmfulness of filtered cigars to health

How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	386	1.1 %
2	2 = Slightly harmful	1503	4.4 %
3	3 = Somewhat harmful	8152	24.1 %
4	4 = Very harmful	12038	35.6 %
5	5 = Extremely harmful	11446	33.8 %
<b>Total</b>		<b>33,525</b>	<b>99.1%</b>

This variable has 33,525 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	248	0.7 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>297</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9336-9341 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AG9062: General perception: How much people harm themselves when they smoke filtered cigars some days but not every day

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	444	1.3 %
2	2 = A little harm	3292	9.7 %
3	3 = Some harm	16835	49.8 %
4	4 = A lot of harm	12985	38.4 %
	<b>Total</b>	<b>33,556</b>	<b>99.2%</b>

This variable has 33,556 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	217	0.6 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>266</b>	<b>0.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9342-9347 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1107: General perception: Harmfulness of smoking filtered cigars compared to smoking cigarettes

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2629	7.8 %
2	2 = About the same	25130	74.3 %
3	3 = More harmful	5741	17.0 %
	<b>Total</b>	<b>33,500</b>	<b>99.0%</b>

This variable has 33,500 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	281	0.8 %
-7	-7 = Refused	39	0.1 %

Missing Data			
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>322</b>	<b>1.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9348-9353 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AG1110: General perception: Harmfulness of today's traditional cigars, cigarillos or filtered cigars compared to those of five years ago

How harmful do you think today's traditional cigars, cigarillos or filtered cigars are compared to those of five years ago?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Much less harmful	345	1.0 %
2	2 = Somewhat less harmful	1654	4.9 %
3	3 = About the same	21337	63.1 %
4	4 = Somewhat more harmful	4713	13.9 %
5	5 = Much more harmful	5318	15.7 %
	<b>Total</b>	<b>33,367</b>	<b>98.7%</b>

This variable has 33,367 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	400	1.2 %
-7	-7 = Refused	53	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>455</b>	<b>1.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9354-9359 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1170: General perception: How much people harm themselves when they smoke pipe tobacco some days but not every day

How much do you think people harm themselves when they smoke pipe tobacco some days but not every day?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	528	1.6 %
2	2 = A little harm	2963	8.8 %
3	3 = Some harm	15016	44.4 %
4	4 = A lot of harm	15015	44.4 %
	<b>Total</b>	<b>33,522</b>	<b>99.1%</b>

This variable has 33,522 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	242	0.7 %	
-7	-7 = Refused	56	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>300</b>	<b>0.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9360-9365 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AP1099: General perception: Harmfulness of smoking pipes filled with tobacco compared to smoking cigarettes

Is smoking pipes filled with tobacco less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3156	9.3 %
2	2 = About the same	22814	67.5 %
3	3 = More harmful	7531	22.3 %
	<b>Total</b>	<b>33,501</b>	<b>99.1%</b>

This variable has 33,501 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	276	0.8 %

Missing Data				
-7	-7 = Refused		43	0.1 %
-1	-1 = Inapplicable		0	0.0 %
<b>Total</b>			<b>321</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9366-9371 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH9050: General perception: Harmfulness of shisha or hookah tobacco to health

How harmful do you think shisha or hookah tobacco is to health?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	526	1.6 %
2	2 = Slightly harmful	2551	7.5 %
3	3 = Somewhat harmful	9878	29.2 %
4	4 = Very harmful	9988	29.5 %
5	5 = Extremely harmful	10350	30.6 %
<b>Total</b>		<b>33,293</b>	<b>98.4%</b>

This variable has 33,293 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	474	1.4 %
-7	-7 = Refused	53	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>529</b>	<b>1.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9372-9377 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH9044: General perception: How harmful to be around people who are smoking shisha or hookah tobacco

How harmful is it to be around people who are smoking shisha or hookah tobacco?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	1289	3.8 %
2	2 = Slightly harmful	4753	14.1 %
3	3 = Somewhat harmful	11491	34.0 %
4	4 = Very harmful	8281	24.5 %
5	5 = Extremely harmful	7470	22.1 %
	<b>Total</b>	<b>33,284</b>	<b>98.4%</b>

This variable has 33,284 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	488	1.4 %
-7	-7 = Refused	48	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>538</b>	<b>1.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9378-9383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AH1170: General perception: How much people harm themselves when they smoke hookah on some days but not every day

How much do you think people harm themselves when they smoke hookah on some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	764	2.3 %
2	2 = A little harm	5181	15.3 %
3	3 = Some harm	16024	47.4 %
4	4 = A lot of harm	11382	33.7 %
	<b>Total</b>	<b>33,351</b>	<b>98.6%</b>

This variable has 33,351 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	424	1.3 %	
-7	-7 = Refused	45	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>471</b>	<b>1.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9384-9389 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AH1099: General perception: Harmfulness of smoking tobacco in a hookah compared to smoking cigarettes

Is smoking tobacco in a hookah less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	4922	14.6 %
2	2 = About the same	21457	63.4 %
3	3 = More harmful	6915	20.4 %
<b>Total</b>		<b>33,294</b>	<b>98.4%</b>

This variable has 33,294 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	475	1.4 %	
-7	-7 = Refused	51	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>528</b>	<b>1.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9390-9395 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU9050: General perception: Harmfulness of snus to health

How harmful do you think snus is to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	352	1.0 %
2	2 = Slightly harmful	1215	3.6 %
3	3 = Somewhat harmful	6754	20.0 %
4	4 = Very harmful	10988	32.5 %
5	5 = Extremely harmful	13979	41.3 %
	<b>Total</b>	<b>33,288</b>	<b>98.4%</b>

This variable has 33,288 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	477	1.4 %
-7	-7 = Refused	55	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>534</b>	<b>1.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9396-9401 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1105: General perception: Harmfulness of using snus compared to smoking cigarettes

Is using snus less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2527	7.5 %
2	2 = About the same	20815	61.5 %
3	3 = More harmful	9903	29.3 %
	<b>Total</b>	<b>33,245</b>	<b>98.3%</b>

This variable has 33,245 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	533	1.6 %
-7	-7 = Refused	42	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>577</b>	<b>1.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9402-9407 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1170: General perception: How much people harm themselves when they use snus on some days but not every day

How much do you think people harm themselves when they use snus on some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	453	1.3 %
2	2 = A little harm	3153	9.3 %
3	3 = Some harm	15097	44.6 %
4	4 = A lot of harm	14612	43.2 %
	<b>Total</b>	<b>33,315</b>	<b>98.5%</b>

This variable has 33,315 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	450	1.3 %
-7	-7 = Refused	55	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>507</b>	<b>1.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9408-9413 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1669: In past 12 months, seen any snus products that claim to be less harmful

In the past 12 months, have you seen any snus products that claim to be less harmful?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AU9040.]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1652	4.9 %
2	2 = No	31904	94.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>33,556</b>	<b>99.2%</b>

This variable has 33,556 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	232	0.7 %
-7	-7 = Refused	32	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>266</b>	<b>0.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9414-9419 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AU1670: Likeliness of using snus products that claim to be less harmful in the next 30 days

How likely is it that you will use one of these snus products that claim to be less harmful in the next 30 days?

ASK: Adult respondents who have seen snus products that claim to be less harmful in the past 12 months.

ASK Specification: IF R04\_AU1669 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	155	0.5 %
2	2 = Somewhat likely	220	0.7 %
3	3 = Somewhat unlikely	202	0.6 %
4	4 = Very unlikely	1071	3.2 %
	<b>Total</b>	<b>1,648</b>	<b>4.9%</b>

This variable has 1,648 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32168	95.1 %
	<b>Total</b>	<b>32,174</b>	<b>95.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9420-9425 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU9040: General perception: Harmfulness of using snus compared to smokeless tobacco products

Is using snus less harmful, about the same, or more harmful than other types of smokeless tobacco products (such as dip, spit or chew)?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1071	3.2 %
2	2 = About the same	25981	76.8 %
3	3 = More harmful	6076	18.0 %
<b>Total</b>		<b>33,128</b>	<b>97.9%</b>

This variable has 33,128 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	654	1.9 %	
-7	-7 = Refused	38	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>694</b>	<b>2.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9426-9431 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AU1110: General perception: Harmfulness of today's snus compared to those of five years ago

How harmful do you think today's snus products are compared to those of five years ago?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Much less harmful	308	0.9 %
2	2 = Somewhat less harmful	1120	3.3 %
3	3 = About the same	21750	64.3 %
4	4 = Somewhat more harmful	4290	12.7 %

Value	Label	Unweighted Frequency	%
5	5 = Much more harmful	5533	16.4 %
	<b>Total</b>	<b>33,001</b>	<b>97.6%</b>

This variable has 33,001 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	765	2.3 %
-7	-7 = Refused	54	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>821</b>	<b>2.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9432-9437 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS9050: General perception: Harmfulness of smokeless tobacco products to health

How harmful do you think other smokeless tobacco products (such as dip, spit or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	331	1.0 %
2	2 = Slightly harmful	1071	3.2 %
3	3 = Somewhat harmful	7067	20.9 %
4	4 = Very harmful	10946	32.4 %
5	5 = Extremely harmful	14062	41.6 %
	<b>Total</b>	<b>33,477</b>	<b>99.0%</b>

This variable has 33,477 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	306	0.9 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>345</b>	<b>1.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9438-9443 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1170: General perception: How much people harm themselves when they use other smokeless tobacco products on some days but not every day

How much do you think people harm themselves when they use other smokeless tobacco products (such as dip, spit or chew) on some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	396	1.2 %
2	2 = A little harm	2549	7.5 %
3	3 = Some harm	14796	43.7 %
4	4 = A lot of harm	15753	46.6 %
	<b>Total</b>	<b>33,494</b>	<b>99.0%</b>

This variable has 33,494 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	285	0.8 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>328</b>	<b>1.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9444-9449 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AS1669: In past 12 months, seen any smokeless tobacco products that claim to be less harmful

In the past 12 months, have you seen any smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AS1105.]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1984	5.9 %
2	2 = No	31643	93.6 %
	<b>Total</b>	<b>33,627</b>	<b>99.4%</b>

This variable has 33,627 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	159	0.5 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>195</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9450-9455 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1670: Likeliness of using smokeless tobacco products that claim to be less harmful in the next 30 days

How likely is it that you will use one of these smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful in the next 30 days?

ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful in the past 12 months.

ASK Specification: IF R04\_AS1669 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	183	0.5 %
2	2 = Somewhat likely	221	0.7 %
3	3 = Somewhat unlikely	250	0.7 %
4	4 = Very unlikely	1323	3.9 %
	<b>Total</b>	<b>1,977</b>	<b>5.8%</b>

This variable has 1,977 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	31836	94.1 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>31,845</b>	<b>94.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9456-9461 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1105: General perception: Harmfulness of using smokeless tobacco compared to smoking cigarettes

Is using smokeless tobacco (such as dip, spit or chew) less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2366	7.0 %
2	2 = About the same	22294	65.9 %
3	3 = More harmful	8753	25.9 %
<b>Total</b>		<b>33,413</b>	<b>98.8%</b>

This variable has 33,413 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	371	1.1 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>409</b>	<b>1.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9462-9467 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AS1110: General perception: Harmfulness of today's smokeless tobacco products compared to those of five years ago

How harmful do you think today's smokeless tobacco products (such as dip, spit or chew) are compared to those of five years ago?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Much less harmful	276	0.8 %
2	2 = Somewhat less harmful	1062	3.1 %
3	3 = About the same	21692	64.1 %
4	4 = Somewhat more harmful	4372	12.9 %
5	5 = Much more harmful	5878	17.4 %
	<b>Total</b>	<b>33,280</b>	<b>98.4%</b>

This variable has 33,280 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	502	1.5 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>542</b>	<b>1.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9468-9473 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0759: Harmfulness of nicotine in nicotine replacement products such as nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge, or pill

Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge, or pill.

How harmful do you think the nicotine in these products is to health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	1306	3.9 %
2	2 = Slightly harmful	6570	19.4 %
3	3 = Somewhat harmful	11960	35.4 %
4	4 = Very harmful	6826	20.2 %
5	5 = Extremely harmful	6711	19.8 %
	<b>Total</b>	<b>33,373</b>	<b>98.7%</b>

This variable has 33,373 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	413	1.2 %	
-7	-7 = Refused	34	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>449</b>	<b>1.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9474-9479 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AV9055: Harmfulness of e-cigarettes and other electronic nicotine products compared to nicotine patch, gum, or lozenge

Do you think using e-cigarettes and other electronic nicotine products is less harmful, about the same, or more harmful than using a nicotine patch, gum, or lozenge?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3568	10.5 %
2	2 = About the same	20193	59.7 %
3	3 = More harmful	9579	28.3 %
	<b>Total</b>	<b>33,340</b>	<b>98.6%</b>

This variable has 33,340 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	450	1.3 %	
-7	-7 = Refused	30	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>482</b>	<b>1.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9480-9485 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9060: Level of agreement - based on your belief, smoking can cause: stroke in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

stroke in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	19230	56.9 %
2	2 = Agree	10546	31.2 %
3	3 = Neither agree nor disagree	3250	9.6 %
4	4 = Disagree	385	1.1 %
5	5 = Strongly disagree	296	0.9 %
	<b>Total</b>	<b>33,707</b>	<b>99.7%</b>

This variable has 33,707 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>115</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9486-9491 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AC9065: Level of agreement - based on your belief, smoking can cause: lung cancer in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

lung cancer in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	25635	75.8 %
2	2 = Agree	6562	19.4 %
3	3 = Neither agree nor disagree	1069	3.2 %
4	4 = Disagree	159	0.5 %

Value	Label	Unweighted Frequency	%
5	5 = Strongly disagree	244	0.7 %
	<b>Total</b>	<b>33,669</b>	<b>99.5%</b>

This variable has 33,669 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	89	0.3 %
-7	-7 = Refused	61	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>153</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9492-9497 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9070: Level of agreement - based on your belief, smoking can cause: heart disease in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

heart disease in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	22934	67.8 %
2	2 = Agree	8412	24.9 %
3	3 = Neither agree nor disagree	1897	5.6 %
4	4 = Disagree	245	0.7 %
5	5 = Strongly disagree	248	0.7 %
	<b>Total</b>	<b>33,736</b>	<b>99.7%</b>

This variable has 33,736 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	49	0.1 %
-7	-7 = Refused	34	0.1 %

Missing Data			
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>86</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9498-9503 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9075: Level of agreement - based on your belief, smoking can cause: blindness in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

blindness in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	10078	29.8 %
2	2 = Agree	7256	21.5 %
3	3 = Neither agree nor disagree	12228	36.2 %
4	4 = Disagree	2982	8.8 %
5	5 = Strongly disagree	1121	3.3 %
	<b>Total</b>	<b>33,665</b>	<b>99.5%</b>

This variable has 33,665 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	132	0.4 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>157</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9504-9509 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9043: Level of agreement - based on your belief, smoking can cause: diabetes in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

diabetes in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	10720	31.7 %
2	2 = Agree	7705	22.8 %
3	3 = Neither agree nor disagree	11395	33.7 %
4	4 = Disagree	2833	8.4 %
5	5 = Strongly disagree	1022	3.0 %
	<b>Total</b>	<b>33,675</b>	<b>99.6%</b>

This variable has 33,675 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	118	0.3 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>147</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9510-9515 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AC9080: Level of agreement - based on your belief, smoking can cause: poor circulation in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

poor circulation (also called peripheral vascular disease) in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	18899	55.9 %
2	2 = Agree	10252	30.3 %

Value	Label	Unweighted Frequency	%
3	3 = Neither agree nor disagree	3689	10.9 %
4	4 = Disagree	584	1.7 %
5	5 = Strongly disagree	310	0.9 %
<b>Total</b>		<b>33,734</b>	<b>99.7%</b>

This variable has 33,734 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	67	0.2 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>88</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9516-9521 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9085: Level of agreement - based on your belief, smoking can cause: bladder cancer in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

bladder cancer in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	12874	38.1 %
2	2 = Agree	7816	23.1 %
3	3 = Neither agree nor disagree	10499	31.0 %
4	4 = Disagree	1847	5.5 %
5	5 = Strongly disagree	634	1.9 %
<b>Total</b>		<b>33,670</b>	<b>99.6%</b>

This variable has 33,670 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %

Missing Data			
-8	-8 = Don't know	124	0.4 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>152</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9522-9527 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9090: Level of agreement - based on your belief, smoking can cause: mouth cancer in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

mouth cancer in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	22375	66.2 %
2	2 = Agree	8415	24.9 %
3	3 = Neither agree nor disagree	2266	6.7 %
4	4 = Disagree	409	1.2 %
5	5 = Strongly disagree	277	0.8 %
<b>Total</b>		<b>33,742</b>	<b>99.8%</b>

This variable has 33,742 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	57	0.2 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>80</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9528-9533 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AC9044: Level of agreement - based on your belief, smoking can cause: liver cancer in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

liver cancer in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	14969	44.3 %
2	2 = Agree	8005	23.7 %
3	3 = Neither agree nor disagree	8557	25.3 %
4	4 = Disagree	1549	4.6 %
5	5 = Strongly disagree	566	1.7 %
	<b>Total</b>	<b>33,646</b>	<b>99.5%</b>

This variable has 33,646 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	134	0.4 %
-7	-7 = Refused	39	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>176</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9534-9539 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AC9100: Level of agreement - based on your belief, smoking can cause: lung disease in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

lung disease (such as emphysema) in smokers.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	26233	77.6 %
2	2 = Agree	6112	18.1 %
3	3 = Neither agree nor disagree	1055	3.1 %
4	4 = Disagree	141	0.4 %
5	5 = Strongly disagree	197	0.6 %
	<b>Total</b>	<b>33,738</b>	<b>99.8%</b>

This variable has 33,738 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.2 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>84</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9540-9545 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC9105: Level of agreement - based on your belief, smoking can cause: lung disease in non-smokers from second-hand smoke

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

lung disease in non-smokers from second-hand smoke.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	17901	52.9 %
2	2 = Agree	10657	31.5 %
3	3 = Neither agree nor disagree	3880	11.5 %
4	4 = Disagree	858	2.5 %
5	5 = Strongly disagree	330	1.0 %
	<b>Total</b>	<b>33,626</b>	<b>99.4%</b>

This variable has 33,626 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	115	0.3 %
-7	-7 = Refused	79	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>196</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9546-9551 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AC9110: Level of agreement - based on your belief, smoking can cause: heart attack in non-smokers from second-hand smoke

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

heart attack in non-smokers from second-hand smoke.

ASK: All adult respondents.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Strongly agree	13475	39.8 %
2	2 = Agree	10025	29.6 %
3	3 = Neither agree nor disagree	8066	23.8 %
4	4 = Disagree	1677	5.0 %
5	5 = Strongly disagree	456	1.3 %
<b>Total</b>		<b>33,699</b>	<b>99.6%</b>

This variable has 33,699 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	88	0.3 %
-7	-7 = Refused	33	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>123</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9552-9557 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AC9115: Level of agreement - based on your belief, smoking can cause: harm to fetuses during pregnancy from second-hand smoke

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

harm to fetuses (or unborn children) during pregnancy from second-hand smoke.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	21177	62.6 %
2	2 = Agree	8638	25.5 %
3	3 = Neither agree nor disagree	2997	8.9 %
4	4 = Disagree	604	1.8 %
5	5 = Strongly disagree	290	0.9 %
	<b>Total</b>	<b>33,706</b>	<b>99.7%</b>

This variable has 33,706 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>116</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9558-9563 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0494: Amount of time spent watching TV or videos that include commercials on an average weekday

On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	2915	8.6 %
2	2 = Half hour or less	3904	11.5 %

Value	Label	Unweighted Frequency	%
3	3 = About 1 hour	5230	15.5 %
4	4 = About 2 hours	6594	19.5 %
5	5 = About 3 hours	5355	15.8 %
6	6 = About 4 hours	3584	10.6 %
7	7 = About 5 hours	2113	6.2 %
8	8 = About 6 hours	1309	3.9 %
9	9 = 7 hours or more	2757	8.2 %
<b>Total</b>		<b>33,761</b>	<b>99.8%</b>

This variable has 33,761 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	30	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>61</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9564-9569 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0474: Amount of time spent watching television and steaming videos that include commercials on an average weekend day

On an average weekend day, how much time do you spend watching television and streaming videos that include commercials?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	3087	9.1 %
2	2 = Less than 1 hour	5113	15.1 %
3	3 = 1 to 2 hours	8421	24.9 %
4	4 = 3 to 4 hours	8675	25.6 %
5	5 = 5 to 6 hours	4394	13.0 %
6	6 = 7 to 8 hours	2031	6.0 %
7	7 = 9 to 10 hours	899	2.7 %
8	8 = 11 hours or more	1124	3.3 %
<b>Total</b>		<b>33,744</b>	<b>99.8%</b>

This variable has 33,744 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	42	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>78</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9570-9575 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0060: Amount of time spent listening to the radio or online radio stations that include commercials on an average weekday

On an average weekday, how much time do you spend listening to the radio or online radio stations that include commercials?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	6370	18.8 %
2	2 = Half hour or less	7188	21.3 %
3	3 = About 1 hour	7079	20.9 %
4	4 = About 2 hours	4832	14.3 %
5	5 = About 3 hours	2757	8.2 %
6	6 = About 4 hours	1796	5.3 %
7	7 = About 5 hours	1109	3.3 %
8	8 = About 6 hours	782	2.3 %
9	9 = 7 hours or more	1831	5.4 %
<b>Total</b>		<b>33,744</b>	<b>99.8%</b>

This variable has 33,744 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.1 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>78</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9576-9581 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0061: Amount of time spent listening to the radio or online radio stations that include commercials on an average weekend day

On an average weekend day, how much time do you spend listening to the radio or online radio stations that include commercials?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	7314	21.6 %
2	2 = Less than 1 hour	10165	30.1 %
3	3 = 1 to 2 hours	8338	24.7 %
4	4 = 3 to 4 hours	4116	12.2 %
5	5 = 5 to 6 hours	1794	5.3 %
6	6 = 7 to 8 hours	898	2.7 %
7	7 = 9 to 10 hours	406	1.2 %
8	8 = 11 hours or more	710	2.1 %
<b>Total</b>		<b>33,741</b>	<b>99.8%</b>

This variable has 33,741 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	29	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>81</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9582-9587 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0062: Has a Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat account

Sometimes people use the Internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AXR12.]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	26081	77.1 %
2	2 = No	7673	22.7 %
	<b>Total</b>	<b>33,754</b>	<b>99.8%</b>

This variable has 33,754 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	43	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>68</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9588-9593 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0317: How often visit social media accounts

About how often do you visit your social media accounts?

[If Less often (6), Go TO BOX R04\_AXR12]

ASK: Adult respondents who have a social media account.

ASK Specification: IF R04\_AX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	15747	46.6 %
2	2 = About once a day	5033	14.9 %
3	3 = 3 - 5 days a week	2142	6.3 %
4	4 = 1 - 2 days a week	1272	3.8 %
5	5 = Every few weeks	829	2.5 %
6	6 = Less often	758	2.2 %
7	7 = Never	280	0.8 %
	<b>Total</b>	<b>26,061</b>	<b>77.1%</b>

This variable has 26,061 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	7739	22.9 %
<b>Total</b>		<b>7,761</b>	<b>22.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9594-9599 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0686\_00: In past 12 months, liked or followed brand on social media sites: I have not liked or followed any brands

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?  
Choose all that apply.

I have not liked or followed any brands on social media sites

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23427	69.3 %
2	2 = Not Marked	1644	4.9 %
<b>Total</b>		<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
<b>Total</b>		<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9600-9605 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0686\_01: In past 12 months, liked or followed brand on social media sites: Camel

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

Camel

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	327	1.0 %
2	2 = Not Marked	24744	73.2 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9606-9611 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0686\_02: In past 12 months, liked or followed brand on social media sites: Marlboro

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

Marlboro

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	672	2.0 %
2	2 = Not Marked	24399	72.1 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9612-9617 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0686\_03: In past 12 months, liked or followed brand on social media sites: Newport

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?  
Choose all that apply.

Newport

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	547	1.6 %
2	2 = Not Marked	24524	72.5 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	54	0.2 %	
-8	-8 = Don't know	430	1.3 %	
-7	-7 = Refused	246	0.7 %	
-1	-1 = Inapplicable	8019	23.7 %	
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9618-9623 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_04: In past 12 months, liked or followed brand on social media sites: American Spirit

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

American Spirit

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	108	0.3 %
2	2 = Not Marked	24963	73.8 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	54	0.2 %	
-8	-8 = Don't know	430	1.3 %	
-7	-7 = Refused	246	0.7 %	
-1	-1 = Inapplicable	8019	23.7 %	
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9624-9629 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_05: In past 12 months, liked or followed brand on social media sites: Vuse

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?  
Choose all that apply.

Vuse

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	64	0.2 %
2	2 = Not Marked	25007	73.9 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9630-9635 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0686\_06: In past 12 months, liked or followed brand on social media sites: Blu

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?  
Choose all that apply.

Blu

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	191	0.6 %
2	2 = Not Marked	24880	73.6 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9636-9641 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_07: In past 12 months, liked or followed brand on social media sites: Logic

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

Logic

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.1 %
2	2 = Not Marked	25022	74.0 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %

Missing Data			
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9642-9647 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_08: In past 12 months, liked or followed brand on social media sites: MarkTen

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?  
Choose all that apply.

MarkTen

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.1 %
2	2 = Not Marked	25040	74.0 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9648-9653 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_09: In past 12 months, liked or followed brand on social media sites: NJOY

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

NJOY

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	56	0.2 %
2	2 = Not Marked	25015	74.0 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9654-9659 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0686\_10: In past 12 months, liked or followed brand on social media sites: eGo

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

eGo

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	55	0.2 %
2	2 = Not Marked	25016	74.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9660-9665 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_11: In past 12 months, liked or followed brand on social media sites: iTaste

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

iTaste

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.1 %
2	2 = Not Marked	25040	74.0 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9666-9671 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0686\_12: In past 12 months, liked or followed brand on social media sites: Black & Mild

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

Black & Mild

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	331	1.0 %
2	2 = Not Marked	24740	73.1 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9672-9677 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0686\_13: In past 12 months, liked or followed brand on social media sites: Swisher Sweets

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

Swisher Sweets

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	355	1.0 %
2	2 = Not Marked	24716	73.1 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9678-9683 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0686\_14: In past 12 months, liked or followed brand on social media sites: Dutch Masters

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?  
Choose all that apply.

Dutch Masters

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	131	0.4 %
2	2 = Not Marked	24940	73.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9684-9689 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_15: In past 12 months, liked or followed brand on social media sites: Phillies Blunts

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?  
Choose all that apply.

Phillies Blunts

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	69	0.2 %
2	2 = Not Marked	25002	73.9 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9690-9695 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_16: In past 12 months, liked or followed brand on social media sites: Zig Zag

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

Zig Zag

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	211	0.6 %
2	2 = Not Marked	24860	73.5 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9696-9701 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_17: In past 12 months, liked or followed brand on social media sites: Skoal

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

## Skoal

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	94	0.3 %
2	2 = Not Marked	24977	73.8 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9702-9707 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0686\_18: In past 12 months, liked or followed brand on social media sites: Redman

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?  
Choose all that apply.

Redman

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	53	0.2 %
2	2 = Not Marked	25018	74.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9708-9713 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0686\_19: In past 12 months, liked or followed brand on social media sites: Grizzly

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

Grizzly

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	167	0.5 %
2	2 = Not Marked	24904	73.6 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9714-9719 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0686\_20: In past 12 months, liked or followed brand on social media sites: Copenhagen

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

Copenhagen

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	143	0.4 %
2	2 = Not Marked	24928	73.7 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9720-9725 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0686\_21: In past 12 months, liked or followed brand on social media sites: Some other brand

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites?

Choose all that apply.

Some other brand (SPECIFY)

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04\_AX0062 = 1 AND R04\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	80	0.2 %
2	2 = Not Marked	24991	73.9 %
	<b>Total</b>	<b>25,071</b>	<b>74.1%</b>

This variable has 25,071 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	54	0.2 %
-8	-8 = Don't know	430	1.3 %
-7	-7 = Refused	246	0.7 %
-1	-1 = Inapplicable	8019	23.7 %
	<b>Total</b>	<b>8,751</b>	<b>25.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9726-9731 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0505: Ever used an app on a tablet computer or smartphone to help quit using tobacco products, e-cigarettes or other electronic nicotine products

Have you ever used an app on a tablet computer or smartphone to help you quit using tobacco products, e-cigarettes or other electronic nicotine products?

ASK: Adult respondents who have ever used any tobacco products.

ASK Specification: IF R04\_EVER\_NEVER\_TOBACCO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	868	2.6 %
2	2 = No	25371	75.0 %
	<b>Total</b>	<b>26,239</b>	<b>77.6%</b>

This variable has 26,239 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	22	0.1 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	7535	22.3 %	
	<b>Total</b>	<b>7,583</b>	<b>22.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9732-9737 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AM0014: Current employment status

Which best describes your current job or paid employment status?

[If Don't currently work for pay (4), Don't Know (-8), or Refused (-7), Go to R04\_AXR117.]

ASK: All adult respondents.

ASK Specification:

Value	Label	Unweighted Frequency	%
1	1 = Work full-time at least 35 hours per week	15561	46.0 %
2	2 = Work part-time 15 to 34 hours per week	4787	14.2 %
3	3 = Work part-time less than 15 hours per week	1955	5.8 %
4	4 = Don't currently work for pay	11313	33.4 %
	<b>Total</b>	<b>33,616</b>	<b>99.4%</b>

This variable has 33,616 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	130	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>206</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9738-9743 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0064\_01: Work setting: Indoors

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

Indoors

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R04\_AM0014 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18838	55.7 %
2	2 = Not Marked	3434	10.2 %
	<b>Total</b>	<b>22,272</b>	<b>65.9%</b>

This variable has 22,272 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11517	34.1 %
	<b>Total</b>	<b>11,550</b>	<b>34.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9744-9749 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0064\_02: Work setting: Outdoors

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

Outdoors

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R04\_AM0014 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4723	14.0 %
2	2 = Not Marked	17549	51.9 %
	<b>Total</b>	<b>22,272</b>	<b>65.9%</b>

This variable has 22,272 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11517	34.1 %
<b>Total</b>		<b>11,550</b>	<b>34.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9750-9755 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0064\_03: Work setting: In a vehicle

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

In a vehicle

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R04\_AM0014 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2203	6.5 %
2	2 = Not Marked	20069	59.3 %
<b>Total</b>		<b>22,272</b>	<b>65.9%</b>

This variable has 22,272 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11517	34.1 %
<b>Total</b>		<b>11,550</b>	<b>34.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9756-9761 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0747: Time since someone used e-cigarettes or other electronic nicotine products around you while you were at work

How recently did someone use e-cigarettes or other electronic nicotine products around you while you were at work?

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R04\_AM0014 = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Never	14083	41.6 %
2	2 = Today	1510	4.5 %
3	3 = In the past week	3141	9.3 %
4	4 = In the past two weeks	721	2.1 %
5	5 = In the past month	783	2.3 %
6	6 = Longer than a month ago but within the past year	1151	3.4 %
7	7 = More than a year ago	865	2.6 %
<b>Total</b>		<b>22,254</b>	<b>65.8%</b>

This variable has 22,254 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	11517	34.1 %
<b>Total</b>		<b>11,568</b>	<b>34.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9762-9767 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0065: How recently someone smoked around you while at work

How recently did someone smoke around you while you were at work?

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R04\_AM0014 = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Never	11421	33.8 %

Value	Label	Unweighted Frequency	%
2	2 = Today	2631	7.8 %
3	3 = In the past week	4682	13.8 %
4	4 = In the past two weeks	840	2.5 %
5	5 = In the past month	819	2.4 %
6	6 = Longer than a month ago but within the past year	1005	3.0 %
7	7 = More than a year ago	866	2.6 %
<b>Total</b>		<b>22,264</b>	<b>65.8%</b>

This variable has 22,264 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	11517	34.1 %
<b>Total</b>		<b>11,558</b>	<b>34.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9768-9773 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AR0144\_NB: During childhood, lived with a regular smoker who smoked inside your home

In your childhood, did you live with a regular smoker who smoked inside your home?

Please think about anyone who smoked cigarettes, cigars, a pipe or hookah.

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3445	10.2 %
2	2 = No	4505	13.3 %
<b>Total</b>		<b>7,950</b>	<b>23.5%</b>

This variable has 7,950 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	9	0.0 %

Missing Data				
-7	-7 = Refused		4	0.0 %
-1	-1 = Inapplicable		25855	76.4 %
<b>Total</b>			<b>25,872</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9774-9779 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0690: Currently live alone

Do you currently live alone?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4560	13.5 %
2	2 = No	29208	86.4 %
<b>Total</b>		<b>33,768</b>	<b>99.8%</b>

This variable has 33,768 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	31	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>54</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9780-9785 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AX0691: DERIVED - Recoded type of living space currently living in (4 levels)

Long Description: In what type of living space do you currently live?

Algorithm: If R04\_AX0691 = 1 then R04R\_A\_AX0691 = 1; Else if R04\_AX0691 in (2,3,5) then R04R\_A\_AX0691 = 2; Else if R04\_AX0691 in (4,6) then R04R\_A\_AX0691 = 3; Else if R04\_AX0691 = 7 then R04R\_A\_AX0691 = 4; ELSE IF R04\_AX0691 = -9 THEN R04R\_A\_AX0691 = -99999 ; ELSE IF R04\_AX0691 = -8 THEN R04R\_A\_AX0691 = -99988 ; ELSE IF R04\_AX0691 = -7 THEN R04R\_A\_AX0691 = -99977 ; ELSE IF

R04\_AX0691 = -1 THEN R04R\_A\_AX0691 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Single Family Home	14994	44.3 %
2	2 = Duplex, Double or Multi-Family Home or Townhouse	2700	8.0 %
3	3 = Condominium or Apartment Building	4060	12.0 %
4	4 = None of the above	726	2.1 %
	<b>Total</b>	<b>22,480</b>	<b>66.5%</b>

This variable has 22,480 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	6	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	41	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11283	33.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>11,342</b>	<b>33.5%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9786-9791 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

## R04R\_A\_AX0066: DERIVED - Recoded anyone who lives with you now who uses tobacco (4 levels)

Long Description: Does anyone who lives with you now do any of the following: Smoke cigarettes, cigars, cigarillos or filtered cigars, pipe tobacco, use e-products exclusively, use other tobacco products, including smokeless, snus and hookah, or no one living in the home uses tobacco

Algorithm: If R04\_AX0066\_01=1 or R04\_AX0066\_05=1 or R04\_AX0066\_07=1 then  
 R04R\_A\_AX0066=1; Else if R04\_AX0066\_03=1  
 or R04\_AX0066\_04=1 or R04\_AX0066\_06=1 or R04\_AX0066\_08=1 then  
 R04R\_A\_AX0066=3; Else if R04\_AX0066\_02=1 then  
 R04R\_A\_AX0066=2; Else if R04\_AX0066\_09=1 then R04R\_A\_AX0066=4;  
 ELSE IF R04\_AX0066\_01=-9 OR R04\_AX0066\_02=-9 OR  
 R04\_AX0066\_03=-9 OR R04\_AX0066\_04=-9 OR R04\_AX0066\_05=-9 OR  
 R04\_AX0066\_06=-9 OR R04\_AX0066\_07=-9 OR R04\_AX0066\_08=-9  
 OR R04\_AX0066\_09=-9 THEN R04R\_A\_AX0066 = -99999; ELSE IF  
 R04\_AX0066\_01=-8 OR R04\_AX0066\_02=-8 OR R04\_AX0066\_03=-8 OR

```

R04_AX0066_04=-8 OR R04_AX0066_05=-8 OR R04_AX0066_06=-8 OR
R04_AX0066_07=-8 OR R04_AX0066_08 =-8 OR R04_AX0066_09=-8
THEN R04R_A_AX0066 = -99988; ELSE IF R04_AX0066_01=-7 OR R04_AX0066_02=-7
OR R04_AX0066_03=-7 OR R04_AX0066_04=-7 OR
R04_AX0066_05=-7 OR R04_AX0066_06=-7 OR R04_AX0066_07=-7 OR R04_AX0066_08
=-7 OR R04_AX0066_09=-7 THEN R04R_A_AX0066
=-99977; ELSE IF R04_AX0066_01=-1 OR R04_AX0066_02=-1 OR
R04_AX0066_03=-1 OR R04_AX0066_04=-1 OR R04_AX0066_05=-1 OR
R04_AX0066_06=-1 OR R04_AX0066_07=-1 OR R04_AX0066_08 =-1 OR
R04_AX0066_09=-1 THEN R04R_A_AX0066 = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes, cigars, cigarillos or filtered cigars and pipe tobacco	9000	26.6 %
2	2 = E-products exclusively	612	1.8 %
3	3 = Other tobacco products, including smokeless, snus and hookah	939	2.8 %
4	4 = No one living in the home uses tobacco	18538	54.8 %
	<b>Total</b>	<b>29,089</b>	<b>86.0%</b>

This variable has 29,089 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	86	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	85	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4560	13.5 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>4,733</b>	<b>14.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9792-9797 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04\_AR1045: Statement that best describes rules about smoking a combustible tobacco product inside your home

These next few questions ask about rules of using tobacco inside your home.

Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04\_P\_COMP\_LD != 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = It is not allowed anywhere or at any time inside my home	26011	76.9 %
2	2 = It is allowed in some places or at some times inside my home	4250	12.6 %
3	3 = It is allowed anywhere and at any time inside my home	3412	10.1 %
<b>Total</b>		<b>33,673</b>	<b>99.6%</b>

This variable has 33,673 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	70	0.2 %
-7	-7 = Refused	74	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>149</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9798-9803 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AR1051: Statement that best describes rules about using e-cigarettes and other electronic nicotine products inside your home

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04\_P\_COMP\_LD != 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = It is not allowed anywhere or at any time inside my home	24165	71.4 %
2	2 = It is allowed in some places or at some times inside my home	4758	14.1 %
3	3 = It is allowed anywhere and at any time inside my home	4659	13.8 %
<b>Total</b>		<b>33,582</b>	<b>99.3%</b>

This variable has 33,582 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	149	0.4 %
-7	-7 = Refused	86	0.3 %

Missing Data				
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>240</b>	<b>0.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9804-9809 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AR1050: Statement that best describes rules about using non-combustible tobacco products inside your home

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04\_P\_COMP\_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	23900	70.7 %
2	2 = It is allowed in some places or at some times inside my home	4290	12.7 %
3	3 = It is allowed anywhere and at any time inside my home	5316	15.7 %
<b>Total</b>		<b>33,506</b>	<b>99.1%</b>

This variable has 33,506 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	3	0.0 %	
-8	-8 = Don't know	213	0.6 %	
-7	-7 = Refused	98	0.3 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>316</b>	<b>0.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9810-9815 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0068: In past 7 days, number of hours that you were in close contact with others when they were smoking

During the past seven days, about how many hours were you around others who were smoking [whether or not you were smoking yourself]? Include time in your home, in a car, at work, or outdoors.

[If Don't Know (-8) or Refused (-7), GO TO R04\_AX0008]

ASK: All adult respondents.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 33,455 valid cases out of 33,822 total cases.

- Mean: 6.61
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 18.19

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	273	0.8 %	
-7	-7 = Refused	76	0.2 %	
-5	-5 = Improbable response removed	16	0.0 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>367</b>	<b>1.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9816-9821 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AX0008: General perception: Thinks most people disapprove of smoking cigarettes

In general, do you think most people disapprove of smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	11686	34.6 %
2	2 = Probably yes	15717	46.5 %
3	3 = Probably not	5129	15.2 %
4	4 = Definitely not	1116	3.3 %
<b>Total</b>		<b>33,648</b>	<b>99.5%</b>

This variable has 33,648 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	

Missing Data			
-8	-8 = Don't know	134	0.4 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>174</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9822-9827 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0012: General perception: Thinks most people disapprove of using e-cigarettes or other electronic nicotine products

In general, do you think most people disapprove of using e-cigarettes or other electronic nicotine products?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	5406	16.0 %
2	2 = Probably yes	14330	42.4 %
3	3 = Probably not	11948	35.3 %
4	4 = Definitely not	1773	5.2 %
<b>Total</b>		<b>33,457</b>	<b>98.9%</b>

This variable has 33,457 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	317	0.9 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>365</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9828-9833 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0071: People who are important to you: Their views on using tobacco

Thinking about the people who are important to you, how would you describe their views on using tobacco in general?

ASK: Young adult respondents, or adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 OR R04\_TOBACCO\_USER\_STATUS = 1, 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	1155	3.4 %
2	2 = Positive	1342	4.0 %
3	3 = Neither positive nor negative	7301	21.6 %
4	4 = Negative	8590	25.4 %
5	5 = Very negative	7894	23.3 %
	<b>Total</b>	<b>26,282</b>	<b>77.7%</b>

This variable has 26,282 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	32	0.1 %	
-8	-8 = Don't know	88	0.3 %	
-7	-7 = Refused	40	0.1 %	
-1	-1 = Inapplicable	7378	21.8 %	
	<b>Total</b>	<b>7,540</b>	<b>22.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9834-9839 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AC1143: People who are important to you: Their views on smoking cigarettes

Thinking about the people who are important to you, how would you describe their views on....

Smoking cigarettes

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	431	1.3 %
2	2 = Positive	490	1.4 %
3	3 = Neither positive nor negative	2177	6.4 %
4	4 = Negative	2999	8.9 %
5	5 = Very negative	5118	15.1 %
	<b>Total</b>	<b>11,215</b>	<b>33.2%</b>

This variable has 11,215 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	27	0.1 %
-8	-8 = Don't know	27	0.1 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	22537	66.6 %
<b>Total</b>		<b>22,607</b>	<b>66.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9840-9845 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AV1143: People who are important to you: Their views on using e-cigarettes or other electronic nicotine products

Thinking about the people who are important to you, how would you describe their views on....

Using e-cigarettes or other electronic nicotine products

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	373	1.1 %
2	2 = Positive	778	2.3 %
3	3 = Neither positive nor negative	3337	9.9 %
4	4 = Negative	3170	9.4 %
5	5 = Very negative	3567	10.5 %
<b>Total</b>		<b>11,225</b>	<b>33.2%</b>

This variable has 11,225 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	27	0.1 %
-8	-8 = Don't know	21	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	22537	66.6 %
<b>Total</b>		<b>22,597</b>	<b>66.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9846-9851 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AG1143: People who are important to you: Their views on smoking cigars, cigarillos, or filtered cigars

Thinking about the people who are important to you, how would you describe their views on....

Smoking traditional cigars, cigarillos, or filtered cigars

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	315	0.9 %
2	2 = Positive	510	1.5 %
3	3 = Neither positive nor negative	2751	8.1 %
4	4 = Negative	3278	9.7 %
5	5 = Very negative	4368	12.9 %
<b>Total</b>		<b>11,222</b>	<b>33.2%</b>

This variable has 11,222 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	27	0.1 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	22537	66.6 %
<b>Total</b>		<b>22,600</b>	<b>66.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9852-9857 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AP1143: People who are important to you: Their views on smoking pipe tobacco

Thinking about the people who are important to you, how would you describe their views on....

Smoking pipe tobacco

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	260	0.8 %
2	2 = Positive	296	0.9 %
3	3 = Neither positive nor negative	2399	7.1 %
4	4 = Negative	3493	10.3 %
5	5 = Very negative	4773	14.1 %
	<b>Total</b>	<b>11,221</b>	<b>33.2%</b>

This variable has 11,221 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	27	0.1 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	22537	66.6 %
	<b>Total</b>	<b>22,601</b>	<b>66.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9858-9863 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AH1143: People who are important to you: Their views on smoking shisha or hookah tobacco

Thinking about the people who are important to you, how would you describe their views on....

Smoking shisha or hookah tobacco

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	311	0.9 %
2	2 = Positive	545	1.6 %
3	3 = Neither positive nor negative	2872	8.5 %
4	4 = Negative	3184	9.4 %
5	5 = Very negative	4312	12.7 %
	<b>Total</b>	<b>11,224</b>	<b>33.2%</b>

This variable has 11,224 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	27	0.1 %	
-8	-8 = Don't know	17	0.1 %	
-7	-7 = Refused	15	0.0 %	
-1	-1 = Inapplicable	22537	66.6 %	
<b>Total</b>		<b>22,598</b>	<b>66.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9864-9869 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AU1143: People who are important to you: Their views on using snus

Thinking about the people who are important to you, how would you describe their views on....

Using snus

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Very positive	257	0.8 %
2	2 = Positive	244	0.7 %
3	3 = Neither positive nor negative	2002	5.9 %
4	4 = Negative	3193	9.4 %
5	5 = Very negative	5522	16.3 %
<b>Total</b>		<b>11,218</b>	<b>33.2%</b>

This variable has 11,218 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	27	0.1 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	17	0.1 %	
-1	-1 = Inapplicable	22537	66.6 %	
<b>Total</b>		<b>22,604</b>	<b>66.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9870-9875 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AS1143: People who are important to you: Their views on using other types of smokeless tobacco

Thinking about the people who are important to you, how would you describe their views on....

Using other types of smokeless tobacco (such as dip, spit, or chew)

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	299	0.9 %
2	2 = Positive	329	1.0 %
3	3 = Neither positive nor negative	2002	5.9 %
4	4 = Negative	3059	9.0 %
5	5 = Very negative	5542	16.4 %
	<b>Total</b>	<b>11,231</b>	<b>33.2%</b>

This variable has 11,231 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	27	0.1 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	22537	66.6 %
	<b>Total</b>	<b>22,591</b>	<b>66.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 9876-9881 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0741\_01: People who are important to you use the following products: Cigarettes

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Cigarettes

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15557	46.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	18083	53.5 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9882-9887 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0741\_02: People who are important to you use the following products: E-cigarettes or other electronic nicotine products

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5592	16.5 %
2	2 = Not Marked	28048	82.9 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9888-9893 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0741\_03: People who are important to you use the following products: Traditional cigars

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Traditional cigars

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2088	6.2 %
2	2 = Not Marked	31552	93.3 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9894-9899 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0741\_04: People who are important to you use the following products: Cigarillos

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Cigarillos

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1984	5.9 %
2	2 = Not Marked	31656	93.6 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9900-9905 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0741\_05: People who are important to you use the following products: Filtered cigars

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Filtered cigars

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	916	2.7 %
2	2 = Not Marked	32724	96.8 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9906-9911 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0741\_06: People who are important to you use the following products: Pipe tobacco

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Pipe tobacco

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	629	1.9 %
2	2 = Not Marked	33011	97.6 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9912-9917 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0741\_07: People who are important to you use the following products: Shisha or hookah tobacco

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Shisha or hookah tobacco

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1403	4.1 %
2	2 = Not Marked	32237	95.3 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9918-9923 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0741\_08: People who are important to you use the following products: Snus

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Snus

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	595	1.8 %
2	2 = Not Marked	33045	97.7 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9924-9929 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0741\_09: People who are important to you use the following products: Other types of smokeless tobacco

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Other types of smokeless tobacco (such as dip, spit or chew)

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3155	9.3 %
2	2 = Not Marked	30485	90.1 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9930-9935 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0741\_10: People who are important to you use the following products: None of the above

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

None of the above

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14744	43.6 %
2	2 = Not Marked	18896	55.9 %
	<b>Total</b>	<b>33,640</b>	<b>99.5%</b>

This variable has 33,640 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>182</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9936-9941 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0742: In past 12 months, extent to which disapproval of close friends and family led you to think about quitting

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about quitting?

[Go to Box R04\_AXT01.]

ASK: Adult respondents who are current established or recent former established tobacco users.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	6824	20.2 %
2	2 = Somewhat	5195	15.4 %
3	3 = Very much	2405	7.1 %
	<b>Total</b>	<b>14,424</b>	<b>42.6%</b>

This variable has 14,424 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	79	0.2 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	19272	57.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>19,398</b>	<b>57.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9942-9947 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0743: In past 12 months, extent to which disapproval of close friends and family led you to think about not using

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about not using?

ASK: Adult respondents who are current experimental or former experimental tobacco users.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	4198	12.4 %
2	2 = Somewhat	1464	4.3 %
3	3 = Very much	1731	5.1 %
<b>Total</b>		<b>7,393</b>	<b>21.9%</b>

This variable has 7,393 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	39	0.1 %
-8	-8 = Don't know	165	0.5 %
-7	-7 = Refused	52	0.2 %
-1	-1 = Inapplicable	26171	77.4 %
<b>Total</b>		<b>26,429</b>	<b>78.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9948-9953 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0090: Self perception of physical health

In general, how would you rate your...

physical health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	7211	21.3 %
2	2 = Very good	11098	32.8 %
3	3 = Good	10600	31.3 %
4	4 = Fair	3917	11.6 %
5	5 = Poor	923	2.7 %
	<b>Total</b>	<b>33,749</b>	<b>99.8%</b>

This variable has 33,749 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	32	0.1 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>73</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9954-9959 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0091: Self perception of mental health

In general, how would you rate your...

mental health, which includes stress, depression, and problems with emotions?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	8582	25.4 %
2	2 = Very good	10090	29.8 %
3	3 = Good	8925	26.4 %
4	4 = Fair	4646	13.7 %
5	5 = Poor	1504	4.4 %
	<b>Total</b>	<b>33,747</b>	<b>99.8%</b>

This variable has 33,747 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %

Missing Data				
-8	-8 = Don't know	34	0.1 %	
-7	-7 = Refused	38	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>75</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9960-9965 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0088: Self perception of overall health

In general, how would you rate your...

overall health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	7456	22.0 %
2	2 = Very good	11404	33.7 %
3	3 = Good	10651	31.5 %
4	4 = Fair	3577	10.6 %
5	5 = Poor	673	2.0 %
<b>Total</b>		<b>33,761</b>	<b>99.8%</b>

This variable has 33,761 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	37	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>61</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9966-9971 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0090\_12M: Self perception of physical health now compared with 12 months ago

Compared with 12 months ago, would you say...

your physical health is now...

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	11416	33.8 %
2	2 = Worse	3935	11.6 %
3	3 = About the same	18413	54.4 %
<b>Total</b>		<b>33,764</b>	<b>99.8%</b>

This variable has 33,764 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>58</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9972-9977 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0091\_12M: Self perception of mental health now compared with 12 months ago

Compared with 12 months ago, would you say...

your mental health is now...

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	11863	35.1 %
2	2 = Worse	2965	8.8 %
3	3 = About the same	18930	56.0 %
<b>Total</b>		<b>33,758</b>	<b>99.8%</b>

This variable has 33,758 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	21	0.1 %

Missing Data				
-7	-7 = Refused		38	0.1 %
-1	-1 = Inapplicable		0	0.0 %
<b>Total</b>			<b>64</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9978-9983 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R04\_AX0088\_12M: Self perception of overall health now compared with 12 months ago

Compared with 12 months ago, would you say...

your overall health is now...

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	11615	34.3 %
2	2 = Worse	2605	7.7 %
3	3 = About the same	19548	57.8 %
<b>Total</b>		<b>33,768</b>	<b>99.8%</b>

This variable has 33,768 valid cases out of 33,822 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	3	0.0 %	
-8	-8 = Don't know	23	0.1 %	
-7	-7 = Refused	26	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>54</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 9984-9989 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R04\_AX0185: Self perception of quality of life

In general, would you say your quality of life is...

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	7942	23.5 %
2	2 = Very good	12964	38.3 %
3	3 = Good	9452	27.9 %
4	4 = Fair	2977	8.8 %
5	5 = Poor	440	1.3 %
	<b>Total</b>	<b>33,775</b>	<b>99.9%</b>

This variable has 33,775 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	30	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>47</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9990-9995 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0185\_12M: Self perception of quality of life now compared with 12 months ago

Compared with 12 months ago, would you say your quality of life is now...

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	13619	40.3 %
2	2 = Worse	1994	5.9 %
3	3 = About the same	18162	53.7 %
	<b>Total</b>	<b>33,775</b>	<b>99.9%</b>

This variable has 33,775 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>47</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 9996-10001 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0092: Level of satisfaction with social activities and relationships

In general, how satisfied are you with your social activities and relationships?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Extremely satisfied	8062	23.8 %
2	2 = Very satisfied	12928	38.2 %
3	3 = Moderately satisfied	8860	26.2 %
4	4 = A little satisfied	2606	7.7 %
5	5 = Not at all satisfied	1277	3.8 %
	<b>Total</b>	<b>33,733</b>	<b>99.7%</b>

This variable has 33,733 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.1 %
-7	-7 = Refused	52	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>89</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10002-10007 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0092\_12M: Level of satisfaction with social activities and relationships now compared with 12 months ago

Compared with 12 months ago, would you say your social activities and relationships are now...

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	12399	36.7 %
2	2 = Worse	2384	7.0 %

Value	Label	Unweighted Frequency	%
3	3 = About the same	18968	56.1 %
	<b>Total</b>	<b>33,751</b>	<b>99.8%</b>

This variable has 33,751 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>71</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10008-10013 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0241: How many days in typical week you do any physical activity or exercise of at least moderate intensity

In a typical week, how many days do you do any physical activity or exercise of at least moderate intensity, such as brisk walking, bicycling or swimming at a regular pace?

[If None (0), Don't Know (-8), or Refused (-7), Go to R04\_AX0243.]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
0	0 = None	6371	18.8 %
1	1 = 1 day per week	3961	11.7 %
2	2 = 2 days per week	4435	13.1 %
3	3 = 3 days per week	5776	17.1 %
4	4 = 4 days per week	3430	10.1 %
5	5 = 5 days per week	4656	13.8 %
6	6 = 6 days per week	1809	5.3 %
7	7 = 7 days per week	3278	9.7 %
	<b>Total</b>	<b>33,716</b>	<b>99.7%</b>

This variable has 33,716 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	41	0.1 %	
-7	-7 = Refused	63	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>106</b>	<b>0.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10014-10019 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0242\_NN: On days when you do physical activity or exercise of at least moderate intensity, how long do you do these activities - Number

On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?

[If Don't Know (-8) or Refused (-7), Go to R04\_AX0243.]

ASK: Adult respondents who do any physical activity of moderate intensity at least 1 day per week.

ASK Specification: IF R04\_AX0241 > 0.

[PROGRAM NOTE: Display quantity/units. Range <= 24 hours. ]

This variable has 27,041 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	91	0.3 %	
-7	-7 = Refused	55	0.2 %	
-5	-5 = Improbable response removed	158	0.5 %	
-1	-1 = Inapplicable	6475	19.1 %	
<b>Total</b>		<b>6,781</b>	<b>20.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10020-10025 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AX0242\_UN: On days when you do physical activity or exercise of at least moderate intensity, how long do you do these activities - Unit

On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?

[If Don't Know (-8) or Refused (-7), Go to R04\_AX0243.]

ASK: Adult respondents who do any physical activity of moderate intensity at least 1 day per week.

ASK Specification: IF R04\_AX0241 > 0.

[PROGRAM NOTE: Display quantity/units. Range <= 24 hours. ]

Value	Label	Unweighted Frequency	%
1	1 = Hours	18447	54.5 %
2	2 = Minutes	8752	25.9 %
	<b>Total</b>	<b>27,199</b>	<b>80.4%</b>

This variable has 27,199 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	6621	19.6 %
	<b>Total</b>	<b>6,623</b>	<b>19.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10026-10031 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0243: How many days in a typical week you do physical activities specifically designed to strengthen your muscles

In a typical week, outside of your job or work around the house, how many days do you do physical activities specifically designed to strengthen your muscles such as lifting weights or circuit training? Do not include cardio exercise such as walking, biking, or swimming.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
0	0 = None	15985	47.3 %
1	1 = 1 day per week	4003	11.8 %
2	2 = 2 days per week	3941	11.7 %
3	3 = 3 days per week	4052	12.0 %
4	4 = 4 days per week	1947	5.8 %
5	5 = 5 days per week	1992	5.9 %
6	6 = 6 days per week	592	1.8 %
7	7 = 7 days per week	1145	3.4 %
	<b>Total</b>	<b>33,657</b>	<b>99.5%</b>

This variable has 33,657 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	58	0.2 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>165</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10032-10037 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0100: In past 7 days, level of pain, on average on a scale of 0 to 10 (low to high)

In the past 7 days, how would you rate your pain on average on a scale from 0 to 10 where 0 is no pain and 10 is the worst pain imaginable?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
0	0 = No pain	10642	31.5 %
1	1 = 1 on a scale of 0 to 10	4693	13.9 %
2	2 = 2 on a scale of 0 to 10	4431	13.1 %
3	3 = 3 on a scale of 0 to 10	3599	10.6 %
4	4 = 4 on a scale of 0 to 10	2279	6.7 %
5	5 = 5 on a scale of 0 to 10	2984	8.8 %
6	6 = 6 on a scale of 0 to 10	1610	4.8 %
7	7 = 7 on a scale of 0 to 10	1519	4.5 %
8	8 = 8 on a scale of 0 to 10	1138	3.4 %
9	9 = 9 on a scale of 0 to 10	348	1.0 %
10	10 = Worst pain imaginable	407	1.2 %
<b>Total</b>		<b>33,650</b>	<b>99.5%</b>

This variable has 33,650 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	75	0.2 %
-7	-7 = Refused	95	0.3 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>			
	<b>Total</b>		<b>172</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10038-10043 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0101: In past 7 days, rating of fatigue on average

In the past 7 days, how would you rate your fatigue on average? By fatigue, we mean feeling unrested or overly tired during the day, no matter how many hours of sleep you've had.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	7438	22.0 %
2	2 = Mild	13549	40.1 %
3	3 = Moderate	9877	29.2 %
4	4 = Severe	2226	6.6 %
5	5 = Very severe	632	1.9 %
	<b>Total</b>	<b>33,722</b>	<b>99.7%</b>

This variable has 33,722 valid cases out of 33,822 total cases.

	<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	39	0.1 %	
-7	-7 = Refused	59	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>100</b>	<b>0.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10044-10049 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0103: In past 7 days, how often you have been bothered by emotional problems

In the past 7 days, how often have you been bothered by emotional problems such as feeling anxious, depressed, or irritable?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10123	29.9 %
2	2 = Rarely	10003	29.6 %
3	3 = Sometimes	8711	25.8 %
4	4 = Often	3120	9.2 %
5	5 = Very often	1749	5.2 %
	<b>Total</b>	<b>33,706</b>	<b>99.7%</b>

This variable has 33,706 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.1 %
-7	-7 = Refused	75	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>116</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10050-10055 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0102: In past 7 days, rating of how well you carried out your usual social activities and roles

In general, please rate how well you carry out your usual social activities and roles.

This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	7923	23.4 %
2	2 = Very good	13323	39.4 %
3	3 = Good	9300	27.5 %
4	4 = Fair	2633	7.8 %
5	5 = Poor	516	1.5 %
	<b>Total</b>	<b>33,695</b>	<b>99.6%</b>

This variable has 33,695 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	54	0.2 %	
-7	-7 = Refused	71	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>127</b>	<b>0.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10056-10061 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0001: In past 12 months, saw a medical doctor

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a medical doctor, nurse or other health professional?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23866	70.6 %
2	2 = No	9864	29.2 %
	<b>Total</b>	<b>33,730</b>	<b>99.7%</b>

This variable has 33,730 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	34	0.1 %	
-7	-7 = Refused	56	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>92</b>	<b>0.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10062-10067 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0002: In past 12 months, saw a dentist

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a dentist?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18544	54.8 %
2	2 = No	15203	45.0 %
	<b>Total</b>	<b>33,747</b>	<b>99.8%</b>

This variable has 33,747 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>75</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10068-10073 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0302: In past 12 months, visited an emergency room or urgent care center for a health problem of your own

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you visited an emergency room or urgent care center for a health problem of your own?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9198	27.2 %
2	2 = No	24550	72.6 %
	<b>Total</b>	<b>33,748</b>	<b>99.8%</b>

This variable has 33,748 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	43	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>74</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10074-10079 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0155: In past 12 months, number of times you visited an emergency room or urgent care center for a health problem of your own

Please think about any health care you may have received in the past 12 months.

In the past 12 months, how many times have you visited an emergency room or urgent care center for a health problem of your own?

[If Don't Know (-8) or Refused (-7), Go to BOX R04\_AXR19]

ASK: Adult respondents who visited an emergency room or urgent care center for their own health problem in the past 12 months.

ASK Specification: IF R04\_AX0302 = 1.

[PROGRAM NOTE: Allow 4 digits.]

This variable has 9,165 valid cases out of 33,822 total cases.

- Mean: 2.06
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 122.00
- Standard Deviation: 3.03

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	10	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	24622	72.8 %
<b>Total</b>		<b>24,657</b>	<b>72.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10080-10085 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AX0003: In past 12 months, any medical doctor, dentist or other healthcare professional advise you to stop using tobacco/e-cigarettes

Please think about any health care you may have received in the past 12 months.

In the past 12 months, did any medical doctor, dentist or other health professional advise you to stop using tobacco [including e-cigarettes or other electronic nicotine products]?

ASK: Adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users and have seen a medical doctor, nurse, other health professional or dentist in the past 12 months.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1, 2, 3, 4 AND (R04\_AX0001 != 2 OR R04\_AX0002 != 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4967	14.7 %
2	2 = No	12454	36.8 %
	<b>Total</b>	<b>17,421</b>	<b>51.5%</b>

This variable has 17,421 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	31	0.1 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	16297	48.2 %
	<b>Total</b>	<b>16,401</b>	<b>48.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10086-10091 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX104: Extent to which using/past use of tobacco products damaged your health

To what extent, if at all, has [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] damaged your health?

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R04\_EVER\_NEVER\_TOBACCO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	13158	38.9 %
2	2 = A little	5997	17.7 %
3	3 = Somewhat	4980	14.7 %
4	4 = A lot	1809	5.3 %
	<b>Total</b>	<b>25,944</b>	<b>76.7%</b>

This variable has 25,944 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	265	0.8 %
-7	-7 = Refused	76	0.2 %
-1	-1 = Inapplicable	7535	22.3 %
<b>Total</b>		<b>7,878</b>	<b>23.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10092-10097 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0105: Extent to which you are worried that using/your past use of tobacco products will damage your health in the future

To what extent, if at all, are you worried that [using/your past use of] tobacco [,including e-cigarettes or other electronic nicotine products] will damage your health in the future?

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R04\_EVER\_NEVER\_TOBACCO = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Not at all worried	11510	34.0 %
2	2 = A little worried	7480	22.1 %
3	3 = Moderately worried	4067	12.0 %
4	4 = Very worried	3056	9.0 %
<b>Total</b>		<b>26,113</b>	<b>77.2%</b>

This variable has 26,113 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	101	0.3 %
-7	-7 = Refused	71	0.2 %
-1	-1 = Inapplicable	7535	22.3 %
<b>Total</b>		<b>7,709</b>	<b>22.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10098-10103 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0186\_NB: Has serious difficulty walking or climbing stairs

The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or ]broken limbs [,or pregnancy].

Do you have serious difficulty walking or climbing stairs?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0094.]

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	752	2.2 %
2	2 = No	7187	21.2 %
	<b>Total</b>	<b>7,939</b>	<b>23.5%</b>

This variable has 7,939 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,883</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10104-10109 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AX0093: DERIVED - Extent to which you are able to carry out your everyday physical activities (2 levels)

Long Description: To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?

Algorithm: If R04\_AX0093 in (1,2) then R04R\_A\_AX0093 = 1; Else if R04\_AX0093 in (3,4,5) then R04R\_A\_AX0093 = 2; ELSE IF R04\_AX0093 = -9 THEN R04R\_A\_AX0093 = -99999 ; ELSE IF R04\_AX0093 = -8 THEN R04R\_A\_AX0093 = -99988 ; ELSE IF R04\_AX0093 = -7 THEN R04R\_A\_AX0093 = -99977 ; ELSE IF R04\_AX0093 = -1 THEN R04R\_A\_AX0093 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Completely or mostly	20836	61.6 %
2	2 = Moderately, a little, or not at all	5680	16.8 %
	<b>Total</b>	<b>26,516</b>	<b>78.4%</b>

This variable has 26,516 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	57	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	7213	21.3 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>7,306</b>	<b>21.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10110-10115 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R04\_AX0094: Extent to which you are able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry or going shopping

To what extent are you able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Completely	26005	76.9 %
2	2 = Mostly	3296	9.7 %
3	3 = Moderately	2460	7.3 %
4	4 = A little	1046	3.1 %
5	5 = Not at all	905	2.7 %
	<b>Total</b>	<b>33,712</b>	<b>99.7%</b>

This variable has 33,712 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	42	0.1 %	
-7	-7 = Refused	66	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>110</b>	<b>0.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10116-10121 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0188\_NB: Has difficulty dressing or bathing

Do you have difficulty dressing or bathing?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0097.]

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	175	0.5 %
2	2 = No	7774	23.0 %
	<b>Total</b>	<b>7,949</b>	<b>23.5%</b>

This variable has 7,949 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	10	0.0 %	
-1	-1 = Inapplicable	25855	76.4 %	
	<b>Total</b>	<b>25,873</b>	<b>76.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10122-10127 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0095: Extent to which you are able to carry out your everyday activities such as bathing, dressing or getting around the house

To what extent are you able to carry out your everyday activities such as bathing, dressing, or getting around the house?

ASK: Continuing adult respondents, or new baseline adult respondents who have difficulty dressing or bathing.

ASK Specification: IF R04\_ADULTTYPE = 1 OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0188\_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Completely	21742	64.3 %
2	2 = Mostly	1679	5.0 %
3	3 = Moderately	1443	4.3 %
4	4 = A little	594	1.8 %
5	5 = Not at all	496	1.5 %
	<b>Total</b>	<b>25,954</b>	<b>76.7%</b>

This variable has 25,954 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	34	0.1 %	
-7	-7 = Refused	42	0.1 %	
-1	-1 = Inapplicable	7790	23.0 %	
	<b>Total</b>	<b>7,868</b>	<b>23.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10128-10133 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0097\_01: Your health limits you in: Lifting 10 pounds

Does your health limit you in any of the following activities? Choose all that apply.

Lifting 10 pounds

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2480	7.3 %
2	2 = Not Marked	31155	92.1 %
	<b>Total</b>	<b>33,635</b>	<b>99.4%</b>

This variable has 33,635 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	79	0.2 %	
-7	-7 = Refused	106	0.3 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>187</b>	<b>0.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10134-10139 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0097\_02: Your health limits you in: Walking up 10 steps

Does your health limit you in any of the following activities? Choose all that apply.

Walking up 10 steps

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2035	6.0 %
2	2 = Not Marked	31600	93.4 %
	<b>Total</b>	<b>33,635</b>	<b>99.4%</b>

This variable has 33,635 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	79	0.2 %	
-7	-7 = Refused	106	0.3 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>187</b>	<b>0.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10140-10145 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0097\_03: Your health limits you in: Walking 3 blocks

Does your health limit you in any of the following activities? Choose all that apply.

Walking 3 blocks

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2649	7.8 %
2	2 = Not Marked	30986	91.6 %
	<b>Total</b>	<b>33,635</b>	<b>99.4%</b>

This variable has 33,635 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	79	0.2 %
-7	-7 = Refused	106	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>187</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10146-10151 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0097\_04: Your health limits you in: Walking 1 mile

Does your health limit you in any of the following activities? Choose all that apply.

Walking 1 mile

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3827	11.3 %
2	2 = Not Marked	29808	88.1 %
	<b>Total</b>	<b>33,635</b>	<b>99.4%</b>

This variable has 33,635 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	79	0.2 %

Missing Data			
-7	-7 = Refused	106	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>187</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10152-10157 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0097\_05: Your health limits you in: Standing 20 minutes

Does your health limit you in any of the following activities? Choose all that apply.

Standing 20 minutes

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2965	8.8 %
2	2 = Not Marked	30670	90.7 %
<b>Total</b>		<b>33,635</b>	<b>99.4%</b>

This variable has 33,635 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	79	0.2 %
-7	-7 = Refused	106	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>187</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10158-10163 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0097\_06: Your health limits you in: Bending or stooping

Does your health limit you in any of the following activities? Choose all that apply.

Bending or stooping

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3482	10.3 %
2	2 = Not Marked	30153	89.2 %
	<b>Total</b>	<b>33,635</b>	<b>99.4%</b>

This variable has 33,635 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	79	0.2 %
-7	-7 = Refused	106	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>187</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10164-10169 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0097\_07: Your health limits you in: Reaching overhead

Does your health limit you in any of the following activities? Choose all that apply.

Reaching overhead

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2040	6.0 %
2	2 = Not Marked	31595	93.4 %
	<b>Total</b>	<b>33,635</b>	<b>99.4%</b>

This variable has 33,635 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	79	0.2 %
-7	-7 = Refused	106	0.3 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	187	0.6%

Percentages for both tables are based on 33,822 total cases.

*Location:* 10170-10175 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0097\_08: Your health limits you in: Using fingers to grasp

Does your health limit you in any of the following activities? Choose all that apply.

Using fingers to grasp

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1654	4.9 %
2	2 = Not Marked	31981	94.6 %
	<b>Total</b>	<b>33,635</b>	<b>99.4%</b>

This variable has 33,635 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	79	0.2 %
-7	-7 = Refused	106	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>187</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10176-10181 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0097\_09: Your health limits you in: None of the above

Does your health limit you in any of the following activities? Choose all that apply.

None of the above

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26538	78.5 %
2	2 = Not Marked	7097	21.0 %
	<b>Total</b>	<b>33,635</b>	<b>99.4%</b>

This variable has 33,635 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	79	0.2 %
-7	-7 = Refused	106	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>187</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10182-10187 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0187\_NB: Has difficulty doing errands alone because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	535	1.6 %
2	2 = No	7403	21.9 %
	<b>Total</b>	<b>7,938</b>	<b>23.5%</b>

This variable has 7,938 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,884</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10188-10193 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0189\_NB: Has serious difficulty concentrating, remembering or making decisions because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1030	3.0 %
2	2 = No	6896	20.4 %
	<b>Total</b>	<b>7,926</b>	<b>23.4%</b>

This variable has 7,926 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,896</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10194-10199 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0111\_NB\_01: Doctor, nurse or other health professional said you had: High blood pressure

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions?  
Choose all that apply.

High blood pressure

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1215	3.6 %
2	2 = Not Marked	6711	19.8 %
	<b>Total</b>	<b>7,926</b>	<b>23.4%</b>

This variable has 7,926 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,896</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10200-10205 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0111\_NB\_02: Doctor, nurse or other health professional said you had: High cholesterol

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions?  
Choose all that apply.

High cholesterol

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	819	2.4 %
2	2 = Not Marked	7107	21.0 %
	<b>Total</b>	<b>7,926</b>	<b>23.4%</b>

This variable has 7,926 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	25855	76.4 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>25,896</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10206-10211 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0111\_NB\_03: Doctor, nurse or other health professional said you had: Congestive heart failure

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions?

Choose all that apply.

Congestive heart failure

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	96	0.3 %
2	2 = Not Marked	7830	23.2 %
	<b>Total</b>	<b>7,926</b>	<b>23.4%</b>

This variable has 7,926 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,896</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10212-10217 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0111\_NB\_04: Doctor, nurse or other health professional said you had: A stroke

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions?

Choose all that apply.

A stroke

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	102	0.3 %
2	2 = Not Marked	7824	23.1 %
	<b>Total</b>	<b>7,926</b>	<b>23.4%</b>

This variable has 7,926 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,896</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10218-10223 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0111\_NB\_05: Doctor, nurse or other health professional said you had: A heart attack (also called myocardial infarction) or needed bypass surgery

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions?  
Choose all that apply.

A heart attack (also called myocardial infarction) or needed bypass surgery

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	102	0.3 %
2	2 = Not Marked	7824	23.1 %
	<b>Total</b>	<b>7,926</b>	<b>23.4%</b>

This variable has 7,926 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	25855	76.4 %	
<b>Total</b>		<b>25,896</b>	<b>76.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10224-10229 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0111\_NB\_06: Doctor, nurse or other health professional said you had: Some other heart condition

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions?  
Choose all that apply.

Some other heart condition

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	315	0.9 %
2	2 = Not Marked	7611	22.5 %
<b>Total</b>		<b>7,926</b>	<b>23.4%</b>

This variable has 7,926 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	25855	76.4 %	
<b>Total</b>		<b>25,896</b>	<b>76.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10230-10235 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX011\_NB\_07: Doctor, nurse or other health professional said you had: None of the above

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions?  
Choose all that apply.

None of the above

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6131	18.1 %
2	2 = Not Marked	1795	5.3 %
	<b>Total</b>	<b>7,926</b>	<b>23.4%</b>

This variable has 7,926 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,896</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10236-10241 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX011\_12M\_01: In past 12 months, doctor, nurse or other health professional said you had: High blood pressure

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.

High blood pressure

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

Suppress options 3, 4, and 5 if 18 <= R04R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4181	12.4 %
2	2 = Not Marked	13990	41.4 %
	<b>Total</b>	<b>18,171</b>	<b>53.7%</b>

This variable has 18,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	35	0.1 %
-1	-1 = Inapplicable	15590	46.1 %
	<b>Total</b>	<b>15,651</b>	<b>46.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10242-10247 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0111\_12M\_02: In past 12 months, doctor, nurse or other health professional said you had: High cholesterol

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.

High cholesterol

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R04R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2840	8.4 %
2	2 = Not Marked	15331	45.3 %
	<b>Total</b>	<b>18,171</b>	<b>53.7%</b>

This variable has 18,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>				
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	35	0.1 %	
-1	-1 = Inapplicable	15590	46.1 %	
<b>Total</b>		<b>15,651</b>	<b>46.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10248-10253 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

### R04\_AX0111\_12M\_03: In past 12 months, doctor, nurse or other health professional said you had: Congestive heart failure

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.

Congestive heart failure

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R04R\_A\_AGE < 40. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	275	0.8 %
2	2 = Not Marked	17896	52.9 %
	<b>Total</b>	<b>18,171</b>	<b>53.7%</b>

This variable has 18,171 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	35	0.1 %	
-1	-1 = Inapplicable	15590	46.1 %	
	<b>Total</b>	<b>15,651</b>	<b>46.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10254-10259 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0111\_12M\_04: In past 12 months, doctor, nurse or other health professional said you had: A stroke

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.

A stroke

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.  
Suppress options 3, 4, and 5 if 18 <= R04R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	170	0.5 %
2	2 = Not Marked	18001	53.2 %
	<b>Total</b>	<b>18,171</b>	<b>53.7%</b>

This variable has 18,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	35	0.1 %
-1	-1 = Inapplicable	15590	46.1 %
	<b>Total</b>	<b>15,651</b>	<b>46.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10260-10265 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0111\_12M\_05: In past 12 months, doctor, nurse or other health professional said you had: A heart attack (also called myocardial infarction) or needed bypass surgery

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.

A heart attack (also called myocardial infarction) or needed bypass surgery

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

Suppress options 3, 4, and 5 if 18 <= R04R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	172	0.5 %
2	2 = Not Marked	17999	53.2 %
	<b>Total</b>	<b>18,171</b>	<b>53.7%</b>

This variable has 18,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	35	0.1 %
-1	-1 = Inapplicable	15590	46.1 %
	<b>Total</b>	<b>15,651</b>	<b>46.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10266-10271 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX011\_12M\_06: In past 12 months, doctor, nurse or other health professional said you had: Some other heart condition

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.

Some other heart condition

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R04R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	769	2.3 %
2	2 = Not Marked	17402	51.5 %
	<b>Total</b>	<b>18,171</b>	<b>53.7%</b>

This variable has 18,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know		24	0.1 %
-7	-7 = Refused		35	0.1 %
-1	-1 = Inapplicable		15590	46.1 %
<b>Total</b>			<b>15,651</b>	<b>46.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10272-10277 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0111\_12M\_07: In past 12 months, doctor, nurse or other health professional said you had: None of the above

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.

None of the above

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R04R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12502	37.0 %
2	2 = Not Marked	5669	16.8 %
	<b>Total</b>	<b>18,171</b>	<b>53.7%</b>

This variable has 18,171 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	35	0.1 %	
-1	-1 = Inapplicable	15590	46.1 %	
	<b>Total</b>	<b>15,651</b>	<b>46.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10278-10283 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AX0114\_NB: DERIVED - Age range you were in when you were first told you had high blood pressure (6 levels)

Long Description: How old were you when you were first told you had high blood pressure?

```
Algorithm: if (0 <= R04_AX0114_NB < 18) or R04_AX0253_NB = 1 then R04R_A_AX0114_NB = 1; else if (18 <= R04_AX0114_NB <= 24) or R04_AX0253_NB = 2 then R04R_A_AX0114_NB = 2; else if (25 <= R04_AX0114_NB <= 34) or R04_AX0253_NB = 3 then R04R_A_AX0114_NB = 3; else if (35 <= R04_AX0114_NB <= 44) or R04_AX0253_NB = 4 then R04R_A_AX0114_NB = 4; else if (45 <= R04_AX0114_NB <= 54) or R04_AX0253_NB = 5 then R04R_A_AX0114_NB = 5; else if (R04_AX0114_NB => 55) or R04_AX0253_NB = 6 then R04R_A_AX0114_NB = 6; else if R04_AX0114_NB = -9 or R04_AX0253_NB = -9 then R04R_A_AX0114_NB = -99999; else if R04_AX0114_NB = -8 or R04_AX0253_NB = -8 then R04R_A_AX0114_NB = -99988; else if R04_AX0114_NB = -7 or R04_AX0253_NB = -7 then R04R_A_AX0114_NB = -99977; else if R04_AX0114_NB = -5 then R04R_A_AX0114_NB = -99955; else if R04_AX0114_NB = -1 or R04_AX0253_NB = -1 then R04R_A_AX0114_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	120	0.4 %
2	2 = 18 to 24 years old	181	0.5 %
3	3 = 25 to 34 years old	170	0.5 %
4	4 = 35 to 44 years old	243	0.7 %
5	5 = 45 to 54 years old	285	0.8 %
6	6 = 55 years old or older	213	0.6 %
<b>Total</b>		<b>1,212</b>	<b>3.6%</b>

This variable has 1,212 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32605	96.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>32,610</b>	<b>96.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10284-10289 (width: 6; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04\_AX0744: High blood pressure has been under control in the past 12 months

[In the past, you told us you had high blood pressure.]

In the past 12 months, has your high blood pressure been under control?

ASK: Adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or new baseline adult respondents who have ever been told they had high blood pressure, or continuing adult respondents who have been told they had high blood pressure in the past 12 months.

ASK Specification: IF R03\_HIGH\_BLOOD\_PRESSURE = 1 OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB\_01 = 1)  
OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M\_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	6932	20.5 %
2	2 = No	931	2.8 %
3	3 = Never had high blood pressure	211	0.6 %
<b>Total</b>		<b>8,074</b>	<b>23.9%</b>

This variable has 8,074 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	25712	76.0 %
<b>Total</b>		<b>25,748</b>	<b>76.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10290-10295 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AX0115\_NB: DERIVED - Age range you were in when you were first told you had high cholesterol (6 levels)

Long Description: How old were you when you were first told you had high cholesterol?

Algorithm: if (0 <= R04\_AX0115\_NB < 18) or R04\_AX0254\_NB = 1 then R04R\_A\_AX0115\_NB = 1;  
else if (18 <= R04\_AX0115\_NB <= 24) or  
R04\_AX0254\_NB = 2 then R04R\_A\_AX0115\_NB = 2; else if (25 <= R04\_AX0115\_NB <= 34) or  
R04\_AX0254\_NB = 3 then R04R\_A\_AX0115\_NB  
= 3; else if (35 <= R04\_AX0115\_NB <= 44) or R04\_AX0254\_NB = 4 then R04R\_A\_AX0115\_NB = 4;  
else if (45 <= R04\_AX0115\_NB <= 54) or

```

R04_AX0254_NB = 5 then R04R_A_AX0115_NB = 5; else if ( R04_AX0115_NB => 55) or
R04_AX0254_NB = 6 then R04R_A_AX0115_NB = 6;
else if R04_AX0115_NB = -9 or R04_AX0254_NB = -9 then R04R_A_AX0115_NB = -99999; else
if R04_AX0115_NB = -8 or R04_AX0254_NB
= -8 then R04R_A_AX0115_NB = -99988; else if R04_AX0115_NB = -7 or R04_AX0254_NB = -7
then R04R_A_AX0115_NB = -99977; else if
R04_AX0115_NB = -5 then R04R_A_AX0115_NB = -99955; else if R04_AX0115_NB = -1 or
R04_AX0254_NB = -1 then R04R_A_AX0115_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	85	0.3 %
2	2 = 18 to 24 years old	77	0.2 %
3	3 = 25 to 34 years old	89	0.3 %
4	4 = 35 to 44 years old	165	0.5 %
5	5 = 45 to 54 years old	211	0.6 %
6	6 = 55 years old or older	190	0.6 %
<b>Total</b>		<b>817</b>	<b>2.4%</b>

This variable has 817 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33001	97.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,005</b>	<b>97.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10296-10301 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04\_AX0160\_NB: Ever taken any medications to reduce cholesterol

Have you ever taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

[Go to R04\_AX0746.]

ASK: New baseline adult respondents who have ever been told they had high cholesterol.

ASK Specification: IF R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB\_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	532	1.6 %
2	2 = No	287	0.8 %
	<b>Total</b>	<b>819</b>	<b>2.4%</b>

This variable has 819 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33001	97.6 %
	<b>Total</b>	<b>33,003</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10302-10307 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0160\_12M: In past 12 months, taken any medications to reduce cholesterol

[In the past, you told us you had high cholesterol.]

In the past 12 months, have you taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?]

If I have never had high cholesterol (3), Go to Box R04\_AXR26.]

ASK: Continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview.

ASK Specification: IF R04\_ADULTTYPE = 1 AND (R04\_AX0111\_12M\_02 = 1 OR R03\_HIGH\_CHOLESTEROL = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3084	9.1 %
2	2 = No	2443	7.2 %
3	3 = I have never had high cholesterol	167	0.5 %
	<b>Total</b>	<b>5,694</b>	<b>16.8%</b>

This variable has 5,694 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	28109	83.1 %
	<b>Total</b>	<b>28,128</b>	<b>83.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10308-10313 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0746: High cholesterol has been under control in the past 12 months

[In the past, you told us you had high cholesterol.]

In the past 12 months, has your high cholesterol been under control?

ASK: Adult respondents who have ever been told they have high cholesterol.

ASK Specification: IF (R03\_HIGH\_CHOLESTEROL = 1 OR R04\_AX0111\_NB\_02 = 1 OR R04\_AX0111\_12M\_02 = 1)  
AND R04\_AX0160\_12M != 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5392	15.9 %
2	2 = No	873	2.6 %
	<b>Total</b>	<b>6,265</b>	<b>18.5%</b>

This variable has 6,265 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	89	0.3 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	27457	81.2 %
	<b>Total</b>	<b>27,557</b>	<b>81.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10314-10319 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AX0116\_NB: DERIVED - Age range you were in when you were first told you had congestive heart failure (6 levels)

Long Description: How old were you when you were

first told you: Had congestive heart failure?

```

Algorithm: if (0 <= R04_AX0116_NB < 18) or R04_AX0255_NB = 1 then R04R_A_AX0116_NB = 1;
else if (18 <= R04_AX0116_NB <= 24) or
R04_AX0255_NB = 2 then R04R_A_AX0116_NB = 2; else if (25 <= R04_AX0116_NB <= 34) or
R04_AX0255_NB = 3 then R04R_A_AX0116_NB
= 3; else if (35 <= R04_AX0116_NB <= 44) or R04_AX0255_NB = 4 then R04R_A_AX0116_NB = 4;
else if (45 <= R04_AX0116_NB <= 54) or
R04_AX0255_NB = 5 then R04R_A_AX0116_NB = 5; else if (R04_AX0116_NB => 55) or
R04_AX0255_NB = 6 then R04R_A_AX0116_NB = 6;
else if R04_AX0116_NB = -9 or R04_AX0255_NB = -9 then R04R_A_AX0116_NB = -99999;
else if R04_AX0116_NB = -8 or R04_AX0255_NB
= -8 then R04R_A_AX0116_NB = -99988; else if R04_AX0116_NB = -7 or R04_AX0255_NB = -7
then R04R_A_AX0116_NB = -99977; else if
R04_AX0116_NB = -5 then R04R_A_AX0116_NB = -99955; else if R04_AX0116_NB = -1 or
R04_AX0255_NB = -1 then R04R_A_AX0116_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	9	0.0 %
2	2 = 18 to 24 years old	1	0.0 %
3	3 = 25 to 34 years old	5	0.0 %
4	4 = 35 to 44 years old	17	0.1 %
5	5 = 45 to 54 years old	18	0.1 %
6	6 = 55 years old or older	45	0.1 %
<b>Total</b>		<b>95</b>	<b>0.3%</b>

This variable has 95 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33724	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,727</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10320-10325 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AX0117\_NB: DERIVED - Age range you were in when you were first told you had a stroke (6 levels)

Long Description: How old were you when you were first told you Had a stroke?

```
Algorithm: if (0 <= R04_AX0117_NB < 18) or R04_AX0256_NB = 1 then R04R_A_AX0117_NB = 1;
else if (18 <= R04_AX0117_NB <= 24) or
R04_AX0256_NB = 2 then R04R_A_AX0117_NB = 2; else if (25 <= R04_AX0117_NB <= 34) or
R04_AX0256_NB = 3 then R04R_A_AX0117_NB
= 3; else if (35 <= R04_AX0117_NB <= 44) or R04_AX0256_NB = 4 then R04R_A_AX0117_NB = 4;
else if (45 <= R04_AX0117_NB <= 54) or
R04_AX0256_NB = 5 then R04R_A_AX0117_NB = 5; else if ( R04_AX0117_NB => 55) or
R04_AX0256_NB
= 6 then R04R_A_AX0117_NB = 6;
else if R04_AX0117_NB = -9 or R04_AX0256_NB = -9 then R04R_A_AX0117_NB = -99999;
else if R04_AX0117_NB = -8 or R04_AX0256_NB
= -8 then R04R_A_AX0117_NB = -99988; else if R04_AX0117_NB = -7 or R04_AX0256_NB = -7
then R04R_A_AX0117_NB = -99977; else if
R04_AX0117_NB = -5 then R04R_A_AX0117_NB = -99955; else if R04_AX0117_NB = -1 or
R04_AX0256_NB = -1 then R04R_A_AX0117_NB =
-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	15	0.0 %
2	2 = 18 to 24 years old	10	0.0 %
3	3 = 25 to 34 years old	6	0.0 %
4	4 = 35 to 44 years old	17	0.1 %
5	5 = 45 to 54 years old	16	0.0 %
6	6 = 55 years old or older	36	0.1 %
	<b>Total</b>	<b>100</b>	<b>0.3%</b>

This variable has 100 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33718	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,722</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10326-10331 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04\_AX0745: Has a permanent disability as a result of stroke

[In the past, you told us you had a stroke.]

Do you have any permanent disability as a result of the stroke?

ASK: Adult respondents who reported having had a stroke as of their last completed interview, or new baseline adult respondents who have ever been told they had a stroke, or continuing adult respondents who have been told they had a stroke in the past 12 months.

ASK Specification: IF R03\_STROKE = 1 OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB\_04 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M\_04 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	238	0.7 %
2	2 = No	401	1.2 %
3	3 = Never had a stroke	31	0.1 %
	<b>Total</b>	<b>670</b>	<b>2.0%</b>

This variable has 670 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33144	98.0 %
	<b>Total</b>	<b>33,152</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10332-10337 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04R\_A\_AX0112\_NB: DERIVED - Age range you were in when you were first told you had a heart attack (6 levels)

Long Description: How old were you when you were first told you had a heart attack  
(also called myocardial infarction) or needed bypass surgery?

Algorithm: if (0 <= R04\_AX0112\_NB < 18) or R04\_AX0252\_NB = 1 then R04R\_A\_AX0112\_NB = 1; else if (18 <= R04\_AX0112\_NB <= 24) or

R04\_AX0252\_NB = 2 then R04R\_A\_AX0112\_NB = 2; else if (25 <= R04\_AX0112\_NB <= 34) or R04\_AX0252\_NB = 3 then R04R\_A\_AX0112\_NB = 3; else if (35 <= R04\_AX0112\_NB <= 44) or R04\_AX0252\_NB = 4 then R04R\_A\_AX0112\_NB = 4; else if (45 <= R04\_AX0112\_NB <= 54) or R04\_AX0252\_NB = 5 then R04R\_A\_AX0112\_NB = 5; else if ( R04\_AX0112\_NB >= 55) or R04\_AX0252\_NB = 6 then R04R\_A\_AX0112\_NB = 6; else if R04\_AX0112\_NB = -9 or R04\_AX0252\_NB = -9 then R04R\_A\_AX0112\_NB = -99999; else if R04\_AX0112\_NB = -8 or R04\_AX0252\_NB = -8 then R04R\_A\_AX0112\_NB = -99988; else if R04\_AX0112\_NB = -7 or R04\_AX0252\_NB = -7 then R04R\_A\_AX0112\_NB = -99977; else if R04\_AX0112\_NB = -5 then R04R\_A\_AX0112\_NB = -99955; else if R04\_AX0112\_NB = -1 or R04\_AX0252\_NB = -1 then R04R\_A\_AX0112\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	7	0.0 %
2	2 = 18 to 24 years old	1	0.0 %
3	3 = 25 to 34 years old	2	0.0 %
4	4 = 35 to 44 years old	16	0.0 %
5	5 = 45 to 54 years old	33	0.1 %
6	6 = 55 years old or older	41	0.1 %
<b>Total</b>		<b>100</b>	<b>0.3%</b>

This variable has 100 valid cases out of 33,822 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33718	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,722</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10338-10343 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## **R04\_AX0219: In past 12 months, take any heart or blood pressure medications regularly**

In the past 12 months, did you take any [other] heart or blood pressure medications regularly?  
(Taken regularly means according to a health care provider's instructions.)

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AXR115]

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months.

ASK Specification: IF R03\_ANY\_HEART\_CONDITION = 1 OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/\_02/\_03/\_04/\_05/\_06] = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/\_02/\_03/\_04/\_05/\_06] = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	5596	16.5 %
2	2 = No	6381	18.9 %
	<b>Total</b>	<b>11,977</b>	<b>35.4%</b>

This variable has 11,977 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	21816	64.5 %
	<b>Total</b>	<b>21,845</b>	<b>64.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10344-10349 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0159\_01: Type of heart or blood pressure medication taken regularly: Calcium Channel Blocker

What type of heart or blood pressure medications do you regularly take?

Calcium Channel Blocker - for example: nifedipine (Procardia, Adalat), diltiazem (Cardizem), amlodipine (Norvasc), verapamil (Calan), nisoldipine (Sular)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R03\_ANY\_HEART\_CONDITION = 1 AND R04\_AX0219 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/\_02/\_03/\_04/\_05/\_06] = 1 AND R04\_AX0219 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/\_02/\_03/\_04/\_05/\_06] = 1 AND R04\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1585	4.7 %
2	2 = Not Marked	3807	11.3 %
	<b>Total</b>	<b>5,392</b>	<b>15.9%</b>

This variable has 5,392 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	172	0.5 %
-7	-7 = Refused	32	0.1 %
-1	-1 = Inapplicable	28224	83.4 %
	<b>Total</b>	<b>28,430</b>	<b>84.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10350-10355 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0159\_02: Type of heart or blood pressure medication taken regularly: Beta Blocker

What type of heart or blood pressure medications do you regularly take?

Beta Blocker - for example: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R03\_ANY\_HEART\_CONDITION = 1 AND R04\_AX0219 = 1) OR  
(R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1)  
OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1656	4.9 %
2	2 = Not Marked	3710	11.0 %
	<b>Total</b>	<b>5,366</b>	<b>15.9%</b>

This variable has 5,366 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know		173	0.5 %
-7	-7 = Refused		57	0.2 %
-1	-1 = Inapplicable		28224	83.4 %
<b>Total</b>			<b>28,456</b>	<b>84.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10356-10361 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0159\_03: Type of heart or blood pressure medication taken regularly: Angiotensin Receptor Blocker

What type of heart or blood pressure medications do you regularly take?

Angiotensin Receptor Blocker - for example: losartan (Cozaar), irbesartan (Avapro), valsartan (Diovan), candesartan (Atacand), telmisartan (Micardis), olmesartan (Benicar)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R03\_ANY\_HEART\_CONDITION = 1 AND R04\_AX0219 = 1) OR  
(R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1)  
OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	995	2.9 %
2	2 = Not Marked	4436	13.1 %
<b>Total</b>		<b>5,431</b>	<b>16.1%</b>

This variable has 5,431 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	131	0.4 %	
-7	-7 = Refused	34	0.1 %	
-1	-1 = Inapplicable	28224	83.4 %	
<b>Total</b>		<b>28,391</b>	<b>83.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10362-10367 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AX0159\_04: Type of heart or blood pressure medication taken regularly: Ace Inhibitor

What type of heart or blood pressure medications do you regularly take?

Ace Inhibitor - for example: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R03\_ANY\_HEART\_CONDITION = 1 AND R04\_AX0219 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1910	5.6 %
2	2 = Not Marked	3543	10.5 %
	<b>Total</b>	<b>5,453</b>	<b>16.1%</b>

This variable has 5,453 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	110	0.3 %	
-7	-7 = Refused	33	0.1 %	
-1	-1 = Inapplicable	28224	83.4 %	
	<b>Total</b>	<b>28,369</b>	<b>83.9%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 10368-10373 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AX0159\_05: Type of heart or blood pressure medication taken regularly: Diuretic

What type of heart or blood pressure medications do you regularly take?

Diuretic - for example: furosemide (Lasix), indapamide (Lozol), triamterene (Dyrenium), thiazides (HCTZ), triamterene/HCTZ (Dyazide)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart

condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R03\_ANY\_HEART\_CONDITION = 1 AND R04\_AX0219 = 1) OR  
(R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1)  
OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1279	3.8 %
2	2 = Not Marked	4192	12.4 %
	<b>Total</b>	<b>5,471</b>	<b>16.2%</b>

This variable has 5,471 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	102	0.3 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	28224	83.4 %
	<b>Total</b>	<b>28,351</b>	<b>83.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10374-10379 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0159\_06: Type of heart or blood pressure medication taken regularly: Digoxin (Lanoxin)

What type of heart or blood pressure medications do you regularly take?

Digoxin (Lanoxin)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R03\_ANY\_HEART\_CONDITION = 1 AND R04\_AX0219 = 1) OR  
(R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1)  
OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	169	0.5 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	5305	15.7 %
	<b>Total</b>	<b>5,474</b>	<b>16.2%</b>

This variable has 5,474 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.3 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	28224	83.4 %
	<b>Total</b>	<b>28,348</b>	<b>83.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10380-10385 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0159\_07: Type of heart or blood pressure medication taken regularly: Methyldopa (Aldomet) or Hydralazine (Apresoline)

What type of heart or blood pressure medications do you regularly take?

Methyldopa (Aldomet) or Hydralazine (Apresoline)

**ASK:** Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

**ASK Specification:** IF (R03\_ANY\_HEART\_CONDITION = 1 AND R04\_AX0219 = 1) OR  
(R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1)  
OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	178	0.5 %
2	2 = Not Marked	5301	15.7 %
	<b>Total</b>	<b>5,479</b>	<b>16.2%</b>

This variable has 5,479 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>				
-8	-8 = Don't know	92	0.3 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	28224	83.4 %	
<b>Total</b>		<b>28,343</b>	<b>83.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10386-10391 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0159\_08: Type of heart or blood pressure medication taken regularly: Other antiarrhythmics

What type of heart or blood pressure medications do you regularly take?

Other antiarrhythmics

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R03\_ANY\_HEART\_CONDITION = 1 AND R04\_AX0219 = 1) OR  
(R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1)  
OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	331	1.0 %
2	2 = Not Marked	5132	15.2 %
<b>Total</b>		<b>5,463</b>	<b>16.2%</b>

This variable has 5,463 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	109	0.3 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	28224	83.4 %	
<b>Total</b>		<b>28,359</b>	<b>83.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10392-10397 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0159\_09: Type of heart or blood pressure medication taken regularly: Some other medication

What type of heart or blood pressure medications do you regularly take?

Some other heart or blood pressure medication

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R03\_ANY\_HEART\_CONDITION = 1 AND R04\_AX0219 = 1) OR  
(R04\_ADULTTYPE = 2, 3 AND R04\_AX0111\_NB[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1)  
OR (R04\_ADULTTYPE = 1 AND R04\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R04\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1637	4.8 %
2	2 = Not Marked	3835	11.3 %
	<b>Total</b>	<b>5,472</b>	<b>16.2%</b>

This variable has 5,472 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	99	0.3 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	28224	83.4 %
	<b>Total</b>	<b>28,350</b>	<b>83.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10398-10403 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0046\_NB: Ever had wheezing or whistling in the chest

Have you ever had wheezing or whistling in the chest at any time in the past?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0052.]

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2180	6.4 %
2	2 = No	5761	17.0 %
	<b>Total</b>	<b>7,941</b>	<b>23.5%</b>

This variable has 7,941 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,881</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10404-10409 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0047\_12M: In past 12 months, had wheezing or whistling in the chest

Have you had wheezing or whistling in the chest in the past 12 months?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0052.]

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past, or continuing adult respondents.

ASK Specification: IF (R04\_ADULTTYPE = 2, 3 AND R04\_AX0046\_NB = 1) OR R04\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5884	17.4 %
2	2 = No	22080	65.3 %
	<b>Total</b>	<b>27,964</b>	<b>82.7%</b>

This variable has 27,964 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.1 %
-7	-7 = Refused	35	0.1 %
-1	-1 = Inapplicable	5785	17.1 %
	<b>Total</b>	<b>5,858</b>	<b>17.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10410-10415 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0048: In past 12 months, number of wheezing attacks

How many attacks of wheezing have you had in the past 12 months?

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 2, 3 AND R04\_AX0046\_NB = 1  
AND R04\_AX0047\_12M = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0047\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = None	563	1.7 %
2	2 = 1 to 3	3259	9.6 %
3	3 = 4 to 12	1119	3.3 %
4	4 = More than 12	918	2.7 %
	<b>Total</b>	<b>5,859</b>	<b>17.3%</b>

This variable has 5,859 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	27936	82.6 %
	<b>Total</b>	<b>27,963</b>	<b>82.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10416-10421 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0049: In past 12 months, how often had sleep disturbed due to wheezing

In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 2, 3 AND R04\_AX0046\_NB = 1 AND R04\_AX0047\_12M = 1) OR

(R04\_ADULTTYPE = 1 AND R04\_AX0047\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Never woken with wheezing	3388	10.0 %
2	2 = Less than one night per week	1493	4.4 %
3	3 = One or more nights per week	985	2.9 %
<b>Total</b>		<b>5,866</b>	<b>17.3%</b>

This variable has 5,866 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	27936	82.6 %
<b>Total</b>		<b>27,956</b>	<b>82.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10422-10427 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0050: In past 12 months, had speech limited to only one or two words between breaths due to wheezing

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 2, 3 AND R04\_AX0046\_NB = 1 AND R04\_AX0047\_12M = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0047\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	997	2.9 %
2	2 = No	4879	14.4 %
<b>Total</b>		<b>5,876</b>	<b>17.4%</b>

This variable has 5,876 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	27936	82.6 %	
<b>Total</b>		<b>27,946</b>	<b>82.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10428-10433 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0052: In past 12 months, chest has sounded wheezy during or after exercise

In the past 12 months, has your chest sounded wheezy during or after exercise?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4491	13.3 %
2	2 = No	29229	86.4 %
<b>Total</b>		<b>33,720</b>	<b>99.7%</b>

This variable has 33,720 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	54	0.2 %	
-7	-7 = Refused	46	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>102</b>	<b>0.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10434-10439 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0053: In past 12 months, had a dry cough at night not associated with a cold or chest infection

A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7150	21.1 %
2	2 = No	26568	78.6 %
	<b>Total</b>	<b>33,718</b>	<b>99.7%</b>

This variable has 33,718 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	52	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>104</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10440-10445 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0119\_NB\_01: Doctor, nurse or other health professional said you had a lung or respiratory condition: COPD

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

COPD

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	212	0.6 %
2	2 = Not Marked	7717	22.8 %
	<b>Total</b>	<b>7,929</b>	<b>23.4%</b>

This variable has 7,929 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	18	0.1 %

Missing Data			
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,893</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10446-10451 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0119\_NB\_02: Doctor, nurse or other health professional said you had a lung or respiratory condition: Chronic bronchitis

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Chronic bronchitis

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	250	0.7 %
2	2 = Not Marked	7679	22.7 %
	<b>Total</b>	<b>7,929</b>	<b>23.4%</b>

This variable has 7,929 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,893</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10452-10457 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0119\_NB\_03: Doctor, nurse or other health professional said you had a lung or respiratory condition: Emphysema

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

## Emphysema

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	83	0.2 %
2	2 = Not Marked	7846	23.2 %
	<b>Total</b>	<b>7,929</b>	<b>23.4%</b>

This variable has 7,929 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,893</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10458-10463 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0119\_NB\_04: Doctor, nurse or other health professional said you had a lung or respiratory condition: Asthma

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

### Asthma

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1124	3.3 %
2	2 = Not Marked	6805	20.1 %
	<b>Total</b>	<b>7,929</b>	<b>23.4%</b>

This variable has 7,929 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	16	0.0 %	
-7	-7 = Refused	18	0.1 %	
-1	-1 = Inapplicable	25855	76.4 %	
<b>Total</b>		<b>25,893</b>	<b>76.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10464-10469 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0119\_NB\_05: Doctor, nurse or other health professional said you had a lung or respiratory condition: Some other lung or respiratory condition

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Some other lung or respiratory condition

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	177	0.5 %
2	2 = Not Marked	7752	22.9 %
<b>Total</b>		<b>7,929</b>	<b>23.4%</b>

This variable has 7,929 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	16	0.0 %	
-7	-7 = Refused	18	0.1 %	
-1	-1 = Inapplicable	25855	76.4 %	
<b>Total</b>		<b>25,893</b>	<b>76.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10470-10475 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0119\_NB\_06: Doctor, nurse or other health professional said you had a lung or respiratory condition: None of the above

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

None of the above

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6386	18.9 %
2	2 = Not Marked	1543	4.6 %
	<b>Total</b>	<b>7,929</b>	<b>23.4%</b>

This variable has 7,929 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,893</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10476-10481 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0119\_12M\_01: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: COPD

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

COPD

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	854	2.5 %
2	2 = Not Marked	17323	51.2 %
	<b>Total</b>	<b>18,177</b>	<b>53.7%</b>

This variable has 18,177 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	15590	46.1 %
	<b>Total</b>	<b>15,645</b>	<b>46.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10482-10487 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0119\_12M\_02: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: Chronic bronchitis

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Chronic bronchitis

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	639	1.9 %
2	2 = Not Marked	17538	51.9 %
	<b>Total</b>	<b>18,177</b>	<b>53.7%</b>

This variable has 18,177 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %

Missing Data				
-7	-7 = Refused		25	0.1 %
-1	-1 = Inapplicable		15590	46.1 %
<b>Total</b>			<b>15,645</b>	<b>46.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10488-10493 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0119\_12M\_03: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: Emphysema

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Emphysema

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	312	0.9 %
2	2 = Not Marked	17865	52.8 %
	<b>Total</b>	<b>18,177</b>	<b>53.7%</b>

This variable has 18,177 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	28	0.1 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	15590	46.1 %	
	<b>Total</b>	<b>15,645</b>	<b>46.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10494-10499 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0119\_12M\_04: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: Asthma

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

#### Asthma

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1610	4.8 %
2	2 = Not Marked	16567	49.0 %
	<b>Total</b>	<b>18,177</b>	<b>53.7%</b>

This variable has 18,177 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	28	0.1 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	15590	46.1 %	
	<b>Total</b>	<b>15,645</b>	<b>46.3%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 10500-10505 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

### R04\_AX0119\_12M\_05: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: Some other lung or respiratory condition

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

#### Some other lung or respiratory condition

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	508	1.5 %
2	2 = Not Marked	17669	52.2 %
	<b>Total</b>	<b>18,177</b>	<b>53.7%</b>

This variable has 18,177 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	15590	46.1 %
	<b>Total</b>	<b>15,645</b>	<b>46.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10506-10511 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

#### R04\_AX0119\_12M\_06: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: None of the above

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

None of the above

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15321	45.3 %
2	2 = Not Marked	2856	8.4 %
	<b>Total</b>	<b>18,177</b>	<b>53.7%</b>

This variable has 18,177 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %

<b>Missing Data</b>				
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	15590	46.1 %	
<b>Total</b>		<b>15,645</b>	<b>46.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10512-10517 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R04R\_A\_AX0120\_NB: DERIVED - Age range you were in when you were first told you had COPD (6 levels)

Long Description: How old were you when you were first told you: Had COPD?

Algorithm: if (0 <= R04\_AX0120\_NB < 18) or R04\_AX0257\_NB = 1 then  
 R04R\_A\_AX0120\_NB = 1; else if (18 <= R04\_AX0120\_NB <= 24) or  
 R04\_AX0257\_NB = 2 then R04R\_A\_AX0120\_NB = 2; else if (25 <= R04\_AX0120\_NB <= 34)  
 or R04\_AX0257\_NB = 3 then R04R\_A\_AX0120\_NB  
 = 3; else if (35 <= R04\_AX0120\_NB <= 44) or R04\_AX0257\_NB = 4 then  
 R04R\_A\_AX0120\_NB = 4; else if (45 <= R04\_AX0120\_NB <= 54) or  
 R04\_AX0257\_NB = 5 then R04R\_A\_AX0120\_NB = 5; else if (R04\_AX0120\_NB => 55)  
 or R04\_AX0257\_NB = 6 then R04R\_A\_AX0120\_NB = 6;  
 else if R04\_AX0120\_NB = -9 or R04\_AX0257\_NB = -9 then R04R\_A\_AX0120\_NB =  
 -99999; else if R04\_AX0120\_NB = -8 or R04\_AX0257\_NB  
 = -8 then R04R\_A\_AX0120\_NB = -99988; else if R04\_AX0120\_NB = -7 or  
 R04\_AX0257\_NB = -7 then R04R\_A\_AX0120\_NB = -99977; else if  
 R04\_AX0120\_NB = -5 then R04R\_A\_AX0120\_NB = -99955; else if R04\_AX0120\_NB  
 = -1 or R04\_AX0257\_NB = -1 then R04R\_A\_AX0120\_NB =  
 -99911;

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Less than 18 years old	6	0.0 %
2	2 = 18 to 24 years old	7	0.0 %
3	3 = 25 to 34 years old	11	0.0 %
4	4 = 35 to 44 years old	29	0.1 %
5	5 = 45 to 54 years old	73	0.2 %
6	6 = 55 years old or older	85	0.3 %
	<b>Total</b>	<b>211</b>	<b>0.6%</b>

This variable has 211 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33608	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,611</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10518-10523 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0733: Troubled by shortness of breath when hurrying on level ground or walking up a slight hill due to COPD

[In the past, you told us you had COPD.]

Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?

[If No (2), I have never had COPD (3), Don't Know (-8), or Refused (-7), Go to Box R04\_AXV09.]

**ASK:** Adult respondents who reported being diagnosed with COPD as of their last completed interview, or new baseline adult respondents who have ever been told they had COPD, or continuing adult respondents who have been told they had COPD in the past 12 months.

**ASK Specification:** IF R03\_COPD = 1 OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0119\_NB\_01 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0119\_12M\_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1053	3.1 %
2	2 = No	342	1.0 %
3	3 = I have never had COPD	39	0.1 %
<b>Total</b>		<b>1,434</b>	<b>4.2%</b>

This variable has 1,434 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32382	95.7 %	
<b>Total</b>		<b>32,388</b>	<b>95.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10524-10529 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0734\_01: Ever have to walk slower than people your age on level ground because of breathlessness due to COPD

Do you ever...

have to walk slower than people your age on level ground because of breathlessness?

ASK: Adult respondents who reported being diagnosed with COPD as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD and have shortness of breath, or continuing adult respondents who have been told they have COPD in the past 12 months and have shortness of breath.

ASK Specification: IF (R03\_COPD = 1 AND R04\_AX0733 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0119\_NB\_01 = 1 AND R04\_AX0733 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0119\_12M\_01 = 1 AND R04\_AX0733 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	784	2.3 %
2	2 = Not Marked	263	0.8 %
	<b>Total</b>	<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32767	96.9 %
	<b>Total</b>	<b>32,775</b>	<b>96.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10530-10535 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0734\_02: Ever have to stop for breath when walking at your own pace on level ground due to COPD

Do you ever...

have to stop for breath when walking at your own pace on level ground?

ASK: Adult respondents who reported being diagnosed with COPD as of their last completed interview

and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD and have shortness of breath, or continuing adult respondents who have been told they have COPD in the past 12 months and have shortness of breath.

ASK Specification: IF (R03\_COPD = 1 AND R04\_AX0733 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0119\_NB\_01 = 1 AND R04\_AX0733 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0119\_12M\_01 = 1 AND R04\_AX0733 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	691	2.0 %
2	2 = Not Marked	345	1.0 %
	<b>Total</b>	<b>1,036</b>	<b>3.1%</b>

This variable has 1,036 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	32767	96.9 %
	<b>Total</b>	<b>32,786</b>	<b>96.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10536-10541 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0734\_03: Ever have to stop for breath after walking about 100 yards on level ground due to COPD

Do you ever...

have to stop for breath after walking about 100 yards (or after a few minutes) on level ground?

ASK: Adult respondents who reported being diagnosed with COPD as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD and have shortness of breath, or continuing adult respondents who have been told they have COPD in the past 12 months and have shortness of breath.

ASK Specification: IF (R03\_COPD = 1 AND R04\_AX0733 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0119\_NB\_01 = 1 AND R04\_AX0733 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0119\_12M\_01 = 1 AND R04\_AX0733 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	684	2.0 %
2	2 = Not Marked	364	1.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,048</b>	<b>3.1%</b>

This variable has 1,048 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32767	96.9 %
	<b>Total</b>	<b>32,774</b>	<b>96.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10542-10547 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0734\_04: Ever get too breathless to leave the house or breathless on dressing or undressing due to COPD

Do you ever...

get too breathless to leave the house or breathless on dressing or undressing?

ASK: Adult respondents who reported being diagnosed with COPD as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD and have shortness of breath, or continuing adult respondents who have been told they have COPD in the past 12 months and have shortness of breath.

ASK Specification: IF (R03\_COPD = 1 AND R04\_AX0733 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0119\_NB\_01 = 1 AND R04\_AX0733 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0119\_12M\_01 = 1 AND R04\_AX0733 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	372	1.1 %
2	2 = Not Marked	674	2.0 %
	<b>Total</b>	<b>1,046</b>	<b>3.1%</b>

This variable has 1,046 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32767	96.9 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>32,776</b>	<b>96.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10548-10553 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0735: In past 2 weeks, number of days or nights you have been troubled by shortness of breath

In the past 2 weeks, on how many days or nights have you been troubled by shortness of breath?

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R04\_ADULT\_COPD = 1.

Value	Label	Unweighted Frequency	%
1	1 = None	552	1.6 %
2	2 = 1 to 2 days or nights	374	1.1 %
3	3 = 3 to 6 days or nights	180	0.5 %
4	4 = 7 to 13 days or nights	88	0.3 %
5	5 = Every day or night	196	0.6 %
	<b>Total</b>	<b>1,390</b>	<b>4.1%</b>

This variable has 1,390 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32421	95.9 %
	<b>Total</b>	<b>32,432</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10554-10559 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0736: Admitted to a hospital, emergency room or urgent case center due to COPD in the past 5 years

In the past 5 years, have you been admitted to a hospital, emergency room or urgent care center due to COPD?

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R04\_ADULT\_COPD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	403	1.2 %
2	2 = No	991	2.9 %
	<b>Total</b>	<b>1,394</b>	<b>4.1%</b>

This variable has 1,394 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32421	95.9 %
	<b>Total</b>	<b>32,428</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10560-10565 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0737: Intubated because of your COPD in the past 5 years

In the past 5 years, have you been intubated (had a tube inserted to assist with breathing) because of your COPD?

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R04\_ADULT\_COPD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.3 %
2	2 = No	1305	3.9 %
	<b>Total</b>	<b>1,392</b>	<b>4.1%</b>

This variable has 1,392 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32421	95.9 %
	<b>Total</b>	<b>32,430</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10566-10571 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AX0121\_NB: DERIVED - Age range you were in when you were first told you had chronic bronchitis (6 levels)

Long Description: How old were you when you were first told you Had chronic bronchitis?

Algorithm: if (0 <= R04\_AX0121\_NB < 18) or R04\_AX0258\_NB = 1 then  
R04R\_A\_AX0121\_NB = 1; else if (18 <= R04\_AX0121\_NB <= 24) or  
R04\_AX0258\_NB = 2 then R04R\_A\_AX0121\_NB = 2; else if (25 <= R04\_AX0121\_NB <= 34) or R04\_AX0258\_NB = 3 then R04R\_A\_AX0121\_NB = 3; else if (35 <= R04\_AX0121\_NB <= 44) or R04\_AX0258\_NB = 4 then R04R\_A\_AX0121\_NB = 4; else if (45 <= R04\_AX0121\_NB <= 54) or R04\_AX0258\_NB = 5 then R04R\_A\_AX0121\_NB = 5; else if (R04\_AX0121\_NB >= 55) or R04\_AX0258\_NB = 6 then R04R\_A\_AX0121\_NB = 6; else if R04\_AX0121\_NB = -9 or R04\_AX0258\_NB = -9 then R04R\_A\_AX0121\_NB = -99999; else if R04\_AX0121\_NB = -8 or R04\_AX0258\_NB = -8 then R04R\_A\_AX0121\_NB = -99988; else if R04\_AX0121\_NB = -7 or R04\_AX0258\_NB = -7 then R04R\_A\_AX0121\_NB = -99977; else if R04\_AX0121\_NB = -5 then R04R\_A\_AX0121\_NB = -99955; else if R04\_AX0121\_NB = -1 or R04\_AX0258\_NB = -1 then R04R\_A\_AX0121\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	87	0.3 %
2	2 = 18 to 24 years old	43	0.1 %
3	3 = 25 to 34 years old	31	0.1 %
4	4 = 35 to 44 years old	32	0.1 %
5	5 = 45 to 54 years old	25	0.1 %
6	6 = 55 years old or older	30	0.1 %
	<b>Total</b>	<b>248</b>	<b>0.7%</b>

This variable has 248 valid cases out of 33,822 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33570	99.3 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,574</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10572-10577 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_AX0123\_NB: DERIVED - Age range you were in when you were first told you had emphysema (6 levels)

Long Description: How old were you when you were first told you: Had emphysema?

```
Algorithm: if (0 <= R04_AX0123_NB < 18) or R04_AX0259_NB = 1 then
R04R_A_AX0123_NB = 1; else if (18 <= R04_AX0123_NB <= 24) or
R04_AX0259_NB = 2 then R04R_A_AX0123_NB = 2; else if (25 <= R04_AX0123_NB <= 34)
or R04_AX0259_NB = 3 then R04R_A_AX0123_NB
= 3; else if (35 <= R04_AX0123_NB <= 44) or R04_AX0259_NB = 4 then
R04R_A_AX0123_NB = 4; else if (45 <= R04_AX0123_NB <= 54) or
R04_AX0259_NB = 5 then R04R_A_AX0123_NB = 5; else if (R04_AX0123_NB >= 55)
or R04_AX0259_NB = 6 then R04R_A_AX0123_NB = 6;
else if R04_AX0123_NB = -9 or R04_AX0259_NB = -9 then R04R_A_AX0123_NB
= -99999; else if R04_AX0123_NB = -8 or R04_AX0259_NB
= -8 then R04R_A_AX0123_NB = -99988; else if R04_AX0123_NB = -7 or
R04_AX0259_NB = -7 then R04R_A_AX0123_NB = -99977; else if
R04_AX0123_NB = -5 then R04R_A_AX0123_NB = -99955; else if R04_AX0123_NB
= -1 or R04_AX0259_NB = -1 then R04R_A_AX0123_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	7	0.0 %
2	2 = 18 to 24 years old	3	0.0 %
3	3 = 25 to 34 years old	3	0.0 %
4	4 = 35 to 44 years old	7	0.0 %
5	5 = 45 to 54 years old	23	0.1 %
6	6 = 55 years old or older	38	0.1 %
<b>Total</b>		<b>81</b>	<b>0.2%</b>

This variable has 81 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %

<b>Missing Data</b>			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33737	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,741</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10578-10583 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_AX0124\_NB: DERIVED - Age range you were in when you were first told you had asthma (6 levels)

Long Description: How old were you when you were first told you: Had asthma?

```
Algorithm: if (0 <= R04_AX0124_NB < 18) or R04_AX0260_NB = 1 then
R04R_A_AX0124_NB = 1; else if (18 <= R04_AX0124_NB <= 24) or
R04_AX0260_NB = 2 then R04R_A_AX0124_NB = 2; else if (25 <= R04_AX0124_NB <= 34)
or R04_AX0260_NB = 3 then R04R_A_AX0124_NB
= 3; else if (35 <= R04_AX0124_NB <= 44) or R04_AX0260_NB = 4 then
R04R_A_AX0124_NB = 4; else if (45 <= R04_AX0124_NB <= 54) or
R04_AX0260_NB = 5 then R04R_A_AX0124_NB = 5; else if (R04_AX0124_NB => 55)
or R04_AX0260_NB = 6 then R04R_A_AX0124_NB = 6;
else if R04_AX0124_NB = -9 or R04_AX0260_NB = -9 then R04R_A_AX0124_NB =
-99999; else if R04_AX0124_NB = -8 or R04_AX0260_NB
= -8 then R04R_A_AX0124_NB = -99988; else if R04_AX0124_NB = -7 or R04_AX0260_NB
= -7 then R04R_A_AX0124_NB = -99977; else if
R04_AX0124_NB = -5 then R04R_A_AX0124_NB = -99955; else if R04_AX0124_NB = -1
or R04_AX0260_NB = -1 then R04R_A_AX0124_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	905	2.7 %
2	2 = 18 to 24 years old	63	0.2 %
3	3 = 25 to 34 years old	52	0.2 %
4	4 = 35 to 44 years old	44	0.1 %
5	5 = 45 to 54 years old	28	0.1 %
6	6 = 55 years old or older	30	0.1 %
<b>Total</b>		<b>1,122</b>	<b>3.3%</b>

This variable has 1,122 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32696	96.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,700</b>	<b>96.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10584-10589 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0227: In past 30 days, how much time your asthma kept you from getting as much done at work, school, or home

[In the past, you told us you had asthma.]

In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school or at home?

**ASK:** Adult respondents who reported being diagnosed with asthma as of their last completed interview, or new baseline adult respondents who have ever been told they had asthma, or continuing adult respondents who have been told they have asthma in the past 12 months.

**ASK Specification:** IF R03\_ASTHMA = 1 OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0119\_NB\_04 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0119\_12M\_04 = 1).

Value	Label	Unweighted Frequency	%
1	1 = All of the time	86	0.3 %
2	2 = Most of the time	125	0.4 %
3	3 = Some of the time	475	1.4 %
4	4 = A little of the time	878	2.6 %
5	5 = None of the time	3609	10.7 %
6	6 = I have never had asthma	297	0.9 %
<b>Total</b>		<b>5,470</b>	<b>16.2%</b>

This variable has 5,470 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	28325	83.7 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>28,352</b>	<b>83.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10590-10595 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0228: In past 30 days, how often had shortness of breath

In the past 30 days, how often have you had shortness of breath?

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	318	0.9 %
2	2 = Once a day	322	1.0 %
3	3 = 3 - 6 times a week	376	1.1 %
4	4 = Once or twice a week	1290	3.8 %
5	5 = None at all	2873	8.5 %
	<b>Total</b>	<b>5,179</b>	<b>15.3%</b>

This variable has 5,179 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	28622	84.6 %
	<b>Total</b>	<b>28,643</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10596-10601 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0229: In past 30 days, how often asthma symptoms woke you up at night or earlier than usual in the morning

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 4 or more nights a week	192	0.6 %
2	2 = 2 or 3 nights	312	0.9 %
3	3 = Once a week	275	0.8 %
4	4 = Once or twice	767	2.3 %
5	5 = None at all	3632	10.7 %
	<b>Total</b>	<b>5,178</b>	<b>15.3%</b>

This variable has 5,178 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	28622	84.6 %
	<b>Total</b>	<b>28,644</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10602-10607 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AX0283: In past 12 months, took medication regularly for COPD or asthma

In the past 12 months, did you take any medications regularly for COPD or asthma?  
(Taken regularly means according to a health care provider's instructions.)

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR07.]

ASK: Adult respondents who have ever had asthma or have ever had COPD.

ASK Specification: IF R04\_ADULT\_ASTHMA = 1 OR R04\_ADULT\_COPD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1991	5.9 %
2	2 = No	4049	12.0 %
	<b>Total</b>	<b>6,040</b>	<b>17.9%</b>

This variable has 6,040 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	27764	82.1 %
	<b>Total</b>	<b>27,782</b>	<b>82.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10608-10613 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0128\_01: In past 12 months, medication taken regularly for COPD or asthma: Quick-relief inhaler

In the past 12 months, which of the following medications did you regularly take for COPD or asthma?

Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

ASK: Adult respondents who have ever had asthma or have ever had COPD and have taken any medications regularly for COPD or asthma in the past 12 months.

ASK Specification: IF (R04\_ADULT\_ASTHMA = 1 OR R04\_ADULT\_COPD = 1) AND R04\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1732	5.1 %
2	2 = No	251	0.7 %
	<b>Total</b>	<b>1,983</b>	<b>5.9%</b>

This variable has 1,983 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31829	94.1 %
	<b>Total</b>	<b>31,839</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10614-10619 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0128\_02: In past 12 months, medication taken regularly for COPD or asthma: Controller or long-acting inhaler including steroid inhaler

In the past 12 months, which of the following medications did you regularly take for COPD or asthma?

Controller or long-acting inhaler including steroid inhaler - for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

ASK: Adult respondents who have ever had asthma or have ever had COPD and have taken any medications regularly for COPD or asthma in the past 12 months.

ASK Specification: IF (R04\_ADULT\_ASTHMA = 1 OR R04\_ADULT\_COPD = 1) AND R04\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1166	3.4 %
2	2 = No	813	2.4 %
	<b>Total</b>	<b>1,979</b>	<b>5.9%</b>

This variable has 1,979 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31829	94.1 %
	<b>Total</b>	<b>31,843</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10620-10625 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0128\_03: In past 12 months, medication taken regularly for COPD or asthma: Other controlling medication

In the past 12 months, which of the following medications did you regularly take for COPD or asthma?

Other controlling medication - for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)

ASK: Adult respondents who have ever had asthma or have ever had COPD and have taken any medications regularly for COPD or asthma in the past 12 months.

ASK Specification: IF (R04\_ADULT\_ASTHMA = 1 OR R04\_ADULT\_COPD = 1) AND R04\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	498	1.5 %
2	2 = No	1480	4.4 %
	<b>Total</b>	<b>1,978</b>	<b>5.8%</b>

This variable has 1,978 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31829	94.1 %
	<b>Total</b>	<b>31,844</b>	<b>94.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10626-10631 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0128\_05: In past 12 months, medication taken regularly for COPD or asthma: Oxygen therapy

In the past 12 months, which of the following medications did you regularly take for COPD or asthma?

Oxygen therapy

ASK: Adult respondents who have ever had asthma or have ever had COPD and have taken any medications regularly for COPD or asthma in the past 12 months.

ASK Specification: IF (R04\_ADULT\_ASTHMA = 1 OR R04\_ADULT\_COPD = 1) AND R04\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	333	1.0 %
2	2 = No	1650	4.9 %
	<b>Total</b>	<b>1,983</b>	<b>5.9%</b>

This variable has 1,983 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31829	94.1 %
	<b>Total</b>	<b>31,839</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10632-10637 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0128\_06: In past 12 months, medication taken regularly for COPD or asthma: Some other COPD or asthma medication

In the past 12 months, which of the following medications did you regularly take for COPD or asthma?

Some other COPD or asthma medication

ASK: Adult respondents who have ever had asthma or have ever had COPD and have taken any medications regularly for COPD or asthma in the past 12 months.

ASK Specification: IF (R04\_ADULT\_ASTHMA = 1 OR R04\_ADULT\_COPD = 1) AND R04\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	449	1.3 %
2	2 = No	1533	4.5 %
	<b>Total</b>	<b>1,982</b>	<b>5.9%</b>

This variable has 1,982 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31829	94.1 %
	<b>Total</b>	<b>31,840</b>	<b>94.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10638-10643 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0749\_01: Medications taken regularly for COPD in the past 2 weeks: Quick relief inhaler

In the past 2 weeks, which of the following medications did you regularly take for COPD? Choose all that apply.

Quick relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

ASK: Adult respondents who have ever had COPD and have taken any medications regularly for COPD in the past 12 months.

ASK Specification: IF R04\_ADULT\_COPD = 1 AND R04\_AX0283 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	574	1.7 %
2	2 = Not Marked	188	0.6 %
	<b>Total</b>	<b>762</b>	<b>2.3%</b>

This variable has 762 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	33027	97.6 %
	<b>Total</b>	<b>33,060</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10644-10649 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0749\_02: Medications taken regularly for COPD in the past 2 weeks: Long-acting inhaler

In the past 2 weeks, which of the following medications did you regularly take for COPD? Choose all that apply.

Long-acting inhaler - for example: salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

ASK: Adult respondents who have ever had COPD and have taken any medications regularly for COPD in the past 12 months.

ASK Specification: IF R04\_ADULT\_COPD = 1 AND R04\_AX0283 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	395	1.2 %
2	2 = Not Marked	367	1.1 %
	<b>Total</b>	<b>762</b>	<b>2.3%</b>

This variable has 762 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %

Missing Data				
-7	-7 = Refused		11	0.0 %
-1	-1 = Inapplicable		33027	97.6 %
<b>Total</b>			<b>33,060</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10650-10655 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0749\_03: Medications taken regularly for COPD in the past 2 weeks: Inhaled corticosteroid

In the past 2 weeks, which of the following medications did you regularly take for COPD? Choose all that apply.

Inhaled corticosteroid, such as - for example: beclomethasone (Qvar), fluticasone (Flovent), budesonide (Pulmicort) or mometasone (Asmanex)

ASK: Adult respondents who have ever had COPD and have taken any medications regularly for COPD in the past 12 months.

ASK Specification: IF R04\_ADULT\_COPD = 1 AND R04\_AX0283 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	139	0.4 %
2	2 = Not Marked	623	1.8 %
	<b>Total</b>	<b>762</b>	<b>2.3%</b>

This variable has 762 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	20	0.1 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	33027	97.6 %	
<b>Total</b>		<b>33,060</b>	<b>97.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10656-10661 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0749\_04: Medications taken regularly for COPD in the past 2 weeks: Some other COPD medication

In the past 2 weeks, which of the following medications did you regularly take for COPD?  
Choose all that apply.

Some other COPD medication

ASK: Adult respondents who have ever had COPD and have taken any medications regularly for COPD in the past 12 months.

ASK Specification: IF R04\_ADULT\_COPD = 1 AND R04\_AX0283 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	232	0.7 %
2	2 = Not Marked	530	1.6 %
	<b>Total</b>	<b>762</b>	<b>2.3%</b>

This variable has 762 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	33027	97.6 %
	<b>Total</b>	<b>33,060</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10662-10667 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0751: Currently using home oxygen therapy (day or night) for your COPD

Are you currently using home oxygen therapy (day or night) for your COPD?

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R04\_ADULT\_COPD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	244	0.7 %
2	2 = No	1150	3.4 %
	<b>Total</b>	<b>1,394</b>	<b>4.1%</b>

This variable has 1,394 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	32421	95.9 %	
<b>Total</b>		<b>32,428</b>	<b>95.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10668-10673 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0750: Number of times you have been on antibiotics for lung-related infection in the past 12 months

In the past 12 months, how many times have you been on antibiotics for a lung-related infection such as bronchitis or pneumonia?

[If Don't Know (-8) or Refused (-7), GO TO BOX R04\_AXR97]

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R04\_ADULT\_COPD = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 1,389 valid cases out of 33,822 total cases.

- Mean: 1.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 458.00
- Standard Deviation: 15.85

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32421	95.9 %	
<b>Total</b>		<b>32,433</b>	<b>95.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10674-10679 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AX0125: In past 12 months, had an episode of asthma or an asthma attack that required the use of an oral or injected steroid

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

[If No (2), Don't Know (-8) or Refused (-7), Go to R04\_AX0127.]

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	546	1.6 %
2	2 = No	4636	13.7 %
	<b>Total</b>	<b>5,182</b>	<b>15.3%</b>

This variable has 5,182 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	28622	84.6 %
	<b>Total</b>	<b>28,640</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10680-10685 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0126: In past 12 months, number of asthma attacks you have had that required the use of an oral or injected steroid

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

[If Don't Know (-8) or Refused (-7), Go to R04\_AX0127.]

ASK: Adult respondents who have ever had asthma and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R04\_ADULT\_ASTHMA = 1 AND R04\_AX0125 = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 543 valid cases out of 33,822 total cases.

- Mean: 4.27
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 104.00
- Standard Deviation: 8.73

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33274	98.4 %	
<b>Total</b>		<b>33,279</b>	<b>98.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10686-10691 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AX0127: In past 12 months, had to visit an emergency room or urgent care because of asthma

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't Know (-8) or Refused (-7), Go to R04\_AX0230.]

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	418	1.2 %
2	2 = No	4766	14.1 %
<b>Total</b>		<b>5,184</b>	<b>15.3%</b>

This variable has 5,184 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	28622	84.6 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>28,638</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10692-10697 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0282: In past 12 months, number of times you visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

[If Don't Know (-8) or Refused (-7), Go to R04\_AX0230.]

ASK: Adult respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R04\_ADULT\_ASTHMA = 1 AND R04\_AX0127 = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 417 valid cases out of 33,822 total cases.

- Mean: 2.44
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 77.00
- Standard Deviation: 4.38

	<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33402	98.8 %	
	<b>Total</b>	<b>33,405</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10698-10703 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AX0230: In past 30 days, how often used a rescue inhaler, nebulizer treatment, or other controlling medication

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 3 or more times per day	198	0.6 %
2	2 = 1 or 2 times per day	423	1.3 %
3	3 = 2 or 3 times per week	346	1.0 %
4	4 = Once a week or less	926	2.7 %
5	5 = Not at all	3294	9.7 %
	<b>Total</b>	<b>5,187</b>	<b>15.3%</b>

This variable has 5,187 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	28622	84.6 %
	<b>Total</b>	<b>28,635</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10704-10709 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0231: In past 30 days, how would you rate your asthma control

How would you rate your asthma control during the past 30 days?

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not controlled at all	76	0.2 %
2	2 = Poorly controlled	125	0.4 %
3	3 = Somewhat controlled	621	1.8 %
4	4 = Well controlled	1508	4.5 %
5	5 = Completely controlled	2841	8.4 %
	<b>Total</b>	<b>5,171</b>	<b>15.3%</b>

This variable has 5,171 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	28622	84.6 %
<b>Total</b>		<b>28,651</b>	<b>84.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10710-10715 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0726: Self perception of teeth and gum health

Overall, how would you rate the health of your teeth and gums?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	5671	16.8 %
2	2 = Very good	9677	28.6 %
3	3 = Good	10518	31.1 %
4	4 = Fair	5330	15.8 %
5	5 = Poor	2477	7.3 %
<b>Total</b>		<b>33,673</b>	<b>99.6%</b>

This variable has 33,673 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	73	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>149</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10716-10721 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0693\_NB: Ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth

Have you ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3517	10.4 %
2	2 = No	4422	13.1 %
	<b>Total</b>	<b>7,939</b>	<b>23.5%</b>

This variable has 7,939 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,883</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10722-10727 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0694\_NB: Ever had any teeth become loose on their own without an injury

Have you ever had any teeth become loose on their own, without an injury?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	891	2.6 %
2	2 = No	7051	20.8 %
	<b>Total</b>	<b>7,942</b>	<b>23.5%</b>

This variable has 7,942 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,880</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10728-10733 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0695\_NB: Number of permanent teeth removed because of tooth decay or gum disease

How many of your permanent teeth have been removed because of tooth decay or gum disease?

Do not include teeth lost for other reasons, such as injury or orthodontics.

[If Don't Know (-8) or Refused (-7), Go to R04\_AX0725.]

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

This variable has 7,837 valid cases out of 33,822 total cases.

- Mean: 1.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 4.82

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	72	0.2 %
-7	-7 = Refused	46	0.1 %
-5	-5 = Improbable response removed	8	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,985</b>	<b>76.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10734-10739 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AX0693\_12M: In past 12 months, observed any bleeding after brushing or flossing, or due to other conditions in your mouth

In the past 12 months, have you observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

ASK: Continuing adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7526	22.3 %
2	2 = No	18272	54.0 %
	<b>Total</b>	<b>25,798</b>	<b>76.3%</b>

This variable has 25,798 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	32	0.1 %
-1	-1 = Inapplicable	7965	23.5 %
	<b>Total</b>	<b>8,024</b>	<b>23.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10740-10745 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0694\_12M: In past 12 months, any teeth became loose on their own without an injury

In the past 12 months, have you had any teeth become loose on their own, without an injury?

ASK: Continuing adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1700	5.0 %
2	2 = No	24058	71.1 %
	<b>Total</b>	<b>25,758</b>	<b>76.2%</b>

This variable has 25,758 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	51	0.2 %
-1	-1 = Inapplicable	7965	23.5 %
<b>Total</b>		<b>8,064</b>	<b>23.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10746-10751 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0695\_12M: In past 12 months, number of permanent teeth removed because of tooth decay or gum disease

In the past 12 months, how many of your permanent teeth have been removed because of tooth decay or gum disease?  
Do not include teeth lost for other reasons, such as injury or orthodontics.

ASK: Continuing adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 1.

This variable has 25,540 valid cases out of 33,822 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 2.76

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	144	0.4 %
-7	-7 = Refused	151	0.4 %
-5	-5 = Improbable response removed	20	0.1 %
-1	-1 = Inapplicable	7965	23.5 %
<b>Total</b>		<b>8,282</b>	<b>24.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10752-10757 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AX0725: Number of times you brush your teeth in one day

How many times do you brush your teeth in one day?

ASK: All adult respondents.

This variable has 32,019 valid cases out of 33,822 total cases.

- Mean: 1.99
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 89.00
- Standard Deviation: 2.21

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.1 %
-7	-7 = Refused	65	0.2 %
-5	-5 = Improbable response removed	2	0.0 %
-2	-2 = I do not brush my teeth every day	1702	5.0 %
-1	-1 = Inapplicable	0	0.0 %
Total		1,803	5.3%

Percentages for both tables are based on 33,822 total cases.

*Location:* 10758-10763 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -2, -1

---

## R04\_AX0696: In the last seven days, number of times used dental floss or any other device to clean between teeth

Aside from brushing your teeth with a toothbrush, in the last seven days, how many times did you use dental floss or any other device to clean between your teeth?

ASK: All adult respondents.

This variable has 33,602 valid cases out of 33,822 total cases.

- Mean: 3.16
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 4.49

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>			
-8	-8 = Don't know	109	0.3 %
-7	-7 = Refused	103	0.3 %
-5	-5 = Improbable response removed	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>220</b>	<b>0.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10764-10769 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AX0760\_NB: Ever had your teeth cleaned by a dentist, hygienist or other health professional

Have you ever had your teeth cleaned by a dentist, hygienist, or other health professional?

[If Yes (1), GO TO R04\_AX0729; If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AXR100]

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7196	21.3 %
2	2 = No	743	2.2 %
	<b>Total</b>	<b>7,939</b>	<b>23.5%</b>

This variable has 7,939 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,883</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10770-10775 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0760\_12M: In past 12 months, had your teeth cleaned by a dentist, hygienist or other health professional

In the past 12 months, have you had your teeth cleaned by a dentist, hygienist, or other health professional?

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AXR100]

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0002 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12160	36.0 %
2	2 = No	1724	5.1 %
	<b>Total</b>	<b>13,884</b>	<b>41.1%</b>

This variable has 13,884 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	19891	58.8 %
	<b>Total</b>	<b>19,938</b>	<b>58.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 10776-10781 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0729\_NN: Time since you had your teeth cleaned by a dentist, hygienist, or other health professional - Number

How long has it been since you had your teeth cleaned by a dentist, hygienist, or other health professional?  
(If it was earlier today, enter 1 day)

ASK: New baseline adult respondents who have ever had their teeth cleaned, or continuing adult respondents who have had their teeth cleaned in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 2, 3 AND R04\_AX0760\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0760\_12M = 1).

[PROGRAM NOTE: Display as Quantity/Units. ]

This variable has 19,133 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	131	0.4 %

<b>Missing Data</b>				
-7	-7 = Refused	29	0.1 %	
-5	-5 = Improbable response removed	63	0.2 %	
-1	-1 = Inapplicable	14464	42.8 %	
<b>Total</b>		<b>14,689</b>	<b>43.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10782-10787 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R04\_AX0729\_UN: Time since you had your teeth cleaned by a dentist, hygienist, or other health professional - Unit

How long has it been since you had your teeth cleaned by a dentist, hygienist, or other health professional?  
(If it was earlier today, enter 1 day)

ASK: New baseline adult respondents who have ever had their teeth cleaned, or continuing adult respondents who have had their teeth cleaned in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 2, 3 AND R04\_AX0760\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0760\_12M = 1).

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	1688	5.0 %
2	2 = Months	14478	42.8 %
3	3 = Years	3030	9.0 %
<b>Total</b>		<b>19,196</b>	<b>56.8%</b>

This variable has 19,196 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	14624	43.2 %	
<b>Total</b>		<b>14,626</b>	<b>43.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10788-10793 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0727\_NB: Ever been told by a dentist, hygienist or other health professional that you lost bone around your teeth

Have you ever been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	562	1.7 %
2	2 = No	7362	21.8 %
	<b>Total</b>	<b>7,924</b>	<b>23.4%</b>

This variable has 7,924 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,898</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10794-10799 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0129\_NB: Dentist, hygienist, or other health professional ever told you that you have gum disease

Have you ever been told by a dentist, hygienist, or other health professional that you have gum disease?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0132\_NB.]

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	649	1.9 %
2	2 = No	7295	21.6 %
	<b>Total</b>	<b>7,944</b>	<b>23.5%</b>

This variable has 7,944 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
<b>Total</b>		<b>25,878</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10800-10805 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AX0131\_NB: DERIVED - Age range you were in when you were first told you had gum disease (6 levels)

Long Description: How old were you when you were first told you had gum disease?

```
Algorithm: if (0 <= R04_AX0131_NB < 18) or R04_AX0261_NB = 1 then
R04R_A_AX0131_NB = 1; else if (18 <= R04_AX0131_NB <= 24) or
R04_AX0261_NB = 2 then R04R_A_AX0131_NB = 2; else if (25 <= R04_AX0131_NB
<= 34) or R04_AX0261_NB = 3 then R04R_A_AX0131_NB
= 3; else if (35 <= R04_AX0131_NB <= 44) or R04_AX0261_NB = 4 then
R04R_A_AX0131_NB = 4; else if (45 <= R04_AX0131_NB <= 54) or
R04_AX0261_NB = 5 then R04R_A_AX0131_NB = 5; else if (R04_AX0131_NB =>
55) or R04_AX0261_NB = 6 then R04R_A_AX0131_NB = 6;
else if R04_AX0131_NB = -9 or R04_AX0261_NB = -9 then R04R_A_AX0131_NB
= -99999; else if R04_AX0131_NB = -8 or R04_AX0261_NB
= -8 then R04R_A_AX0131_NB = -99988; else if R04_AX0131_NB = -7 or
R04_AX0261_NB = -7 then R04R_A_AX0131_NB = -99977; else if
R04_AX0131_NB = -5 then R04R_A_AX0131_NB = -99955; else if R04_AX0131_NB
= -1 or R04_AX0261_NB = -1 then R04R_A_AX0131_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	131	0.4 %
2	2 = 18 to 24 years old	103	0.3 %
3	3 = 25 to 34 years old	119	0.4 %
4	4 = 35 to 44 years old	127	0.4 %
5	5 = 45 to 54 years old	100	0.3 %
6	6 = 55 years old or older	63	0.2 %
<b>Total</b>		<b>643</b>	<b>1.9%</b>

This variable has 643 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33171	33171	98.1 %
-97777	-97777 = Missing due to data removed per respondent request	2	0	0.0 %
<b>Total</b>		<b>33,179</b>	<b>33,179</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10806-10811 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0132\_NB: Doctor, dentist or health care professional ever told you that you have pre-cancerous oral lesions

Have you ever been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR25.]

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.1 %
2	2 = No	7917	23.4 %
<b>Total</b>		<b>7,947</b>	<b>23.5%</b>

This variable has 7,947 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0	0.0 %
-8	-8 = Don't know	6	0	0.0 %
-7	-7 = Refused	10	0	0.0 %
-1	-1 = Inapplicable	25855	25855	76.4 %
<b>Total</b>		<b>25,875</b>	<b>25,875</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10812-10817 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04R\_A\_AX0133\_NB: DERIVED - Age range you were in when you were first told you had pre-cancerous oral lesions (6 levels)

Long Description: How old were you when you were first told you Had pre-cancerous oral lesions?

Algorithm: if (0 <= R04\_AX0133\_NB < 18) or R04\_AX0262\_NB = 1 then  
R04R\_A\_AX0133\_NB = 1; else if (18 <= R04\_AX0133\_NB <= 24) or  
R04\_AX0262\_NB = 2 then R04R\_A\_AX0133\_NB = 2; else if (25 <= R04\_AX0133\_NB  
<= 34) or R04\_AX0262\_NB = 3 then R04R\_A\_AX0133\_NB  
= 3; else if (35 <= R04\_AX0133\_NB <= 44) or R04\_AX0262\_NB = 4 then  
R04R\_A\_AX0133\_NB = 4; else if (45 <= R04\_AX0133\_NB <= 54) or  
R04\_AX0262\_NB = 5 then R04R\_A\_AX0133\_NB = 5; else if (R04\_AX0133\_NB =>  
55) or R04\_AX0262\_NB = 6 then R04R\_A\_AX0133\_NB = 6;  
else if R04\_AX0133\_NB = -9 or R04\_AX0262\_NB = -9 then R04R\_A\_AX0133\_NB  
= -99999; else if R04\_AX0133\_NB = -8 or R04\_AX0262\_NB  
= -8 then R04R\_A\_AX0133\_NB = -99988; else if R04\_AX0133\_NB = -7 or  
R04\_AX0262\_NB = -7 then R04R\_A\_AX0133\_NB = -99977; else if  
R04\_AX0133\_NB = -5 then R04R\_A\_AX0133\_NB = -99955; else if R04\_AX0133\_NB  
= -1 or R04\_AX0262\_NB = -1 then R04R\_A\_AX0133\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	14	0.0 %
2	2 = 18 to 24 years old	3	0.0 %
3	3 = 25 to 34 years old	3	0.0 %
4	4 = 35 to 44 years old	5	0.0 %
5	5 = 45 to 54 years old	3	0.0 %
6	6 = 55 years old or older	1	0.0 %
	<b>Total</b>	<b>29</b>	<b>0.1%</b>

This variable has 29 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33790	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,793</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10818-10823 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04\_AX0727\_12M: In past 12 months, been told by a dentist, hygienist or other health professional that you lost bone around your teeth

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0002 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1125	3.3 %
2	2 = No	12746	37.7 %
	<b>Total</b>	<b>13,871</b>	<b>41.0%</b>

This variable has 13,871 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	19891	58.8 %
	<b>Total</b>	<b>19,951</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10824-10829 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0129\_12M: In past 12 months, dentist, hygienist, or other health professional told you that you have gum disease

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you have gum disease?

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0002 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	995	2.9 %
2	2 = No	12882	38.1 %
	<b>Total</b>	<b>13,877</b>	<b>41.0%</b>

This variable has 13,877 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	19891	58.8 %
	<b>Total</b>	<b>19,945</b>	<b>59.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10830-10835 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0132\_12M: In past 12 months, doctor, dentist or other health professional told you that you have pre-cancerous oral lesions

In the past 12 months, have you been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR25.]

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0002 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	116	0.3 %
2	2 = No	13779	40.7 %
	<b>Total</b>	<b>13,895</b>	<b>41.1%</b>

This variable has 13,895 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	19891	58.8 %
	<b>Total</b>	<b>19,927</b>	<b>58.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10836-10841 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0719: Oral lesion requires treatment

Does your oral lesion require treatment?

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions, or continuing adult respondents who have been told they had pre-cancerous oral lesions in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 2, 3 AND R04\_AX0132\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0132\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.2 %
2	2 = No	73	0.2 %
	<b>Total</b>	<b>145</b>	<b>0.4%</b>

This variable has 145 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33674	99.6 %
	<b>Total</b>	<b>33,677</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10842-10847 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0281\_NB: Doctor, nurse or health professional ever told you that you have diabetes, sugar diabetes, high blood sugar or borderline diabetes

Have you ever been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR83.]

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	633	1.9 %
2	2 = No	7299	21.6 %
	<b>Total</b>	<b>7,932</b>	<b>23.5%</b>

This variable has 7,932 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,890</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10848-10853 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04R\_A\_AX0280\_NB: DERIVED - Age range you were in when you were first told you had diabetes, sugar diabetes, high blood sugar or borderline diabetes (6 levels)

Long Description: How old were you when you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

Algorithm: if (0 <= R04\_AX0280\_NB < 18) or R04\_AX0263\_NB = 1 then R04R\_A\_AX0280\_NB = 1; else if (18 <= R04\_AX0280\_NB <= 24) or R04\_AX0263\_NB = 2 then R04R\_A\_AX0280\_NB = 2; else if (25 <= R04\_AX0280\_NB <= 34) or R04\_AX0263\_NB = 3 then R04R\_A\_AX0280\_NB = 3; else if (35 <= R04\_AX0280\_NB <= 44) or R04\_AX0263\_NB = 4 then R04R\_A\_AX0280\_NB = 4; else if (45 <= R04\_AX0280\_NB <= 54) or R04\_AX0263\_NB = 5 then R04R\_A\_AX0280\_NB = 5; else if (R04\_AX0280\_NB >= 55) or R04\_AX0263\_NB = 6 then R04R\_A\_AX0280\_NB = 6; else if R04\_AX0280\_NB = -9 or R04\_AX0263\_NB = -9 then R04R\_A\_AX0280\_NB = -99999; else if R04\_AX0280\_NB = -8 or R04\_AX0263\_NB = -8 then R04R\_A\_AX0280\_NB = -99988; else if R04\_AX0280\_NB = -7 or R04\_AX0263\_NB = -7 then R04R\_A\_AX0280\_NB = -99977; else if R04\_AX0280\_NB = -5 then R04R\_A\_AX0280\_NB = -99955; else if R04\_AX0280\_NB = -1 or R04\_AX0263\_NB = -1 then R04R\_A\_AX0280\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	101	0.3 %
2	2 = 18 to 24 years old	75	0.2 %
3	3 = 25 to 34 years old	65	0.2 %
4	4 = 35 to 44 years old	111	0.3 %

Value	Label	Unweighted Frequency	%
5	5 = 45 to 54 years old	131	0.4 %
6	6 = 55 years old or older	147	0.4 %
	<b>Total</b>	<b>630</b>	<b>1.9%</b>

This variable has 630 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33187	98.1 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,192</b>	<b>98.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10854-10859 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0281\_12M: In past 12 months, doctor, nurse or health professional told you that you have diabetes, sugar diabetes, high blood sugar or borderline diabetes

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

ASK: Continuing adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2352	7.0 %
2	2 = No	23439	69.3 %
	<b>Total</b>	<b>25,791</b>	<b>76.3%</b>

This variable has 25,791 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>				
-8	-8 = Don't know	32	0.1 %	
-7	-7 = Refused	32	0.1 %	
-1	-1 = Inapplicable	7965	23.5 %	
<b>Total</b>		<b>8,031</b>	<b>23.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10860-10865 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0721: Type of diabetes you have

[In the past, you told us you had diabetes.]

What type of diabetes do you have?

[If I have never had diabetes (4), Go to Box R04\_AXR27.]

**ASK:** Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

**ASK Specification:** IF R03\_DIABETES = 1 OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0281\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0281\_12M = 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Type 1	402	1.2 %
2	2 = Type 2	2014	6.0 %
3	3 = I don't know	1229	3.6 %
4	4 = Never had diabetes	425	1.3 %
<b>Total</b>		<b>4,070</b>	<b>12.0%</b>

This variable has 4,070 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	36	0.1 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	29689	87.8 %	
<b>Total</b>		<b>29,752</b>	<b>88.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10866-10871 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0697\_01: Currently taking the following medication to lower blood sugar: Insulin

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

Insulin

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R03\_DIABETES = 1 AND R04\_AX0721 != 4) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0281\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0281\_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 3 is selected, options 1 and 2 may not be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	797	2.4 %
2	2 = Not Marked	2893	8.6 %
	<b>Total</b>	<b>3,690</b>	<b>10.9%</b>

This variable has 3,690 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30114	89.0 %
	<b>Total</b>	<b>30,132</b>	<b>89.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10872-10877 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0697\_02: Currently taking the following medication to lower blood sugar: Diabetic pills

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

Diabetic pills

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes,

sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R03\_DIABETES = 1 AND R04\_AX0721 != 4) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0281\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0281\_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 3 is selected, options 1 and 2 may not be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1723	5.1 %
2	2 = Not Marked	1967	5.8 %
	<b>Total</b>	<b>3,690</b>	<b>10.9%</b>

This variable has 3,690 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30114	89.0 %
	<b>Total</b>	<b>30,132</b>	<b>89.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10878-10883 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0697\_03: Currently taking the following medication to lower blood sugar: None of the above

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

None of the above

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R03\_DIABETES = 1 AND R04\_AX0721 != 4) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0281\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0281\_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 3 is selected, options 1 and 2 may not be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1525	4.5 %
2	2 = Not Marked	2165	6.4 %
	<b>Total</b>	<b>3,690</b>	<b>10.9%</b>

This variable has 3,690 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30114	89.0 %
	<b>Total</b>	<b>30,132</b>	<b>89.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10884-10889 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0141\_NB: Doctor, nurse or other health professional ever told you that you had an ulcer

Have you ever been told by a doctor, nurse or other health professional that you had...

An ulcer? Include stomach, duodenal or peptic ulcers.

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	412	1.2 %
2	2 = No	7530	22.3 %
	<b>Total</b>	<b>7,942</b>	<b>23.5%</b>

This variable has 7,942 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,880</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10890-10895 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0147\_NB: Doctor, nurse or other health professional ever told you that you had stomach or gastro-intestinal bleeding

Have you ever been told by a doctor, nurse or other health professional that you had...

Stomach or other gastro-intestinal bleeding?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	186	0.5 %
2	2 = No	7715	22.8 %
	<b>Total</b>	<b>7,901</b>	<b>23.4%</b>

This variable has 7,901 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	28	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,921</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10896-10901 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0151\_NB: Doctor, nurse or other health professional ever told you that you have a cataract or glaucoma

Have you ever been told by a doctor, nurse or other health professional that you had...

A cataract or glaucoma?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	368	1.1 %
2	2 = No	7569	22.4 %
	<b>Total</b>	<b>7,937</b>	<b>23.5%</b>

This variable has 7,937 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,885</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10902-10907 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0144\_NB: Doctor, nurse or other health professional ever told you that you had cancer

Have you ever been told by a doctor, nurse or other health professional that you had...

Cancer?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	263	0.8 %
2	2 = No	7678	22.7 %
	<b>Total</b>	<b>7,941</b>	<b>23.5%</b>

This variable has 7,941 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,881</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10908-10913 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0141\_12M: In past 12 months, doctor, nurse or other health professional told you that you had an ulcer

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had...

An ulcer? Include stomach, duodenal or peptic ulcers.

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	532	1.6 %
2	2 = No	17654	52.2 %
	<b>Total</b>	<b>18,186</b>	<b>53.8%</b>

This variable has 18,186 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	11	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	15590	46.1 %
	<b>Total</b>	<b>15,636</b>	<b>46.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10914-10919 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0147\_12M: In past 12 months, doctor, nurse or other health professional told you that you had stomach or gastro-intestinal bleeding

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had...

Stomach or other gastro-intestinal bleeding?

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	345	1.0 %
2	2 = No	17760	52.5 %
	<b>Total</b>	<b>18,105</b>	<b>53.5%</b>

This variable has 18,105 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	11	0.0 %
-8	-8 = Don't know	69	0.2 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	15590	46.1 %
	<b>Total</b>	<b>15,717</b>	<b>46.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10920-10925 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0151\_12M: In past 12 months, doctor, nurse or other health professional told you that you have a cataract or glaucoma

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had...

A cataract or glaucoma?

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1024	3.0 %
2	2 = No	17143	50.7 %
	<b>Total</b>	<b>18,167</b>	<b>53.7%</b>

This variable has 18,167 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	11	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	15590	46.1 %
	<b>Total</b>	<b>15,655</b>	<b>46.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10926-10931 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0144\_12M: In past 12 months, doctor, nurse or other health professional told you that you had cancer

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had...

Cancer?

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	364	1.1 %
2	2 = No	17809	52.7 %
	<b>Total</b>	<b>18,173</b>	<b>53.7%</b>

This variable has 18,173 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	11	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	15590	46.1 %
	<b>Total</b>	<b>15,649</b>	<b>46.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10932-10937 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AX0143\_NB: DERIVED - Age range you were in when you were first told you had an ulcer (6 levels)

Long Description: How old were you when you were first told you had an ulcer?

Algorithm: if (0 <= R04\_AX0143\_NB < 18) or R04\_AX0264\_NB = 1 then  
R04R\_A\_AX0143\_NB = 1; else if (18 <= R04\_AX0143\_NB <= 24) or  
R04\_AX0264\_NB = 2 then R04R\_A\_AX0143\_NB = 2; else if (25 <= R04\_AX0143\_NB <= 34)  
or R04\_AX0264\_NB = 3 then R04R\_A\_AX0143\_NB  
= 3; else if (35 <= R04\_AX0143\_NB <= 44) or R04\_AX0264\_NB = 4 then  
R04R\_A\_AX0143\_NB = 4; else if (45 <= R04\_AX0143\_NB <= 54) or

R04\_AX0264\_NB = 5 then R04R\_A\_AX0143\_NB = 5; else if (R04\_AX0143\_NB >= 55) or R04\_AX0264\_NB = 6 then R04R\_A\_AX0143\_NB = 6;  
else if R04\_AX0143\_NB = -9 or R04\_AX0264\_NB = -9 then R04R\_A\_AX0143\_NB = -99999; else if R04\_AX0143\_NB = -8 or R04\_AX0264\_NB = -8 then R04R\_A\_AX0143\_NB = -99988; else if R04\_AX0143\_NB = -7 or R04\_AX0264\_NB = -7 then R04R\_A\_AX0143\_NB = -99977; else if R04\_AX0143\_NB = -5 then R04R\_A\_AX0143\_NB = -99955; else if R04\_AX0143\_NB = -1 or R04\_AX0264\_NB = -1 then R04R\_A\_AX0143\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	113	0.3 %
2	2 = 18 to 24 years old	96	0.3 %
3	3 = 25 to 34 years old	89	0.3 %
4	4 = 35 to 44 years old	52	0.2 %
5	5 = 45 to 54 years old	29	0.1 %
6	6 = 55 years old or older	27	0.1 %
<b>Total</b>		<b>406</b>	<b>1.2%</b>

This variable has 406 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33408	98.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,416</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10938-10943 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0698: In the past 30 days, taken any medication for an ulcer

[In the past, you told us you had an ulcer.]

Have you taken any medication for an ulcer in the past 30 days?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0699. If Box R04\_AXR34.]

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview, or new baseline adult respondents who have ever been told they had an ulcer, or

continuing adult respondents who have been told they have an ulcer in the past 12 months.

ASK Specification: IF R03\_ULCER = 1 OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0141\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0141\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	551	1.6 %
2	2 = No	1934	5.7 %
3	3 = I have never had an ulcer	206	0.6 %
<b>Total</b>		<b>2,691</b>	<b>8.0%</b>

This variable has 2,691 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	31116	92.0 %
<b>Total</b>		<b>31,131</b>	<b>92.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10944-10949 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0738\_01: Type of medication taken for an ulcer in the past 30 days: Over the counter antacids

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

Over the counter antacids

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days.

ASK Specification: IF (R03\_ULCER = 1 AND R04\_AX0698 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0141\_NB = 1 AND R04\_AX0698 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0141\_12M = 1 AND R04\_AX0698 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	178	0.5 %
2	2 = Not Marked	370	1.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>548</b>	<b>1.6%</b>

This variable has 548 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33269	98.4 %
	<b>Total</b>	<b>33,274</b>	<b>98.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10950-10955 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0738\_02: Type of medication taken for an ulcer in the past 30 days: Prescription medications

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

Prescription medications

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days.

ASK Specification: IF (R03\_ULCER = 1 AND R04\_AX0698 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0141\_NB = 1 AND R04\_AX0698 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0141\_12M = 1 AND R04\_AX0698 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	391	1.2 %
2	2 = Not Marked	157	0.5 %
	<b>Total</b>	<b>548</b>	<b>1.6%</b>

This variable has 548 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		33269	98.4 %
<b>Total</b>			<b>33,274</b>	<b>98.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10956-10961 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0738\_03: Type of medication taken for an ulcer in the past 30 days: Something else

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

Something else

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days.

ASK Specification: IF (R03\_ULCER = 1 AND R04\_AX0698 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0141\_NB = 1 AND R04\_AX0698 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0141\_12M = 1 AND R04\_AX0698 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	35	0.1 %
2	2 = Not Marked	513	1.5 %
<b>Total</b>		<b>548</b>	<b>1.6%</b>

This variable has 548 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33269	98.4 %	
<b>Total</b>		<b>33,274</b>	<b>98.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 10962-10967 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0699: Tested for H. Pylori bacterial infection in stomach

Have you been tested for a bacterial infection, called H. Pylori, in your stomach?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR34.]

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they had an ulcer in the past 12 months.

ASK Specification: IF (R03\_ULCER = 1 AND R04\_AX0698 != 3) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0141\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0141\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	452	1.3 %
2	2 = No	1640	4.8 %
3	3 = I don't know	400	1.2 %
	<b>Total</b>	<b>2,492</b>	<b>7.4%</b>

This variable has 2,492 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	31322	92.6 %
	<b>Total</b>	<b>31,330</b>	<b>92.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10968-10973 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0739: Tested positive for H. Pylori

Did you test positive for H. Pylori?

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer and have been tested for H. Pylori, or new baseline adult respondents who have ever been told they had an ulcer and have been tested for H. Pylori, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have been tested for H. Pylori.

ASK Specification: IF (R03\_ULCER = 1 AND R04\_AX0698 != 3 AND R04\_AX0699 = 1) OR (R04\_ADULTTYPE = 2, 3 AND R04\_AX0141\_NB = 1 AND R04\_AX0699 = 1) OR (R04\_ADULTTYPE = 1 AND R04\_AX0141\_12M = 1 AND R04\_AX0699 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	178	0.5 %

Value	Label	Unweighted Frequency	%
2	2 = No	234	0.7 %
3	3 = I don't know	40	0.1 %
	<b>Total</b>	<b>452</b>	<b>1.3%</b>

This variable has 452 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33368	98.7 %
	<b>Total</b>	<b>33,370</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10974-10979 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04R\_A\_AX0148\_NB: DERIVED - Age range you were in when you were first told you had stomach or gastro-intestinal bleeding (6 levels)

Long Description: How old were you when you were first told you had stomach or other gastrointestinal bleeding?

Algorithm: if (0 <= R04\_AX0148\_NB < 18) or R04\_AX0266\_NB = 1 then  
R04R\_A\_AX0148\_NB = 1; else if (18 <= R04\_AX0148\_NB <= 24) or  
R04\_AX0266\_NB = 2 then R04R\_A\_AX0148\_NB = 2; else if (25 <= R04\_AX0148\_NB <= 34)  
or R04\_AX0266\_NB = 3 then R04R\_A\_AX0148\_NB  
= 3; else if (35 <= R04\_AX0148\_NB <= 44) or R04\_AX0266\_NB = 4 then R04R\_A\_AX0148\_NB  
= 4; else if (45 <= R04\_AX0148\_NB <= 54) or  
R04\_AX0266\_NB = 5 then R04R\_A\_AX0148\_NB = 5; else if (R04\_AX0148\_NB => 55) or  
R04\_AX0266\_NB = 6 then R04R\_A\_AX0148\_NB = 6;  
else if R04\_AX0148\_NB = -9 or R04\_AX0266\_NB = -9 then R04R\_A\_AX0148\_NB = -99999;  
else if R04\_AX0148\_NB = -8 or R04\_AX0266\_NB  
= -8 then R04R\_A\_AX0148\_NB = -99988; else if R04\_AX0148\_NB = -7 or R04\_AX0266\_NB  
= -7 then R04R\_A\_AX0148\_NB = -99977; else if  
R04\_AX0148\_NB = -5 then R04R\_A\_AX0148\_NB = -99955; else if R04\_AX0148\_NB = -1  
or R04\_AX0266\_NB = -1 then R04R\_A\_AX0148\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	46	0.1 %
2	2 = 18 to 24 years old	41	0.1 %
3	3 = 25 to 34 years old	28	0.1 %
4	4 = 35 to 44 years old	17	0.1 %

Value	Label	Unweighted Frequency	%
5	5 = 45 to 54 years old	22	0.1 %
6	6 = 55 years old or older	26	0.1 %
	<b>Total</b>	<b>180</b>	<b>0.5%</b>

This variable has 180 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33634	99.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,642</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10980-10985 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_AX0152\_NB: DERIVED - Age range you were in when you were first told you had cataract or glaucoma (6 levels)

Long Description: How old were you when you were first told you had a cataract or glaucoma?

Algorithm: if (0 <= R04\_AX0152\_NB < 18) or R04\_AX0269\_NB = 1 then R04R\_A\_AX0152\_NB = 1; else if (18 <= R04\_AX0152\_NB <= 24) or R04\_AX0269\_NB = 2 then R04R\_A\_AX0152\_NB = 2; else if (25 <= R04\_AX0152\_NB <= 34) or R04\_AX0269\_NB = 3 then R04R\_A\_AX0152\_NB = 3; else if (35 <= R04\_AX0152\_NB <= 44) or R04\_AX0269\_NB = 4 then R04R\_A\_AX0152\_NB = 4; else if (45 <= R04\_AX0152\_NB <= 54) or R04\_AX0269\_NB = 5 then R04R\_A\_AX0152\_NB = 5; else if (R04\_AX0152\_NB >= 55) or R04\_AX0269\_NB = 6 then R04R\_A\_AX0152\_NB = 6; else if R04\_AX0152\_NB = -9 or R04\_AX0269\_NB = -9 then R04R\_A\_AX0152\_NB = -99999; else if R04\_AX0152\_NB = -8 or R04\_AX0269\_NB = -8 then R04R\_A\_AX0152\_NB = -99988; else if R04\_AX0152\_NB = -7 or R04\_AX0269\_NB = -7 then R04R\_A\_AX0152\_NB = -99977; else if R04\_AX0152\_NB = -5 then R04R\_A\_AX0152\_NB = -99955; else if R04\_AX0152\_NB = -1 or R04\_AX0269\_NB = -1 then R04R\_A\_AX0152\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	41	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = 18 to 24 years old	11	0.0 %
3	3 = 25 to 34 years old	9	0.0 %
4	4 = 35 to 44 years old	23	0.1 %
5	5 = 45 to 54 years old	65	0.2 %
6	6 = 55 years old or older	214	0.6 %
	<b>Total</b>	<b>363</b>	<b>1.1%</b>

This variable has 363 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33452	98.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,459</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10986-10991 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AX0145\_TOB: DERIVED - Type of cancer is a tobacco related cancer (2 levels)

Long Description: What kind of cancer: Tobacco related  
 (bladder, cervix, colon, esophagus,  
 kidney, larynx, liver, lung, mouth,  
 pancreas, rectum, stomach, and  
 throat)?

Algorithm: if (R04\_AX0145\_01 = 1 or R04\_AX0145\_06 = 1 or R04\_AX0145\_07 = 1  
 or R04\_AX0145\_08 = 1 or R04\_AX0145\_10 = 1 or  
 R04\_AX0145\_11 = 1 or R04\_AX0145\_13 = 1 or R04\_AX0145\_14 = 1 or R04\_AX0145\_17  
 = 1 or R04\_AX0145\_20 = 1 or R04\_AX0145\_22  
 = 1 or R04\_AX0145\_26 = 1 or R04\_AX0145\_28 = 1) then R04R\_A\_AX0145\_TOB = 1;  
 else if (R04\_AX0145\_01 = 2 and R04\_AX0145\_06  
 = 2 and R04\_AX0145\_07 = 2 and R04\_AX0145\_08 = 2 and R04\_AX0145\_10 = 2 and  
 R04\_AX0145\_11 = 2 and R04\_AX0145\_13 =  
 2 and R04\_AX0145\_14 = 2 and R04\_AX0145\_17 = 2 and R04\_AX0145\_20 = 2 and  
 R04\_AX0145\_22 = 2 and R04\_AX0145\_26 = 2  
 and R04\_AX0145\_28 = 2) then R04R\_A\_AX0145\_TOB = 2; else if R04\_AX0145\_01  
 = -9 then R04R\_A\_AX0145\_TOB = -99999; else if  
 R04\_AX0145\_01 = -8 then R04R\_A\_AX0145\_TOB = -99988; else if R04\_AX0145\_01

= -7 then R04R\_A\_AX0145\_TOB = -99977; else if  
 R04\_AX0145\_01 = -1 then R04R\_A\_AX0145\_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	188	0.6 %
2	2 = No	419	1.2 %
	<b>Total</b>	<b>607</b>	<b>1.8%</b>

This variable has 607 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33193	98.1 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,215</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10992-10997 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

---

## R04R\_A\_AX0146\_TOB: DERIVED - Age range when first tobacco-related cancer was diagnosed (6 levels)

Long Description: At what age were you diagnosed with tobacco related cancer?

Algorithm: IF R04R\_A\_AX0145\_TOB = 1 AND R04\_ADULTTYPE in (2,3) THEN DO;  
 IF (0 <= R04\_AX0146\_NB\_01 < 18) OR R04\_AX0265\_NB\_01  
 = 1 OR (0 <= R04\_AX0146\_NB\_06 < 18) OR R04\_AX0265\_NB\_06 = 1 OR  
 (0 <= R04\_AX0146\_NB\_07 < 18) OR R04\_AX0265\_NB\_07  
 = 1 OR (0 <= R04\_AX0146\_NB\_08 < 18) OR R04\_AX0265\_NB\_08 = 1 OR  
 (0 <= R04\_AX0146\_NB\_10 < 18) OR R04\_AX0265\_NB\_10  
 = 1 OR (0 <= R04\_AX0146\_NB\_11 < 18) OR R04\_AX0265\_NB\_11 = 1 OR  
 (0 <= R04\_AX0146\_NB\_13 < 18) OR R04\_AX0265\_NB\_13 =  
 1 OR (0 <= R04\_AX0146\_NB\_14 < 18) OR R04\_AX0265\_NB\_14 = 1 OR  
 (0 <= R04\_AX0146\_NB\_17 < 18) OR R04\_AX0265\_NB\_17 = 1  
 OR (0 <= R04\_AX0146\_NB\_20 < 18) OR R04\_AX0265\_NB\_20 = 1 OR  
 (0 <= R04\_AX0146\_NB\_22 < 18) OR R04\_AX0265\_NB\_22 = 1 OR  
 (0 <= R04\_AX0146\_NB\_26 < 18) OR R04\_AX0265\_NB\_26 = 1 OR (0  
 <= R04\_AX0146\_NB\_28 < 18) OR R04\_AX0265\_NB\_28 = 1 THEN  
 R04R\_A\_AX0146\_TOB = 1; ELSE IF (18 <= R04\_AX0146\_NB\_01 <= 24)  
 OR R04\_AX0265\_NB\_01 = 2 OR (18 <= R04\_AX0146\_NB\_06 <= 24)  
 OR R04\_AX0265\_NB\_06 = 2 OR (18 <= R04\_AX0146\_NB\_07 <= 24)  
 OR R04\_AX0265\_NB\_07 = 2 OR (18 <= R04\_AX0146\_NB\_08 <=

24) OR R04\_AX0265\_NB\_08 = 2 OR (18 <= R04\_AX0146\_NB\_10 <= 24)  
 OR R04\_AX0265\_NB\_10 = 2 OR (18 <= R04\_AX0146\_NB\_11 <= 24)  
 24) OR R04\_AX0265\_NB\_11 = 2 OR (18 <= R04\_AX0146\_NB\_13 <= 24)  
 OR R04\_AX0265\_NB\_13 = 2 OR (18 <= R04\_AX0146\_NB\_14 <= 24)  
 24) OR R04\_AX0265\_NB\_14 = 2 OR (18 <= R04\_AX0146\_NB\_17 <= 24)  
 OR R04\_AX0265\_NB\_17 = 2 OR (18 <= R04\_AX0146\_NB\_20 <= 24)  
 24) OR R04\_AX0265\_NB\_20 = 2 OR (18 <= R04\_AX0146\_NB\_22 <= 24)  
 OR R04\_AX0265\_NB\_22 = 2 OR (18 <= R04\_AX0146\_NB\_26 <= 24)  
 24) OR R04\_AX0265\_NB\_26 = 2 OR (18 <= R04\_AX0146\_NB\_28 <= 24)  
 OR R04\_AX0265\_NB\_28 = 2 THEN R04R\_A\_AX0146\_TOB = 2; ELSE  
 IF (25 <= R04\_AX0146\_NB\_01 <= 34) OR R04\_AX0265\_NB\_01 = 3 OR  
 (25 <= R04\_AX0146\_NB\_06 <= 34) OR R04\_AX0265\_NB\_06 = 3  
 OR (25 <= R04\_AX0146\_NB\_07 <= 34) OR R04\_AX0265\_NB\_07 = 3 OR  
 (25 <= R04\_AX0146\_NB\_08 <= 34) OR R04\_AX0265\_NB\_08 = 3  
 OR (25 <= R04\_AX0146\_NB\_10 <= 34) OR R04\_AX0265\_NB\_10 = 3 OR  
 (25 <= R04\_AX0146\_NB\_11 <= 34) OR R04\_AX0265\_NB\_11 = 3  
 OR (25 <= R04\_AX0146\_NB\_13 <= 34) OR R04\_AX0265\_NB\_13 = 3 OR  
 (25 <= R04\_AX0146\_NB\_14 <= 34) OR R04\_AX0265\_NB\_14 = 3  
 OR (25 <= R04\_AX0146\_NB\_17 <= 34) OR R04\_AX0265\_NB\_17 = 3 OR  
 (25 <= R04\_AX0146\_NB\_20 <= 34) OR R04\_AX0265\_NB\_20 = 3  
 OR (25 <= R04\_AX0146\_NB\_22 <= 34) OR R04\_AX0265\_NB\_22 = 3 OR  
 (25 <= R04\_AX0146\_NB\_26 <= 34) OR R04\_AX0265\_NB\_26 = 3  
 OR (25 <= R04\_AX0146\_NB\_28 <= 34) OR R04\_AX0265\_NB\_28 = 3 THEN  
 R04R\_A\_AX0146\_TOB = 3; ELSE IF (35 <= R04\_AX0146\_NB\_01  
 <= 44) OR R04\_AX0265\_NB\_01 = 4 OR (35 <= R04\_AX0146\_NB\_06  
 <= 44) OR R04\_AX0265\_NB\_06 = 4 OR (35 <= R04\_AX0146\_NB\_07  
 <= 44) OR R04\_AX0265\_NB\_07 = 4 OR (35 <= R04\_AX0146\_NB\_08  
 <= 44) OR R04\_AX0265\_NB\_08 = 4 OR (35 <= R04\_AX0146\_NB\_10  
 <= 44) OR R04\_AX0265\_NB\_10 = 4 OR (35 <= R04\_AX0146\_NB\_11  
 <= 44) OR R04\_AX0265\_NB\_11 = 4 OR (35 <= R04\_AX0146\_NB\_13  
 <= 44) OR R04\_AX0265\_NB\_13 = 4 OR (35 <= R04\_AX0146\_NB\_14  
 <= 44) OR R04\_AX0265\_NB\_14 = 4 OR (35 <= R04\_AX0146\_NB\_17  
 <= 44) OR R04\_AX0265\_NB\_17 = 4 OR (35 <= R04\_AX0146\_NB\_20  
 <= 44) OR R04\_AX0265\_NB\_20 = 4 OR (35 <= R04\_AX0146\_NB\_22  
 <= 44) OR R04\_AX0265\_NB\_22 = 4 OR (35 <= R04\_AX0146\_NB\_26  
 <= 44) OR R04\_AX0265\_NB\_26 = 4 OR (35 <= R04\_AX0146\_NB\_28  
 <= 44) OR R04\_AX0265\_NB\_28 = 4 THEN R04R\_A\_AX0146\_TOB = 4;  
 ELSE IF (45 <= R04\_AX0146\_NB\_01 <= 54) OR R04\_AX0265\_NB\_01  
 = 5 OR (45 <= R04\_AX0146\_NB\_06 <= 54) OR R04\_AX0265\_NB\_06 = 5  
 OR (45 <= R04\_AX0146\_NB\_07 <= 54) OR R04\_AX0265\_NB\_07 = 5  
 = 5 OR (45 <= R04\_AX0146\_NB\_08 <= 54) OR R04\_AX0265\_NB\_08 = 5  
 OR (45 <= R04\_AX0146\_NB\_10 <= 54) OR R04\_AX0265\_NB\_10 = 5  
 = 5 OR (45 <= R04\_AX0146\_NB\_11 <= 54) OR R04\_AX0265\_NB\_11 = 5  
 OR (45 <= R04\_AX0146\_NB\_13 <= 54) OR R04\_AX0265\_NB\_13 = 5  
 = 5 OR (45 <= R04\_AX0146\_NB\_14 <= 54) OR R04\_AX0265\_NB\_14 = 5  
 OR (45 <= R04\_AX0146\_NB\_17 <= 54) OR R04\_AX0265\_NB\_17 = 5  
 = 5 OR (45 <= R04\_AX0146\_NB\_20 <= 54) OR R04\_AX0265\_NB\_20 = 5  
 OR (45 <= R04\_AX0146\_NB\_22 <= 54) OR R04\_AX0265\_NB\_22 = 5  
 = 5 OR (45 <= R04\_AX0146\_NB\_26 <= 54) OR R04\_AX0265\_NB\_26 = 5  
 OR (45 <= R04\_AX0146\_NB\_28 <= 54) OR R04\_AX0265\_NB\_28 = 5  
 = 5 THEN R04R\_A\_AX0146\_TOB = 5; ELSE IF (R04\_AX0146\_NB\_01 >= 55)  
 OR R04\_AX0265\_NB\_01 = 6 OR (R04\_AX0146\_NB\_06  
 >= 55) OR R04\_AX0265\_NB\_06 = 6 OR (R04\_AX0146\_NB\_07 >= 55) OR  
 R04\_AX0265\_NB\_07 = 6 OR (R04\_AX0146\_NB\_08  
 >= 55) OR R04\_AX0265\_NB\_08 = 6 OR (R04\_AX0146\_NB\_10 >= 55) OR  
 R04\_AX0265\_NB\_10 = 6 OR (R04\_AX0146\_NB\_11 >= 55) OR  
 R04\_AX0265\_NB\_11 = 6 OR (R04\_AX0146\_NB\_13 >= 55) OR  
 R04\_AX0265\_NB\_13 = 6 OR (R04\_AX0146\_NB\_14 >= 55) OR  
 R04\_AX0265\_NB\_14 = 6 OR (R04\_AX0146\_NB\_17 >= 55) OR

R04\_AX0265\_NB\_17 = 6 OR (R04\_AX0146\_NB\_20 >= 55)  
 OR R04\_AX0265\_NB\_20 = 6 OR (R04\_AX0146\_NB\_22 >= 55) OR  
 R04\_AX0265\_NB\_22 = 6 OR (R04\_AX0146\_NB\_26 >= 55) OR  
 R04\_AX0265\_NB\_26 = 6 OR (R04\_AX0146\_NB\_28 >= 55) OR  
 R04\_AX0265\_NB\_28 = 6 THEN R04R\_A\_AX0146\_TOB = 6; ELSE IF  
 R04\_AX0146\_NB\_01 = -9 OR R04\_AX0265\_NB\_01 = -9 OR  
 R04\_AX0146\_NB\_06 = -9 OR R04\_AX0265\_NB\_06 = -9 OR R04\_AX0146\_NB\_07  
 = -9 OR R04\_AX0265\_NB\_07 = -9 OR R04\_AX0146\_NB\_08 = -9  
 OR R04\_AX0265\_NB\_08 = -9 OR R04\_AX0146\_NB\_10 = -9 OR  
 R04\_AX0265\_NB\_10 = -9 OR R04\_AX0146\_NB\_11 = -9 OR  
 R04\_AX0265\_NB\_11 = -9 OR R04\_AX0146\_NB\_13 = -9 OR R04\_AX0265\_NB\_13  
 = -9 OR R04\_AX0146\_NB\_14 = -9 OR R04\_AX0265\_NB\_14 = -9  
 OR R04\_AX0146\_NB\_17 = -9 OR R04\_AX0265\_NB\_17 = -9 OR  
 R04\_AX0146\_NB\_20 = -9 OR R04\_AX0265\_NB\_20 = -9 OR  
 R04\_AX0146\_NB\_22 = -9 OR R04\_AX0265\_NB\_22 = -9 OR  
 R04\_AX0146\_NB\_26  
 = -9 OR R04\_AX0265\_NB\_26 = -9 OR R04\_AX0146\_NB\_28 = -9  
 OR R04\_AX0265\_NB\_28 = -9 THEN R04R\_A\_AX0146\_TOB = -99999;  
 ELSE IF  
 R04\_AX0146\_NB\_01 = -8 OR R04\_AX0265\_NB\_01 = -8 OR  
 R04\_AX0146\_NB\_06 = -8 OR R04\_AX0265\_NB\_06 = -8 OR R04\_AX0146\_NB\_07  
 = -8 OR R04\_AX0265\_NB\_07 = -8 OR R04\_AX0146\_NB\_08 = -8  
 OR R04\_AX0265\_NB\_08 = -8 OR R04\_AX0146\_NB\_10 = -8 OR  
 R04\_AX0265\_NB\_10 = -8 OR R04\_AX0146\_NB\_11 = -8 OR  
 R04\_AX0265\_NB\_11 = -8 OR R04\_AX0146\_NB\_13 = -8 OR R04\_AX0265\_NB\_13  
 = -8 OR R04\_AX0146\_NB\_14 = -8 OR R04\_AX0265\_NB\_14 = -8  
 OR R04\_AX0146\_NB\_17 = -8 OR R04\_AX0265\_NB\_17 = -8 OR  
 R04\_AX0146\_NB\_20 = -8 OR R04\_AX0265\_NB\_20 = -8 OR  
 R04\_AX0146\_NB\_22 = -8 OR R04\_AX0265\_NB\_22 = -8 OR R04\_AX0146\_NB\_26  
 = -8 OR R04\_AX0265\_NB\_26 = -8 OR R04\_AX0146\_NB\_28 = -8  
 OR R04\_AX0265\_NB\_28 = -8 THEN R04R\_A\_AX0146\_TOB = -99988; ELSE IF  
 R04\_AX0146\_NB\_01 = -7 OR R04\_AX0265\_NB\_01 = -7 OR  
 R04\_AX0146\_NB\_06 = -7 OR R04\_AX0265\_NB\_06 = -7 OR R04\_AX0146\_NB\_07  
 = -7 OR R04\_AX0265\_NB\_07 = -7 OR R04\_AX0146\_NB\_08 = -7 OR  
 R04\_AX0265\_NB\_08 = -7 OR R04\_AX0146\_NB\_10 = -7 OR  
 R04\_AX0265\_NB\_10 = -7 OR R04\_AX0146\_NB\_11 = -7 OR  
 R04\_AX0265\_NB\_11 = -7 OR R04\_AX0146\_NB\_13 = -7 OR R04\_AX0265\_NB\_13  
 = -7 OR R04\_AX0146\_NB\_14 = -7 OR R04\_AX0265\_NB\_14 = -7  
 OR R04\_AX0146\_NB\_17 = -7 OR R04\_AX0265\_NB\_17 = -7 OR  
 R04\_AX0146\_NB\_20 = -7 OR R04\_AX0265\_NB\_20 = -7 OR  
 R04\_AX0146\_NB\_22 = -7 OR R04\_AX0265\_NB\_22 = -7 OR R04\_AX0146\_NB\_26  
 = -7 OR R04\_AX0265\_NB\_26 = -7 OR R04\_AX0146\_NB\_28 = -7  
 OR R04\_AX0265\_NB\_28 = -7 THEN R04R\_A\_AX0146\_TOB = -99977;  
 ELSE IF R04\_AX0146\_NB\_01 = -5 OR R04\_AX0146\_NB\_06 = -5  
 OR R04\_AX0146\_NB\_07 = -5 OR R04\_AX0146\_NB\_08 = -5 OR  
 R04\_AX0146\_NB\_10 = -5 OR R04\_AX0146\_NB\_11 = -5 OR  
 R04\_AX0146\_NB\_13 = -5 OR R04\_AX0146\_NB\_14 = -5 OR R04\_AX0146\_NB\_17  
 = -5 OR R04\_AX0146\_NB\_20 = -5 OR R04\_AX0146\_NB\_22 = -5  
 OR R04\_AX0146\_NB\_26 = -5 OR R04\_AX0146\_NB\_28 = -5 THEN  
 R04R\_A\_AX0146\_TOB = -99955; END; ELSE IF R04R\_A\_AX0145\_TOB  
 = 1 AND R04\_ADULTTYPE = 1 THEN DO; IF 1 <= R04R\_A\_AGECA6  
 <= 4 THEN R04R\_A\_AX0146\_TOB = R04R\_A\_AGECA6 + 1; ELSE IF 5  
 <= R04R\_A\_AGECA6 <= 6 THEN R04R\_A\_AX0146\_TOB = 6; ELSE  
 IF R04R\_A\_AGECA6 IN (-99999, -99988, -99977) THEN R04R\_A\_AX0146\_TOB  
 = R04R\_A\_AGECA6; END; ELSE IF R04R\_A\_AX0145\_TOB  
 = -99999 THEN R04R\_A\_AX0146\_TOB = -99999; ELSE IF  
 R04R\_A\_AX0145\_TOB = -99988 THEN R04R\_A\_AX0146\_TOB = -99988; ELSE IF  
 R04R\_A\_AX0145\_TOB = -99977 THEN R04R\_A\_AX0146\_TOB = -99977;  
 ELSE IF R04R\_A\_AX0145\_TOB = -99911 OR R04R\_A\_AX0145\_TOB = 2

THEN R04R\_A\_AX0146\_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	4	0.0 %
2	2 = 18 to 24 years old	10	0.0 %
3	3 = 25 to 34 years old	24	0.1 %
4	4 = 35 to 44 years old	17	0.1 %
5	5 = 45 to 54 years old	32	0.1 %
6	6 = 55 years old or older	101	0.3 %
	<b>Total</b>	<b>188</b>	<b>0.6%</b>

This variable has 188 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33612	99.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,634</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 10998-11003 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_AX0145\_NONTOB: DERIVED - Type of cancer is a non-tobacco related cancer (2 levels)

Long Description: What kind of cancer: Non-tobacco related (blood, bone, brain, breast, gallbladder, leukemia, lymphoma, melanoma, nervous system, ovarian, prostate, non-melanoma, unknown skin, soft tissue, testicular, thyroid, uterine, or other)?

Algorithm: if (R04\_AX0145\_02 = 1 or R04\_AX0145\_03 = 1 or R04\_AX0145\_04 = 1 or R04\_AX0145\_05 = 1 or R04\_AX0145\_09 = 1 or R04\_AX0145\_12 = 1 or R04\_AX0145\_15 = 1 or R04\_AX0145\_16 = 1 or R04\_AX0145\_18 = 1 or R04\_AX0145\_19 = 1 or R04\_AX0145\_21 = 1 or R04\_AX0145\_23 = 1 or R04\_AX0145\_24 = 1 or R04\_AX0145\_25 = 1 or R04\_AX0145\_27 = 1 or R04\_AX0145\_29 = 1 or R04\_AX0145\_30

= 1 or R04\_AX0145\_31 = 1) then R04R\_A\_AX0145\_NONTOB = 1; else if  
 (R04\_AX0145\_02 = 2 and R04\_AX0145\_03 = 2 and R04\_AX0145\_04  
 = 2 and R04\_AX0145\_05 = 2 and R04\_AX0145\_09 = 2 and R04\_AX0145\_12 = 2  
 and R04\_AX0145\_15 = 2 and R04\_AX0145\_16 = 2  
 and R04\_AX0145\_18 = 2 and R04\_AX0145\_19 = 2 and R04\_AX0145\_21 = 2 and  
 R04\_AX0145\_23 = 2 and R04\_AX0145\_24 = 2 and  
 R04\_AX0145\_25 = 2 and R04\_AX0145\_27 = 2 and R04\_AX0145\_29 = 2 and  
 R04\_AX0145\_30 = 2 and R04\_AX0145\_31 = 2) then  
 R04R\_A\_AX0145\_NONTOB = 2; else if R04\_AX0145\_01 = -9 then  
 R04R\_A\_AX0145\_NONTOB = -99999; else if R04\_AX0145\_01 = -8 then  
 (18 <= R04\_AX0146\_NB\_15 <= 24) OR R04\_AX0265\_NB\_15 = 2 OR  
 (18 <= R04\_AX0146\_NB\_16 <= 24) OR R04\_AX0265\_NB\_16 = 2 OR  
 (18 <= R04\_AX0146\_NB\_18 <= 24) OR R04\_AX0265\_NB\_18 = 2 OR  
 (18 <= R04\_AX0146\_NB\_19 <= 24) OR R04\_AX0265\_NB\_19 = 2 OR  
 (18 <= R04\_AX0146\_NB\_21 <= 24) OR R04\_AX0265\_NB\_21 = 2 OR  
 (18 <= R04\_AX0146\_NB\_23 <= 24) OR R04\_AX0265\_NB\_23 = 2 OR  
 (18 <= R04\_AX0146\_NB\_24 <= 24) OR R04\_AX0265\_NB\_24 = 2 OR  
 (18 <= R04\_AX0146\_NB\_25 <= 24) OR R04\_AX0265\_NB\_25 = 2 OR  
 (18 <= R04\_AX0146\_NB\_27 <= 24) OR R04\_AX0265\_NB\_27 = 2 OR  
 (18 <= R04\_AX0146\_NB\_29 <= 24) OR R04\_AX0265\_NB\_29 = 2 OR  
 (18 <= R04\_AX0146\_NB\_30 <= 24) OR R04\_AX0265\_NB\_30 = 2 OR  
 (18 <= R04\_AX0146\_NB\_31 <= 24) OR R04\_AX0265\_NB\_31 = 2 THEN  
 R04R\_A\_AX0146\_NONTOB = 2; ELSE IF (25 <= R04\_AX0146\_NB\_02 <= 34)  
 OR R04\_AX0265\_NB\_02 = 3 OR (25 <= R04\_AX0146\_NB\_03 <= 34)  
 OR R04\_AX0265\_NB\_03 = 3 OR (25 <= R04\_AX0146\_NB\_04 <= 34)  
 OR R04\_AX0265\_NB\_04 = 3 OR (25 <= R04\_AX0146\_NB\_05 <= 34)  
 OR R04\_AX0265\_NB\_05 = 3 OR (25 <= R04\_AX0146\_NB\_09 <= 34)  
 OR R04\_AX0265\_NB\_09 = 3 OR (25 <= R04\_AX0146\_NB\_12 <= 34)  
 OR R04\_AX0265\_NB\_12 = 3 OR (25 <= R04\_AX0146\_NB\_15 <= 34)  
 OR R04\_AX0265\_NB\_15 = 3 OR (25 <= R04\_AX0146\_NB\_16 <= 34)  
 OR R04\_AX0265\_NB\_16 = 3 OR (25 <= R04\_AX0146\_NB\_18 <= 34)  
 OR R04\_AX0265\_NB\_18 = 3 OR (25 <= R04\_AX0146\_NB\_19 <= 34)  
 OR R04\_AX0265\_NB\_19 = 3 OR (25 <= R04\_AX0146\_NB\_21 <= 34)  
 OR R04\_AX0265\_NB\_21 = 3 OR (25 <= R04\_AX0146\_NB\_23 <= 34)  
 OR R04\_AX0265\_NB\_23 = 3 OR (25 <= R04\_AX0146\_NB\_24 <= 34)  
 OR R04\_AX0265\_NB\_24 = 3 OR (25 <= R04\_AX0146\_NB\_25 <= 34)  
 OR R04\_AX0265\_NB\_25 = 3 OR (25 <= R04\_AX0146\_NB\_27 <= 34)  
 OR R04\_AX0265\_NB\_27 = 3 OR (25 <= R04\_AX0146\_NB\_29 <= 34)  
 OR R04\_AX0265\_NB\_29 = 3 OR (25 <= R04\_AX0146\_NB\_30 <= 34)  
 OR R04\_AX0265\_NB\_30 = 3 OR (25 <= R04\_AX0146\_NB\_31 <= 34)  
 OR R04\_AX0265\_NB\_31 = 3 THEN R04R\_A\_AX0146\_NONTOB = 3;  
 ELSE IF (35 <= R04\_AX0146\_NB\_02 <= 44) OR R04\_AX0265\_NB\_02  
 = 4 OR (35 <= R04\_AX0146\_NB\_03 <= 44) OR R04\_AX0265\_NB\_03 = 4  
 OR (35 <= R04\_AX0146\_NB\_04 <= 44) OR R04\_AX0265\_NB\_04 = 4  
 = 4 OR (35 <= R04\_AX0146\_NB\_05 <= 44) OR R04\_AX0265\_NB\_05 = 4  
 OR (35 <= R04\_AX0146\_NB\_09 <= 44) OR R04\_AX0265\_NB\_09 = 4  
 = 4 OR (35 <= R04\_AX0146\_NB\_12 <= 44) OR R04\_AX0265\_NB\_12 = 4  
 OR (35 <= R04\_AX0146\_NB\_15 <= 44) OR R04\_AX0265\_NB\_15 = 4  
 = 4 OR (35 <= R04\_AX0146\_NB\_16 <= 44) OR R04\_AX0265\_NB\_16 = 4  
 OR (35 <= R04\_AX0146\_NB\_18 <= 44) OR R04\_AX0265\_NB\_18 = 4  
 = 4 OR (35 <= R04\_AX0146\_NB\_19 <= 44) OR R04\_AX0265\_NB\_19 = 4  
 OR (35 <= R04\_AX0146\_NB\_21 <= 44) OR R04\_AX0265\_NB\_21 = 4  
 = 4 OR (35 <= R04\_AX0146\_NB\_23 <= 44) OR R04\_AX0265\_NB\_23 = 4  
 OR (35 <= R04\_AX0146\_NB\_24 <= 44) OR R04\_AX0265\_NB\_24 = 4  
 4 OR (35 <= R04\_AX0146\_NB\_25 <= 44) OR R04\_AX0265\_NB\_25 = 4 OR  
 (35 <= R04\_AX0146\_NB\_27 <= 44) OR R04\_AX0265\_NB\_27 = 4  
 OR (35 <= R04\_AX0146\_NB\_29 <= 44) OR R04\_AX0265\_NB\_29 = 4 OR  
 (35 <= R04\_AX0146\_NB\_30 <= 44) OR R04\_AX0265\_NB\_30 = 4 OR  
 (35 <= R04\_AX0146\_NB\_31 <= 44) OR R04\_AX0265\_NB\_31 = 4 THEN

R04R\_A\_AX0146\_NONTOB = 4; ELSE IF (45 <= R04\_AX0146\_NB\_02 <= 54) OR R04\_AX0265\_NB\_02 = 5 OR (45 <= R04\_AX0146\_NB\_03 <= 54) OR R04\_AX0265\_NB\_03 = 5 OR (45 <= R04\_AX0146\_NB\_04 <= 54) OR R04\_AX0265\_NB\_04 = 5 OR (45 <= R04\_AX0146\_NB\_05 <= 54) OR R04\_AX0265\_NB\_05 = 5 OR (45 <= R04\_AX0146\_NB\_09 <= 54) OR R04\_AX0265\_NB\_09 = 5 OR (45 <= R04\_AX0146\_NB\_12 <= 54) OR R04\_AX0265\_NB\_12 = 5 OR (45 <= R04\_AX0146\_NB\_15 <= 54) OR R04\_AX0265\_NB\_15 = 5 OR (45 <= R04\_AX0146\_NB\_16 <= 54) OR R04\_AX0265\_NB\_16 = 5 OR (45 <= R04\_AX0146\_NB\_18 <= 54) OR R04\_AX0265\_NB\_18 = 5 OR (45 <= R04\_AX0146\_NB\_19 <= 54) OR R04\_AX0265\_NB\_19 = 5 OR (45 <= R04\_AX0146\_NB\_21 <= 54) OR R04\_AX0265\_NB\_21 = 5 OR (45 <= R04\_AX0146\_NB\_23 <= 54) OR R04\_AX0265\_NB\_23 = 5 OR (45 <= R04\_AX0146\_NB\_24 <= 54) OR R04\_AX0265\_NB\_24 = 5 OR (45 <= R04\_AX0146\_NB\_25 <= 54) OR R04\_AX0265\_NB\_25 = 5 OR (45 <= R04\_AX0146\_NB\_27 <= 54) OR R04\_AX0265\_NB\_27 = 5 OR (45 <= R04\_AX0146\_NB\_29 <= 54) OR R04\_AX0265\_NB\_29 = 5 OR (45 <= R04\_AX0146\_NB\_30 <= 54) OR R04\_AX0265\_NB\_30 = 5 OR (45 <= R04\_AX0146\_NB\_31 <= 54) OR R04\_AX0265\_NB\_31 = 5 THEN R04R\_A\_AX0146\_NONTOB = 5; ELSE IF (R04\_AX0146\_NB\_02 >= 55) OR R04\_AX0265\_NB\_02 = 6 OR (R04\_AX0146\_NB\_03 >= 55) OR R04\_AX0265\_NB\_03 = 6 OR (R04\_AX0146\_NB\_04 >= 55) OR R04\_AX0265\_NB\_04 = 6 OR (R04\_AX0146\_NB\_05 >= 55) OR R04\_AX0265\_NB\_05 = 6 OR (R04\_AX0146\_NB\_09 >= 55) OR R04\_AX0265\_NB\_09 = 6 OR (R04\_AX0146\_NB\_12 >= 55) OR R04\_AX0265\_NB\_12 = 6 OR (R04\_AX0146\_NB\_15 >= 55) OR R04\_AX0265\_NB\_15 = 6 OR (R04\_AX0146\_NB\_16 >= 55) OR R04\_AX0265\_NB\_16 = 6 OR (R04\_AX0146\_NB\_18 >= 55) OR R04\_AX0265\_NB\_18 = 6 OR (R04\_AX0146\_NB\_19 >= 55) OR R04\_AX0265\_NB\_19 = 6 OR (R04\_AX0146\_NB\_21 >= 55) OR R04\_AX0265\_NB\_21 = 6 OR (R04\_AX0146\_NB\_23 >= 55) OR R04\_AX0265\_NB\_23 = 6 OR (R04\_AX0146\_NB\_24 >= 55) OR R04\_AX0265\_NB\_24 = 6 OR (R04\_AX0146\_NB\_25 >= 55) OR R04\_AX0265\_NB\_25 = 6 OR (R04\_AX0146\_NB\_27 >= 55) OR R04\_AX0265\_NB\_27 = 6 OR (R04\_AX0146\_NB\_29 >= 55) OR R04\_AX0265\_NB\_29 = 6 OR (R04\_AX0146\_NB\_30 >= 55) OR R04\_AX0265\_NB\_30 = 6 OR (R04\_AX0146\_NB\_31 >= 55) OR R04\_AX0265\_NB\_31 = 6 THEN R04R\_A\_AX0146\_NONTOB = 6; ELSE IF R04\_AX0146\_NB\_02 = -9 OR R04\_AX0265\_NB\_02 = -9 OR R04\_AX0146\_NB\_03 = -9 OR R04\_AX0265\_NB\_03 = -9 OR R04\_AX0146\_NB\_04 = -9 OR R04\_AX0265\_NB\_04 = -9 OR R04\_AX0146\_NB\_05 = -9 OR R04\_AX0265\_NB\_05 = -9 OR R04\_AX0146\_NB\_09 = -9 OR R04\_AX0265\_NB\_09 = -9 OR R04\_AX0146\_NB\_12 = -9 OR R04\_AX0265\_NB\_12 = -9 OR R04\_AX0146\_NB\_15 = -9 OR R04\_AX0265\_NB\_15 = -9 OR R04\_AX0146\_NB\_16 = -9 OR R04\_AX0265\_NB\_16 = -9 OR R04\_AX0146\_NB\_18 = -9 OR R04\_AX0265\_NB\_18 = -9 OR R04\_AX0146\_NB\_19 = -9 OR R04\_AX0265\_NB\_19 = -9 OR R04\_AX0146\_NB\_21 = -9 OR R04\_AX0265\_NB\_21 = -9 OR R04\_AX0146\_NB\_23 = -9 OR R04\_AX0265\_NB\_23 = -9 OR R04\_AX0146\_NB\_24 = -9 OR R04\_AX0265\_NB\_24 = -9 OR R04\_AX0146\_NB\_25 = -9 OR R04\_AX0265\_NB\_25 = -9 OR R04\_AX0146\_NB\_27 = -9 OR R04\_AX0265\_NB\_27 = -9 OR R04\_AX0146\_NB\_29 = -9 OR R04\_AX0265\_NB\_29 = -9 OR R04\_AX0146\_NB\_30 = -9 OR R04\_AX0265\_NB\_30 = -9 OR R04\_AX0146\_NB\_31 = -9 THEN R04R\_A\_AX0146\_NONTOB = -99999; ELSE IF R04\_AX0146\_NB\_02 = -8 OR R04\_AX0265\_NB\_02 = -8 OR R04\_AX0146\_NB\_03 = -8 OR R04\_AX0265\_NB\_03 = -8 OR R04\_AX0146\_NB\_04 = -8 OR R04\_AX0265\_NB\_04 = -8 OR R04\_AX0146\_NB\_05 = -8 OR R04\_AX0265\_NB\_05 = -8 OR R04\_AX0146\_NB\_09 = -8 OR R04\_AX0265\_NB\_09 = -8 OR R04\_AX0146\_NB\_12

= -8 OR R04\_AX0265\_NB\_12 = -8 OR R04\_AX0146\_NB\_15 = -8  
 OR R04\_AX0265\_NB\_15 = -8 OR R04\_AX0146\_NB\_16 = -8 OR  
 R04\_AX0265\_NB\_16 = -8 OR R04\_AX0146\_NB\_18 = -8 OR  
 R04\_AX0265\_NB\_18 = -8 OR R04\_AX0146\_NB\_19 = -8 OR R04\_AX0265\_NB\_19  
 = -8 OR R04\_AX0146\_NB\_21 = -8 OR R04\_AX0265\_NB\_21 = -8  
 OR R04\_AX0146\_NB\_23 = -8 OR R04\_AX0265\_NB\_23 = -8 OR  
 R04\_AX0146\_NB\_24 = -8 OR R04\_AX0265\_NB\_24 = -8 OR  
 R04\_AX0146\_NB\_25 = -8 OR R04\_AX0265\_NB\_25 = -8 OR R04\_AX0146\_NB\_27  
 = -8 OR R04\_AX0265\_NB\_27 = -8 OR R04\_AX0146\_NB\_29 = -8  
 OR R04\_AX0265\_NB\_29 = -8 OR R04\_AX0146\_NB\_30 = -8 OR  
 R04\_AX0265\_NB\_30 = -8 OR R04\_AX0146\_NB\_31 = -8 OR  
 R04\_AX0265\_NB\_31 = -8 THEN R04R\_A\_AX0146\_NONTOB = -99988; ELSE IF  
 R04\_AX0146\_NB\_02 = -7 OR R04\_AX0265\_NB\_02 = -7 OR  
 R04\_AX0146\_NB\_03 = -7 OR R04\_AX0265\_NB\_03 = -7 OR R04\_AX0146\_NB\_04  
 = -7 OR R04\_AX0265\_NB\_04 = -7 OR R04\_AX0146\_NB\_05 = -7  
 OR R04\_AX0265\_NB\_05 = -7 OR R04\_AX0146\_NB\_09 = -7 OR  
 R04\_AX0265\_NB\_09 = -7 OR R04\_AX0146\_NB\_12 = -7 OR  
 R04\_AX0265\_NB\_12 = -7 OR R04\_AX0146\_NB\_15 = -7 OR R04\_AX0265\_NB\_15  
 = -7 OR R04\_AX0146\_NB\_16 = -7 OR R04\_AX0265\_NB\_16 = -7  
 OR R04\_AX0146\_NB\_18 = -7 OR R04\_AX0265\_NB\_18 = -7 OR  
 R04\_AX0146\_NB\_19 = -7 OR R04\_AX0265\_NB\_19 = -7 OR  
 R04\_AX0146\_NB\_21 = -7 OR R04\_AX0265\_NB\_21 = -7 OR R04\_AX0146\_NB\_23  
 = -7 OR R04\_AX0265\_NB\_23 = -7 OR R04\_AX0146\_NB\_24 = -7 OR  
 R04\_AX0265\_NB\_24 = -7 OR R04\_AX0146\_NB\_25 = -7 OR  
 R04\_AX0265\_NB\_25 = -7 OR R04\_AX0146\_NB\_27 = -7 OR  
 R04\_AX0265\_NB\_27 = -7 OR R04\_AX0146\_NB\_29 = -7 OR R04\_AX0265\_NB\_29  
 = -7 OR R04\_AX0146\_NB\_30 = -7 OR R04\_AX0265\_NB\_30 = -7 OR  
 R04\_AX0146\_NB\_31 = -7 OR R04\_AX0265\_NB\_31 = -7 THEN  
 R04R\_A\_AX0146\_NONTOB = -99977; ELSE IF R04\_AX0146\_NB\_02  
 = -5 OR R04\_AX0146\_NB\_03 = -5 OR R04\_AX0146\_NB\_04 = -5 OR  
 R04\_AX0146\_NB\_05 = -5 OR R04\_AX0146\_NB\_09 = -5 OR R04\_AX0146\_NB\_12  
 = -5 OR R04\_AX0146\_NB\_15 = -5 OR R04\_AX0146\_NB\_16  
 = -5 OR R04\_AX0146\_NB\_18 = -5 OR R04\_AX0146\_NB\_19 = -5 OR  
 R04\_AX0146\_NB\_21 = -5 OR R04\_AX0146\_NB\_23 = -5 OR  
 R04\_AX0146\_NB\_24 = -5 OR R04\_AX0146\_NB\_25 = -5 OR R04\_AX0146\_NB\_27  
 = -5 OR R04\_AX0146\_NB\_29 = -5 OR R04\_AX0146\_NB\_30  
 = -5 OR R04\_AX0146\_NB\_31 = -5 THEN R04R\_A\_AX0146\_NONTOB =  
 -99955; END; ELSE IF R04R\_A\_AX0145\_NONTOB = 1 AND  
 R04\_ADULTTYPE = 1 THEN DO; IF 1 <= R04R\_A\_AGECL6 <= 4  
 THEN R04R\_A\_AX0146\_NONTOB = R04R\_A\_AGECL6 + 1; ELSE IF  
 5 <= R04R\_A\_AGECL6 <= 6 THEN R04R\_A\_AX0146\_NONTOB = 6; ELSE IF  
 R04R\_A\_AGECL6 IN (-99999, -99988, -99977) THEN  
 R04R\_A\_AX0146\_NONTOB = R04R\_A\_AGECL6; END; ELSE IF  
 R04R\_A\_AX0145\_NONTOB = -99999 THEN R04R\_A\_AX0146\_NONTOB =  
 -99999; ELSE IF R04R\_A\_AX0145\_NONTOB = -99988 THEN  
 R04R\_A\_AX0146\_NONTOB = -99988; ELSE IF R04R\_A\_AX0145\_NONTOB =  
 -99977 THEN R04R\_A\_AX0146\_NONTOB = -99977; ELSE IF  
 R04R\_A\_AX0145\_NONTOB = -99911 OR R04R\_A\_AX0145\_NONTOB = 2 THEN  
 R04R\_A\_AX0146\_NONTOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	452	1.3 %
2	2 = No	155	0.5 %
	<b>Total</b>	<b>607</b>	<b>1.8%</b>

This variable has 607 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33193	98.1 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,215</b>	<b>98.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11004-11009 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R04R\_A\_AX0146\_NONTOB: DERIVED - Age range when first non tobacco-related cancer was diagnosed (6 levels)

Long Description: At what age were you diagnosed with non-tobacco related cancer?

```

Algorithm: IF R04R_A_AX0145_NONTOB = 1 AND R04_ADULTTYPE in (2,3) THEN DO;
IF (0 <= R04_AX0146_NB_02 < 18) OR R04_AX0265_NB_02 = 1 OR (0 <= R04_AX0146_NB_03 < 18)
OR R04_AX0265_NB_03 = 1 OR (0 <= R04_AX0146_NB_04 < 18) OR
R04_AX0265_NB_04 = 1 OR (0 <= R04_AX0146_NB_05 < 18) OR R04_AX0265_NB_05 = 1
OR (0 <= R04_AX0146_NB_09 < 18) OR
R04_AX0265_NB_09 = 1 OR (0 <= R04_AX0146_NB_12 < 18) OR R04_AX0265_NB_12 = 1
OR (0 <= R04_AX0146_NB_15 < 18) OR
R04_AX0265_NB_15 = 1 OR (0 <= R04_AX0146_NB_16 < 18) OR R04_AX0265_NB_16 = 1
OR (0 <= R04_AX0146_NB_18 < 18) OR
R04_AX0265_NB_18 = 1 OR (0 <= R04_AX0146_NB_19 < 18) OR R04_AX0265_NB_19 = 1
OR (0 <= R04_AX0146_NB_21 < 18) OR
R04_AX0265_NB_21 = 1 OR (0 <= R04_AX0146_NB_23 < 18) OR R04_AX0265_NB_23 = 1
OR (0 <= R04_AX0146_NB_24 < 18) OR
R04_AX0265_NB_24 = 1 OR (0 <= R04_AX0146_NB_25 < 18) OR R04_AX0265_NB_25 = 1
OR (0 <= R04_AX0146_NB_27 < 18) OR
R04_AX0265_NB_27 = 1 OR (0 <= R04_AX0146_NB_29 < 18) OR R04_AX0265_NB_29 = 1
OR (0 <= R04_AX0146_NB_30 < 18) OR
R04_AX0265_NB_30 = 1 OR (0 <= R04_AX0146_NB_31 < 18) OR R04_AX0265_NB_31 = 1
THEN R04R_A_AX0146_NONTOB = 1; ELSE IF
(18 <= R04_AX0146_NB_02 <= 24) OR R04_AX0265_NB_02 = 2 OR (18 <=
R04_AX0146_NB_03 <= 24) OR R04_AX0265_NB_03 = 2 OR
(18 <= R04_AX0146_NB_04 <= 24) OR R04_AX0265_NB_04 = 2 OR (18 <=
R04_AX0146_NB_05 <= 24) OR R04_AX0265_NB_05 = 2 OR
(18 <= R04_AX0146_NB_09 <= 24) OR R04_AX0265_NB_09 = 2 OR (18 <=
R04_AX0146_NB_12 <= 24) OR R04_AX0265_NB_12 = 2 OR
(18 <= R04_AX0146_NB_15 <= 24) OR R04_AX0265_NB_15 = 2 OR (18 <=
R04_AX0146_NB_16 <= 24) OR R04_AX0265_NB_16 = 2 OR
(18 <= R04_AX0146_NB_18 <= 24) OR R04_AX0265_NB_18 = 2 OR (18 <=
R04_AX0146_NB_19 <= 24) OR R04_AX0265_NB_19 = 2 OR
(18 <= R04_AX0146_NB_21 <= 24) OR R04_AX0265_NB_21 = 2 OR (18 <=

```



<= 54) OR R04\_AX0265\_NB\_27 = 5 OR (45 <= R04\_AX0146\_NB\_29 <= 54)  
 OR R04\_AX0265\_NB\_29 = 5 OR (45 <= R04\_AX0146\_NB\_30  
 <= 54) OR R04\_AX0265\_NB\_30 = 5 OR (45 <= R04\_AX0146\_NB\_31 <= 54)  
 OR R04\_AX0265\_NB\_31 = 5 THEN R04R\_A\_AX0146\_NONTOB  
 = 5; ELSE IF (R04\_AX0146\_NB\_02 >= 55) OR R04\_AX0265\_NB\_02 = 6 OR  
 (R04\_AX0146\_NB\_03 >= 55) OR R04\_AX0265\_NB\_03  
 = 6 OR (R04\_AX0146\_NB\_04 >= 55) OR R04\_AX0265\_NB\_04 = 6 OR  
 (R04\_AX0146\_NB\_05 >= 55) OR R04\_AX0265\_NB\_05  
 = 6 OR (R04\_AX0146\_NB\_09 >= 55) OR R04\_AX0265\_NB\_09 = 6 OR  
 (R04\_AX0146\_NB\_12 >= 55) OR R04\_AX0265\_NB\_12  
 = 6 OR (R04\_AX0146\_NB\_15 >= 55) OR R04\_AX0265\_NB\_15 = 6 OR  
 (R04\_AX0146\_NB\_16 >= 55) OR R04\_AX0265\_NB\_16 =  
 6 OR (R04\_AX0146\_NB\_18 >= 55) OR R04\_AX0265\_NB\_18 = 6 OR  
 (R04\_AX0146\_NB\_19 >= 55) OR R04\_AX0265\_NB\_19 = 6  
 OR (R04\_AX0146\_NB\_21 >= 55) OR R04\_AX0265\_NB\_21 = 6 OR  
 (R04\_AX0146\_NB\_23 >= 55) OR R04\_AX0265\_NB\_23 = 6  
 OR (R04\_AX0146\_NB\_24 >= 55) OR R04\_AX0265\_NB\_24 = 6 OR  
 (R04\_AX0146\_NB\_25 >= 55) OR R04\_AX0265\_NB\_25 = 6  
 OR (R04\_AX0146\_NB\_27 >= 55) OR R04\_AX0265\_NB\_27 = 6 OR  
 (R04\_AX0146\_NB\_29 >= 55) OR R04\_AX0265\_NB\_29 = 6 OR  
 (R04\_AX0146\_NB\_30 >= 55) OR R04\_AX0265\_NB\_30 = 6 OR  
 (R04\_AX0146\_NB\_31 >= 55) OR R04\_AX0265\_NB\_31 = 6 THEN  
 R04R\_A\_AX0146\_NONTOB = 6; ELSE IF R04\_AX0146\_NB\_02 = -9 OR  
 R04\_AX0265\_NB\_02 = -9 OR R04\_AX0146\_NB\_03 = -9 OR  
 R04\_AX0265\_NB\_03 = -9 OR R04\_AX0146\_NB\_04 = -9 OR  
 R04\_AX0265\_NB\_04 = -9 OR R04\_AX0146\_NB\_05 = -9 OR R04\_AX0265\_NB\_05  
 = -9 OR R04\_AX0146\_NB\_09 = -9 OR R04\_AX0265\_NB\_09 = -9 OR  
 R04\_AX0146\_NB\_12 = -9 OR R04\_AX0265\_NB\_12 = -9 OR  
 R04\_AX0146\_NB\_15 = -9 OR R04\_AX0265\_NB\_15 = -9 OR  
 R04\_AX0146\_NB\_16 = -9 OR R04\_AX0265\_NB\_16 = -9 OR R04\_AX0146\_NB\_18  
 = -9 OR R04\_AX0265\_NB\_18 = -9 OR R04\_AX0146\_NB\_19 = -9  
 OR R04\_AX0265\_NB\_19 = -9 OR R04\_AX0146\_NB\_21 = -9 OR  
 R04\_AX0265\_NB\_21 = -9 OR R04\_AX0146\_NB\_23 = -9 OR  
 R04\_AX0265\_NB\_23 = -9 OR R04\_AX0146\_NB\_24 = -9 OR R04\_AX0265\_NB\_24  
 = -9 OR R04\_AX0146\_NB\_25 = -9 OR R04\_AX0265\_NB\_25 = -9  
 OR R04\_AX0146\_NB\_27 = -9 OR R04\_AX0265\_NB\_27 = -9 OR  
 R04\_AX0146\_NB\_29 = -9 OR R04\_AX0265\_NB\_29 = -9 OR  
 R04\_AX0146\_NB\_30 = -9 OR R04\_AX0265\_NB\_30 = -9 OR R04\_AX0146\_NB\_31  
 = -9 OR R04\_AX0265\_NB\_31 = -9 THEN R04R\_A\_AX0146\_NONTOB =  
 -99999; ELSE IF R04\_AX0146\_NB\_02 = -8 OR R04\_AX0265\_NB\_02  
 = -8 OR R04\_AX0146\_NB\_03 = -8 OR R04\_AX0265\_NB\_03 = -8  
 OR R04\_AX0146\_NB\_04 = -8 OR R04\_AX0265\_NB\_04 = -8 OR  
 R04\_AX0146\_NB\_05 = -8 OR R04\_AX0265\_NB\_05 = -8 OR  
 R04\_AX0146\_NB\_09 = -8 OR R04\_AX0265\_NB\_09 = -8 OR R04\_AX0146\_NB\_12  
 = -8 OR R04\_AX0265\_NB\_12 = -8 OR R04\_AX0146\_NB\_15 =  
 -8 OR R04\_AX0265\_NB\_15 = -8 OR R04\_AX0146\_NB\_16 = -8 OR  
 R04\_AX0265\_NB\_16 = -8 OR R04\_AX0146\_NB\_18 = -8 OR  
 R04\_AX0265\_NB\_18 = -8 OR R04\_AX0146\_NB\_19 = -8 OR R04\_AX0265\_NB\_19  
 = -8 OR R04\_AX0146\_NB\_21 = -8 OR R04\_AX0265\_NB\_21 =  
 -8 OR R04\_AX0146\_NB\_23 = -8 OR R04\_AX0265\_NB\_23 = -8 OR  
 R04\_AX0146\_NB\_24 = -8 OR R04\_AX0265\_NB\_24 = -8 OR  
 R04\_AX0146\_NB\_25 = -8 OR R04\_AX0265\_NB\_25 = -8 OR R04\_AX0146\_NB\_27  
 = -8 OR R04\_AX0265\_NB\_27 = -8 OR R04\_AX0146\_NB\_29 =  
 -8 OR R04\_AX0265\_NB\_29 = -8 OR R04\_AX0146\_NB\_30 = -8 OR  
 R04\_AX0265\_NB\_30 = -8 OR R04\_AX0146\_NB\_31 = -8 OR  
 R04\_AX0265\_NB\_31 = -8 THEN R04R\_A\_AX0146\_NONTOB = -99988; ELSE IF  
 R04\_AX0146\_NB\_02 = -7 OR R04\_AX0265\_NB\_02 = -7 OR  
 R04\_AX0146\_NB\_03 = -7 OR R04\_AX0265\_NB\_03 = -7 OR R04\_AX0146\_NB\_04  
 = -7 OR R04\_AX0265\_NB\_04 = -7 OR R04\_AX0146\_NB\_05 = -7

OR R04\_AX0265\_NB\_05 = -7 OR R04\_AX0146\_NB\_09 = -7 OR  
 R04\_AX0265\_NB\_09 = -7 OR R04\_AX0146\_NB\_12 = -7 OR  
 R04\_AX0265\_NB\_12 = -7 OR R04\_AX0146\_NB\_15 = -7 OR R04\_AX0265\_NB\_15  
 = -7 OR R04\_AX0146\_NB\_16 = -7 OR R04\_AX0265\_NB\_16 = -7  
 OR R04\_AX0146\_NB\_18 = -7 OR R04\_AX0265\_NB\_18 = -7 OR  
 R04\_AX0146\_NB\_19 = -7 OR R04\_AX0265\_NB\_19 = -7 OR  
 R04\_AX0146\_NB\_21 = -7 OR R04\_AX0265\_NB\_21 = -7 OR R04\_AX0146\_NB\_23  
 = -7 OR R04\_AX0265\_NB\_23 = -7 OR R04\_AX0146\_NB\_24  
 = -7 OR R04\_AX0265\_NB\_24 = -7 OR R04\_AX0146\_NB\_25 = -7 OR  
 R04\_AX0265\_NB\_25 = -7 OR R04\_AX0146\_NB\_27 = -7 OR  
 R04\_AX0265\_NB\_27 = -7 OR R04\_AX0146\_NB\_29 = -7 OR R04\_AX0265\_NB\_29  
 = -7 OR R04\_AX0146\_NB\_30 = -7 OR R04\_AX0265\_NB\_30 = -7  
 OR R04\_AX0146\_NB\_31 = -7 OR R04\_AX0265\_NB\_31 = -7 THEN  
 R04R\_A\_AX0146\_NONTOB = -99977; ELSE IF R04\_AX0146\_NB\_02  
 = -5 OR R04\_AX0146\_NB\_03 = -5 OR R04\_AX0146\_NB\_04 = -5 OR  
 R04\_AX0146\_NB\_05 = -5 OR R04\_AX0146\_NB\_09 = -5 OR  
 R04\_AX0146\_NB\_12 = -5 OR R04\_AX0146\_NB\_15 = -5 OR R04\_AX0146\_NB\_16  
 = -5 OR R04\_AX0146\_NB\_18 = -5 OR R04\_AX0146\_NB\_19 = -5  
 OR R04\_AX0146\_NB\_21 = -5 OR R04\_AX0146\_NB\_23 = -5 OR  
 R04\_AX0146\_NB\_24 = -5 OR R04\_AX0146\_NB\_25 = -5 OR  
 R04\_AX0146\_NB\_27 = -5 OR R04\_AX0146\_NB\_29 = -5 OR R04\_AX0146\_NB\_30  
 = -5 OR R04\_AX0146\_NB\_31 = -5 THEN R04R\_A\_AX0146\_NONTOB  
 = -99955; END; ELSE IF R04R\_A\_AX0145\_NONTOB = 1 AND  
 R04\_ADULTTYPE = 1 THEN DO; IF 1 <= R04R\_A\_AGECAT6 <= 4  
 THEN R04R\_A\_AX0146\_NONTOB = R04R\_A\_AGECAT6 + 1; ELSE IF  
 5 <= R04R\_A\_AGECAT6 <= 6 THEN R04R\_A\_AX0146\_NONTOB = 6;  
 ELSE IF R04R\_A\_AGECAT6 IN (-99999, -99988, -99977) THEN  
 R04R\_A\_AX0146\_NONTOB = R04R\_A\_AGECAT6; END; ELSE IF  
 R04R\_A\_AX0145\_NONTOB = -99999 THEN R04R\_A\_AX0146\_NONTOB =  
 -99999; ELSE IF R04R\_A\_AX0145\_NONTOB = -99988 THEN  
 R04R\_A\_AX0146\_NONTOB = -99988; ELSE IF R04R\_A\_AX0145\_NONTOB =  
 -99977 THEN R04R\_A\_AX0146\_NONTOB = -99977; ELSE IF  
 R04R\_A\_AX0145\_NONTOB = -99911 OR R04R\_A\_AX0145\_NONTOB = 2 THEN  
 R04R\_A\_AX0146\_NONTOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	23	0.1 %
2	2 = 18 to 24 years old	24	0.1 %
3	3 = 25 to 34 years old	42	0.1 %
4	4 = 35 to 44 years old	40	0.1 %
5	5 = 45 to 54 years old	87	0.3 %
6	6 = 55 years old or older	235	0.7 %
	<b>Total</b>	<b>451</b>	<b>1.3%</b>

This variable has 451 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33348	98.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,371</b>	<b>98.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11010-11015 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0705: In remission for cancer

In the past, you told us you had cancer.

Are you in remission for cancer?

[If I have never had cancer (3), Go to Box R04\_AXR40.]

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R03\_CANCER = 1 AND R04\_AX0144\_12M != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	792	2.3 %
2	2 = No	181	0.5 %
3	3 = Never had cancer	88	0.3 %
<b>Total</b>		<b>1,061</b>	<b>3.1%</b>

This variable has 1,061 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	32745	96.8 %	
<b>Total</b>		<b>32,761</b>	<b>96.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11016-11021 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AX0748: Had a recurrence of cancer

In the past, you told us you had cancer.

Have you had a recurrence of cancer?

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months and did not report never having cancer.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R03\_CANCER = 1 AND R04\_AX0144\_12M != 1 AND R04\_AX0705 != 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	48	0.1 %
2	2 = No	935	2.8 %
	<b>Total</b>	<b>983</b>	<b>2.9%</b>

This variable has 983 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32833	97.1 %	
	<b>Total</b>	<b>32,833</b>	<b>97.1%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 11022-11027 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R04\_AX0149\_NB: Doctor, nurse or other health professional ever told you that you have osteoporosis

Have you ever been told by a doctor, nurse or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	187	0.6 %
2	2 = No	7759	22.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>7,946</b>	<b>23.5%</b>

This variable has 7,946 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,876</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11028-11033 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0196\_NB: Doctor, nurse or health professional ever told you that you had a bone fracture because you have fragile bones

Have you ever been told by a doctor, nurse or other health professional that you have...

Had a bone fracture because you have fragile bones?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	115	0.3 %
2	2 = No	7815	23.1 %
	<b>Total</b>	<b>7,930</b>	<b>23.4%</b>

This variable has 7,930 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,892</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11034-11039 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0400\_NB: Doctor, nurse, or other health professional ever told you that you have rapid vision loss not due to aging

Have you ever been told by a doctor, nurse or other health professional that you have...

Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	138	0.4 %
2	2 = No	7806	23.1 %
	<b>Total</b>	<b>7,944</b>	<b>23.5%</b>

This variable has 7,944 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,878</b>	<b>76.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11040-11045 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0149\_12M: In past 12 months, doctor, nurse or other health professional told you that you have osteoporosis

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04R\_A\_AGE >= 40 AND R04\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	710	2.1 %
2	2 = No	8180	24.2 %
	<b>Total</b>	<b>8,890</b>	<b>26.3%</b>

This variable has 8,890 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	24905	73.6 %
	<b>Total</b>	<b>24,932</b>	<b>73.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11046-11051 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0196\_12M: In past 12 months, doctor, nurse or health professional told you that you had a bone fracture because you have fragile bones

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have...

Had a bone fracture because you have fragile bones?

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04R\_A\_AGE >= 40 AND R04\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	221	0.7 %
2	2 = No	8641	25.5 %
	<b>Total</b>	<b>8,862</b>	<b>26.2%</b>

This variable has 8,862 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	24905	73.6 %
	<b>Total</b>	<b>24,960</b>	<b>73.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11052-11057 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0400\_12M: In past 12 months, doctor, nurse, or other health professional told you that you have rapid vision loss not due to aging

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have...

Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04\_ADULTTYPE = 1 AND R04R\_A\_AGE >= 40 AND R04\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	391	1.2 %
2	2 = No	8495	25.1 %
	<b>Total</b>	<b>8,886</b>	<b>26.3%</b>

This variable has 8,886 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	24905	73.6 %
	<b>Total</b>	<b>24,936</b>	<b>73.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11058-11063 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AX0150\_NB: DERIVED - Age range you were in when you were first told you had osteoporosis (6 levels)

Long Description: How old were you when you were first told you had osteoporosis, sometimes called thin or brittle bones?

Algorithm: if (0 <= R04\_AX0150\_NB < 18) or R04\_AX0267\_NB = 1 then  
R04R\_A\_AX0150\_NB = 1; else if (18 <= R04\_AX0150\_NB <= 24) or  
R04\_AX0267\_NB = 2 then R04R\_A\_AX0150\_NB = 2; else if (25 <= R04\_AX0150\_NB  
<= 34) or R04\_AX0267\_NB = 3 then R04R\_A\_AX0150\_NB  
= 3; else if (35 <= R04\_AX0150\_NB <= 44) or R04\_AX0267\_NB = 4 then

R04R\_A\_AX0150\_NB = 4; else if (45 <= R04\_AX0150\_NB <= 54) or  
 R04\_AX0267\_NB = 5 then R04R\_A\_AX0150\_NB = 5; else if (R04\_AX0150\_NB >= 55)  
 or R04\_AX0267\_NB = 6 then R04R\_A\_AX0150\_NB = 6;  
 else if R04\_AX0150\_NB = -9 or R04\_AX0267\_NB = -9 then R04R\_A\_AX0150\_NB  
 = -99999; else if R04\_AX0150\_NB = -8 or R04\_AX0267\_NB  
 = -8 then R04R\_A\_AX0150\_NB = -99988; else if R04\_AX0150\_NB = -7 or  
 R04\_AX0267\_NB = -7 then R04R\_A\_AX0150\_NB = -99977; else if  
 R04\_AX0150\_NB = -5 then R04R\_A\_AX0150\_NB = -99955; else if R04\_AX0150\_NB =  
 -1 or R04\_AX0267\_NB = -1 then R04R\_A\_AX0150\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	25	0.1 %
2	2 = 18 to 24 years old	6	0.0 %
3	3 = 25 to 34 years old	8	0.0 %
4	4 = 35 to 44 years old	23	0.1 %
5	5 = 45 to 54 years old	34	0.1 %
6	6 = 55 years old or older	89	0.3 %
<b>Total</b>		<b>185</b>	<b>0.5%</b>

This variable has 185 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33633	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,637</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11064-11069 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AX0198\_NB: DERIVED - Age range when you were first told you had a bone fracture because you have fragile bones (6 levels)

Long Description: How old were you when you were first told you had a bone fracture because you have fragile bones?

Algorithm: if (0 <= R04\_AX0198\_NB < 18) or R04\_AX0268\_NB = 1 then R04R\_A\_AX0198\_NB = 1; else if (18 <= R04\_AX0198\_NB <= 24) or

R04\_AX0268\_NB = 2 then R04R\_A\_AX0198\_NB = 2; else if (25 <= R04\_AX0198\_NB <= 34) or R04\_AX0268\_NB = 3 then R04R\_A\_AX0198\_NB = 3; else if (35 <= R04\_AX0198\_NB <= 44) or R04\_AX0268\_NB = 4 then R04R\_A\_AX0198\_NB = 4; else if (45 <= R04\_AX0198\_NB <= 54) or R04\_AX0268\_NB = 5 then R04R\_A\_AX0198\_NB = 5; else if (R04\_AX0198\_NB => 55) or R04\_AX0268\_NB = 6 then R04R\_A\_AX0198\_NB = 6; else if R04\_AX0198\_NB = -9 or R04\_AX0268\_NB = -9 then R04R\_A\_AX0198\_NB = -99999; else if R04\_AX0198\_NB = -8 or R04\_AX0268\_NB = -8 then R04R\_A\_AX0198\_NB = -99988; else if R04\_AX0198\_NB = -7 or R04\_AX0268\_NB = -7 then R04R\_A\_AX0198\_NB = -99977; else if R04\_AX0198\_NB = -5 then R04R\_A\_AX0198\_NB = -99955; else if R04\_AX0198\_NB = -1 or R04\_AX0268\_NB = -1 then R04R\_A\_AX0198\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	56	0.2 %
2	2 = 18 to 24 years old	11	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	10	0.0 %
5	5 = 45 to 54 years old	11	0.0 %
6	6 = 55 years old or older	25	0.1 %
<b>Total</b>		<b>113</b>	<b>0.3%</b>

This variable has 113 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33705	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,709</b>	<b>99.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11070-11075 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0701: In the past 12 months, been told by a doctor, nurse, or other health professional that healing time for a fracture was longer than expected

In the past 12 months, have you been told by a doctor, nurse or other health professional that the healing time for a fracture was longer than expected?

ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had a bone fracture because they had fragile bones in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 2, 3 AND R04\_AX0196\_NB = 1) OR (R04\_ADULTTYPE = 1 AND R04R\_A\_AGE >= 40 AND R04\_AX0001 != 2 AND R04\_AX0196\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	119	0.4 %
2	2 = No	216	0.6 %
	<b>Total</b>	<b>335</b>	<b>1.0%</b>

This variable has 335 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33484	99.0 %
	<b>Total</b>	<b>33,487</b>	<b>99.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11076-11081 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0700: Ever taken any prednisone or cortisone pills nearly every day for a month or longer

Have you ever taken any prednisone or cortisone pills nearly every day for a month or longer?

Prednisone and cortisone are types of steroids.

ASK: New baseline adult respondents who have ever been told they had osteoporosis or had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had osteoporosis or had a bone fracture because they had fragile bones in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 2, 3 AND (R04\_AX0149\_NB = 1 OR R04\_AX0196\_NB = 1)) OR (R04\_ADULTTYPE = 1 AND R04R\_A\_AGE >= 40 AND R04\_AX0001 != 2 AND (R04\_AX0149\_12M = 1 OR R04\_AX0196\_12M = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	244	0.7 %
2	2 = No	794	2.3 %
	<b>Total</b>	<b>1,038</b>	<b>3.1%</b>

This variable has 1,038 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32778	96.9 %
<b>Total</b>		<b>32,784</b>	<b>96.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11082-11087 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0702: Ever been told by a doctor, nurse, or other health professional that you have macular degeneration

Have you ever been told by a doctor, nurse or other health professional that you have macular degeneration?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_AX0756.]

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R04R\_A\_AGE >= 40.

Value	Label	Unweighted Frequency	%
1	1 = Yes	402	1.2 %
2	2 = No	12449	36.8 %
<b>Total</b>		<b>12,851</b>	<b>38.0%</b>

This variable has 12,851 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	250	0.7 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	20677	61.1 %
<b>Total</b>		<b>20,971</b>	<b>62.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11088-11093 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AX0703: DERIVED - Age range when you were first told you had macular degeneration (6 levels)

Long Description: How old were you when you were first told you had macular degeneration?

```
Algorithm: if (0 <= R04_AX0703 < 18) or R04_AX0704 = 1 then R04R_A_AX0703 = 1;
else if (18 <= R04_AX0703 <= 24) or R04_AX0704 =
2 then R04R_A_AX0703 = 2; else if (25 <= R04_AX0703 <= 34) or R04_AX0704 = 3
then R04R_A_AX0703 = 3; else if (35 <= R04_AX0703
<= 44) or R04_AX0704 = 4 then R04R_A_AX0703 = 4; else if (45 <= R04_AX0703
<= 54) or R04_AX0704 = 5 then R04R_A_AX0703 = 5; else
if (R04_AX0703 => 55) or R04_AX0704 = 6 then R04R_A_AX0703 = 6; else if
R04_AX0703 = -9 or R04_AX0704 = -9 then R04R_A_AX0703
= -99999; else if R04_AX0703 = -8 or R04_AX0704 = -8 then R04R_A_AX0703 =
-99988; else if R04_AX0703 = -7 or R04_AX0704 = -7 then
R04R_A_AX0703 = -99977; else if R04_AX0703 = -5 then R04R_A_AX0703 = -99955;
else if R04_AX0703 = -1 or R04_AX0704 = -1 then R04R_A_AX0703 = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	27	0.1 %
2	2 = 18 to 24 years old	11	0.0 %
3	3 = 25 to 34 years old	12	0.0 %
4	4 = 35 to 44 years old	41	0.1 %
5	5 = 45 to 54 years old	73	0.2 %
6	6 = 55 years old or older	237	0.7 %
<b>Total</b>		<b>401</b>	<b>1.2%</b>

This variable has 401 valid cases out of 33,822 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33418	98.8 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,421</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11094-11099 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04\_AX0756: Ever been told by a doctor, therapist or other mental health professional that you have schizophrenia, schizoaffective disorder or psychosis

Has a doctor, therapist, or other mental health professional ever told you that you have schizophrenia, schizoaffective disorder or psychosis?

[If No (2), Don't Know (-8), or Refused (-7), GO TO R04\_AX0761]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	518	1.5 %
2	2 = No	33212	98.2 %
	<b>Total</b>	<b>33,730</b>	<b>99.7%</b>

This variable has 33,730 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	50	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>92</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11100-11105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AX0757: DERIVED - Age range when you were first told by a doctor, therapist or other mental health professional that you had schizophrenia, schizoaffective disorder or psychosis (6 levels)

Long Description: How old were you when a doctor, therapist, or other mental health professional first told you that you had schizophrenia, schizoaffective disorder or psychosis?

Algorithm: if (0 <= R04\_AX0757 < 18) or R04\_AX0758 = 1 then R04R\_A\_AX0757 = 1; else if (18 <= R04\_AX0757 <= 24) or R04\_AX0758 = 2 then R04R\_A\_AX0757 = 2; else if (25 <= R04\_AX0757 <= 34) or R04\_AX0758 = 3 then R04R\_A\_AX0757 = 3; else if (35 <= R04\_AX0757 <= 44) or R04\_AX0758 = 4 then R04R\_A\_AX0757 = 4; else if (45 <= R04\_AX0757 <= 54) or R04\_AX0758 = 5 then R04R\_A\_AX0757 = 5; else if (R04\_AX0757 => 55) or R04\_AX0758 = 6 then R04R\_A\_AX0757 = 6; else if R04\_AX0757 = -9 or R04\_AX0758 = -9 then R04R\_A\_AX0757 = -99999; else if R04\_AX0757 = -8 or R04\_AX0758 = -8 then R04R\_A\_AX0757

= -99988; else if R04\_AX0757 = -7 or R04\_AX0758 = -7 then  
R04R\_A\_AX0757 = -99977; else if R04\_AX0757 = -5 then R04R\_A\_AX0757 =  
-99955; else if R04\_AX0757 = -1 or R04\_AX0758 = -1 then  
R04R\_A\_AX0757 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	180	0.5 %
2	2 = 18 to 24 years old	119	0.4 %
3	3 = 25 to 34 years old	99	0.3 %
4	4 = 35 to 44 years old	59	0.2 %
5	5 = 45 to 54 years old	36	0.1 %
6	6 = 55 years old or older	14	0.0 %
	<b>Total</b>	<b>507</b>	<b>1.5%</b>

This variable has 507 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	4	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33302	98.5 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,315</b>	<b>98.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11106-11111 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0761: Ever been told by a doctor, therapist or other mental health professional that you had a psychotic illness or episode

Has a doctor, therapist, or other mental health professional ever told you that you had a psychotic illness or episode?

[If No (2), Don't Know (-8) or Refused (-7), GO TO BOX R04\_AXR14]

ASK: Adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder or psychosis.

ASK Specification: IF R04\_AX0756 = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	555	1.6 %
2	2 = No	32650	96.5 %
	<b>Total</b>	<b>33,205</b>	<b>98.2%</b>

This variable has 33,205 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.1 %
-7	-7 = Refused	55	0.2 %
-1	-1 = Inapplicable	518	1.5 %
	<b>Total</b>	<b>617</b>	<b>1.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11112-11117 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AX0762: DERIVED - Age range when you were first told by a doctor, therapist or other mental health professional that you had a psychotic illness or episode (6 levels)

Long Description: How old were you when a doctor, therapist, or other mental health professional first told you that you had a psychotic illness or episode?

Algorithm: if (0 <= R04\_AX0762 < 18) or R04\_AX0772 = 1 then R04R\_A\_AX0762 = 1;  
else if (18 <= R04\_AX0762 <= 24) or R04\_AX0772 = 2 then R04R\_A\_AX0762 = 2; else if (25 <= R04\_AX0762 <= 34) or R04\_AX0772 = 3 then R04R\_A\_AX0762 = 3; else if (35 <= R04\_AX0762 <= 44) or R04\_AX0772 = 4 then R04R\_A\_AX0762 = 4; else if (45 <= R04\_AX0762 <= 54) or R04\_AX0772 = 5 then R04R\_A\_AX0762 = 5; else if (R04\_AX0762 >= 55) or R04\_AX0772 = 6 then R04R\_A\_AX0762 = 6; else if R04\_AX0762 = -9 or R04\_AX0772 = -9 then R04R\_A\_AX0762 = -99999; else if R04\_AX0762 = -8 or R04\_AX0772 = -8 then R04R\_A\_AX0762 = -99988; else if R04\_AX0762 = -7 or R04\_AX0772 = -7 then R04R\_A\_AX0762 = -99977; else if R04\_AX0762 = -5 then R04R\_A\_AX0762 = -99955; else if R04\_AX0762 = -1 or R04\_AX0772 = -1 then R04R\_A\_AX0762 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	205	0.6 %
2	2 = 18 to 24 years old	134	0.4 %
3	3 = 25 to 34 years old	104	0.3 %
4	4 = 35 to 44 years old	58	0.2 %

Value	Label	Unweighted Frequency	%
5	5 = 45 to 54 years old	29	0.1 %
6	6 = 55 years old or older	17	0.1 %
	<b>Total</b>	<b>547</b>	<b>1.6%</b>

This variable has 547 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	5	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33265	98.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,275</b>	<b>98.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11118-11123 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04\_AX0730: Ability to get and keep an erection adequate for satisfactory intercourse

Many men experience problems with sexual intercourse. How would you describe your ability to get and keep an erection adequate for satisfactory intercourse? Would you say that you are...

ASK: Adult male respondents who are 20 years old or older.

ASK Specification: IF R04R\_A\_SEX = 1 AND R04R\_A AGE >= 20.

Value	Label	Unweighted Frequency	%
1	1 = Always able or almost always able to get and keep an erection	9025	26.7 %
2	2 = Usually able to get and keep an erection	2557	7.6 %
3	3 = Sometimes able to get and keep an erection	1355	4.0 %
4	4 = Never able to get and keep an erection	773	2.3 %
	<b>Total</b>	<b>13,710</b>	<b>40.5%</b>

This variable has 13,710 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	228	0.7 %	
-8	-8 = Don't know	112	0.3 %	
-7	-7 = Refused	341	1.0 %	
-1	-1 = Inapplicable	19429	57.4 %	
	<b>Total</b>	<b>20,112</b>	<b>59.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11124-11129 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0158\_01: Takes anti-inflammatory or pain medication: Aspirin

In the past 12 months, did you take any of the following medications, even once?

Aspirin

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	15854	46.9 %
2	2 = Not Marked	17912	53.0 %
	<b>Total</b>	<b>33,766</b>	<b>99.8%</b>

This variable has 33,766 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	23	0.1 %	
-7	-7 = Refused	31	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>56</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11130-11135 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0158\_02: Takes anti-inflammatory or pain medication: Tylenol (Acetaminophen)

In the past 12 months, did you take any of the following medications, even once?

Tylenol (acetaminophen)

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	20690	61.2 %
2	2 = Not Marked	13006	38.5 %
	<b>Total</b>	<b>33,696</b>	<b>99.6%</b>

This variable has 33,696 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.2 %
-7	-7 = Refused	73	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>126</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11136-11141 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

### R04\_AX0158\_03: Takes anti-inflammatory or pain medication: Cox-2 inhibitors

In the past 12 months, did you take any of the following medications, even once?

Cox-2 inhibitors, for example: Celebrex

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	621	1.8 %
2	2 = Not Marked	33130	98.0 %
	<b>Total</b>	<b>33,751</b>	<b>99.8%</b>

This variable has 33,751 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>71</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11142-11147 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0158\_04: Takes anti-inflammatory or pain medication: Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve

In the past 12 months, did you take any of the following medications, even once?

Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	22259	65.8 %
2	2 = Not Marked	11495	34.0 %
	<b>Total</b>	<b>33,754</b>	<b>99.8%</b>

This variable has 33,754 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	33	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>68</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11148-11153 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0156: In past 12 months, frequency with which aspirin was taken, on average

On average, in the past 12 months, how frequently did you take aspirin?

Please do not count other pain relievers such as ibuprofen and Tylenol.

ASK: Adult respondents who have taken aspirin in the past 12 months.

ASK Specification: IF R04\_AX0158\_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	739	2.2 %
2	2 = Less than once a month	8282	24.5 %

Value	Label	Unweighted Frequency	%
3	3 = 1 - 3 days per month	2703	8.0 %
4	4 = Weekly	1059	3.1 %
5	5 = Daily	3040	9.0 %
<b>Total</b>		<b>15,823</b>	<b>46.8%</b>

This variable has 15,823 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	17966	53.1 %
<b>Total</b>		<b>17,999</b>	<b>53.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11154-11159 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0157: Type of aspirin usually taken

What type of aspirin do you usually take?

ASK: Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily.

ASK Specification: IF R04\_AX0158\_01 = 1 AND R04\_AX0156 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Baby aspirin (162 mg or less)	4142	12.2 %
2	2 = Regular or extra strength aspirin	10889	32.2 %
<b>Total</b>		<b>15,031</b>	<b>44.4%</b>

This variable has 15,031 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	18736	55.4 %
<b>Total</b>		<b>18,791</b>	<b>55.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11160-11165 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0330\_12MH: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (not current established, current experimental, or recent former established tobacco users)

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AN0331\_12MH.]

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS != 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	535	1.6 %
2	2 = No	16969	50.2 %
	<b>Total</b>	<b>17,504</b>	<b>51.8%</b>

This variable has 17,504 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	16295	48.2 %
	<b>Total</b>	<b>16,318</b>	<b>48.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11166-11171 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AN0307H: When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (not current or recent former tobacco users)

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

[If In the past hour (1), Go to R04\_AN0309H. If Three or more days ago (5), Don't Know (-8), or Refused (-7), Go to R04\_AN0331\_12MH.]

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS != 1, 2, 4 AND R04\_AN0330\_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	36	0.1 %
2	2 = Sometime today	74	0.2 %
3	3 = Yesterday	81	0.2 %
4	4 = Day before yesterday	22	0.1 %
5	5 = Three or more days ago	303	0.9 %
	<b>Total</b>	<b>516</b>	<b>1.5%</b>

This variable has 516 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	10	0.0 %	
-1	-1 = Inapplicable	33285	98.4 %	
	<b>Total</b>	<b>33,306</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 11172-11177 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

#### R04\_AN0308H: Time period of day when you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (not current or recent former tobacco users)

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04\_AN0307H], was it...

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS != 1, 2, 4 AND R04\_AN0330\_12MH = 1 AND R04\_AN0307H = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	18	0.1 %
2	2 = After 6AM but before noon	72	0.2 %
3	3 = Between noon and 6PM	47	0.1 %
4	4 = After 6PM but before midnight	35	0.1 %
	<b>Total</b>	<b>172</b>	<b>0.5%</b>

This variable has 172 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33643	99.5 %
<b>Total</b>		<b>33,650</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11178-11183 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0309H: Number of nicotine patches, gum, inhaler, nasal spray, lozenges or pills used today/yesterday/the day before yesterday (not current or recent former tobacco users)

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04\_AN0307H], how many did you use?

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS != 1, 2, 4 AND  
R04\_AN0330\_12MH = 1 AND R04\_AN0307H = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 210 valid cases out of 33,822 total cases.

- Mean: 1.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.23

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33607	99.4 %
<b>Total</b>		<b>33,612</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11184-11189 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AN0331\_12MH: In past 12 months, used prescription drug: Chantix, varenicline, Wellbutrin, Zyban, or bupropion (not current established, current experimental, or recent former established tobacco users)

In the past 12 months, have you used any of the following prescription drugs:  
Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR102.]

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS != 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	392	1.2 %
2	2 = No	17102	50.6 %
	<b>Total</b>	<b>17,494</b>	<b>51.7%</b>

This variable has 17,494 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	16295	48.2 %
	<b>Total</b>	<b>16,328</b>	<b>48.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11190-11195 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04\_AN0327H: When did you last use Chantix, varenicline, Wellbutrin, Zyban or bupropion (not current or recent former tobacco users)

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If In the past hour (1), Go to R04\_AN0329H. If Three or more days ago (5), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR102.]

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used a prescription drug in the past 12 months.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS != 1, 2, 4 AND R04\_AN0331\_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	19	0.1 %
2	2 = Sometime today	184	0.5 %
3	3 = Yesterday	44	0.1 %
4	4 = Day before yesterday	11	0.0 %
5	5 = Three or more days ago	130	0.4 %
	<b>Total</b>	<b>388</b>	<b>1.1%</b>

This variable has 388 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33428	98.8 %
	<b>Total</b>	<b>33,434</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11196-11201 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AN0328H: Time period of day when you last used Chantix, varenicline, Wellbutrin, Zyban or bupropion (not current or recent former tobacco users)

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04\_AN0327H], was it...

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used a prescription drug in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS != 1, 2, 4 AND R04\_AN0331\_12MH = 1 AND R04\_AN0327H = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	19	0.1 %
2	2 = After 6AM but before noon	174	0.5 %
3	3 = Between noon and 6PM	21	0.1 %
4	4 = After 6PM but before midnight	25	0.1 %
	<b>Total</b>	<b>239</b>	<b>0.7%</b>

This variable has 239 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33581	99.3 %
	<b>Total</b>	<b>33,583</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11202-11207 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AN0329H: Number of Chantix, varenicline, Wellbutrin, Zyban or bupropion taken today/yesterday/the day before yesterday (not current or recent former tobacco users)

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04\_AN0327H], how many did you take?

[If Don't Know (-8), or Refused (-7), Go to Box R04\_AXR102.]

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS != 1, 2, 4 AND R04\_AN0331\_12MH = 1 AND R04\_AN0327H = 1, 2, 3, 4.

This variable has 257 valid cases out of 33,822 total cases.

- Mean: 1.37
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 1.03

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33562	99.2 %
	<b>Total</b>	<b>33,565</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11208-11213 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AX0134\_RS: Ever been pregnant (includes current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths)

The next questions are about your pregnancy history.

Have you ever been pregnant? Please include current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.

[If No (2), Don't Know (-8) or Refused (-7), GO TO R04\_AX0488]

ASK: New cohort adult female respondents.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1542	4.6 %
2	2 = No	1289	3.8 %
	<b>Total</b>	<b>2,831</b>	<b>8.4%</b>

This variable has 2,831 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	83	0.2 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	30891	91.3 %
	<b>Total</b>	<b>30,991</b>	<b>91.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11214-11219 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_A\_AX0135\_RS: DERIVED - Indicator for adverse pregnancy outcomes resulting in no birth (2 levels)

Long Description: Have any of your pregnancies ended in the following: a miscarriage, abortion, ectopic or tubal pregnancy, stillbirth, or none of the above?

Algorithm: if R04\_AX0135\_RS\_01=1 or R04\_AX0135\_RS\_02=1 or R04\_AX0135\_RS\_03=1 or R04\_AX0135\_RS\_04=1 then R04R\_A\_AX0135\_RS = 1; else if R04\_AX0135\_RS\_01=2 and R04\_AX0135\_RS\_02=2 and R04\_AX0135\_RS\_03=2 and R04\_AX0135\_RS\_04=2 and R04\_AX0135\_RS\_05=1 then R04R\_A\_AX0135\_RS = 2; else if R04\_AX0135\_RS\_01=-9 or R04\_AX0135\_RS\_02=-9 or R04\_AX0135\_RS\_03=-9 or R04\_AX0135\_RS\_04=-9 or R04\_AX0135\_RS\_05=-9 then R04R\_A\_AX0135\_RS = -99999;

```

else if R04_AX0135_RS_01=-8 or
R04_AX0135_RS_02=-8 or R04_AX0135_RS_03=-8 or R04_AX0135_RS_04=-8 or
R04_AX0135_RS_05=-8 then R04R_A_AX0135_RS
= -99988; else if R04_AX0135_RS_01=-7 or R04_AX0135_RS_02=-7 or
R04_AX0135_RS_03=-7 or R04_AX0135_RS_04=-7
or R04_AX0135_RS_05=-7 then R04R_A_AX0135_RS = -99977; else if
R04_AX0135_RS_01=-1 or R04_AX0135_RS_02=-1 or
R04_AX0135_RS_03=-1 or R04_AX0135_RS_04=-1 or R04_AX0135_RS_05=-1 then
R04R_A_AX0135_RS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	659	1.9 %
2	2 = No	876	2.6 %
	<b>Total</b>	<b>1,535</b>	<b>4.5%</b>

This variable has 1,535 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32278	95.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>32,287</b>	<b>95.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11220-11225 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_AX0308\_RS: DERIVED - Indicator for any pregnancies resulting in a live birth (2 levels)

Long Description: How many of your pregnancies have resulted in a live birth?

```

Algorithm: IF R04_AX0308_RS > 0 then R04R_A_AX0308_RS = 1;
ELSE IF R04_AX0308_RS = 0 then R04R_A_AX0308_RS = 2; ELSE IF
R04_AX0308_RS = -9 THEN R04R_A_AX0308_RS = -99999 ; ELSE IF
R04_AX0308_RS = -8 THEN R04R_A_AX0308_RS = -99988 ; ELSE IF
R04_AX0308_RS = -7 THEN R04R_A_AX0308_RS = -99977 ; ELSE IF
R04_AX0308_RS = -5 THEN R04R_A_AX0308_RS = -99955 ; ELSE IF
R04_AX0308_RS = -1 THEN R04R_A_AX0308_RS = -99911 ;

```

Value	Label	Unweighted Frequency	%
1	One or more live births	1391	4.1 %
2	No live births	148	0.4 %
	<b>Total</b>	<b>1,539</b>	<b>4.6%</b>

This variable has 1,539 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32278	95.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>32,283</b>	<b>95.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11226-11231 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_AX0300\_RS: DERIVED - Indicator for adverse pregnancy outcomes resulting in risky birth (2 levels)

**Long Description:** For your last pregnancy, did any of the following occur: Preterm birth, Baby with low birth weight, Baby with birth defects, Placenta Previa, Placenta Abruptio, Pre-eclampsia, Cleft lip or palate?

**Algorithm:** if R04\_AX0300\_RS\_01=1 or R04\_AX0300\_RS\_02=1 or R04\_AX0300\_RS\_03=1 or R04\_AX0300\_RS\_04=1 or R04\_AX0300\_RS\_05=1 or R04\_AX0300\_RS\_06=1 or (R04\_ADULTTYPE = 3 AND R04\_AX0706 = 1) then R04R\_A\_AX0300\_RS = 1; else if R04\_AX0300\_RS\_01=2 and R04\_AX0300\_RS\_02=2 and R04\_AX0300\_RS\_03=2 and R04\_AX0300\_RS\_04=2 and R04\_AX0300\_RS\_05=2 and R04\_AX0300\_RS\_06=2 and R04\_AX0300\_RS\_07=1 then R04R\_A\_AX0300\_RS = 2; else if R04\_AX0300\_RS\_01 = -9 or R04\_AX0300\_RS\_02 = -9 or R04\_AX0300\_RS\_03 = -9 or R04\_AX0300\_RS\_04 = -9 or R04\_AX0300\_RS\_05 = -9 or R04\_AX0300\_RS\_06 = -9 or R04\_AX0300\_RS\_07 = -9 or R04\_AX0706 = -9 then R04R\_A\_AX0300\_RS = -99999; else if R04\_AX0300\_RS\_01 = -8 or R04\_AX0300\_RS\_02 = -8 or R04\_AX0300\_RS\_03 = -8 or R04\_AX0300\_RS\_04 = -8 or R04\_AX0300\_RS\_05 = -8 or R04\_AX0300\_RS\_06 = -8 or R04\_AX0300\_RS\_07 = -8 or R04\_AX0706 = -8 then R04R\_A\_AX0300\_RS = -99988; else if R04\_AX0300\_RS\_01 = -7 or

R04\_AX0300\_RS\_02 = -7 or R04\_AX0300\_RS\_03 = -7  
 or R04\_AX0300\_RS\_04 = -7 or R04\_AX0300\_RS\_05 = -7 or R04\_AX0300\_RS\_06 = -7  
 or R04\_AX0300\_RS\_07 = -7 or R04\_AX0706 =  
 -7 then R04R\_A\_AX0300\_RS = -99977; else if R04\_AX0300\_RS\_01 = -1 or  
 R04\_AX0300\_RS\_02 = -1 or R04\_AX0300\_RS\_03 = -1 or  
 R04\_AX0300\_RS\_04 = -1 or R04\_AX0300\_RS\_05 = -1 or R04\_AX0300\_RS\_06 = -1  
 or R04\_AX0300\_RS\_07 = -1 or R04\_AX0706 = -1 then  
 R04R\_A\_AX0300\_RS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	320	0.9 %
2	2 = No	1067	3.2 %
	<b>Total</b>	<b>1,387</b>	<b>4.1%</b>

This variable has 1,387 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32429	95.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>32,435</b>	<b>95.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11232-11237 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04\_AX0134\_12M: In past 12 months, been pregnant

The next questions are about your pregnancy history.

In the past 12 months, have you been pregnant? Please include a current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.

ASK: Continuing and aged-up adult female respondents who are less than 50 years old.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1144	3.4 %
2	2 = No	9132	27.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>10,276</b>	<b>30.4%</b>

This variable has 10,276 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	23526	69.6 %
	<b>Total</b>	<b>23,546</b>	<b>69.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11238-11243 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0136: Currently pregnant

The next questions are about your pregnancy history.

Are you pregnant now?

**ASK:** New cohort adult female respondents who are less than 50 years old and have ever been pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months.

**ASK Specification:** IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A AGE < 50 AND R04\_AX0134\_RS = 1)  
OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A AGE < 50 AND R04\_AX0134\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	411	1.2 %
2	2 = No	1759	5.2 %
	<b>Total</b>	<b>2,170</b>	<b>6.4%</b>

This variable has 2,170 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31648	93.6 %
	<b>Total</b>	<b>31,652</b>	<b>93.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11244-11249 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0137\_NN: Weeks/Months pregnant - Number

The next questions are about your pregnancy history.

How many months or weeks pregnant are you? Please enter the number of months or weeks.

[If Don't Know(-8) or Refused (-7), GO TO BOX R04\_AXR118]

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and are now pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant.

ASK Specification: IF ((R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_12M = 1)) AND R04\_AX0136 = 1.

[PROGRAM NOTE: Display as Quantity/Units.]

This variable has 408 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	3	0.0 %	
-1	-1 = Inapplicable	33409	98.8 %	
<b>Total</b>		<b>33,414</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11250-11255 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R04\_AX0137\_UN: Weeks/Months pregnant - Unit

The next questions are about your pregnancy history.

How many months or weeks pregnant are you? Please enter the number of months or weeks.

[If Don't Know(-8) or Refused (-7), GO TO BOX R04\_AXR118]

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and are now pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant.

ASK Specification: IF ((R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_12M = 1)) AND R04\_AX0136 = 1.

[PROGRAM NOTE: Display as Quantity/Units. ]

Value	Label	Unweighted Frequency	%
1	1 = Months	137	0.4 %
2	2 = Weeks	274	0.8 %
	<b>Total</b>	<b>411</b>	<b>1.2%</b>

This variable has 411 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33409	98.8 %	
	<b>Total</b>	<b>33,411</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11256-11261 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AX0135\_12M: DERIVED - Indicator for adverse pregnancy outcomes resulting in no birth (2 levels)

Long Description: Was the outcome of your last pregnancy a miscarriage, abortion, ectopic or tubal pregnancy, or stillbirth?

Algorithm: if R04\_AX0135\_12M = 1 then R04R\_A\_AX0135\_12M = 2; else if R04\_AX0135\_12M in (2,3,4,5,6) then R04R\_A\_AX0135\_12M =1; else if R04\_AX0135\_12M = -9 then R04R\_A\_AX0135\_12M = -99999; else if R04\_AX0135\_12M = -8 then R04R\_A\_AX0135\_12M = -99988; else if R04\_AX0135\_12M = -7 then R04R\_A\_AX0135\_12M = -99977; else if R04\_AX0135\_12M = -1 then R04R\_A\_AX0135\_12M = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	259	0.8 %
2	2 = No	584	1.7 %
	<b>Total</b>	<b>843</b>	<b>2.5%</b>

This variable has 843 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32975	97.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,979</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11262-11267 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R04R\_A\_AX0300\_12M: DERIVED - Indicator for adverse pregnancy outcomes resulting in risky birth (2 levels)

Long Description: For your last pregnancy, did any of the following occur: Preterm birth, Baby with low birth weight, Baby with birth defects, Placenta Previa, Placenta Abruptio, Pre-eclampsia, Cleft lip or palate?

Algorithm: if R04\_AX0300\_12M\_01=1 or R04\_AX0300\_12M\_02=1 or R04\_AX0300\_12M\_03=1 or R04\_AX0300\_12M\_04=1 or R04\_AX0300\_12M\_05=1 or R04\_AX0300\_12M\_06=1 or (R04\_ADULTTYPE IN (1, 2) AND R04\_AX0706 = 1) then R04R\_A\_AX0300\_12M = 1; else if R04\_AX0300\_12M\_01=2 and R04\_AX0300\_12M\_02=2 and R04\_AX0300\_12M\_03=2 and R04\_AX0300\_12M\_04=2 and R04\_AX0300\_12M\_05=2 and R04\_AX0300\_12M\_06=2 and R04\_AX0300\_12M\_07=1 then R04R\_A\_AX0300\_12M = 2; else if (R04\_AX0300\_12M\_01 = -9 or R04\_AX0300\_12M\_02 = -9 or R04\_AX0300\_12M\_03 = -9 or R04\_AX0300\_12M\_04 = -9 or R04\_AX0300\_12M\_05 = -9 or R04\_AX0300\_12M\_06 = -9 or R04\_AX0300\_12M\_07 = -9 or R04\_AX0706 = -9) then R04R\_A\_AX0300\_12M = -99999; else if (R04\_AX0300\_12M\_01 = -8 or R04\_AX0300\_12M\_02 = -8 or R04\_AX0300\_12M\_03 = -8 or R04\_AX0300\_12M\_04 = -8 or R04\_AX0300\_12M\_05 = -8 or R04\_AX0300\_12M\_06 = -8 or R04\_AX0300\_12M\_07 = -8 or R04\_AX0706 = -8) then R04R\_A\_AX0300\_12M = -99988; else if (R04\_AX0300\_12M\_01 = -7 or R04\_AX0300\_12M\_02 = -7 or R04\_AX0300\_12M\_03 = -7 or R04\_AX0300\_12M\_04 = -7 or R04\_AX0300\_12M\_05 = -7 or R04\_AX0300\_12M\_06 = -7 or R04\_AX0300\_12M\_07 = -7 or R04\_AX0706 = -7) then R04R\_A\_AX0300\_12M = -99977; else if (R04\_AX0300\_12M\_01 = -1 or R04\_AX0300\_12M\_02 = -1 or R04\_AX0300\_12M\_03 = -1 or R04\_AX0300\_12M\_04 = -1 or R04\_AX0300\_12M\_05 = -1 or R04\_AX0300\_12M\_06 = -1 or R04\_AX0300\_12M\_07 = -1 or R04\_AX0706 = -1 ) then R04R\_A\_AX0300\_12M = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	115	0.3 %
2	2 = No	468	1.4 %
	<b>Total</b>	<b>583</b>	<b>1.7%</b>

This variable has 583 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33236	98.3 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,239</b>	<b>98.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11268-11273 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R04\_AX0299: Child have any developmental delays

Does your child have any developmental delays?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have had at least one pregnancy result in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, or

Continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND  
 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1  
 AND R04\_AX0308\_RS > 0 AND R04\_AX0300\_RS[01/02/03] = 1) OR  
 (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18  
 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 2)  
 OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1))  
 AND R04\_AX0135\_12M = 1 AND R04\_AX0300\_12M[01/02/03] = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.1 %
2	2 = No	223	0.7 %
	<b>Total</b>	<b>256</b>	<b>0.8%</b>

This variable has 256 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	7	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33557	99.2 %
<b>Total</b>		<b>33,566</b>	<b>99.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11274-11279 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0340: During the 3 months before your pregnancy, number of alcoholic drinks you had in an average week

During the 3 months before your [most recent / current] pregnancy, how many alcoholic drinks did you have in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

**ASK:** New cohort adult female respondents who are less than 50 years old and have ever been pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview.

**ASK Specification:** IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A AGE < 50 AND R04\_AX0134\_RS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1))).

Value	Label	Unweighted Frequency	%
1	1 = 14 drinks or more a week	44	0.1 %
2	2 = 7 to 13 drinks a week	55	0.2 %
3	3 = 4 to 6 drinks a week	133	0.4 %
4	4 = 1 to 3 drinks a week	290	0.9 %
5	5 = Less than 1 drink a week	373	1.1 %
6	6 = I didn't drink then	1318	3.9 %
<b>Total</b>		<b>2,213</b>	<b>6.5%</b>

This variable has 2,213 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	31602	93.4 %	
<b>Total</b>		<b>31,609</b>	<b>93.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11280-11285 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0341: During the last 3 months of your pregnancy, number of alcoholic drinks you had in an average week

During the last 3 months of your [most recent / current] pregnancy, how many alcoholic drinks [did you have/have you had] in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

**ASK:** New cohort adult female respondents who are less than 50 years old and have ever been pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview.

**ASK Specification:** IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1))).

[PROGRAM NOTE: Suppress option 7 if R04\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = 14 drinks or more a week	22	0.1 %
2	2 = 7 to 13 drinks a week	15	0.0 %
3	3 = 4 to 6 drinks a week	32	0.1 %
4	4 = 1 to 3 drinks a week	80	0.2 %
5	5 = Less than 1 drink a week	151	0.4 %
6	6 = Didn't drink then	1822	5.4 %
7	7 = Have not yet reached the last 3 months of pregnancy	89	0.3 %
<b>Total</b>		<b>2,211</b>	<b>6.5%</b>

This variable has 2,211 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	3	0.0 %	

Missing Data			
-1	-1 = Inapplicable	31602	93.4 %
	<b>Total</b>	<b>31,611</b>	<b>93.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11286-11291 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0342: During the 3 months before your pregnancy, number of cigarettes you smoked on an average day

During the 3 months before your [most recent /current] pregnancy, how many cigarettes did you smoke on an average day? A pack usually has 20 cigarettes in it.

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarettes, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarettes.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2

AND 18 <= R04R\_A\_AGE < 50 AND

R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_CIGS = 1) OR

(R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND

18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1

AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2

AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_CIGS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarette	79	0.2 %
2	2 = 1 to 5 cigarettes	199	0.6 %
3	3 = 6 to 10 cigarettes	206	0.6 %
4	4 = 11 to 20 cigarettes	203	0.6 %
5	5 = 21 to 40 cigarettes	36	0.1 %
6	6 = 41 cigarettes or more	22	0.1 %
7	7 = None (0 cigarettes)	732	2.2 %
	<b>Total</b>	<b>1,477</b>	<b>4.4%</b>

This variable has 1,477 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32341	95.6 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>32,345</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11292-11297 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0343: During the last 3 months of your pregnancy, number of cigarettes you smoked on an average day

During the last 3 months of your [most recent / current] pregnancy, how many cigarettes [did you smoke/have you smoked] on an average day?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarettes, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarettes.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_CIGS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_CIGS = 1).

[PROGRAM NOTE: Suppress option 8 if R04\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarette	86	0.3 %
2	2 = 1 to 5 cigarettes	153	0.5 %
3	3 = 6 to 10 cigarettes	127	0.4 %
4	4 = 11 to 20 cigarettes	107	0.3 %
5	5 = 21 to 40 cigarettes	21	0.1 %
6	6 = 41 cigarettes or more	10	0.0 %
7	7 = None (0 cigarettes)	924	2.7 %
8	8 = Have not yet reached the last 3 months of pregnancy	41	0.1 %
	<b>Total</b>	<b>1,469</b>	<b>4.3%</b>

This variable has 1,469 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32341	95.6 %
	<b>Total</b>	<b>32,353</b>	<b>95.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11298-11303 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0344: During the 3 months before your pregnancy, how often used e-cigarettes or other electronic nicotine products

During the 3 months before your [most recent / current] pregnancy, how often did you use e-cigarettes or other electronic nicotine products?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used electronic nicotine products, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used electronic nicotine products.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_EPRODS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_EPRODS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every day	43	0.1 %
2	2 = A few days a week	27	0.1 %
3	3 = Once a week	9	0.0 %
4	4 = Two or three days a month	11	0.0 %
5	5 = Once a month or less	47	0.1 %
6	6 = Did not use electronic nicotine products then	842	2.5 %
	<b>Total</b>	<b>979</b>	<b>2.9%</b>

This variable has 979 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	33	0.1 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32805	97.0 %
	<b>Total</b>	<b>32,843</b>	<b>97.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11304-11309 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0345: During the last 3 months of your pregnancy, how often used e-cigarettes or other electronic nicotine product

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] e-cigarettes or other electronic nicotine products?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used electronic nicotine products, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used electronic nicotine products.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_EPRODS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_EPRODS = 1).

[PROGRAM NOTE: Suppress option 7 if R04\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	25	0.1 %
2	2 = A few days a week	16	0.0 %
3	3 = Once a week	8	0.0 %
4	4 = Two or three days a month	5	0.0 %
5	5 = Once a month or less	17	0.1 %
6	6 = Did not use electronic nicotine products then	866	2.6 %
7	7 = Have not yet reached the last 3 months of pregnancy	43	0.1 %
<b>Total</b>		<b>980</b>	<b>2.9%</b>

This variable has 980 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	33	0.1 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32805	97.0 %
<b>Total</b>		<b>32,842</b>	<b>97.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11310-11315 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0346: During the 3 months before your pregnancy, how often smoked traditional cigars

During the 3 months before your [most recent / current] pregnancy, how often did you smoke traditional cigars?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked traditional cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked traditional cigars.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_GTRAD = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_GTRAD = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every day	15	0.0 %
2	2 = A few days a week	7	0.0 %
3	3 = Once a week	1	0.0 %
4	4 = Two or three days a month	3	0.0 %
5	5 = Once a month or less	12	0.0 %
6	6 = Did not smoke traditional cigars then	372	1.1 %
<b>Total</b>		<b>410</b>	<b>1.2%</b>

This variable has 410 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33410	98.8 %
<b>Total</b>		<b>33,412</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11316-11321 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0347: During the last 3 months of your pregnancy, how often smoked traditional cigars

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] traditional cigars?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked traditional cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked traditional cigars.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_GTRAD = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_GTRAD = 1).

[PROGRAM NOTE: Suppress option 7 if R04\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	7	0.0 %
2	2 = A few days a week	3	0.0 %
3	3 = Once a week	0	0.0 %
4	4 = Two or three days a month	2	0.0 %
5	5 = Once a month or less	5	0.0 %
6	6 = Did not smoke traditional cigars then	377	1.1 %
7	7 = Have not yet reached the last 3 months of pregnancy	15	0.0 %
<b>Total</b>		<b>409</b>	<b>1.2%</b>

This variable has 409 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33410	98.8 %
<b>Total</b>		<b>33,410</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11322-11327 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0348: During the 3 months before your pregnancy, how often smoked cigarillos

During the 3 months before your [most recent / current] pregnancy, how often did you smoke cigarillos?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarillos, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarillos.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_GRILLO = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_GRILLO = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every day	32	0.1 %
2	2 = A few days a week	21	0.1 %
3	3 = Once a week	9	0.0 %
4	4 = Two or three days a month	14	0.0 %
5	5 = Once a month or less	38	0.1 %
6	6 = Did not smoke cigarillos then	681	2.0 %
	<b>Total</b>	<b>795</b>	<b>2.4%</b>

This variable has 795 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33024	97.6 %
	<b>Total</b>	<b>33,027</b>	<b>97.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11328-11333 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0349: During the last 3 months of your pregnancy, how often smoked cigarillos

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] cigarillos?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarillos, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarillos.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_GRILLO = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_GRILLO = 1).

[PROGRAM NOTE: Suppress option 7 if R04\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	16	0.0 %
2	2 = A few days a week	12	0.0 %
3	3 = Once a week	8	0.0 %

Value	Label	Unweighted Frequency	%
4	4 = Two or three days a month	3	0.0 %
5	5 = Once a month or less	23	0.1 %
6	6 = Did not smoke cigarillos then	702	2.1 %
7	7 = Have not yet reached the last 3 months of pregnancy	29	0.1 %
	<b>Total</b>	<b>793</b>	<b>2.3%</b>

This variable has 793 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33024	97.6 %
	<b>Total</b>	<b>33,029</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11334-11339 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0350: During the 3 months before your pregnancy, how often smoked filtered cigars

During the 3 months before your [most recent / current] pregnancy, how often did you smoke filtered cigars?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked filtered cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked filtered cigars.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_GFILTR = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_GFILTR = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every day	8	0.0 %
2	2 = A few days a week	7	0.0 %
3	3 = Once a week	3	0.0 %
4	4 = Two or three days a month	2	0.0 %
5	5 = Once a month or less	16	0.0 %
6	6 = Did not smoke filtered cigars then	367	1.1 %
	<b>Total</b>	<b>403</b>	<b>1.2%</b>

This variable has 403 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33416	98.8 %
<b>Total</b>		<b>33,419</b>	<b>98.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11340-11345 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0351: During the last 3 months of your pregnancy, how often smoked filtered cigars

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] filtered cigars?

**ASK:** New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked filtered cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked filtered cigars.

**ASK Specification:** IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_GFILTR = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_GFILTR = 1).

[PROGRAM NOTE: Suppress option 7 if R04\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	6	0.0 %
2	2 = A few days a week	5	0.0 %
3	3 = Once a week	5	0.0 %
4	4 = Two or three days a month	3	0.0 %
5	5 = Once a month or less	11	0.0 %
6	6 = Did not smoke filtered cigars then	358	1.1 %
7	7 = Have not yet reached the last 3 months of pregnancy	16	0.0 %
<b>Total</b>		<b>404</b>	<b>1.2%</b>

This variable has 404 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33416	98.8 %	
<b>Total</b>		<b>33,418</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11346-11351 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0352: During the 3 months before your pregnancy, how often smoked pipe filled with tobacco

During the 3 months before your [most recent / current] pregnancy, how often did you smoke a pipe filled with tobacco?

**ASK:** New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe.

**ASK Specification:** IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_PIPE = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_PIPE = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every day	3	0.0 %
2	2 = A few days a week	2	0.0 %
3	3 = Once a week	0	0.0 %
4	4 = Two or three days a month	1	0.0 %
5	5 = Once a month or less	1	0.0 %
6	6 = Did not smoke a pipe then	149	0.4 %
<b>Total</b>		<b>156</b>	<b>0.5%</b>

This variable has 156 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33664	99.5 %	
<b>Total</b>		<b>33,666</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11352-11357 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0353: During the last 3 months of your pregnancy, how often smoked pipe filled with tobacco

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] a pipe filled with tobacco?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_PIPE = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_PIPE = 1).

[PROGRAM NOTE: Suppress option 7 if R04\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	4	0.0 %
2	2 = A few days a week	1	0.0 %
3	3 = Once a week	0	0.0 %
4	4 = Two or three days a month	0	0.0 %
5	5 = Once a month or less	2	0.0 %
6	6 = Did not smoke a pipe then	142	0.4 %
7	7 = Have not yet reached the last 3 months of pregnancy	7	0.0 %
<b>Total</b>		<b>156</b>	<b>0.5%</b>

This variable has 156 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33664	99.5 %
<b>Total</b>		<b>33,666</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11358-11363 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0354: During the 3 months before your pregnancy, how often smoked hookah

During the 3 months before your [most recent / current] pregnancy, how often did you smoke hookah?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_HOOK = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_HOOK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every day	1	0.0 %
2	2 = A few days a week	8	0.0 %
3	3 = Once a week	5	0.0 %
4	4 = Two or three days a month	10	0.0 %
5	5 = Once a month or less	43	0.1 %
6	6 = Did not smoke hookah then	771	2.3 %
	<b>Total</b>	<b>838</b>	<b>2.5%</b>

This variable has 838 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32981	97.5 %
	<b>Total</b>	<b>32,984</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11364-11369 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0355: During the last 3 months of your pregnancy, how often smoked hookah

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] hookah?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant

as of their last completed interview and have ever smoked hookah.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_HOOK = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_HOOK = 1).

[PROGRAM NOTE: Suppress option 7 if R04\_AX0136 != 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Every day	2	0.0 %
2	2 = A few days a week	2	0.0 %
3	3 = Once a week	2	0.0 %
4	4 = Two or three days a month	4	0.0 %
5	5 = Once a month or less	15	0.0 %
6	6 = Did not smoke hookah then	772	2.3 %
7	7 = Have not yet reached the last 3 months of pregnancy	41	0.1 %
<b>Total</b>		<b>838</b>	<b>2.5%</b>

This variable has 838 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32981	97.5 %
<b>Total</b>		<b>32,984</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11370-11375 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0356: During the 3 months before your pregnancy, how often used snus

During the 3 months before your [most recent / current] pregnancy, how often did you use snus?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_SNUS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_SNUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every day	1	0.0 %
2	2 = A few days a week	0	0.0 %
3	3 = Once a week	0	0.0 %
4	4 = Two or three days a month	2	0.0 %
5	5 = Once a month or less	0	0.0 %
6	6 = Did not use snus pouches then	121	0.4 %
	<b>Total</b>	<b>124</b>	<b>0.4%</b>

This variable has 124 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33696	99.6 %
	<b>Total</b>	<b>33,698</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11376-11381 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0357: During the last 3 months of your pregnancy, how often used snus

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] snus?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_SNUS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_SNUS = 1).

[PROGRAM NOTE: Suppress option 7 if R04\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	1	0.0 %
2	2 = A few days a week	0	0.0 %
3	3 = Once a week	0	0.0 %
4	4 = Two or three days a month	1	0.0 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
5	5 = Once a month or less	1	0.0 %
6	6 = Did not use snus pouches then	117	0.3 %
7	7 = Have not yet reached the last 3 months of pregnancy	4	0.0 %
<b>Total</b>		<b>124</b>	<b>0.4%</b>

This variable has 124 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33696	99.6 %
<b>Total</b>		<b>33,698</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11382-11387 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0358: During the 3 months before your pregnancy, how often used smokeless tobacco

During the 3 months before your [most recent / current] pregnancy, how often did you use [other types of] smokeless tobacco (such as dip, spit, or chew)?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_SMKLS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_SMKLS = 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Every day	5	0.0 %
2	2 = A few days a week	1	0.0 %
3	3 = Once a week	1	0.0 %
4	4 = Two or three days a month	3	0.0 %
5	5 = Once a month or less	4	0.0 %
6	6 = Did not use smokeless tobacco then	163	0.5 %
<b>Total</b>		<b>177</b>	<b>0.5%</b>

This variable has 177 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33643	99.5 %	
<b>Total</b>		<b>33,645</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11388-11393 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0359: During the last 3 months of your pregnancy, how often used smokeless tobacco

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] smokeless tobacco?

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND R04\_AX0134\_RS = 1 AND R04\_PASTUSE\_SMKLS = 1) OR (R04\_ADULTTYPE = 1, 2 AND R04R\_A\_SEX = 2 AND 18 <= R04R\_A\_AGE < 50 AND ((R04\_AX0134\_12M = 1 AND R04\_AX0136 = 1, 2) OR (R04\_AX0134\_12M = 2 AND R03\_PREGNANT = 1)) AND R04\_PASTUSE\_SMKLS = 1).

[PROGRAM NOTE: Suppress option 7 if R04\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	1	0.0 %
2	2 = A few days a week	3	0.0 %
3	3 = Once a week	0	0.0 %
4	4 = Two or three days a month	1	0.0 %
5	5 = Once a month or less	3	0.0 %
6	6 = Did not use smokeless tobacco then	165	0.5 %
7	7 = Have not yet reached the last 3 months of pregnancy	3	0.0 %
<b>Total</b>		<b>176</b>	<b>0.5%</b>

This variable has 176 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	

Missing Data				
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33643	99.5 %	
<b>Total</b>		<b>33,646</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11394-11399 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0161: Last time you had significant problems with: Feeling very trapped, lonely, sad, blue, depressed or hopeless about the future

When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	6356	18.8 %
2	2 = 2 to 12 months ago	5231	15.5 %
3	3 = Over a year ago	5975	17.7 %
4	4 = Never	16134	47.7 %
<b>Total</b>		<b>33,696</b>	<b>99.6%</b>

This variable has 33,696 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	92	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>126</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11400-11405 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0162: Last time you had significant problems with: Sleep trouble - such as bad dreams, sleeping restlessly or falling asleep during the day

When was the last time that you had significant problems with...

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	9489	28.1 %
2	2 = 2 to 12 months ago	5693	16.8 %
3	3 = Over a year ago	3990	11.8 %
4	4 = Never	14480	42.8 %
	<b>Total</b>	<b>33,652</b>	<b>99.5%</b>

This variable has 33,652 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	44	0.1 %
-7	-7 = Refused	122	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>170</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11406-11411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0163: Last time you had significant problems with: Feeling very anxious, nervous, tense, scared, panicked or like something bad was going to happen

When was the last time that you had significant problems with...

feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	7086	21.0 %
2	2 = 2 to 12 months ago	5566	16.5 %
3	3 = Over a year ago	4879	14.4 %
4	4 = Never	16160	47.8 %
	<b>Total</b>	<b>33,691</b>	<b>99.6%</b>

This variable has 33,691 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	27	0.1 %	
-7	-7 = Refused	100	0.3 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>131</b>	<b>0.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11412-11417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0164: Last time you had significant problems with: Becoming very distressed and upset when something reminded you of the past

When was the last time that you had significant problems with...

becoming very distressed and upset when something reminded you of the past?

ASK: All adult respondents.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Past month	5933	17.5 %
2	2 = 2 to 12 months ago	4947	14.6 %
3	3 = Over a year ago	5263	15.6 %
4	4 = Never	17531	51.8 %
<b>Total</b>		<b>33,674</b>	<b>99.6%</b>

This variable has 33,674 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	43	0.1 %	
-7	-7 = Refused	101	0.3 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>148</b>	<b>0.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11418-11423 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0165: Last time you did the following two or more times: Lied or conned to get things you wanted or to avoid having to do something

When was the last time that you did any of the following things two or more times...

lied or conned to get things you wanted or to avoid having to do something?

ASK: All adult respondents.

ASK Specification:

Value	Label	Unweighted Frequency	%
1	1 = Past month	3489	10.3 %
2	2 = 2 to 12 months ago	4066	12.0 %
3	3 = Over a year ago	5728	16.9 %
4	4 = Never	20396	60.3 %
	<b>Total</b>	<b>33,679</b>	<b>99.6%</b>

This variable has 33,679 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	48	0.1 %
-7	-7 = Refused	90	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>143</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11424-11429 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0166: Last time you did the following two or more times: Had a hard time paying attention at school, work or home

When was the last time that you did any of the following things two or more times...

had a hard time paying attention at school, work, or home?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	6075	18.0 %
2	2 = 2 to 12 months ago	5053	14.9 %

Value	Label	Unweighted Frequency	%
3	3 = Over a year ago	5170	15.3 %
4	4 = Never	17298	51.1 %
	<b>Total</b>	<b>33,596</b>	<b>99.3%</b>

This variable has 33,596 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	76	0.2 %
-7	-7 = Refused	145	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>226</b>	<b>0.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11430-11435 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0167: Last time you did the following two or more times: Had a hard time listening to instructions at school, work or home

When was the last time that you did any of the following things two or more times...

had a hard time listening to instructions at school, work, or home?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4380	13.0 %
2	2 = 2 to 12 months ago	4255	12.6 %
3	3 = Over a year ago	5123	15.1 %
4	4 = Never	19914	58.9 %
	<b>Total</b>	<b>33,672</b>	<b>99.6%</b>

This variable has 33,672 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	47	0.1 %
-7	-7 = Refused	96	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>150</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11436-11441 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0168: Last time you did the following two or more times: Were a bully or threatened other people

When was the last time that you did any of the following things two or more times...

were a bully or threatened other people?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	794	2.3 %
2	2 = 2 to 12 months ago	956	2.8 %
3	3 = Over a year ago	3330	9.8 %
4	4 = Never	28599	84.6 %
	<b>Total</b>	<b>33,679</b>	<b>99.6%</b>

This variable has 33,679 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	53	0.2 %
-7	-7 = Refused	83	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>143</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11442-11447 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0169: Last time you did the following two or more times: Started physical fights with other people

When was the last time that you did any of the following things two or more times...

started physical fights with other people?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	504	1.5 %
2	2 = 2 to 12 months ago	799	2.4 %
3	3 = Over a year ago	3058	9.0 %
4	4 = Never	29329	86.7 %
	<b>Total</b>	<b>33,690</b>	<b>99.6%</b>

This variable has 33,690 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	44	0.1 %
-7	-7 = Refused	81	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>132</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11448-11453 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0250: Last time you did the following two or more times: Felt restless or the need to run around or climb on things

When was the last time that you did any of the following things two or more times...

...felt restless or the need to run around or climb on things?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	2838	8.4 %
2	2 = 2 to 12 months ago	2588	7.7 %
3	3 = Over a year ago	2883	8.5 %
4	4 = Never	25365	75.0 %
	<b>Total</b>	<b>33,674</b>	<b>99.6%</b>

This variable has 33,674 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	99	0.3 %

Missing Data			
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>148</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11454-11459 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0251: Last time you did the following two or more times: Gave answers before the other person finished asking the question

When was the last time that you did any of the following things two or more times...

gave answers before the other person finished asking the question?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	9061	26.8 %
2	2 = 2 to 12 months ago	4719	14.0 %
3	3 = Over a year ago	3098	9.2 %
4	4 = Never	16747	49.5 %
	<b>Total</b>	<b>33,625</b>	<b>99.4%</b>

This variable has 33,625 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	8	0.0 %
-8	-8 = Don't know	75	0.2 %
-7	-7 = Refused	112	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>197</b>	<b>0.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11460-11465 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0084\_RS: Ever used alcohol

The next questions ask about your use of alcohol and other drugs.

Remember all the information you give to the PATH Study will be kept private.

Have you ever used alcohol at all, including sips of someone's drink or your own drink?

[If No (2), Don't Know (-8), or Refused (-7), GO TO BOX R04\_AXR120]

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4805	14.2 %
2	2 = No	1236	3.7 %
	<b>Total</b>	<b>6,041</b>	<b>17.9%</b>

This variable has 6,041 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	27755	82.1 %
	<b>Total</b>	<b>27,781</b>	<b>82.1%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11466-11471 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04R\_A\_AX0086\_RS: DERIVED - Age group when you first drank alcohol at all, counting small tastes or sips (6 levels)

Long Description: About how old were you when you first drank alcohol at all, counting small tastes or sips?

Algorithm: if (0 <= R04\_AX0086\_RS < 18) or R04\_AX0087\_RS = 1 then R04R\_A\_AX0086\_RS = 1; else if (18 <= R04\_AX0086\_RS <= 24) or R04\_AX0087\_RS = 2 then R04R\_A\_AX0086\_RS = 2; else if (25 <= R04\_AX0086\_RS <= 34) or R04\_AX0087\_RS = 3 then R04R\_A\_AX0086\_RS = 3; else if (35 <= R04\_AX0086\_RS <= 44) or R04\_AX0087\_RS = 4 then R04R\_A\_AX0086\_RS = 4; else if (45 <= R04\_AX0086\_RS <= 54) or R04\_AX0087\_RS = 5 then R04R\_A\_AX0086\_RS = 5; else if (R04\_AX0086\_RS >= 55) or R04\_AX0087\_RS = 6 then R04R\_A\_AX0086\_RS = 6; else if R04\_AX0086\_RS = -9 or R04\_AX0087\_RS = -9 then R04R\_A\_AX0086\_RS = -99999; else if R04\_AX0086\_RS = -8 or R04\_AX0087\_RS = -8 then R04R\_A\_AX0086\_RS = -99988; else if R04\_AX0086\_RS = -7 or R04\_AX0087\_RS = -7 then R04R\_A\_AX0086\_RS = -99977; else if R04\_AX0086\_RS = -5 then R04R\_A\_AX0086\_RS = -99955; else if R04\_AX0086\_RS = -1 or R04\_AX0087\_RS = -1 then R04R\_A\_AX0086\_RS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	3091	9.1 %
2	2 = 18 to 24 years old	1575	4.7 %
3	3 = 25 to 34 years old	99	0.3 %
4	4 = 35 to 44 years old	19	0.1 %
5	5 = 45 to 54 years old	11	0.0 %
6	6 = 55 years old or older	2	0.0 %
	<b>Total</b>	<b>4,797</b>	<b>14.2%</b>

This variable has 4,797 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	29015	85.8 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>29,025</b>	<b>85.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11472-11477 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_AX0074\_RS: DERIVED - Age group when first alcoholic drink was consumed, other than small tastes or sips (6 levels)

Long Description: About how old were you when you had your first alcoholic drink, other than small tastes or sips?

Algorithm: if (0 <= R04\_AX0074\_RS < 18) or R04\_AX0270\_RS = 1 then  
 R04R\_A\_AX0074\_RS = 1; else if (18 <= R04\_AX0074\_RS <= 24) or  
 R04\_AX0270\_RS = 2 then R04R\_A\_AX0074\_RS = 2; else if (25 <= R04\_AX0074\_RS <= 34)  
 or R04\_AX0270\_RS = 3 then R04R\_A\_AX0074\_RS  
 = 3; else if (35 <= R04\_AX0074\_RS <= 44) or R04\_AX0270\_RS = 4 then  
 R04R\_A\_AX0074\_RS = 4; else if (45 <= R04\_AX0074\_RS <= 54) or  
 R04\_AX0270\_RS = 5 then R04R\_A\_AX0074\_RS = 5; else if (R04\_AX0074\_RS >= 55)  
 or R04\_AX0270\_RS = 6 then R04R\_A\_AX0074\_RS = 6;  
 else if R04\_AX0074\_RS = -9 or R04\_AX0270\_RS = -9 then R04R\_A\_AX0074\_RS  
 = -99999; else if R04\_AX0074\_RS = -8 or R04\_AX0270\_RS  
 = -8 then R04R\_A\_AX0074\_RS = -99988; else if R04\_AX0074\_RS = -7 or  
 R04\_AX0270\_RS = -7 then R04R\_A\_AX0074\_RS = -99977; else if

R04\_AX0074\_RS = -5 then R04R\_A\_AX0074\_RS = -99955; else if R04\_AX0074\_RS = -1 or R04\_AX0270\_RS = -1 then R04R\_A\_AX0074\_RS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	2615	7.7 %
2	2 = 18 to 24 years old	1865	5.5 %
3	3 = 25 to 34 years old	114	0.3 %
4	4 = 35 to 44 years old	22	0.1 %
5	5 = 45 to 54 years old	6	0.0 %
6	6 = 55 years old or older	2	0.0 %
<b>Total</b>		<b>4,624</b>	<b>13.7%</b>

This variable has 4,624 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	29189	86.3 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>29,198</b>	<b>86.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11478-11483 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0084\_12M: In past 12 months, used alcohol, including small tastes or sips

[The next questions ask about your use of alcohol and other drugs.

Remember all information you give to the PATH Study will be kept private.]

In the past 12 months, have you used any alcohol, including small tastes or sips?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR120.]

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever used alcohol.

ASK Specification: IF R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND R04\_AX0084\_RS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	22092	65.3 %
2	2 = No	10395	30.7 %
	<b>Total</b>	<b>32,487</b>	<b>96.1%</b>

This variable has 32,487 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	58	0.2 %
-1	-1 = Inapplicable	1260	3.7 %
	<b>Total</b>	<b>1,335</b>	<b>3.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11484-11489 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0673: In past 30 days, used alcohol

[The next questions ask about your use of alcohol and other drugs.

Remember all information you give to the PATH Study will be kept private.]

Have you used alcohol within the past 30 days?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR120.]

ASK: Continuing and aged-up adult respondents who have used alcohol in the past 12 months, or new cohort adult respondents who have ever used alcohol and have used alcohol in the past 12 months.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AX0084\_12M = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AX0084\_RS = 1 AND R04\_AX0084\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	18183	53.8 %
2	2 = No	3900	11.5 %
	<b>Total</b>	<b>22,083</b>	<b>65.3%</b>

This variable has 22,083 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %

Missing Data			
-1	-1 = Inapplicable	11728	34.7 %
	<b>Total</b>	<b>11,739</b>	<b>34.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11490-11495 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0075: In past 30 days, number of days drank one or more drinks of an alcoholic beverage

[The next questions ask about your use of alcohol and other drugs.

Remember all information you give to the PATH Study will be kept private.]

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

ASK: Continuing and aged-up adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days, or new cohort adult respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AX0084\_12M = 1 AND R04\_AX0673 = 1) OR (R04\_ADULTTYPE = 3 AND R04\_AX0084\_RS = 1 AND R04\_AX0084\_12M = 1 AND R04\_AX0673 = 1).

[PROGRAM NOTE: RANGE: 0 - 30 ]

This variable has 18,141 valid cases out of 33,822 total cases.

- Mean: 8.01
- Median: 5.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.27

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	14	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	15637	46.2 %
	<b>Total</b>	<b>15,681</b>	<b>46.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11496-11501 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AX0076: In past 30 days, number of alcoholic drinks usually consumed each day on days drank

[The next questions ask about your use of alcohol and other drugs.  
Remember all information you give to the PATH Study will be kept private.]

On average, on those [days that you drank in the past 30 days / NUMBER OF DAYS FROM R04\_AX0075 days], how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

[If Don't Know (-8), or Refused (-7), Go to Box R04\_AXR120.]

ASK: Continuing and aged-up adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks, or new cohort adult respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks.

ASK Specification: IF (R04\_ADULTTYPE = 1, 2 AND R04\_AX0084\_12M = 1 AND R04\_AX0673 = 1 AND (R04\_AX0075 > 0 OR R04\_AX0075 = -8, -7)) OR (R04\_ADULTTYPE = 3 AND R04\_AX0084\_RS = 1 AND R04\_AX0084\_12M = 1 AND R04\_AX0673 = 1 AND (R04\_AX0075 > 0 OR R04\_AX0075 = -8, -7)).

[PROGRAM NOTE: RANGE: 1 - 90 ]

This variable has 17,860 valid cases out of 33,822 total cases.

- Mean: 2.99
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.36

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	23	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	15896	47.0 %
<b>Total</b>		<b>15,962</b>	<b>47.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11502-11507 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

## R04\_AX0085\_RS: Ever used marijuana, hash, THC, grass, pot or weed

Have you ever used marijuana, hash, THC, grass, pot or weed?

[If No (2), Don't Know (-8) or Refused (-7), GO TO BOX R04\_AXR106]

ASK: New cohort adult respondents who have not ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report whether they ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it, and have not ever smoked marijuana from a hookah or did not know or refused to report whether they ever smoked marijuana from a hookah, and have not ever used marijuana in an electronic product or did not know or refused to report whether they ever used marijuana in an electronic product.

ASK Specification: IF R04\_ADULTTYPE = 3 AND R04\_AG9105\_RS != 1 AND R04\_AH9031 != 1 AND R04\_AV9042 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	888	2.6 %
2	2 = No	2876	8.5 %
	<b>Total</b>	<b>3,764</b>	<b>11.1%</b>

This variable has 3,764 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	30027	88.8 %	
	<b>Total</b>	<b>30,058</b>	<b>88.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11508-11513 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AX0079\_RS: DERIVED - Age group when first used marijuana, hash, THC, grass, pot or weed (6 levels)

Long Description: How old were you when you first used marijuana, hash, THC, grass, pot, or weed?

Algorithm: if (0 <= R04\_AX0079\_RS < 18) or R04\_AX0271\_RS = 1 then  
R04R\_A\_AX0079\_RS = 1; else if (18 <= R04\_AX0079\_RS <= 24) or  
R04\_AX0271\_RS = 2 then R04R\_A\_AX0079\_RS = 2; else if (25 <= R04\_AX0079\_RS <= 34) or R04\_AX0271\_RS = 3 then R04R\_A\_AX0079\_RS = 3; else if (35 <= R04\_AX0079\_RS <= 44) or R04\_AX0271\_RS = 4 then R04R\_A\_AX0079\_RS = 4; else if (45 <= R04\_AX0079\_RS <= 54) or R04\_AX0271\_RS = 5 then R04R\_A\_AX0079\_RS = 5; else if

(R04\_AX0079\_RS => 55) or R04\_AX0271\_RS = 6 then R04R\_A\_AX0079\_RS = 6;  
else if R04\_AX0079\_RS = -9 or R04\_AX0271\_RS = -9 then R04R\_A\_AX0079\_RS  
= -99999; else if R04\_AX0079\_RS = -8 or R04\_AX0271\_RS  
= -8 then R04R\_A\_AX0079\_RS = -99988; else if R04\_AX0079\_RS = -7 or  
R04\_AX0271\_RS = -7 then R04R\_A\_AX0079\_RS = -99977; else if  
R04\_AX0079\_RS = -5 then R04R\_A\_AX0079\_RS = -99955; else if  
R04\_AX0079\_RS = -1 or R04\_AX0271\_RS = -1 then R04R\_A\_AX0079\_RS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	1843	5.4 %
2	2 = 18 to 24 years old	949	2.8 %
3	3 = 25 to 34 years old	108	0.3 %
4	4 = 35 to 44 years old	24	0.1 %
5	5 = 45 to 54 years old	5	0.0 %
6	6 = 55 years old or older	8	0.0 %
	<b>Total</b>	<b>2,937</b>	<b>8.7%</b>

This variable has 2,937 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	202	0.6 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	30660	90.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>30,885</b>	<b>91.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11514-11519 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0085\_12M: In past 12 months, used marijuana, hash, THC, grass, pot or weed

In the past 12 months, have you used marijuana, hash, THC, grass, pot or weed?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R04\_AXR106.]

ASK: Continuing and aged-up adult respondents who did not previously report smoking cigars as blunts in the past 12 months, and new cohort adults who have ever used marijuana and did not previously report smoking cigars as blunts in the past 12 months.

ASK Specification: IF R04\_AG9107 != 1 AND (R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND

(R04\_AX0085\_RS = 1 OR R04\_AG9105\_RS = 1 OR R04\_AH9031 = 1 OR R04\_AV9042 = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3823	11.3 %
2	2 = No	21819	64.5 %
	<b>Total</b>	<b>25,642</b>	<b>75.8%</b>

This variable has 25,642 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	58	0.2 %
-1	-1 = Inapplicable	8101	24.0 %
	<b>Total</b>	<b>8,180</b>	<b>24.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11520-11525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0675: In past 30 days, used marijuana, hash, THC, grass, pot or weed

Have you used marijuana, hash, THC, grass, pot or weed within the past 30 days?

ASK: Adult respondents who have used marijuana in the past 12 months.

ASK Specification: IF (R04\_AX0085\_12M = 1 OR R04\_AG9107 = 1) AND (R04\_ADULTTYPE = 1, 2 OR (R04\_ADULTTYPE = 3 AND (R04\_AX0085\_RS = 1 OR R04\_AG9105\_RS = 1 OR R04\_AH9031 = 1 OR R04\_AV9042 = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	6497	19.2 %
2	2 = No	2486	7.4 %
	<b>Total</b>	<b>8,983</b>	<b>26.6%</b>

This variable has 8,983 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	24801	73.3 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>24,839</b>	<b>73.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11526-11531 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0089\_RS\_01: Ever used prescription drugs not prescribed to you: Ritalin® or Adderall®

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Ritalin® or Adderall®

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	508	1.5 %
2	2 = No	5542	16.4 %
	<b>Total</b>	<b>6,050</b>	<b>17.9%</b>

This variable has 6,050 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	27755	82.1 %
	<b>Total</b>	<b>27,772</b>	<b>82.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11532-11537 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AX0082\_RS\_01: DERIVED - Age range when first used: Ritalin® or Adderall® (6 levels)

Long Description: How old were you when you first used

Ritalin® or Adderall®?

Algorithm: IF (0 <= R04\_AX0082\_RS\_01 < 18) OR R04\_AX0272\_RS\_01 = 1 THEN  
R04R\_A\_AX0082\_RS\_01 = 1; ELSE IF (18 <=

```

R04_AX0082_RS_01 <= 24) OR R04_AX0272_RS_01 = 2 THEN R04R_A_AX0082_RS_01 = 2;
ELSE IF (25 <= R04_AX0082_RS_01 <= 34)
OR R04_AX0272_RS_01 = 3 THEN R04R_A_AX0082_RS_01 = 3; ELSE IF (35 <=
R04_AX0082_RS_01 <= 44) OR R04_AX0272_RS_01 = 4
THEN R04R_A_AX0082_RS_01 = 4; ELSE IF (45 <= R04_AX0082_RS_01 <= 54) OR
R04_AX0272_RS_01 = 5 THEN R04R_A_AX0082_RS_01
= 5; ELSE IF (R04_AX0082_RS_01 => 55) OR R04_AX0272_RS_01 = 6 THEN
R04R_A_AX0082_RS_01 = 6; ELSE IF R04_AX0082_RS_01 = -9
OR R04_AX0272_RS_01 = -9 THEN R04R_A_AX0082_RS_01 = -99999; ELSE IF
R04_AX0082_RS_01 = -8 OR R04_AX0272_RS_01 = -8 THEN
R04R_A_AX0082_RS_01 = -99988; ELSE IF R04_AX0082_RS_01 = -7 OR
R04_AX0272_RS_01 = -7 THEN R04R_A_AX0082_RS_01 = -99977;
ELSE IF R04_AX0082_RS_01 = -5 THEN R04R_A_AX0082_RS_01 = -99955;
ELSE IF R04_AX0082_RS_01 = -1 OR R04_AX0272_RS_01 = -1
THEN R04R_A_AX0082_RS_01 = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	192	0.6 %
2	2 = 18 to 24 years old	225	0.7 %
3	3 = 25 to 34 years old	50	0.1 %
4	4 = 35 to 44 years old	27	0.1 %
5	5 = 45 to 54 years old	7	0.0 %
6	6 = 55 years old or older	2	0.0 %
<b>Total</b>		<b>503</b>	<b>1.5%</b>

This variable has 503 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33312	98.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,319</b>	<b>98.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11538-11543 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04\_AX0089\_RS\_02: Ever used prescription drugs not prescribed to you: Painkillers, sedatives, or tranquilizers

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	791	2.3 %
2	2 = No	5235	15.5 %
	<b>Total</b>	<b>6,026</b>	<b>17.8%</b>

This variable has 6,026 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	27755	82.1 %
	<b>Total</b>	<b>27,796</b>	<b>82.2%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11544-11549 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04R\_A\_AX0082\_RS\_02: DERIVED - Age range when first used: Painkillers, sedatives, or tranquilizers (6 levels)

Long Description: How old were you when you first used painkillers, sedatives, or tranquilizers?

Algorithm: IF (0 <= R04\_AX0082\_RS\_02 < 18) OR R04\_AX0272\_RS\_02 = 1  
 THEN R04R\_A\_AX0082\_RS\_02 = 1; ELSE IF (18 <= R04\_AX0082\_RS\_02 <= 24) OR R04\_AX0272\_RS\_02 = 2 THEN R04R\_A\_AX0082\_RS\_02 = 2;  
 ELSE IF (25 <= R04\_AX0082\_RS\_02 <= 34)  
 OR R04\_AX0272\_RS\_02 = 3 THEN R04R\_A\_AX0082\_RS\_02 = 3; ELSE IF (35 <= R04\_AX0082\_RS\_02 <= 44) OR R04\_AX0272\_RS\_02 = 4  
 THEN R04R\_A\_AX0082\_RS\_02 = 4; ELSE IF (45 <= R04\_AX0082\_RS\_02 <= 54) OR R04\_AX0272\_RS\_02 = 5 THEN R04R\_A\_AX0082\_RS\_02 = 5;  
 ELSE IF (R04\_AX0082\_RS\_02 => 55) OR R04\_AX0272\_RS\_02 = 6 THEN R04R\_A\_AX0082\_RS\_02 = 6; ELSE IF R04\_AX0082\_RS\_02 = -9  
 OR R04\_AX0272\_RS\_02 = -9 THEN R04R\_A\_AX0082\_RS\_02 = -99999; ELSE IF R04\_AX0082\_RS\_02 = -8 OR R04\_AX0272\_RS\_02 = -8 THEN  
 R04R\_A\_AX0082\_RS\_02 = -99988; ELSE IF R04\_AX0082\_RS\_02 = -7 OR R04\_AX0272\_RS\_02 = -7 THEN R04R\_A\_AX0082\_RS\_02 = -99977;  
 ELSE IF R04\_AX0082\_RS\_02 = -5 THEN R04R\_A\_AX0082\_RS\_02 = -99955;

ELSE IF R04\_AX0082\_RS\_02 = -1 OR R04\_AX0272\_RS\_02 = -1  
 THEN R04R\_A\_AX0082\_RS\_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	300	0.9 %
2	2 = 18 to 24 years old	307	0.9 %
3	3 = 25 to 34 years old	97	0.3 %
4	4 = 35 to 44 years old	45	0.1 %
5	5 = 45 to 54 years old	27	0.1 %
6	6 = 55 years old or older	12	0.0 %
<b>Total</b>		<b>788</b>	<b>2.3%</b>

This variable has 788 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33029	97.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,034</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11550-11555 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0220\_RS\_01: Ever used substance: Cocaine or crack

Have you ever used any of the following substances?

Cocaine or crack

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	768	2.3 %
2	2 = No	5273	15.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>6,041</b>	<b>17.9%</b>

This variable has 6,041 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	27755	82.1 %
	<b>Total</b>	<b>27,781</b>	<b>82.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11556-11561 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AX0082\_RS\_03: DERIVED - Age range when first used: Cocaine or crack (6 levels)

Long Description: How old were you when you first used cocaine or crack?

Algorithm: IF (0 <= R04\_AX0082\_RS\_03 < 18) OR R04\_AX0272\_RS\_03 = 1 THEN  
 R04R\_A\_AX0082\_RS\_03 = 1; ELSE IF (18 <= R04\_AX0082\_RS\_03 <= 24) OR R04\_AX0272\_RS\_03 = 2 THEN R04R\_A\_AX0082\_RS\_03 = 2;  
 ELSE IF (25 <= R04\_AX0082\_RS\_03 <= 34) OR R04\_AX0272\_RS\_03 = 3 THEN R04R\_A\_AX0082\_RS\_03 = 3; ELSE IF (35 <= R04\_AX0082\_RS\_03 <= 44) OR R04\_AX0272\_RS\_03 = 4 THEN R04R\_A\_AX0082\_RS\_03 = 4; ELSE IF (45 <= R04\_AX0082\_RS\_03 <= 54) OR R04\_AX0272\_RS\_03 = 5 THEN R04R\_A\_AX0082\_RS\_03 = 5; ELSE IF (R04\_AX0082\_RS\_03 => 55) OR R04\_AX0272\_RS\_03 = 6 THEN R04R\_A\_AX0082\_RS\_03 = 6; ELSE IF R04\_AX0082\_RS\_03 = -9 OR R04\_AX0272\_RS\_03 = -9 THEN R04R\_A\_AX0082\_RS\_03 = -99999; ELSE IF R04\_AX0082\_RS\_03 = -8 OR R04\_AX0272\_RS\_03 = -8 THEN R04R\_A\_AX0082\_RS\_03 = -99988; ELSE IF R04\_AX0082\_RS\_03 = -7 OR R04\_AX0272\_RS\_03 = -7 THEN R04R\_A\_AX0082\_RS\_03 = -99977; ELSE IF R04\_AX0082\_RS\_03 = -5 THEN R04R\_A\_AX0082\_RS\_03 = -99955; ELSE IF R04\_AX0082\_RS\_03 = -1 OR R04\_AX0272\_RS\_03 = -1 THEN R04R\_A\_AX0082\_RS\_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	157	0.5 %
2	2 = 18 to 24 years old	432	1.3 %
3	3 = 25 to 34 years old	121	0.4 %
4	4 = 35 to 44 years old	45	0.1 %
5	5 = 45 to 54 years old	10	0.0 %
6	6 = 55 years old or older	2	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>767</b>	<b>2.3%</b>

This variable has 767 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33052	97.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,055</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11562-11567 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04\_AX0220\_RS\_02: Ever used substance: Stimulants like methamphetamine or speed

Have you ever used any of the following substances?

Stimulants like methamphetamine or speed

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	488	1.4 %
2	2 = No	5533	16.4 %
	<b>Total</b>	<b>6,021</b>	<b>17.8%</b>

This variable has 6,021 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	27755	82.1 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>27,801</b>	<b>82.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11568-11573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AX0082\_RS\_04: DERIVED - Age range when first used: Stimulants like methamphetamine or speed (6 levels)

Long Description: How old were you when you first used stimulants like methamphetamine or speed?

```
Algorithm: IF (0 <= R04_AX0082_RS_04 < 18) OR R04_AX0272_RS_04 = 1 THEN
R04R_A_AX0082_RS_04 = 1; ELSE IF (18 <=
R04_AX0082_RS_04 <= 24) OR R04_AX0272_RS_04 = 2 THEN R04R_A_AX0082_RS_04 = 2;
ELSE IF (25 <= R04_AX0082_RS_04 <= 34)
OR R04_AX0272_RS_04 = 3 THEN R04R_A_AX0082_RS_04 = 3; ELSE IF (35
<= R04_AX0082_RS_04 <= 44) OR R04_AX0272_RS_04 = 4
THEN R04R_A_AX0082_RS_04 = 4; ELSE IF (45 <= R04_AX0082_RS_04 <= 54)
OR R04_AX0272_RS_04 = 5 THEN R04R_A_AX0082_RS_04
= 5; ELSE IF (R04_AX0082_RS_04 => 55) OR R04_AX0272_RS_04 = 6 THEN
R04R_A_AX0082_RS_04 = 6; ELSE IF R04_AX0082_RS_04 = -9
OR R04_AX0272_RS_04 = -9 THEN R04R_A_AX0082_RS_04 = -99999; ELSE
IF R04_AX0082_RS_04 = -8 OR R04_AX0272_RS_04 = -8 THEN
R04R_A_AX0082_RS_04 = -99988; ELSE IF R04_AX0082_RS_04 = -7 OR
R04_AX0272_RS_04 = -7 THEN R04R_A_AX0082_RS_04 = -99977;
ELSE IF R04_AX0082_RS_04 = -5 THEN R04R_A_AX0082_RS_04 = -99955;
ELSE IF R04_AX0082_RS_04 = -1 OR R04_AX0272_RS_04 = -1
THEN R04R_A_AX0082_RS_04 = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	143	0.4 %
2	2 = 18 to 24 years old	232	0.7 %
3	3 = 25 to 34 years old	90	0.3 %
4	4 = 35 to 44 years old	16	0.0 %
5	5 = 45 to 54 years old	5	0.0 %
6	6 = 55 years old or older	2	0.0 %
	<b>Total</b>	<b>488</b>	<b>1.4%</b>

This variable has 488 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33332	98.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,334</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11574-11579 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04\_AX0220\_RS\_03: Ever used substance: Any other drugs like heroin, inhalants, solvents, or hallucinogens

Have you ever used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New cohort adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	502	1.5 %
2	2 = No	5545	16.4 %
<b>Total</b>		<b>6,047</b>	<b>17.9%</b>

This variable has 6,047 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	27755	82.1 %	
<b>Total</b>		<b>27,775</b>	<b>82.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11580-11585 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AX0082\_RS\_05: DERIVED - Age range when first used: Other drugs like heroin, inhalants, solvents, or hallucinogens (6 levels)

Long Description: How old were you when you first used other drugs like heroin, inhalants, solvents, or hallucinogens?

```
Algorithm: IF (0 <= R04_AX0082_RS_05 < 18) OR R04_AX0272_RS_05 = 1 THEN
R04R_A_AX0082_RS_05 = 1; ELSE IF (18 <=
R04_AX0082_RS_05 <= 24) OR R04_AX0272_RS_05 = 2 THEN R04R_A_AX0082_RS_05 = 2;
ELSE IF (25 <= R04_AX0082_RS_05 <= 34)
OR R04_AX0272_RS_05 = 3 THEN R04R_A_AX0082_RS_05 = 3; ELSE IF (35 <=
R04_AX0082_RS_05 <= 44) OR R04_AX0272_RS_05 = 4
THEN R04R_A_AX0082_RS_05 = 4; ELSE IF (45 <= R04_AX0082_RS_05 <= 54) OR
R04_AX0272_RS_05 = 5 THEN R04R_A_AX0082_RS_05
= 5; ELSE IF (R04_AX0082_RS_05 => 55) OR R04_AX0272_RS_05 = 6 THEN
R04R_A_AX0082_RS_05 = 6; ELSE IF R04_AX0082_RS_05 = -9
OR R04_AX0272_RS_05 = -9 THEN R04R_A_AX0082_RS_05 = -99999; ELSE IF
R04_AX0082_RS_05 = -8 OR R04_AX0272_RS_05 = -8 THEN
R04R_A_AX0082_RS_05 = -99988; ELSE IF R04_AX0082_RS_05 = -7 OR
R04_AX0272_RS_05 = -7 THEN R04R_A_AX0082_RS_05 = -99977;
ELSE IF R04_AX0082_RS_05 = -5 THEN R04R_A_AX0082_RS_05 = -99955;
ELSE IF R04_AX0082_RS_05 = -1 OR R04_AX0272_RS_05 = -1
THEN R04R_A_AX0082_RS_05 = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	155	0.5 %
2	2 = 18 to 24 years old	293	0.9 %
3	3 = 25 to 34 years old	43	0.1 %
4	4 = 35 to 44 years old	9	0.0 %
5	5 = 45 to 54 years old	2	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>502</b>	<b>1.5%</b>

This variable has 502 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33318	98.5 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,320</b>	<b>98.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11586-11591 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04\_AX0089\_12M\_01: In past 12 months, used prescription drugs not prescribed to you: Ritalin® or Adderall®

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Ritalin® or Adderall®

ASK: New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing and aged-up adult respondents.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND (R04\_AX0089\_RS\_01 = 1 OR R04\_AX0089\_RS\_02 = 1)) OR R04\_ADULTTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	956	2.8 %
2	2 = No	27756	82.1 %
	<b>Total</b>	<b>28,712</b>	<b>84.9%</b>

This variable has 28,712 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	5053	14.9 %
	<b>Total</b>	<b>5,110</b>	<b>15.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11592-11597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0676\_01: In past 30 days, used: Ritalin® or Adderall®

Have you used Ritalin® or Adderall® within the past 30 days?

ASK: Adult respondents who have used a substance in the past 12 months.

ASK Specification: IF R04\_AX0089\_12M\_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	451	1.3 %
2	2 = No	502	1.5 %
	<b>Total</b>	<b>953</b>	<b>2.8%</b>

This variable has 953 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32864	97.2 %
	<b>Total</b>	<b>32,869</b>	<b>97.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11598-11603 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0089\_12M\_02: In past 12 months, used prescription drugs not prescribed to you: Painkillers, sedatives or tranquilizers

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing and aged-up adult respondents.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND (R04\_AX0089\_RS\_01 = 1 OR R04\_AX0089\_RS\_02 = 1)) OR R04\_ADULTTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2545	7.5 %
2	2 = No	26113	77.2 %
	<b>Total</b>	<b>28,658</b>	<b>84.7%</b>

This variable has 28,658 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	47	0.1 %
-7	-7 = Refused	58	0.2 %

Missing Data			
-1	-1 = Inapplicable	5053	14.9 %
	<b>Total</b>	<b>5,164</b>	<b>15.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11604-11609 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0676\_02: In past 30 days, used: Painkillers, sedatives or tranquilizers

Have you used painkillers, sedatives, or tranquilizers within the past 30 days?

ASK: Adult respondents who have used a substance in the past 12 months.

ASK Specification: IF R04\_AX0089\_12M\_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1716	5.1 %
2	2 = No	827	2.4 %
	<b>Total</b>	<b>2,543</b>	<b>7.5%</b>

This variable has 2,543 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31275	92.5 %
	<b>Total</b>	<b>31,279</b>	<b>92.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11610-11615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0220\_12M\_01: In past 12 months, used substance: Cocaine or crack

In the past 12 months, have you used any of the following substances?

Cocaine or crack

ASK: New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing and aged-up adult respondents.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND (R04\_AX0220\_RS\_01 = 1 OR R04\_AX0220\_RS\_02 = 1 OR

R04\_AX0220\_RS\_03 = 1)) OR R04\_ADULTTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	968	2.9 %
2	2 = No	27741	82.0 %
	<b>Total</b>	<b>28,709</b>	<b>84.9%</b>

This variable has 28,709 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	5052	14.9 %
	<b>Total</b>	<b>5,113</b>	<b>15.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11616-11621 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0676\_03: In past 30 days, used: Cocaine or crack

Have you used cocaine or crack within the past 30 days?

ASK: Adult respondents who have used a substance in the past 12 months.

ASK Specification: IF R04\_AX0220\_12M\_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	473	1.4 %
2	2 = No	492	1.5 %
	<b>Total</b>	<b>965</b>	<b>2.9%</b>

This variable has 965 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32852	97.1 %
	<b>Total</b>	<b>32,857</b>	<b>97.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11622-11627 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0220\_12M\_02: In past 12 months, used substance: Stimulants like methamphetamine or speed

In the past 12 months, have you used any of the following substances?

Stimulants like methamphetamine or speed

ASK: New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing and aged-up adult respondents.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND (R04\_AX0220\_RS\_01 = 1 OR R04\_AX0220\_RS\_02 = 1 OR R04\_AX0220\_RS\_03 = 1)) OR R04\_ADULTTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	527	1.6 %
2	2 = No	28122	83.1 %
	<b>Total</b>	<b>28,649</b>	<b>84.7%</b>

This variable has 28,649 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	67	0.2 %
-1	-1 = Inapplicable	5052	14.9 %
	<b>Total</b>	<b>5,173</b>	<b>15.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11628-11633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0676\_04: In past 30 days, used Stimulants like methamphetamine or speed

Have you used stimulants like methamphetamine or speed within the past 30 days?

ASK: Adult respondents who have used a substance in the past 12 months.

ASK Specification: IF R04\_AX0220\_12M\_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	300	0.9 %
2	2 = No	224	0.7 %
	<b>Total</b>	<b>524</b>	<b>1.5%</b>

This variable has 524 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33293	98.4 %
	<b>Total</b>	<b>33,298</b>	<b>98.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11634-11639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

### R04\_AX0220\_12M\_03: In past 12 months, used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

In the past 12 months, have you used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing and aged-up adult respondents.

ASK Specification: IF (R04\_ADULTTYPE = 3 AND (R04\_AX0220\_RS\_01 = 1 OR R04\_AX0220\_RS\_02 = 1 OR R04\_AX0220\_RS\_03 = 1)) OR R04\_ADULTTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	697	2.1 %
2	2 = No	28022	82.9 %
	<b>Total</b>	<b>28,719</b>	<b>84.9%</b>

This variable has 28,719 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	5052	14.9 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>5,103</b>	<b>15.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11640-11645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0676\_05: In past 30 days, used: Any other drugs like heroin, inhalants, solvents or hallucinogens

Have you used other drugs like heroin, inhalants, solvents, or hallucinogens within the past 30 days?

ASK: Adult respondents who have used a substance in the past 12 months.

ASK Specification: IF R04\_AX0220\_12M\_03 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	286	0.8 %
2	2 = No	411	1.2 %
	<b>Total</b>	<b>697</b>	<b>2.1%</b>

This variable has 697 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33123	97.9 %
	<b>Total</b>	<b>33,125</b>	<b>97.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11646-11651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0170: Last time that you used alcohol or other drugs weekly or more often

When was the last time that...

You used alcohol or other drugs weekly or more often?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	10200	30.2 %
2	2 = 2 to 12 months ago	3467	10.3 %
3	3 = Over a year ago	4901	14.5 %
4	4 = Never	11826	35.0 %
	<b>Total</b>	<b>30,394</b>	<b>89.9%</b>

This variable has 30,394 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	76	0.2 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	3245	9.6 %
	<b>Total</b>	<b>3,428</b>	<b>10.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11652-11657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0175\_01: Substance used weekly or more often: Alcohol

You mentioned that you used alcohol or drugs at least weekly sometime in the past.

Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you.

Choose all that apply.

Alcohol

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04\_AX0170 = 1, 2, 3 AND R04\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R04\_EVER\_USER\_OTHER = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11232	33.2 %
2	2 = Not Marked	2917	8.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>14,149</b>	<b>41.8%</b>

This variable has 14,149 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	85	0.3 %
-7	-7 = Refused	90	0.3 %
-1	-1 = Inapplicable	19496	57.6 %
	<b>Total</b>	<b>19,673</b>	<b>58.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11658-11663 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0175\_02: Substance used weekly or more often: Marijuana, hash, THC or grass, pot or weed

You mentioned that you used alcohol or drugs at least weekly sometime in the past.

Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you.

Choose all that apply.

Marijuana, hash, THC, or grass, pot, or weed

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04\_AX0170 = 1, 2, 3 AND R04\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R04\_EVER\_USER\_OTHER = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5552	16.4 %
2	2 = Not Marked	8597	25.4 %
	<b>Total</b>	<b>14,149</b>	<b>41.8%</b>

This variable has 14,149 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	85	0.3 %	
-7	-7 = Refused	90	0.3 %	
-1	-1 = Inapplicable	19496	57.6 %	
<b>Total</b>		<b>19,673</b>	<b>58.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11664-11669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0175\_03: Substance used weekly or more often: Ritalin® or Adderall®

You mentioned that you used alcohol or drugs at least weekly sometime in the past.

Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you.

Choose all that apply.

Ritalin® or Adderall®

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04\_AX0170 = 1, 2, 3 AND R04\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	255	0.8 %
2	2 = Not Marked	13894	41.1 %
<b>Total</b>		<b>14,149</b>	<b>41.8%</b>

This variable has 14,149 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	85	0.3 %	
-7	-7 = Refused	90	0.3 %	

Missing Data			
-1	-1 = Inapplicable	19496	57.6 %
	<b>Total</b>	<b>19,673</b>	<b>58.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11670-11675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0175\_04: Substance used weekly or more often: Painkillers, sedatives or tranquilizers

You mentioned that you used alcohol or drugs at least weekly sometime in the past.

Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you.

Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04\_AX0170 = 1, 2, 3 AND R04\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	951	2.8 %
2	2 = Not Marked	13198	39.0 %
	<b>Total</b>	<b>14,149</b>	<b>41.8%</b>

This variable has 14,149 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	85	0.3 %
-7	-7 = Refused	90	0.3 %
-1	-1 = Inapplicable	19496	57.6 %
	<b>Total</b>	<b>19,673</b>	<b>58.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11676-11681 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0175\_05: Substance used weekly or more often: Cocaine or crack

You mentioned that you used alcohol or drugs at least weekly sometime in the past.

Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you.

Choose all that apply.

Cocaine or crack

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04\_AX0170 = 1, 2, 3 AND R04\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	436	1.3 %
2	2 = Not Marked	13713	40.5 %
	<b>Total</b>	<b>14,149</b>	<b>41.8%</b>

This variable has 14,149 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	85	0.3 %	
-7	-7 = Refused	90	0.3 %	
-1	-1 = Inapplicable	19496	57.6 %	
	<b>Total</b>	<b>19,673</b>	<b>58.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11682-11687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0175\_06: Substance used weekly or more often: Stimulants like methamphetamine or speed

You mentioned that you used alcohol or drugs at least weekly sometime in the past.

Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04\_AX0170 = 1, 2, 3 AND R04\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.]

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	429	1.3 %
2	2 = Not Marked	13720	40.6 %
	<b>Total</b>	<b>14,149</b>	<b>41.8%</b>

This variable has 14,149 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	85	0.3 %	
-7	-7 = Refused	90	0.3 %	
-1	-1 = Inapplicable	19496	57.6 %	
	<b>Total</b>	<b>19,673</b>	<b>58.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11688-11693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0175\_07: Substance used weekly or more often: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that you used alcohol or drugs at least weekly sometime in the past.

Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04\_AX0170 = 1, 2, 3 AND R04\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	309	0.9 %
2	2 = Not Marked	13840	40.9 %
	<b>Total</b>	<b>14,149</b>	<b>41.8%</b>

This variable has 14,149 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	85	0.3 %	
-7	-7 = Refused	90	0.3 %	
-1	-1 = Inapplicable	19496	57.6 %	
	<b>Total</b>	<b>19,673</b>	<b>58.2%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 11694-11699 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0171: Last time that you spent a lot of time getting alcohol or other drugs

When was the last time that...

You spent a lot of time getting alcohol or other drugs?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3898	11.5 %
2	2 = 2 to 12 months ago	2279	6.7 %
3	3 = Over a year ago	4043	12.0 %

Value	Label	Unweighted Frequency	%
4	4 = Never	20142	59.6 %
	<b>Total</b>	<b>30,362</b>	<b>89.8%</b>

This variable has 30,362 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	111	0.3 %
-7	-7 = Refused	102	0.3 %
-1	-1 = Inapplicable	3245	9.6 %
	<b>Total</b>	<b>3,460</b>	<b>10.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11700-11705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0172: Last time that you kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	1050	3.1 %
2	2 = 2 to 12 months ago	969	2.9 %
3	3 = Over a year ago	3062	9.1 %
4	4 = Never	25362	75.0 %
	<b>Total</b>	<b>30,443</b>	<b>90.0%</b>

This variable has 30,443 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	91	0.3 %
-1	-1 = Inapplicable	3245	9.6 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>3,379</b>	<b>10.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11706-11711 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0173: Last time that your use of alcohol or other drugs reduced your involvement in activities at work, school, home or social events

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	951	2.8 %
2	2 = 2 to 12 months ago	939	2.8 %
3	3 = Over a year ago	2688	7.9 %
4	4 = Never	25859	76.5 %
	<b>Total</b>	<b>30,437</b>	<b>90.0%</b>

This variable has 30,437 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.2 %
-7	-7 = Refused	86	0.3 %
-1	-1 = Inapplicable	3245	9.6 %
	<b>Total</b>	<b>3,385</b>	<b>10.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11712-11717 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0193: Last time you spent a lot of time using or recovering from alcohol or other drugs

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	1221	3.6 %
2	2 = 2 to 12 months ago	1150	3.4 %
3	3 = Over a year ago	3161	9.3 %
4	4 = Never	24920	73.7 %
	<b>Total</b>	<b>30,452</b>	<b>90.0%</b>

This variable has 30,452 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.1 %
-7	-7 = Refused	78	0.2 %
-1	-1 = Inapplicable	3245	9.6 %
	<b>Total</b>	<b>3,370</b>	<b>10.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11718-11723 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0174: Last time that you had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	920	2.7 %
2	2 = 2 to 12 months ago	820	2.4 %
3	3 = Over a year ago	2037	6.0 %
4	4 = Never	26683	78.9 %
	<b>Total</b>	<b>30,460</b>	<b>90.1%</b>

This variable has 30,460 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	74	0.2 %
-1	-1 = Inapplicable	3245	9.6 %
<b>Total</b>		<b>3,362</b>	<b>9.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11724-11729 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0194: Last time you used any alcohol or other drugs to stop being sick or avoid withdrawal problems

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	701	2.1 %
2	2 = 2 to 12 months ago	574	1.7 %
3	3 = Over a year ago	1489	4.4 %
4	4 = Never	27699	81.9 %
<b>Total</b>		<b>30,463</b>	<b>90.1%</b>

This variable has 30,463 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	79	0.2 %
-1	-1 = Inapplicable	3245	9.6 %
<b>Total</b>		<b>3,359</b>	<b>9.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11730-11735 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0176\_01: Substance that caused some problems for you: Alcohol

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?  
Please do not include drugs that were prescribed for you. Choose all that apply.

### Alcohol

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 2 AND (R04\_AX0193 = 1, 2, 3 OR R04\_AX0172 = 1, 2, 3 OR R04\_AX0173 = 1, 2, 3 OR R04\_AX0174 = 1, 2, 3 OR R04\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5175	15.3 %
2	2 = Not Marked	1686	5.0 %
	<b>Total</b>	<b>6,861</b>	<b>20.3%</b>

This variable has 6,861 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	226	0.7 %
-7	-7 = Refused	166	0.5 %
-1	-1 = Inapplicable	26567	78.5 %
	<b>Total</b>	<b>26,961</b>	<b>79.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11736-11741 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0176\_02: Substance that caused some problems for you: Marijuana, hash, THC or grass, pot or weed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 2 AND (R04\_AX0193 = 1, 2, 3 OR R04\_AX0172 = 1, 2, 3 OR R04\_AX0173 = 1, 2, 3 OR R04\_AX0174 = 1, 2, 3 OR R04\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1392	4.1 %
2	2 = Not Marked	5469	16.2 %
	<b>Total</b>	<b>6,861</b>	<b>20.3%</b>

This variable has 6,861 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	226	0.7 %
-7	-7 = Refused	166	0.5 %
-1	-1 = Inapplicable	26567	78.5 %
	<b>Total</b>	<b>26,961</b>	<b>79.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11742-11747 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0176\_03: Substance that caused some problems for you: Ritalin® or Adderall®

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?  
Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 2 AND (R04\_AX0193 = 1, 2, 3 OR R04\_AX0172 = 1, 2, 3 OR R04\_AX0173 = 1, 2, 3 OR R04\_AX0174 = 1, 2, 3 OR R04\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	146	0.4 %
2	2 = Not Marked	6715	19.9 %
<b>Total</b>		<b>6,861</b>	<b>20.3%</b>

This variable has 6,861 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	226	0.7 %
-7	-7 = Refused	166	0.5 %
-1	-1 = Inapplicable	26567	78.5 %
<b>Total</b>		<b>26,961</b>	<b>79.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11748-11753 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0176\_04: Substance that caused some problems for you: Painkillers, sedatives or tranquilizers

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 2 AND (R04\_AX0193 = 1, 2, 3 OR R04\_AX0172 = 1, 2, 3 OR R04\_AX0173 = 1, 2, 3 OR R04\_AX0174 = 1, 2, 3 OR R04\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	560	1.7 %
2	2 = Not Marked	6301	18.6 %
<b>Total</b>		<b>6,861</b>	<b>20.3%</b>

This variable has 6,861 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	226	0.7 %
-7	-7 = Refused	166	0.5 %
-1	-1 = Inapplicable	26567	78.5 %
<b>Total</b>		<b>26,961</b>	<b>79.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11754-11759 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0176\_05: Substance that caused some problems for you: Cocaine or crack

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?  
Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 2 AND (R04\_AX0193 = 1, 2, 3 OR R04\_AX0172 = 1, 2, 3 OR R04\_AX0173 = 1, 2, 3 OR R04\_AX0174 = 1, 2, 3 OR R04\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	516	1.5 %
2	2 = Not Marked	6345	18.8 %
	<b>Total</b>	<b>6,861</b>	<b>20.3%</b>

This variable has 6,861 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	226	0.7 %
-7	-7 = Refused	166	0.5 %
-1	-1 = Inapplicable	26567	78.5 %
	<b>Total</b>	<b>26,961</b>	<b>79.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11760-11765 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0176\_06: Substance that caused some problems for you: Stimulants like methamphetamine or speed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 2 AND (R04\_AX0193 = 1, 2, 3 OR R04\_AX0172 = 1, 2, 3 OR R04\_AX0173 = 1, 2, 3 OR R04\_AX0174 = 1, 2, 3 OR R04\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	473	1.4 %
2	2 = Not Marked	6388	18.9 %
	<b>Total</b>	<b>6,861</b>	<b>20.3%</b>

This variable has 6,861 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	226	0.7 %
-7	-7 = Refused	166	0.5 %
-1	-1 = Inapplicable	26567	78.5 %
	<b>Total</b>	<b>26,961</b>	<b>79.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11766-11771 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R04\_AX0176\_07: Substance that caused some problems for you: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04\_SUBSTANCE\_COUNT >= 2 AND (R04\_AX0193 = 1, 2, 3 OR R04\_AX0172 = 1, 2, 3 OR R04\_AX0173 = 1, 2, 3 OR R04\_AX0174 = 1, 2, 3 OR R04\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF R04\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R04\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R04\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R04\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R04\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R04\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R04\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	369	1.1 %
2	2 = Not Marked	6492	19.2 %
	<b>Total</b>	<b>6,861</b>	<b>20.3%</b>

This variable has 6,861 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	226	0.7 %
-7	-7 = Refused	166	0.5 %
-1	-1 = Inapplicable	26567	78.5 %
	<b>Total</b>	<b>26,961</b>	<b>79.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11772-11777 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0689\_NB\_01: Close biological or blood relative(s) ever told by a health professional that they had: Asthma

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

Asthma

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2423	7.2 %
2	2 = No	5473	16.2 %
	<b>Total</b>	<b>7,896</b>	<b>23.3%</b>

This variable has 7,896 valid cases out of 33,822 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,926</b>	<b>76.7%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11778-11783 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R04\_AX0689\_NB\_02: Close biological or blood relative(s) ever told by a health professional that they had: High blood pressure

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

High blood pressure

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4347	12.9 %

Value	Label	Unweighted Frequency	%
2	2 = No	3534	10.4 %
	<b>Total</b>	<b>7,881</b>	<b>23.3%</b>

This variable has 7,881 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	59	0.2 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,941</b>	<b>76.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11784-11789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0689\_NB\_03: Close biological or blood relative(s) ever told by a health professional that they had: High cholesterol

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

High cholesterol

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3266	9.7 %
2	2 = No	4608	13.6 %
	<b>Total</b>	<b>7,874</b>	<b>23.3%</b>

This variable has 7,874 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	68	0.2 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,948</b>	<b>76.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11790-11795 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0689\_NB\_04: Close biological or blood relative(s) ever told by a health professional that they had: A heart attack or needed bypass surgery

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

A heart attack or needed bypass surgery

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2034	6.0 %
2	2 = No	5859	17.3 %
	<b>Total</b>	<b>7,893</b>	<b>23.3%</b>

This variable has 7,893 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
	<b>Total</b>	<b>25,929</b>	<b>76.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11796-11801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0689\_12M\_01: In past 12 months, close biological or blood relative(s) told by a health professional that they had: Asthma

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

Asthma

ASK: Continuing adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3350	9.9 %
2	2 = No	22362	66.1 %
	<b>Total</b>	<b>25,712</b>	<b>76.0%</b>

This variable has 25,712 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	97	0.3 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	7965	23.5 %
	<b>Total</b>	<b>8,110</b>	<b>24.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11802-11807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0689\_12M\_02: In past 12 months, close biological or blood relative(s) told by a health professional that they had: High blood pressure

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

High blood pressure

ASK: Continuing adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8623	25.5 %
2	2 = No	17032	50.4 %
	<b>Total</b>	<b>25,655</b>	<b>75.9%</b>

This variable has 25,655 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	145	0.4 %
-7	-7 = Refused	55	0.2 %
-1	-1 = Inapplicable	7965	23.5 %
	<b>Total</b>	<b>8,167</b>	<b>24.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11808-11813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0689\_12M\_03: In past 12 months, close biological or blood relative(s) told by a health professional that they had: High cholesterol

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

High cholesterol

ASK: Continuing adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6650	19.7 %
2	2 = No	19004	56.2 %
	<b>Total</b>	<b>25,654</b>	<b>75.9%</b>

This variable has 25,654 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	163	0.5 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	7965	23.5 %
	<b>Total</b>	<b>8,168</b>	<b>24.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11814-11819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0689\_12M\_04: In past 12 months, close biological or blood relative(s) told by a health professional that they had: A heart attack or needed bypass surgery

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

A heart attack or needed bypass surgery

ASK: Continuing adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2265	6.7 %
2	2 = No	23449	69.3 %
	<b>Total</b>	<b>25,714</b>	<b>76.0%</b>

This variable has 25,714 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	103	0.3 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	7965	23.5 %
	<b>Total</b>	<b>8,108</b>	<b>24.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11820-11825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0195: Any close biological (blood) relatives (living or deceased) were told they had a heart attack or needed bypass surgery before the age of 50

Were they told they had a heart attack or needed bypass surgery before the age of 50?

ASK: New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, or continuing adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery.

ASK Specification: IF R04\_AX0689\_NB\_04 = 1 OR R04\_AX0689\_12M\_04 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1314	3.9 %
2	2 = No	2956	8.7 %
	<b>Total</b>	<b>4,270</b>	<b>12.6%</b>

This variable has 4,270 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	29521	87.3 %
	<b>Total</b>	<b>29,552</b>	<b>87.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11826-11831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0707: Close biological or blood relatives have used any tobacco products

Have any of your close biological or blood relatives used any tobacco products?

By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus or other types of smokeless tobacco (such as dip, spit or chew), and dissolvable tobacco.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18708	55.3 %
2	2 = No	14855	43.9 %
	<b>Total</b>	<b>33,563</b>	<b>99.2%</b>

This variable has 33,563 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	180	0.5 %
-7	-7 = Refused	77	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>259</b>	<b>0.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11832-11837 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0731: Close biological or blood relatives ever been an alcoholic or problem drinker

Have any of your close biological or blood relatives ever been an alcoholic or problem drinker?

By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11396	33.7 %
2	2 = No	22171	65.6 %
	<b>Total</b>	<b>33,567</b>	<b>99.2%</b>

This variable has 33,567 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	159	0.5 %
-7	-7 = Refused	94	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>255</b>	<b>0.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11838-11843 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0732: Close biological or blood relatives ever had problems with drugs

Have any of your close biological or blood relatives ever had problems with drugs?

By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7769	23.0 %
2	2 = No	25781	76.2 %
<b>Total</b>		<b>33,550</b>	<b>99.2%</b>

This variable has 33,550 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	172	0.5 %
-7	-7 = Refused	98	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>272</b>	<b>0.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11844-11849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0401\_NB: Your mother used tobacco while she was pregnant with you

Did your mother use tobacco while she was pregnant with you?

ASK: New baseline adult respondents.

ASK Specification: IF R04\_ADULTTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = I don't know	1209	3.6 %
2	2 = Yes	602	1.8 %
3	3 = No	6113	18.1 %
<b>Total</b>		<b>7,924</b>	<b>23.4%</b>

This variable has 7,924 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	25855	76.4 %
<b>Total</b>		<b>25,898</b>	<b>76.6%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 11850-11855 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

### R04\_AX0708\_01: In the past 12 months, received discounts or coupons for any of the following products: Cigarettes

In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

Cigarettes

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6045	17.9 %
2	2 = Not Marked	27643	81.7 %
<b>Total</b>		<b>33,688</b>	<b>99.6%</b>

This variable has 33,688 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.2 %
-7	-7 = Refused	65	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>134</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11856-11861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0708\_02: In the past 12 months, received discounts or coupons for any of the following products: E-cigarettes or other electronic nicotine products (including e-liquid)

In the past 12 months, have you received discounts or coupons for any of the following products?  
Choose all that apply.

E-cigarettes or other electronic nicotine products (including e-liquid)

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	1330	3.9 %
2	2 = Not Marked	32358	95.7 %
	<b>Total</b>	<b>33,688</b>	<b>99.6%</b>

This variable has 33,688 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.2 %
-7	-7 = Refused	65	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>134</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11862-11867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0708\_03: In the past 12 months, received discounts or coupons for any of the following products: Cigars

In the past 12 months, have you received discounts or coupons for any of the following products?  
Choose all that apply.

Cigars

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	426	1.3 %
2	2 = Not Marked	33262	98.3 %
	<b>Total</b>	<b>33,688</b>	<b>99.6%</b>

This variable has 33,688 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.2 %
-7	-7 = Refused	65	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>134</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11868-11873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0708\_04: In the past 12 months, received discounts or coupons for any of the following products: Shisha or hookah tobacco

In the past 12 months, have you received discounts or coupons for any of the following products?  
Choose all that apply.

Shisha or hookah tobacco

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	127	0.4 %
2	2 = Not Marked	33561	99.2 %
	<b>Total</b>	<b>33,688</b>	<b>99.6%</b>

This variable has 33,688 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.2 %
-7	-7 = Refused	65	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>134</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11874-11879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0708\_05: In the past 12 months, received discounts or coupons for any of the following products: Snus

In the past 12 months, have you received discounts or coupons for any of the following products?  
Choose all that apply.

Snus

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	454	1.3 %
2	2 = Not Marked	33234	98.3 %
	<b>Total</b>	<b>33,688</b>	<b>99.6%</b>

This variable has 33,688 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.2 %
-7	-7 = Refused	65	0.2 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>134</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11880-11885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0708\_06: In the past 12 months, received discounts or coupons for any of the following products: Other types of smokeless tobacco

In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

Other types of smokeless tobacco (such as dip, spit or chew)

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	762	2.3 %
2	2 = Not Marked	32926	97.4 %
	<b>Total</b>	<b>33,688</b>	<b>99.6%</b>

This variable has 33,688 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.2 %
-7	-7 = Refused	65	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>134</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11886-11891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0708\_07: In the past 12 months, received discounts or coupons for any of the following products: Some other type of tobacco product

In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

Some other type of tobacco product

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	170	0.5 %
2	2 = Not Marked	33518	99.1 %
	<b>Total</b>	<b>33,688</b>	<b>99.6%</b>

This variable has 33,688 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	67	0.2 %	
-7	-7 = Refused	65	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>134</b>	<b>0.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11892-11897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0708\_08: In the past 12 months, received discounts or coupons for any of the following products: None of the above

In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

None of the above

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26544	78.5 %
2	2 = Not Marked	7144	21.1 %
	<b>Total</b>	<b>33,688</b>	<b>99.6%</b>

This variable has 33,688 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.2 %
-7	-7 = Refused	65	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>134</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11898-11903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0178: In past 30 days, noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold

In the past 30 days, have you noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14581	43.1 %
2	2 = No	19174	56.7 %
<b>Total</b>		<b>33,755</b>	<b>99.8%</b>

This variable has 33,755 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>67</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11904-11909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0715: In past 30 days, bought a brand of tobacco product other than your usual brand

In the past 30 days, have you bought a brand of tobacco product other than your usual brand?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AXR67.]

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_REGULAR\_BRAND = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1812	5.4 %
2	2 = No	9658	28.6 %
	<b>Total</b>	<b>11,470</b>	<b>33.9%</b>

This variable has 11,470 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	22307	66.0 %
	<b>Total</b>	<b>22,352</b>	<b>66.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11910-11915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0716: How many times you bought a brand of tobacco product other than your usual brand in the past 30 days

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_REGULAR\_BRAND = 1 AND R04\_AX0715 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Once or twice	941	2.8 %
2	2 = A few times	716	2.1 %
3	3 = Quite regularly	147	0.4 %
	<b>Total</b>	<b>1,804</b>	<b>5.3%</b>

This variable has 1,804 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	32008	94.6 %	
<b>Total</b>		<b>32,018</b>	<b>94.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11916-11921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0210: In past 30 days, bought a brand other than usual brand because you noticed it displayed in the store or on signs

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because you noticed it displayed in the store or on signs?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0717.]

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_REGULAR\_BRAND = 1 AND R04\_AX0715 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	512	1.5 %
2	2 = No	1299	3.8 %
<b>Total</b>		<b>1,811</b>	<b>5.4%</b>

This variable has 1,811 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32008	94.6 %
<b>Total</b>		<b>32,011</b>	<b>94.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11922-11927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0211: In past 30 days, how many times you have bought a brand other than your usual brand because you noticed it displayed in the store or on signs

In the past 30 days, has this happened just once or twice, or quite regularly?

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because they noticed it displayed in the store or on signs.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_REGULAR\_BRAND = 1 AND R04\_AX0715 = 1 AND R04\_AX0210 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Once or twice	268	0.8 %
2	2 = A few times	208	0.6 %
3	3 = Quite regularly	32	0.1 %
<b>Total</b>		<b>508</b>	<b>1.5%</b>

This variable has 508 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33308	98.5 %
<b>Total</b>		<b>33,314</b>	<b>98.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11928-11933 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0717: In the past 30 days, bought a brand of tobacco product other than your usual brand because it was on sale or there was deal

In the past 30 days, when you were in a store that sells tobacco, did you buy a brand of tobacco product other than your usual brand because you noticed it was on sale or there was a deal like 2-for-1?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R04\_AXR67.]

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_REGULAR\_BRAND = 1 AND R04\_AX0715 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	851	2.5 %

Value	Label	Unweighted Frequency	%
2	2 = No	957	2.8 %
	<b>Total</b>	<b>1,808</b>	<b>5.3%</b>

This variable has 1,808 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32008	94.6 %
	<b>Total</b>	<b>32,014</b>	<b>94.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11934-11939 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0718: How many times you bought a brand of tobacco product other than your usual brand because it was on sale or there was a deal in the past 30 days

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because it was on sale or there was a deal.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1 AND R04\_REGULAR\_BRAND = 1 AND R04\_AX0715 = 1 AND R04\_AX0717 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Once or twice	435	1.3 %
2	2 = A few times	350	1.0 %
3	3 = Quite regularly	64	0.2 %
	<b>Total</b>	<b>849</b>	<b>2.5%</b>

This variable has 849 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32969	97.5 %
	<b>Total</b>	<b>32,973</b>	<b>97.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11940-11945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0209: In past 30 days, bought a brand of tobacco product because you noticed a promotion for it

In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?

[Go to R04\_AX0678.]

ASK: Young adult respondents who are current established or current tobacco users and use a product for which they do not have a regular brand and have bought a brand of tobacco product other than their usual brand in the past 30 days.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_TOBACCO\_USER\_STATUS = 1, 2 AND R04\_NO\_REGULAR\_BRAND = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	129	0.4 %
2	2 = No	2279	6.7 %
	<b>Total</b>	<b>2,408</b>	<b>7.1%</b>

This variable has 2,408 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	18	0.1 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31385	92.8 %
	<b>Total</b>	<b>31,414</b>	<b>92.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11946-11951 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0212: Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs where tobacco is sold, has given you an urge to buy tobacco

Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs that tobacco is sold there, has given you an urge to buy tobacco?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AX0678.]

ASK: Adult respondents who are former experimental, recent former established, or long-term former established users of tobacco.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	665	2.0 %
2	2 = No	11066	32.7 %
	<b>Total</b>	<b>11,731</b>	<b>34.7%</b>

This variable has 11,731 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	20	0.1 %
-8	-8 = Don't know	43	0.1 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	22003	65.1 %
	<b>Total</b>	<b>22,091</b>	<b>65.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11952-11957 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R04\_AX0213: In past 30 days, how many times since you quit using tobacco have you had an urge to buy tobacco when you saw a tobacco product display or other signs where tobacco is sold

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

ASK: Adult respondents who are former experimental, recent former established, or long-term former established users of tobacco and had the urge to buy tobacco when seeing a tobacco product display since quitting using tobacco.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 3, 4, 5 AND R04\_AX0212 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Once or twice	428	1.3 %
2	2 = A few times	162	0.5 %
3	3 = Quite regularly	45	0.1 %
	<b>Total</b>	<b>635</b>	<b>1.9%</b>

This variable has 635 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	27	0.1 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33155	98.0 %	
<b>Total</b>		<b>33,187</b>	<b>98.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11958-11963 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0678: In past 30 days, got a free sample of an e-cigarette or other electronic nicotine product

In the past 30 days, have you gotten a free sample of an e-cigarette or other electronic nicotine product (including e-liquid)?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	653	1.9 %
2	2 = No	33097	97.9 %
<b>Total</b>		<b>33,750</b>	<b>99.8%</b>

This variable has 33,750 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	29	0.1 %	
-7	-7 = Refused	41	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>72</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11964-11969 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0203\_01: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Have not seen any advertisements

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

I have not seen any advertisements in the past 30 days

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17177	50.8 %
2	2 = Not Marked	16275	48.1 %
	<b>Total</b>	<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	231	0.7 %
-7	-7 = Refused	137	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>370</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11970-11975 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0203\_02: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At gas stations, convenience stores, or other retail stores

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12562	37.1 %
2	2 = Not Marked	20890	61.8 %
	<b>Total</b>	<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	231	0.7 %	
-7	-7 = Refused	137	0.4 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>370</b>	<b>1.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11976-11981 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0203\_03: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On billboards

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	3329	9.8 %
2	2 = Not Marked	30123	89.1 %
	<b>Total</b>	<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	231	0.7 %	
-7	-7 = Refused	137	0.4 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>370</b>	<b>1.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 11982-11987 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0203\_04: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: In newspapers or magazines

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3168	9.4 %
2	2 = Not Marked	30284	89.5 %
	<b>Total</b>	<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	231	0.7 %
-7	-7 = Refused	137	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>370</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11988-11993 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0203\_05: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On radio

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On radio

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1850	5.5 %
2	2 = Not Marked	31602	93.4 %
	<b>Total</b>	<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	231	0.7 %
-7	-7 = Refused	137	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>370</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 11994-11999 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0203\_06: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On television

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On television

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3993	11.8 %
2	2 = Not Marked	29459	87.1 %
	<b>Total</b>	<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	231	0.7 %
-7	-7 = Refused	137	0.4 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>370</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12000-12005 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0203\_07: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At events like fairs, festivals, or sporting events

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At events like fairs, festivals, or sporting events

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1080	3.2 %
2	2 = Not Marked	32372	95.7 %
	<b>Total</b>	<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	231	0.7 %
-7	-7 = Refused	137	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>370</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12006-12011 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0203\_08: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1569	4.6 %
2	2 = Not Marked	31883	94.3 %
	<b>Total</b>	<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	231	0.7 %
-7	-7 = Refused	137	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>370</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12012-12017 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R04\_AX0203\_09: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On websites or social media sites

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3414	10.1 %
2	2 = Not Marked	30038	88.8 %
	<b>Total</b>	<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	231	0.7 %	
-7	-7 = Refused	137	0.4 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>370</b>	<b>1.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12018-12023 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0203\_10: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Somewhere else

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

Somewhere else (SPECIFY)

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	348	1.0 %
2	2 = Not Marked	33104	97.9 %
<b>Total</b>		<b>33,452</b>	<b>98.9%</b>

This variable has 33,452 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	231	0.7 %	
-7	-7 = Refused	137	0.4 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>370</b>	<b>1.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12024-12029 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0709: Has a favorite e-cigarette or electronic nicotine product advertisement

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	326	1.0 %
2	2 = No	33419	98.8 %
	<b>Total</b>	<b>33,745</b>	<b>99.8%</b>

This variable has 33,745 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	38	0.1 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>77</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12030-12035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0677\_01: In past 30 days, noticed cigarettes or other tobacco products being advertised: Have not seen any advertisements

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

I haven't seen any advertisements in the past 30 days

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16740	49.5 %
2	2 = Not Marked	16781	49.6 %
	<b>Total</b>	<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12036-12041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0677\_02: In past 30 days, noticed cigarettes or other tobacco products being advertised: At gas stations, convenience stores, or other retail stores

In the past 30 days, have you noticed cigarettes or other tobacco products  
(not including e-cigarettes or electronic nicotine products) being advertised in any of the following places?  
Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	14287	42.2 %
2	2 = Not Marked	19234	56.9 %
<b>Total</b>		<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12042-12047 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0677\_03: In past 30 days, noticed cigarettes or other tobacco products being advertised: On billboards

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2849	8.4 %
2	2 = Not Marked	30672	90.7 %
	<b>Total</b>	<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12048-12053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0677\_04: In past 30 days, noticed cigarettes or other tobacco products being advertised: In newspapers or magazines

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2934	8.7 %
2	2 = Not Marked	30587	90.4 %
	<b>Total</b>	<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12054-12059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0677\_05: In past 30 days, noticed cigarettes or other tobacco products being advertised: On radio

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On radio

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1294	3.8 %
2	2 = Not Marked	32227	95.3 %
	<b>Total</b>	<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %

Missing Data			
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12060-12065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0677\_06: In past 30 days, noticed cigarettes or other tobacco products being advertised: On television

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On television

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2920	8.6 %
2	2 = Not Marked	30601	90.5 %
	<b>Total</b>	<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12066-12071 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0677\_07: In past 30 days, noticed cigarettes or other tobacco products being advertised: At events like fairs, festivals, or sporting events

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised

in any of the following places? Choose all that apply.

At events like fairs, festivals, or sporting events

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	930	2.7 %
2	2 = Not Marked	32591	96.4 %
	<b>Total</b>	<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 12072-12077 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

#### R04\_AX0677\_08: In past 30 days, noticed cigarettes or other tobacco products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1377	4.1 %
2	2 = Not Marked	32144	95.0 %
	<b>Total</b>	<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12078-12083 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0677\_09: In past 30 days, noticed cigarettes or other tobacco products being advertised: On websites or social media sites

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.

If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2185	6.5 %
2	2 = Not Marked	31336	92.6 %
<b>Total</b>		<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12084-12089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0677\_10: In past 30 days, noticed cigarettes or other tobacco products being advertised: Somewhere else

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

Somewhere else (SPECIFY)

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply.  
If option 1 is selected, no other option can be selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	164	0.5 %
2	2 = Not Marked	33357	98.6 %
	<b>Total</b>	<b>33,521</b>	<b>99.1%</b>

This variable has 33,521 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	121	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>301</b>	<b>0.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12090-12095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AX0710: Has a favorite tobacco advertisement

Do you have a favorite tobacco advertisement?

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Yes	122	0.4 %
2	2 = No	11118	32.9 %
	<b>Total</b>	<b>11,240</b>	<b>33.2%</b>

This variable has 11,240 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	27	0.1 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	22537	66.6 %
<b>Total</b>		<b>22,582</b>	<b>66.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12096-12101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0777: In past 12 months, how often saw an anti-tobacco advertising campaign

In the past 12 months, how often did you see an anti-tobacco advertising campaign?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10281	30.4 %
2	2 = Rarely	8803	26.0 %
3	3 = Sometimes	9688	28.6 %
4	4 = Often	4924	14.6 %
<b>Total</b>		<b>33,696</b>	<b>99.6%</b>

This variable has 33,696 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	73	0.2 %
-7	-7 = Refused	51	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>126</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12102-12107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AM0017: DERIVED - Recoded reason for not working for pay (5 levels)

Long Description: Are you currently. . .

Algorithm: If R04\_AM0017 = 1 then R04R\_A\_AM0017 = 1; Else if R04\_AM0017 in (2,3) then R04R\_A\_AM0017 = 2; Else if R04\_AM0017 = 4 then R04R\_A\_AM0017 = 3; Else if R04\_AM0017 in (5,6) then R04R\_A\_AM0017 = 4; Else if R04\_AM0017 = 7 then R04R\_A\_AM0017 = 5; ELSE IF R04\_AM0017 = -9 THEN R04R\_A\_AM0017 = -99999 ; ELSE IF R04\_AM0017 = -8 THEN R04R\_A\_AM0017 = -99988 ; ELSE IF R04\_AM0017 = -7 THEN R04R\_A\_AM0017 = -99977 ; ELSE IF R04\_AM0017 = -1 THEN R04R\_A\_AM0017 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Looking for paid work	2642	7.8 %
2	2 = A student, homemaker, or caregiver not looking for paid work	2521	7.5 %
3	3 = Retired	2773	8.2 %
4	4 = Unable to work for physical, mental health, or other reasons	2143	6.3 %
5	5 = None of the above	1194	3.5 %
<b>Total</b>		<b>11,273</b>	<b>33.3%</b>

This variable has 11,273 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	29	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	22507	66.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>22,549</b>	<b>66.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12108-12113 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_AM0018\_V2: DERIVED - Recoded education level (5 levels)

Long Description: What is the highest grade or level of school you completed?

Algorithm: IF R04\_AM0018 in (1,2) THEN R04R\_A\_AM0018\_V2 = 1; ELSE IF R04\_AM0018 = 3 THEN R04R\_A\_AM0018\_V2 = 2; ELSE IF R04\_AM0018 = 4 THEN R04R\_A\_AM0018\_V2 = 3; ELSE IF R04\_AM0018 in (5,6,7) THEN R04R\_A\_AM0018\_V2 = 4; ELSE IF R04\_AM0018 in (8,9,10,11) THEN R04R\_A\_AM0018\_V2 = 5; ELSE IF R04\_AM0018 = -9 THEN R04R\_A\_AM0018\_V2 = -99999; ELSE IF R04\_AM0018 = -8 THEN R04R\_A\_AM0018\_V2 = -99988; ELSE IF R04\_AM0018 = -7 THEN R04R\_A\_AM0018\_V2 = -99977; ELSE IF R04\_AM0018 = -1 THEN

R04R\_A\_AM0018\_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than high school	4258	12.6 %
2	2 = GED	2110	6.2 %
3	3 = High school graduate	8161	24.1 %
4	4 = Some college (no degree) or associates degree	11966	35.4 %
5	5 = Bachelor's degree or advanced degree	7175	21.2 %
	<b>Total</b>	<b>33,670</b>	<b>99.6%</b>

This variable has 33,670 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	52	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	95	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>152</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12114-12119 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04\_AM0019: Currently enrolled in a degree program

Are you [also] currently enrolled in a degree program?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AM0015.]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5746	17.0 %
2	2 = No	27998	82.8 %
	<b>Total</b>	<b>33,744</b>	<b>99.8%</b>

This variable has 33,744 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	52	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>78</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12120-12125 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AM0020: Type of degree program currently enrolled in

Which type of degree program are you currently enrolled in?

ASK: Adult respondents who are currently enrolled in a degree program.

ASK Specification: IF R04\_AM0019 = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Technical / vocational program	278	0.8 %
2	2 = 2-year degree program	1322	3.9 %
3	3 = 4-year degree program	3291	9.7 %
4	4 = Graduate / professional program	742	2.2 %
5	5 = Other type of degree program	96	0.3 %
	<b>Total</b>	<b>5,729</b>	<b>16.9%</b>

This variable has 5,729 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	28074	83.0 %	
	<b>Total</b>	<b>28,093</b>	<b>83.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12126-12131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AM0015: In past 30 days, because of shortage of money were you unable to pay important bills on time

In the past 30 days, because of a shortage of money, were you unable to pay any important bills on time, such as rent, electricity or telephone bills?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5694	16.8 %
2	2 = No	25295	74.8 %
7	7 = Not applicable	2712	8.0 %
<b>Total</b>		<b>33,701</b>	<b>99.6%</b>

This variable has 33,701 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	88	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>121</b>	<b>0.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12132-12137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -8, -7, -1

---

## R04\_AM0039: In past 12 months, received assistance or income from federal, state or local programs

In the past 12 months, have you received assistance or income from any federal, state or local programs, such as food stamps, welfare, cash aid, unemployment benefits, housing assistance, child care, or Medicaid?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6595	19.5 %
2	2 = No	27072	80.0 %
<b>Total</b>		<b>33,667</b>	<b>99.5%</b>

This variable has 33,667 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.1 %

Missing Data				
-7	-7 = Refused		114	0.3 %
-1	-1 = Inapplicable		0	0.0 %
<b>Total</b>			<b>155</b>	<b>0.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12138-12143 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04R\_A\_AM0030: DERIVED - Recoded total household income in the past 12 months (5 levels)

Long Description: Which of the following categories best describes your total household income in the past 12 months?

Algorithm: IF R04\_AM0030 = 1 THEN R04R\_A\_AM0030 = 1; ELSE IF R04\_AM0030 in (2,3) THEN R04R\_A\_AM0030 = 2; ELSE IF R04\_AM0030 in (4,5) THEN R04R\_A\_AM0030 = 3; ELSE IF R04\_AM0030 in (6,7) THEN R04R\_A\_AM0030 = 4; ELSE IF R04\_AM0030 in (8,9,10) THEN R04R\_A\_AM0030 = 5; ELSE IF R04\_AM0030 = -9 THEN R04R\_A\_AM0030 = -99999; ELSE IF R04\_AM0030 = -8 THEN R04R\_A\_AM0030 = -99988; ELSE IF R04\_AM0030 = -7 THEN R04R\_A\_AM0030 = -99977; ELSE IF R04\_AM0030 = -1 THEN R04R\_A\_AM0030 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10,000	5477	16.2 %
2	2 = \$10,000 to \$24,999	6757	20.0 %
3	3 = \$25,000 to \$49,999	7158	21.2 %
4	4 = \$50,000 to \$99,999	7133	21.1 %
5	5 = \$100,000 or more	5045	14.9 %
<b>Total</b>		<b>31,570</b>	<b>93.3%</b>

This variable has 31,570 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1107	3.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1140	3.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2,252</b>	<b>6.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12144-12149 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

---

## R04\_AM0031: Nonresponse follow-up probe: During past 12 months, total household income above or below \$50,000

Is your total household income during the past 12 months above or below \$50,000?

ASK: Adult respondents who did not already complete a parent interview and did not know or refused to report their household income.

ASK Specification: IF R04\_P\_COMP\_LD != 1 AND R04\_AM0030 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Above \$50,000	379	1.1 %
2	2 = Below \$50,000	388	1.1 %
	<b>Total</b>	<b>767</b>	<b>2.3%</b>

This variable has 767 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	731	2.2 %
-7	-7 = Refused	749	2.2 %
-1	-1 = Inapplicable	31573	93.4 %
	<b>Total</b>	<b>33,055</b>	<b>97.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12150-12155 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R04R\_A\_AL0040: DERIVED - Indicator of home ownership (2 levels)

Long Description: Do you own or rent your home?

(Ownership includes having a mortgage or loan.)

Algorithm: IF R04\_AL0040 = 1 THEN R04R\_A\_AL0040 = 1; ELSE IF R04\_AL0040 IN (2,3) THEN R04R\_A\_AL0040 = 2; ELSE IF R04\_AL0040 = -9 THEN R04R\_A\_AL0040 = -99999 ; ELSE IF R04\_AL0040 = -8 THEN R04R\_A\_AL0040 = -99988 ; ELSE IF R04\_AL0040 = -7 THEN R04R\_A\_AL0040 = -99977 ; ELSE IF R04\_AL0040 = -1 THEN R04R\_A\_AL0040 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Owned	13609	40.2 %
2	2 = Not Owned	19800	58.5 %
	<b>Total</b>	<b>33,409</b>	<b>98.8%</b>

This variable has 33,409 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	175	0.5 %
-99977	-99977 = Missing due to a refused response on one or more component variables	233	0.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>413</b>	<b>1.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12156-12161 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R04R\_A\_AM0042: DERIVED - Recoded where you currently live (3 levels)

Long Description: Where do you currently live? If you live in more than one place throughout the year, please answer for where you are currently staying.

Algorithm: If R04\_AM0042 = 1 then R04R\_A\_AM0042 = 1; Else if R04\_AM0042 in (2,3) then R04R\_A\_AM0042 = 2; Else if R04\_AM0042 = 4 then R04R\_A\_AM0042 = 3; ELSE IF R04\_AM0042 = -9 THEN R04R\_A\_AM0042 = -99999 ; ELSE IF R04\_AM0042 = -8 THEN R04R\_A\_AM0042 = -99988 ; ELSE IF R04\_AM0042 = -7 THEN R04R\_A\_AM0042 = -99977 ; ELSE IF R04\_AM0042 = -1 THEN R04R\_A\_AM0042 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Apartment, condo or house	9120	27.0 %
2	2 = Campus housing, fraternity or sorority house	773	2.3 %
3	3 = Someplace else	1251	3.7 %
	<b>Total</b>	<b>11,144</b>	<b>32.9%</b>

This variable has 11,144 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	27	0.1 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	39	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	73	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	22537	66.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>22,678</b>	<b>67.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12162-12167 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04\_AM0041\_01: Who you currently live with: Parents or guardians

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

Parents or guardians

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5673	16.8 %
2	2 = Not Marked	3506	10.4 %
<b>Total</b>		<b>9,179</b>	<b>27.1%</b>

This variable has 9,179 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	42	0.1 %	
-1	-1 = Inapplicable	24588	72.7 %	
<b>Total</b>		<b>24,643</b>	<b>72.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12168-12173 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AM0041\_02: Who you currently live with: Friends or other roommates

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

Friends or other roommates

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1244	3.7 %
2	2 = Not Marked	7935	23.5 %
	<b>Total</b>	<b>9,179</b>	<b>27.1%</b>

This variable has 9,179 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	42	0.1 %
-1	-1 = Inapplicable	24588	72.7 %
	<b>Total</b>	<b>24,643</b>	<b>72.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12174-12179 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04\_AM0041\_03: Who you currently live with: A spouse or romantic partner

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

A spouse or romantic partner

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1577	4.7 %
2	2 = Not Marked	7602	22.5 %
	<b>Total</b>	<b>9,179</b>	<b>27.1%</b>

This variable has 9,179 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	42	0.1 %
-1	-1 = Inapplicable	24588	72.7 %
	<b>Total</b>	<b>24,643</b>	<b>72.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12180-12185 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R04\_AM0041\_04: Who you currently live with: My children

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

My children

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	651	1.9 %
2	2 = Not Marked	8528	25.2 %
	<b>Total</b>	<b>9,179</b>	<b>27.1%</b>

This variable has 9,179 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	42	0.1 %	
-1	-1 = Inapplicable	24588	72.7 %	
<b>Total</b>		<b>24,643</b>	<b>72.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12186-12191 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AM0041\_05: Who you currently live with: Another relative or family friend

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

Another relative or family friend

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	763	2.3 %
2	2 = Not Marked	8416	24.9 %
	<b>Total</b>	<b>9,179</b>	<b>27.1%</b>

This variable has 9,179 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	42	0.1 %	
-1	-1 = Inapplicable	24588	72.7 %	
	<b>Total</b>	<b>24,643</b>	<b>72.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12192-12197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AM0041\_06: Who you currently live with: On your own

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

On my own

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	577	1.7 %
2	2 = Not Marked	8602	25.4 %
	<b>Total</b>	<b>9,179</b>	<b>27.1%</b>

This variable has 9,179 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	42	0.1 %	
-1	-1 = Inapplicable	24588	72.7 %	
	<b>Total</b>	<b>24,643</b>	<b>72.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12198-12203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AM0040: Self-perception of place on social ladder relative to other people in the United States

Think of this ladder as representing where people stand in the United States.

At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs.

At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job.

Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.

[SHOW IMAGE OF LADDER]

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = 10	402	1.2 %
2	2 = 9	221	0.7 %
3	3 = 8	768	2.3 %
4	4 = 7	1655	4.9 %
5	5 = 6	1900	5.6 %
6	6 = 5	2298	6.8 %
7	7 = 4	1649	4.9 %
8	8 = 3	1261	3.7 %
9	9 = 2	564	1.7 %
10	10 = 1	348	1.0 %
<b>Total</b>		<b>11,066</b>	<b>32.7%</b>

This variable has 11,066 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	27	0.1 %
-8	-8 = Don't know	84	0.2 %
-7	-7 = Refused	106	0.3 %
-1	-1 = Inapplicable	22537	66.6 %
<b>Total</b>		<b>22,756</b>	<b>67.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12204-12209 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AM0033\_V2: DERIVED - Recoded education level of mother (5 levels)

Long Description: What is the highest grade or year of school that your mother, step-mother, or mother-figure completed?

Algorithm: IF R04\_AM0033 in (1,2) THEN R04R\_A\_AM0033\_V2 = 1; ELSE IF R04\_AM0033 = 3 THEN R04R\_A\_AM0033\_V2 = 2; ELSE IF R04\_AM0033 = 4 THEN R04R\_A\_AM0033\_V2 = 3; ELSE IF R04\_AM0033 in (5,6,7) THEN R04R\_A\_AM0033\_V2 = 4; ELSE IF R04\_AM0033 in (8,9,10,11) THEN R04R\_A\_AM0033\_V2 = 5; ELSE IF R04\_AM0033 = -9 THEN R04R\_A\_AM0033\_V2 = -99999; ELSE IF R04\_AM0033 = -8 THEN R04R\_A\_AM0033\_V2 = -99988; ELSE IF R04\_AM0033 = -7 THEN R04R\_A\_AM0033\_V2 = -99977; ELSE IF R04\_AM0033 = -1 THEN R04R\_A\_AM0033\_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than high school	1972	5.8 %
2	2 = GED	581	1.7 %
3	3 = High school graduate	2510	7.4 %
4	4 = Some college (no degree) or associates degree	2784	8.2 %
5	5 = Bachelor's degree or advanced degree	3121	9.2 %
	<b>Total</b>	<b>10,968</b>	<b>32.4%</b>

This variable has 10,968 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	27	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	197	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	91	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	22537	66.6 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>22,854</b>	<b>67.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12210-12215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_AM0034\_V2: DERIVED - Recoded education level of father (5 levels)

Long Description: What is the highest grade or year of school that your father, step-father or father-figure completed?

Algorithm: IF R04\_AM0034 in (1,2) THEN R04R\_A\_AM0034\_V2 = 1; ELSE IF R04\_AM0034 = 3 THEN R04R\_A\_AM0034\_V2 = 2; ELSE IF R04\_AM0034 = 4 THEN R04R\_A\_AM0034\_V2 = 3; ELSE IF R04\_AM0034 in (5,6,7) THEN R04R\_A\_AM0034\_V2 = 4; ELSE IF R04\_AM0034 in (8,9,10,11) THEN R04R\_A\_AM0034\_V2 = 5; ELSE IF R04\_AM0034 = -9 THEN R04R\_A\_AM0034\_V2 = -99999; ELSE IF R04\_AM0034 = -8 THEN R04R\_A\_AM0034\_V2 = -99988; ELSE IF R04\_AM0034 = -7 THEN R04R\_A\_AM0034\_V2 = -99977; ELSE IF R04\_AM0034 = -1 THEN R04R\_A\_AM0034\_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than high school	2401	7.1 %
2	2 = GED	629	1.9 %
3	3 = High school graduate	2754	8.1 %

Value	Label	Unweighted Frequency	%
4	4 = Some college (no degree) or associates degree	2196	6.5 %
5	5 = Bachelor's degree or advanced degree	2826	8.4 %
	<b>Total</b>	<b>10,806</b>	<b>31.9%</b>

This variable has 10,806 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	27	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	341	1.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	109	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	22537	66.6 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>23,016</b>	<b>68.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12216-12221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_AM0036: DERIVED - Recoded parents' total household income in the past 12 months (5 levels)

Long Description: Which of the following categories best describes your parents' total household income in the past 12 months?

Algorithm: IF R04\_AM0036 = 1 THEN R04R\_A\_AM0036 = 1; ELSE IF R04\_AM0036 in (2,3) THEN R04R\_A\_AM0036 = 2; ELSE IF R04\_AM0036 in (4,5) THEN R04R\_A\_AM0036 = 3; ELSE IF R04\_AM0036 in (6,7) THEN R04R\_A\_AM0036 = 4; ELSE IF R04\_AM0036 in (8,9,10) THEN R04R\_A\_AM0036 = 5; ELSE IF R04\_AM0036 = -9 THEN R04R\_A\_AM0036 = -99999; ELSE IF R04\_AM0036 = -8 THEN R04R\_A\_AM0036 = -99988; ELSE IF R04\_AM0036 = -7 THEN R04R\_A\_AM0036 = -99977; ELSE IF R04\_AM0036 = -1 THEN R04R\_A\_AM0036 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10,000	781	2.3 %
2	2 = \$10,000 to \$24,999	806	2.4 %
3	3 = \$25,000 to \$49,999	1021	3.0 %
4	4 = \$50,000 to \$99,999	1195	3.5 %
5	5 = \$100,000 or more	1185	3.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>4,988</b>	<b>14.7%</b>

This variable has 4,988 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	27	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	445	1.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	150	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	28210	83.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>28,834</b>	<b>85.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12222-12227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04\_AM0037: Nonresponse follow-up probe: During past 12 months, parents' total household income above or below \$50,000

Is your parents' total household income during the past 12 months above or below \$50,000?

ASK: Young adult respondents who do not live with their parents and did not know or refused to report their parents' total household income.

ASK Specification: IF 18 <= R04R\_A\_AGE < 25 AND R04\_AM0036 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Above \$50,000	87	0.3 %
2	2 = Below \$50,000	77	0.2 %
	<b>Total</b>	<b>164</b>	<b>0.5%</b>

This variable has 164 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	319	0.9 %
-7	-7 = Refused	112	0.3 %
-1	-1 = Inapplicable	33225	98.2 %
	<b>Total</b>	<b>33,658</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12228-12233 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04R\_A\_AM0026\_V2: DERIVED - Indicator of health insurance (2 levels)

**Long Description:** Are you currently covered by any of the following types of health insurance or health coverage plans: Insurance through a current or former employer or union, Insurance purchased directly from an insurance company, Medicare, Medicaid, Medical Assistance, or any kind of government assistance plan for those with low incomes or disability, TRICARE or other military health care, VA, Indian Health Service, Any other type of plan?

**Algorithm:** IF R04\_AM0026\_01 = 1 OR R04\_AM0026\_02 = 1 OR R04\_AM0026\_03 = 1 OR R04\_AM0026\_04 = 1 OR R04\_AM0026\_05 = 1  
OR R04\_AM0026\_06 = 1 OR R04\_AM0026\_07 = 1 OR R04\_AM0026\_08 = 1 THEN  
R04R\_A\_AM0026\_V2 = 1; ELSE IF R04\_AM0026\_01 = 2  
AND R04\_AM0026\_02 = 2 AND R04\_AM0026\_03 = 2 AND R04\_AM0026\_04 = 2 AND  
R04\_AM0026\_05 = 2 AND R04\_AM0026\_06 = 2 AND  
R04\_AM0026\_07 = 2 AND R04\_AM0026\_08 = 2 THEN R04R\_A\_AM0026\_V2 = 2;  
ELSE IF R04\_AM0026\_01 = -9 OR R04\_AM0026\_02 =  
-9 OR R04\_AM0026\_03 = -9 OR R04\_AM0026\_04 = -9 OR R04\_AM0026\_05 = -9  
OR R04\_AM0026\_06 = -9 OR R04\_AM0026\_07 = -9 OR  
R04\_AM0026\_08 = -9 THEN R04R\_A\_AM0026\_V2 = -99999; ELSE IF  
R04\_AM0026\_01 = -8 OR R04\_AM0026\_02 = -8 OR R04\_AM0026\_03 =  
-8 OR R04\_AM0026\_04 = -8 OR R04\_AM0026\_05 = -8 OR R04\_AM0026\_06 = -8  
OR R04\_AM0026\_07 = -8 OR R04\_AM0026\_08 = -8 THEN  
R04R\_A\_AM0026\_V2 = -99988; ELSE IF R04\_AM0026\_01 = -7 OR R04\_AM0026\_02  
= -7 OR R04\_AM0026\_03 = -7 OR R04\_AM0026\_04 = -7  
OR R04\_AM0026\_05 = -7 OR R04\_AM0026\_06 = -7 OR R04\_AM0026\_07 = -7 OR  
R04\_AM0026\_08 = -7 THEN R04R\_A\_AM0026\_V2 = -99977;  
ELSE IF R04\_AM0026\_01 = -1 OR R04\_AM0026\_02 = -1 OR R04\_AM0026\_03 = -1  
OR R04\_AM0026\_04 = -1 OR R04\_AM0026\_05 = -1 OR  
R04\_AM0026\_06 = -1 OR R04\_AM0026\_07 = -1 OR R04\_AM0026\_08 = -1 THEN  
R04R\_A\_AM0026\_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	27846	82.3 %
2	2 = No	5615	16.6 %
	<b>Total</b>	<b>33,461</b>	<b>98.9%</b>

This variable has 33,461 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	190	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	169	0.5 %

<b>Missing Data</b>			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>361</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12234-12239 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R04R\_A\_SEXORIENT2: DERIVED - Recoded sexual orientation (2 levels)

Long Description: 2 category recode of sexual orientation.

Algorithm: IF R04\_AM0063 = 1 THEN R04R\_A\_SEXORIENT2 = 2; ELSE IF R04\_AM0063 in (2,3,4) THEN R04R\_A\_SEXORIENT2 = 1; ELSE  
IF R04\_AM0063 = -9 THEN R04R\_A\_SEXORIENT2 = -99999; ELSE IF R04\_AM0063 = -8  
THEN R04R\_A\_SEXORIENT2 = -99988; ELSE IF  
R04\_AM0063 = -7 THEN R04R\_A\_SEXORIENT2 = -99977; ELSE IF R04\_AM0063 = -1  
THEN R04R\_A\_SEXORIENT2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Lesbian, Gay, Bisexual, Something else	2934	8.7 %
2	2 = Straight	30515	90.2 %
<b>Total</b>		<b>33,449</b>	<b>98.9%</b>

This variable has 33,449 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	86	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	285	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>373</b>	<b>1.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12240-12245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R04\_AX0214: OK to scan tobacco products

Finally, we would like to scan the barcode on any tobacco products that you have right now for your own use[, including your [EPRODFILL2]]. Researchers will use this information to learn about the different types of products that people are using.

We are only interested in the products that you have used or intend to use soon.

Our interviewer will do the scanning for you. The interviewer will also ask you a couple of questions about the products we are scanning. Other people in your home might see the products as you hand them to the interviewer or hear the questions we ask you about the products.

Is it OK to scan your tobacco products now?

[If No (2), Don't Know (-8), or Refused (-7), Go to R04\_AL3000.]

ASK: Adult respondents who are current established or current experimental tobacco users.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8509	25.2 %
2	2 = No	5834	17.2 %
	<b>Total</b>	<b>14,343</b>	<b>42.4%</b>

This variable has 14,343 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	72	0.2 %
-1	-1 = Inapplicable	19405	57.4 %
	<b>Total</b>	<b>19,479</b>	<b>57.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12246-12251 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R04\_AX0218: Number of tobacco products given by respondent to scan

HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN?

ENTER A NUMBER BETWEEN 0 AND 10.

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1, 2 AND R04\_AX0214 = 1.

This variable has 8,500 valid cases out of 33,822 total cases.

- Mean: 1.02
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.57

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	5	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	25311	74.8 %	
<b>Total</b>		<b>25,322</b>	<b>74.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12252-12257 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R04\_AX0233\_01: First bar code scan: Last time used this type of tobacco it was from this specific package or container

Value	Label	Unweighted Frequency	%
1	1 = Yes	6856	20.3 %
2	2 = No	770	2.3 %
<b>Total</b>		<b>7,626</b>	<b>22.5%</b>

This variable has 7,626 valid cases out of 33,822 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
-9	-9 = Missing - Not ascertained	57	0.2 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	26136	77.3 %	
<b>Total</b>		<b>26,196</b>	<b>77.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12258-12263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0233\_02: Second bar code scan: Last time used this type of tobacco it was from this specific package or container

Value	Label	Unweighted Frequency	%
1	1 = Yes	595	1.8 %
2	2 = No	142	0.4 %
	<b>Total</b>	<b>737</b>	<b>2.2%</b>

This variable has 737 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	33	0.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33050	97.7 %
	<b>Total</b>	<b>33,085</b>	<b>97.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12264-12269 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0233\_03: Third bar code scan: Last time used this type of tobacco it was from this specific package or container

Value	Label	Unweighted Frequency	%
1	1 = Yes	122	0.4 %
2	2 = No	29	0.1 %
	<b>Total</b>	<b>151</b>	<b>0.4%</b>

This variable has 151 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	8	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33661	99.5 %
	<b>Total</b>	<b>33,671</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12270-12275 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0233\_04: Fourth bar code scan: Last time used this type of tobacco it was from this specific package or container

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.1 %
2	2 = No	13	0.0 %
	<b>Total</b>	<b>47</b>	<b>0.1%</b>

This variable has 47 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33773	99.9 %
	<b>Total</b>	<b>33,775</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12276-12281 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0233\_05: Fifth bar code scan: Last time used this type of tobacco it was from this specific package or container

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.0 %
2	2 = No	10	0.0 %
	<b>Total</b>	<b>23</b>	<b>0.1%</b>

This variable has 23 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33796	99.9 %
	<b>Total</b>	<b>33,799</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12282-12287 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0233\_06: Sixth bar code scan: Last time used this type of tobacco it was from this specific package or container

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	5	0.0 %
	<b>Total</b>	<b>10</b>	<b>0.0%</b>

This variable has 10 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33808	100.0 %
	<b>Total</b>	<b>33,812</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12288-12293 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0233\_07: Seventh bar code scan: Last time used this type of tobacco it was from this specific package or container

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	2	0.0 %
	<b>Total</b>	<b>6</b>	<b>0.0%</b>

This variable has 6 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33812	100.0 %
	<b>Total</b>	<b>33,816</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12294-12299 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0233\_08: Eighth bar code scan: Last time used this type of tobacco it was from this specific package or container

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	1	0.0 %
	<b>Total</b>	<b>4</b>	<b>0.0%</b>

This variable has 4 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33816	100.0 %
	<b>Total</b>	<b>33,816</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12300-12305 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R04\_AX0233\_09: Ninth bar code scan: Last time used this type of tobacco it was from this specific package or container

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	0	0.0 %
	<b>Total</b>	<b>1</b>	<b>0.0%</b>

This variable has 1 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33819	100.0 %
	<b>Total</b>	<b>33,821</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12306-12311 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R04\_AX0233\_10: Tenth bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

[GO TO R04\_AL3006]

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF R04\_TOBACCO\_USER\_STATUS = 1, 2 AND R04\_AX0217\_10\_01 != -1 OR R04\_AX0217\_10\_02 != -1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	<b>Total</b>	<b>0</b>	<b>0.0%</b>

This variable has 0 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33820	100.0 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12312-12317 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R04R\_AV9035\_01: DERIVED - Respondent reported using e-cigarettes in other-specify text response

Long Description: Respondent reported using e-cigarettes in other-specify text response for R04\_AV9035.

Algorithm: IF (R04\_AV9035\_05 = 1 AND R04\_AV9035\_OS TEXT ANSWER INDICATES E-CIGARETTE USE)  
THEN R04R\_AV9035\_01 = 1; ELSE IF (R04\_AV9035\_05 = 1 AND R04\_AV9035\_OS TEXT ANSWER DOES NOT  
INDICATE E-CIGARETTE USE) THEN R04R\_AV9035\_01 = 2; ELSE R04R\_AV9035\_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	66	0.2 %
2	2 = No	63	0.2 %
	<b>Total</b>	<b>129</b>	<b>0.4%</b>

This variable has 129 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33691	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,693</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12318-12323 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

---

## R04R\_AV9035\_02: DERIVED - Respondent reported using e-cigarettes in other-specify text response

Long Description: Respondent reported using e-cigarettes in other-specify text response for R04\_AV9035.

Algorithm: IF (R04\_AV9035\_05 = 1 AND R04\_AV9035\_OS TEXT ANSWER INDICATES E-CIGAR USE)  
THEN R04R\_AV9035\_02 = 1; ELSE IF (R04\_AV9035\_05 = 1 AND R04\_AV9035\_OS TEXT ANSWER DOES NOT INDICATE E-CIGAR USE) THEN R04R\_AV9035\_02 = 2; ELSE R04R\_AV9035\_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	128	0.4 %
	<b>Total</b>	<b>129</b>	<b>0.4%</b>

This variable has 129 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33691	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,693</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12324-12329 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

---

## R04R\_AV9035\_03: DERIVED - Respondent reported using e-pipes in other-specify text response

Long Description: Respondent reported using e-pipes in other-specify text response for R04\_AV9035.

Algorithm: IF (R04\_AV9035\_05 = 1 AND R04\_AV9035\_OS TEXT ANSWER INDICATES E-PIPE USE)  
THEN R04R\_AV9035\_03 = 1; ELSE IF (R04\_AV9035\_05 = 1 AND R04\_AV9035\_OS TEXT ANSWER DOES NOT  
INDICATE E-PIPE USE) THEN R04R\_AV9035\_03 = 2; ELSE R04R\_AV9035\_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	129	0.4 %
	<b>Total</b>	<b>129</b>	<b>0.4%</b>

This variable has 129 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33691	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,693</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12330-12335 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

---

## R04R\_AV9035\_04: DERIVED - Respondent reported using e-hookah in other-specify text response

Long Description: Respondent reported using e-hookah in other-specify text response for R04\_AV9035.

Algorithm: IF (R04\_AV9035\_05 = 1 AND R04\_AV9035\_OS TEXT ANSWER INDICATES E-HOOKAH USE)  
THEN R04R\_AV9035\_04 = 1; ELSE IF (R04\_AV9035\_05 = 1 AND R04\_AV9035\_OS TEXT ANSWER DOES NOT  
INDICATE E-HOOKAH USE) THEN R04R\_AV9035\_04 = 2; ELSE R04R\_AV9035\_04 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	127	0.4 %
	<b>Total</b>	<b>129</b>	<b>0.4%</b>

This variable has 129 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33691	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,693</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12336-12341 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_AGECAT6: DERIVED - Age range at the time of interview (6 levels)

Long Description: Age range at the time of interview

Algorithm: [STEP 1: Create R04R\_A\_AGE]IF (R04\_AM0001 != .) THEN R04R\_A\_AGE = R04\_AdultInterviewDT (Adult Wave 4 Interview Date) - R04\_AM0001; ELSE IF (R04\_AM0002 != -1) THEN R04R\_A\_AGE = R04\_AM0002; ELSE IF (R04\_ADULTTYPE = 1 AND R03\_AM0001 != .) THEN R04R\_A\_AGE = R04\_AdultInterviewDT - R03\_AM0001 (Wave 3 Adult Corrected Date of Birth); ELSE IF (R04\_ADULTTYPE = 1 AND R02\_AM0001 != .) THEN R04R\_A\_AGE = R04\_AdultInterviewDT - R02\_AM0001 (Wave 2 Adult Corrected Date of Birth); ELSE IF (R04\_ADULTTYPE = 1 AND R01\_AM0001 != .) THEN R04R\_A\_AGE = R04\_AdultInterviewDT - R01\_AM0001 (Wave 1 Adult Date of Birth); ELSE IF (R04\_ADULTTYPE = 2 AND R03\_CPT06 (Wave 3 Youth Corrected Date of Birth) != .) THEN R04R\_A\_AGE = R04\_AdultInterviewDT - R03\_CPT06; ELSE IF (R04\_ADULTTYPE = 2 AND R02\_CPT06 (Wave 2 Youth Corrected Date of Birth) != .) THEN R04R\_A\_AGE = R04\_AdultInterviewDT - R02\_CPT06; ELSE IF (R04\_ADULTTYPE = 2 AND R01\_CPT07 (Wave 1 Youth Date of Birth) != .) THEN R04R\_A\_AGE = R04\_AdultInterviewDT - R01\_CPT07; [STEP 2: Create R04R\_A\_AGECAT6]IF (18 <= R04R\_A\_AGE <= 24) THEN R04R\_A\_AGECAT6 = 1; ELSE IF (25 <= R04R\_A\_AGE <= 34) THEN R04R\_A\_AGECAT6 = 2; ELSE IF (35 <= R04R\_A\_AGE <= 44) THEN R04R\_A\_AGECAT6 = 3; ELSE IF (45 <= R04R\_A\_AGE <= 54) THEN R04R\_A\_AGECAT6 = 4; ELSE IF (55 <= R04R\_A\_AGE <= 64) THEN R04R\_A\_AGECAT6 = 5; ELSE IF (65 <= R04R\_A\_AGE ) THEN R04R\_A\_AGECAT6 = 6; ELSE IF (R04\_AM0003 = -9 OR R04\_AM0002 = -9 OR R04\_AM0001 = -9) THEN R04R\_A\_AGECAT6

```

= -99999; ELSE IF (R04_AM0003 = -8 OR R04_AM0002 = -8 OR R04_AM0001 = -8)
THEN R04R_A_AGECA6 = -99988; ELSE IF (R04_AM0003
= -7 OR R04_AM0002 = -7 OR R04_AM0001 = -7) THEN R04R_A_AGECA6 = -99977;

```

Value	Label	Unweighted Frequency	%
1	1 = 18 to 24 years old	11283	33.4 %
2	2 = 25 to 34 years old	6894	20.4 %
3	3 = 35 to 44 years old	4478	13.2 %
4	4 = 45 to 54 years old	4158	12.3 %
5	5 = 55 to 64 years old	3865	11.4 %
6	6 = 65 or more years old	3138	9.3 %
<b>Total</b>		<b>33,816</b>	<b>100.0%</b>

This variable has 33,816 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>6</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12342-12347 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -97777

## R04R\_A\_AGE\_CHECK: DERIVED - Adult respondent's age (in years) at Wave 4 is within the expected range

Long Description: Adult respondent's age (in years) at the time of the Wave 4 interview is within the expected range.

```

Algorithm: STEP 1 - ASSIGN POSITIVE VALUES: IF (RECRUITMENT_WAVE = 4) THEN R04R_A_AGE_CHECK
= -99933; ELSE DO; IF
(WAVE3_INTERVIEW = 1 AND R03R_A_AGE >= 0) THEN DO; IF (R04R_A_AGE >= 0) THEN DO; IF
((R04R_A_AGE - R03R_A_AGE)
>= 0 AND (R04R_A_AGE - R03R_A_AGE) <= 2) THEN R04R_A_AGE_CHECK = 1; ELSE R04R_A_AGE_CHECK = 2;
END; END ; ELSE
IF (WAVE3_INTERVIEW = 2 AND R03R_Y_AGE >= 0) THEN DO; IF (R04R_A_AGE >= 0) THEN DO; IF
((R04R_A_AGE - R03R_Y_AGE)
>= 0 AND (R04R_A_AGE - R03R_Y_AGE) <= 2) THEN R04R_A_AGE_CHECK = 1; ELSE R04R_A_AGE_CHECK = 2;
END; END; ELSE IF
(WAVE3_INTERVIEW In (1, 9) AND WAVE2_INTERVIEW = 1) THEN DO; IF (R04R_A_AGE >= 0 AND
R02R_A_AGE >= 0) THEN DO; IF

```

```

((R04R_A_AGE - R02R_A_AGE) >= 1 AND (R04R_A_AGE - R02R_A_AGE) <= 4) THEN R04R_A_AGE_CHECK = 1;
ELSE R04R_A_AGE_CHECK
= 2; END; END; ELSE IF (WAVE3_INTERVIEW In (2, 9) AND WAVE2_INTERVIEW = 2) THEN DO; IF
(R04R_A_AGE >= 0 AND R02R_Y_AGE
>= 0) THEN DO; IF ((R04R_A_AGE - R02R_Y_AGE) >= 1 AND (R04R_A_AGE - R02R_Y_AGE) <= 4)
THEN R04R_A_AGE_CHECK = 1; ELSE
R04R_A_AGE_CHECK = 2; END; END; ELSE IF (WAVE2_INTERVIEW In (1, 9) AND WAVE1_INTERVIEW = 1)
THEN DO; IF (R04R_A_AGE
>= 0 AND R01R_A_AGE >= 0) THEN DO; IF ((R04R_A_AGE - R01R_A_AGE) >= 2 AND (R04R_A_AGE - R01R_A_AGE)
<= 6) THEN
R04R_A_AGE_CHECK = 1; ELSE R04R_A_AGE_CHECK = 2; END; END; ELSE IF (WAVE2_INTERVIEW In
(2, 9) AND WAVE1_INTERVIEW
= 2) THEN DO; IF (R04R_A_AGE >= 0 AND R01R_Y_AGE >= 0) THEN DO; IF ((R04R_A_AGE - R01R_Y_AGE)
>= 2 AND (R04R_A_AGE -
R01R_Y_AGE) <= 6) THEN R04R_A_AGE_CHECK = 1; ELSE R04R_A_AGE_CHECK = 2;
END; END; STEP 2 - ASSIGN MISSING VALUES: IF
(R04R_A_AGE_CHECK = .) THEN DO; IF (R04R_A_AGE = -99999 OR R03R_A_AGE = -99999 OR R03R_Y_AGE
= -99999 OR R02R_A_AGE =
-99999 OR R02R_Y_AGE = -99999 OR R01R_A_AGE = -99999 OR R01R_Y_AGE = -99999)
THEN R04R_A_AGE_CHECK = -99999; ELSE IF
(R04R_A_AGE = -99988 OR R03R_A_AGE = -99988 OR R03R_Y_AGE = -99988 OR R02R_A_AGE
= -99988 OR R02R_Y_AGE = -99988 OR
R01R_A_AGE = -99988 OR R01R_Y_AGE = -99988) THEN R03R_A_AGE_CHECK = -99988;
ELSE IF (R04R_A_AGE = -99977 OR R03R_A_AGE
= -99977 OR R03R_Y_AGE = -99977 OR R02R_A_AGE = -99977 OR R02R_Y_AGE
= -99977 OR R01R_A_AGE = -99977 OR R01R_Y_AGE =
-99977) THEN R03R_A_AGE_CHECK = -99977; END; END;

```

Value	Label	Unweighted Frequency	%
1	1 = Age is within expected range	27738	82.0 %
2	2 = Age is not within expected range	15	0.0 %
	<b>Total</b>	<b>27,753</b>	<b>82.1%</b>

This variable has 27,753 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>6,069</b>	<b>17.9%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 12348-12353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99933 , -97777

## R04R\_A\_SEX: DERIVED - Wave 4 Adult Gender

Long Description: Wave 4 adult gender from the interview.

Algorithm: IF WAVE1\_INTERVIEW = 1 THEN DO; R04R\_A\_SEX = R01R\_A\_SEX; IF R01\_AM0004=-9 THEN R04R\_A\_SEX=-99999;  
ELSE IF R01\_AM0004=-8 THEN R04R\_A\_SEX=-99988; ELSE IF R01\_AM0004=-7 THEN  
R04R\_A\_SEX=-99977; END; ELSE IF  
WAVE1\_INTERVIEW = 2 THEN DO; R04R\_A\_SEX = R01R\_Y\_SEX; IF R01\_YM0004=-9 THEN  
R04R\_A\_SEX=-99999; ELSE IF R01\_YM0004=-8  
THEN R04R\_A\_SEX=-99988; ELSE IF R01\_YM0004=-7 THEN R04R\_A\_SEX=-99977; END;  
ELSE IF WAVE1\_INTERVIEW = 3 THEN  
R04R\_A\_SEX=-99999; ELSE IF R04\_AM0004\_RS=1 THEN R04R\_A\_SEX=1; ELSE IF  
R04\_AM0004\_RS=2 THEN R04R\_A\_SEX=2; ELSE IF  
R04\_AM0004\_RS=-9 THEN R04R\_A\_SEX=-99999; ELSE IF R04\_AM0004\_RS=-8 THEN  
R04R\_A\_SEX=-99988; ELSE IF R04\_AM0004\_RS=-7  
THEN R04R\_A\_SEX=-99977;

Value	Label	Unweighted Frequency	%
1	1 = Male	16637	49.2 %
2	2 = Female	17149	50.7 %
	<b>Total</b>	<b>33,786</b>	<b>99.9%</b>

This variable has 33,786 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>36</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 12354-12359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -97777

## R04R\_A\_SEX\_IMP: IMPUTED - Wave 4 Adult Gender

Long Description: Imputed Wave 4 adult gender.

Algorithm: Same as R04R\_A\_SEX. Please see R04R\_A\_SEX\_IMPFLAG for record-level imputation method.

Value	Label	Unweighted Frequency	%
1	1 = Male	16655	49.2 %

Value	Label	Unweighted Frequency	%
2	2 = Female	17165	50.8 %
	<b>Total</b>	<b>33,820</b>	<b>100.0%</b>

This variable has 33,820 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12360-12365 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777

## R04R\_A\_SEX\_IMPFLAG: IMPUTATION FLAG - R04R\_A\_SEX\_IMP

Long Description: Imputation flag for R04R\_A\_SEX\_IMP.

Algorithm: Assigned during imputation.

Value	Label	Unweighted Frequency	%
0	0 = Value from the questionnaire	33786	99.9 %
1	1 = Logically assigned from household screener data	34	0.1 %
	<b>Total</b>	<b>33,820</b>	<b>100.0%</b>

This variable has 33,820 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12366-12371 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777

## R04R\_A\_HISP: DERIVED - Wave 4 Adult Hispanic Origin (2 levels)

Long Description: Wave 4 adult Hispanic origin from the interview (2 levels).

Algorithm: IF WAVE1\_INTERVIEW = 1 THEN R04R\_A\_HISP = R01R\_A\_HISP; ELSE IF WAVE1\_INTERVIEW = 2 THEN R04R\_A\_HISP = R01R\_Y\_HISP; ELSE IF WAVE1\_INTERVIEW = 3 THEN R04R\_A\_HISP = -99999; ELSE IF R04\_AM0005\_RS\_02=1 OR R04\_AM0005\_RS\_03=1 OR R04\_AM0005\_RS\_04=1 OR R04\_AM0005\_RS\_05=1 THEN R04R\_A\_HISP =1; ELSE IF R04\_AM0005\_RS\_01=1 THEN R04R\_A\_HISP =2; ELSE IF R04\_AM0005\_RS\_01=-9 THEN R04R\_A\_HISP =-99999; ELSE IF

R04\_AM0005\_RS\_01=-8 THEN R04R\_A\_HISP =-99988; ELSE IF  
R04\_AM0005\_RS\_01=-7 THEN R04R\_A\_HISP =-99977;

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	6690	19.8 %
2	2 = Not Hispanic	26650	78.8 %
	<b>Total</b>	<b>33,340</b>	<b>98.6%</b>

This variable has 33,340 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	239	0.7 %
-99977	-99977 = Missing due to a refused response on one or more component variables	240	0.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>482</b>	<b>1.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12372-12377 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -97777

## R04R\_A\_HISP\_IMP: IMPUTED - Wave 4 Adult Hispanic Origin (2 levels)

Long Description: Imputed Wave 4 adult Hispanic origin (2 levels).

Algorithm: Same as R04R\_A\_HISP. Please see R04R\_A\_HISP\_IMPFLAG for record-level imputation method.

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	6713	19.8 %
2	2 = Not Hispanic	27107	80.1 %
	<b>Total</b>	<b>33,820</b>	<b>100.0%</b>

This variable has 33,820 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12378-12383 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777

## R04R\_A\_HISP\_IMPFLAG: IMPUTATION FLAG - R04R\_A\_HISP\_IMP

Long Description: Imputation flag for R04R\_A\_HISP\_IMP.

Algorithm: Assigned during imputation.

Value	Label	Unweighted Frequency	%
0	0 = Value from the questionnaire	33340	98.6 %
1	1 = Logically assigned from household screener data	474	1.4 %
2	2 = Statistically imputed	6	0.0 %
<b>Total</b>		<b>33,820</b>	<b>100.0%</b>

This variable has 33,820 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 12384-12389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

## R04R\_A\_RACECAT3: DERIVED - Recoded race (3 levels)

Long Description: Race (3 levels).

Algorithm: IF WAVE1\_INTERVIEW = 1 THEN R04R\_A\_RACECAT3 = R01R\_A\_RACECAT3;  
ELSE if WAVE1\_INTERVIEW = 2 THEN  
R04R\_A\_RACECAT3 = R01R\_Y\_RACECAT3; ELSE if WAVE1\_INTERVIEW = 3 THEN  
R04R\_A\_RACECAT3 = -99999; ELSE IF WAVE3\_INTERVIEW=0  
THEN DO (Replenishment sample); If R04R\_A\_RACE=1 then R04R\_A\_RACECAT3= 1;  
ELSE If R04R\_A\_RACE=2 then R04R\_A\_RACECAT3=  
2; ELSE If R04R\_A\_RACE in (3,4) then R04R\_A\_RACECAT3= 3; ELSE R04R\_A\_RACE  
= -99999 then R04R\_A\_RACECAT3 = -99999; ELSE  
R04R\_A\_RACE = -99988 then R04R\_A\_RACECAT3 = -99988; ELSE R04R\_A\_RACE =  
-99977 then R04R\_A\_RACECAT3 = -99977;

Value	Label	Unweighted Frequency	%
1	1 = White alone	23518	69.5 %
2	2 = Black alone	5516	16.3 %
3	3 = Other	3742	11.1 %
<b>Total</b>		<b>32,776</b>	<b>96.9%</b>

This variable has 32,776 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	627	1.9 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	416	1.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>1,046</b>	<b>3.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12390-12395 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R04R\_A\_RACECAT3\_IMP: IMPUTED - Recoded Imputed race (3 levels)

Long Description: Imputed Race (3 levels).

Algorithm: Same as R04R\_A\_RACECAT3. Please see R04R\_A\_RACECAT3\_IMPFLAG for record-level imputation method.

Value	Label	Unweighted Frequency	%
1	1 = White alone	24355	72.0 %
2	2 = Black alone	5598	16.6 %
3	3 = Other	3867	11.4 %
<b>Total</b>		<b>33,820</b>	<b>100.0%</b>

This variable has 33,820 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>2</b>	<b>0.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12396-12401 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

## R04R\_A\_RACECAT3\_IMPFLAG: IMPUTATION FLAG - R04R\_A\_RACECAT3\_IMP

Long Description: Imputation flag for R04R\_A\_RACECAT3\_IMP.

Algorithm: Assigned during imputation

Value	Label	Unweighted Frequency	%
0	0 = Value from the questionnaire	32776	96.9 %
1	1 = Logically assigned from household screener data	713	2.1 %
2	2 = Statistically imputed	331	1.0 %
<b>Total</b>		<b>33,820</b>	<b>100.0%</b>

This variable has 33,820 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 12402-12407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

## R04R\_A\_BMI: DERIVED - Body Mass Index

Long Description: Body mass index (BMI)

Algorithm: [STEP 1: Create R04R\_A\_HTINCH] IF (R04\_AX0313 IN (1, -7, -8) AND (R04\_AX0679\_FT >= 0 and R04\_AX0679\_IN >= 0)) THEN R04R\_A\_HTINCH = (R04\_AX0679\_FT \* 12) + R04\_AX0679\_IN; ELSE IF (R04\_AX0313 IN (1, -7, -8) AND (R04\_AX0679\_FT >= 0 AND R04\_AX0679\_IN < 0)) THEN R04R\_A\_HTINCH = R04\_AX0679\_FT \* 12 ; ELSE IF (R04\_AX0313 IN (1, -7, -8) AND R04\_AX0679\_FT < 0 AND R04\_AX0679\_IN >= 0) THEN R04R\_A\_HTINCH = R04\_AX0679\_IN ; ELSE IF (R04\_AX0313 = 2 AND R04\_AX0316 >= 0) THEN R04R\_A\_HTINCH = R04\_AX0316\*39.3701 ; ELSE IF ((R04\_AX0313 =-9 AND R04\_AX0679\_FT=-1 AND R04\_AX0679\_IN=-1) OR R04\_AX0316=-9 OR R04\_AX0679\_IN=-9 OR R04\_AX0679\_FT=-9) THEN R04R\_A\_HTINCH = -99999; ELSE IF (R04\_AX0316=-8 OR R04\_AX0679\_IN=-8 OR R04\_AX0679\_FT=-8) THEN R04R\_A\_HTINCH = -99988; ELSE IF (R04\_AX0316=-7 OR R04\_AX0679\_IN=-7 OR R04\_AX0679\_FT=-7) THEN R04R\_A\_HTINCH = -99977; ELSE IF (R04\_AX0316=-5 OR R04\_AX0679\_IN=-5 OR R04\_AX0679\_FT=-5) THEN R04R\_A\_HTINCH = -99955; ELSE IF (R04\_AX0316=-1 OR R04\_AX0679\_IN=-1 OR R04\_AX0679\_FT=-1) THEN R04R\_A\_HTINCH = -99911; [STEP 2: Create R04R\_A\_WTPNDS] IF R04\_AX0313 in (1,-7,-8) AND R04\_AX0109>= 0 THEN R04R\_A\_WTPNDS=R04\_AX0109; ELSE IF R04\_AX0313=2 AND R04\_AX0312>=0 THEN R04R\_A\_WTPNDS=R04\_AX0312\*2.20462; ELSE IF (R04\_AX0313=-9 AND R04\_AX0109=-1) OR R04\_AX0312=-9

```

OR R04_AX0109=-9 THEN R04R_A_WTPNDS=-99999; ELSE IF R04_AX0312=-8 OR
R04_AX0109=-8 THEN R04R_A_WTPNDS=-99988;
ELSE IF R04_AX0312=-7 OR R04_AX0109=-7 THEN R04R_A_WTPNDS=-99977; ELSE IF
R04_AX0312=-5 OR R04_AX0109=-5 THEN
R04R_A_WTPNDS=-99955; ELSE IF R04_AX0312=-1 OR R04_AX0109=-1 THEN
R04R_A_WTPNDS=-99911; [STEP 3: Create R04R_A_BMI] IF
R04R_A_HTINCH>=0 AND R04R_A_WTPNDS>=0 THEN R04R_A_BMI = 703 * (R04R_A_WTPNDS
/(R04R_A_HTINCH * R04R_A_HTINCH));
ELSE IF R04R_A_HTINCH = -99999 OR R04R_A_WTPNDS = -99999 THEN R04R_A_BMI
= -99999; ELSE IF R04R_A_HTINCH = -99988
OR R04R_A_WTPNDS = -99988 THEN R04R_A_BMI = -99988; ELSE IF R04R_A_HTINCH
= -99977 OR R04R_A_WTPNDS = -99977 THEN
R04R_A_BMI = -99977; ELSE IF R04R_A_HTINCH = -99955 OR R04R_A_WTPNDS
= -99955 THEN R04R_A_BMI = -99955; ELSE IF
R04R_A_HTINCH = -99911 OR R04R_A_WTPNDS = -99911 THEN R04R_A_BMI =
-99911; IF R04R_A_BMI > 85 THEN R04R_A_BMI = 85;

```

This variable has 33,073 valid cases out of 33,822 total cases.

- Mean: 27.96379228
- Median: 26.60575260
- Mode: 24.4097222
- Minimum: 12.49873457
- Maximum: 83.83944464
- Standard Deviation: 6.85134463

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	219	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	329	1.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	199	0.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>749</b>	<b>2.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12408-12422 (width: 15; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04X\_CB\_REGION: DERIVED - Census Region

Long Description: Groupings of states and the District of Columbia that subdivide the United States for the presentation of census data. Additional information on census regions, census divisions, and their constituent states is available at:  
[http://www.census.gov/geo/reference/gtc/gtc\\_census\\_divreg.html](http://www.census.gov/geo/reference/gtc/gtc_census_divreg.html)

Value	Label	Unweighted Frequency	%
1	1 = Northeast	4991	14.8 %
2	2 = Midwest	8070	23.9 %
3	3 = South	12831	37.9 %
4	4 = West	7928	23.4 %
	<b>Total</b>	<b>33,820</b>	<b>100.0%</b>

This variable has 33,820 valid cases out of 33,822 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12423-12428 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777

## R04R\_A\_BIOCLECT\_BLOOD: DERIVED - Blood Specimen Collected

Long Description: Blood specimen was collected from respondent.

Algorithm: IF Blood specimen was collected THEN R04R\_A\_BIOCLECT\_BLOOD = 1; ELSE R04R\_A\_BIOCLECT\_BLOOD = 2;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3608	10.7 %
2	2 = No	30214	89.3 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 12429-12429 (width: 1; decimal: 0)

*Variable Type:* numeric

## R04R\_A\_BIOCLECT\_URINE: DERIVED - Urine Specimen Collected

Long Description: Urine specimen was collected from respondent.

Algorithm: IF Urine specimen was collected THEN R04R\_A\_BIOCLECT\_URINE = 1; ELSE R04R\_A\_BIOCLECT\_URINE = 2;

Value	Label	Unweighted Frequency	%
1	1 = Yes	21046	62.2 %
2	2 = No	12776	37.8 %
	<b>Total</b>	<b>33,822</b>	<b>100.0%</b>

This variable has 33,822 valid cases out of 33,822 total cases.

*Location:* 12430-12430 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## R04R\_A\_EVR\_CIGS: DERIVED - Wave 4 Adult Ever Cigarette Smoker

Long Description: Wave 4 adult respondents who have ever smoked a cigarette.

Algorithm: IF R03M\_EVR\_CIGS=1 OR R04\_AC1004 = 1 OR R04\_AC1002\_12M=1 OR R04\_AC1002\_RS=1  
THEN R04R\_A\_EVR\_CIGS = 1; ELSE  
IF R04\_AC1002\_RS=2 OR (R03M\_EVR\_CIGS=2 AND R04\_AC1002\_12M=2 AND R03M\_SKIPPED\_WAVE=2)  
THEN R04R\_A\_EVR\_CIGS = 2; ELSE  
IF (R04\_AC1004=-9 AND R04\_AC1002\_12M=-1) OR R04\_AC1002\_12M=-9 OR R04\_AC1002\_RS=-9  
THEN R04R\_A\_EVR\_CIGS = -99999; ELSE  
IF R04\_AC1002\_12M=-8 OR R04\_AC1002\_RS=-8 THEN R04R\_A\_EVR\_CIGS = -99988; ELSE IF  
R04\_AC1002\_12M=-7 OR R04\_AC1002\_RS=-7  
THEN R04R\_A\_EVR\_CIGS = -99977; ELSE IF R03M\_EVR\_CIGS in (-99999,-99988,-99977,-99966, -99911)  
OR R03M\_SKIPPED\_WAVE=1 THEN  
R04R\_A\_EVR\_CIGS = -99966; ELSE IF R04\_AC1002\_12M=-1 OR R04\_AC1002\_RS=-1  
THEN R04R\_A\_EVR\_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	24191	71.5 %
2	2 = No	9183	27.2 %
	<b>Total</b>	<b>33,374</b>	<b>98.7%</b>

This variable has 33,374 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	440	1.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>448</b>	<b>1.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12431-12436 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

---

## R04R\_A\_EVR\_THRSH\_CIGS: DERIVED - Wave 4 Adult Cigarette Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have smoked 100 or more cigarettes in their lifetime.

Algorithm: IF R04R\_A\_EVR\_CIGS=1 AND (R03M\_EVR\_THRSH\_CIGS=1 OR R04\_AC1005=6)  
 THEN R04R\_A\_EVR\_THRSH\_CIGS=1; ELSE  
 IF R04R\_A\_EVR\_CIGS=2 OR (R04R\_A\_EVR\_CIGS=1 AND R04\_AC1005 in (1,2,3,4,5))  
 THEN R04R\_A\_EVR\_THRSH\_CIGS=2; ELSE IF  
 R04R\_A\_EVR\_CIGS=-99999 OR R04\_AC1005=-9 THEN R04R\_A\_EVR\_THRSH\_CIGS=-99999;  
 ELSE IF R04R\_A\_EVR\_CIGS=-99988  
 OR R04\_AC1005=-8 THEN R04R\_A\_EVR\_THRSH\_CIGS=-99988; ELSE IF R04R\_A\_EVR\_CIGS=-99977  
 OR R04\_AC1005=-7 THEN  
 R04R\_A\_EVR\_THRSH\_CIGS=-99977; ELSE IF R04R\_A\_EVR\_CIGS= -99966  
 THEN R04R\_A\_EVR\_THRSH\_CIGS = -99966; ELSE IF  
 R04R\_A\_EVR\_CIGS=-99911 OR R04\_AC1005=-1 THEN R04R\_A\_EVR\_THRSH\_CIGS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	16062	47.5 %
2	2 = No	15462	45.7 %
	<b>Total</b>	<b>31,524</b>	<b>93.2%</b>

This variable has 31,524 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	94	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	46	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	440	1.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1716	5.1 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2,298</b>	<b>6.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12437-12442 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_CUR\_ESTD\_CIGS: DERIVED - Wave 4 Adult Current Established Cigarette Smoker

Long Description: Wave 4 adult respondents who have smoked at least 100 cigarettes in their lifetime, and currently smoke every day or some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_CIGS=1 AND R04\_AC1003 in (1,2)  
 THEN R04R\_A\_CUR\_ESTD\_CIGS=1; ELSE IF  
 R04R\_A\_EVR\_THRSH\_CIGS=2 OR R04\_AC1003=3 OR R04\_AC1002\_12M=2  
 THEN R04R\_A\_CUR\_ESTD\_CIGS=2; ELSE IF  
 R04R\_A\_EVR\_THRSH\_CIGS =-99999 OR R04\_AC1003 = -9 OR R04\_AC1002\_12M = -9

```

THEN R04R_A_CUR_ESTD_CIGS=-99999; ELSE IF
R04R_A_EVR_THRSH_CIGS =-99988 OR R04_AC1003 = -8 OR R04_AC1002_12M = -8
THEN R04R_A_CUR_ESTD_CIGS=-99988; ELSE IF
R04R_A_EVR_THRSH_CIGS =-99977 OR R04_AC1003 = -7 OR R04_AC1002_12M = -7
THEN R04R_A_CUR_ESTD_CIGS=-99977; ELSE IF
R04R_A_EVR_THRSH_CIGS =-99966 THEN R04R_A_CUR_ESTD_CIGS=-99966;
ELSE IF R04R_A_EVR_THRSH_CIGS =-99911 OR R04_AC1003
= -1 OR R04_AC1002_12M = -1 THEN R04R_A_CUR_ESTD_CIGS=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	9915	29.3 %
2	2 = No	23869	70.6 %
	<b>Total</b>	<b>33,784</b>	<b>99.9%</b>

This variable has 33,784 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	21	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>38</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12443-12448 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_CUR\_EDSD\_CIGS: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Cigarette Smoker

**Long Description:** Wave 4 adult respondents who have ever smoked a cigarette and currently smoke every day or some days.

```

Algorithm: IF R04R_A_EVR_CIGS=1 AND R04_AC1003 in (1,2) THEN R04R_A_CUR_EDSD_CIGS=1;
ELSE IF R04R_A_EVR_CIGS=2
OR R04_AC1003= 3 OR R04_AC1002_12M=2 THEN R04R_A_CUR_EDSD_CIGS=2;
ELSE IF R04R_A_EVR_CIGS=-99999 OR
R04_AC1003 = -9 OR R04_AC1002_12M = -9 THEN R04R_A_CUR_EDSD_CIGS=-99999;
ELSE IF R04R_A_EVR_CIGS=-99988 OR
R04_AC1003 = -8 OR R04_AC1002_12M = -8 THEN R04R_A_CUR_EDSD_CIGS=-99988;
ELSE IF R04R_A_EVR_CIGS=-99977 OR
R04_AC1003 = -7 OR R04_AC1002_12M = -7 THEN R04R_A_CUR_EDSD_CIGS=-99977;

```

```

ELSE IF R04R_A_EVR_CIGS ==-99966 THEN
R04R_A_CUR_EDSD_CIGS=-99966; ELSE IF R04R_A_EVR_CIGS ==-99911 OR R04_AC1003 = -1
OR R04_AC1002_12M = -1 THEN
R04R_A_CUR_EDSD_CIGS=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	10967	32.4 %
2	2 = No	22837	67.5 %
<b>Total</b>		<b>33,804</b>	<b>99.9%</b>

This variable has 33,804 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>18</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12449-12454 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_EDY\_CIGS: DERIVED - Wave 4 Adult Current Every Day Cigarette Smoker

*Long Description:* Wave 4 adult respondents who have ever smoked a cigarette, have smoked at least 100 cigarettes in their lifetime, and currently smoke every day.

```

Algorithm: IF R04R_A_EVR_THRSH_CIGS=1 AND R04_AC1003=1 THEN R04R_A_EDY_CIGS=1;
ELSE IF R04R_A_EVR_THRSH_CIGS=2 OR
R04_AC1003 in (2,3) OR R04_AC1002_12M=2 THEN R04R_A_EDY_CIGS=2;
ELSE IF R04R_A_EVR_THRSH_CIGS ==-99999 OR R04_AC1003
= -9 OR R04_AC1002_12M = -9 THEN R04R_A_EDY_CIGS=-99999;
ELSE IF R04R_A_EVR_THRSH_CIGS ==-99988 OR R04_AC1003 = -8
OR R04_AC1002_12M = -8 THEN R04R_A_EDY_CIGS=-99988;
ELSE IF R04R_A_EVR_THRSH_CIGS ==-99977 OR R04_AC1003 = -7 OR
R04_AC1002_12M = -7 THEN R04R_A_EDY_CIGS=-99977;
ELSE IF R04R_A_EVR_THRSH_CIGS ==-99966 THEN R04R_A_EDY_CIGS=-99966;
ELSE IF R04R_A_EVR_THRSH_CIGS ==-99911 OR R04_AC1003 = -1 OR R04_AC1002_12M = -1
THEN R04R_A_EDY_CIGS=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	7582	22.4 %
2	2 = No	26217	77.5 %
	<b>Total</b>	<b>33,799</b>	<b>99.9%</b>

This variable has 33,799 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>23</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12455-12460 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_SDY\_CIGS: DERIVED - Wave 4 Adult Current Some Day Cigarette Smoker

*Long Description:* Wave 4 adult respondents who have smoked at least 100 cigarettes in their lifetime, and currently smoke some days.

*Algorithm:* IF R04R\_A\_EVR\_THRSH\_CIGS=1 AND R04\_AC1003=2 THEN R04R\_A\_SDY\_CIGS=1;  
ELSE IF R04R\_A\_EVR\_THRSH\_CIGS=2 OR  
R04\_AC1003 in (1,3) OR R04\_AC1002\_12M=2 THEN R04R\_A\_SDY\_CIGS=2;  
ELSE IF R04R\_A\_EVR\_THRSH\_CIGS =-99999 OR R04\_AC1003  
= -9 OR R04\_AC1002\_12M = -9 THEN R04R\_A\_SDY\_CIGS=-99999;  
ELSE IF R04R\_A\_EVR\_THRSH\_CIGS =-99988 OR R04\_AC1003 = -8  
OR R04\_AC1002\_12M = -8 THEN R04R\_A\_SDY\_CIGS=-99988;  
ELSE IF R04R\_A\_EVR\_THRSH\_CIGS =-99977 OR R04\_AC1003 = -7 OR  
R04\_AC1002\_12M = -7 THEN R04R\_A\_SDY\_CIGS=-99977;  
ELSE IF R04R\_A\_EVR\_THRSH\_CIGS =-99966 THEN R04R\_A\_SDY\_CIGS=-99966;  
ELSE IF R04R\_A\_EVR\_THRSH\_CIGS =-99911 OR R04\_AC1003 = -1 OR R04\_AC1002\_12M = -1  
THEN R04R\_A\_SDY\_CIGS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2333	6.9 %
2	2 = No	31458	93.0 %
	<b>Total</b>	<b>33,791</b>	<b>99.9%</b>

This variable has 33,791 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>31</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12461-12466 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_P30D\_CIGS: DERIVED - Wave 4 Adult Past 30 Day Cigarette Smoker

Long Description: Wave 4 adult respondents who have smoked a cigarette within the past 30 days.

```

Algorithm: IF R04R_A_EVR_CIGS = 1 AND (R04_AC1004 = 1 OR R04_AC0100RY IN (1,2,3,4)
OR R04_AC0100MC IN (1,2,3,4) OR (1 <=
R04_AC1009_NN <= 30 AND R04_AC1009_UN = 1) OR
(R04_AC1009_NN = 1 AND R04_AC1009_UN = 2) OR R04_AC1022 > 0) THEN
R04R_A_P30D_CIGS = 1;
ELSE IF R04R_A_EVR_CIGS = 2 OR R04_AC1004 = 2 OR (R04_AC1009_NN > 30 AND R04_AC1009_UN = 1)
OR (R04_AC1009_NN > 1 AND R04_AC1009_UN = 2) OR R04_AC1009_UN = 3 OR R04_AC1022 = 0 THEN
R04R_A_P30D_CIGS = 2; ELSE
IF R04R_A_EVR_CIGS = -99999 OR R04_AC1004 = -9 OR R04_AC0100RY = -9 OR
R04_AC0100MC = -9 OR R04_AC1009_NN = -9 OR
R04_AC1022 = -9 THEN R04R_A_P30D_CIGS = -99999; ELSE IF R04R_A_EVR_CIGS = -99988 OR
R04_AC1004 = -8 OR R04_AC0100RY = -8
OR R04_AC0100MC = -8 OR R04_AC1009_NN = -8 OR R04_AC1022 = -8 THEN R04R_A_P30D_CIGS = -99988;
ELSE IF R04R_A_EVR_CIGS
= -99977 OR R04_AC1004 = -7 OR R04_AC0100RY = -7 OR R04_AC0100MC = -7 OR R04_AC1009_NN = -7
OR R04_AC1022 = -7 THEN
R04R_A_P30D_CIGS = -99977; ELSE IF R04_AC1009_NN = -5 THEN R04R_A_P30D_CIGS = -99955;
ELSE IF R04R_A_EVR_CIGS = -99966
THEN R04R_A_P30D_CIGS = -99966; ELSE IF R04R_A_EVR_CIGS = -99911 OR R04_AC1004 = -1
OR R04_AC0100RY = -1 OR R04_AC0100MC
= -1 OR R04_AC1009_NN = -1 OR R04_AC1022 = -1 THEN R04R_A_P30D_CIGS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	12056	35.6 %
2	2 = No	21760	64.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>33,816</b>	<b>100.0%</b>

This variable has 33,816 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>6</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12467-12472 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R04R\_A\_MNTHSMK\_CIGS: DERIVED - Wave 4 Adult Number of Months Smoked Cigarettes Fairly Regularly

Long Description: Wave 4 Adult - Recode of length of time smoked cigarettes fairly regularly into months.

```
Algorithm: IF R04_AC9002_UN =1 AND R04_AC9002_NN >= 0 THEN R04R_A_MNTHSMK_CIGS = R04_AC9002_NN;
ELSE IF R04_AC9002_UN
=2 AND R04_AC9002_NN >= 0 THEN R04R_A_MNTHSMK_CIGS = R04_AC9002_NN * 12;
ELSE IF R04_AC9002_NN =-9 THEN
R04R_A_MNTHSMK_CIGS =-99999; ELSE IF R04_AC9002_NN =-8 THEN R04R_A_MNTHSMK_CIGS =-99988;
ELSE IF R04_AC9002_NN =-7
THEN R04R_A_MNTHSMK_CIGS =-99977;
ELSE IF R04_AC9002_NN =-5 THEN R04R_A_MNTHSMK_CIGS =-99955;
ELSE IF R04_AC9002_NN
=-1 THEN R04R_A_MNTHSMK_CIGS =-99911;
```

This variable has 2,751 valid cases out of 33,822 total cases.

- Mean: 185.20
- Median: 120.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 840.00
- Standard Deviation: 174.64

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31055	91.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>31,071</b>	<b>91.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12473-12478 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_NEW\_CIGS: DERIVED - Wave 4 Adult Never to Ever Cigarette Smoker

Long Description: Wave 4 adult respondents who started smoking cigarettes between Wave 3 and Wave 4.

Algorithm: IF R03M\_EVR\_CIGS=2 AND R04R\_A\_EVR\_CIGS=1 AND WAVE3\_INTERVIEW in (1,2) THEN R04R\_A\_NEW\_CIGS=1; ELSE IF (R03M\_EVR\_CIGS=1 OR R04R\_A\_EVR\_CIGS=2) AND WAVE3\_INTERVIEW in (1,2) THEN R04R\_A\_NEW\_CIGS=2; ELSE IF WAVE3\_INTERVIEW = 0 THEN R04R\_A\_NEW\_CIGS = -99933; ELSE IF R04R\_A\_EVR\_CIGS=-99999 THEN R04R\_A\_NEW\_CIGS = -99999; ELSE IF R04R\_A\_EVR\_CIGS=-99988 THEN R04R\_A\_NEW\_CIGS = -99988; ELSE IF R04R\_A\_EVR\_CIGS=-99977 THEN R04R\_A\_NEW\_CIGS = -99977; ELSE IF R03M\_EVR\_CIGS in (-99999,-99988,-99977,-99955,-99966,-99911) OR R04R\_A\_EVR\_CIGS=-99966 OR WAVE3\_INTERVIEW = 9 THEN R04R\_A\_NEW\_CIGS = -99966; ELSE IF R04R\_A\_EVR\_CIGS=-99911 THEN R04R\_A\_NEW\_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	388	1.1 %
2	2 = No	26204	77.5 %
<b>Total</b>		<b>26,592</b>	<b>78.6%</b>

This variable has 26,592 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	

<b>Missing Data</b>			
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1158	3.4 %
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>7,230</b>	<b>21.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12479-12484 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99933, -99911, -97777

## R04R\_A\_CUR\_EXPR\_CIGS: DERIVED - Wave 4 Adult Current Experimental Cigarette Smoker

Long Description: Wave 4 adult respondents who have not smoked at least 100 cigarettes in their lifetime, and currently smoke every day or some days.

Algorithm: IF R04R\_A\_EVR\_CIGS=1 AND R04R\_A\_EVR\_THRSH\_CIGS=2 AND R04\_AC1003 in (1,2)  
 THEN R04R\_A\_CUR\_EXPR\_CIGS=1; ELSE IF  
 R04R\_A\_EVR\_THRSH\_CIGS=1 OR R04\_AC1003 = 3 OR R04\_AC1002\_12M = 2 OR R04R\_A\_EVR\_CIGS=2  
 THEN R04R\_A\_CUR\_EXPR\_CIGS=2;  
 ELSE IF R04R\_A\_EVR\_THRSH\_CIGS =-99999 OR R04\_AC1003 = -9 OR R04\_AC1002\_12M = -9 OR  
 R04R\_A\_EVR\_CIGS=-99999 THEN  
 R04R\_A\_CUR\_EXPR\_CIGS=-99999; ELSE IF R04R\_A\_EVR\_THRSH\_CIGS =-99988 OR R04\_AC1003  
 = -8 OR R04\_AC1002\_12M = -8 OR  
 R04R\_A\_EVR\_CIGS=-99988 THEN R04R\_A\_CUR\_EXPR\_CIGS=-99988; ELSE IF  
 R04R\_A\_EVR\_THRSH\_CIGS =-99977 OR R04\_AC1003 = -7 OR  
 R04\_AC1002\_12M = -7 OR R04R\_A\_EVR\_CIGS=-99977 THEN R04R\_A\_CUR\_EXPR\_CIGS=-99977;  
 ELSE IF R04R\_A\_EVR\_THRSH\_CIGS =-99966  
 OR R04R\_A\_EVR\_CIGS=-99966 THEN R04R\_A\_CUR\_EXPR\_CIGS=-99966;  
 ELSE IF R04R\_A\_EVR\_THRSH\_CIGS =-99911 OR R04\_AC1003 = -1  
 OR R04\_AC1002\_12M = -1 OR R04R\_A\_EVR\_CIGS=-99911 THEN R04R\_A\_CUR\_EXPR\_CIGS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1030	3.0 %
2	2 = No	32757	96.9 %
	<b>Total</b>	<b>33,787</b>	<b>99.9%</b>

This variable has 33,787 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %

<b>Missing Data</b>			
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>35</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12485-12490 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_FMR\_ESTD\_CIGS: DERIVED - Wave 4 Adult Former Established Cigarette Smoker

Long Description: Wave 4 adult respondents who have smoked at least 100 cigarettes in their lifetime, and have not smoked them within the past 12 months or currently smoke not at all. Recanters are excluded from the derivation.

Algorithm: IF (R04R\_A\_EVR\_THRSH\_CIGS=1 AND (R04\_AC1003=3 OR R04\_AC1002\_12M=2)) AND R04\_AC1010 != 3 THEN  
 R04R\_A\_FMR\_ESTD\_CIGS=1; ELSE IF (R04R\_A\_EVR\_THRSH\_CIGS=2 OR R04\_AC1003 in (1, 2)) AND R04\_AC1010 != 3 THEN  
 R04R\_A\_FMR\_ESTD\_CIGS = 2; ELSE IF R04R\_A\_EVR\_THRSH\_CIGS=-99999 OR R04\_AC1003=-9 OR R04\_AC1002\_12M= -9 OR R04\_AC1010 = -9 THEN R04R\_A\_FMR\_ESTD\_CIGS = -99999; ELSE IF R04R\_A\_EVR\_THRSH\_CIGS=-99988 OR R04\_AC1003=-8 OR R04\_AC1002\_12M= -8 OR R04\_AC1010 = -8 THEN R04R\_A\_FMR\_ESTD\_CIGS = -99988; ELSE IF R04R\_A\_EVR\_THRSH\_CIGS=-99977 OR R04\_AC1003=-7 OR R04\_AC1002\_12M= -7 OR R04\_AC1010 = -7 THEN R04R\_A\_FMR\_ESTD\_CIGS = -99977; ELSE IF R04R\_A\_EVR\_THRSH\_CIGS=-99966 THEN R04R\_A\_FMR\_ESTD\_CIGS = -99966; ELSE IF R04R\_A\_EVR\_THRSH\_CIGS=-99911 OR R04\_AC1003=-1 OR R04\_AC1002\_12M= -1 OR R04\_AC1010 in (-1,3) THEN R04R\_A\_FMR\_ESTD\_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6081	18.0 %
2	2 = No	25399	75.1 %
<b>Total</b>		<b>31,480</b>	<b>93.1%</b>

This variable has 31,480 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	81	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	44	0.1 %

Missing Data			
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	440	1.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1775	5.2 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2,342</b>	<b>6.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12491-12496 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_FMR\_EXPR\_CIGS: DERIVED - Wave 4 Adult Former Experimental Cigarette Smoker

Long Description: Wave 4 adult respondents who have not smoked at least 100 cigarettes in their lifetime, and did not smoke them within the past 12 months or currently smoke not at all. Recanters are excluded from the derivation.

```
Algorithm: IF R04R_A_EVR_CIGS=1 AND R04R_A_EVR_THRSH_CIGS=2 AND
(R04_AC1003=3 OR R04_AC1002_12M=2) AND R04_AC1010 !
= 3 THEN R04R_A_FMR_EXPR_CIGS=1; ELSE IF (R04R_A_EVR_THRSH_CIGS=1 OR R04_AC1003 in
(1,2) OR R04R_A_EVR_CIGS=2) AND
R04_AC1010 != 3 THEN R04R_A_FMR_EXPR_CIGS=2;
ELSE IF R04R_A_EVR_THRSH_CIGS =-99999 OR R04R_A_EVR_CIGS=-99999
OR R04_AC1003 = -9 OR R04_AC1002_12M = -9 OR R04_AC1010 = -9
THEN R04R_A_FMR_EXPR_CIGS=-99999; ELSE IF
R04R_A_EVR_THRSH_CIGS =-99988 OR R04R_A_EVR_CIGS=-99988 OR R04_AC1003 = -8 OR
R04_AC1002_12M = -8 OR R04_AC1010 =
-8 THEN R04R_A_FMR_EXPR_CIGS=-99988; ELSE IF R04R_A_EVR_THRSH_CIGS =-99977
OR R04R_A_EVR_CIGS=-99977 OR R04_AC1003
= -7 OR R04_AC1002_12M = -7 OR R04_AC1010 = -7 THEN R04R_A_FMR_EXPR_CIGS=-99977;
ELSE IF R04R_A_EVR_THRSH_CIGS
=-99966 OR R04R_A_EVR_CIGS=-99966 THEN R04R_A_FMR_EXPR_CIGS=-99966;
ELSE IF R04R_A_EVR_THRSH_CIGS
=-99911 OR R04R_A_EVR_CIGS=-99911 OR R04_AC1003 = -1 OR R04_AC1002_12M = -1
OR R04_AC1010 in (-1,3) THEN
R04R_A_FMR_EXPR_CIGS=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	5247	15.5 %
2	2 = No	26236	77.6 %
<b>Total</b>		<b>31,483</b>	<b>93.1%</b>

This variable has 31,483 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	79	0.2 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	43	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	440	1.3 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1775	5.2 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>2,339</b>	<b>6.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12497-12502 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_PERDAY\_12MA\_CIGS: DERIVED - Wave 4 Adult Average Number of Cigarettes Smoked Per Day 12 Months Ago

Long Description: Wave 4 adult recode of average number of cigarettes smoked per day, 12 months ago, into single cigarettes.

```
Algorithm: IF R04_AC9006_RS_UN = 1 AND R04_AC9006_RS_NN >= 0
THEN R04R_A_PERDAY_12MA_CIGS = R04_AC9006_RS_NN;
ELSE IF R04_AC9006_RS_UN = 2 AND R04_AC9006_RS_NN >= 0
THEN R04R_A_PERDAY_12MA_CIGS = R04_AC9006_RS_NN *
20; ELSE IF R04_AC9006_RS_NN = -9 THEN R04R_A_PERDAY_12MA_CIGS = -99999;
ELSE IF R04_AC9006_RS_NN = -8 THEN
R04R_A_PERDAY_12MA_CIGS = -99988; ELSE IF R04_AC9006_RS_NN = -7 THEN
R04R_A_PERDAY_12MA_CIGS = -99977;
ELSE IF R04_AC9006_RS_NN = -5 THEN R04R_A_PERDAY_12MA_CIGS = -99955;
ELSE IF R04_AC9006_RS_NN = -1 THEN
R04R_A_PERDAY_12MA_CIGS = -99911;
```

This variable has 1,417 valid cases out of 33,822 total cases.

- Mean: 17.27
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 10.71

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32401	95.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,405</b>	<b>95.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12503-12508 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_PERDAY\_EDY\_CIGS: DERIVED - Wave 4 Adult Average Number of Cigarettes Smoked Per Day, Among Everyday Established Smokers

Long Description: Wave 4 adult recode of average number of cigarettes smoked per day, among everyday established smokers, into single cigarettes.

```
Algorithm: IF R04_AC1021_UN = 1 AND R04_AC1021_NN >= 0 THEN
R04R_A_PERDAY_EDY_CIGS = R04_AC1021_NN; ELSE IF
R04_AC1021_UN = 2 AND R04_AC1021_NN >= 0 THEN R04R_A_PERDAY_EDY_CIGS = R04_AC1021_NN
* 20; ELSE IF R04_AC1021_NN
= -9 THEN R04R_A_PERDAY_EDY_CIGS = -99999;
ELSE IF R04_AC1021_NN = -8 THEN R04R_A_PERDAY_EDY_CIGS = -99988; ELSE IF
R04_AC1021_NN = -7 THEN R04R_A_PERDAY_EDY_CIGS = -99977;
ELSE IF R04_AC1021_NN = -5 THEN R04R_A_PERDAY_EDY_CIGS =
-99955; ELSE IF R04_AC1021_NN = -1 THEN R04R_A_PERDAY_EDY_CIGS = -99911;
```

This variable has 7,573 valid cases out of 33,822 total cases.

- Mean: 14.93
- Median: 14.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 9.39

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	26240	77.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>26,249</b>	<b>77.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12509-12514 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_PERDAY\_FMR\_CIGS: DERIVED - Wave 4 Adult Average Number of Cigarettes Smoked Per Day, Among Former Established Smokers, While Smoking Fairly Regularly

Long Description: Wave 4 adult recode of average number of cigarettes smoked per day, among new former established cigarette smokers who had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, into single cigarettes.

Algorithm: IF R04\_AC9003\_UN = 1 AND R04\_AC9003\_NN >= 0  
THEN R04R\_A\_PERDAY\_FMR\_CIGS = R04\_AC9003\_NN; ELSE IF  
R04\_AC9003\_UN = 2 AND R04\_AC9003\_NN >= 0 THEN R04R\_A\_PERDAY\_FMR\_CIGS =  
R04\_AC9003\_NN \* 20; ELSE IF R04\_AC9003\_NN  
= -9 THEN R04R\_A\_PERDAY\_FMR\_CIGS = -99999; ELSE IF R04\_AC9003\_NN = -8  
THEN R04R\_A\_PERDAY\_FMR\_CIGS = -99988; ELSE IF  
R04\_AC9003\_NN = -7 THEN R04R\_A\_PERDAY\_FMR\_CIGS = -99977; ELSE  
IF R04\_AC9003\_NN = -5 THEN R04R\_A\_PERDAY\_FMR\_CIGS =  
-99955; ELSE IF R04\_AC9003\_NN = -1 THEN R04R\_A\_PERDAY\_FMR\_CIGS = -99911;

This variable has 873 valid cases out of 33,822 total cases.

- Mean: 15.65
- Median: 15.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 80.00
- Standard Deviation: 11.54

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32947	97.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,949</b>	<b>97.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12515-12520 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_PERDAY\_P30D\_CIGS: DERIVED - Wave 4 Adult Average Number of Cigarettes Smoked Per Day on Days Smoked, Among Someday, Experimental, and Non-Current 30-Day Smokers

Long Description: Wave 4 adult recode of average number of cigarettes smoked per day on days smoked, among someday and experimental smokers who smoked at least one day in the past 30 days, or did not provide the number of days smoked in past 30 days, into single cigarettes.

Algorithm: IF R04\_AC1023\_UN = 1 AND R04\_AC1023\_NN>=0 THEN  
R04R\_A\_PERDAY\_P30D\_CIGS = R04\_AC1023\_NN; ELSE IF  
R04\_AC1023\_UN = 2 AND R04\_AC1023\_NN>=0 THEN R04R\_A\_PERDAY\_P30D\_CIGS =  
R04\_AC1023\_NN \* 20; ELSE IF R04\_AC1023\_NN=-9  
THEN R04R\_A\_PERDAY\_P30D\_CIGS = -99999; ELSE IF R04\_AC1023\_NN=-8 THEN  
R04R\_A\_PERDAY\_P30D\_CIGS = -99988; ELSE IF  
R04\_AC1023\_NN=-7 THEN R04R\_A\_PERDAY\_P30D\_CIGS = -99977;  
ELSE IF R04\_AC1023\_NN=-5 THEN R04R\_A\_PERDAY\_P30D\_CIGS =  
-99955; ELSE IF R04\_AC1023\_NN=-1 THEN R04R\_A\_PERDAY\_P30D\_CIGS = -99911;

This variable has 3,941 valid cases out of 33,822 total cases.

- Mean: 4.71
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 155.00
- Standard Deviation: 7.82

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	29858	88.3 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>29,881</b>	<b>88.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 12521-12526 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04R\_A\_PERDAY\_PAST\_CIGS: DERIVED - Wave 4 Adult Average Number of Cigarettes Smoked Per Day While Smoking Fairly Regularly in the Past

Long Description: Wave 4 adult recode of average number of cigarettes smoked per

day while smoking fairly regularly in the past, among new baseline adult respondents who are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, or adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, into single cigarettes.

```

Algorithm: IF R04_AC9005_UN = 1 AND R04_AC9005_NN >= 0 THEN R04R_A_PERDAY_PAST_CIGS
= R04_AC9005_NN; ELSE IF
R04_AC9005_UN = 2 AND R04_AC9005_NN >= 0 THEN R04R_A_PERDAY_PAST_CIGS =
R04_AC9005_NN * 20; ELSE IF R04_AC9005_NN
= -9 THEN R04R_A_PERDAY_PAST_CIGS = -99999; ELSE IF R04_AC9005_NN = -8 THEN
R04R_A_PERDAY_PAST_CIGS = -99988; ELSE IF
R04_AC9005_NN = -7 THEN R04R_A_PERDAY_PAST_CIGS = -99977; ELSE IF
R04_AC9005_NN = -5 THEN R04R_A_PERDAY_PAST_CIGS =
-99955; ELSE IF R04_AC9005_NN = -1 THEN R04R_A_PERDAY_PAST_CIGS = -99911;

```

This variable has 658 valid cases out of 33,822 total cases.

- Mean: 14.26
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 10.71

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33159	98.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,164</b>	<b>98.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12527-12532 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSQUIT\_CIGS: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Cigarette (Non-Current Smokers)

Long Description: Wave 4 adult recode of length of time since last smoked a cigarette into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

Algorithm: IF R04\_AC1009\_UN = 1 AND R04\_AC1009\_NN => 0  
THEN R04R\_A\_DAYSQUIT\_CIGS = R04\_AC1009\_NN; ELSE IF R04\_AC1009\_UN  
= 2 AND R04\_AC1009\_NN => 0 THEN R04R\_A\_DAYSQUIT\_CIGS =  
R04\_AC1009\_NN \* 30.4375; ELSE IF R04\_AC1009\_UN = 3  
AND R04\_AC1009\_NN => 0 THEN R04R\_A\_DAYSQUIT\_CIGS =  
R04\_AC1009\_NN \* 365.25; ELSE IF R04\_AC1009\_NN = -9 THEN  
R04R\_A\_DAYSQUIT\_CIGS = -99999; ELSE IF  
R04\_AC1009\_NN = -8 THEN R04R\_A\_DAYSQUIT\_CIGS = -99988;  
ELSE IF R04\_AC1009\_NN = -7  
THEN R04R\_A\_DAYSQUIT\_CIGS = -99977;  
ELSE IF R04\_AC1009\_NN = -5 THEN R04R\_A\_DAYSQUIT\_CIGS = -99955; ELSE IF R04\_AC1009\_NN  
= -1 THEN R04R\_A\_DAYSQUIT\_CIGS = -99911;

This variable has 4,963 valid cases out of 33,822 total cases.

- Mean: 2145.5839
- Median: 273.9375
- Mode: 182.6250
- Minimum: 1.0000
- Maximum: 28489.5000
- Standard Deviation: 4192.4980

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	43	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	120	0.4 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	28677	84.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>28,859</b>	<b>85.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12533-12543 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_MINFIRST\_30D\_CIGS: DERIVED - Wave 4 Adult Former Past 30 Day Cigarette Smoker - Number of Minutes From Waking Up to Smoking First Cigarette

Long Description: Wave 4 Adult former cigarette smokers who have smoked in the past 30 days - Recode of length of time from waking up to smoking first cigarette into minutes.

```

Algorithm: IF R04_AC1024_30D_UN = 1 AND R04_AC1024_30D_NN >= 0
THEN R04R_A_MINFIRST_30D_CIGS = R04_AC1024_30D_NN;
ELSE IF R04_AC1024_30D_UN = 2 AND R04_AC1024_30D_NN >= 0
THEN R04R_A_MINFIRST_30D_CIGS = R04_AC1024_30D_NN
* 60; ELSE IF R04_AC1024_30D_NN = -9 THEN R04R_A_MINFIRST_30D_CIGS
= -99999; ELSE IF R04_AC1024_30D_NN = -8
THEN R04R_A_MINFIRST_30D_CIGS = -99988;
ELSE IF R04_AC1024_30D_NN = -7 THEN R04R_A_MINFIRST_30D_CIGS = -99977;
ELSE IF R04_AC1024_30D_NN = -5
THEN R04R_A_MINFIRST_30D_CIGS = -99955; ELSE IF R04_AC1024_30D_NN = -1 THEN
R04R_A_MINFIRST_30D_CIGS = -99911;

```

This variable has 1,131 valid cases out of 33,822 total cases.

- Mean: 300.62
- Median: 180.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 320.47

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	38	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32632	96.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,691</b>	<b>96.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12544-12549 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_MINFIRST\_CIGS: DERIVED - Wave 4 Adult Number of Minutes From Waking Up to Smoking First Cigarette

Long Description: Wave 4 Adult current established cigarette smokers

- Recode of length of time from waking up to smoking first cigarette into minutes

```

Algorithm: IF R04_AC1024_UN = 1 AND R04_AC1024_NN >= 0
THEN R04R_A_MINFIRST_CIGS = R04_AC1024_NN; ELSE IF R04_AC1024_UN

```

```

= 2 AND R04_AC1024_NN >= 0
THEN R04R_A_MINFIRST_CIGS = R04_AC1024_NN * 60; ELSE IF R04_AC1024_NN = -9 THEN
R04R_A_MINFIRST_CIGS = -99999;
ELSE IF R04_AC1024_NN = -8
THEN R04R_A_MINFIRST_CIGS = -99988; ELSE IF R04_AC1024_NN = -7
THEN R04R_A_MINFIRST_CIGS = -99977;
ELSE IF R04_AC1024_NN = -5 THEN R04R_A_MINFIRST_CIGS = -99955; ELSE IF R04_AC1024_NN
= -1 THEN R04R_A_MINFIRST_CIGS = -99911;

```

This variable has 10,872 valid cases out of 33,822 total cases.

- Mean: 107.64
- Median: 30.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 183.93

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	63	0.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	11	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	22853	67.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>22,950</b>	<b>67.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12550-12555 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSLASTUSED\_CIGS: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Cigarette (Some Day or Current Experimental Smokers)

Long Description: Wave 4 adult some day, current experimental, or former 30 day cigarette smokers who have not used in the past 30 days - Recode of length of time since last smoked cigarettes into days.

```

Algorithm: IF R04_AC9029_UN = 1 AND R04_AC9029_NN >= 0 THEN
R04R_A_DAYSLASTUSED_CIGS = R04_AC9029_NN; ELSE
IF R04_AC9029_UN = 2 AND R04_AC9029_NN >= 0 THEN R04R_A_DAYSLASTUSED_CIGS
= R04_AC9029_NN * 30.4375; ELSE
IF R04_AC9029_UN = 3 AND R04_AC9029_NN >= 0 THEN R04R_A_DAYSLASTUSED_CIGS
= R04_AC9029_NN * 365.25; ELSE IF
R04_AC9029_NN = -9 THEN R04R_A_DAYSLASTUSED_CIGS = -99999;
ELSE IF R04_AC9029_NN = -8 THEN R04R_A_DAYSLASTUSED_CIGS

```

```

= -99988; ELSE IF R04_AC9029_NN = -7 THEN R04R_A_DAYSLASTUSED_CIGS = -99977;
ELSE IF R04_AC9029_NN = -5 THEN
R04R_A_DAYSLASTUSED_CIGS = -99955; ELSE IF R04_AC9029_NN = -1
THEN R04R_A_DAYSLASTUSED_CIGS = -99911;

```

This variable has 185 valid cases out of 33,822 total cases.

- Mean: 712.3125
- Median: 121.7500
- Mode: 60.8750
- Minimum: 30.4375
- Maximum: 18993.0000
- Standard Deviation: 1976.5493

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	27	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33608	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,637</b>	<b>99.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12556-12566 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSBRAND\_CIGSMFG: DERIVED - Wave 4 Adult Number of Days Smoking Regular Brand of Manufactured Cigarettes

**Long Description:** Wave 4 Adult current, experimental current, past 30 day or new former cigarette smokers who have a regular brand - Recode of length of time smoking regular brand of manufactured cigarettes into days.

```

Algorithm: IF R04_AC1051MC_UN = 1 AND R04_AC1051MC_NN => 0
THEN R04R_A_DAYSBRAND_CIGSMFG = R04_AC1051MC_NN;
ELSE IF R04_AC1051MC_UN = 2 AND R04_AC1051MC_NN => 0 THEN R04R_A_DAYSBRAND_CIGSMFG
= R04_AC1051MC_NN *
30.4375; ELSE IF R04_AC1051MC_UN = 3 AND R04_AC1051MC_NN => 0
THEN R04R_A_DAYSBRAND_CIGSMFG = R04_AC1051MC_NN *
365.25; ELSE IF R04_AC1051MC_NN = -9 THEN R04R_A_DAYSBRAND_CIGSMFG
= -99999; ELSE IF R04_AC1051MC_NN =
-8 THEN R04R_A_DAYSBRAND_CIGSMFG = -99988; ELSE IF R04_AC1051MC_NN
= -7 THEN R04R_A_DAYSBRAND_CIGSMFG =
-99977; ELSE IF R04_AC1051MC_NN = -5 THEN R04R_A_DAYSBRAND_CIGSMFG
= -99955; ELSE IF R04_AC1051MC_NN = -1 THEN

```

R04R\_A\_DAYSBRAND\_CIGSMFG = -99911;

This variable has 10,562 valid cases out of 33,822 total cases.

- Mean: 3442.4447
- Median: 1826.2500
- Mode: 1826.2500
- Minimum: 0.0000
- Maximum: 29220.0000
- Standard Deviation: 3832.5625

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	58	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	23181	68.5 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>23,260</b>	<b>68.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12567-12577 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_DAYSBRAND\_CIGSRYO: DERIVED - Wave 4 Adult Number of Days Smoking Regular Brand of Roll-Your-Own Cigarette Tobacco

Long Description: Wave 4 Adult current, experimental current, past 30 day or new former cigarette smokers who have a regular brand - Recode of length of time smoking regular brand of roll-your-own cigarette tobacco into days.

Algorithm: IF R04\_AC1051RY\_UN = 1 AND R04\_AC1051RY\_NN => 0 THEN  
R04R\_A\_DAYSBRAND\_CIGSRYO = R04\_AC1051RY\_NN;  
ELSE IF R04\_AC1051RY\_UN = 2 AND R04\_AC1051RY\_NN => 0 THEN  
R04R\_A\_DAYSBRAND\_CIGSRYO = R04\_AC1051RY\_NN \*  
30.4375; ELSE IF R04\_AC1051RY\_UN = 3 AND R04\_AC1051RY\_NN => 0  
THEN R04R\_A\_DAYSBRAND\_CIGSRYO = R04\_AC1051RY\_NN  
\* 365.25; ELSE IF R04\_AC1051RY\_NN = -9 THEN  
R04R\_A\_DAYSBRAND\_CIGSRYO = -99999; ELSE IF R04\_AC1051RY\_NN =  
-8 THEN R04R\_A\_DAYSBRAND\_CIGSRYO = -99988; ELSE IF R04\_AC1051RY\_NN = -7  
THEN R04R\_A\_DAYSBRAND\_CIGSRYO =  
-99977; ELSE IF R04\_AC1051RY\_NN = -5 THEN  
R04R\_A\_DAYSBRAND\_CIGSRYO = -99955; ELSE IF R04\_AC1051RY\_NN = -1 THEN  
R04R\_A\_DAYSBRAND\_CIGSRYO = -99911;

This variable has 903 valid cases out of 33,822 total cases.

- Mean: 1854.3778
- Median: 1095.7500
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 21915.0000
- Standard Deviation: 2537.1225

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32912	97.3 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,919</b>	<b>97.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12578-12588 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_EVR\_EPRODS: DERIVED - Wave 4 Adult Ever Electronic Nicotine Product User

Long Description: Wave 4 adult respondents who have ever used any electronic nicotine products.

```
Algorithm: IF R03M_EVR_EPRODS=1 OR R04_AV1004 = 1 OR R04_AV1002_12M=1
OR R04_AV1002_RS=1 THEN R04R_A_EVR_EPRODS =
1; ELSE IF R04_AV1002_RS=2 OR R04_AV1001_RS=2 OR (R03M_EVR_EPRODS=2 AND
R04_AV1002_12M=2 AND R03M_SKIPPED_WAVE=2)
THEN R04R_A_EVR_EPRODS = 2; ELSE IF (R04_AV1004=-9 AND R04_AV1002_12M=-1)
OR R04_AV1002_12M=-9 OR R04_AV1002_RS=-9 OR
R04_AV1001_RS=-9 THEN R04R_A_EVR_EPRODS = -99999; ELSE IF R04_AV1002_12M=-8
OR R04_AV1001_RS=-8 OR R04_AV1002_RS=-8
THEN R04R_A_EVR_EPRODS = -99988; ELSE IF R04_AV1002_12M=-7 OR R04_AV1001_RS=-7
OR R04_AV1002_RS=-7 THEN
R04R_A_EVR_EPRODS = -99977; ELSE IF R03M_EVR_EPRODS in
(-99999,-99988,-99977,-99966, -99911) OR R03M_SKIPPED_WAVE=1 THEN
R04R_A_EVR_EPRODS = -99966; ELSE IF R04_AV1002_12M=-1 OR R04_AV1001_RS=-1
OR R04_AV1002_RS=-1 THEN R04R_A_EVR_EPRODS
= -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	16042	47.4 %

Value	Label	Unweighted Frequency	%
2	2 = No	16870	49.9 %
	<b>Total</b>	<b>32,912</b>	<b>97.3%</b>

This variable has 32,912 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	891	2.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>910</b>	<b>2.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12589-12594 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_EVR\_THRSH\_EPRODS: DERIVED - Wave 4 Adult Electronic Nicotine Product Lifetime Threshold of Use- Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have ever used any electronic nicotine product fairly regularly.

```
Algorithm: IF R04R_A_EVR_EPRODS=1 AND (R03M_EVR_THRSH_EPRODS=1 OR R04_AV1100=1)
THEN R04R_A_EVR_THRSH_EPRODS=1;
ELSE IF R04R_A_EVR_EPRODS=2 OR (R04R_A_EVR_EPRODS=1 AND R04_AV1100 =2)
THEN R04R_A_EVR_THRSH_EPRODS=2; ELSE IF
R04R_A_EVR_EPRODS=-99999 OR R04_AV1100=-9 THEN R04R_A_EVR_THRSH_EPRODS=-99999;
ELSE IF R04R_A_EVR_EPRODS=-99988
OR R04_AV1100=-8 THEN R04R_A_EVR_THRSH_EPRODS=-99988;
ELSE IF R04R_A_EVR_EPRODS=-99977 OR R04_AV1100=-7 THEN
R04R_A_EVR_THRSH_EPRODS=-99977; ELSE IF R04R_A_EVR_EPRODS=
-99966 THEN R04R_A_EVR_THRSH_EPRODS = -99966; ELSE IF
R04R_A_EVR_EPRODS=-99911 OR R04_AV1100=-1 THEN R04R_A_EVR_THRSH_EPRODS=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	5073	15.0 %
2	2 = No	25334	74.9 %
	<b>Total</b>	<b>30,407</b>	<b>89.9%</b>

This variable has 30,407 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	891	2.6 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2492	7.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>3,415</b>	<b>10.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12595-12600 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_CUR\_ESTD\_EPRODS: DERIVED - Wave 4 Adult Current Established Electronic Nicotine Product User

Long Description: Wave 4 adult respondents who have ever used any electronic nicotine products, have ever used them fairly regularly, and currently use every day or some days.

```
Algorithm: IF R04R_A_EVR_THRSH_EPRODS=1 AND R04_AV1003 in (1,2)
THEN R04R_A_CUR_ESTD_EPRODS=1; ELSE IF
R04R_A_EVR_THRSH_EPRODS=2 OR R04_AV1003=3 OR R04_AV1002_12M=2
THEN R04R_A_CUR_ESTD_EPRODS=2; ELSE IF
R04R_A_EVR_THRSH_EPRODS =-99999 OR R04_AV1003 = -9 OR R04_AV1002_12M
= -9 THEN R04R_A_CUR_ESTD_EPRODS=-99999; ELSE
IF R04R_A_EVR_THRSH_EPRODS =-99988 OR R04_AV1003 = -8 OR
R04_AV1002_12M = -8 THEN R04R_A_CUR_ESTD_EPRODS=-99988; ELSE
IF R04R_A_EVR_THRSH_EPRODS =-99977 OR R04_AV1003 = -7 OR
R04_AV1002_12M = -7 THEN R04R_A_CUR_ESTD_EPRODS=-99977; ELSE
IF R04R_A_EVR_THRSH_EPRODS =-99966 THEN R04R_A_CUR_ESTD_EPRODS=-99966;
ELSE IF R04R_A_EVR_THRSH_EPRODS =-99911 OR
R04_AV1003 = -1 OR R04_AV1002_12M = -1
THEN R04R_A_CUR_ESTD_EPRODS=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	2005	5.9 %
2	2 = No	31788	94.0 %
	<b>Total</b>	<b>33,793</b>	<b>99.9%</b>

This variable has 33,793 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>29</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12601-12606 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777)

---

## R04R\_A\_CUR\_EDSD\_EPRODS: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Electronic Nicotine Product User

Long Description: Wave 4 adult respondents who have ever used any electronic nicotine products and currently use every day or some days.

Algorithm: IF R04R\_A\_EVR\_EPRODS=1 AND R04\_AV1003 in (1,2)  
 THEN R04R\_A\_CUR\_EDSD\_EPRODS=1; ELSE IF R04R\_A\_EVR\_EPRODS=2  
 OR R04\_AV1003= 3 OR R04\_AV1002\_12M=2 THEN R04R\_A\_CUR\_EDSD\_EPRODS=2;  
 ELSE IF R04R\_A\_EVR\_EPRODS=-99999 OR  
 R04\_AV1003 = -9 OR R04\_AV1002\_12M = -9  
 THEN R04R\_A\_CUR\_EDSD\_EPRODS=-99999; ELSE IF R04R\_A\_EVR\_EPRODS=-99988 OR  
 R04\_AV1003 = -8 OR R04\_AV1002\_12M = -8  
 THEN R04R\_A\_CUR\_EDSD\_EPRODS=-99988; ELSE IF R04R\_A\_EVR\_EPRODS=-99977 OR  
 R04\_AV1003 = -7 OR R04\_AV1002\_12M = -7  
 THEN R04R\_A\_CUR\_EDSD\_EPRODS=-99977; ELSE IF R04R\_A\_EVR\_EPRODS =-99966 THEN  
 R04R\_A\_CUR\_EDSD\_EPRODS=-99966; ELSE IF  
 R04R\_A\_EVR\_EPRODS =-99911 OR R04\_AV1003 = -1 OR R04\_AV1002\_12M = -1 THEN  
 R04R\_A\_CUR\_EDSD\_EPRODS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2984	8.8 %
2	2 = No	30806	91.1 %
<b>Total</b>		<b>33,790</b>	<b>99.9%</b>

This variable has 33,790 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %

<b>Missing Data</b>				
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>32</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12607-12612 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EDY\_EPRODS: DERIVED - Wave 4 Adult Current Every Day Electronic Nicotine Product User

**Long Description:** Wave 4 adult respondents who have ever used any electronic nicotine products, have ever used them fairly regularly, and currently use every day.

```
Algorithm: IF R04R_A_EVR_THRSH_EPRODS=1 AND R04_AV1003=1
THEN R04R_A_EDY_EPRODS=1; ELSE IF R04R_A_EVR_THRSH_EPRODS=2
OR R04_AV1003 in (2,3) OR R04_AV1002_12M=2 THEN R04R_A_EDY_EPRODS=2;
ELSE IF R04R_A_EVR_THRSH_EPRODS =-99999 OR
R04_AV1003 = -9 OR R04_AV1002_12M = -9 THEN R04R_A_EDY_EPRODS=-99999;
ELSE IF R04R_A_EVR_THRSH_EPRODS =-99988 OR
R04_AV1003 = -8 OR R04_AV1002_12M = -8 THEN R04R_A_EDY_EPRODS=-99988;
ELSE IF R04R_A_EVR_THRSH_EPRODS =-99977 OR
R04_AV1003 = -7 OR R04_AV1002_12M = -7 THEN R04R_A_EDY_EPRODS=-99977;
ELSE IF R04R_A_EVR_THRSH_EPRODS =-99966 THEN
R04R_A_EDY_EPRODS=-99966; ELSE IF R04R_A_EVR_THRSH_EPRODS =-99911
OR R04_AV1003 = -1 OR R04_AV1002_12M = -1 THEN
R04R_A_EDY_EPRODS=-99911;
```

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	944	2.8 %
2	2 = No	32851	97.1 %
	<b>Total</b>	<b>33,795</b>	<b>99.9%</b>

This variable has 33,795 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %

<b>Missing Data</b>			
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>27</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12613-12618 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_SDY\_EPRODS: DERIVED - Wave 4 Adult Current Some Day Electronic Nicotine Product User

Long Description: Wave 4 adult respondents who have ever used any electronic nicotine products, have ever used them fairly regularly, and currently use some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_EPRODS=1 AND R04\_AV1003=2  
 THEN R04R\_A\_SDY\_EPRODS=1; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS=2  
 OR R04\_AV1003 in (1,3) OR R04\_AV1002\_12M=2 THEN R04R\_A\_SDY\_EPRODS=2;  
 ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99999 OR  
 R04\_AV1003 = -9 OR R04\_AV1002\_12M = -9 THEN R04R\_A\_SDY\_EPRODS=-99999;  
 ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99988 OR  
 R04\_AV1003 = -8 OR R04\_AV1002\_12M = -8 THEN R04R\_A\_SDY\_EPRODS=-99988;  
 ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99977 OR  
 R04\_AV1003 = -7 OR R04\_AV1002\_12M = -7 THEN R04R\_A\_SDY\_EPRODS=-99977;  
 ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99966 THEN  
 R04R\_A\_SDY\_EPRODS=-99966; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99911  
 OR R04\_AV1003 = -1 OR R04\_AV1002\_12M = -1 THEN  
 R04R\_A\_SDY\_EPRODS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1061	3.1 %
2	2 = No	32734	96.8 %
<b>Total</b>		<b>33,795</b>	<b>99.9%</b>

This variable has 33,795 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>27</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12619-12624 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_P30D\_EPRODS: DERIVED - Wave 4 Adult Past 30 Day Electronic Nicotine Product User

Long Description: Wave 4 adult respondents who have used an electronic nicotine product within the past 30 days.

```
Algorithm: IF R04R_A_EVR_EPRODS = 1 AND (R04_AV1004 = 1 OR R04_AV0100 IN
(1,2,3,4) OR (1 <= R04_AV1009_NN <= 30 AND
R04_AV1009_UN = 1) OR (R04_AV1009_NN = 1 AND R04_AV1009_UN = 2) OR
R04_AV1022 > 0) THEN R04R_A_P30D_EPRODS = 1; ELSE
IF R04R_A_EVR_EPRODS = 2 OR R04_AV1004 = 2 OR (R04_AV1009_NN > 30
AND R04_AV1009_UN = 1) OR (R04_AV1009_NN > 1 AND
R04_AV1009_UN = 2) OR R04_AV1009_UN = 3 OR R04_AV1022 = 0 THEN
R04R_A_P30D_EPRODS = 2; ELSE IF R04R_A_EVR_EPRODS =
-99999 OR R04_AV1004 = -9 OR R04_AV0100 = -9 OR R04_AV1009_NN = -9 OR R04_AV1022
= -9 THEN R04R_A_P30D_EPRODS = -99999;
ELSE IF R04R_A_EVR_EPRODS = -99988 OR R04_AV1004 = -8 OR R04_AV0100 = -8
OR R04_AV1009_NN = -8 OR R04_AV1022 = -8 THEN
R04R_A_P30D_EPRODS = -99988; ELSE IF R04R_A_EVR_EPRODS = -99977
OR R04_AV1004 = -7 OR R04_AV0100 = -7 OR R04_AV1009_NN =
-7 OR R04_AV1022 = -7 THEN R04R_A_P30D_EPRODS = -99977; ELSE
IF R04_AV1009_NN = -5 THEN R04R_A_P30D_EPRODS = -99955; ELSE
IF R04R_A_EVR_EPRODS = -99966 THEN R04R_A_P30D_EPRODS = -99966;
ELSE IF R04R_A_EVR_EPRODS = -99911 OR R04_AV1004 = -1 OR
R04_AV0100 = -1 OR R04_AV1009_NN = -1 OR R04_AV1022 = -1
THEN R04R_A_P30D_EPRODS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	4082	12.1 %
2	2 = No	29707	87.8 %
<b>Total</b>		<b>33,789</b>	<b>99.9%</b>

This variable has 33,789 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.0 %

<b>Missing Data</b>				
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12625-12630 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R04R\_A\_NEW\_EPRODS: DERIVED - Wave 4 Adult Never to Ever Electronic Nicotine Product User

Long Description: Wave 4 adult respondents who started using electronic nicotine products between Wave 3 and Wave 4.

```
Algorithm: IF R03M_EVR_EPRODS = 2 AND R04R_A_EVR_EPRODS = 1
AND WAVE3_INTERVIEW IN (1,2) THEN R04R_A_NEW_EPRODS = 1;
ELSE IF (R03M_EVR_EPRODS = 1 OR R04R_A_EVR_EPRODS = 2)
AND WAVE3_INTERVIEW IN (1,2) THEN R04R_A_NEW_EPRODS = 2; ELSE
IF WAVE3_INTERVIEW = 0 THEN R04R_A_NEW_EPRODS = -99933; ELSE IF
R04R_A_EVR_EPRODS = -99999 THEN R04R_A_NEW_EPRODS
= -99999; ELSE IF R04R_A_EVR_EPRODS = -99988 THEN
R04R_A_NEW_EPRODS = -99988; ELSE IF R04R_A_EVR_EPRODS = -99977 THEN
R04R_A_NEW_EPRODS = -99977; ELSE IF R03M_EVR_EPRODS IN
(-99999,-99988,-99977,-99955,-99966,-99911) OR WAVE3_INTERVIEW
= 9 OR R04R_A_EVR_EPRODS = -99966 THEN R04R_A_NEW_EPRODS = -99966;
ELSE IF R04R_A_EVR_EPRODS = -99911 THEN
R04R_A_NEW_EPRODS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	540	1.6 %
2	2 = No	25803	76.3 %
<b>Total</b>		<b>26,343</b>	<b>77.9%</b>

This variable has 26,343 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	

Missing Data			
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1408	4.2 %
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>7,479</b>	<b>22.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12631-12636 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

## R04R\_A\_CUR\_EXPR\_EPRODS: DERIVED - Wave 4 Adult Current Experimental Electronic Nicotine Product User

Long Description: Wave 4 adult respondents who have never used any electronic nicotine products fairly regularly, and currently use every day or some days.

Algorithm: IF R04R\_A\_EVR\_EPRODS=1 AND R04R\_A\_EVR\_THRSH\_EPRODS=2 AND R04\_AV1003 in (1,2) THEN  
 R04R\_A\_CUR\_EXPR\_EPRODS=1; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS=1 OR R04\_AV1003 = 3 OR R04\_AV1002\_12M = 2 OR  
 R04R\_A\_EVR\_EPRODS=2 THEN R04R\_A\_CUR\_EXPR\_EPRODS=2; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99999 OR R04\_AV1003 = -9 OR R04\_AV1002\_12M = -9 OR R04R\_A\_EVR\_EPRODS=-99999 THEN  
 R04R\_A\_CUR\_EXPR\_EPRODS=-99999; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99988 OR R04\_AV1003 = -8 OR R04\_AV1002\_12M = -8 OR  
 R04R\_A\_EVR\_EPRODS=-99988 THEN R04R\_A\_CUR\_EXPR\_EPRODS=-99988;  
 ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99977 OR R04\_AV1003 = -7 OR R04\_AV1002\_12M = -7 OR R04R\_A\_EVR\_EPRODS=-99977  
 THEN R04R\_A\_CUR\_EXPR\_EPRODS=-99977; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99966 OR R04R\_A\_EVR\_EPRODS=-99966 THEN  
 R04R\_A\_CUR\_EXPR\_EPRODS=-99966; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99911 OR R04\_AV1003 = -1 OR R04\_AV1002\_12M = -1 OR  
 R04R\_A\_EVR\_EPRODS=-99911 THEN R04R\_A\_CUR\_EXPR\_EPRODS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	975	2.9 %
2	2 = No	32813	97.0 %
<b>Total</b>		<b>33,788</b>	<b>99.9%</b>

This variable has 33,788 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>34</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12637-12642 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_FMR\_ESTD\_EPRODS: DERIVED - Wave 4 Adult Former Established Electronic Nicotine Product User

Long Description: Wave 4 adult respondents who have ever used any electronic nicotine products fairly regularly, have not used them within the past 12 months or currently use not at all. Recanters are excluded from the derivation.

Algorithm: IF R04R\_A\_EVR\_THRSH\_EPRODS=1 AND (R04\_AV1003=3 OR R04\_AV1002\_12M=2) AND R04\_AV1010 != 3 THEN  
 R04R\_A\_FMR\_ESTD\_EPRODS=1; ELSE IF (R04R\_A\_EVR\_THRSH\_EPRODS=2 OR R04\_AV1003 in (1, 2)) AND R04\_AV1010 != 3 THEN  
 R04R\_A\_FMR\_ESTD\_EPRODS = 2; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS=-99999 OR R04\_AV1003=-9 OR R04\_AV1002\_12M= -9 OR R04\_AV1010=-9 THEN R04R\_A\_FMR\_ESTD\_EPRODS = -99999; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS=-99988 OR R04\_AV1003=-8 OR R04\_AV1002\_12M= -8 OR R04\_AV1010=-8 THEN R04R\_A\_FMR\_ESTD\_EPRODS = -99988; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS=-99977 OR R04\_AV1003=-7 OR R04\_AV1002\_12M= -7 OR R04\_AV1010=-7 THEN R04R\_A\_FMR\_ESTD\_EPRODS = -99977; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS=-99966 THEN R04R\_A\_FMR\_ESTD\_EPRODS = -99966; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS=-99911 OR R04\_AV1003=-1 OR R04\_AV1002\_12M= -1 OR R04\_AV1010 in (-1,3) THEN R04R\_A\_FMR\_ESTD\_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2936	8.7 %
2	2 = No	27343	80.8 %
	<b>Total</b>	<b>30,279</b>	<b>89.5%</b>

This variable has 30,279 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	891	2.6 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2619	7.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>3,543</b>	<b>10.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12643-12648 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_FMR\_EXPR\_EPRODS: DERIVED - Wave 4 Adult Former Experimental Electronic Nicotine Product User

Long Description: Wave 4 adult respondents who have never used any electronic nicotine products fairly regularly, have not used them within the past 12 months or currently use not at all. Recanters are excluded from the derivation.

Algorithm: IF R04R\_A\_EVR\_EPRODS=1 AND R04R\_A\_EVR\_THRSH\_EPRODS=2 AND (R04\_AV1003=3 OR R04\_AV1002\_12M=2) AND R04\_AV1010 != 3 THEN R04R\_A\_FMR\_EXPR\_EPRODS=1; ELSE IF (R04R\_A\_EVR\_THRSH\_EPRODS=1 OR R04\_AV1003 in (1,2) OR R04R\_A\_EVR\_EPRODS=2) AND R04\_AV1010 != 3 THEN R04R\_A\_FMR\_EXPR\_EPRODS=2; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99999 OR R04R\_A\_EVR\_EPRODS=-99999 OR R04\_AV1003 = -9 OR R04\_AV1002\_12M = -9 OR R04\_AV1010=-9 THEN R04R\_A\_FMR\_EXPR\_EPRODS=-99999; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99988 OR R04R\_A\_EVR\_EPRODS=-99988 OR R04\_AV1003 = -8 OR R04\_AV1002\_12M = -8 OR R04\_AV1010=-8 THEN R04R\_A\_FMR\_EXPR\_EPRODS=-99988; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99977 OR R04R\_A\_EVR\_EPRODS=-99977 OR R04\_AV1003 = -7 OR R04\_AV1002\_12M = -7 OR R04\_AV1010=-7 THEN R04R\_A\_FMR\_EXPR\_EPRODS=-99977; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99966 OR R04R\_A\_EVR\_EPRODS=-99966 THEN R04R\_A\_FMR\_EXPR\_EPRODS=-99966; ELSE IF R04R\_A\_EVR\_THRSH\_EPRODS =-99911 OR R04R\_A\_EVR\_EPRODS=-99911 OR R04\_AV1003 = -1 OR R04\_AV1002\_12M = -1 OR R04\_AV1010 in (-1,3) THEN R04R\_A\_FMR\_EXPR\_EPRODS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7482	22.1 %
2	2 = No	22792	67.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>30,274</b>	<b>89.5%</b>

This variable has 30,274 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	891	2.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2619	7.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>3,548</b>	<b>10.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12649-12654 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

---

## R04R\_A\_MINFIRST\_30D\_EPRODS: DERIVED - Wave 4 Adult Former Past 30 Day E-product Users - Number of Minutes From Waking Up to Using First E-product

Long Description: Wave 4 adult former e-product users who have used in the past 30 days - Recode of amount of time from waking up to using first e-product into minutes for past 30 day users.

```
Algorithm: IF R04_AV1024_30D_UN = 1 AND R04_AV1024_30D_NN >= 0
THEN R04R_A_MINFIRST_30D_EPRODS = R04_AV1024_30D_NN;
ELSE IF R04_AV1024_30D_UN = 2 AND R04_AV1024_30D_NN >= 0 THEN
R04R_A_MINFIRST_30D_EPRODS = R04_AV1024_30D_NN
* 60; ELSE IF R04_AV1024_30D_NN = -9 THEN R04R_A_MINFIRST_30D_EPRODS
= -99999; ELSE IF R04_AV1024_30D_NN = -8 THEN
R04R_A_MINFIRST_30D_EPRODS = -99988; ELSE IF R04_AV1024_30D_NN
= -7 THEN R04R_A_MINFIRST_30D_EPRODS = -99977;
ELSE IF R04_AV1024_30D_NN = -5 THEN R04R_A_MINFIRST_30D_EPRODS
= -99955; ELSE IF R04_AV1024_30D_NN = -1 THEN
R04R_A_MINFIRST_30D_EPRODS = -99911;
```

This variable has 1,179 valid cases out of 33,822 total cases.

- Mean: 247.15
- Median: 120.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 292.64

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	85	0.3 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	6	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32526	96.2 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,643</b>	<b>96.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12655-12660 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_MINFIRST\_EPRODS: DERIVED - Wave 4 Adult Number of Minutes From Waking Up to Using First E-product

Long Description: Wave 4 adult current or experimental current e-product users - Recode of amount of time from waking up to using first e-product into minutes.

```
Algorithm: IF R04_AV1024_UN = 1 AND R04_AV1024_NN >= 0 THEN
R04R_A_MINFIRST_EPRODS = R04_AV1024_NN; ELSE IF
R04_AV1024_UN = 2 AND R04_AV1024_NN >= 0 THEN
R04R_A_MINFIRST_EPRODS = R04_AV1024_NN * 60; ELSE IF R04_AV1024_NN
= -9 THEN R04R_A_MINFIRST_EPRODS = -99999; ELSE IF R04_AV1024_NN = -8
THEN R04R_A_MINFIRST_EPRODS = -99988; ELSE IF
R04_AV1024_NN = -7 THEN R04R_A_MINFIRST_EPRODS = -99977;
ELSE IF R04_AV1024_NN = -5 THEN R04R_A_MINFIRST_EPRODS =
-99955; ELSE IF R04_AV1024_NN = -1 THEN R04R_A_MINFIRST_EPRODS = -99911;
```

This variable has 2,888 valid cases out of 33,822 total cases.

- Mean: 174.64
- Median: 60.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 223.35

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	70	0.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.1 %	

<b>Missing Data</b>			
-99955	-99955 = Missing due to an improbable response on one or more component variables	5	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	30836	91.2 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>30,934</b>	<b>91.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12661-12666 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSQUIT\_EPRODS: DERIVED - Wave 4 Adult Number of Days Since Last Used an E-product (Non-Current Users)

Long Description: Wave 4 adult recode of length of time since last used an e-product into days for users who do not currently use at all or did not use in the past 12 months.

```
Algorithm: IF R04_AV1009_UN = 1 AND R04_AV1009_NN >= 0
THEN R04R_A_DAYSQUIT_EPRODS = R04_AV1009_NN; ELSE IF
R04_AV1009_UN = 2 AND R04_AV1009_NN >= 0 THEN R04R_A_DAYSQUIT_EPRODS
= R04_AV1009_NN * 30.4375; ELSE IF R04_AV1009_UN
= 3 AND R04_AV1009_NN >= 0 THEN R04R_A_DAYSQUIT_EPRODS =
R04_AV1009_NN * 365.25; ELSE IF R04_AV1009_NN = -9 THEN
R04R_A_DAYSQUIT_EPRODS = -99999; ELSE IF R04_AV1009_NN =
-8 THEN R04R_A_DAYSQUIT_EPRODS = -99988; ELSE IF R04_AV1009_NN
= -7 THEN R04R_A_DAYSQUIT_EPRODS = -99977; ELSE IF
R04_AV1009_NN = -5 THEN R04R_A_DAYSQUIT_EPRODS = -99955; ELSE IF
R04_AV1009_NN = -1 THEN R04R_A_DAYSQUIT_EPRODS = -99911;
```

This variable has 4,821 valid cases out of 33,822 total cases.

- Mean: 396.0064
- Median: 213.0625
- Mode: 365.2500
- Minimum: 1.0000
- Maximum: 4748.2500
- Standard Deviation: 523.9360

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	80	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	34	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	433	1.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	28452	84.1 %

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>29,001</b>	<b>85.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12667-12677 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSLASTUSED\_EPRODS: DERIVED - Wave 4 Adult Number of Days Since Last Used Primary E-product (Some Day or Current Experimental Users)

**Long Description:** Wave 4 adult some day, current experimental, or former 30 day eproduct users who have not used in the past 30 days - Recode of length of time since last used primary electronic nicotine product into days.

```
Algorithm: IF R04_AV9029_UN = 1 AND R04_AV9029_NN => 0
THEN R04R_A_DAYSLASTUSED_EPRODS = R04_AV9029_NN;
ELSE IF R04_AV9029_UN = 2 AND R04_AV9029_NN => 0
THEN R04R_A_DAYSLASTUSED_EPRODS = R04_AV9029_NN *
30.4375; ELSE IF R04_AV9029_UN = 3 AND R04_AV9029_NN =>
0 THEN R04R_A_DAYSLASTUSED_EPRODS = R04_AV9029_NN
* 365.25; ELSE IF R04_AV9029_NN = -9
THEN R04R_A_DAYSLASTUSED_EPRODS = -99999; ELSE IF R04_AV9029_NN = -8
THEN R04R_A_DAYSLASTUSED_EPRODS = -99988;
ELSE IF R04_AV9029_NN = -7 THEN R04R_A_DAYSLASTUSED_EPRODS =
-99977; ELSE IF R04_AV9029_NN = -5 THEN
R04R_A_DAYSLASTUSED_EPRODS = -99955; ELSE IF R04_AV9029_NN = -1 THEN
R04R_A_DAYSLASTUSED_EPRODS = -99911;
```

This variable has 380 valid cases out of 33,822 total cases.

- Mean: 194.6286
- Median: 91.3125
- Mode: 60.8750
- Minimum: 30.0000
- Maximum: 1826.2500
- Standard Deviation: 267.9118

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	81	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33351	98.6 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,442</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12678-12688 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSBRAND\_EPRODS: DERIVED - Wave 4 Adult Number of Days Using Regular Brand of E-Products

Long Description: Wave 4 Adult current, experimental current, past 30 day or new former e-product users who have a regular brand - Recode of length of time using regular brand of e-products into days.

```
Algorithm: IF R04_AV1051_UN =1 AND R04_AV1051_NN=>0
THEN R04R_A_DAYSBRAND_EPRODS=R04_AV1051_NN; ELSE IF
R04_AV1051_UN =2 AND R04_AV1051_NN=>0 THEN
R04R_A_DAYSBRAND_EPRODS=R04_AV1051_NN * 30.4375; ELSE IF R04_AV1051_UN
=3 AND R04_AV1051_NN=>0 THEN
R04R_A_DAYSBRAND_EPRODS=R04_AV1051_NN * 365.25; ELSE IF R04_AV1051_NN=-9
THEN R04R_A_DAYSBRAND_EPRODS=-99999; ELSE IF R04_AV1051_NN=-8
THEN R04R_A_DAYSBRAND_EPRODS=-99988;
ELSE IF R04_AV1051_NN=-7 THEN R04R_A_DAYSBRAND_EPRODS=-99977;
ELSE IF R04_AV1051_NN=-5 THEN
R04R_A_DAYSBRAND_EPRODS=-99955; ELSE IF R04_AV1051_NN=-1 THEN
R04R_A_DAYSBRAND_EPRODS=-99911;
```

This variable has 1,338 valid cases out of 33,822 total cases.

- Mean: 446.0090
- Median: 304.3750
- Mode: 365.2500
- Minimum: 0.0000
- Maximum: 4017.7500
- Standard Deviation: 489.0027

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	5	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32467	96.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>32,484</b>	<b>96.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 12689-12699 (width: 11; decimal: 4)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_BLUNTONLY: DERIVED - Wave 4 Adult Blunt Only User

Long Description: Wave 4 adult respondents who have only used cigars as blunts in the past 12 months.

Algorithm: IF (R04\_AG9106\_01 = 1 OR R04\_AG9106\_02 = 1 OR R04\_AG9106\_03 = 1)  
AND (R04\_AG9106\_01 IN (-1,1) AND R04\_AG9106\_02  
IN (-1,1) AND R04\_AG9106\_03 IN (-1,1)) THEN R04R\_A\_BLUNTONLY = 1;  
ELSE IF R04\_AG9106\_01 IN (2,3,4,5) OR R04\_AG9106\_02 IN  
(2,3,4,5) OR R04\_AG9106\_03 IN (2,3,4,5) OR R04\_AG9107 = 2 OR R04\_AG9105\_RS = 2  
OR R04\_AG1001\_RS = 2 THEN R04R\_A\_BLUNTONLY  
= 2; ELSE IF R04\_AG9106\_01 = -9 OR R04\_AG9106\_02 = -9 OR R04\_AG9106\_03 = -9  
OR R04\_AG9107 = -9 OR R04\_AG1095\_01 = -9 OR  
R04\_AG1095\_02 = -9 OR R04\_AG1095\_03 = -9 OR R04\_AG9105\_RS = -9 OR  
R04\_AG1001\_RS = -9 THEN R04R\_A\_BLUNTONLY = -99999;  
ELSE IF R04\_AG9106\_01 = -8 OR R04\_AG9106\_02 = -8 OR R04\_AG9106\_03  
= -8 OR R04\_AG9107 = -8 OR R04\_AG1095\_01 = -8 OR  
R04\_AG1095\_02 = -8 OR R04\_AG1095\_03 = -8 OR R04\_AG9105\_RS = -8 OR  
R04\_AG1001\_RS = -8 THEN R04R\_A\_BLUNTONLY = -99988;  
ELSE IF R04\_AG9106\_01 = -7 OR R04\_AG9106\_02 = -7 OR R04\_AG9106\_03  
= -7 OR R04\_AG9107 = -7 OR R04\_AG1095\_01 = -7 OR  
R04\_AG1095\_02 = -7 OR R04\_AG1095\_03 = -7 OR R04\_AG9105\_RS = -7 OR  
R04\_AG1001\_RS = -7 THEN R04R\_A\_BLUNTONLY = -99977;  
ELSE IF R04\_AG9106\_01 = -1 OR R04\_AG9106\_02 = -1 OR R04\_AG9106\_03  
= -1 OR R04\_AG9107 = -1 OR R04\_AG1095\_01 = -1 OR  
R04\_AG1095\_02 = -1 OR R04\_AG1095\_03 = -1 OR R04\_AG9105\_RS = -1 OR  
R04\_AG1001\_RS = -1 THEN R04R\_A\_BLUNTONLY = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2404	7.1 %
2	2 = No	31312	92.6 %
	<b>Total</b>	<b>33,716</b>	<b>99.7%</b>

This variable has 33,716 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	58	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	46	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>106</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12700-12705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_CUR\_BLUNONLY: DERIVED - Wave 4 Adult Current Blunt Only User of Any Cigar Product

**Long Description:** Wave 4 adult respondents who smoke any type of cigar only as blunts every day or some days. Respondents may be current non-blunt users of other types of cigars.

**Algorithm:** IF R04R\_A\_CUR\_BTRAD=1 OR R04R\_A\_CUR\_BRILLO=1 OR R04R\_A\_CUR\_BFILTR=1 THEN R04R\_A\_CUR\_BLUNONLY=1;  
ELSE IF R04R\_A\_CUR\_BTRAD=2 AND R04R\_A\_CUR\_BRILLO=2 AND R04R\_A\_CUR\_BFILTR=2 THEN R04R\_A\_CUR\_BLUNONLY=2; ELSE IF R04R\_A\_CUR\_BTRAD=-99999 OR R04R\_A\_CUR\_BRILLO=-99999 OR R04R\_A\_CUR\_BFILTR=-99999 THEN R04R\_A\_CUR\_BLUNONLY=-99999;  
ELSE IF R04R\_A\_CUR\_BTRAD=-99988 OR R04R\_A\_CUR\_BRILLO=-99988 OR R04R\_A\_CUR\_BFILTR=-99988 THEN R04R\_A\_CUR\_BLUNONLY=-99988; ELSE IF R04R\_A\_CUR\_BTRAD=-99977 OR R04R\_A\_CUR\_BRILLO=-99977 OR R04R\_A\_CUR\_BFILTR=-99977 THEN R04R\_A\_CUR\_BLUNONLY=-99977;  
ELSE IF R04R\_A\_CUR\_BTRAD=-99911 OR R04R\_A\_CUR\_BRILLO=-99911 OR R04R\_A\_CUR\_BFILTR=-99911 THEN R04R\_A\_CUR\_BLUNONLY=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1864	5.5 %
2	2 = No	31846	94.2 %
<b>Total</b>		<b>33,710</b>	<b>99.7%</b>

This variable has 33,710 valid cases out of 33,822 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	61	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	49	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>112</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12706-12711 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_NEW\_BLUNONLY: DERIVED - Wave 4 Adult Never to Ever Blunt Only User

Long Description: Wave 4 adult respondents who started using cigars only as blunts between Wave 3 and Wave 4.

Algorithm: IF R03M\_EVR\_BLUNTONLY=2 AND R04R\_A\_BLUNTONLY=1 AND WAVE3\_INTERVIEW in (1,2) THEN R04R\_A\_NEW\_BLUNTONLY=1;  
ELSE IF (R03M\_EVR\_BLUNTONLY=1 OR R04R\_A\_BLUNTONLY=2) AND WAVE3\_INTERVIEW in (1,2) THEN R04R\_A\_NEW\_BLUNTONLY=2; ELSE  
IF WAVE3\_INTERVIEW =0 THEN R04R\_A\_NEW\_BLUNTONLY = -99933;  
ELSE IF R04R\_A\_BLUNTONLY= -99999 THEN R04R\_A\_NEW\_BLUNTONLY  
= -99999; ELSE IF R04R\_A\_BLUNTONLY= -99988 THEN R04R\_A\_NEW\_BLUNTONLY  
= -99988; ELSE IF R04R\_A\_BLUNTONLY= -99977 THEN  
R04R\_A\_NEW\_BLUNTONLY = -99977; ELSE IF R03M\_EVR\_BLUNTONLY in (-99999,-99988,-99977,-99966,-99911) OR WAVE3\_INTERVIEW=9  
THEN R04R\_A\_NEW\_BLUNTONLY = -99966; ELSE IF R04R\_A\_BLUNTONLY= -99911 THEN R04R\_A\_NEW\_BLUNTONLY = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1631	4.8 %
2	2 = No	25096	74.2 %
	<b>Total</b>	<b>26,727</b>	<b>79.0%</b>

This variable has 26,727 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	44	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	32	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	952	2.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>7,095</b>	<b>21.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 12712-12717 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

## R04R\_A\_FMR\_BLUNTONLY: DERIVED - Wave 4 Adult Former Blunt Only User

Long Description: Wave 4 adult respondents who have only used cigars as blunts in the past 12 months, and currently use them not at all.

Algorithm: IF R04R\_A\_BLUNTONLY=1 AND R04\_AG1003TJ in (-1,3) AND R04\_AG1003GJ in (-1,3) AND R04\_AG1003FJ in (-1,3) THEN

R04R\_A\_FMR\_BLUNTONLY=1; ELSE IF R04R\_A\_BLUNTONLY=2 OR R04\_AG1003TJ in (1,2) OR R04\_AG1003GJ in (1,2) OR R04\_AG1003FJ in (1,2) THEN R04R\_A\_FMR\_BLUNTONLY=2; ELSE IF R04R\_A\_BLUNTONLY=-99999 OR R04\_AG1003TJ = -9 OR R04\_AG1003GJ = -9 OR R04\_AG1003FJ = -9 THEN R04R\_A\_FMR\_BLUNTONLY= -99999; ELSE IF R04R\_A\_BLUNTONLY= -99988 OR R04\_AG1003TJ = -8 OR R04\_AG1003GJ = -8 OR R04\_AG1003FJ = -8 THEN R04R\_A\_FMR\_BLUNTONLY= -99988; ELSE IF R04R\_A\_BLUNTONLY=-99977 OR R04\_AG1003TJ = -7 OR R04\_AG1003GJ = -7 OR R04\_AG1003FJ = -7 THEN R04R\_A\_FMR\_BLUNTONLY= -99977; ELSE IF R04R\_A\_BLUNTONLY= -99911 OR R04\_AG1003TJ = -1 OR R04\_AG1003GJ = -1 OR R04\_AG1003FJ = -1 THEN R04R\_A\_FMR\_BLUNTONLY= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	606	1.8 %
2	2 = No	33104	97.9 %
	<b>Total</b>	<b>33,710</b>	<b>99.7%</b>

This variable has 33,710 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	61	0.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	49	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>112</b>	<b>0.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12718-12723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_CUR\_BTRAD: DERIVED - Wave 4 Adult Current Traditional Cigar as Blunt Only User

Long Description: Wave 4 adult respondents who only used traditional cigars as blunts within the past 12 months and currently smoke blunts every day or some days.

Algorithm: IF R04\_AG9106\_01 = 1 AND R04\_AG1003TJ IN (1,2)  
 THEN R04R\_A\_CUR\_BTRAD = 1; ELSE IF R04\_AG9105\_RS=2 OR  
 R04\_AG1001\_RS = 2 OR R04\_AG9107 = 2 OR R04\_AG1095\_01 = 2  
 OR R04\_AG9106\_01 IN (2,3,4,5) OR R04\_AG1003TJ = 3 THEN  
 R04R\_A\_CUR\_BTRAD = 2; ELSE IF R04\_AG9105\_RS=-9 OR R04\_AG1001\_RS = -9  
 OR R04\_AG1095\_01 = -9 OR R04\_AG9106\_01 = -9 OR  
 R04\_AG1003TJ = -9 OR R04\_AG9107 = -9 THEN R04R\_A\_CUR\_BTRAD = -99999;  
 ELSE IF R04\_AG9105\_RS=-8 OR R04\_AG1001\_RS = -8

```

OR R04_AG1095_01 = -8 OR R04_AG9106_01 = -8 OR R04_AG1003TJ = -8
OR R04_AG9107 = -8 THEN R04R_A_CUR_BTRAD = -99988;
ELSE IF R04_AG9105_RS=-7 OR R04_AG1001_RS = -7 OR R04_AG1095_01 = -7
OR R04_AG9106_01 = -7 OR R04_AG1003TJ = -7 OR
R04_AG9107 = -7 THEN R04R_A_CUR_BTRAD = -99977; ELSE IF R04_AG9105_RS=-1
OR R04_AG1001_RS = -1 OR R04_AG1095_01 = -1 OR
R04_AG9106_01 = -1 OR R04_AG1003TJ = -1 OR R04_AG9107 = -1
THEN R04R_A_CUR_BTRAD = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	384	1.1 %
2	2 = No	33330	98.5 %
<b>Total</b>		<b>33,714</b>	<b>99.7%</b>

This variable has 33,714 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	60	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	46	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>108</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12724-12729 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_DAYSQUIT\_BTRAD: DERIVED - Wave 4 Adult Number of Days Since Last Smoked Traditional Cigars as Blunts (Non-Current Smokers)

**Long Description:** Wave 4 adult recode of length of time since last smoked traditional cigars as blunts into days for past 12 month smokers who currently do not smoke at all.

```

Algorithm: IF R04_AG1009TJ_UN = 1 AND R04_AG1009TJ_NN => 0
THEN R04R_A_DAYSQUIT_BTRAD = R04_AG1009TJ_NN; ELSE
IF R04_AG1009TJ_UN = 2 AND R04_AG1009TJ_NN => 0 THEN
R04R_A_DAYSQUIT_BTRAD = R04_AG1009TJ_NN * 30.4375; ELSE
IF R04_AG1009TJ_UN = 3 AND R04_AG1009TJ_NN => 0 THEN
R04R_A_DAYSQUIT_BTRAD = R04_AG1009TJ_NN * 365.25; ELSE IF
R04_AG1009TJ_NN = -9 THEN R04R_A_DAYSQUIT_BTRAD = -99999;
ELSE IF R04_AG1009TJ_NN = -8 THEN R04R_A_DAYSQUIT_BTRAD
= -99988; ELSE IF R04_AG1009TJ_NN = -7 THEN
R04R_A_DAYSQUIT_BTRAD = -99977; ELSE IF R04_AG1009TJ_NN = -5 THEN
R04R_A_DAYSQUIT_BTRAD = -99955; ELSE IF R04_AG1009TJ_NN = -1 THEN

```

R04R\_A\_DAYSQUIT\_BTRAD = -99911;

This variable has 104 valid cases out of 33,822 total cases.

- Mean: 398.3672
- Median: 106.5312
- Mode: 182.6250
- Minimum: 1.0000
- Maximum: 8035.5000
- Standard Deviation: 1174.5031

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	6	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33709	99.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,718</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12730-12740 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04R\_A\_DAYSLASTUSED\_BTRAD: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Traditional Cigar as a Blunt (Not Past 30 Day Smokers)

Long Description: Wave 4 adult blunt smokers who have not smoked a traditional cigar in past 30 days - Recode of length of time since last smoked a traditional cigar as a blunt into days.

Algorithm: IF R04\_AJ9029TC\_UN = 1 AND R04\_AJ9029TC\_NN => 0  
THEN R04R\_A\_DAYSLASTUSED\_BTRAD = R04\_AJ9029TC\_NN;  
ELSE IF R04\_AJ9029TC\_UN = 2 AND R04\_AJ9029TC\_NN => 0 THEN  
R04R\_A\_DAYSLASTUSED\_BTRAD = R04\_AJ9029TC\_NN \*  
30.4375; ELSE IF R04\_AJ9029TC\_UN = 3 AND R04\_AJ9029TC\_NN =>  
0 THEN R04R\_A\_DAYSLASTUSED\_BTRAD = R04\_AJ9029TC\_NN  
\* 365.25; ELSE IF R04\_AJ9029TC\_NN = -9 THEN  
R04R\_A\_DAYSLASTUSED\_BTRAD = -99999; ELSE IF R04\_AJ9029TC\_NN = -8  
THEN R04R\_A\_DAYSLASTUSED\_BTRAD = -99988;  
ELSE IF R04\_AJ9029TC\_NN = -7 THEN R04R\_A\_DAYSLASTUSED\_BTRAD =  
-99977; ELSE IF R04\_AJ9029TC\_NN = -5  
THEN R04R\_A\_DAYSLASTUSED\_BTRAD = -99955; ELSE IF R04\_AJ9029TC\_NN = -1 THEN  
R04R\_A\_DAYSLASTUSED\_BTRAD = -99911;

This variable has 118 valid cases out of 33,822 total cases.

- Mean: 539.9274
- Median: 182.6250
- Minimum: 30.4375
- Maximum: 8035.5000
- Standard Deviation: 1264.4418

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	42	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33658	99.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,704</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12741-12751 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_CUR\_BRILLO: DERIVED - Wave 4 Adult Current Cigarillo as Blunt Only User

Long Description: Wave 4 adult respondents who only used cigarillos as blunts within the past 12 months and currently smoke blunts every day or some days.

```

Algorithm: IF R04_AG9106_02 = 1 AND R04_AG1003GJ IN (1,2)
THEN R04R_A_CUR_BRILLO = 1; ELSE IF R04_AG1001_RS = 2 OR
R04_AG9105_RS = 2 OR R04_AG9107 = 2 OR R04_AG1095_02 = 2
OR R04_AG9106_02 IN (2,3,4,5) OR R04_AG1003GJ = 3 THEN
R04R_A_CUR_BRILLO = 2; ELSE IF R04_AG1095_02 = -9 OR
R04_AG9106_02 = -9 OR R04_AG1003GJ = -9 OR R04_AG1001_RS = -9 OR
R04_AG9105_RS = -9 OR R04_AG9107 = -9 THEN
R04R_A_CUR_BRILLO = -99999; ELSE IF R04_AG1095_02 = -8 OR R04_AG9106_02 = -8
OR R04_AG1003GJ = -8 OR R04_AG1001_RS = -8 OR
R04_AG9105_RS = -8 OR R04_AG9107 = -8 THEN R04R_A_CUR_BRILLO = -99988;
ELSE IF R04_AG1095_02 = -7 OR R04_AG9106_02 = -7
OR R04_AG1003GJ = -7 OR R04_AG1001_RS = -7 OR R04_AG9105_RS = -7 OR
R04_AG9107 = -7 THEN R04R_A_CUR_BRILLO = -99977;
ELSE IF R04_AG1095_02 = -1 OR R04_AG9106_02 = -1 OR R04_AG1003GJ = -1 OR
R04_AG1001_RS = -1 OR R04_AG9105_RS = -1 OR
R04_AG9107 = -1 THEN R04R_A_CUR_BRILLO = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1549	4.6 %
2	2 = No	32165	95.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>33,714</b>	<b>99.7%</b>

This variable has 33,714 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	58	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	48	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>108</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12752-12757 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R04R\_A\_DAYSQUIT\_BRILLO: DERIVED - Wave 4 Adult Number of Days Since Last Smoked Cigarillos as Blunts (Non-Current Smokers)

Long Description: Wave 4 adult recode of length of time since last smoked cigarillos as blunts into days for past 12 month smokers who currently do not smoke at all.

```

Algorithm: IF R04_AG1009GJ_UN = 1 AND R04_AG1009GJ_NN => 0
THEN R04R_A_DAYSQUIT_BRILLO = R04_AG1009GJ_NN; ELSE
IF R04_AG1009GJ_UN = 2 AND R04_AG1009GJ_NN => 0
THEN R04R_A_DAYSQUIT_BRILLO = R04_AG1009GJ_NN * 30.4375; ELSE
IF R04_AG1009GJ_UN = 3 AND R04_AG1009GJ_NN => 0
THEN R04R_A_DAYSQUIT_BRILLO = R04_AG1009GJ_NN * 365.25; ELSE IF
R04_AG1009GJ_NN = -9 THEN R04R_A_DAYSQUIT_BRILLO
= -99999; ELSE IF R04_AG1009GJ_NN = -8 THEN R04R_A_DAYSQUIT_BRILLO
= -99988; ELSE IF R04_AG1009GJ_NN = -7 THEN
R04R_A_DAYSQUIT_BRILLO = -99977; ELSE IF R04_AG1009GJ_NN = -5 THEN
R04R_A_DAYSQUIT_BRILLO = -99955; ELSE IF
R04_AG1009GJ_NN = -1 THEN R04R_A_DAYSQUIT_BRILLO = -99911;

```

This variable has 464 valid cases out of 33,822 total cases.

- Mean: 231.2559
- Median: 121.7500
- Mode: 182.6250
- Minimum: 1.0000
- Maximum: 18993.0000
- Standard Deviation: 1053.1599

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	14	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33339	98.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,358</b>	<b>98.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12758-12768 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSLASTUSED\_BRILLO: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Cigarillo as a Blunt (Not Past 30 Day Smokers)

Long Description: Wave 4 adult blunt smokers who have not smoked a cigarillo in past 30 days

- Recode of length of time since last smoked a cigarillo as a blunt into days.

```
Algorithm: IF R04_AJ9029CG_UN = 1 AND R04_AJ9029CG_NN => 0
THEN R04R_A_DAYSLASTUSED_BRILLO = R04_AJ9029CG_NN;
ELSE IF R04_AJ9029CG_UN = 2 AND R04_AJ9029CG_NN => 0
THEN R04R_A_DAYSLASTUSED_BRILLO = R04_AJ9029CG_NN *
30.4375; ELSE IF R04_AJ9029CG_UN = 3 AND R04_AJ9029CG_NN =>
0 THEN R04R_A_DAYSLASTUSED_BRILLO = R04_AJ9029CG_NN
* 365.25; ELSE IF R04_AJ9029CG_NN = -9 THEN
R04R_A_DAYSLASTUSED_BRILLO = -99999; ELSE IF R04_AJ9029CG_NN = -8
THEN R04R_A_DAYSLASTUSED_BRILLO = -99988;
ELSE IF R04_AJ9029CG_NN = -7 THEN R04R_A_DAYSLASTUSED_BRILLO =
-99977; ELSE IF R04_AJ9029CG_NN = -5 THEN
R04R_A_DAYSLASTUSED_BRILLO = -99955; ELSE IF R04_AJ9029CG_NN = -1 THEN
R04R_A_DAYSLASTUSED_BRILLO = -99911;
```

This variable has 617 valid cases out of 33,822 total cases.

- Mean: 281.0975
- Median: 121.7500
- Minimum: 30.4375
- Maximum: 18993.0000
- Standard Deviation: 1058.7299

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	73	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33119	97.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,205</b>	<b>98.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12769-12779 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_CUR\_BFILTR: DERIVED - Wave 4 Adult Current Filtered Cigar as Blunt Only User

Long Description: Wave 4 adult respondents who only used filtered cigars as blunts within the past 12 months and currently smoke blunts every day or some days.

Algorithm: IF R04\_AG9106\_03 = 1 AND R04\_AG1003FJ IN (1,2)  
 THEN R04R\_A\_CUR\_BFILTR = 1; ELSE IF R04\_AG1001\_RS = 2 OR  
 R04\_AG9107 = 2 OR R04\_AG1095\_03 = 2 OR R04\_AG9106\_03 IN  
 (2,3,4,5) OR R04\_AG1003FJ = 3 OR R04\_AG9105\_RS = 2 THEN  
 R04R\_A\_CUR\_BFILTR = 2; ELSE IF R04\_AG1001\_RS = -9 OR  
 R04\_AG1095\_03 = -9 OR R04\_AG9106\_03 = -9 OR R04\_AG1003FJ = -9 OR  
 R04\_AG9107 = -9 OR R04\_AG9105\_RS = -9 THEN  
 R04R\_A\_CUR\_BFILTR = -99999; ELSE IF R04\_AG1001\_RS = -8  
 OR R04\_AG1095\_03  
 = -8 OR R04\_AG9106\_03 = -8 OR R04\_AG1003FJ = -8 OR  
 R04\_AG9107 = -8 OR R04\_AG9105\_RS = -8 THEN R04R\_A\_CUR\_BFILTR =  
 -99988; ELSE IF R04\_AG1001\_RS = -7 OR R04\_AG1095\_03 = -7  
 OR R04\_AG9106\_03 = -7 OR R04\_AG1003FJ = -7 OR R04\_AG9107 = -7 OR  
 R04\_AG9105\_RS = -7 THEN R04R\_A\_CUR\_BFILTR = -99977;  
 ELSE IF R04\_AG1001\_RS = -1 OR R04\_AG1095\_03 = -1 OR R04\_AG9106\_03 =  
 -1 OR R04\_AG1003FJ = -1 OR R04\_AG9107 = -1 OR  
 R04\_AG9105\_RS = -1 THEN R04R\_A\_CUR\_BFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	68	0.2 %
2	2 = No	33648	99.5 %
<b>Total</b>		<b>33,716</b>	<b>99.7%</b>

This variable has 33,716 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	59	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	45	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>106</b>	<b>0.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12780-12785 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R04R\_A\_DAYSQUIT\_BFILTR: DERIVED - Wave 4 Adult Number of Days Since Last Smoked Filtered Cigars as Blunts (Non-Current Smokers)

Long Description: Wave 4 adult recode of length of time since last smoked filtered cigars as blunts into days for past 12 month smokers who currently do not smoke at all.

```
Algorithm: IF R04_AG1009FJ_UN = 1 AND R04_AG1009FJ_NN => 0
THEN R04R_A_DAYSQUIT_BFILTR = R04_AG1009FJ_NN; ELSE
IF R04_AG1009FJ_UN = 2 AND R04_AG1009FJ_NN => 0 THEN
R04R_A_DAYSQUIT_BFILTR = R04_AG1009FJ_NN * 30.4375; ELSE
IF R04_AG1009FJ_UN = 3 AND R04_AG1009FJ_NN => 0 THEN
R04R_A_DAYSQUIT_BFILTR = R04_AG1009FJ_NN * 365.25; ELSE IF
R04_AG1009FJ_NN = -9 THEN R04R_A_DAYSQUIT_BFILTR =
-99999; ELSE IF R04_AG1009FJ_NN = -8 THEN R04R_A_DAYSQUIT_BFILTR =
-99988; ELSE IF R04_AG1009FJ_NN = -7 THEN
R04R_A_DAYSQUIT_BFILTR = -99977; ELSE IF R04_AG1009FJ_NN = -5 THEN
R04R_A_DAYSQUIT_BFILTR = -99955; ELSE IF
R04_AG1009FJ_NN = -1 THEN R04R_A_DAYSQUIT_BFILTR = -99911;
```

This variable has 76 valid cases out of 33,822 total cases.

- Mean: 406.4243
- Median: 121.7500
- Mode: 182.6250
- Minimum: 1.0000
- Maximum: 6939.7500
- Standard Deviation: 1153.4689

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

<b>Missing Data</b>			
-99955	-99955 = Missing due to an improbable response on one or more component variables	6	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33736	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,746</b>	<b>99.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12786-12796 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSLASTUSED\_BFILTR: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Filtered Cigar as a Blunt (Not Past 30 Day Smokers)

Long Description: Wave 4 adult blunt smokers who have not smoked a filtered cigar in past 30 days - Recode of length of time since last smoked a filtered cigar as a blunt into days.

```
Algorithm: IF R04_AJ9029FC_UN = 1 AND R04_AJ9029FC_NN => 0
THEN R04R_A_DAYSLASTUSED_BFILTR = R04_AJ9029FC_NN;
ELSE IF R04_AJ9029FC_UN = 2 AND R04_AJ9029FC_NN => 0
THEN R04R_A_DAYSLASTUSED_BFILTR = R04_AJ9029FC_NN *
30.4375; ELSE IF R04_AJ9029FC_UN = 3 AND R04_AJ9029FC_NN => 0
THEN R04R_A_DAYSLASTUSED_BFILTR = R04_AJ9029FC_NN
* 365.25; ELSE IF R04_AJ9029FC_NN = -9
THEN R04R_A_DAYSLASTUSED_BFILTR = -99999;
ELSE IF R04_AJ9029FC_NN = -8
THEN R04R_A_DAYSLASTUSED_BFILTR = -99988;
ELSE IF R04_AJ9029FC_NN = -7 THEN R04R_A_DAYSLASTUSED_BFILTR =
-99977; ELSE IF R04_AJ9029FC_NN = -5
THEN R04R_A_DAYSLASTUSED_BFILTR = -99955; ELSE IF R04_AJ9029FC_NN = -1 THEN
R04R_A_DAYSLASTUSED_BFILTR = -99911;
```

This variable has 79 valid cases out of 33,822 total cases.

- Mean: 606.0530
- Median: 182.6250
- Minimum: 30.4375
- Maximum: 16071.0000
- Standard Deviation: 1872.0550

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	21	0.1 %

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33715	99.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,743</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12797-12807 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_EVR\_GTRAD: DERIVED - Wave 4 Adult Ever Traditional Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a traditional cigar.

Algorithm: IF R03M\_EVR\_GTRAD=1 OR R04\_AG9030 = 1 OR  
 R04\_AG9003\_12M=1 OR R04\_AG9003\_RS=1 THEN R04R\_A\_EVR\_GTRAD = 1;  
 ELSE IF R04\_AG9003\_RS=2 OR R04\_AG1001\_RS=2 OR  
 R04\_AG9002\_RS\_01=2 OR (R03M\_EVR\_GTRAD=2 AND R04\_AG9003\_12M=2 AND  
 R03M\_SKIPPED\_WAVE =2) THEN R04R\_A\_EVR\_GTRAD = 2; ELSE  
 IF (R04\_AG9030=-9 AND R04\_AG9003\_12M=-1) OR R04\_AG9003\_12M=-9  
 OR R04\_AG9003\_RS=-9 OR R04\_AG1001\_RS=-9 OR  
 R04\_AG9002\_RS\_01=-9 THEN R04R\_A\_EVR\_GTRAD = -99999; ELSE IF  
 R04\_AG9003\_12M=-8 OR R04\_AG9003\_RS=-8 OR R04\_AG1001\_RS=-8  
 OR R04\_AG9002\_RS\_01=-8 THEN R04R\_A\_EVR\_GTRAD = -99988;  
 ELSE IF R04\_AG9003\_12M=-7 OR R04\_AG9003\_RS=-7 OR R04\_AG1001\_RS=-7  
 OR R04\_AG9002\_RS\_01=-7 THEN R04R\_A\_EVR\_GTRAD =  
 -99977; ELSE IF R03M\_EVR\_GTRAD in  
 (-99999,-99988,-99977,-99966,-99911) OR R03M\_SKIPPED\_WAVE=1 THEN R04R\_A\_EVR\_GTRAD  
 = -99966; ELSE IF R04\_AG9003\_12M=-1 OR R04\_AG9003\_RS=-1  
 OR R04\_AG1001\_RS=-1 OR R04\_AG9002\_RS\_01=-1 THEN  
 R04R\_A\_EVR\_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11785	34.8 %
2	2 = No	20676	61.1 %
<b>Total</b>		<b>32,461</b>	<b>96.0%</b>

This variable has 32,461 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1340	4.0 %

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>1,361</b>	<b>4.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12808-12813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EVR\_THRSH\_GTRAD: DERIVED - Wave 4 Adult Traditional Cigar Lifetime Threshold of Use- Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have ever smoked traditional cigars fairly regularly.

```
Algorithm: IF R04R_A_EVR_GTRAD=1 AND (R03M_EVR_THRSH_GTRAD=1
OR R04_AG1100TC=1) THEN R04R_A_EVR_THRSH_GTRAD=1;
ELSE IF R04R_A_EVR_GTRAD=2 OR (R04R_A_EVR_GTRAD=1 AND R04_AG1100TC =2)
THEN R04R_A_EVR_THRSH_GTRAD=2; ELSE IF
R04R_A_EVR_GTRAD=-99999 OR R04_AG1100TC=-9 THEN
R04R_A_EVR_THRSH_GTRAD=-99999; ELSE IF R04R_A_EVR_GTRAD=-99988
OR R04_AG1100TC=-8 THEN R04R_A_EVR_THRSH_GTRAD=-99988; ELSE IF
R04R_A_EVR_GTRAD=-99977 OR R04_AG1100TC=-7 THEN
R04R_A_EVR_THRSH_GTRAD=-99977; ELSE IF R04R_A_EVR_GTRAD= -99966
THEN R04R_A_EVR_THRSH_GTRAD = -99966; ELSE IF
R04R_A_EVR_GTRAD=-99911 OR R04_AG1100TC=-1 THEN R04R_A_EVR_THRSH_GTRAD=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	2126	6.3 %
2	2 = No	28732	85.0 %
<b>Total</b>		<b>30,858</b>	<b>91.2%</b>

This variable has 30,858 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1340	4.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1591	4.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2,964</b>	<b>8.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12814-12819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

---

## R04R\_A\_CUR\_ESTD\_GTRAD: DERIVED - Wave 4 Adult Current Established Traditional Cigar Smoker

**Long Description:** Wave 4 adult respondents who have ever smoked a traditional cigar, have ever smoked them fairly regularly, and currently smoke every day or some days.

**Algorithm:** IF R04R\_A\_EVR\_THRSH\_GTRAD=1 AND R04\_AG1003TC in (1,2)  
THEN R04R\_A\_CUR\_ESTD\_GTRAD=1; ELSE IF  
R04R\_A\_EVR\_THRSH\_GTRAD=2 OR R04R\_A\_EVR\_GTRAD=2 OR R04\_AG1003TC = 3  
OR R04\_AG9003\_12M = 2 OR R04\_AG9106\_01=1  
THEN R04R\_A\_CUR\_ESTD\_GTRAD=2; ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD  
=-99999 OR R04\_AG1003TC = -9 OR R04\_AG9003\_12M  
= -9 OR R04R\_A\_EVR\_GTRAD=-99999 THEN R04R\_A\_CUR\_ESTD\_GTRAD=-99999;  
ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD =-99988  
OR R04\_AG1003TC = -8 OR R04\_AG9003\_12M = -8 OR R04R\_A\_EVR\_GTRAD=-99988  
THEN R04R\_A\_CUR\_ESTD\_GTRAD=-99988;  
ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD =-99977 OR R04\_AG1003TC = -7  
OR R04\_AG9003\_12M = -7 OR R04R\_A\_EVR\_GTRAD=-99977  
THEN R04R\_A\_CUR\_ESTD\_GTRAD=-99977; ELSE IF  
R04R\_A\_EVR\_THRSH\_GTRAD =-99966 OR R04R\_A\_EVR\_GTRAD=-99966 THEN  
R04R\_A\_CUR\_ESTD\_GTRAD=-99966; ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD =-99911  
OR R04\_AG1003TC = -1 OR R04\_AG9003\_12M = -1 OR  
R04R\_A\_EVR\_GTRAD=-99911 THEN R04R\_A\_CUR\_ESTD\_GTRAD=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	605	1.8 %
2	2 = No	33189	98.1 %
<b>Total</b>		<b>33,794</b>	<b>99.9%</b>

This variable has 33,794 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>28</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12820-12825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_CUR\_EDSD\_GTRAD: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Traditional Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a traditional cigar and currently smoke every day or some days.

Algorithm: IF R04R\_A\_EVR\_GTRAD=1 AND R04\_AG1003TC in (1,2)  
THEN R04R\_A\_CUR\_EDSD\_GTRAD=1; ELSE IF R04R\_A\_EVR\_GTRAD=2  
OR R04\_AG1003TC = 3 OR R04\_AG9003\_12M=2 OR R04\_AG9106\_01=1  
THEN R04R\_A\_CUR\_EDSD\_GTRAD=2; ELSE IF  
R04R\_A\_EVR\_GTRAD=-99999 OR R04\_AG1003TC = -9 OR R04\_AG9003\_12M = -9  
THEN R04R\_A\_CUR\_EDSD\_GTRAD=-99999; ELSE IF  
R04R\_A\_EVR\_GTRAD=-99988 OR R04\_AG1003TC = -8 OR R04\_AG9003\_12M = -8  
THEN R04R\_A\_CUR\_EDSD\_GTRAD=-99988; ELSE IF  
R04R\_A\_EVR\_GTRAD=-99977 OR R04\_AG1003TC = -7 OR R04\_AG9003\_12M = -7  
THEN R04R\_A\_CUR\_EDSD\_GTRAD=-99977; ELSE IF  
R04R\_A\_EVR\_GTRAD =-99966 THEN R04R\_A\_CUR\_EDSD\_GTRAD=-99966; ELSE IF  
R04R\_A\_EVR\_GTRAD =-99911 OR R04\_AG1003TC = -1 OR  
R04\_AG9003\_12M = -1 THEN R04R\_A\_CUR\_EDSD\_GTRAD=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1590	4.7 %
2	2 = No	32202	95.2 %
<b>Total</b>		<b>33,792</b>	<b>99.9%</b>

This variable has 33,792 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>30</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12826-12831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_EDY\_GTRAD: DERIVED - Wave 4 Adult Current Every Day Traditional Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a traditional cigar, have ever smoked them fairly regularly, and currently smoke every day.

Algorithm: IF R04R\_A\_EVR\_THRSH\_GTRAD=1 AND R04\_AG1003TC=1  
THEN R04R\_A\_EDY\_GTRAD=1; ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD=2  
OR R04\_AG1003TC in (2,3) OR R04\_AG9003\_12M=2 OR R04\_AG9106\_01=1  
THEN R04R\_A\_EDY\_GTRAD=2; ELSE IF  
R04R\_A\_EVR\_THRSH\_GTRAD =-99999 OR R04\_AG1003TC = -9 OR R04\_AG9003\_12M  
= -9 THEN R04R\_A\_EDY\_GTRAD=-99999; ELSE IF  
R04R\_A\_EVR\_THRSH\_GTRAD =-99988 OR R04\_AG1003TC = -8 OR R04\_AG9003\_12M  
= -8 THEN R04R\_A\_EDY\_GTRAD=-99988; ELSE IF  
R04R\_A\_EVR\_THRSH\_GTRAD =-99977 OR R04\_AG1003TC = -7 OR R04\_AG9003\_12M  
= -7 THEN R04R\_A\_EDY\_GTRAD=-99977; ELSE IF  
R04R\_A\_EVR\_THRSH\_GTRAD =-99966 THEN R04R\_A\_EDY\_GTRAD=-99966;  
ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD =-99911 OR R04\_AG1003TC  
= -1 OR R04\_AG9003\_12M = -1 THEN R04R\_A\_EDY\_GTRAD=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	63	0.2 %
2	2 = No	33735	99.7 %
	<b>Total</b>	<b>33,798</b>	<b>99.9%</b>

This variable has 33,798 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12832-12837 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_SDY\_GTRAD: DERIVED - Wave 4 Adult Current Some Day Traditional Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a traditional cigar, have ever smoked them fairly regularly, and currently smoke some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_GTRAD=1 AND R04\_AG1003TC=2  
 THEN R04R\_A\_SDY\_GTRAD=1; ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD=2  
 OR R04\_AG1003TC in (1,3) OR R04\_AG9003\_12M=2 OR R04\_AG9106\_01=1  
 THEN R04R\_A\_SDY\_GTRAD=2; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GTRAD =-99999 OR R04\_AG1003TC = -9 OR R04\_AG9003\_12M  
 = -9 THEN R04R\_A\_SDY\_GTRAD=-99999; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GTRAD =-99988 OR R04\_AG1003TC = -8 OR R04\_AG9003\_12M  
 = -8 THEN R04R\_A\_SDY\_GTRAD=-99988; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GTRAD =-99977 OR R04\_AG1003TC = -7 OR R04\_AG9003\_12M  
 = -7 THEN R04R\_A\_SDY\_GTRAD=-99977; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GTRAD =-99966 THEN R04R\_A\_SDY\_GTRAD=-99966;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD =-99911 OR R04\_AG1003TC  
 = -1 OR R04\_AG9003\_12M = -1 THEN R04R\_A\_SDY\_GTRAD=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	542	1.6 %
2	2 = No	33252	98.3 %
	<b>Total</b>	<b>33,794</b>	<b>99.9%</b>

This variable has 33,794 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>28</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12838-12843 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_P30D\_GTRAD: DERIVED - Wave 4 Adult Past 30 Day Traditional Cigar Smoker

Long Description: Wave 4 Adult respondents who have ever smoked a traditional cigar and have smoked at least once in the past 30 days. Includes some respondents who smoked traditional cigars only as blunts.

Algorithm: IF R04R\_A\_EVR\_GTRAD=1 AND (R04\_AG9030=1 OR R04\_AG0100TC in (1,2,3,4) OR (1<=R04\_AG1009TC\_NN<= 30 AND R04\_AG1009TC\_UN=1) OR (R04\_AG1009TC\_NN=1 AND R04\_AG1009TC\_UN=2) OR R04\_AG1022TC>0) THEN R04R\_A\_P30D\_GTRAD=1; ELSE IF R04R\_A\_EVR\_GTRAD=2 OR R04\_AG9030=2 OR (R04\_AG1009TC\_NN>30

```

AND R04_AG1009TC_UN=1) OR (R04_AG1009TC_NN>1 AND
R04_AG1009TC_UN=2) OR R04_AG1009TC_UN=3 OR R04_AG1022TC=0
THEN R04R_A_P30D_GTRAD=2; ELSE IF R04R_A_EVR_GTRAD=
-99999 OR R04_AG9030= -9 OR R04_AG0100TC= -9 OR R04_AG1009TC_NN= -9
OR R04_AG1022TC= -9 THEN R04R_A_P30D_GTRAD
= -99999; ELSE IF R04R_A_EVR_GTRAD= -99988 OR R04_AG9030= -8
OR R04_AG0100TC= -8 OR R04_AG1009TC_NN= -8 OR
R04_AG1022TC= -8 THEN R04R_A_P30D_GTRAD = -99988; ELSE IF
R04R_A_EVR_GTRAD= -99977 OR R04_AG9030= -7 OR R04_AG0100TC=
-7 OR R04_AG1009TC_NN= -7 OR R04_AG1022TC= -7 THEN R04R_A_P30D_GTRAD =
-99977; ELSE IF R04_AG1009TC_NN= -5
THEN R04R_A_P30D_GTRAD = -99955; ELSE IF R04R_A_EVR_GTRAD=
-99966 THEN R04R_A_P30D_GTRAD = -99966; ELSE IF
R04R_A_EVR_GTRAD= -99911 OR R04_AG9030= -1 OR R04_AG0100TC=
-1 OR R04_AG1009TC_NN= -1 OR R04_AG1022TC= -1 THEN
R04R_A_P30D_GTRAD = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1894	5.6 %
2	2 = No	31907	94.3 %
	<b>Total</b>	<b>33,801</b>	<b>99.9%</b>

This variable has 33,801 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>21</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12844-12849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99955 , -99911 , -97777

## R04R\_A\_NEW\_GTRAD: DERIVED - Wave 4 Adult Never to Ever Traditional Cigar Smoker

Long Description: Wave 4 adult respondents who started smoking traditional cigars between Wave 3 and Wave 4.

Algorithm: IF R03M\_EVR\_GTRAD = 2 AND R04R\_A\_EVR\_GTRAD = 1

```

AND WAVE3_INTERVIEW IN (1,2) THEN R04R_A_NEW_GTRAD = 1;
ELSE IF (R03M_EVR_GTRAD = 1 OR R04R_A_EVR_GTRAD = 2)
AND WAVE3_INTERVIEW IN (1,2) THEN R04R_A_NEW_GTRAD = 2; ELSE
IF WAVE3_INTERVIEW = 0 THEN R04R_A_NEW_GTRAD = -99933;
ELSE IF R04R_A_EVR_GTRAD = -99999 THEN R04R_A_NEW_GTRAD
= -99999; ELSE IF R04R_A_EVR_GTRAD = -99988 THEN R04R_A_NEW_GTRAD = -99988;
ELSE IF R04R_A_EVR_GTRAD = -99977 THEN
R04R_A_NEW_GTRAD = -99977; ELSE IF R03M_EVR_GTRAD IN
(-99999,-99988,-99977,-99955,-99966,-99911) OR WAVE3_INTERVIEW = 9
OR R04R_A_EVR_GTRAD = -99966 THEN R04R_A_NEW_GTRAD =
-99966; ELSE IF R04R_A_EVR_GTRAD = -99911 THEN R04R_A_NEW_GTRAD
= -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	603	1.8 %
2	2 = No	25446	75.2 %
	<b>Total</b>	<b>26,049</b>	<b>77.0%</b>

This variable has 26,049 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1694	5.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>7,773</b>	<b>23.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12850-12855 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99933, -99911, -97777

## R04R\_A\_CUR\_EXPR\_GTRAD: DERIVED - Wave 4 Adult Current Experimental Traditional Cigar Smoker

Long Description: Wave 4 adult respondents who have never smoked traditional cigars fairly regularly, and currently smoke every day or some days.

```

Algorithm: IF R04R_A_EVR_GTRAD=1 AND R04R_A_EVR_THRS_GTRAD=2
AND R04_AG1003TC in (1,2) THEN R04R_A_CUR_EXPR_GTRAD=1;
ELSE IF R04R_A_EVR_THRS_GTRAD=1 OR R04R_A_EVR_GTRAD=2
OR R04_AG1003TC = 3 OR R04_AG9003_12M = 2 OR R04_AG9106_01=1

```

```

THEN R04R_A_CUR_EXPR_GTRAD=2; ELSE IF R04R_A_EVR_THRSH_GTRAD
=-99999 OR R04_AG1003TC = -9 OR R04_AG9003_12M
= -9 OR R04R_A_EVR_GTRAD=-99999 THEN R04R_A_CUR_EXPR_GTRAD=-99999;
ELSE IF R04R_A_EVR_THRSH_GTRAD =-99988
OR R04_AG1003TC = -8 OR R04_AG9003_12M = -8 OR R04R_A_EVR_GTRAD=-99988
THEN R04R_A_CUR_EXPR_GTRAD=-99988;
ELSE IF R04R_A_EVR_THRSH_GTRAD =-99977 OR R04_AG1003TC = -7
OR R04_AG9003_12M = -7 OR R04R_A_EVR_GTRAD=-99977
THEN R04R_A_CUR_EXPR_GTRAD=-99977; ELSE IF R04R_A_EVR_THRSH_GTRAD
=-99966 OR R04R_A_EVR_GTRAD=-99966 THEN
R04R_A_CUR_EXPR_GTRAD=-99966; ELSE IF R04R_A_EVR_THRSH_GTRAD
=-99911 OR R04_AG1003TC = -1 OR R04_AG9003_12M = -1 OR
R04R_A_EVR_GTRAD=-99911 THEN R04R_A_CUR_EXPR_GTRAD=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	981	2.9 %
2	2 = No	32808	97.0 %
	<b>Total</b>	<b>33,789</b>	<b>99.9%</b>

This variable has 33,789 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12856-12861 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_FMR\_ESTD\_GTRAD: DERIVED - Wave 4 Adult Former Established Traditional Cigar Smoker

**Long Description:** Wave 4 adult respondents who have ever smoked traditional cigars fairly regularly, and have not smoked them within the past 12 months or currently smoke not at all. Recanters and blunt only users who have ever smoked a traditional cigar are excluded from the derivation.

**Algorithm:** IF R04R\_A\_EVR\_THRSH\_GTRAD=1 AND (R04\_AG1003TC=3 OR R04\_AG9003\_12M=2) AND R04\_AG9106\_01 !=1 AND R04\_AG1010TC != 3  
THEN R04R\_A\_FMR\_ESTD\_GTRAD=1; ELSE IF ((R04R\_A\_EVR\_THRSH\_GTRAD=2

OR R04\_AG1003TC in (1,2)) AND R04\_AG1010TC != 3) OR R04R\_A\_EVR\_GTRAD=2  
 THEN R04R\_A\_FMR\_ESTD\_GTRAD=2; ELSE IF R04R\_A\_EVR\_THRSN\_GTRAD=-99999  
 OR R04R\_A\_EVR\_GTRAD=-99999 OR R04\_AG1003TC=-9 OR R04\_AG9003\_12M=-9 OR  
 R04\_AG9106\_01=-9 OR R04\_AG1010TC=-9 THEN R04R\_A\_FMR\_ESTD\_GTRAD = -99999;  
 ELSE IF R04R\_A\_EVR\_THRSN\_GTRAD=-99988 OR R04R\_A\_EVR\_GTRAD=-99988 OR  
 R04\_AG1003TC=-8 OR R04\_AG9003\_12M=-8 OR R04\_AG9106\_01=-8 OR  
 R04\_AG1010TC=-8 THEN R04R\_A\_FMR\_ESTD\_GTRAD = -99988; ELSE IF  
 R04R\_A\_EVR\_THRSN\_GTRAD=-99977 OR R04R\_A\_EVR\_GTRAD=-99977 OR  
 R04\_AG1003TC=-7 OR R04\_AG9003\_12M=-7 OR R04\_AG9106\_01=-7 OR  
 R04\_AG1010TC=-7 THEN R04R\_A\_FMR\_ESTD\_GTRAD = -99977; ELSE  
 IF R04R\_A\_EVR\_THRSN\_GTRAD=-99966 OR R04R\_A\_EVR\_GTRAD=-99966  
 THEN R04R\_A\_FMR\_ESTD\_GTRAD = -99966; ELSE IF  
 R04R\_A\_EVR\_THRSN\_GTRAD=-99911 OR R04R\_A\_EVR\_GTRAD=-99911 OR  
 R04\_AG1003TC=-1 OR R04\_AG9003\_12M=-1 OR R04\_AG9106\_01 in  
 (-1,1) OR R04\_AG1010TC in (-1,3)  
 THEN R04R\_A\_FMR\_ESTD\_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1399	4.1 %
2	2 = No	29341	86.8 %
<b>Total</b>		<b>30,740</b>	<b>90.9%</b>

This variable has 30,740 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1340	4.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1710	5.1 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>3,082</b>	<b>9.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12862-12867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_EXPR\_GTRAD: DERIVED - Wave 4 Adult Former Experimental Traditional Cigar Smoker

**Long Description:** Wave 4 adult respondents who have never smoked traditional cigars fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters and blunt only users who have ever smoked a traditional cigar are excluded from the derivation.

Algorithm: IF R04R\_A\_EVR\_GTRAD=1 AND R04R\_A\_EVR\_THRSH\_GTRAD=2  
 AND (R04\_AG1003TC=3 OR R04\_AG9003\_12M=2) AND  
 R04\_AG1010TC != 3 AND R04\_AG9106\_01 != 1 THEN  
 R04R\_A\_FMR\_EXPR\_GTRAD=1; ELSE IF ((R04R\_A\_EVR\_THRSH\_GTRAD=1  
 OR R04\_AG1003TC in (1,2)) AND R04\_AG1010TC != 3 AND R04\_AG9106\_01 != 1)  
 OR R04R\_A\_EVR\_GTRAD=2 THEN  
 R04R\_A\_FMR\_EXPR\_GTRAD=2; ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD =-99999  
 OR R04R\_A\_EVR\_GTRAD=-99999 OR R04\_AG1003TC  
 = -9 OR R04\_AG9003\_12M = -9 OR R04\_AG9106\_01=-9 OR R04\_AG1010TC=-9  
 THEN R04R\_A\_FMR\_EXPR\_GTRAD=-99999; ELSE  
 IF R04R\_A\_EVR\_THRSH\_GTRAD =-99988 OR R04R\_A\_EVR\_GTRAD=-99988 OR  
 R04\_AG1003TC = -8 OR R04\_AG9003\_12M = -8 OR  
 R04\_AG9106\_01=-8 OR R04\_AG1010TC=-8 THEN R04R\_A\_FMR\_EXPR\_GTRAD=-99988;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD =-99977  
 OR R04R\_A\_EVR\_GTRAD=-99977 OR R04\_AG1003TC = -7 OR R04\_AG9003\_12M = -7  
 OR R04\_AG9106\_01=-7 OR R04\_AG1010TC=-7  
 THEN R04R\_A\_FMR\_EXPR\_GTRAD=-99977; ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD =-99966  
 OR R04R\_A\_EVR\_GTRAD=-99966 THEN  
 R04R\_A\_FMR\_EXPR\_GTRAD=-99966; ELSE IF R04R\_A\_EVR\_THRSH\_GTRAD =-99911 OR  
 R04R\_A\_EVR\_GTRAD=-99911 OR R04\_AG1003TC =  
 -1 OR R04\_AG9003\_12M = -1 OR R04\_AG1010TC in (-1,3) OR R04\_AG9106\_01 in  
 (-1,1) THEN R04R\_A\_FMR\_EXPR\_GTRAD=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7069	20.9 %
2	2 = No	23666	70.0 %
<b>Total</b>		<b>30,735</b>	<b>90.9%</b>

This variable has 30,735 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	20	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1340	4.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1710	5.1 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>3,087</b>	<b>9.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12868-12873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

---

## R04R\_A\_MINFIRST\_30D\_GTRAD: DERIVED - Wave 4 Adult Former Past 30 Day Traditional Cigar Smoker - Number of Minutes From Waking Up to Smoking First Traditional Cigar

Long Description: Wave 4 Adult former traditional cigar smokers who have smoked in the past 30 days - Recode of length of time from waking up to smoking first traditional cigar into minutes.

Algorithm: IF R04\_AG1024TC\_30D\_UN = 1 AND R04\_AG1024TC\_30D\_NN >= 0  
THEN R04R\_A\_MINFIRST\_30D\_GTRAD =  
R04\_AG1024TC\_30D\_NN; ELSE IF R04\_AG1024TC\_30D\_UN = 2 AND  
R04\_AG1024TC\_30D\_NN >= 0 THEN R04R\_A\_MINFIRST\_30D\_GTRAD  
= R04\_AG1024TC\_30D\_NN \* 60; ELSE IF R04\_AG1024TC\_30D\_NN = -9  
THEN R04R\_A\_MINFIRST\_30D\_GTRAD = -99999; ELSE  
IF R04\_AG1024TC\_30D\_NN = -8 THEN R04R\_A\_MINFIRST\_30D\_GTRAD = -99988;  
ELSE IF R04\_AG1024TC\_30D\_NN = -7 THEN  
R04R\_A\_MINFIRST\_30D\_GTRAD = -99977; ELSE IF R04\_AG1024TC\_30D\_NN = -5  
THEN R04R\_A\_MINFIRST\_30D\_GTRAD = -99955; ELSE IF  
R04\_AG1024TC\_30D\_NN = -1 THEN R04R\_A\_MINFIRST\_30D\_GTRAD = -99911;

This variable has 633 valid cases out of 33,822 total cases.

- Mean: 336.66
- Median: 300.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 335.64

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	50	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	7	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33114	97.9 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,189</b>	<b>98.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12874-12879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_MINFIRST\_GTRAD: DERIVED - Wave 4 Adult Number of Minutes from Waking Up to Smoking First Traditional Cigar

Long Description: Wave 4 Adult - Recode of length of time from waking up to smoking first traditional cigar into minutes.

```

Algorithm: IF R04_AG1024TC_UN = 1 AND R04_AG1024TC_NN >= 0 THEN
R04R_A_MINFIRST_GTRAD = R04_AG1024TC_NN; ELSE
IF R04_AG1024TC_UN = 2 AND R04_AG1024TC_NN >= 0 THEN R04R_A_MINFIRST_GTRAD
= R04_AG1024TC_NN * 60; ELSE IF
R04_AG1024TC_NN = -9 THEN R04R_A_MINFIRST_GTRAD = -99999; ELSE IF
R04_AG1024TC_NN = -8 THEN R04R_A_MINFIRST_GTRAD
= -99988; ELSE IF R04_AG1024TC_NN = -7 THEN R04R_A_MINFIRST_GTRAD = -99977;
ELSE IF R04_AG1024TC_NN = -5 THEN
R04R_A_MINFIRST_GTRAD = -99955; ELSE IF R04_AG1024TC_NN = -1
THEN R04R_A_MINFIRST_GTRAD = -99911;

```

This variable has 1,519 valid cases out of 33,822 total cases.

- Mean: 451.52
- Median: 480.00
- Mode: 720.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 298.92

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	47	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	12	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32230	95.3 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,303</b>	<b>95.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12880-12885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSQUIT\_GTRAD: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Traditional Cigar (Non-Current Smokers)

**Long Description:** Wave 4 adult recode of length of time since last smoked a traditional cigar into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

```

Algorithm: IF R04_AG1009TC_UN = 1 AND R04_AG1009TC_NN => 0
THEN R04R_A_DAYSQUIT_GTRAD = R04_AG1009TC_NN; ELSE
IF R04_AG1009TC_UN = 2 AND R04_AG1009TC_NN => 0 THEN R04R_A_DAYSQUIT_GTRAD
= R04_AG1009TC_NN * 30.4375; ELSE
IF R04_AG1009TC_UN = 3 AND R04_AG1009TC_NN => 0 THEN R04R_A_DAYSQUIT_GTRAD
= R04_AG1009TC_NN * 365.25; ELSE IF

```

```

R04_AG1009TC_NN = -9 THEN R04R_A_DAYSQUIT_GTRAD = -99999; ELSE IF
R04_AG1009TC_NN = -8 THEN R04R_A_DAYSQUIT_GTRAD
= -99988; ELSE IF R04_AG1009TC_NN = -7 THEN R04R_A_DAYSQUIT_GTRAD
= -99977; ELSE IF R04_AG1009TC_NN = -5 THEN
R04R_A_DAYSQUIT_GTRAD = -99955; ELSE IF R04_AG1009TC_NN = -1 THEN
R04R_A_DAYSQUIT_GTRAD = -99911;

```

This variable has 3,162 valid cases out of 33,822 total cases.

- Mean: 1806.8731
- Median: 365.2500
- Mode: 365.2500
- Minimum: 1.0000
- Maximum: 28124.2500
- Standard Deviation: 3328.6942

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	56	0.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	145	0.4 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	30446	90.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>30,660</b>	<b>90.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12886-12896 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSLASTUSED\_GTRAD: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Traditional Cigar (Some Day or Current Experimental Smokers)

**Long Description:** Wave 4 adult some day, current experimental, or former 30 day traditional cigar smokers who have not smoked in the past 30 days - Recode of length of time since last smoked a traditional cigar into days.

```

Algorithm: IF R04_AG9029TC_UN = 1 AND R04_AG9029TC_NN => 0 THEN
R04R_A_DAYSLASTUSED_GTRAD = R04_AG9029TC_NN;
ELSE IF R04_AG9029TC_UN = 2 AND R04_AG9029TC_NN => 0 THEN
R04R_A_DAYSLASTUSED_GTRAD=R04_AG9029TC_NN *
30.4375; ELSE IF R04_AG9029TC_UN = 3 AND R04_AG9029TC_NN =>
0 THEN R04R_A_DAYSLASTUSED_GTRAD=R04_AG9029TC_NN
* 365.25; ELSE IF R04_AG9029TC_NN = -9 THEN R04R_A_DAYSLASTUSED_GTRAD
= -99999; ELSE IF R04_AG9029TC_NN = -8
THEN R04R_A_DAYSLASTUSED_GTRAD = -99988; ELSE IF R04_AG9029TC_NN = -7
THEN R04R_A_DAYSLASTUSED_GTRAD =

```

```

-99977; ELSE IF R04_AG9029TC_NN = -5 THEN R04R_A_DAYSLASTUSED_GTRAD =
-99955; ELSE IF R04_AG9029TC_NN = -1 THEN
R04R_A_DAYSLASTUSED_GTRAD = -99911;

```

This variable has 671 valid cases out of 33,822 total cases.

- Mean: 361.9239
- Median: 182.6250
- Minimum: 30.0000
- Maximum: 10957.5000
- Standard Deviation: 909.3575

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	27	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33121	97.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,151</b>	<b>98.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12897-12907 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_DAYSBRAND\_GTRAD: DERIVED - Wave 4 Adult Number of Days Smoking Regular Brand of Traditional Cigars

**Long Description:** Wave 4 Adult current, experimental current, new former or former 30 day traditional cigar smokers who have a regular brand - Recode of length of time smoking regular brand of traditional cigar into days.

```

Algorithm: IF R04_AG1051TC_UN = 1 AND R04_AG1051TC_NN => 0 THEN
R04R_A_DAYSBRAND_GTRAD = R04_AG1051TC_NN; ELSE
IF R04_AG1051TC_UN= 2 AND R04_AG1051TC_NN => 0 THEN R04R_A_DAYSBRAND_GTRAD
= R04_AG1051TC_NN * 30.4375; ELSE
IF R04_AG1051TC_UN= 3 AND R04_AG1051TC_NN => 0 THEN R04R_A_DAYSBRAND_GTRAD
= R04_AG1051TC_NN * 365.25; ELSE IF
R04_AG1051TC_NN = -9 THEN R04R_A_DAYSBRAND_GTRAD = -99999;
ELSE IF R04_AG1051TC_NN = -8 THEN R04R_A_DAYSBRAND_GTRAD
= -99988; ELSE IF R04_AG1051TC_NN = -7 THEN R04R_A_DAYSBRAND_GTRAD
= -99977; ELSE IF R04_AG1051TC_NN = -5 THEN
R04R_A_DAYSBRAND_GTRAD = -99955; ELSE IF R04_AG1051TC_NN = -1
THEN R04R_A_DAYSBRAND_GTRAD = -99911;

```

This variable has 852 valid cases out of 33,822 total cases.

- Mean: 1949.5263
- Median: 1095.7500
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 16801.5000
- Standard Deviation: 2661.5806

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32959	97.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,970</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12908-12918 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_EVR\_GRILLO: DERIVED - Wave 4 Adult Ever Cigarillo Smoker

Long Description: Wave 4 adult respondents who have ever smoked a cigarillo.

Algorithm: IF R03M\_EVR\_GRILLO=1 OR R04\_AG9049\_01 = 1 OR R04\_AG9049\_03= 1  
 OR R04\_AG9051=1 OR R04\_AG9053=1 OR  
 R04\_AG9009\_12M\_01=1 OR R04\_AG9009\_12M\_03=1 OR R04\_AG9009\_RS\_01=1 OR  
 R04\_AG9009\_RS\_03=1 THEN R04R\_A\_EVR\_GRILLO  
 = 1; ELSE IF (R04\_AG9009\_RS\_01=2 AND R04\_AG9009\_RS\_03=2 AND R04\_AG9009\_12M\_01  
 ! in (-7,-8,-9) AND R04\_AG9009\_12M\_03 !  
 in (-7,-8,-9) AND R04\_AG9004\_12M ! in (-7,-8,-9)) OR R04\_AG9004\_RS=2 OR  
 R04\_AG9002\_RS\_02=2 OR R04\_AG1001\_RS=2 OR  
 (R03M\_EVR\_GRILLO=2 AND ((R04\_AG9051=2 AND R04\_AG9053=2) OR  
 (R04\_AG9004\_12M=2 OR (R04\_AG9009\_12M\_01=2 AND  
 R04\_AG9009\_12M\_03=2))) AND R03M\_SKIPPED\_WAVE =2)  
 THEN R04R\_A\_EVR\_GRILLO = 2; ELSE IF (R04\_AG9049\_01=-9 AND  
 R04\_AG9051=-1) OR (R04\_AG9049\_03=-9 AND R04\_AG9053=-1)  
 OR R04\_AG9009\_RS\_01=-9 OR R04\_AG9009\_RS\_03=-9 OR  
 R04\_AG9004\_RS=-9 OR R04\_AG1001\_RS=-9 OR R04\_AG9051=-9 OR  
 R04\_AG9053=-9 OR R04\_AG9004\_12M=-9 OR R04\_AG9009\_12M\_01=-9  
 OR R04\_AG9009\_12M\_03=-9 OR R04\_AG9002\_RS\_02=-9 THEN  
 R04R\_A\_EVR\_GRILLO = -99999; ELSE IF R04\_AG9009\_RS\_01=-8 OR  
 R04\_AG9009\_RS\_03=-8 OR R04\_AG9004\_RS=-8 OR R04\_AG1001\_RS=-8  
 OR R04\_AG9051=-8 OR R04\_AG9053=-8 OR R04\_AG9004\_12M=-8  
 OR R04\_AG9009\_12M\_01=-8 OR R04\_AG9009\_12M\_03=-8 OR

```

R04_AG9002_RS_02=-8 THEN R04R_A_EVR_GRILLO = -99988; ELSE
IF R04_AG9009_RS_01=-7 OR R04_AG9009_RS_03=-7 OR R04_AG9004_RS=-7
OR R04_AG1001_RS=-7 OR R04_AG9051=-7 OR
R04_AG9053=-7 OR R04_AG9004_12M=-7 OR R04_AG9009_12M_01=-7
OR R04_AG9009_12M_03=-7 OR R04_AG9002_RS_02=-7 THEN
R04R_A_EVR_GRILLO = -99977; ELSE IF R03M_EVR_GRILLO in
(-99999,-99988,-99977,-99966, -99911) OR R03M_SKIPPED_WAVE=1
THEN R04R_A_EVR_GRILLO = -99966; ELSE IF R04_AG9009_RS_01=-1
OR R04_AG9009_RS_03=-1 OR R04_AG9004_RS=-1
OR R04_AG1001_RS=-1 OR R04_AG9051=-1 OR R04_AG9053=-1
OR R04_AG9004_12M=-1 OR R04_AG9009_12M_01=-1 OR
R04_AG9009_12M_03=-1 OR R04_AG9002_RS_02=-1 THEN
R04R_A_EVR_GRILLO = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	14476	42.8 %
2	2 = No	17817	52.7 %
	<b>Total</b>	<b>32,293</b>	<b>95.5%</b>

This variable has 32,293 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1505	4.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>1,529</b>	<b>4.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12919-12924 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EVR\_THRSH\_GRILLO: DERIVED - Wave 4 Adult Cigarillo Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have ever smoked cigarillos fairly regularly.

```

Algorithm: IF R04R_A_EVR_GRILLO=1 AND (R03M_EVR_THRSH_GRILLO=1
OR R04_AG1100CG=1) THEN R04R_A_EVR_THRSH_GRILLO=1;
ELSE IF R04R_A_EVR_GRILLO=2 OR (R04R_A_EVR_GRILLO=1 AND R04_AG1100CG =2)
THEN R04R_A_EVR_THRSH_GRILLO=2; ELSE IF
R04R_A_EVR_GRILLO=-99999 OR R04_AG1100CG=-9 THEN

```

```

R04R_A_EVR_THRSH_GRILLO=-99999; ELSE IF R04R_A_EVR_GRILLO=-99988
OR R04_AG1100CG=-8 THEN R04R_A_EVR_THRSH_GRILLO=-99988;
ELSE IF R04R_A_EVR_GRILLO=-99977 OR R04_AG1100CG=-7 THEN
R04R_A_EVR_THRSH_GRILLO=-99977; ELSE IF R04R_A_EVR_GRILLO=
-99966 THEN R04R_A_EVR_THRSH_GRILLO = -99966; ELSE IF
R04R_A_EVR_GRILLO=-99911 OR R04_AG1100CG=-1 THEN
R04R_A_EVR_THRSH_GRILLO=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	3564	10.5 %
2	2 = No	25577	75.6 %
	<b>Total</b>	<b>29,141</b>	<b>86.2%</b>

This variable has 29,141 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1505	4.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3140	9.3 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>4,681</b>	<b>13.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12925-12930 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_CUR\_ESTD\_GRILLO: DERIVED - Wave 4 Adult Current Established Cigarillo Smoker

*Long Description:* Wave 4 adult respondents who have ever smoked a cigarillo, have ever smoked them fairly regularly, and currently smoke every day or some days.

*Algorithm:* IF R04R\_A\_EVR\_THRSH\_GRILLO=1 AND R04\_AG1003CG in (1,2) THEN R04R\_A\_CUR\_ESTD\_GRILLO=1; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO=2 OR R04R\_A\_EVR\_GRILLO=2 OR R04\_AG1003CG = 3 OR R04\_AG9106\_02=1 OR (R04\_AG9051 = 2 AND R04\_AG9053=2) OR R04\_AG9004\_12M=2 OR (R04\_AG9009\_12M\_01=2 AND R04\_AG9009\_12M\_03=2) THEN R04R\_A\_CUR\_ESTD\_GRILLO=2; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO =-99999 OR R04\_AG1003CG = -9 OR R04\_AG9051 = -9 OR R04\_AG9053=-9 OR R04\_AG9004\_12M=-9 OR R04\_AG9009\_12M\_01=-9 OR R04\_AG9009\_12M\_03=-9 OR R04R\_A\_EVR\_GRILLO=-99999 THEN R04R\_A\_CUR\_ESTD\_GRILLO=-99999; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO =-99988 OR R04\_AG1003CG = -8 OR R04\_AG9051 = -8 OR R04\_AG9053=-8 OR R04\_AG9004\_12M=-8

```

OR R04_AG9009_12M_01=-8 OR R04_AG9009_12M_03=-8 OR
R04R_A_EVR_GRILLO=-99988 THEN R04R_A_CUR_ESTD_GRILLO=-99988;
ELSE IF R04R_A_EVR_THRSH_GRILLO =-99977 OR R04_AG1003CG
= -7 OR R04_AG9051 = -7 OR R04_AG9053=-7 OR R04_AG9004_12M=-7
OR R04_AG9009_12M_01=-7 OR R04_AG9009_12M_03=-7 OR
R04R_A_EVR_GRILLO=-99977 THEN R04R_A_CUR_ESTD_GRILLO=-99977;
ELSE IF R04R_A_EVR_THRSH_GRILLO =-99966 OR R04R_A_EVR_GRILLO=-99966
THEN R04R_A_CUR_ESTD_GRILLO=-99966; ELSE IF
R04R_A_EVR_THRSH_GRILLO =-99911 OR R04_AG1003CG = -1 OR
R04_AG9051 = -1 OR R04_AG9053=-1 OR R04_AG9004_12M=-1 OR
R04_AG9009_12M_01=-1 OR R04_AG9009_12M_03=-1 OR R04R_A_EVR_GRILLO=-99911
THEN R04R_A_CUR_ESTD_GRILLO=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	992	2.9 %
2	2 = No	32802	97.0 %
	<b>Total</b>	<b>33,794</b>	<b>99.9%</b>

This variable has 33,794 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>28</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12931-12936 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_CUR\_EDSD\_GRILLO: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Cigarillo Smoker

Long Description: Wave 4 adult respondents who have ever smoked a cigarillo and currently smoke every day or some days.

```

Algorithm: IF R04R_A_EVR_GRILLO=1 AND R04_AG1003CG in (1,2)
THEN R04R_A_CUR_EDSD_GRILLO=1; ELSE IF R04R_A_EVR_GRILLO=2
OR R04_AG1003CG=3 OR R04_AG9106_02=1 OR (R04_AG9051=2 AND
R04_AG9053=2) OR R04_AG9004_12M=2 OR
(R04_AG9009_12M_01=2 AND R04_AG9009_12M_03=2) THEN

```

```

R04R_A_CUR_EDSD_GRILLO=2; ELSE IF R04R_A_EVR_GRILLO=-99999
OR R04_AG1003CG = -9 OR R04_AG9051=-9 OR R04_AG9053=-9
OR R04_AG9004_12M=-9 OR R04_AG9009_12M_01=-9
OR R04_AG9009_12M_03=-9 THEN R04R_A_CUR_EDSD_GRILLO=-99999;
ELSE IF R04R_A_EVR_GRILLO=-99988 OR
R04_AG1003CG = -8 OR R04_AG9051=-8 OR R04_AG9053=-8 OR
R04_AG9004_12M=-8 OR R04_AG9009_12M_01=-8 OR
R04_AG9009_12M_03=-8 THEN R04R_A_CUR_EDSD_GRILLO=-99988;
ELSE IF R04R_A_EVR_GRILLO=-99977 OR R04_AG1003CG =
-7 OR R04_AG9051=-7 OR R04_AG9053=-7 OR R04_AG9004_12M=-7
OR R04_AG9009_12M_01=-7 OR R04_AG9009_12M_03=-7
THEN R04R_A_CUR_EDSD_GRILLO=-99977; ELSE IF
R04R_A_EVR_GRILLO =-99966 THEN R04R_A_CUR_EDSD_GRILLO=-99966; ELSE
IF R04R_A_EVR_GRILLO =-99911 OR R04_AG1003CG = -1
OR R04_AG9051=-1 OR R04_AG9053=-1 OR R04_AG9004_12M=-1 OR
R04_AG9009_12M_01=-1 OR R04_AG9009_12M_03=-1
THEN R04R_A_CUR_EDSD_GRILLO=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1838	5.4 %
2	2 = No	31949	94.5 %
	<b>Total</b>	<b>33,787</b>	<b>99.9%</b>

This variable has 33,787 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	20	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>35</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12937-12942 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EDY\_GRILLO: DERIVED - Wave 4 Adult Current Every Day Cigarillo Smoker

**Long Description:** Wave 4 adult respondents who have ever smoked a cigarillo, have ever smoked them fairly regularly, and currently smoke every day.

**Algorithm:** IF R04R\_A\_EVR\_THRSH\_GRILLO=1 AND R04\_AG1003CG=1  
THEN R04R\_A\_EDY\_GRILLO=1; ELSE IF

R04R\_A\_EVR\_THRSH\_GRILLO=2 OR R04\_AG1003CG in (2,3) OR  
 R04\_AG9106\_02=1 OR (R04\_AG9051=2 AND R04\_AG9053=2)  
 OR R04\_AG9004\_12M=2 OR (R04\_AG9009\_12M\_01=2 AND R04\_AG9009\_12M\_03=2)  
 THEN R04R\_A\_EDY\_GRILLO=2; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GRILLO =-99999 OR R04\_AG1003CG = -9 OR  
 R04\_AG9051=-9 OR R04\_AG9053=-9 OR R04\_AG9004\_12M=-9  
 OR R04\_AG9009\_12M\_01=-9 OR R04\_AG9009\_12M\_03=-9 THEN  
 R04R\_A\_EDY\_GRILLO=-99999; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO  
 =-99988 OR R04\_AG1003CG = -8 OR R04\_AG9051=-8 OR  
 R04\_AG9053=-8 OR R04\_AG9004\_12M=-8 OR R04\_AG9009\_12M\_01=-8  
 OR R04\_AG9009\_12M\_03=-8 THEN R04R\_A\_EDY\_GRILLO=-99988;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO =-99977 OR R04\_AG1003CG  
 = -7 OR R04\_AG9051=-7 OR R04\_AG9053=-7 OR R04\_AG9004\_12M=-7  
 OR R04\_AG9009\_12M\_01=-7 OR R04\_AG9009\_12M\_03=-7  
 THEN R04R\_A\_EDY\_GRILLO=-99977; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO  
 =-99966 THEN R04R\_A\_EDY\_GRILLO=-99966; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GRILLO =-99911 OR R04\_AG1003CG = -1  
 OR R04\_AG9051=-1 OR R04\_AG9053=-1 OR R04\_AG9004\_12M=-1 OR  
 R04\_AG9009\_12M\_01=-1 OR R04\_AG9009\_12M\_03=-1 THEN  
 R04R\_A\_EDY\_GRILLO=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	197	0.6 %
2	2 = No	33598	99.3 %
	<b>Total</b>	<b>33,795</b>	<b>99.9%</b>

This variable has 33,795 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>27</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12943-12948 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_SDY\_GRILLO: DERIVED - Wave 4 Adult Current Some Day Cigarillo Smoker

*Long Description:* Wave 4 adult respondents who have ever smoked a cigarillo, have ever smoked them fairly regularly, and currently smoke some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_GRILLO=1 AND R04\_AG1003CG=2 THEN  
 R04R\_A\_SDY\_GRILLO=1; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GRILLO=2 OR R04\_AG1003CG in (1,3) OR R04\_AG9106\_02=1  
 OR (R04\_AG9051=2 AND R04\_AG9053=2)  
 OR R04\_AG9004\_12M=2 OR (R04\_AG9009\_12M\_01=2 AND R04\_AG9009\_12M\_03=2)  
 THEN R04R\_A\_SDY\_GRILLO=2; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GRILLO =-99999 OR R04\_AG1003CG = -9 OR R04\_AG9051=-9  
 OR R04\_AG9053=-9 OR R04\_AG9004\_12M=-9 OR  
 R04\_AG9009\_12M\_01=-9 OR R04\_AG9009\_12M\_03=-9 THEN R04R\_A\_SDY\_GRILLO=-99999;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO  
 =-99988 OR R04\_AG1003CG = -8 OR R04\_AG9051=-8 OR R04\_AG9053=-8 OR R04\_AG9004\_12M=-8  
 OR R04\_AG9009\_12M\_01=-8  
 OR R04\_AG9009\_12M\_03=-8 THEN R04R\_A\_SDY\_GRILLO=-99988; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GRILLO =-99977 OR R04\_AG1003CG  
 = -7 OR R04\_AG9051=-7 OR R04\_AG9053=-7 OR R04\_AG9004\_12M=-7 OR R04\_AG9009\_12M\_01=-7  
 OR R04\_AG9009\_12M\_03=-7  
 THEN R04R\_A\_SDY\_GRILLO=-99977; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO =-99966  
 THEN R04R\_A\_SDY\_GRILLO=-99966; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GRILLO =-99911 OR R04\_AG1003CG = -1 OR R04\_AG9051=-1  
 OR R04\_AG9053=-1 OR R04\_AG9004\_12M=-1 OR  
 R04\_AG9009\_12M\_01=-1 OR R04\_AG9009\_12M\_03=-1 THEN R04R\_A\_SDY\_GRILLO=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	795	2.4 %
2	2 = No	33000	97.6 %
	<b>Total</b>	<b>33,795</b>	<b>99.9%</b>

This variable has 33,795 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>27</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12949-12954 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_P30D\_GRILLO: DERIVED - Wave 4 Adult Past 30 Day Cigarillo Smoker

Long Description: Wave 4 Adult respondents who have ever smoked a cigarillo and have smoked at least once in the past 30 days. Includes some respondents who smoked cigarillos only as blunts.

Algorithm: IF R04R\_A\_EVR\_GRILLO = 1 AND ((R04\_AG9031 = 1 AND (R04\_AG9049\_01 = 1 OR R04\_AG9049\_03 = 1)) OR R04\_AG0100CG in (1,2,3,4) OR (1 <= R04\_AG1009CG\_NN <= 30 AND R04\_AG1009CG\_UN = 1) OR (R04\_AG1009CG\_NN = 1 AND R04\_AG1009CG\_UN = 2) OR R04\_AG1022CG > 0) THEN R04R\_A\_P30D\_GRILLO = 1; ELSE IF R04R\_A\_EVR\_GRILLO = 2 OR R04\_AG9031 = 2 OR (R04\_AG9049\_01 = 2 AND R04\_AG9049\_03 = 2) OR (R04\_AG1009CG\_NN > 30 AND R04\_AG1009CG\_UN = 1) OR (R04\_AG1009CG\_NN > 1 AND R04\_AG1009CG\_UN = 2) OR R04\_AG1009CG\_UN = 3 OR R04\_AG1022CG = 0 THEN R04R\_A\_P30D\_GRILLO = 2; ELSE IF R04R\_A\_EVR\_GRILLO = -99999 OR R04\_AG9031 = -9 OR R04\_AG0100CG = -9 OR R04\_AG1009CG\_NN = -9 OR R04\_AG1022CG = -9 OR R04\_AG9049\_01 = -9 OR R04\_AG9049\_03 = -9 THEN R04R\_A\_P30D\_GRILLO = -99999; ELSE IF R04R\_A\_EVR\_GRILLO = -99988 OR R04\_AG9031 = -8 OR R04\_AG0100CG = -8 OR R04\_AG1009CG\_NN = -8 OR R04\_AG1022CG = -8 OR R04\_AG9049\_01 = -8 OR R04\_AG9049\_03 = -8 THEN R04R\_A\_P30D\_GRILLO = -99988; ELSE IF R04R\_A\_EVR\_GRILLO = -99977 OR R04\_AG9031 = -7 OR R04\_AG0100CG = -7 OR R04\_AG1009CG\_NN = -7 OR R04\_AG1022CG = -7 OR R04\_AG9049\_01 = -7 OR R04\_AG9049\_03 = -7 THEN R04R\_A\_P30D\_GRILLO = -99977; ELSE IF R04R\_A\_EVR\_GRILLO = -99955; ELSE IF R04R\_A\_EVR\_GRILLO = -99966 THEN R04R\_A\_P30D\_GRILLO = -99966; ELSE IF R04R\_A\_EVR\_GRILLO = -99911 OR R04\_AG9031 = -1 OR R04\_AG0100CG = -1 OR R04\_AG1009CG\_NN = -1 OR R04\_AG1022CG = -1 OR R04\_AG9049\_01 = -1 OR R04\_AG9049\_03 = -1 THEN R04R\_A\_P30D\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2963	8.8 %
2	2 = No	30828	91.1 %
<b>Total</b>		<b>33,791</b>	<b>99.9%</b>

This variable has 33,791 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	31	0.1%

Percentages for both tables are based on 33,822 total cases.

*Location:* 12955-12960 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R04R\_A\_NEW\_GRILLO: DERIVED - Wave 4 Adult Never to Ever Cigarillo Smoker

Long Description: Wave 4 adult respondents who started smoking cigarillos between Wave 3 and Wave 4.

```
Algorithm: IF R03M_EVR_GRILLO = 2 AND R04R_A_EVR_GRILLO = 1 AND
WAVE3_INTERVIEW IN (1,2) THEN R04R_A_NEW_GRILLO = 1;
ELSE IF (R03M_EVR_GRILLO = 1 OR R04R_A_EVR_GRILLO = 2) AND
WAVE3_INTERVIEW IN (1,2) THEN R04R_A_NEW_GRILLO = 2; ELSE
IF WAVE3_INTERVIEW = 0 THEN R04R_A_NEW_GRILLO = -99933; ELSE
IF R04R_A_EVR_GRILLO = -99999 THEN R04R_A_NEW_GRILLO
= -99999; ELSE IF R04R_A_EVR_GRILLO = -99988 THEN R04R_A_NEW_GRILLO
= -99988; ELSE IF R04R_A_EVR_GRILLO = -99977 THEN
R04R_A_NEW_GRILLO = -99977; ELSE IF R03M_EVR_GRILLO IN
(-99999,-99988,-99977,-99955,-99966,-99911) OR WAVE3_INTERVIEW
= 9 OR R04R_A_EVR_GRILLO = -99966 THEN R04R_A_NEW_GRILLO = -99966;
ELSE IF R04R_A_EVR_GRILLO = -99911 THEN
R04R_A_NEW_GRILLO = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	462	1.4 %
2	2 = No	25310	74.8 %
	<b>Total</b>	<b>25,772</b>	<b>76.2%</b>

This variable has 25,772 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1971	5.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>8,050</b>	<b>23.8%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 12961-12966 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

## R04R\_A\_CUR\_EXPR\_GRILLO: DERIVED - Wave 4 Adult Current Experimental Cigarillo Smoker

Long Description: Wave 4 adult respondents who have never smoked cigarillos fairly regularly, and currently smoke every day or some days.

Algorithm: IF R04R\_A\_EVR\_GRILLO=1 AND R04R\_A\_EVR\_THRSH\_GRILLO=2  
AND R04\_AG1003CG in (1,2) THEN  
R04R\_A\_CUR\_EXPR\_GRILLO=1; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO=1 OR  
R04R\_A\_EVR\_GRILLO=2 OR R04\_AG1003CG = 3  
OR R04\_AG9106\_02=1 OR (R04\_AG9051 = 2 AND R04\_AG9053=2) OR  
R04\_AG9004\_12M=2 OR (R04\_AG9009\_12M\_01=2 AND  
R04\_AG9009\_12M\_03=2) THEN R04R\_A\_CUR\_EXPR\_GRILLO=2; ELSE  
IF R04R\_A\_EVR\_THRSH\_GRILLO =-99999 OR R04\_AG1003CG =  
-9 OR R04\_AG9051 = -9 OR R04\_AG9053=-9 OR R04\_AG9004\_12M=-9  
OR R04\_AG9009\_12M\_01=-9 OR R04\_AG9009\_12M\_03=-9 OR  
R04R\_A\_EVR\_GRILLO=-99999 THEN R04R\_A\_CUR\_EXPR\_GRILLO=-99999;  
ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO =-99988 OR R04\_AG1003CG  
= -8 OR R04\_AG9051 = -8 OR R04\_AG9053=-8 OR R04\_AG9004\_12M=-8  
OR R04\_AG9009\_12M\_01=-8 OR R04\_AG9009\_12M\_03=-8 OR  
R04R\_A\_EVR\_GRILLO=-99988 THEN R04R\_A\_CUR\_EXPR\_GRILLO=-99988;  
ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO =-99977 OR R04\_AG1003CG  
= -7 OR R04\_AG9051 = -7 OR R04\_AG9053=-7 OR R04\_AG9004\_12M=-7  
OR R04\_AG9009\_12M\_01=-7 OR R04\_AG9009\_12M\_03=-7  
OR R04R\_A\_EVR\_GRILLO=-99977 THEN R04R\_A\_CUR\_EXPR\_GRILLO=-99977;  
ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO =-99966 OR  
R04R\_A\_EVR\_GRILLO=-99966 THEN R04R\_A\_CUR\_EXPR\_GRILLO=-99966;  
ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO =-99911 OR R04\_AG1003CG  
= -1 OR R04\_AG9051 = -1 OR R04\_AG9053=-1 OR R04\_AG9004\_12M=-1  
OR R04\_AG9009\_12M\_01=-1 OR R04\_AG9009\_12M\_03=-1 OR  
R04R\_A\_EVR\_GRILLO=-99911 THEN R04R\_A\_CUR\_EXPR\_GRILLO=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	844	2.5 %
2	2 = No	32946	97.4 %
	<b>Total</b>	<b>33,790</b>	<b>99.9%</b>

This variable has 33,790 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12967-12972 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_FMR\_ESTD\_GRILLO: DERIVED - Wave 4 Adult Former Established Cigarillo Smoker

Long Description: Wave 4 adult respondents who have ever smoked cigarillos fairly regularly, and have not smoked them within the past 12 months or currently smoke not at all. Recanters and bluntonly users who have ever smoked a cigarillo are excluded from the derivation.

Algorithm: IF R04R\_A\_EVR\_THRSH\_GRILLO = 1 AND (R04\_AG1003CG = 3 OR R04\_AG9004\_12M = 2 OR (R04\_AG9051 = 2 AND R04\_AG9053 = 2) OR (R04\_AG9009\_12M\_01 = 2 AND R04\_AG9009\_12M\_03 = 2)) AND R04\_AG9106\_02 != 1 AND R04\_AG1010CG != 3 THEN R04R\_A\_FMR\_ESTD\_GRILLO = 1; ELSE IF ((R04R\_A\_EVR\_THRSH\_GRILLO = 2 OR R04\_AG1003CG IN (1,2)) AND R04\_AG1010CG != 3) OR R04R\_A\_EVR\_GRILLO = 2 THEN R04R\_A\_FMR\_ESTD\_GRILLO = 2; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO = -99999 OR R04R\_A\_EVR\_GRILLO = -99999 OR R04\_AG9004\_12M = -9 OR R04\_AG9051 = -9 OR R04\_AG9053 = -9 OR R04\_AG9009\_12M\_01 = -9 OR R04\_AG9009\_12M\_03 = -9 OR R04\_AG1003CG = -9 OR R04\_AG9106\_02 = -9 OR R04\_AG1010CG = -9 THEN R04R\_A\_FMR\_ESTD\_GRILLO = -99999; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO = -99988 OR R04R\_A\_EVR\_GRILLO = -99988 OR R04\_AG9004\_12M = -8 OR R04\_AG9051 = -8 OR R04\_AG9053 = -8 OR R04\_AG9009\_12M\_01 = -8 OR R04\_AG9009\_12M\_03 = -8 OR R04\_AG1003CG = -8 OR R04\_AG9106\_02 = -8 OR R04\_AG1010CG = -8 THEN R04R\_A\_FMR\_ESTD\_GRILLO = -99988; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO = -99977 OR R04R\_A\_EVR\_GRILLO = -99977 OR R04\_AG9004\_12M = -7 OR R04\_AG9051 = -7 OR R04\_AG9053 = -7 OR R04\_AG9009\_12M\_01 = -7 OR R04\_AG9009\_12M\_03 = -7 OR R04\_AG1003CG = -7 OR R04\_AG9106\_02 = -7 OR R04\_AG1010CG = -7 THEN R04R\_A\_FMR\_ESTD\_GRILLO = -99977; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO = -99966 OR R04R\_A\_EVR\_GRILLO = -99966 THEN R04R\_A\_FMR\_ESTD\_GRILLO = -99966; ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO = -99911 OR R04R\_A\_EVR\_GRILLO = -99911 OR R04\_AG9004\_12M = -1 OR R04\_AG9051 = -1 OR R04\_AG9053 = -1 OR R04\_AG9009\_12M\_01 = -1 OR R04\_AG9009\_12M\_03 = -1 OR R04\_AG1003CG = -1 OR R04\_AG9106\_02 in (1,-1) OR R04\_AG1010CG in (-1,3) THEN R04R\_A\_FMR\_ESTD\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2097	6.2 %
2	2 = No	26571	78.6 %
	<b>Total</b>	<b>28,668</b>	<b>84.8%</b>

This variable has 28,668 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1505	4.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3606	10.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>5,154</b>	<b>15.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12973-12978 (width: 6; decimal: 0)

**Variable Type:** numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R\_A\_FMR\_EXPR\_GRILLO: DERIVED - Wave 4 Adult Former Experimental Cigarillo Smoker

Long Description: Wave 4 adult respondents who have never smoked cigarillos fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters and blunt only users who have ever smoked a cigarillo are excluded from the derivation.

Algorithm: IF R04R\_A\_EVR\_GRILLO = 1 AND R04R\_A\_EVR\_THRSH\_GRILLO = 2  
 AND (R04\_AG1003CG = 3 OR (R04\_AG9051 = 2 AND  
 R04\_AG9053 = 2) OR R04\_AG9004\_12M = 2 OR (R04\_AG9009\_12M\_01 = 2  
 AND R04\_AG9009\_12M\_03 = 2)) AND R04\_AG1010CG !=  
 3 AND R04\_AG9106\_02 != 1 THEN R04R\_A\_FMR\_EXPR\_GRILLO = 1;  
 ELSE IF ((R04R\_A\_EVR\_THRSH\_GRILLO = 1 OR R04\_AG1003CG  
 IN (1,2)) AND R04\_AG1010CG != 3 AND R04\_AG9106\_02 != 1)  
 OR R04R\_A\_EVR\_GRILLO = 2 THEN R04R\_A\_FMR\_EXPR\_GRILLO = 2;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO = -99999 OR R04R\_A\_EVR\_GRILLO  
 = -99999 OR R04\_AG1003CG = -9 OR R04\_AG9051 = -9 OR  
 R04\_AG9053 = -9 OR R04\_AG9004\_12M = -9 OR R04\_AG9009\_12M\_01  
 = -9 OR R04\_AG9009\_12M\_03 = -9 OR R04\_AG9106\_02 = -9 OR  
 R04\_AG1010CG = -9 THEN R04R\_A\_FMR\_EXPR\_GRILLO = -99999;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO = -99988 OR R04R\_A\_EVR\_GRILLO  
 = -99988 OR R04\_AG1003CG = -8 OR R04\_AG9051 = -8 OR R04\_AG9053 = -8  
 OR R04\_AG9004\_12M = -8 OR R04\_AG9009\_12M\_01  
 = -8 OR R04\_AG9009\_12M\_03 = -8 OR R04\_AG9106\_02 = -8 OR R04\_AG1010CG  
 = -8 THEN R04R\_A\_FMR\_EXPR\_GRILLO = -99988;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO = -99977 OR R04R\_A\_EVR\_GRILLO =  
 -99977 OR R04\_AG1003CG = -7 OR R04\_AG9051 = -7 OR  
 R04\_AG9053 = -7 OR R04\_AG9004\_12M = -7 OR R04\_AG9009\_12M\_01  
 = -7 OR R04\_AG9009\_12M\_03 = -7 OR R04\_AG9106\_02 = -7 OR  
 R04\_AG1010CG = -7 THEN R04R\_A\_FMR\_EXPR\_GRILLO = -99977;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GRILLO = -99966 OR R04R\_A\_EVR\_GRILLO  
 = -99966 THEN R04R\_A\_FMR\_EXPR\_GRILLO = -99966; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GRILLO = -99911 OR R04R\_A\_EVR\_GRILLO =  
 -99911 OR R04\_AG1003CG = -1 OR R04\_AG9051 = -1 OR R04\_AG9053

= -1 OR R04\_AG9004\_12M = -1 OR R04\_AG9009\_12M\_01 = -1 OR  
R04\_AG9009\_12M\_03 = -1 OR R04\_AG9106\_02 IN (-1,1) OR  
R04\_AG1010CG IN (-1,3) THEN R04R\_A\_FMR\_EXPR\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6907	20.4 %
2	2 = No	21757	64.3 %
<b>Total</b>		<b>28,664</b>	<b>84.7%</b>

This variable has 28,664 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	29	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1505	4.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3606	10.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>5,158</b>	<b>15.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12979-12984 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_MINFIRST\_30D\_GRILLO: DERIVED - Wave 4 Adult Former Past 30 Day Cigarillo Smoker - Number of Minutes From Waking Up to Smoking First Cigarillo

*Long Description:* Wave 4 Adult former cigarillo smokers who have smoked in the past 30 Days - Recode of amount of time from waking up to smoking first cigarillo into minutes

*Algorithm:* IF R04\_AG1024CG\_30D\_UN = 1 AND R04\_AG1024CG\_30D\_NN >= 0  
THEN R04R\_A\_MINFIRST\_30D\_GRILLO =  
R04\_AG1024CG\_30D\_NN; ELSE IF R04\_AG1024CG\_30D\_UN = 2 AND  
R04\_AG1024CG\_30D\_NN >= 0 THEN R04R\_A\_MINFIRST\_30D\_GRILLO  
= R04\_AG1024CG\_30D\_NN \* 60; ELSE IF R04\_AG1024CG\_30D\_NN = -9  
THEN R04R\_A\_MINFIRST\_30D\_GRILLO = -99999; ELSE  
IF R04\_AG1024CG\_30D\_NN = -8 THEN R04R\_A\_MINFIRST\_30D\_GRILLO =  
-99988; ELSE IF R04\_AG1024CG\_30D\_NN = -7 THEN  
R04R\_A\_MINFIRST\_30D\_GRILLO = -99977; ELSE IF R04\_AG1024CG\_30D\_NN  
= -5 THEN R04R\_A\_MINFIRST\_30D\_GRILLO = -99955; ELSE IF  
R04\_AG1024CG\_30D\_NN = -1 THEN R04R\_A\_MINFIRST\_30D\_GRILLO = -99911;

This variable has 849 valid cases out of 33,822 total cases.

- Mean: 263.95
- Median: 180.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 296.39

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	29	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	5	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32927	97.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,973</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12985-12990 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777)

---

## R04R\_A\_MINFIRST\_GRILLO: DERIVED - Wave 4 Adult Number of Minutes From Waking Up to Smoking First Cigarillo

Long Description: Wave 4 Adult current or experimental current cigarillo smoker - Recode of amount of time from waking up to smoking first cigarillo into minutes

```

Algorithm: IF R04_AG1024CG_UN=1 AND R04_AG1024CG_NN >=0 THEN
R04R_A_MINFIRST_GRILLO=R04_AG1024CG_NN;
ELSE IF R04_AG1024CG_UN=2 AND R04_AG1024CG_NN >=0 THEN
R04R_A_MINFIRST_GRILLO=R04_AG1024CG_NN *
60; ELSE IF R04_AG1024CG_NN =-9 THEN R04R_A_MINFIRST_GRILLO=-99999;
ELSE IF R04_AG1024CG_NN =-8 THEN
R04R_A_MINFIRST_GRILLO=-99988; ELSE IF R04_AG1024CG_NN =-7
THEN R04R_A_MINFIRST_GRILLO=-99977; ELSE IF R04_AG1024CG_NN
=-5 THEN R04R_A_MINFIRST_GRILLO=-99955; ELSE IF R04_AG1024CG_NN =-1
THEN R04R_A_MINFIRST_GRILLO=-99911;
```

This variable has 1,771 valid cases out of 33,822 total cases.

- Mean: 298.38
- Median: 300.00
- Mode: 480.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 271.27

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	41	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	16	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31982	94.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,051</b>	<b>94.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 12991-12996 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSQUIT\_GRILLO: DERIVED - Wave 4 Adult Number of Days Since Last Smoked Cigarillos (Non-Current Smokers)

Long Description: Wave 4 adult recode of length of time since last smoked cigarillos into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

```
Algorithm: IF R04_AG1009CG_UN = 1 AND R04_AG1009CG_NN => 0
THEN R04R_A_DAYSQUIT_GRILLO = R04_AG1009CG_NN; ELSE
IF R04_AG1009CG_UN = 2 AND R04_AG1009CG_NN => 0 THEN
R04R_A_DAYSQUIT_GRILLO = R04_AG1009CG_NN * 30.4375; ELSE
IF R04_AG1009CG_UN = 3 AND R04_AG1009CG_NN => 0 THEN
R04R_A_DAYSQUIT_GRILLO = R04_AG1009CG_NN * 365.25; ELSE IF
R04_AG1009CG_NN = -9 THEN R04R_A_DAYSQUIT_GRILLO = -99999;
ELSE IF R04_AG1009CG_NN = -8 THEN R04R_A_DAYSQUIT_GRILLO
= -99988; ELSE IF R04_AG1009CG_NN = -7 THEN R04R_A_DAYSQUIT_GRILLO
= -99977; ELSE IF R04_AG1009CG_NN = -5 THEN
R04R_A_DAYSQUIT_GRILLO = -99955; ELSE IF R04_AG1009CG_NN = -1
THEN R04R_A_DAYSQUIT_GRILLO = -99911;
```

This variable has 3,195 valid cases out of 33,822 total cases.

- Mean: 1892.8092
- Median: 365.2500
- Mode: 365.2500
- Minimum: 1.0000
- Maximum: 21915.0000
- Standard Deviation: 3322.5532

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	20	0.1 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	65	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	239	0.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	30279	89.5 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>30,627</b>	<b>90.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 12997-13007 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSLASTUSED\_GRILLO: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Cigarillo (Some Day or Current Experimental Smokers)

Long Description: Wave 4 adult some day, current experimental, or former 30 day cigarillo smokers who have not smoked in the past 30 days - Recode of length of time since last smoked a cigarillo into days

```
Algorithm: IF R04_AG9029CG_UN = 1 AND R04_AG9029CG_NN >= 0
THEN R04R_A_DAYSLASTUSED_GRILLO = R04_AG9029CG_NN;
ELSE IF R04_AG9029CG_UN = 2 AND R04_AG9029CG_NN >= 0 THEN
R04R_A_DAYSLASTUSED_GRILLO = R04_AG9029CG_NN *
30.4375; ELSE IF R04_AG9029CG_UN = 3 AND R04_AG9029CG_NN >= 0
THEN R04R_A_DAYSLASTUSED_GRILLO = R04_AG9029CG_NN
* 365.25; ELSE IF R04_AG9029CG_NN = -9 THEN
R04R_A_DAYSLASTUSED_GRILLO = -99999; ELSE IF R04_AG9029CG_NN = -8
THEN R04R_A_DAYSLASTUSED_GRILLO = -99988; ELSE
IF R04_AG9029CG_NN = -7 THEN R04R_A_DAYSLASTUSED_GRILLO =
-99977; ELSE IF R04_AG9029CG_NN = -5 THEN
R04R_A_DAYSLASTUSED_GRILLO = -99955; ELSE IF R04_AG9029CG_NN = -1 THEN
R04R_A_DAYSLASTUSED_GRILLO = -99911;
```

This variable has 441 valid cases out of 33,822 total cases.

- Mean: 493.2398
- Median: 152.1875
- Mode: 91.3125
- Minimum: 30.0000
- Maximum: 11688.0000
- Standard Deviation: 1182.6564

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %

Missing Data			
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	39	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33335	98.6 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,381</b>	<b>98.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13008-13018 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSBRAND\_GRILLO: DERIVED - Wave 4 Adult Number of Days Smoking Regular Brand of Cigarillos

Long Description: Wave 4 adult current, experimental current, new former or former 30 day cigarillo smokers who have a regular brand - Recode of length of time smoking regular brand of cigarillos into days.

```
Algorithm: IF R04_AG1051CG_UN = 1 AND R04_AG1051CG_NN >= 0
THEN R04R_A_DAYSBRAND_GRILLO = R04_AG1051CG_NN;
ELSE IF R04_AG1051CG_UN = 2 AND R04_AG1051CG_NN >= 0 THEN
R04R_A_DAYSBRAND_GRILLO = R04_AG1051CG_NN *
30.4375; ELSE IF R04_AG1051CG_UN = 3 AND R04_AG1051CG_NN >= 0
THEN R04R_A_DAYSBRAND_GRILLO = R04_AG1051CG_NN
* 365.25; ELSE IF R04_AG1051CG_NN = -9 THEN
R04R_A_DAYSBRAND_GRILLO = -99999; ELSE IF R04_AG1051CG_NN =
-8 THEN R04R_A_DAYSBRAND_GRILLO = -99988;
ELSE IF R04_AG1051CG_NN = -7 THEN R04R_A_DAYSBRAND_GRILLO =
-99977; ELSE IF R04_AG1051CG_NN = -5 THEN
R04R_A_DAYSBRAND_GRILLO = -99955; ELSE IF R04_AG1051CG_NN = -1 THEN
R04R_A_DAYSBRAND_GRILLO = -99911;
```

This variable has 1,718 valid cases out of 33,822 total cases.

- Mean: 1451.5246
- Median: 730.5000
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 17166.7500
- Standard Deviation: 2017.4429

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	30	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %

<b>Missing Data</b>			
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32070	94.8 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>32,104</b>	<b>94.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13019-13029 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_EVR\_GFILTR: DERIVED - Wave 4 Adult Ever Filtered Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a filtered cigar.

Algorithm: IF R03M\_EVR\_GFILTR=1 OR R04\_AG9049\_02 = 1  
 OR R04\_AG9052=1 OR R04\_AG9009\_12M\_02=1 OR R04\_AG9009\_RS\_02=1  
 THEN R04R\_A\_EVR\_GFILTR = 1; ELSE IF (R04\_AG9009\_RS\_02=2  
 AND R04\_AG9009\_12M\_02 ! in (-7,-8,-9) AND R04\_AG9004\_12M ! in  
 (-7,-8,-9)) OR R04\_AG9004\_RS=2 OR R04\_AG9002\_RS\_02=2 OR  
 R04\_AG1001\_RS=2 OR (R03M\_EVR\_GFILTR=2 AND (R04\_AG9052=2  
 OR (R04\_AG9004\_12M=2 OR R04\_AG9009\_12M\_02=2)) AND R03M\_SKIPPED\_WAVE =2)  
 THEN R04R\_A\_EVR\_GFILTR = 2; ELSE  
 IF (R04\_AG9049\_02=-9 AND R04\_AG9052=-1) OR R04\_AG9009\_RS\_02=-9  
 OR R04\_AG9004\_RS=-9 OR R04\_AG1001\_RS=-9 OR  
 R04\_AG9052=-9 OR R04\_AG9004\_12M=-9 OR R04\_AG9009\_12M\_02=-9 OR  
 R04\_AG9002\_RS\_02=-9 THEN R04R\_A\_EVR\_GFILTR =  
 -99999; ELSE IF R04\_AG9009\_RS\_02=-8 OR R04\_AG9004\_RS=-8 OR  
 R04\_AG1001\_RS=-8 OR R04\_AG9052=-8 OR R04\_AG9004\_12M=-8  
 OR R04\_AG9009\_12M\_02=-8 OR R04\_AG9002\_RS\_02=-8 THEN R04R\_A\_EVR\_GFILTR  
 = -99988; ELSE IF R04\_AG9009\_RS\_02=-7  
 OR R04\_AG9004\_RS=-7 OR R04\_AG1001\_RS=-7 OR R04\_AG9052=-7 OR  
 R04\_AG9004\_12M=-7 OR R04\_AG9009\_12M\_02=-7 OR  
 R04\_AG9002\_RS\_02=-7 THEN R04R\_A\_EVR\_GFILTR = -99977; ELSE  
 IF R03M\_EVR\_GFILTR in (-99999,-99988,-99977,-99966, -99911)  
 OR R03M\_SKIPPED\_WAVE=1 THEN R04R\_A\_EVR\_GFILTR = -99966;  
 ELSE IF R04\_AG9009\_RS\_02=-1 OR R04\_AG9004\_RS=-1 OR  
 R04\_AG1001\_RS=-1 OR R04\_AG9052=-1 OR R04\_AG9004\_12M=-1  
 OR R04\_AG9009\_12M\_02=-1 OR R04\_AG9002\_RS\_02=-1 THEN  
 R04R\_A\_EVR\_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7971	23.6 %
2	2 = No	23929	70.7 %
<b>Total</b>		<b>31,900</b>	<b>94.3%</b>

This variable has 31,900 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1883	5.6 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>1,922</b>	<b>5.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13030-13035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EVR\_THRSH\_GFILTR: DERIVED - Wave 4 Adult Filtered Cigar Lifetime Threshold of Use- Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have ever smoked filtered cigars fairly regularly.

```
Algorithm: IF R04R_A_EVR_GFILTR=1 AND (R03M_EVR_THRSH_GFILTR=1
OR R04_AG1100FC=1) THEN R04R_A_EVR_THRSH_GFILTR=1;
ELSE IF R04R_A_EVR_GFILTR=2 OR (R04R_A_EVR_GFILTR=1 AND
R04_AG1100FC =2) THEN R04R_A_EVR_THRSH_GFILTR=2; ELSE IF
R04R_A_EVR_GFILTR=-99999 OR R04_AG1100FC=-9 THEN
R04R_A_EVR_THRSH_GFILTR=-99999; ELSE IF R04R_A_EVR_GFILTR=-99988
OR R04_AG1100FC=-8 THEN R04R_A_EVR_THRSH_GFILTR=-99988;
ELSE IF R04R_A_EVR_GFILTR=-99977 OR R04_AG1100FC=-7 THEN
R04R_A_EVR_THRSH_GFILTR=-99977; ELSE IF R04R_A_EVR_GFILTR=
-99966 THEN R04R_A_EVR_THRSH_GFILTR = -99966; ELSE IF
R04R_A_EVR_GFILTR=-99911 OR R04_AG1100FC=-1 THEN
R04R_A_EVR_THRSH_GFILTR=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1977	5.8 %
2	2 = No	28739	85.0 %
<b>Total</b>		<b>30,716</b>	<b>90.8%</b>

This variable has 30,716 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.1 %	

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1883	5.6 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1173	3.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>3,106</b>	<b>9.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13036-13041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_CUR\_ESTD\_GFILTR: DERIVED - Wave 4 Adult Current Established Filtered Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a filtered cigar, have ever smoked them fairly regularly, and currently smoke every day or some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_GFILTR=1 AND R04\_AG1003FC  
in (1,2) THEN R04R\_A\_CUR\_ESTD\_GFILTR=1; ELSE IF  
R04R\_A\_EVR\_THRSH\_GFILTR=2 OR R04R\_A\_EVR\_GFILTR=2 OR  
R04\_AG1003FC = 3 OR R04\_AG9106\_03=1 OR R04\_AG9052 = 2 OR  
R04\_AG9004\_12M=2 OR R04\_AG9009\_12M\_02=2 THEN R04R\_A\_CUR\_ESTD\_GFILTR=2;  
ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99999 OR  
R04\_AG1003FC = -9 OR R04\_AG9052 = -9 OR R04\_AG9004\_12M=-9 OR  
R04\_AG9009\_12M\_02=-9 OR R04R\_A\_EVR\_GFILTR=-99999 THEN  
R04R\_A\_CUR\_ESTD\_GFILTR=-99999; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99988  
OR R04\_AG1003FC = -8 OR R04\_AG9052 = -8 OR  
R04\_AG9004\_12M=-8 OR R04\_AG9009\_12M\_02=-8 OR R04R\_A\_EVR\_GFILTR=-99988  
THEN R04R\_A\_CUR\_ESTD\_GFILTR=-99988; ELSE IF  
R04R\_A\_EVR\_THRSH\_GFILTR =-99977 OR R04\_AG1003FC = -7 OR R04\_AG9052 = -7  
OR R04\_AG9004\_12M=-7 OR R04\_AG9009\_12M\_02=-7  
OR R04R\_A\_EVR\_GFILTR=-99977 THEN R04R\_A\_CUR\_ESTD\_GFILTR=-99977;  
ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99966  
OR R04R\_A\_EVR\_GFILTR=-99966 THEN R04R\_A\_CUR\_ESTD\_GFILTR=-99966;  
ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99911 OR  
R04\_AG1003FC = -1 OR R04\_AG9052 = -1 OR R04\_AG9004\_12M=-1 OR  
R04\_AG9009\_12M\_02=-1 OR R04R\_A\_EVR\_GFILTR=-99911 THEN  
R04R\_A\_CUR\_ESTD\_GFILTR=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	486	1.4 %
2	2 = No	33296	98.4 %
	<b>Total</b>	<b>33,782</b>	<b>99.9%</b>

This variable has 33,782 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>40</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13042-13047 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_CUR\_EDSD\_GFILTR: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Filtered Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a filtered cigar and currently smoke every day or some days.

```
Algorithm: IF R04R_A_EVR_GFILTR=1 AND R04_AG1003FC in (1,2)
THEN R04R_A_CUR_EDSD_GFILTR=1; ELSE IF R04R_A_EVR_GFILTR=2
OR R04_AG1003FC = 3 OR R04_AG9106_03=1 OR R04_AG9052=2 OR
R04_AG9004_12M=2 OR R04_AG9009_12M_02=2 THEN
R04R_A_CUR_EDSD_GFILTR=2; ELSE IF R04R_A_EVR_GFILTR=-99999 OR
R04_AG1003FC = -9 OR R04_AG9052=-9 OR R04_AG9004_12M=-9
OR R04_AG9009_12M_02=-9 THEN R04R_A_CUR_EDSD_GFILTR=-99999;
ELSE IF R04R_A_EVR_GFILTR=-99988 OR R04_AG1003FC
= -8 OR R04_AG9052=-8 OR R04_AG9004_12M=-8 OR R04_AG9009_12M_02=-8
THEN R04R_A_CUR_EDSD_GFILTR=-99988; ELSE IF
R04R_A_EVR_GFILTR=-99977 OR R04_AG1003FC = -7 OR R04_AG9052=-7
OR R04_AG9004_12M=-7 OR R04_AG9009_12M_02=-7
THEN R04R_A_CUR_EDSD_GFILTR=-99977; ELSE IF R04R_A_EVR_GFILTR
=-99966 THEN R04R_A_CUR_EDSD_GFILTR=-99966; ELSE IF
R04R_A_EVR_GFILTR =-99911 OR R04_AG1003FC = -1 OR R04_AG9052=-1
OR R04_AG9004_12M=-1 OR R04_AG9009_12M_02=-1 THEN
R04R_A_CUR_EDSD_GFILTR=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	960	2.8 %
2	2 = No	32821	97.0 %
	<b>Total</b>	<b>33,781</b>	<b>99.9%</b>

This variable has 33,781 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>41</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13048-13053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EDY\_GFILTR: DERIVED - Wave 4 Adult Current Every Day Filtered Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a filtered cigar, have ever smoked them fairly regularly, and currently smoke every day.

Algorithm: IF R04R\_A\_EVR\_THRSH\_GFILTR=1 AND R04\_AG1003FC=1  
 THEN R04R\_A\_EDY\_GFILTR=1; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR=2  
 OR R04\_AG1003FC in (2,3) OR R04\_AG9052=2 OR R04\_AG9004\_12M=2  
 OR R04\_AG9009\_12M\_02=2 OR R04\_AG9106\_03=1  
 THEN R04R\_A\_EDY\_GFILTR=2; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR  
 =-99999 OR R04\_AG1003FC = -9 OR R04\_AG9052=-9 OR  
 R04\_AG9004\_12M=-9 OR R04\_AG9009\_12M\_02=-9 THEN R04R\_A\_EDY\_GFILTR=-99999;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99988 OR  
 R04\_AG1003FC = -8 OR R04\_AG9052=-8 OR R04\_AG9004\_12M=-8 OR  
 R04\_AG9009\_12M\_02=-8 THEN R04R\_A\_EDY\_GFILTR=-99988; ELSE  
 IF R04R\_A\_EVR\_THRSH\_GFILTR =-99977 OR R04\_AG1003FC = -7 OR  
 R04\_AG9052=-7 OR R04\_AG9004\_12M=-7 OR R04\_AG9009\_12M\_02=-7  
 THEN R04R\_A\_EDY\_GFILTR=-99977; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR  
 =-99966 THEN R04R\_A\_EDY\_GFILTR=-99966; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GFILTR =-99911 OR R04\_AG1003FC = -1 OR R04\_AG9052=-1  
 OR R04\_AG9004\_12M=-1 OR R04\_AG9009\_12M\_02=-1  
 THEN R04R\_A\_EDY\_GFILTR=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	181	0.5 %
2	2 = No	33605	99.4 %
	<b>Total</b>	<b>33,786</b>	<b>99.9%</b>

This variable has 33,786 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>36</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13054-13059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_SDY\_GFILTR: DERIVED - Wave 4 Adult Current Some Day Filtered Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a filtered cigar, have ever smoked them fairly regularly, and currently smoke some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_GFILTR=1 AND R04\_AG1003FC=2  
 THEN R04R\_A\_SDY\_GFILTR=1; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR=2  
 OR R04\_AG1003FC in (1,3) OR R04\_AG9052=2 OR R04\_AG9004\_12M=2  
 OR R04\_AG9009\_12M\_02=2 OR R04\_AG9106\_03=1  
 THEN R04R\_A\_SDY\_GFILTR=2; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR  
 =-99999 OR R04\_AG1003FC = -9 OR R04\_AG9052=-9 OR  
 R04\_AG9004\_12M=-9 OR R04\_AG9009\_12M\_02=-9 THEN R04R\_A\_SDY\_GFILTR=-99999;  
 ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99988 OR  
 R04\_AG1003FC = -8 OR R04\_AG9052=-8 OR R04\_AG9004\_12M=-8 OR  
 R04\_AG9009\_12M\_02=-8 THEN R04R\_A\_SDY\_GFILTR=-99988; ELSE  
 IF R04R\_A\_EVR\_THRSH\_GFILTR =-99977 OR R04\_AG1003FC = -7 OR  
 R04\_AG9052=-7 OR R04\_AG9004\_12M=-7 OR R04\_AG9009\_12M\_02=-7  
 THEN R04R\_A\_SDY\_GFILTR=-99977; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99966  
 THEN R04R\_A\_SDY\_GFILTR=-99966; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GFILTR =-99911 OR R04\_AG1003FC = -1 OR  
 R04\_AG9052=-1 OR R04\_AG9004\_12M=-1 OR R04\_AG9009\_12M\_02=-1  
 THEN R04R\_A\_SDY\_GFILTR=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	305	0.9 %
2	2 = No	33478	99.0 %
	<b>Total</b>	<b>33,783</b>	<b>99.9%</b>

This variable has 33,783 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>39</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13060-13065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_P30D\_GFILTR: DERIVED - Wave 4 Adult Past 30 Day Filtered Cigar Smoker

Long Description: Wave 4 Adult respondents who have ever smoked a filtered cigar and have smoked at least once in the past 30 days. Includes some respondents who smoked filtered cigars only as blunts.

```
Algorithm: IF R04R_A_EVR_GFILTR=1 AND ((R04_AG9031=1 AND R04_AG9049_02=1)
OR R04_AG0100FC in (1,2,3,4) OR
(1<=R04_AG1009FC_NN<= 30 AND R04_AG1009FC_UN=1) OR
(R04_AG1009FC_NN=1 AND R04_AG1009FC_UN=2) OR R04_AG1022FC>0)
THEN R04R_A_P30D_GFILTR=1; ELSE IF R04R_A_EVR_GFILTR=2 OR R04_AG9031=2
OR R04_AG9049_02=2 OR (R04_AG1009FC_NN>30
AND R04_AG1009FC_UN=1) OR (R04_AG1009FC_NN>1 AND R04_AG1009FC_UN=2)
OR R04_AG1009FC_UN=3 OR R04_AG1022FC=0 THEN
R04R_A_P30D_GFILTR=2; ELSE IF R04R_A_EVR_GFILTR= -99999 OR R04_AG9031= -9
OR R04_AG0100FC= -9 OR R04_AG1009FC_NN= -9 OR
R04_AG1022FC= -9 OR R04_AG9049_02=-9 THEN R04R_A_P30D_GFILTR = -99999;
ELSE IF R04R_A_EVR_GFILTR= -99988 OR R04_AG9031=
-8 OR R04_AG0100FC= -8 OR R04_AG1009FC_NN= -8 OR R04_AG1022FC= -8 OR
R04_AG9049_02=-8 THEN R04R_A_P30D_GFILTR = -99988;
ELSE IF R04R_A_EVR_GFILTR= -99977 OR R04_AG9031= -7 OR R04_AG0100FC= -7
OR R04_AG1009FC_NN= -7 OR R04_AG1022FC= -7 OR
R04_AG9049_02=-7 THEN R04R_A_P30D_GFILTR = -99977; ELSE IF R04_AG1009FC_NN= -5
THEN R04R_A_P30D_GFILTR = -99955; ELSE
IF R04R_A_EVR_GFILTR= -99966 THEN R04R_A_P30D_GFILTR = -99966; ELSE
IF R04R_A_EVR_GFILTR= -99911 OR R04_AG9031= -1 OR
R04_AG0100FC= -1 OR R04_AG1009FC_NN= -1 OR R04_AG1022FC= -1 OR
R04_AG9049_02=-1 THEN R04R_A_P30D_GFILTR = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1178	3.5 %
2	2 = No	32616	96.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>33,794</b>	<b>99.9%</b>

This variable has 33,794 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>28</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13066-13071 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R04R\_A\_NEW\_GFILTR: DERIVED - Wave 4 Adult Never to Ever Filtered Cigar Smoker

Long Description: Wave 4 adult respondents who started smoking filtered cigars between Wave 3 and Wave 4.

```
Algorithm: IF R03M_EVR_GFILTR = 2 AND R04R_A_EVR_GFILTR = 1 AND
WAVE3_INTERVIEW IN (1,2) THEN R04R_A_NEW_GFILTR = 1;
ELSE IF (R03M_EVR_GFILTR = 1 OR R04R_A_EVR_GFILTR = 2) AND
WAVE3_INTERVIEW IN (1,2) THEN R04R_A_NEW_GFILTR = 2; ELSE
IF WAVE3_INTERVIEW = 0 THEN R04R_A_NEW_GFILTR = -99933;
ELSE IF R04R_A_EVR_GFILTR = -99999 THEN R04R_A_NEW_GFILTR
= -99999; ELSE IF R04R_A_EVR_GFILTR = -99988 THEN R04R_A_NEW_GFILTR
= -99988; ELSE IF R04R_A_EVR_GFILTR = -99977 THEN
R04R_A_NEW_GFILTR = -99977; ELSE IF R03M_EVR_GFILTR IN
(-99999,-99988,-99977,-99955,-99966,-99911) OR WAVE3_INTERVIEW
= 9 OR R04R_A_EVR_GFILTR = -99966 THEN R04R_A_NEW_GFILTR = -99966;
ELSE IF R04R_A_EVR_GFILTR = -99911 THEN
R04R_A_NEW_GFILTR = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	390	1.2 %
2	2 = No	25191	74.5 %
	<b>Total</b>	<b>25,581</b>	<b>75.6%</b>

This variable has 25,581 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2151	6.4 %	
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>8,241</b>	<b>24.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13072-13077 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99933, -99911, -97777

## R04R\_A\_CUR\_EXPR\_GFILTR: DERIVED - Wave 4 Adult Current Experimental Filtered Cigar Smoker

**Long Description:** Wave 4 adult respondents who have never smoked filtered cigars fairly regularly, and currently smoke every day or some days.

**Algorithm:** IF R04R\_A\_EVR\_GFILTR=1 AND R04R\_A\_EVR\_THRSH\_GFILTR=2  
AND R04R\_A\_EV1003FC in (1,2) THEN R04R\_A\_CUR\_EXPR\_GFILTR=1;  
ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR=1 OR R04R\_A\_EVR\_GFILTR=2 OR  
R04R\_A\_EV1003FC = 3 OR R04R\_A\_EV9052 = 2 OR R04R\_A\_EV9004\_12M=2  
OR R04R\_A\_EV9009\_12M\_02=2 OR R04R\_A\_EV9106\_03=1 THEN  
R04R\_A\_CUR\_EXPR\_GFILTR=2; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99999  
OR R04R\_A\_EV1003FC = -9 OR R04R\_A\_EV9052 = -9 OR R04R\_A\_EV9004\_12M=-9  
OR R04R\_A\_EV9009\_12M\_02=-9 OR R04R\_A\_EVR\_GFILTR=-99999  
THEN R04R\_A\_CUR\_EXPR\_GFILTR=-99999; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR  
=-99988 OR R04R\_A\_EV1003FC = -8 OR R04R\_A\_EV9052 = -8 OR  
R04R\_A\_EV9004\_12M=-8 OR R04R\_A\_EV9009\_12M\_02=-8 OR R04R\_A\_EVR\_GFILTR=-99988  
THEN R04R\_A\_CUR\_EXPR\_GFILTR=-99988; ELSE IF  
R04R\_A\_EVR\_THRSH\_GFILTR =-99977 OR R04R\_A\_EV1003FC = -7 OR R04R\_A\_EV9052 = -7  
OR R04R\_A\_EV9004\_12M=-7 OR R04R\_A\_EV9009\_12M\_02=-7  
OR R04R\_A\_EVR\_GFILTR=-99977 THEN R04R\_A\_CUR\_EXPR\_GFILTR=-99977;  
ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99966  
OR R04R\_A\_EVR\_GFILTR=-99966 THEN R04R\_A\_CUR\_EXPR\_GFILTR=-99966;  
ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR =-99911 OR  
R04R\_A\_EV1003FC = -1 OR R04R\_A\_EV9052 = -1 OR R04R\_A\_EV9004\_12M=-1 OR  
R04R\_A\_EV9009\_12M\_02=-1 OR R04R\_A\_EVR\_GFILTR=-99911 THEN  
R04R\_A\_CUR\_EXPR\_GFILTR=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	469	1.4 %
2	2 = No	33308	98.5 %
	<b>Total</b>	<b>33,777</b>	<b>99.9%</b>

This variable has 33,777 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	26	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>45</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13078-13083 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_ESTD\_GFILTR: DERIVED - Wave 4 Adult Former Established Filtered Cigar Smoker

**Long Description:** Wave 4 adult respondents who have ever smoked filtered cigars fairly regularly, and have not smoked them within the past 12 months or currently smoke not at all. Recanters and blunt only users who have ever smoked a filtered cigar are excluded from the derivation.

```

Algorithm: IF R04R_A_EVR_THRSH_GFILTR=1 AND
(R04_AG9052=2 OR R04_AG9009_12M_02=2 OR R04_AG1003FC=3 OR
R04_AG9004_12M=2) AND R04_AG9106_03 !=1 AND R04_AG1010FC
!= 3 THEN R04R_A_FMR_ESTD_GFILTR=1; ELSE IF
((R04R_A_EVR_THRSH_GFILTR=2 OR R04_AG1003FC in (1,2)) AND
R04_AG1010FC != 3) OR R04R_A_EVR_GFILTR=2 THEN
R04R_A_FMR_ESTD_GFILTR=2; ELSE IF R04R_A_EVR_THRSH_GFILTR=-99999
OR R04R_A_EVR_GFILTR=-99999 OR R04_AG9106_03=-9
OR R04_AG9052=-9 OR R04_AG9009_12M_02=-9 OR R04_AG1003FC=-9 OR
R04_AG9004_12M=-9 OR R04_AG9106_03=-9
OR R04_AG1010FC=-9 THEN R04R_A_FMR_ESTD_GFILTR = -99999; ELSE
IF R04R_A_EVR_THRSH_GFILTR=-99988 OR
R04R_A_EVR_GFILTR=-99988 OR R04_AG9106_03=-8 OR R04_AG9052=-8
OR R04_AG9009_12M_02=-8 OR R04_AG1003FC=-8
OR R04_AG9004_12M=-8 OR R04_AG9106_03=-8 OR R04_AG1010FC=-8
THEN R04R_A_FMR_ESTD_GFILTR = -99988; ELSE
IF R04R_A_EVR_THRSH_GFILTR=-99977 OR R04R_A_EVR_GFILTR=-99977
OR R04_AG9106_03=-7 OR R04_AG9052=-7 OR

```

```

R04_AG9009_12M_02=-7 OR R04_AG1003FC=-7 OR R04_AG9004_12M=-7
OR R04_AG9106_03=-7 OR R04_AG1010FC=-7 THEN
R04R_A_FMR_ESTD_GFILTR = -99977; ELSE IF
R04R_A_EVR_THRSH_GFILTR=-99966 OR R04R_A_EVR_GFILTR=-99966 THEN
R04R_A_FMR_ESTD_GFILTR = -99966; ELSE IF
R04R_A_EVR_THRSH_GFILTR=-99911 OR R04R_A_EVR_GFILTR=-99966 OR R04_AG9052=-1
OR R04_AG9009_12M_02=-1 OR R04_AG1003FC=-1 OR R04_AG9004_12M=-1
OR R04_AG9106_03 in (-1,1) OR R04_AG1010FC in (-1,3)
THEN R04R_A_FMR_ESTD_GFILTR = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1407	4.2 %
2	2 = No	29230	86.4 %
	<b>Total</b>	<b>30,637</b>	<b>90.6%</b>

This variable has 30,637 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	33	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1883	5.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1256	3.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>3,185</b>	<b>9.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13084-13089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_EXPR\_GFILTR: DERIVED - Wave 4 Adult Former Experimental Filtered Cigar Smoker

**Long Description:** Wave 4 adult respondents who have never smoked filtered cigars fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters and blunt only users who have ever smoked a filtered cigar are excluded from the derivation.

```

Algorithm: IF R04R_A_EVR_GFILTR = 1 AND R04R_A_EVR_THRSH_GFILTR =
2 AND (R04_AG1003FC = 3 OR R04_AG9052 = 2 OR
R04_AG9004_12M = 2 OR R04_AG9009_12M_02 = 2) AND R04_AG1010FC != 3 AND R04_AG9106_03 != 1 THEN R04R_A_FMR_EXPR_GFILTR
= 1; ELSE IF ((R04R_A_EVR_THRSH_GFILTR = 1 OR R04_AG1003FC IN
(1,2)) AND R04_AG1010FC != 3 AND R04_AG9106_03 != 1) OR
R04R_A_EVR_GFILTR = 2 THEN R04R_A_FMR_EXPR_GFILTR = 2; ELSE IF

```

R04R\_A\_EVR\_THRSH\_GFILTR = -99999 OR R04R\_A\_EVR\_GFILTR =  
 -99999 OR R04\_AG1003FC = -9 OR R04\_AG9052 = -9 OR R04\_AG9009\_12M\_02 =  
 -9 OR R04\_AG9004\_12M = -9 OR R04\_AG9106\_03 = -9 OR  
 R04\_AG1010FC = -9 THEN R04R\_A\_FMR\_EXPR\_GFILTR = -99999; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GFILTR = -99988 OR R04R\_A\_EVR\_GFILTR =  
 -99988 OR R04\_AG1003FC = -8 OR R04\_AG9052 = -8 OR R04\_AG9009\_12M\_02  
 = -8 OR R04\_AG9004\_12M = -8 OR R04\_AG9106\_03 = -8 OR  
 R04\_AG1010FC = -8 THEN R04R\_A\_FMR\_EXPR\_GFILTR = -99988; ELSE  
 IF R04R\_A\_EVR\_THRSH\_GFILTR = -99977 OR R04R\_A\_EVR\_GFILTR =  
 -99977 OR R04\_AG1003FC = -7 OR R04\_AG9052 = -7 OR R04\_AG9009\_12M\_02 = -7  
 OR R04\_AG9004\_12M = -7 OR R04\_AG9106\_03 = -7 OR  
 R04\_AG1010FC = -7 THEN R04R\_A\_FMR\_EXPR\_GFILTR = -99977; ELSE IF  
 R04R\_A\_EVR\_THRSH\_GFILTR = -99966 OR R04R\_A\_EVR\_GFILTR =  
 -99966 THEN R04R\_A\_FMR\_EXPR\_GFILTR = -99966; ELSE IF R04R\_A\_EVR\_THRSH\_GFILTR  
 = -99911 OR R04R\_A\_EVR\_GFILTR = -99911  
 OR R04\_AG1003FC = -1 OR R04\_AG9052 = -1 OR R04\_AG9009\_12M\_02 = -1  
 OR R04\_AG9004\_12M = -1 OR R04\_AG9106\_03 IN (-1,1) OR  
 R04\_AG1010FC IN (-1,3) THEN R04R\_A\_FMR\_EXPR\_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4335	12.8 %
2	2 = No	26297	77.8 %
	<b>Total</b>	<b>30,632</b>	<b>90.6%</b>

This variable has 30,632 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1883	5.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1256	3.7 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>3,190</b>	<b>9.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13090-13095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_MINFIRST\_30D\_GFILTR: DERIVED - Wave 4 Adult Former Past 30 Day Filtered Cigar Smoker - Number of Minutes From Waking Up to Smoking First Filtered Cigar

*Long Description:* Wave 4 Adult former filtered cigar smokers who have smoked in the past 30 days - Recode of amount of time from waking up to smoking first filtered cigar into minutes.

```

Algorithm: IF R04_AG1024FC_30D_UN =1 AND R04_AG1024FC_30D_NN => 0
THEN R04R_A_MINFIRST_30D_GFILTR=
R04_AG1024FC_30D_NN; ELSE IF R04_AG1024FC_30D_UN =2 AND
R04_AG1024FC_30D_NN => 0 THEN R04R_A_MINFIRST_30D_GFILTR=
R04_AG1024FC_30D_NN * 60; ELSE IF R04_AG1024FC_30D_NN =-9
THEN R04R_A_MINFIRST_30D_GFILTR= -99999; ELSE
IF R04_AG1024FC_30D_NN =-8 THEN R04R_A_MINFIRST_30D_GFILTR= -99988;
ELSE IF R04_AG1024FC_30D_NN =-7 THEN
R04R_A_MINFIRST_30D_GFILTR= -99977; ELSE IF R04_AG1024FC_30D_NN =-5
THEN R04R_A_MINFIRST_30D_GFILTR= -99955; ELSE IF
R04_AG1024FC_30D_NN =-1 THEN R04R_A_MINFIRST_30D_GFILTR= -99911;

```

This variable has 367 valid cases out of 33,822 total cases.

- Mean: 248.10
- Median: 120.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 277.96

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33419	98.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,455</b>	<b>98.9%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13096-13101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_MINFIRST\_GFILTR: DERIVED - Wave 4 Adult Number of Minutes From Waking Up to Smoking First Filtered Cigar

*Long Description:* Wave 4 Adult current or experimental current filtered cigar smokers - Recode of amount of time from waking up to smoking first filtered cigar into minutes.

```

Algorithm: IF R04_AG1024FC_UN=1 AND R04_AG1024FC_NN >=0 THEN
R04R_A_MINFIRST_GFILTR=R04_AG1024FC_NN;
ELSE IF R04_AG1024FC_UN=2 AND R04_AG1024FC_NN >=0 THEN
R04R_A_MINFIRST_GFILTR=R04_AG1024FC_NN *
60; ELSE IF R04_AG1024FC_NN =-9 THEN R04R_A_MINFIRST_GFILTR=-99999;

```

```

ELSE IF R04_AG1024FC_NN ==-8 THEN
R04R_A_MINFIRST_GFILTR=-99988; ELSE IF R04_AG1024FC_NN ==-7 THEN
R04R_A_MINFIRST_GFILTR=-99977; ELSE IF R04_AG1024FC_NN
== -5 THEN R04R_A_MINFIRST_GFILTR=-99955; ELSE IF R04_AG1024FC_NN
== -1 THEN R04R_A_MINFIRST_GFILTR=-99911;

```

This variable has 927 valid cases out of 33,822 total cases.

- Mean: 220.80
- Median: 120.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 268.01

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32860	97.2 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,895</b>	<b>97.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13102-13107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSQUIT\_GFILTR: DERIVED - Wave 4 Adult Number of Days Since Last Smoked Filtered Cigars (Non-Current Smokers)

**Long Description:** Wave 4 adult recode of length of time since last smoked filtered cigars into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

```

Algorithm: IF R04_AG1009FC_UN = 1 AND R04_AG1009FC_NN => 0
THEN R04R_A_DAYSQUIT_GFILTR = R04_AG1009FC_NN; ELSE
IF R04_AG1009FC_UN = 2 AND R04_AG1009FC_NN => 0 THEN
R04R_A_DAYSQUIT_GFILTR = R04_AG1009FC_NN * 30.4375; ELSE
IF R04_AG1009FC_UN = 3 AND R04_AG1009FC_NN => 0 THEN
R04R_A_DAYSQUIT_GFILTR = R04_AG1009FC_NN * 365.25; ELSE IF
R04_AG1009FC_NN = -9 THEN R04R_A_DAYSQUIT_GFILTR = -99999;
ELSE IF R04_AG1009FC_NN = -8 THEN R04R_A_DAYSQUIT_GFILTR
= -99988; ELSE IF R04_AG1009FC_NN = -7 THEN R04R_A_DAYSQUIT_GFILTR
= -99977; ELSE IF R04_AG1009FC_NN = -5 THEN
R04R_A_DAYSQUIT_GFILTR = -99955; ELSE IF R04_AG1009FC_NN = -1

```

THEN R04R\_A\_DAYSQUIT\_GFILTR = -99911;

This variable has 1,825 valid cases out of 33,822 total cases.

- Mean: 1773.6256
- Median: 365.2500
- Mode: 365.2500
- Minimum: 1.0000
- Maximum: 31046.2500
- Standard Deviation: 3119.6263

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	57	0.2 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	55	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	125	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31748	93.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>31,997</b>	<b>94.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13108-13118 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_DAYSLASTUSED\_GFILTR: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Filtered Cigar (Some Day or Current Experimental Smokers)

Long Description: Wave 4 adult some day, current experimental, or former 30 day filtered cigar smokers who have not smoked in the past 30 days - Recode of length of time since last smoked a filtered cigar into days.

Algorithm: IF R04\_AG9029FC\_UN = 1 AND R04\_AG9029FC\_NN => 0 THEN  
R04R\_A\_DAYSLASTUSED\_GFILTR = R04\_AG9029FC\_NN;  
ELSE IF R04\_AG9029FC\_UN = 2 AND R04\_AG9029FC\_NN => 0 THEN  
R04R\_A\_DAYSLASTUSED\_GFILTR = R04\_AG9029FC\_NN \*  
30.4375; ELSE IF R04\_AG9029FC\_UN = 3 AND R04\_AG9029FC\_NN =>  
0 THEN R04R\_A\_DAYSLASTUSED\_GFILTR = R04\_AG9029FC\_NN  
\* 365.25; ELSE IF R04\_AG9029FC\_NN = -9 THEN  
R04R\_A\_DAYSLASTUSED\_GFILTR = -99999; ELSE IF R04\_AG9029FC\_NN = -8  
THEN R04R\_A\_DAYSLASTUSED\_GFILTR = -99988; ELSE IF R04\_AG9029FC\_NN = -7  
THEN R04R\_A\_DAYSLASTUSED\_GFILTR =  
-99977; ELSE IF R04\_AG9029FC\_NN = -5 THEN R04R\_A\_DAYSLASTUSED\_GFILTR  
= -99955; ELSE IF R04\_AG9029FC\_NN = -1 THEN  
R04R\_A\_DAYSLASTUSED\_GFILTR = -99911;

This variable has 254 valid cases out of 33,822 total cases.

- Mean: 765.4783
- Median: 182.6250
- Mode: 365.2500
- Minimum: 30.0000
- Maximum: 14610.0000
- Standard Deviation: 1606.0294

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	47	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33518	99.1 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,568</b>	<b>99.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13119-13129 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSBRAND\_GFILTR: DERIVED - Wave 4 Adult Number of Days Smoking Regular Brand of Filtered Cigars

Long Description: Wave 4 adult current, experimental current, new former or former 30 day filtered cigar smokers who have a regular brand - Recode of length of time smoking regular brand of filtered cigar into days.

```

Algorithm: IF R04_AG1051FC_UN = 1 AND R04_AG1051FC_NN >= 0
THEN R04R_A_DAYSBRAND_GFILTR = R04_AG1051FC_NN; ELSE
IF R04_AG1051FC_UN = 2 AND R04_AG1051FC_NN >= 0 THEN R04R_A_DAYSBRAND_GFILTR
= R04_AG1051FC_NN * 30.4375; ELSE
IF R04_AG1051FC_UN = 3 AND R04_AG1051FC_NN >= 0 THEN R04R_A_DAYSBRAND_GFILTR
= R04_AG1051FC_NN * 365.25; ELSE IF
R04_AG1051FC_NN = -9 THEN R04R_A_DAYSBRAND_GFILTR = -99999; ELSE IF
R04_AG1051FC_NN = -8 THEN R04R_A_DAYSBRAND_GFILTR
= -99988; ELSE IF R04_AG1051FC_NN = -7 THEN R04R_A_DAYSBRAND_GFILTR
= -99977; ELSE IF R04_AG1051FC_NN = -5 THEN
R04R_A_DAYSBRAND_GFILTR = -99955; ELSE IF R04_AG1051FC_NN = -1
THEN R04R_A_DAYSBRAND_GFILTR = -99911;

```

This variable has 774 valid cases out of 33,822 total cases.

- Mean: 1445.5356
- Median: 730.5000
- Mode: 365.2500
- Minimum: 0.0000

- Maximum: 21915.0000
- Standard Deviation: 2313.6603

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33028	97.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,048</b>	<b>97.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13130-13140 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_EVR\_CIGAR: DERIVED - Wave 4 Adult Ever Cigar Smoker

Long Description: Wave 4 adult respondents who haveever smoked any cigar product.

Algorithm: IF R04R\_A\_EVR\_GTRAD=1 OR R04R\_A\_EVR\_GRILLO=1 OR R04R\_A\_EVR\_GFILTR=1 THEN R04R\_A\_EVR\_CIGAR=1; ELSE IF R04R\_A\_EVR\_GTRAD=2 AND R04R\_A\_EVR\_GRILLO=2 AND R04R\_A\_EVR\_GFILTR=2 THEN R04R\_A\_EVR\_CIGAR=2; ELSE IF R04R\_A\_EVR\_GTRAD=-99999 OR R04R\_A\_EVR\_GRILLO=-99999 OR R04R\_A\_EVR\_GFILTR=-99999 THEN R04R\_A\_EVR\_CIGAR=-99999; ELSE IF R04R\_A\_EVR\_GTRAD=-99988 OR R04R\_A\_EVR\_GRILLO=-99988 OR R04R\_A\_EVR\_GFILTR=-99988 THEN R04R\_A\_EVR\_CIGAR=-99988; ELSE IF R04R\_A\_EVR\_GTRAD=-99977 OR R04R\_A\_EVR\_GRILLO=-99977 OR R04R\_A\_EVR\_GFILTR=-99977 THEN R04R\_A\_EVR\_CIGAR=-99977; ELSE IF R04R\_A\_EVR\_GTRAD=-99966 OR R04R\_A\_EVR\_GRILLO=-99966 OR R04R\_A\_EVR\_GFILTR=-99966 THEN R04R\_A\_EVR\_CIGAR=-99966; ELSE IF R04R\_A\_EVR\_GTRAD=-99911 OR R04R\_A\_EVR\_GRILLO=-99911 OR R04R\_A\_EVR\_GFILTR=-99911 THEN R04R\_A\_EVR\_CIGAR=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	17865	52.8 %
2	2 = No	14598	43.2 %
<b>Total</b>		<b>32,463</b>	<b>96.0%</b>

This variable has 32,463 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1334	3.9 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>1,359</b>	<b>4.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13141-13146 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EVR\_THRSH\_CIGAR: DERIVED - Wave 4 Adult Any Cigar Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have ever smoked any cigar product fairly regularly.

```
Algorithm: IF R04R_A_EVR_THRSH_GTRAD=1 OR R04R_A_EVR_THRSH_GRILLO=1
OR R04R_A_EVR_THRSH_GFILTR=1
THEN R04R_A_EVR_THRSH_CIGAR=1; ELSE IF R04R_A_EVR_THRSH_GTRAD=2
AND R04R_A_EVR_THRSH_GRILLO=2 AND
R04R_A_EVR_THRSH_GFILTR=2 THEN R04R_A_EVR_THRSH_CIGAR=2; ELSE IF
R04R_A_EVR_THRSH_GTRAD=-99999 OR
R04R_A_EVR_THRSH_GRILLO=-99999 OR R04R_A_EVR_THRSH_GFILTR=-99999
THEN R04R_A_EVR_THRSH_CIGAR=-99999; ELSE
IF R04R_A_EVR_THRSH_GTRAD=-99988 OR R04R_A_EVR_THRSH_GRILLO=-99988
OR R04R_A_EVR_THRSH_GFILTR=-99988 THEN
R04R_A_EVR_THRSH_CIGAR=-99988; ELSE IF R04R_A_EVR_THRSH_GTRAD=-99977
OR R04R_A_EVR_THRSH_GRILLO=-99977 OR
R04R_A_EVR_THRSH_GFILTR=-99977 THEN R04R_A_EVR_THRSH_CIGAR=-99977;
ELSE IF R04R_A_EVR_THRSH_GTRAD=-99966 OR
R04R_A_EVR_THRSH_GRILLO=-99966 OR R04R_A_EVR_THRSH_GFILTR=-99966 THEN
R04R_A_EVR_THRSH_CIGAR=-99966; ELSE
IF R04R_A_EVR_THRSH_GTRAD=-99911 OR R04R_A_EVR_THRSH_GRILLO=-99911
OR R04R_A_EVR_THRSH_GFILTR=-99911 THEN
R04R_A_EVR_THRSH_CIGAR=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	5266	15.6 %
2	2 = No	22636	66.9 %
	<b>Total</b>	<b>27,902</b>	<b>82.5%</b>

This variable has 27,902 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	47	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1998	5.9 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3849	11.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>5,920</b>	<b>17.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13147-13152 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_CUR\_ESTD\_CIGAR: DERIVED - Wave 4 Adult Current Established Cigar Smoker

**Long Description:** Wave 4 adult respondents who have smoked a cigar, have ever smoked at least one cigar product fairly regularly, and currently smoke every day or some days.

**Algorithm:** IF R04R\_A\_CUR\_ESTD\_GTRAD = 1 OR R04R\_A\_CUR\_ESTD\_GRILLO = 1 OR R04R\_A\_CUR\_ESTD\_GFILTR = 1  
 THEN R04R\_A\_CUR\_ESTD\_CIGAR = 1; ELSE IF R04R\_A\_CUR\_ESTD\_GTRAD = 2 AND R04R\_A\_CUR\_ESTD\_GRILLO = 2 AND  
 R04R\_A\_CUR\_ESTD\_GFILTR = 2 THEN R04R\_A\_CUR\_ESTD\_CIGAR = 2;  
 ELSE IF R04R\_A\_CUR\_ESTD\_GTRAD = -99999 OR  
 R04R\_A\_CUR\_ESTD\_GRILLO = -99999 OR R04R\_A\_CUR\_ESTD\_GFILTR = -99999 THEN R04R\_A\_CUR\_ESTD\_CIGAR = -99999; ELSE  
 IF R04R\_A\_CUR\_ESTD\_GTRAD = -99988 OR R04R\_A\_CUR\_ESTD\_GRILLO = -99988 OR R04R\_A\_CUR\_ESTD\_GFILTR = -99988 THEN  
 R04R\_A\_CUR\_ESTD\_CIGAR = -99988; ELSE IF R04R\_A\_CUR\_ESTD\_GTRAD = -99977 OR R04R\_A\_CUR\_ESTD\_GRILLO = -99977 OR  
 R04R\_A\_CUR\_ESTD\_GFILTR = -99977 THEN R04R\_A\_CUR\_ESTD\_CIGAR = -99977; ELSE IF R04R\_A\_CUR\_ESTD\_GTRAD = -99966 OR  
 R04R\_A\_CUR\_ESTD\_GRILLO = -99966 OR R04R\_A\_CUR\_ESTD\_GFILTR = -99966 THEN R04R\_A\_CUR\_ESTD\_CIGAR = -99966; ELSE  
 IF R04R\_A\_CUR\_ESTD\_GTRAD = -99911 OR R04R\_A\_CUR\_ESTD\_GRILLO = -99911 OR R04R\_A\_CUR\_ESTD\_GFILTR = -99911 THEN  
 R04R\_A\_CUR\_ESTD\_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1711	5.1 %
2	2 = No	32054	94.8 %
<b>Total</b>		<b>33,765</b>	<b>99.8%</b>

This variable has 33,765 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	36	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>57</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13153-13158 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_CUR\_EDSD\_CIGAR: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Cigar Smoker

**Long Description:** Wave 4 adult respondents who have ever smoked a cigar and currently smoke at least one cigar product every day or some days.

**Algorithm:** IF (R04R\_A\_CUR\_EDSD\_GTRAD = 1 OR R04R\_A\_CUR\_EDSD\_GRILLO = 1 OR R04R\_A\_CUR\_EDSD\_GFILTR = 1)  
 THEN R04R\_A\_CUR\_EDSD\_CIGAR = 1; ELSE IF (R04R\_A\_CUR\_EDSD\_GTRAD = 2 AND R04R\_A\_CUR\_EDSD\_GRILLO = 2 AND R04R\_A\_CUR\_EDSD\_GFILTR = 2) THEN R04R\_A\_CUR\_EDSD\_CIGAR = 2;  
 ELSE IF R04R\_A\_CUR\_EDSD\_GTRAD=-99999 OR R04R\_A\_CUR\_EDSD\_GRILLO=-99999 OR R04R\_A\_CUR\_EDSD\_GFILTR=-99999  
 THEN R04R\_A\_CUR\_EDSD\_CIGAR = -99999; ELSE  
 IF R04R\_A\_CUR\_EDSD\_GTRAD=-99988 OR R04R\_A\_CUR\_EDSD\_GRILLO=-99988 OR R04R\_A\_CUR\_EDSD\_GFILTR=-99988  
 THEN R04R\_A\_CUR\_EDSD\_CIGAR = -99988; ELSE IF R04R\_A\_CUR\_EDSD\_GTRAD=-99977 OR R04R\_A\_CUR\_EDSD\_GRILLO=-99977 OR R04R\_A\_CUR\_EDSD\_GFILTR=-99977  
 THEN R04R\_A\_CUR\_EDSD\_CIGAR = -99977; ELSE IF R04R\_A\_CUR\_EDSD\_GTRAD=-99966 OR R04R\_A\_CUR\_EDSD\_GRILLO=-99966 OR R04R\_A\_CUR\_EDSD\_GFILTR=-99966  
 THEN R04R\_A\_CUR\_EDSD\_CIGAR = -99966; ELSE  
 IF R04R\_A\_CUR\_EDSD\_GTRAD=-99911 OR R04R\_A\_CUR\_EDSD\_GRILLO=-99911 OR R04R\_A\_CUR\_EDSD\_GFILTR=-99911  
 THEN R04R\_A\_CUR\_EDSD\_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3248	9.6 %
2	2 = No	30520	90.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>33,768</b>	<b>99.8%</b>

This variable has 33,768 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	33	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>54</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13159-13164 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EDY\_CIGAR: DERIVED - Wave 4 Adult Current Every Day Cigar Smoker

Long Description: Wave 4 adult respondents who have ever smoked a cigar, have ever smoked them fairly regularly, and currently smoke every day.

```
Algorithm: IF (R04R_A_EDY_GTRAD = 1 OR R04R_A_EDY_GRILLO = 1
OR R04R_A_EDY_GFILTR = 1) THEN R04R_A_EDY_CIGAR = 1;
ELSE IF (R04R_A_EDY_GTRAD = 2 AND R04R_A_EDY_GRILLO = 2 AND
R04R_A_EDY_GFILTR = 2) THEN R04R_A_EDY_CIGAR = 2; ELSE IF
R04R_A_EDY_GTRAD=-99999 OR R04R_A_EDY_GRILLO=-99999 OR
R04R_A_EDY_GFILTR=-99999 THEN R04R_A_EDY_CIGAR = -99999; ELSE
IF R04R_A_EDY_GTRAD=-99988 OR R04R_A_EDY_GRILLO=-99988
OR R04R_A_EDY_GFILTR=-99988 THEN R04R_A_EDY_CIGAR = -99988;
ELSE IF R04R_A_EDY_GTRAD=-99977 OR R04R_A_EDY_GRILLO=-99977
OR R04R_A_EDY_GFILTR=-99977 THEN R04R_A_EDY_CIGAR =
-99977; ELSE IF R04R_A_EDY_GTRAD=-99966 OR R04R_A_EDY_GRILLO=-99966
OR R04R_A_EDY_GFILTR=-99966 THEN R04R_A_EDY_CIGAR
= -99966; ELSE IF R04R_A_EDY_GTRAD=-99911 OR R04R_A_EDY_GRILLO=-99911
OR R04R_A_EDY_GFILTR=-99911 THEN
R04R_A_EDY_CIGAR = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	398	1.2 %
2	2 = No	33371	98.7 %
	<b>Total</b>	<b>33,769</b>	<b>99.8%</b>

This variable has 33,769 valid cases out of 33,822 total cases.

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	32	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>53</b>	<b>0.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13165-13170 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_SDY\_CIGAR: DERIVED - Wave 4 Adult Current Some Day Cigar Smoker

**Long Description:** Wave 4 adult respondents who have ever smoked a cigar, have ever smoked at least one cigar product fairly regularly, and currently smoke at least one product some days.

**Algorithm:** IF (R04R\_A\_SDY\_GTRAD = 1 OR R04R\_A\_SDY\_GRILLO = 1  
OR R04R\_A\_SDY\_GFILTR = 1) AND (R04R\_A\_EDY\_GTRAD =  
2 AND R04R\_A\_EDY\_GRILLO = 2 AND R04R\_A\_EDY\_GFILTR = 2)  
THEN R04R\_A\_SDY\_CIGAR = 1; ELSE IF (R04R\_A\_SDY\_GTRAD =  
2 AND R04R\_A\_SDY\_GRILLO = 2 AND R04R\_A\_SDY\_GFILTR = 2) OR  
(R04R\_A\_EDY\_GTRAD = 1 OR R04R\_A\_EDY\_GRILLO = 1 OR  
R04R\_A\_EDY\_GFILTR = 1) THEN R04R\_A\_SDY\_CIGAR = 2; ELSE IF  
R04R\_A\_SDY\_GTRAD = -99999 OR R04R\_A\_SDY\_GRILLO = -99999 OR  
R04R\_A\_SDY\_GFILTR = -99999 OR R04R\_A\_EDY\_GTRAD = -99999 OR  
R04R\_A\_EDY\_GRILLO = -99999 OR R04R\_A\_EDY\_GFILTR = -99999  
THEN R04R\_A\_SDY\_CIGAR = -99999; ELSE IF R04R\_A\_SDY\_GTRAD  
= -99988 OR R04R\_A\_SDY\_GRILLO = -99988 OR R04R\_A\_SDY\_GFILTR =  
-99988 OR R04R\_A\_EDY\_GTRAD = -99988 OR R04R\_A\_EDY\_GRILLO  
= -99988 OR R04R\_A\_EDY\_GFILTR = -99988 THEN R04R\_A\_SDY\_CIGAR  
= -99988; ELSE IF R04R\_A\_SDY\_GTRAD = -99977 OR R04R\_A\_SDY\_GRILLO  
= -99977 OR R04R\_A\_SDY\_GFILTR = -99977 OR  
R04R\_A\_EDY\_GTRAD = -99977 OR R04R\_A\_EDY\_GRILLO = -99977 OR  
R04R\_A\_EDY\_GFILTR = -99977 THEN R04R\_A\_SDY\_CIGAR = -99977;  
ELSE IF R04R\_A\_SDY\_GTRAD = -99966 OR R04R\_A\_SDY\_GRILLO = -99966 OR  
R04R\_A\_SDY\_GFILTR = -99966 OR R04R\_A\_EDY\_GTRAD  
= -99966 OR R04R\_A\_EDY\_GRILLO = -99966 OR R04R\_A\_EDY\_GFILTR =  
-99966 THEN R04R\_A\_SDY\_CIGAR = -99966; ELSE IF  
R04R\_A\_SDY\_GTRAD = -99911 OR R04R\_A\_SDY\_GRILLO = -99911 OR  
R04R\_A\_SDY\_GFILTR = -99911 OR R04R\_A\_EDY\_GTRAD = -99911 OR  
R04R\_A\_EDY\_GRILLO = -99911 OR R04R\_A\_EDY\_GFILTR = -99911 THEN  
R04R\_A\_SDY\_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1310	3.9 %
2	2 = No	32453	96.0 %
	<b>Total</b>	<b>33,763</b>	<b>99.8%</b>

This variable has 33,763 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	37	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>59</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13171-13176 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_P30D\_CIGAR: DERIVED - Wave 4 Adult Past 30 Day Cigar Smoker

Long Description: Wave 4 adult respondents who have smoked a cigar product within the past 30 days.

```

Algorithm: IF R04R_A_P30D_GTRAD = 1 OR R04R_A_P30D_GRILLO = 1
OR R04R_A_P30D_GFILTR = 1 THEN R04R_A_P30D_CIGAR = 1;
ELSE IF R04R_A_P30D_GTRAD = 2 AND R04R_A_P30D_GRILLO = 2 AND
R04R_A_P30D_GFILTR = 2 THEN R04R_A_P30D_CIGAR = 2; ELSE
IF R04R_A_P30D_GTRAD = -99999 OR R04R_A_P30D_GRILLO = -99999
OR R04R_A_P30D_GFILTR = -99999 THEN R04R_A_P30D_CIGAR
= -99999; ELSE IF R04R_A_P30D_GTRAD = -99988 OR
R04R_A_P30D_GRILLO = -99988 OR R04R_A_P30D_GFILTR = -99988 THEN
R04R_A_P30D_CIGAR = -99988; ELSE IF R04R_A_P30D_GTRAD = -99977 OR
R04R_A_P30D_GRILLO = -99977 OR R04R_A_P30D_GFILTR
= -99977 THEN R04R_A_P30D_CIGAR = -99977; ELSE IF R04R_A_P30D_GTRAD
= -99955 OR R04R_A_P30D_GRILLO = -99955 OR
R04R_A_P30D_GFILTR = -99955 THEN R04R_A_P30D_CIGAR = -99955;
ELSE IF R04R_A_P30D_GTRAD = -99966 OR R04R_A_P30D_GRILLO
= -99966 OR R04R_A_P30D_GFILTR = -99966 THEN R04R_A_P30D_CIGAR =
-99966; ELSE IF R04R_A_P30D_GTRAD = -99911 OR
R04R_A_P30D_GRILLO = -99911 OR R04R_A_P30D_GFILTR = -99911 THEN
R04R_A_P30D_CIGAR = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	4269	12.6 %
2	2 = No	29513	87.3 %
	<b>Total</b>	<b>33,782</b>	<b>99.9%</b>

This variable has 33,782 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>40</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13177-13182 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R04R\_A\_NEW\_CIGAR: DERIVED - Wave 4 Adult Never to Ever Cigar Smoker

*Long Description:* Wave 4 adult respondents who were never smokers of all cigar products at Wave 3 and started smoking at least one product at Wave 4.

*Algorithm:* IF (R04R\_A\_NEW\_GTRAD = 1 OR R04R\_A\_NEW\_GRILLO = 1  
 OR R04R\_A\_NEW\_GFILTR = 1) AND (R03M\_EVR\_GTRAD  
 = 2 AND R03M\_EVR\_GRILLO = 2 AND R03M\_EVR\_GFILTR = 2) AND  
 WAVE3\_INTERVIEW IN (1,2) THEN R04R\_A\_NEW\_CIGAR = 1;  
 ELSE IF ((R04R\_A\_NEW\_GTRAD = 2 AND R04R\_A\_NEW\_GRILLO = 2  
 AND R04R\_A\_NEW\_GFILTR = 2) OR ((R03M\_EVR\_GTRAD = 1  
 OR R03M\_EVR\_GRILLO = 1 OR R03M\_EVR\_GFILTR = 1))) AND  
 WAVE3\_INTERVIEW IN (1,2) THEN R04R\_A\_NEW\_CIGAR = 2; ELSE IF  
 R04R\_A\_NEW\_GTRAD = -99933 OR R04R\_A\_NEW\_GRILLO = -99933 OR  
 R04R\_A\_NEW\_GFILTR = -99933 OR WAVE3\_INTERVIEW = 0 THEN  
 R04R\_A\_NEW\_CIGAR = -99933; ELSE IF R04R\_A\_NEW\_GTRAD = -99999  
 OR R04R\_A\_NEW\_GRILLO = -99999 OR R04R\_A\_NEW\_GFILTR  
 = -99999 THEN R04R\_A\_NEW\_CIGAR = -99999; ELSE IF R04R\_A\_NEW\_GTRAD  
 = -99988 OR R04R\_A\_NEW\_GRILLO = -99988 OR  
 R04R\_A\_NEW\_GFILTR = -99988 THEN R04R\_A\_NEW\_CIGAR = -99988;  
 ELSE IF R04R\_A\_NEW\_GTRAD = -99977 OR R04R\_A\_NEW\_GRILLO  
 = -99977 OR R04R\_A\_NEW\_GFILTR = -99977 THEN R04R\_A\_NEW\_CIGAR =  
 -99977; ELSE IF R04R\_A\_NEW\_GTRAD = -99966 OR

R04R\_A\_NEW\_GRILLO = -99966 OR R04R\_A\_NEW\_GFILTR = -99966 OR  
 R03M\_EVR\_GRILLO IN (-99999,-99988,-99977,-99966,-99911)  
 OR R03M\_EVR\_GTRAD IN (-99999,-99988,-99977,-99966,-99911) OR  
 R03M\_EVR\_GFILTR IN (-99999,-99988,-99977,-99966,-99911) OR  
 WAVE3\_INTERVIEW = 9 THEN R04R\_A\_NEW\_CIGAR = -99966; ELSE IF  
 R04R\_A\_NEW\_GTRAD = -99911 OR R04R\_A\_NEW\_GRILLO = -99911  
 OR R04R\_A\_NEW\_GFILTR = -99911 THEN R04R\_A\_NEW\_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	548	1.6 %
2	2 = No	25304	74.8 %
	<b>Total</b>	<b>25,852</b>	<b>76.4%</b>

This variable has 25,852 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1889	5.6 %
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>7,970</b>	<b>23.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13183-13188 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

## R04R\_A\_CUR\_EXPR\_CIGAR: DERIVED - Wave 4 Adult Current Experimental Cigar Smoker

*Long Description:* Wave 4 adult respondents who have never smoked cigars fairly regularly, and currently smoke at least one cigar product every day or some days.

*Algorithm:* IF (R04R\_A\_CUR\_EXPR\_GTRAD = 1 OR R04R\_A\_CUR\_EXPR\_GRILLO = 1 OR R04R\_A\_CUR\_EXPR\_GFILTR = 1)  
 AND (R04R\_A\_CUR\_ESTD\_GTRAD = 2 AND R04R\_A\_CUR\_ESTD\_GRILLO = 2 AND R04R\_A\_CUR\_ESTD\_GFILTR = 2) THEN  
 R04R\_A\_CUR\_EXPR\_CIGAR = 1; ELSE IF (R04R\_A\_CUR\_EXPR\_GTRAD = 2 AND R04R\_A\_CUR\_EXPR\_GRILLO = 2 AND R04R\_A\_CUR\_EXPR\_GFILTR = 2) OR (R04R\_A\_CUR\_ESTD\_GTRAD = 1 OR R04R\_A\_CUR\_ESTD\_GRILLO = 1 OR R04R\_A\_CUR\_ESTD\_GFILTR = 1) THEN R04R\_A\_CUR\_EXPR\_CIGAR = 2; ELSE IF R04R\_A\_CUR\_EXPR\_GTRAD = -99999 OR R04R\_A\_CUR\_EXPR\_GRILLO = -99999

```

OR R04R_A_CUR_EXPR_GFILTR = -99999 OR R04R_A_CUR_ESTD_GTRAD = -99999
OR R04R_A_CUR_ESTD_GRILLO = -99999 OR
R04R_A_CUR_ESTD_GFILTR = -99999 THEN R04R_A_CUR_EXPR_CIGAR = -99999;
ELSE IF R04R_A_CUR_EXPR_GTRAD = -99988
OR R04R_A_CUR_EXPR_GRILLO = -99988 OR R04R_A_CUR_EXPR_GFILTR = -99988
OR R04R_A_CUR_ESTD_GFILTR = -99988 OR
R04R_A_CUR_ESTD_GRILLO = -99988 OR R04R_A_CUR_ESTD_GFILTR = -99988
THEN R04R_A_CUR_EXPR_CIGAR = -99988; ELSE
IF R04R_A_CUR_EXPR_GTRAD = -99977 OR R04R_A_CUR_EXPR_GRILLO = -99977
OR R04R_A_CUR_EXPR_GFILTR = -99977 OR
R04R_A_CUR_ESTD_GFILTR = -99977 OR R04R_A_CUR_ESTD_GRILLO = -99977
OR R04R_A_CUR_ESTD_GFILTR = -99977 THEN
R04R_A_CUR_EXPR_CIGAR = -99977; ELSE IF R04R_A_CUR_EXPR_GTRAD = -99966
OR R04R_A_CUR_EXPR_GRILLO = -99966
OR R04R_A_CUR_EXPR_GFILTR = -99966 OR R04R_A_CUR_ESTD_GTRAD = -99966
OR R04R_A_CUR_ESTD_GRILLO = -99966 OR
R04R_A_CUR_ESTD_GFILTR = -99966 THEN R04R_A_CUR_EXPR_CIGAR = -99966;
ELSE IF R04R_A_CUR_EXPR_GTRAD = -99911
OR R04R_A_CUR_EXPR_GRILLO = -99911 OR R04R_A_CUR_EXPR_GFILTR = -99911
OR R04R_A_CUR_ESTD_GFILTR = -99911 OR
R04R_A_CUR_ESTD_GRILLO = -99911 OR R04R_A_CUR_ESTD_GFILTR = -99911
THEN R04R_A_CUR_EXPR_CIGAR= -99911;

```

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	1528	4.5 %
2	2 = No	32232	95.3 %
	<b>Total</b>	<b>33,760</b>	<b>99.8%</b>

This variable has 33,760 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	38	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>62</b>	<b>0.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13189-13194 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_FMR\_ESTD\_CIGAR: DERIVED - Wave 4 Adult Former Established Cigar Smoker

Long Description: Wave 4 adult respondents who have met the threshold for established use of at least one cigar product, are not current everyday/some day smokers of any cigar products, and have not smoked in the past 12 months or currently smoke not at all. Recanters and blunt-only users who are ever cigar users are excluded from the derivation.

```

Algorithm: IF (R04R_A_FMR_ESTD_GTRAD = 1 OR R04R_A_FMR_ESTD_GRILLO = 1
OR R04R_A_FMR_ESTD_GFILTR = 1)
AND R04R_A_CUR_EDSD_CIGAR =2 THEN R04R_A_FMR_ESTD_CIGAR = 1;
ELSE IF (R04R_A_FMR_ESTD_GTRAD = 2 AND
R04R_A_FMR_ESTD_GRILLO = 2 AND R04R_A_FMR_ESTD_GFILTR = 2) OR
R04R_A_CUR_EDSD_CIGAR =1 THEN R04R_A_FMR_ESTD_CIGAR
= 2; ELSE IF R04R_A_FMR_ESTD_GTRAD=-99999 OR R04R_A_FMR_ESTD_GRILLO=-99999
OR R04R_A_FMR_ESTD_GFILTR=-99999
OR R04R_A_CUR_EDSD_CIGAR =-99999 THEN R04R_A_FMR_ESTD_CIGAR = -99999;
ELSE IF R04R_A_FMR_ESTD_GTRAD=-99988
OR R04R_A_FMR_ESTD_GRILLO=-99988 OR R04R_A_FMR_ESTD_GFILTR=-99988 OR
R04R_A_CUR_EDSD_CIGAR =-99988 THEN
R04R_A_FMR_ESTD_CIGAR = -99988; ELSE IF R04R_A_FMR_ESTD_GTRAD=-99977
OR R04R_A_FMR_ESTD_GRILLO=-99977 OR
R04R_A_FMR_ESTD_GFILTR=-99977 OR R04R_A_CUR_EDSD_CIGAR =-99977 THEN
R04R_A_FMR_ESTD_CIGAR = -99977; ELSE
IF R04R_A_FMR_ESTD_GTRAD=-99966 OR R04R_A_FMR_ESTD_GRILLO=-99966 OR
R04R_A_FMR_ESTD_GFILTR=-99966 OR
R04R_A_CUR_EDSD_CIGAR =-99966 THEN R04R_A_FMR_ESTD_CIGAR = -99966;
ELSE IF R04R_A_FMR_ESTD_GTRAD=-99911
OR R04R_A_FMR_ESTD_GRILLO=-99911 OR R04R_A_FMR_ESTD_GFILTR=-99911 OR
R04R_A_CUR_EDSD_CIGAR =-99911 THEN
R04R_A_FMR_ESTD_CIGAR= -99911;

```

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	3017	8.9 %
2	2 = No	24714	73.1 %
<b>Total</b>		<b>27,731</b>	<b>82.0%</b>

This variable has 27,731 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	42	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	25	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1965	5.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4053	12.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>6,091</b>	<b>18.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 13195-13200 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_EXPR\_CIGAR: DERIVED - Wave 4 Adult Former Experimental Cigar Smoker

Long Description: Wave 4 adult respondents who are not former established or current everyday/some day smokers of any cigar products, have not smoked any product fairly regularly, have not smoked at least one product within the past 12 months and currently smoke not at all. Recanters and bluntonly users who are ever smokers of cigars are excluded from the derivation.

Algorithm: IF R04R\_A\_FMR\_ESTD\_CIGAR =2 AND R04R\_A\_CUR\_EDSD\_CIGAR =2 AND R04R\_A\_EVR\_THRSH\_CIGAR =2 AND (R04R\_A\_FMR\_EXPR\_GTRAD =1 OR R04R\_A\_FMR\_EXPR\_GRILLO =1 OR R04R\_A\_FMR\_EXPR\_GFILTR =1) THEN R04R\_A\_FMR\_EXPR\_CIGAR =1; ELSE IF (R04R\_A\_FMR\_EXPR\_GTRAD =2 AND R04R\_A\_FMR\_EXPR\_GRILLO =2 AND R04R\_A\_FMR\_EXPR\_GFILTR =2) OR R04R\_A\_FMR\_ESTD\_CIGAR =1 OR R04R\_A\_CUR\_EDSD\_CIGAR =1 OR R04R\_A\_EVR\_THRSH\_CIGAR =1 THEN R04R\_A\_FMR\_EXPR\_CIGAR =2; ELSE IF R04R\_A\_FMR\_EXPR\_GTRAD =-99999 OR R04R\_A\_FMR\_EXPR\_GRILLO =-99999 OR R04R\_A\_FMR\_EXPR\_GFILTR =-99999 OR R04R\_A\_FMR\_ESTD\_CIGAR =-99999 OR R04R\_A\_CUR\_EDSD\_CIGAR =-99999 OR R04R\_A\_EVR\_THRSH\_CIGAR =-99999 THEN R04R\_A\_FMR\_EXPR\_CIGAR =-99999; ELSE IF R04R\_A\_FMR\_EXPR\_GTRAD =-99988 OR R04R\_A\_FMR\_EXPR\_GRILLO =-99988 OR R04R\_A\_FMR\_EXPR\_GFILTR =-99988 OR R04R\_A\_FMR\_ESTD\_CIGAR =-99988 OR R04R\_A\_CUR\_EDSD\_CIGAR =-99988 OR R04R\_A\_EVR\_THRSH\_CIGAR =-99988 THEN R04R\_A\_FMR\_EXPR\_CIGAR =-99988; ELSE IF R04R\_A\_FMR\_EXPR\_GTRAD =-99977 OR R04R\_A\_FMR\_EXPR\_GRILLO =-99977 OR R04R\_A\_FMR\_ESTD\_CIGAR =-99977 OR R04R\_A\_CUR\_EDSD\_CIGAR =-99977 OR R04R\_A\_EVR\_THRSH\_CIGAR =-99977 THEN R04R\_A\_FMR\_EXPR\_CIGAR =-99977; ELSE IF R04R\_A\_FMR\_EXPR\_GTRAD =-99966 OR R04R\_A\_FMR\_EXPR\_GRILLO =-99966 OR R04R\_A\_FMR\_EXPR\_GFILTR =-99966 OR R04R\_A\_FMR\_ESTD\_CIGAR =-99966 OR R04R\_A\_CUR\_EDSD\_CIGAR =-99966 OR R04R\_A\_EVR\_THRSH\_CIGAR =-99966 THEN R04R\_A\_FMR\_EXPR\_CIGAR =-99966; ELSE IF R04R\_A\_FMR\_EXPR\_GTRAD =-99911 OR R04R\_A\_FMR\_EXPR\_GRILLO =-99911 OR R04R\_A\_FMR\_EXPR\_GFILTR =-99911 OR R04R\_A\_FMR\_ESTD\_CIGAR =-99911 OR R04R\_A\_CUR\_EDSD\_CIGAR =-99911 OR R04R\_A\_EVR\_THRSH\_CIGAR =-99911 THEN R04R\_A\_FMR\_EXPR\_CIGAR =-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6863	20.3 %
2	2 = No	21267	62.9 %
	<b>Total</b>	<b>28,130</b>	<b>83.2%</b>

This variable has 28,130 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	43	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1935	5.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3688	10.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>5,692</b>	<b>16.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13201-13206 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_EVR\_PIPE: DERIVED - Wave 4 Adult Ever Pipe Smoker

Long Description: Wave 4 adult respondents who have ever smoked a pipe.

```
Algorithm: IF R03M_EVR_PIPE=1 OR R04_AP1004=1 OR R04_AP1002_12M=1
OR R04_AP1002_RS=1 THEN R04R_A_EVR_PIPE = 1; ELSE
IF R04_AP1002_RS=2 OR R04_AP1001_RS=2 OR (R03M_EVR_PIPE=2 AND
R04_AP1002_12M=2 AND R03M_SKIPPED_WAVE=2) THEN
R04R_A_EVR_PIPE = 2; ELSE IF (R04_AP1004=-9 AND R04_AP1002_12M=-1)
OR R04_AP1002_12M=-9 OR R04_AP1002_RS=-9 OR
R04_AP1001_RS=-9 THEN R04R_A_EVR_PIPE = -99999; ELSE IF R04_AP1002_12M=-8
OR R04_AP1001_RS=-8 OR R04_AP1002_RS=-8 THEN
R04R_A_EVR_PIPE = -99988; ELSE IF R04_AP1002_12M=-7 OR R04_AP1001_RS=-7
OR R04_AP1002_RS=-7 THEN R04R_A_EVR_PIPE =
-99977; ELSE IF R03M_EVR_PIPE in (-99999,-99988,-99977,-99966, -99911)
OR R03M_SKIPPED_WAVE=1 THEN R04R_A_EVR_PIPE = -99966;
ELSE IF R04_AP1002_12M=-1 OR R04_AP1001_RS=-1 OR R04_AP1002_RS=-1 THEN
R04R_A_EVR_PIPE = -99911;
```

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	6849	20.3 %
2	2 = No	25526	75.5 %
<b>Total</b>		<b>32,375</b>	<b>95.7%</b>

This variable has 32,375 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %

<b>Missing Data</b>				
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1433	4.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>1,447</b>	<b>4.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13207-13212 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_EVR\_THRSH\_PIPE: DERIVED - Wave 4 Adult Pipe Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have ever smoked pipes fairly regularly.

```
Algorithm: IF R04R_A_EVR_PIPE=1 AND (R03M_EVR_THRSH_PIPE=1 OR R04_AP1100=1)
THEN R04R_A_EVR_THRSH_PIPE=1;
ELSE IF R04R_A_EVR_PIPE=2 OR (R04R_A_EVR_PIPE=1 AND R04_AP1100 =2)
THEN R04R_A_EVR_THRSH_PIPE=2; ELSE IF
R04R_A_EVR_PIPE=-99999 OR R04_AP1100=-9 THEN R04R_A_EVR_THRSH_PIPE=-99999;
ELSE IF R04R_A_EVR_PIPE=-99988
OR R04_AP1100=-8 THEN R04R_A_EVR_THRSH_PIPE=-99988; ELSE IF R04R_A_EVR_PIPE=-99977
OR R04_AP1100=-7 THEN
R04R_A_EVR_THRSH_PIPE=-99977; ELSE IF R04R_A_EVR_PIPE= -99966 THEN R04R_A_EVR_THRSH_PIPE
= -99966; ELSE IF
R04R_A_EVR_PIPE=-99911 OR R04_AP1100=-1 THEN R04R_A_EVR_THRSH_PIPE=-99911;
```

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	1463	4.3 %
2	2 = No	29453	87.1 %
	<b>Total</b>	<b>30,916</b>	<b>91.4%</b>

This variable has 30,916 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1433	4.2 %

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1447	4.3 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>2,906</b>	<b>8.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13213-13218 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_CUR\_ESTD\_PIPE: DERIVED - Wave 4 Adult Current Established Pipe Smoker

Long Description: Wave 4 adult respondents who have ever smoked a pipe, have ever smoked them fairly regularly, and currently smoke every day or some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_PIPE=1 AND R04\_AP1003 in (1,2) THEN R04R\_A\_CUR\_ESTD\_PIPE=1; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE=2 OR R04\_AP1003=3 OR R04\_AP1002\_12M=2 THEN R04R\_A\_CUR\_ESTD\_PIPE=2; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99999 OR R04\_AP1003 = -9 OR R04\_AP1002\_12M = -9 THEN R04R\_A\_CUR\_ESTD\_PIPE=-99999; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99988 OR R04\_AP1003 = -8 OR R04\_AP1002\_12M = -8 THEN R04R\_A\_CUR\_ESTD\_PIPE=-99988; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99977 OR R04\_AP1003 = -7 OR R04\_AP1002\_12M = -7 THEN R04R\_A\_CUR\_ESTD\_PIPE=-99977; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99966 THEN R04R\_A\_CUR\_ESTD\_PIPE=-99966; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99911 OR R04\_AP1003 = -1 OR R04\_AP1002\_12M = -1 THEN R04R\_A\_CUR\_ESTD\_PIPE=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	208	0.6 %
2	2 = No	33597	99.3 %
<b>Total</b>		<b>33,805</b>	<b>99.9%</b>

This variable has 33,805 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>17</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13219-13224 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_CUR\_EDSD\_PIPE: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Pipe Smoker

Long Description: Wave 4 adult respondents who have ever smoked a pipe and currently smoke every day or some days.

Algorithm: IF R04R\_A\_EVR\_PIPE=1 AND R04\_AP1003 in (1,2) THEN R04R\_A\_CUR\_EDSD\_PIPE=1;  
ELSE IF R04R\_A\_EVR\_PIPE=2  
OR R04\_AP1003= 3 OR R04\_AP1002\_12M=2 THEN R04R\_A\_CUR\_EDSD\_PIPE=2;  
ELSE IF R04R\_A\_EVR\_PIPE=-99999 OR  
R04\_AP1003 = -9 OR R04\_AP1002\_12M = -9 THEN R04R\_A\_CUR\_EDSD\_PIPE=-99999;  
ELSE IF R04R\_A\_EVR\_PIPE=-99988 OR  
R04\_AP1003 = -8 OR R04\_AP1002\_12M = -8 THEN R04R\_A\_CUR\_EDSD\_PIPE=-99988;  
ELSE IF R04R\_A\_EVR\_PIPE=-99977 OR  
R04\_AP1003 = -7 OR R04\_AP1002\_12M = -7 THEN R04R\_A\_CUR\_EDSD\_PIPE=-99977;  
ELSE IF R04R\_A\_EVR\_PIPE =-99966 THEN  
R04R\_A\_CUR\_EDSD\_PIPE=-99966; ELSE IF R04R\_A\_EVR\_PIPE =-99911 OR R04\_AP1003 = -1  
OR R04\_AP1002\_12M = -1 THEN  
R04R\_A\_CUR\_EDSD\_PIPE=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	416	1.2 %
2	2 = No	33389	98.7 %
	<b>Total</b>	<b>33,805</b>	<b>99.9%</b>

This variable has 33,805 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>17</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13225-13230 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_EDY\_PIPE: DERIVED - Wave 4 Adult Current Every Day Pipe Smoker

Long Description: Wave 4 adult respondents who have ever smoked a pipe, have ever smoked them fairly regularly, and currently smoke every day.

Algorithm: IF R04R\_A\_EVR\_THRS PIPE=1 AND R04\_AP1003=1 THEN R04R\_A\_EDY\_PIPE=1;  
ELSE IF R04R\_A\_EVR\_THRS PIPE=2 OR  
R04\_AP1003 in (2,3) OR R04\_AP1002\_12M=2 THEN R04R\_A\_EDY\_PIPE=2;  
ELSE IF R04R\_A\_EVR\_THRS PIPE ==-99999 OR R04\_AP1003  
= -9 OR R04\_AP1002\_12M = -9 THEN R04R\_A\_EDY\_PIPE=-99999;  
ELSE IF R04R\_A\_EVR\_THRS PIPE ==-99988 OR R04\_AP1003 = -8  
OR R04\_AP1002\_12M = -8 THEN R04R\_A\_EDY\_PIPE=-99988;  
ELSE IF R04R\_A\_EVR\_THRS PIPE ==-99977 OR R04\_AP1003 = -7 OR  
R04\_AP1002\_12M = -7 THEN R04R\_A\_EDY\_PIPE=-99977;  
ELSE IF R04R\_A\_EVR\_THRS PIPE ==-99966 THEN R04R\_A\_EDY\_PIPE=-99966; ELSE  
IF R04R\_A\_EVR\_THRS PIPE ==-99911 OR R04\_AP1003 = -1  
OR R04\_AP1002\_12M = -1 THEN R04R\_A\_EDY\_PIPE=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	44	0.1 %
2	2 = No	33762	99.8 %
<b>Total</b>		<b>33,806</b>	<b>100.0%</b>

This variable has 33,806 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>16</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13231-13236 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_SDY\_PIPE: DERIVED - Wave 4 Adult Current Some Day Pipe Smoker

Long Description: Wave 4 adult respondents who have ever smoked a pipe, have ever smoked them fairly regularly, and currently smoke some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_PIPE=1 AND R04\_AP1003=2  
 THEN R04R\_A\_SDY\_PIPE=1; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE=2 OR  
 R04\_AP1003 in (1,3) OR R04\_AP1002\_12M=2 THEN R04R\_A\_SDY\_PIPE=2;  
 ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99999 OR R04\_AP1003  
 = -9 OR R04\_AP1002\_12M = -9 THEN R04R\_A\_SDY\_PIPE=-99999; ELSE IF  
 R04R\_A\_EVR\_THRSH\_PIPE =-99988 OR R04\_AP1003 = -8  
 OR R04\_AP1002\_12M = -8 THEN R04R\_A\_SDY\_PIPE=-99988; ELSE IF  
 R04R\_A\_EVR\_THRSH\_PIPE =-99977 OR R04\_AP1003 = -7 OR  
 R04\_AP1002\_12M = -7 THEN R04R\_A\_SDY\_PIPE=-99977; ELSE IF  
 R04R\_A\_EVR\_THRSH\_PIPE =-99966 THEN R04R\_A\_SDY\_PIPE=-99966;  
 ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99911 OR R04\_AP1003 = -1  
 OR R04\_AP1002\_12M = -1 THEN R04R\_A\_SDY\_PIPE=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	164	0.5 %
2	2 = No	33642	99.5 %
	<b>Total</b>	<b>33,806</b>	<b>100.0%</b>

This variable has 33,806 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>16</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 13237-13242 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_P30D\_PIPE: DERIVED - Wave 4 Adult Past 30 Day Pipe Smoker

Long Description: Wave 4 adult respondents who have smoked a pipe within the past 30 days.

Algorithm: IF R04R\_A\_EVR\_PIPE=1 AND (R04\_AP1004=1 OR R04\_AP0100 in (1,2,3,4) OR (1<=R04\_AP1009\_NN<= 30 AND R04\_AP1009\_UN=1) OR (R04\_AP1009\_NN=1 AND R04\_AP1009\_UN=2) OR R04\_AP1022>0) THEN R04R\_A\_P30D\_PIPE=1; ELSE IF R04R\_A\_EVR\_PIPE=2 OR R04\_AP1004=2 OR (R04\_AP1009\_NN>30 AND R04\_AP1009\_UN=1) OR (R04\_AP1009\_NN>1 AND R04\_AP1009\_UN=2) OR R04\_AP1009\_UN=3 OR R04\_AP1022=0 THEN R04R\_A\_P30D\_PIPE=2; ELSE IF R04R\_A\_EVR\_PIPE= -99999

```

OR R04_AP1004= -9 OR R04_AP0100= -9 OR R04_AP1009_NN= -9 OR R04_AP1022= -9
THEN R04R_A_P30D_PIPE = -99999;
ELSE IF R04R_A_EVR_PIPE= -99988 OR R04_AP1004= -8 OR R04_AP0100= -8
OR R04_AP1009_NN= -8 OR R04_AP1022= -8 THEN
R04R_A_P30D_PIPE = -99988; ELSE IF R04R_A_EVR_PIPE= -99977 OR R04_AP1004= -7
OR R04_AP1000= -7 OR R04_AP1009_NN= -7
OR R04_AP1022= -7 THEN R04R_A_P30D_PIPE = -99977; ELSE IF
R04_AP1009_NN= -5 THEN R04R_A_P30D_PIPE = -99955; ELSE IF
R04R_A_EVR_PIPE= -99966 THEN R04R_A_P30D_PIPE = -99966; ELSE IF R04R_A_EVR_PIPE=
-99911 OR R04_AP1004= -1 OR R04_AP0100=
-1 OR R04_AP1009_NN= -1 OR R04_AP1022= -1 THEN R04R_A_P30D_PIPE = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	477	1.4 %
2	2 = No	33331	98.5 %
<b>Total</b>		<b>33,808</b>	<b>100.0%</b>

This variable has 33,808 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>14</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13243-13248 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R04R\_A\_NEW\_PIPE: DERIVED - Wave 4 Adult Never to Ever Pipe Smoker

Long Description: Wave 4 adult respondents who started smoking pipe between Wave 3 and Wave 4.

```

Algorithm: IF R03M_EVR_PIPE=2 AND R04R_A_EVR_PIPE=1 AND WAVE3_INTERVIEW
in (1,2) THEN R04R_A_NEW_PIPE=1;
ELSE IF (R03M_EVR_PIPE=1 OR R04R_A_EVR_PIPE=2) AND WAVE3_INTERVIEW in
(1,2) THEN R04R_A_NEW_PIPE=2; ELSE IF
WAVE3_INTERVIEW = 0 THEN R04R_A_NEW_PIPE = -99933; ELSE IF R04R_A_EVR_PIPE=-99999
THEN R04R_A_NEW_PIPE = -99999; ELSE

```

```

IF R04R_A_EVR_PIPE=-99988 THEN R04R_A_NEW_PIPE = -99988; ELSE IF
R04R_A_EVR_PIPE=-99977 THEN R04R_A_NEW_PIPE = -99977;
ELSE IF R03M_EVR_PIPE in (-99999,-99988,-99977,-99955,-99966,-99911)
OR R04R_A_EVR_PIPE=-99966 OR WAVE3_INTERVIEW = 9 THEN
R04R_A_NEW_PIPE = -99966; ELSE IF R04R_A_EVR_PIPE=-99911 THEN
R04R_A_NEW_PIPE = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	152	0.4 %
2	2 = No	25988	76.8 %
	<b>Total</b>	<b>26,140</b>	<b>77.3%</b>

This variable has 26,140 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1605	4.7 %	
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>7,682</b>	<b>22.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13249-13254 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99933, -99911, -97777

## R04R\_A\_CUR\_EXPR\_PIPE: DERIVED - Wave 4 Adult Current Experimental Pipe Smoker

Long Description: Wave 4 adult respondents who have never smoked pipes fairly regularly, and currently smoke every day or some days.

```

Algorithm: IF R04R_A_EVR_PIPE=1 AND R04R_A_EVR_THRSH_PIPE=2 AND
R04_AP1003 in (1,2) THEN R04R_A_CUR_EXPR_PIPE=1; ELSE IF
R04R_A_EVR_THRSH_PIPE=1 OR R04R_A_EVR_PIPE=2 OR R04_AP1003 = 3
OR R04_AP1002_12M = 2 THEN R04R_A_CUR_EXPR_PIPE=2;
ELSE IF R04R_A_EVR_THRSH_PIPE ==-99999 OR R04_AP1003 = -9 OR
R04_AP1002_12M = -9 OR R04R_A_EVR_PIPE=-99999 THEN
R04R_A_CUR_EXPR_PIPE=-99999; ELSE IF R04R_A_EVR_THRSH_PIPE ==-99988
OR R04_AP1003 = -8 OR R04_AP1002_12M = -8 OR
R04R_A_EVR_PIPE=-99988 THEN R04R_A_CUR_EXPR_PIPE=-99988; ELSE IF
R04R_A_EVR_THRSH_PIPE ==-99977 OR R04_AP1003 = -7 OR
R04_AP1002_12M = -7 OR R04R_A_EVR_PIPE=-99977 THEN

```

R04R\_A\_CUR\_EXPR\_PIPE=-99977; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99966  
 OR R04R\_A\_EVR\_PIPE=-99966 THEN R04R\_A\_CUR\_EXPR\_PIPE=-99966; ELSE IF  
 R04R\_A\_EVR\_THRSH\_PIPE =-99911 OR R04\_AP1003 = -1 OR  
 R04\_AP1002\_12M = -1 OR R04R\_A\_EVR\_PIPE=-99911 THEN R04R\_A\_CUR\_EXPR\_PIPE=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	206	0.6 %
2	2 = No	33597	99.3 %
<b>Total</b>		<b>33,803</b>	<b>99.9%</b>

This variable has 33,803 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>19</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13255-13260 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_FMR\_ESTD\_PIPE: DERIVED - Wave 4 Adult Former Established Pipe Smoker

Long Description: Wave 4 adult respondents who have ever smoked pipes fairly regularly, and have not smoked them within the past 12 months or currently smoke not at all. Recanters are excluded from the derivation.

Algorithm: IF R04R\_A\_EVR\_THRSH\_PIPE = 1 AND (R04\_AP1003 = 3 OR R04\_AP1002\_12M = 2) AND R04\_AP1010 != 3 THEN  
 R04R\_A\_FMR\_ESTD\_PIPE = 1; ELSE IF (R04R\_A\_EVR\_THRSH\_PIPE = 2 OR R04\_AP1003 in (1, 2)) AND R04\_AP1010 != 3 THEN  
 R04R\_A\_FMR\_ESTD\_PIPE = 2; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99999  
 OR R04\_AP1003=-9 OR R04\_AP1002\_12M= -9 OR R04\_AP1010  
 = -9 THEN R04R\_A\_FMR\_ESTD\_PIPE = -99999; ELSE IF  
 R04R\_A\_EVR\_THRSH\_PIPE =-99988 OR R04\_AP1003=-8 OR R04\_AP1002\_12M=  
 -8 OR R04\_AP1010 = -8 THEN R04R\_A\_FMR\_ESTD\_PIPE = -99988;  
 ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99977 OR R04\_AP1003=-7 OR  
 R04\_AP1002\_12M= -7 OR R04\_AP1010 = -7 THEN R04R\_A\_FMR\_ESTD\_PIPE = -99977;  
 ELSE IF R04R\_A\_EVR\_THRSH\_PIPE ==-99966 THEN  
 R04R\_A\_FMR\_ESTD\_PIPE = -99966; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE =-99911  
 OR R04\_AP1003 =-1 OR R04\_AP1002\_12M = -1 OR

R04\_AP1010 in (-1,3) THEN R04R\_A\_FMR\_ESTD\_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1206	3.6 %
2	2 = No	29663	87.7 %
	<b>Total</b>	<b>30,869</b>	<b>91.3%</b>

This variable has 30,869 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1433	4.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1495	4.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2,953</b>	<b>8.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13261-13266 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_EXPR\_PIPE: DERIVED - Wave 4 Adult Former Experimental Pipe Smoker

Long Description: Wave 4 adult respondents who have never smoked pipes fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters are excluded from the derivation.

Algorithm: IF R04R\_A\_EVR\_PIPE = 1 AND R04R\_A\_EVR\_THRSH\_PIPE = 2 AND  
(R04\_AP1003 = 3 OR R04\_AP1002\_12M = 2) AND  
R04\_AP1010 != 3 THEN R04R\_A\_FMR\_EXPR\_PIPE = 1; ELSE IF  
(R04R\_A\_EVR\_THRSH\_PIPE = 1 OR R04\_AP1003 in (1,2) OR  
R04R\_A\_EVR\_PIPE = 2) AND R04\_AP1010 != 3 THEN R04R\_A\_FMR\_EXPR\_PIPE = 2;  
ELSE IF R04R\_A\_EVR\_THRSH\_PIPE = -99999 OR  
R04R\_A\_EVR\_PIPE = -99999 OR R04\_AP1003 = -9 OR  
R04\_AP1002\_12M = -9 OR R04\_AP1010 = -9 THEN R04R\_A\_FMR\_EXPR\_PIPE =  
-99999; ELSE IF R04R\_A\_EVR\_THRSH\_PIPE = -99988 OR R04R\_A\_EVR\_PIPE  
= -99988 OR R04\_AP1003 = -8 OR R04\_AP1002\_12M =  
-8 OR R04\_AP1010 = -8 THEN R04R\_A\_FMR\_EXPR\_PIPE = -99988;  
ELSE IF R04R\_A\_EVR\_THRSH\_PIPE = -99977 OR R04R\_A\_EVR\_PIPE  
= -99977 OR R04\_AP1003 = -7 OR R04\_AP1002\_12M = -7 OR  
R04\_AP1010 = -7 THEN R04R\_A\_FMR\_EXPR\_PIPE = -99977;  
ELSE IF R04R\_A\_EVR\_THRSH\_PIPE = -99966 OR R04R\_A\_EVR\_PIPE =  
-99966 THEN R04R\_A\_FMR\_EXPR\_PIPE = -99966; ELSE IF  
R04R\_A\_EVR\_THRSH\_PIPE = -99911 OR R04R\_A\_EVR\_PIPE = -99911  
OR R04\_AP1003 = -1 OR R04\_AP1002\_12M = -1 OR R04\_AP1010 in

(-1,3) THEN R04R\_A\_FMR\_EXPR\_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3719	11.0 %
2	2 = No	27148	80.3 %
	<b>Total</b>	<b>30,867</b>	<b>91.3%</b>

This variable has 30,867 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1433	4.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1495	4.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2,955</b>	<b>8.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13267-13272 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_MINFIRST\_30D\_PIPE: DERIVED - Wave 4 Adult Former Past 30 Day Pipe Smoker - Number of Minutes After Waking Up to Taking First Puff From a Pipe

Long Description: Wave 4 Adult former pipe smokers who have smoked in the past 30 days - Recode of length of time after waking up to taking first puff from a pipe into minutes.

```
Algorithm: IF R04_AP1024_30D_UN=1 AND R04_AP1024_30D_NN != -5 THEN R04R_A_MINFIRST_30D_PIPE=R04_AP1024_30D_NN;
ELSE IF R04_AP1024_30D_UN=2 AND R04_AP1024_30D_NN != -5
THEN R04R_A_MINFIRST_30D_PIPE=R04_AP1024_30D_NN
* 60; ELSE IF R04_AP1024_30D_NN=-9 THEN
R04R_A_MINFIRST_30D_PIPE=-99999; ELSE IF R04_AP1024_30D_NN=-8
THEN R04R_A_MINFIRST_30D_PIPE=-99988;
ELSE IF R04_AP1024_30D_NN=-7 THEN R04R_A_MINFIRST_30D_PIPE=-99977;
ELSE IF R04_AP1024_30D_NN=-5 THEN
R04R_A_MINFIRST_30D_PIPE=-99955; ELSE IF R04_AP1024_30D_NN=-1 THEN
R04R_A_MINFIRST_30D_PIPE=-99911;
```

This variable has 140 valid cases out of 33,822 total cases.

- Mean: 272.80

- Median: 180.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 960.00
- Standard Deviation: 287.28

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33668	99.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,682</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13273-13278 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_MINFIRST\_PIPE: DERIVED - Wave 4 Adult Minutes After Waking Up to Smoking a Pipe

**Long Description:** Wave 4 adult current or experimental current pipe smokers - Recode of amount of time after waking up to smoking a pipe into minutes

```
Algorithm: IF R04_AP1024_UN = 1 AND R04_AP1024_NN >= 0
THEN R04R_A_MINFIRST_PIPE = R04_AP1024_NN; ELSE IF R04_AP1024_UN
= 2 AND R04_AP1024_NN >= 0 THEN R04R_A_MINFIRST_PIPE =
R04_AP1024_NN * 60; ELSE IF R04_AP1024_NN = -9 THEN
R04R_A_MINFIRST_PIPE = -99999; ELSE IF R04_AP1024_NN =
-8 THEN R04R_A_MINFIRST_PIPE = -99988; ELSE IF R04_AP1024_NN = -7
THEN R04R_A_MINFIRST_PIPE = -99977; ELSE IF R04_AP1024_NN = -5
THEN R04R_A_MINFIRST_PIPE = -99955; ELSE IF R04_AP1024_NN =
-1 THEN R04R_A_MINFIRST_PIPE = -99911;
```

This variable has 400 valid cases out of 33,822 total cases.

- Mean: 312.47
- Median: 300.00
- Mode: 480.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 297.79

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33404	98.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,422</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13279-13284 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSQUIT\_PIPE: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Pipe (Non-Current Smokers)

Long Description: Wave 4 adult recode of length of time since last smoked a pipe into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

```
Algorithm: IF R04_AP1009_UN = 1 AND R04_AP1009_NN => 0
THEN R04R_A_DAYSQUIT_PIPE = R04_AP1009_NN; ELSE IF
R04_AP1009_UN = 2 AND R04_AP1009_NN => 0 THEN R04R_A_DAYSQUIT_PIPE
= R04_AP1009_NN * 30.4375; ELSE IF R04_AP1009_UN
= 3 AND R04_AP1009_NN => 0 THEN R04R_A_DAYSQUIT_PIPE =
R04_AP1009_NN * 365.25; ELSE IF R04_AP1009_NN = -9 THEN
R04R_A_DAYSQUIT_PIPE = -99999; ELSE IF R04_AP1009_NN =
-8 THEN R04R_A_DAYSQUIT_PIPE = -99988; ELSE IF R04_AP1009_NN = -7
THEN R04R_A_DAYSQUIT_PIPE = -99977; ELSE IF R04_AP1009_NN
= -5 THEN R04R_A_DAYSQUIT_PIPE = -99955; ELSE IF R04_AP1009_NN =
-1 THEN R04R_A_DAYSQUIT_PIPE = -99911;
```

This variable has 1,347 valid cases out of 33,822 total cases.

- Mean: 3995.4401
- Median: 1826.2500
- Mode: 730.5000
- Minimum: 1.0000
- Maximum: 25567.5000
- Standard Deviation: 4954.2956

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.1 %	

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	70	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32371	95.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>32,475</b>	<b>96.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13285-13295 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSLASTUSED\_PIPE: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Pipe (Some Day or Current Experimental Smokers)

Long Description: Wave 4 adult some day, current experimental, or former 30 day pipe smokers who have not smoked in the past 30 days - Recode of length of time since last smoked a pipe into days.

```
Algorithm: IF R04_AP9029_UN = 1 AND R04_AP9029_NN => 0 THEN
R04R_A_DAYSLASTUSED_PIPE = R04_AP9029_NN; ELSE IF
R04_AP9029_UN = 2 AND R04_AP9029_NN => 0 THEN R04R_A_DAYSLASTUSED_PIPE
= R04_AP9029_NN * 30.4375; ELSE IF R04_AP9029_UN
= 3 AND R04_AP9029_NN => 0 THEN R04R_A_DAYSLASTUSED_PIPE =
R04_AP9029_NN * 365.25; ELSE IF R04_AP9029_NN = -9
THEN R04R_A_DAYSLASTUSED_PIPE = -99999; ELSE IF R04_AP9029_NN
= -8 THEN R04R_A_DAYSLASTUSED_PIPE = -99988; ELSE IF
R04_AP9029_NN = -7 THEN R04R_A_DAYSLASTUSED_PIPE = -99977; ELSE
IF R04_AP9029_NN = -5 THEN R04R_A_DAYSLASTUSED_PIPE =
-99955; ELSE IF R04_AP9029_NN = -1 THEN R04R_A_DAYSLASTUSED_PIPE
= -99911;
```

This variable has 140 valid cases out of 33,822 total cases.

- Mean: 660.1473
- Median: 167.4062
- Mode: 60.8750
- Minimum: 30.0000
- Maximum: 9131.2500
- Standard Deviation: 1340.9397

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99955	-99955 = Missing due to an improbable response on one or more component variables	30	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33648	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,682</b>	<b>99.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13296-13306 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSBRAND\_PIPE: DERIVED - Wave 4 Adult Number of Days Smoking Regular Brand of Pipe Tobacco

Long Description: Wave 4 Adult current, experimental current, past 30 day or new former pipe smokers who have a regular brand - Recode of length of time smoking regular brand of pipe tobacco into days.

```
Algorithm: IF R04_AP1051_UN = 1 AND R04_AP1051_NN => 0
THEN R04R_A_DAYSBRAND_PIPE = R04_AP1051_NN; ELSE IF R04_AP1051_UN
= 2 AND R04_AP1051_NN => 0 THEN R04R_A_DAYSBRAND_PIPE =
R04_AP1051_NN * 30.4375; ELSE IF R04_AP1051_UN = 3
AND R04_AP1051_NN => 0 THEN R04R_A_DAYSBRAND_PIPE =
R04_AP1051_NN * 365.25; ELSE IF R04_AP1051_NN = -9 THEN
R04R_A_DAYSBRAND_PIPE = -99999; ELSE IF R04_AP1051_NN = -8
THEN R04R_A_DAYSBRAND_PIPE = -99988; ELSE IF R04_AP1051_NN
= -7 THEN R04R_A_DAYSBRAND_PIPE = -99977; ELSE IF R04_AP1051_NN
= -5 THEN R04R_A_DAYSBRAND_PIPE = -99955; ELSE IF
R04_AP1051_NN = -1 THEN R04R_A_DAYSBRAND_PIPE = -99911;
```

This variable has 180 valid cases out of 33,822 total cases.

- Mean: 2200.9128
- Median: 730.5000
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 18993.0000
- Standard Deviation: 3882.0408

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33636	99.5 %

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,642</b>	<b>99.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13307-13317 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_EVR\_HOOK: DERIVED - Wave 4 Adult Ever Hookah Smoker

Long Description: Wave 4 adult respondents who have ever smoked a hookah.

Algorithm: IF R03M\_EVR\_HOOK=1 OR R04\_AH1004 = 1 OR R04\_AH1002\_12M=1  
 OR R04\_AH1002\_RS=1 THEN R04R\_A\_EVR\_HOOK = 1;  
 ELSE IF R04\_AH1002\_RS=2 OR R04\_AH1001\_RS=2 OR (R03M\_EVR\_HOOK=2  
 AND R04\_AH1002\_12M=2 AND R03M\_SKIPPED\_WAVE=2)  
 THEN R04R\_A\_EVR\_HOOK = 2; ELSE IF (R04\_AH1004=-9 AND R04\_AH1002\_12M=-1)  
 OR R04\_AH1002\_12M=-9 OR R04\_AH1002\_RS=-9 OR  
 R04\_AH1001\_RS=-9 THEN R04R\_A\_EVR\_HOOK = -99999; ELSE IF R04\_AH1002\_12M=-8  
 OR R04\_AH1001\_RS=-8 OR R04\_AH1002\_RS=-8  
 THEN R04R\_A\_EVR\_HOOK = -99988; ELSE IF R04\_AH1002\_12M=-7 OR R04\_AH1001\_RS=-7  
 OR R04\_AH1002\_RS=-7 THEN  
 R04R\_A\_EVR\_HOOK = -99977; ELSE IF R03M\_EVR\_HOOK in  
 (-99999,-99988,-99977,-99966,-99911) OR R03M\_SKIPPED\_WAVE=1 THEN  
 R04R\_A\_EVR\_HOOK = -99966; ELSE IF R04\_AH1002\_12M=-1  
 OR R04\_AH1001\_RS=-1 OR R04\_AH1002\_RS=-1 THEN R04R\_A\_EVR\_HOOK =  
 -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11688	34.6 %
2	2 = No	21054	62.2 %
	<b>Total</b>	<b>32,742</b>	<b>96.8%</b>

This variable has 32,742 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1062	3.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>1,080</b>	<b>3.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13318-13323 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

---

## R04R\_A\_EVR\_THRSH\_HOOK: DERIVED - Wave 4 Adult Hookah Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have ever smoked hookah fairly regularly.

Algorithm: IF R04R\_A\_EVR\_HOOK=1 AND (R03M\_EVR\_THRSH\_HOOK=1  
OR R04\_AH1100=1) THEN R04R\_A\_EVR\_THRSH\_HOOK=1;  
ELSE IF R04R\_A\_EVR\_HOOK=2 OR (R04R\_A\_EVR\_HOOK=1 AND R04\_AH1100 =2)  
THEN R04R\_A\_EVR\_THRSH\_HOOK=2; ELSE IF  
R04R\_A\_EVR\_HOOK=-99999 OR R04\_AH1100=-9 THEN R04R\_A\_EVR\_THRSH\_HOOK=-99999;  
ELSE IF R04R\_A\_EVR\_HOOK=-99988  
OR R04\_AH1100=-8 THEN R04R\_A\_EVR\_THRSH\_HOOK=-99988; ELSE IF R04R\_A\_EVR\_HOOK=-99977  
OR R04\_AH1100=-7 THEN  
R04R\_A\_EVR\_THRSH\_HOOK=-99977; ELSE IF R04R\_A\_EVR\_HOOK= -99966 THEN  
R04R\_A\_EVR\_THRSH\_HOOK = -99966; ELSE IF  
R04R\_A\_EVR\_HOOK=-99911 OR R04\_AH1100=-1 THEN R04R\_A\_EVR\_THRSH\_HOOK=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2162	6.4 %
2	2 = No	29470	87.1 %
	<b>Total</b>	<b>31,632</b>	<b>93.5%</b>

This variable has 31,632 valid cases out of 33,822 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1062	3.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1095	3.2 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2,190</b>	<b>6.5%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13324-13329 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

---

## R04R\_A\_CUR\_ESTD\_HOOK: DERIVED - Wave 4 Adult Current Established Hookah Smoker

Long Description: Wave 4 adult respondents who have ever smoked a hookah, have ever smoked them fairly regularly, and currently smoke every day or some days.

```

Algorithm: IF R04R_A_EVR_THRSH_HOOK=1 AND R04_AH1003 in (1,2)
THEN R04R_A_CUR_EDSD_HOOK=1; ELSE IF
R04R_A_EVR_THRSH_HOOK=2 OR R04_AH1003=3 OR R04_AH1002_12M=2
THEN R04R_A_CUR_EDSD_HOOK=2; ELSE IF
R04R_A_EVR_THRSH_HOOK =-99999 OR R04_AH1003 = -9 OR R04_AH1002_12M = -9
THEN R04R_A_CUR_EDSD_HOOK=-99999; ELSE
IF R04R_A_EVR_THRSH_HOOK =-99988 OR R04_AH1003 = -8 OR R04_AH1002_12M = -8
THEN R04R_A_CUR_EDSD_HOOK=-99988; ELSE
IF R04R_A_EVR_THRSH_HOOK =-99977 OR R04_AH1003 = -7 OR R04_AH1002_12M = -7
THEN R04R_A_CUR_EDSD_HOOK=-99977; ELSE
IF R04R_A_EVR_THRSH_HOOK =-99966 THEN R04R_A_CUR_EDSD_HOOK=-99966;
ELSE IF R04R_A_EVR_THRSH_HOOK =-99911 OR
R04_AH1003 = -1 OR R04_AH1002_12M = -1 THEN R04R_A_CUR_EDSD_HOOK=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	529	1.6 %
2	2 = No	33267	98.4 %
	<b>Total</b>	<b>33,796</b>	<b>99.9%</b>

This variable has 33,796 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>26</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 13330-13335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_CUR\_EDSD\_HOOK: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Hookah Smoker

Long Description: Wave 4 adult respondents who have ever smoked a hookah and currently smoke every day or some days.

Algorithm: IF R04R\_A\_EVR\_HOOK=1 AND R04\_AH1003 in (1,2)

```

THEN R04R_A_CUR_EDSD_HOOK=1; ELSE IF R04R_A_EVR_HOOK=2
OR R04_AH1003=3 OR R04_AH1002_12M=2 THEN R04R_A_CUR_EDSD_HOOK=2;
ELSE IF R04R_A_EVR_HOOK=-99999 OR
R04_AH1003 = -9 OR R04_AH1002_12M = -9 THEN R04R_A_CUR_EDSD_HOOK=-99999;
ELSE IF R04R_A_EVR_HOOK=-99988 OR
R04_AH1003 = -8 OR R04_AH1002_12M = -8 THEN R04R_A_CUR_EDSD_HOOK=-99988;
ELSE IF R04R_A_EVR_HOOK=-99977 OR
R04_AH1003 = -7 OR R04_AH1002_12M = -7 THEN R04R_A_CUR_EDSD_HOOK=-99977;
ELSE IF R04R_A_EVR_HOOK =-99966 THEN
R04R_A_CUR_EDSD_HOOK=-99966; ELSE IF R04R_A_EVR_HOOK =-99911 OR R04_AH1003 =
-1 OR R04_AH1002_12M = -1 THEN
R04R_A_CUR_EDSD_HOOK=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1223	3.6 %
2	2 = No	32574	96.3 %
	<b>Total</b>	<b>33,797</b>	<b>99.9%</b>

This variable has 33,797 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>25</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13336-13341 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EDY\_HOOK: DERIVED - Wave 4 Adult Current Every Day Hookah Smoker

*Long Description:* Wave 4 adult respondents who have ever smoked a hookah, have ever smoked them fairly regularly, and currently smoke every day.

```

Algorithm: IF R04R_A_EVR_THRS_HOOK=1 AND R04_AH1003=1 THEN R04R_A_EDY_HOOK=1;
ELSE IF R04R_A_EVR_THRS_HOOK=2 OR
R04_AH1003 in (2,3) OR R04_AH1002_12M=2 THEN R04R_A_EDY_HOOK=2;
ELSE IF R04R_A_EVR_THRS_HOOK =-99999 OR R04_AH1003
= -9 OR R04_AH1002_12M = -9 THEN R04R_A_EDY_HOOK=-99999;
ELSE IF R04R_A_EVR_THRS_HOOK =-99988 OR R04_AH1003 = -8
OR R04_AH1002_12M = -8 THEN R04R_A_EDY_HOOK=-99988;

```

```

ELSE IF R04R_A_EVR_THRS_HOOK ==-99977 OR R04_AH1003 = -7 OR
R04_AH1002_12M = -7 THEN R04R_A_EDY_HOOK=-99977;
ELSE IF R04R_A_EVR_THRS_HOOK ==-99966 THEN R04R_A_EDY_HOOK=-99966;
ELSE IF R04R_A_EVR_THRS_HOOK ==-99911 OR R04_AH1003 =
-1 OR R04_AH1002_12M = -1 THEN R04R_A_EDY_HOOK=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.1 %
2	2 = No	33770	99.8 %
<b>Total</b>		<b>33,800</b>	<b>99.9%</b>

This variable has 33,800 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>22</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13342-13347 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777)

## R04R\_A\_SDY\_HOOK: DERIVED - Wave 4 Adult Current Some Day Hookah Smoker

*Long Description:* Wave 4 adult respondents who have ever smoked a hookah, have ever smoked them fairly regularly, and currently smoke some days.

```

Algorithm: IF R04R_A_EVR_THRS_HOOK=1 AND R04_AH1003=2
THEN R04R_A_SDY_HOOK=1; ELSE IF R04R_A_EVR_THRS_HOOK=2 OR
R04_AH1003 in (1,3) OR R04_AH1002_12M=2 THEN R04R_A_SDY_HOOK=2;
ELSE IF R04R_A_EVR_THRS_HOOK ==-99999 OR R04_AH1003
= -9 OR R04_AH1002_12M = -9 THEN R04R_A_SDY_HOOK=-99999;
ELSE IF R04R_A_EVR_THRS_HOOK ==-99988 OR R04_AH1003 = -8
OR R04_AH1002_12M = -8 THEN R04R_A_SDY_HOOK=-99988;
ELSE IF R04R_A_EVR_THRS_HOOK ==-99977 OR R04_AH1003 = -7 OR
R04_AH1002_12M = -7 THEN R04R_A_SDY_HOOK=-99977;
ELSE IF R04R_A_EVR_THRS_HOOK ==-99966 THEN R04R_A_SDY_HOOK=-99966;
ELSE IF R04R_A_EVR_THRS_HOOK ==-99911 OR R04_AH1003 = -1
OR R04_AH1002_12M = -1 THEN R04R_A_SDY_HOOK=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	499	1.5 %
2	2 = No	33297	98.4 %
	<b>Total</b>	<b>33,796</b>	<b>99.9%</b>

This variable has 33,796 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>26</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13348-13353 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_P30D\_HOOK: DERIVED - Wave 4 Adult Past 30 Day Hookah Smoker

Long Description: Wave 4 adult respondents who have smoked a hookah within the past 30 days.

Algorithm: IF R04R\_A\_EVR\_HOOK=1 AND (R04\_AH1004 =1 OR R04\_AH0100 in (1,2,3,4) OR (1<=R04\_AH1009\_NN<=30 AND R04\_AH1009\_UN=1) OR (R04\_AH1009\_NN=1 AND R04\_AH1009\_UN=2) OR R04\_AH9003 in (1,2,3)) THEN R04R\_A\_P30D\_HOOK=1;  
ELSE IF R04R\_A\_EVR\_HOOK=2 OR R04\_AH1004=2 OR (R04\_AH1009\_NN>30 AND R04\_AH1009\_UN=1) OR (R04\_AH1009\_NN>1 AND R04\_AH1009\_UN=2) OR R04\_AH1009\_UN=3 OR R04\_AH9003 in (4,5) THEN R04R\_A\_P30D\_HOOK=2; ELSE IF R04R\_A\_EVR\_HOOK=-99999 OR R04\_AH1004=-9 OR R04\_AH0100=-9 OR R04\_AH1009\_NN=-9 OR R04\_AH9003=-9 THEN R04R\_A\_P30D\_HOOK = -99999;  
ELSE IF R04R\_A\_EVR\_HOOK= -99988 OR R04\_AH1004= -8 OR R04\_AH0100= -8 OR R04\_AH1009\_NN= -8 OR R04\_AH9003= -8 THEN R04R\_A\_P30D\_HOOK = -99988; ELSE IF R04R\_A\_EVR\_HOOK= -99977 OR R04\_AH1004= -7 OR R04\_AH0100= -7 OR R04\_AH1009\_NN= -7 OR R04\_AH9003= -7 THEN R04R\_A\_P30D\_HOOK = -99977;  
ELSE IF R04\_AH1009\_NN= -5 THEN R04R\_A\_P30D\_HOOK = -99955; ELSE IF R04R\_A\_EVR\_HOOK=-99966 THEN R04R\_A\_P30D\_HOOK = -99966;  
ELSE IF R04R\_A\_EVR\_HOOK= -99911 OR R04\_AH1004= -1 OR R04\_AH0100= -1 OR R04\_AH1009\_NN= -1 OR R04\_AH9003= -1 THEN R04R\_A\_P30D\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1258	3.7 %
2	2 = No	32549	96.2 %
	<b>Total</b>	<b>33,807</b>	<b>100.0%</b>

This variable has 33,807 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>15</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13354-13359 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R04R\_A\_NEW\_HOOK: DERIVED - Wave 4 Adult Never to Ever Hookah Smoker

Long Description: Wave 4 adult respondents who started smoking hookah between Wave 3 and Wave 4.

```
Algorithm: IF R03M_EVR_HOOK=2 AND R04R_A_EVR_HOOK=1 AND
WAVE3_INTERVIEW in (1,2) THEN R04R_A_NEW_HOOK=1;
ELSE IF (R03M_EVR_HOOK=1 OR R04R_A_EVR_HOOK=2) AND
WAVE3_INTERVIEW in (1,2) THEN R04R_A_NEW_HOOK=2; ELSE IF
WAVE3_INTERVIEW = 0 THEN R04R_A_NEW_HOOK = -99933;
ELSE IF R04R_A_EVR_HOOK=-99999 THEN R04R_A_NEW_HOOK = -99999;
ELSE IF R04R_A_EVR_HOOK=-99988 THEN R04R_A_NEW_HOOK = -99988;
ELSE IF R04R_A_EVR_HOOK=-99977 THEN R04R_A_NEW_HOOK =
-99977; ELSE IF R03M_EVR_HOOK in (-99999,-99988,-99977,-99955,
-99966,-99911) OR R04R_A_EVR_HOOK=-99966 OR WAVE3_INTERVIEW
= 9 THEN R04R_A_NEW_HOOK = -99966; ELSE IF R04R_A_EVR_HOOK=-99911
THEN R04R_A_NEW_HOOK = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	313	0.9 %
2	2 = No	25998	76.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>26,311</b>	<b>77.8%</b>

This variable has 26,311 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1434	4.2 %
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>7,511</b>	<b>22.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13360-13365 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99933, -99911, -97777

## R04R\_A\_CUR\_EXPR\_HOOK: DERIVED - Wave 4 Adult Current Experimental Hookah Smoker

Long Description: Wave 4 adult respondents who have never smoked hookah fairly regularly, and currently smoke every day or some days.

```

Algorithm: IF R04R_A_EVR_HOOK=1 AND R04R_A_EVR_THRSH_HOOK=2
AND R04_AH1003 in (1,2) THEN R04R_A_CUR_EXPR_HOOK=1;
ELSE IF R04R_A_EVR_THRSH_HOOK=1 OR R04_AH1003 = 3 OR R04_AH1002_12M
= 2 OR R04R_A_EVR_HOOK=2 THEN
R04R_A_CUR_EXPR_HOOK=2; ELSE IF R04R_A_EVR_THRSH_HOOK =-99999 OR
R04_AH1003 = -9 OR R04_AH1002_12M = -9 OR
R04R_A_EVR_HOOK=-99999 THEN R04R_A_CUR_EXPR_HOOK=-99999; ELSE IF
R04R_A_EVR_THRSH_HOOK =-99988 OR R04_AH1003 = -8
OR R04_AH1002_12M = -8 OR R04R_A_EVR_HOOK=-99988 THEN
R04R_A_CUR_EXPR_HOOK=-99988; ELSE IF R04R_A_EVR_THRSH_HOOK
=-99977 OR R04_AH1003 = -7 OR R04_AH1002_12M = -7 OR
R04R_A_EVR_HOOK=-99977 THEN R04R_A_CUR_EXPR_HOOK=-99977;
ELSE IF R04R_A_EVR_THRSH_HOOK =-99966 OR R04R_A_EVR_HOOK=-99966 THEN
R04R_A_CUR_EXPR_HOOK=-99966; ELSE
IF R04R_A_EVR_THRSH_HOOK =-99911 OR R04_AH1003 = -1 OR R04_AH1002_12M
= -1 OR R04R_A_EVR_HOOK=-99911 THEN
R04R_A_CUR_EXPR_HOOK=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	690	2.0 %
2	2 = No	33104	97.9 %
	<b>Total</b>	<b>33,794</b>	<b>99.9%</b>

This variable has 33,794 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>28</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13366-13371 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_ESTD\_HOOK: DERIVED - Wave 4 Adult Former Established Hookah Smoker

**Long Description:** Wave 4 adult respondents who have ever smoked hookahs fairly regularly, and have not smoked them within the past 12 months or currently smoke not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R04R\_A\_EVR\_THRSH\_HOOK = 1 AND (R04\_AH1003 = 3 OR R04\_AH1002\_12M = 2) AND R04\_AH1010 != 3 THEN  
 R04R\_A\_FMR\_ESTD\_HOOK=1; ELSE IF (R04R\_A\_EVR\_THRSH\_HOOK = 2 OR R04\_AH1003 in (1, 2)) AND R04\_AH1010 != 3 THEN  
 R04R\_A\_FMR\_ESTD\_HOOK = 2; ELSE IF R04R\_A\_EVR\_THRSH\_HOOK = -99999 OR R04\_AH1003 = -9 OR R04\_AH1002\_12M = -9 OR R04\_AH1010 = -9 THEN R04R\_A\_FMR\_ESTD\_HOOK = -99999; ELSE IF R04R\_A\_EVR\_THRSH\_HOOK = -99988 OR R04\_AH1003 = -8 OR R04\_AH1002\_12M = -8 OR R04\_AH1010 = -8 THEN R04R\_A\_FMR\_ESTD\_HOOK = -99988; ELSE IF R04R\_A\_EVR\_THRSH\_HOOK = -99977 OR R04\_AH1003 = -7 OR R04\_AH1002\_12M = -7 OR R04\_AH1010 = -7 THEN R04R\_A\_FMR\_ESTD\_HOOK = -99977; ELSE IF R04R\_A\_EVR\_THRSH\_HOOK = -99966 THEN R04R\_A\_FMR\_ESTD\_HOOK = -99966; ELSE IF R04R\_A\_EVR\_THRSH\_HOOK = -99911 OR R04\_AH1003 = -1 OR R04\_AH1002\_12M = -1 OR R04\_AH1010 in (-1,3) THEN R04R\_A\_FMR\_ESTD\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1572	4.6 %
2	2 = No	30003	88.7 %
	<b>Total</b>	<b>31,575</b>	<b>93.4%</b>

This variable has 31,575 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1062	3.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1153	3.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2,247</b>	<b>6.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13372-13377 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_EXPR\_HOOK: DERIVED - Wave 4 Adult Former Experimental Hookah Smoker

**Long Description:** Wave 4 adult respondents who have never smoked hookahs fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R04R\_A\_EVR\_HOOK = 1 AND R04R\_A\_EVR\_THRSH\_HOOK = 2 AND  
(R04\_AH1003 = 3 OR R04\_AH1002\_12M = 2) AND  
R04\_AH1010 != 3 THEN R04R\_A\_FMR\_EXPR\_HOOK = 1; ELSE IF  
(R04R\_A\_EVR\_THRSH\_HOOK = 1 OR R04\_AH1003 in (1,2) OR  
R04R\_A\_EVR\_HOOK = 2) AND R04\_AH1010 != 3 THEN R04R\_A\_FMR\_EXPR\_HOOK = 2;  
ELSE IF R04R\_A\_EVR\_THRSH\_HOOK = -99999 OR  
R04R\_A\_EVR\_HOOK = -99999 OR R04\_AH1003 = -9 OR R04\_AH1002\_12M = -9 OR  
R04\_AH1010 = -9 THEN R04R\_A\_FMR\_EXPR\_HOOK =  
-99999; ELSE IF R04R\_A\_EVR\_THRSH\_HOOK = -99988 OR R04R\_A\_EVR\_HOOK =  
-99988 OR R04\_AH1003 = -8 OR R04\_AH1002\_12M = -8  
OR R04\_AH1010 = -8 THEN R04R\_A\_FMR\_EXPR\_HOOK = -99988; ELSE IF  
R04R\_A\_EVR\_THRSH\_HOOK = -99977 OR R04R\_A\_EVR\_HOOK =  
-99977 OR R04\_AH1003 = -7 OR R04\_AH1002\_12M = -7 OR R04\_AH1010 = -7  
THEN R04R\_A\_FMR\_EXPR\_HOOK = -99977; ELSE  
IF R04R\_A\_EVR\_THRSH\_HOOK = -99966 OR R04R\_A\_EVR\_HOOK = -99966 THEN  
R04R\_A\_FMR\_EXPR\_HOOK = -99966; ELSE IF  
R04R\_A\_EVR\_THRSH\_HOOK = -99911 OR R04R\_A\_EVR\_HOOK = -99911 OR  
R04\_AH1003 = -1 OR R04\_AH1002\_12M = -1 OR R04\_AH1010 in  
(-1,3) THEN R04R\_A\_FMR\_EXPR\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7723	22.8 %
2	2 = No	23850	70.5 %
	<b>Total</b>	<b>31,573</b>	<b>93.4%</b>

This variable has 31,573 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1062	3.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1153	3.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2,249</b>	<b>6.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13378-13383 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_DAYSQUIT\_HOOK: DERIVED - Wave 4 Adult Number of Days Since Last Smoked a Hookah (Non-Current Smokers)

Long Description: Wave 4 adult recode of length of time since last smoked a hookah into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

Algorithm: IF R04\_AH1009\_UN = 1 AND R04\_AH1009\_NN => 0 THEN  
 R04R\_A\_DAYSQUIT\_HOOK = R04\_AH1009\_NN; ELSE IF  
 R04\_AH1009\_UN = 2 AND R04\_AH1009\_NN => 0 THEN R04R\_A\_DAYSQUIT\_HOOK  
 = R04\_AH1009\_NN \* 30.4375; ELSE IF R04\_AH1009\_UN  
 = 3 AND R04\_AH1009\_NN => 0 THEN R04R\_A\_DAYSQUIT\_HOOK =  
 R04\_AH1009\_NN \* 365.25; ELSE IF R04\_AH1009\_NN = -9 THEN  
 R04R\_A\_DAYSQUIT\_HOOK = -99999; ELSE IF R04\_AH1009\_NN = -8  
 THEN R04R\_A\_DAYSQUIT\_HOOK = -99988; ELSE IF R04\_AH1009\_NN  
 = -7 THEN R04R\_A\_DAYSQUIT\_HOOK = -99977; ELSE IF R04\_AH1009\_NN  
 = -5 THEN R04R\_A\_DAYSQUIT\_HOOK = -99955; ELSE IF  
 R04\_AH1009\_NN = -1 THEN R04R\_A\_DAYSQUIT\_HOOK = -99911;

This variable has 3,448 valid cases out of 33,822 total cases.

- Mean: 1285.0793
- Median: 730.5000
- Mode: 730.5000

- Minimum: 1.0000
- Maximum: 24471.7500
- Standard Deviation: 2220.2683

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	126	0.4 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	62	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	270	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	29899	88.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>30,374</b>	<b>89.8%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13384-13394 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04R\_A\_DAYSBRAND\_HOOK: DERIVED - Wave 4 Adult Number of Days Smoking Regular Brand of Shisha or Hookah Tobacco

Long Description: Wave 4 Adult current, experimental current, past 30 day or new former hookah smokers who have a regular brand of shisha or hookah tobacco - Recode of length of time smoking regular brand of shisha or hookah tobacco into days.

```
Algorithm: IF R04_AH1051_UN = 1 AND R04_AH1051_NN => 0 THEN
R04R_A_DAYSBRAND_HOOK = R04_AH1051_NN; ELSE IF
R04_AH1051_UN = 2 AND R04_AH1051_NN => 0 THEN R04R_A_DAYSBRAND_HOOK
= R04_AH1051_NN * 30.4375; ELSE IF R04_AH1051_UN
= 3 AND R04_AH1051_NN => 0 THEN R04R_A_DAYSBRAND_HOOK =
R04_AH1051_NN * 365.25; ELSE IF R04_AH1051_NN = -9 THEN
R04R_A_DAYSBRAND_HOOK = -99999; ELSE IF R04_AH1051_NN = -8
THEN R04R_A_DAYSBRAND_HOOK = -99988; ELSE IF R04_AH1051_NN
= -7 THEN R04R_A_DAYSBRAND_HOOK = -99977; ELSE IF R04_AH1051_NN
= -5 THEN R04R_A_DAYSBRAND_HOOK = -99955; ELSE IF
R04_AH1051_NN = -1 THEN R04R_A_DAYSBRAND_HOOK = -99911;
```

This variable has 319 valid cases out of 33,822 total cases.

- Mean: 940.2486
- Median: 365.2500
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 9131.2500
- Standard Deviation: 1263.2039

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33499	99.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,503</b>	<b>99.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13395-13405 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_EVR\_SNUS: DERIVED - Wave 4 Adult Ever Snus Pouch User

Long Description: Wave 4 adult respondents who have ever used snus pouches.

```
Algorithm: IF R03M_EVR_SNUS=1 OR R04_AU1004=1 OR R04_AU1002_12M=1
OR R04_AU1002_RS=1 THEN R04R_A_EVR_SNUS=1;
ELSE IF (R03M_EVR_SNUS=2 AND R04_AU1002_12M=2 AND R03M_SKIPPED_WAVE=2)
OR R04_AU1002_RS=2 OR R04_AU1001_RS=2
THEN R04R_A_EVR_SNUS=2; ELSE IF (R04_AU1004=-9 AND R04_AU1002_12M=-1)
OR R04_AU1002_12M=-9 OR R04_AU1002_RS=-9 OR
R04_AU1001_RS=-9 THEN R04R_A_EVR_SNUS = -99999; ELSE IF R04_AU1002_12M=-8
OR R04_AU1002_RS=-8 OR R04_AU1001_RS=-8
THEN R04R_A_EVR_SNUS = -99988; ELSE IF R04_AU1002_12M=-7 OR R04_AU1002_RS=-7
OR R04_AU1001_RS=-7 THEN
R04R_A_EVR_SNUS = -99977; ELSE IF R03M_EVR_SNUS in (-99999,-99988,-99977,-99966,-99911)
OR R03M_SKIPPED_WAVE=1 THEN
R04R_A_EVR_SNUS = -99966; ELSE IF R04_AU1002_12M=-1 OR R04_AU1002_RS=-1
OR R04_AU1001_RS=-1 THEN R04R_A_EVR_SNUS =
-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	3676	10.9 %
2	2 = No	28456	84.1 %
<b>Total</b>		<b>32,132</b>	<b>95.0%</b>

This variable has 32,132 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1668	4.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>1,690</b>	<b>5.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13406-13411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777)

## R04R\_A\_EVR\_THRSH\_SNUS: DERIVED - Wave 4 Adult Snus Pouch Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have ever used snus pouches fairly regularly.

```
Algorithm: IF R04R_A_EVR_SNUS=1 AND (R03M_EVR_THRSH_SNUS=1 OR R04_AU1100=1)
THEN R04R_A_EVR_THRSH_SNUS=1;
ELSE IF R04R_A_EVR_SNUS=2 OR (R04R_A_EVR_SNUS=1 AND R04_AU1100 =2)
THEN R04R_A_EVR_THRSH_SNUS=2; ELSE IF
R04R_A_EVR_SNUS=-99999 OR R04_AU1100=-9 THEN R04R_A_EVR_THRSH_SNUS=-99999;
ELSE IF R04R_A_EVR_SNUS=-99988
OR R04_AU1100=-8 THEN R04R_A_EVR_THRSH_SNUS=-99988; ELSE IF
R04R_A_EVR_SNUS=-99977 OR R04_AU1100=-7 THEN
R04R_A_EVR_THRSH_SNUS=-99977; ELSE IF R04R_A_EVR_SNUS= -99966 THEN
R04R_A_EVR_THRSH_SNUS = -99966; ELSE IF
R04R_A_EVR_SNUS=-99911 OR R04_AU1100=-1 THEN R04R_A_EVR_THRSH_SNUS=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1114	3.3 %
2	2 = No	30601	90.5 %
<b>Total</b>		<b>31,715</b>	<b>93.8%</b>

This variable has 31,715 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %

<b>Missing Data</b>			
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1668	4.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	414	1.2 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>2,107</b>	<b>6.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13412-13417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_CUR\_ESTD\_SNUS: DERIVED - Wave 4 Adult Current Established Snus Pouch User

Long Description: Wave 4 adult respondents who have ever used snus pouches, have ever used them fairly regularly, and currently use every day or some days.

```

Algorithm: IF R04R_A_EVR_THRSH_SNUS=1 AND R04_AU1003 in (1,2)
THEN R04R_A_CUR_ESTD_SNUS=1; ELSE IF
R04R_A_EVR_THRSH_SNUS=2 OR R04_AU1003=3 OR R04_AU1002_12M=2
THEN R04R_A_CUR_ESTD_SNUS=2; ELSE IF
R04R_A_EVR_THRSH_SNUS =-99999 OR R04_AU1003 = -9 OR R04_AU1002_12M = -9
THEN R04R_A_CUR_ESTD_SNUS=-99999; ELSE IF
R04R_A_EVR_THRSH_SNUS =-99988 OR R04_AU1003 = -8 OR R04_AU1002_12M = -8
THEN R04R_A_CUR_ESTD_SNUS=-99988; ELSE IF
R04R_A_EVR_THRSH_SNUS =-99977 OR R04_AU1003 = -7 OR R04_AU1002_12M = -7
THEN R04R_A_CUR_ESTD_SNUS=-99977; ELSE IF
R04R_A_EVR_THRSH_SNUS =-99966 THEN R04R_A_CUR_ESTD_SNUS=-99966; ELSE IF
R04R_A_EVR_THRSH_SNUS =-99911 OR R04_AU1003
= -1 OR R04_AU1002_12M = -1 THEN R04R_A_CUR_ESTD_SNUS=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	281	0.8 %
2	2 = No	33517	99.1 %
<b>Total</b>		<b>33,798</b>	<b>99.9%</b>

This variable has 33,798 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>24</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13418-13423 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_CUR\_EDSD\_SNUS: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Snus Pouch User

Long Description: Wave 4 adult respondents who have ever used snus pouches and currently use every day or some days.

Algorithm: IF R04R\_A\_EVR\_SNUS=1 AND R04\_AU1003 in (1,2)  
 THEN R04R\_A\_CUR\_EDSD\_SNUS=1; ELSE IF R04R\_A\_EVR\_SNUS=2  
 OR R04\_AU1003=3 OR R04\_AU1002\_12M=2 THEN R04R\_A\_CUR\_EDSD\_SNUS=2;  
 ELSE IF R04R\_A\_EVR\_SNUS=-99999 OR  
 R04\_AU1003 = -9 OR R04\_AU1002\_12M = -9 THEN R04R\_A\_CUR\_EDSD\_SNUS=-99999;  
 ELSE IF R04R\_A\_EVR\_SNUS=-99988 OR  
 R04\_AU1003 = -8 OR R04\_AU1002\_12M = -8 THEN R04R\_A\_CUR\_EDSD\_SNUS=-99988;  
 ELSE IF R04R\_A\_EVR\_SNUS=-99977 OR  
 R04\_AU1003 = -7 OR R04\_AU1002\_12M = -7 THEN R04R\_A\_CUR\_EDSD\_SNUS=-99977;  
 ELSE IF R04R\_A\_EVR\_SNUS =-99966 THEN  
 R04R\_A\_CUR\_EDSD\_SNUS=-99966; ELSE IF R04R\_A\_EVR\_SNUS =-99911 OR R04\_AU1003 = -1  
 OR R04\_AU1002\_12M = -1 THEN  
 R04R\_A\_CUR\_EDSD\_SNUS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	462	1.4 %
2	2 = No	33336	98.6 %
<b>Total</b>		<b>33,798</b>	<b>99.9%</b>

This variable has 33,798 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13424-13429 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EDY\_SNUS: DERIVED - Wave 4 Adult Current Every Day Snus Pouch User

Long Description: Wave 4 adult respondents who have ever used snus pouches, have ever used them fairly regularly, and currently use every day.

```
Algorithm: IF R04R_A_EVR_THRSH_SNUS=1 AND R04_AU1003=1
THEN R04R_A_EDY_SNUS=1; ELSE IF R04R_A_EVR_THRSH_SNUS=2 OR
R04_AU1003 in (2,3) OR R04_AU1002_12M=2 THEN R04R_A_EDY_SNUS=2;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99999 OR R04_AU1003
=-9 OR R04_AU1002_12M = -9 THEN R04R_A_EDY_SNUS=-99999;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99988 OR R04_AU1003 = -8
OR R04_AU1002_12M = -8 THEN R04R_A_EDY_SNUS=-99988;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99977 OR R04_AU1003 = -7 OR
R04_AU1002_12M = -7 THEN R04R_A_EDY_SNUS=-99977;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99966 THEN R04R_A_EDY_SNUS=-99966;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99911 OR R04_AU1003 = -1
OR R04_AU1002_12M = -1 THEN R04R_A_EDY_SNUS=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	124	0.4 %
2	2 = No	33674	99.6 %
	<b>Total</b>	<b>33,798</b>	<b>99.9%</b>

This variable has 33,798 valid cases out of 33,822 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13430-13435 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_SDY\_SNUS: DERIVED - Wave 4 Adult Current Some Day Snus Pouch User

Long Description: Wave 4 adult respondents who have ever used snus pouches, have ever used them fairly regularly, and currently use some days.

```

Algorithm: IF R04R_A_EVR_THRSH_SNUS=1 AND R04_AU1003=2
THEN R04R_A_SDY_SNUS=1; ELSE IF R04R_A_EVR_THRSH_SNUS=2 OR
R04_AU1003 in (1,3) OR R04_AU1002_12M=2 THEN R04R_A_SDY_SNUS=2;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99999 OR R04_AU1003
=-9 OR R04_AU1002_12M = -9 THEN R04R_A_SDY_SNUS=-99999;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99988 OR R04_AU1003 = -8
OR R04_AU1002_12M = -8 THEN R04R_A_SDY_SNUS=-99988;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99977 OR R04_AU1003 = -7 OR
R04_AU1002_12M = -7 THEN R04R_A_SDY_SNUS=-99977;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99966 THEN R04R_A_SDY_SNUS=-99966;
ELSE IF R04R_A_EVR_THRSH_SNUS =-99911 OR R04_AU1003 = -1
OR R04_AU1002_12M = -1 THEN R04R_A_SDY_SNUS=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	157	0.5 %
2	2 = No	33642	99.5 %
<b>Total</b>		<b>33,799</b>	<b>99.9%</b>

This variable has 33,799 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>23</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13436-13441 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_P30D\_SNUS: DERIVED - Wave 4 Adult Past 30 Day Snus Pouch User

Long Description: Wave 4 adult respondents who have used snus pouches within the past 30 days.

Algorithm: IF R04R\_A\_EVR\_SNUS = 1 AND (R04\_AU1004 = 1 OR R04\_AU0100 in (1,2,3,4) OR (1 <= R04\_AU1009\_NN <= 30 AND R04\_AU1009\_UN = 1) OR (R04\_AU1009\_NN = 1 AND R04\_AU1009\_UN = 2) OR R04\_AU1022 > 0) THEN R04R\_A\_P30D\_SNUS = 1; ELSE  
 IF R04R\_A\_EVR\_SNUS = 2 OR R04\_AU1004 = 2 OR (R04\_AU1009\_NN > 30 AND R04\_AU1009\_UN = 1) OR (R04\_AU1009\_NN > 1 AND R04\_AU1009\_UN = 2) OR R04\_AU1009\_UN = 3 OR R04\_AU1022 = 0  
 THEN R04R\_A\_P30D\_SNUS = 2; ELSE IF R04R\_A\_EVR\_SNUS = -99999 OR R04\_AU1004 = -9 OR R04\_AU0100 = -9 OR R04\_AU1009\_NN = -9 OR R04\_AU1022 = -9 THEN R04R\_A\_P30D\_SNUS = -99999;  
 ELSE IF R04R\_A\_EVR\_SNUS = -99988 OR R04\_AU1004 = -8 OR R04\_AU0100 = -8 OR R04\_AU1009\_NN = -8 OR R04\_AU1022 = -8 THEN  
 R04R\_A\_P30D\_SNUS = -99988; ELSE IF R04R\_A\_EVR\_SNUS = -99977 OR R04\_AU1004 = -7 OR R04\_AU0100 = -7 OR R04\_AU1009\_NN = -7 OR R04\_AU1022 = -7 THEN R04R\_A\_P30D\_SNUS = -99977;  
 ELSE IF R04\_AU1009\_NN = -5 THEN R04R\_A\_P30D\_SNUS = -99955; ELSE  
 IF R04R\_A\_EVR\_SNUS = -99966 THEN R04R\_A\_P30D\_SNUS = -99966;  
 ELSE IF R04R\_A\_EVR\_SNUS = -99911 OR R04\_AU1004 = -1 OR R04\_AU0100 = -1 OR R04\_AU1009\_NN = -1 OR R04\_AU1022 = -1  
 THEN R04R\_A\_P30D\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	576	1.7 %
2	2 = No	33229	98.2 %
<b>Total</b>		<b>33,805</b>	<b>99.9%</b>

This variable has 33,805 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>17</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13442-13447 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R04R\_A\_NEW\_SNUS: DERIVED - Wave 4 Adult Never to Ever Snus Pouch User

Long Description: Wave 4 adult respondents who started using snus pouches between Wave 3 and Wave 4.

Algorithm: IF R03M\_EVR\_SNUS=2 AND R04R\_A\_EVR\_SNUS=1 AND WAVE3\_INTERVIEW in (1,2) THEN R04R\_A\_NEW\_SNUS=1;  
ELSE IF (R03M\_EVR\_SNUS=1 OR R04R\_A\_EVR\_SNUS=2) AND WAVE3\_INTERVIEW in (1,2) THEN R04R\_A\_NEW\_SNUS=2; ELSE IF WAVE3\_INTERVIEW = 0 THEN R04R\_A\_NEW\_SNUS = -99933;  
ELSE IF R04R\_A\_EVR\_SNUS=-99999 THEN R04R\_A\_NEW\_SNUS = -99999;  
ELSE IF R04R\_A\_EVR\_SNUS=-99988 THEN R04R\_A\_NEW\_SNUS = -99988;  
ELSE IF R04R\_A\_EVR\_SNUS=-99977 THEN R04R\_A\_NEW\_SNUS = -99977; ELSE IF R03M\_EVR\_SNUS in (-99999,-99988,-99977,-99955,-99966,-99911)  
OR R04R\_A\_EVR\_SNUS=-99966 OR WAVE3\_INTERVIEW  
= 9 THEN R04R\_A\_NEW\_SNUS = -99966;  
ELSE IF R04R\_A\_EVR\_SNUS=-99911 THEN R04R\_A\_NEW\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	224	0.7 %
2	2 = No	25704	76.0 %
	<b>Total</b>	<b>25,928</b>	<b>76.7%</b>

This variable has 25,928 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1813	5.4 %
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>7,894</b>	<b>23.3%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 13448-13453 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

## R04R\_A\_CUR\_EXPR\_SNUS: DERIVED - Wave 4 Adult Current Experimental Snus Pouch User

Long Description: Wave 4 adult respondents who have never used snus pouches fairly regularly, and currently use every day or some days.

Algorithm: IF R04R\_A\_EVR\_SNUS=1 AND R04R\_A\_EVR\_THRSH\_SNUS=2 AND R04\_AU1003 in (1,2) THEN R04R\_A\_CUR\_EXPR\_SNUS=1;  
ELSE IF R04R\_A\_EVR\_THRSH\_SNUS=1 OR R04R\_A\_EVR\_SNUS=2 OR R04\_AU1003 = 3 OR R04\_AU1002\_12M = 2 THEN  
R04R\_A\_CUR\_EXPR\_SNUS=2; ELSE IF R04R\_A\_EVR\_THRSH\_SNUS =-99999  
OR R04\_AU1003 = -9 OR R04\_AU1002\_12M = -9 OR  
R04R\_A\_EVR\_SNUS=-99999 THEN R04R\_A\_CUR\_EXPR\_SNUS=-99999; ELSE  
IF R04R\_A\_EVR\_THRSH\_SNUS =-99988 OR R04\_AU1003 = -8  
OR R04\_AU1002\_12M = -8 OR R04R\_A\_EVR\_SNUS=-99988 THEN  
R04R\_A\_CUR\_EXPR\_SNUS=-99988; ELSE IF R04R\_A\_EVR\_THRSH\_SNUS  
=-99977 OR R04\_AU1003 = -7 OR R04\_AU1002\_12M = -7 OR  
R04R\_A\_EVR\_SNUS=-99977 THEN R04R\_A\_CUR\_EXPR\_SNUS=-99977;  
ELSE IF R04R\_A\_EVR\_THRSH\_SNUS =-99966 OR R04R\_A\_EVR\_SNUS=-99966  
THEN R04R\_A\_CUR\_EXPR\_SNUS=-99966; ELSE  
IF R04R\_A\_EVR\_THRSH\_SNUS =-99911 OR R04\_AU1003 = -1 OR  
R04\_AU1002\_12M = -1 OR R04R\_A\_EVR\_SNUS=-99911 THEN  
R04R\_A\_CUR\_EXPR\_SNUS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	180	0.5 %
2	2 = No	33617	99.4 %
	<b>Total</b>	<b>33,797</b>	<b>99.9%</b>

This variable has 33,797 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>25</b>	<b>0.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13454-13459 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_ESTD\_SNUS: DERIVED - Wave 4 Adult Former Established Snus Pouch User

*Long Description:* Wave 4 adult respondents who have ever used snus pouches fairly regularly, and have not used them within the past 12 months or currently use not at all. Recanters are excluded from the derivation.

Algorithm: IF R04R\_A\_EVR\_THRSH\_SNUS = 1 AND (R04\_AU1003 = 3  
OR R04\_AU1002\_12M = 2) AND R04\_AU1010 != 3 THEN

R04R\_A\_FMR\_ESTD\_SNUS = 1; ELSE IF (R04R\_A\_EVR\_THRSH\_SNUS = 2  
 OR R04\_AU1003 in (1, 2)) AND R04\_AU1010 != 3 THEN  
 R04R\_A\_FMR\_ESTD\_SNUS = 2; ELSE IF R04R\_A\_EVR\_THRSH\_SNUS =  
 -99999 OR R04\_AU1003 = -9 OR R04\_AU1002\_12M = -9 OR  
 R04\_AU1010 = -9 THEN R04R\_A\_FMR\_ESTD\_SNUS = -99999;  
 ELSE IF R04R\_A\_EVR\_THRSH\_SNUS = -99988 OR R04\_AU1003 = -8  
 OR R04\_AU1002\_12M = -8 OR R04\_AU1010 = -8 THEN  
 R04R\_A\_FMR\_ESTD\_SNUS = -99988; ELSE IF R04R\_A\_EVR\_THRSH\_SNUS =  
 -99977 OR R04\_AU1003 = -7 OR R04\_AU1002\_12M = -7  
 OR R04\_AU1010 = -7 THEN R04R\_A\_FMR\_ESTD\_SNUS = -99977; ELSE IF  
 R04R\_A\_EVR\_THRSH\_SNUS = -99966 THEN R04R\_A\_FMR\_ESTD\_SNUS =  
 -99966; ELSE IF R04R\_A\_EVR\_THRSH\_SNUS = -99911 OR  
 R04\_AU1003 = -1 OR R04\_AU1002\_12M = -1 OR R04\_AU1010 in  
 (-1,3) THEN R04R\_A\_FMR\_ESTD\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	776	2.3 %
2	2 = No	30883	91.3 %
	<b>Total</b>	<b>31,659</b>	<b>93.6%</b>

This variable has 31,659 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1668	4.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	470	1.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2,163</b>	<b>6.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13460-13465 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_EXPR\_SNUS: DERIVED - Wave 4 Adult Former Experimental Snus Pouch User

**Long Description:** Wave 4 adult respondents who have never used snus pouches fairly regularly, and did not use them within the past 12 months or currently use not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R04R\_A\_EVR\_SNUS = 1 AND R04R\_A\_EVR\_THRSH\_SNUS = 2 AND (R04\_AU1003 = 3 OR R04\_AU1002\_12M = 2) AND R04\_AU1010 != 3 THEN R04R\_A\_FMR\_EXPR\_SNUS = 1; ELSE IF (R04R\_A\_EVR\_THRSH\_SNUS = 1 OR R04\_AU1003 in (1,2) OR R04R\_A\_EVR\_SNUS = 2) AND R04\_AU1010 != 3 THEN R04R\_A\_FMR\_EXPR\_SNUS

= 2; ELSE IF R04R\_A\_EVR\_THRSH\_SNUS = -99999 OR  
 R04R\_A\_EVR\_SNUS = -99999 OR R04\_AU1003 = -9 OR R04\_AU1002\_12M  
 = -9 OR R04\_AU1010 = -9 THEN R04R\_A\_FMR\_EXPR\_SNUS =  
 -99999; ELSE IF R04R\_A\_EVR\_THRSH\_SNUS = -99988 OR R04R\_A\_EVR\_SNUS  
 = -99988 OR R04\_AU1003 = -8 OR R04\_AU1002\_12M = -8  
 OR R04\_AU1010 = -8 THEN R04R\_A\_FMR\_EXPR\_SNUS = -99988;  
 ELSE IF R04R\_A\_EVR\_THRSH\_SNUS = -99977 OR R04R\_A\_EVR\_SNUS  
 = -99977 OR R04\_AU1003 = -7 OR R04\_AU1002\_12M = -7 OR  
 R04\_AU1010 = -7 THEN R04R\_A\_FMR\_EXPR\_SNUS = -99977; ELSE  
 IF R04R\_A\_EVR\_THRSH\_SNUS = -99966 OR R04R\_A\_EVR\_SNUS = -99966  
 THEN R04R\_A\_FMR\_EXPR\_SNUS = -99966; ELSE IF  
 R04R\_A\_EVR\_THRSH\_SNUS = -99911 OR R04R\_A\_EVR\_SNUS = -99911  
 OR R04\_AU1003 = -1 OR R04\_AU1002\_12M = -1 OR R04\_AU1010 in  
 (-1,3) THEN R04R\_A\_FMR\_EXPR\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1964	5.8 %
2	2 = No	29694	87.8 %
	<b>Total</b>	<b>31,658</b>	<b>93.6%</b>

This variable has 31,658 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1668	4.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	470	1.4 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2,164</b>	<b>6.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13466-13471 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_MINFIRST\_30D\_SNUS: DERIVED - Wave 4 Adult Former Suns Pouch Users Number of Minutes From Waking Up to Using First Snus Pouch

Long Description: Wave 4 Adult former snus pouch users who have used in the past 30 days - Recode of amount of time from waking up to using first snus pouch into minutes.

Algorithm: IF R04\_AU1024\_30D\_UN = 1 AND R04\_AU1024\_30D\_NN >= 0  
 THEN R04R\_A\_MINFIRST\_30D\_SNUS = R04\_AU1024\_30D\_NN;  
 ELSE IF R04\_AU1024\_30D\_UN = 2 AND R04\_AU1024\_30D\_NN >= 0 THEN

```

R04R_A_MINFIRST_30D_SNUS = R04_AU1024_30D_NN
* 60; ELSE IF R04_AU1024_30D_NN = -9 THEN R04R_A_MINFIRST_30D_SNUS
= -99999; ELSE IF R04_AU1024_30D_NN = -8 THEN
R04R_A_MINFIRST_30D_SNUS = -99988; ELSE IF R04_AU1024_30D_NN = -7
THEN R04R_A_MINFIRST_30D_SNUS = -99977;
ELSE IF R04_AU1024_30D_NN = -5 THEN R04R_A_MINFIRST_30D_SNUS =
-99955; ELSE IF R04_AU1024_30D_NN = -1 THEN
R04R_A_MINFIRST_30D_SNUS = -99911;

```

This variable has 148 valid cases out of 33,822 total cases.

- Mean: 221.89
- Median: 120.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 273.67

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33656	99.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,674</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13472-13477 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_MINFIRST\_SNUS: DERIVED - Wave 4 Adult Number of Minutes From Waking Up to Using First Snus Pouch

Long Description: Wave 4 Adult current or experimental current snus pouch users - Recode of amount of time from waking up to using first snus pouch into minutes.

```

Algorithm: IF R04_AU1024_UN = 1 AND R04_AU1024_NN >= 0
THEN R04R_A_MINFIRST_SNUS = R04_AU1024_NN; ELSE IF R04_AU1024_UN
= 2 AND R04_AU1024_NN >= 0 THEN R04R_A_MINFIRST_SNUS =
R04_AU1024_NN * 60; ELSE IF R04_AU1024_NN = -9 THEN
R04R_A_MINFIRST_SNUS = -99999; ELSE IF R04_AU1024_NN =
-8 THEN R04R_A_MINFIRST_SNUS = -99988; ELSE IF R04_AU1024_NN = -7
THEN R04R_A_MINFIRST_SNUS = -99977; ELSE IF R04_AU1024_NN
= -5 THEN R04R_A_MINFIRST_SNUS = -99955; ELSE IF R04_AU1024_NN

```

= -1 THEN R04R\_A\_MINFIRST\_SNUS = -99911;

This variable has 438 valid cases out of 33,822 total cases.

- Mean: 194.05
- Median: 120.00
- Mode: 120.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 223.89

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33358	98.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,384</b>	<b>98.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13478-13483 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04R\_A\_DAYSQUIT\_SNUS: DERIVED - Wave 4 Adult Number of Days Since Last Used Snus Pouches (Non-Current Users)

Long Description: Wave 4 Adult Recode of length of time since last used snus pouches tobacco into days for users who do not currently use at all or did not use in the past 12 months.

Algorithm: IF R04\_AU1009\_UN = 1 AND R04\_AU1009\_NN >= 0  
THEN R04R\_A\_DAYSQUIT\_SNUS = R04\_AU1009\_NN; ELSE IF R04\_AU1009\_UN  
= 2 AND R04\_AU1009\_NN >= 0 THEN R04R\_A\_DAYSQUIT\_SNUS =  
R04\_AU1009\_NN \* 30.4375; ELSE IF R04\_AU1009\_UN = 3  
AND R04\_AU1009\_NN >= 0 THEN R04R\_A\_DAYSQUIT\_SNUS =  
R04\_AU1009\_NN \* 365.25; ELSE IF R04\_AU1009\_NN = -9 THEN  
R04R\_A\_DAYSQUIT\_SNUS = -99999; ELSE IF R04\_AU1009\_NN =  
-8 THEN R04R\_A\_DAYSQUIT\_SNUS = -99988; ELSE IF R04\_AU1009\_NN  
= -7 THEN R04R\_A\_DAYSQUIT\_SNUS = -99977; ELSE IF  
R04\_AU1009\_NN = -5 THEN R04R\_A\_DAYSQUIT\_SNUS = -99955; ELSE IF  
R04\_AU1009\_NN = -1 THEN R04R\_A\_DAYSQUIT\_SNUS = -99911;

This variable has 1,115 valid cases out of 33,822 total cases.

- Mean: 2406.9483

- Median: 730.5000
- Mode: 730.5000
- Minimum: 1.0000
- Maximum: 28489.5000
- Standard Deviation: 3657.1010

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	20	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	46	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32631	96.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,707</b>	<b>96.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13484-13494 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSLASTUSED\_SNUS: DERIVED - Wave 4 Adult Number of Days Since Last Used Snus Pouches (Some Day or Current Experimental Users)

Long Description: Wave 4 adult some day, current experimental, or former 30 day snus pouch users who have not used in the past 30 days - Recode of length of time since last used snus pouches into days.

```
Algorithm: IF R04_AU9029_UN = 1 AND R04_AU9029_NN => 0
THEN R04R_A_DAYSLASTUSED_SNUS = R04_AU9029_NN; ELSE
IF R04_AU9029_UN = 2 AND R04_AU9029_NN => 0
THEN R04R_A_DAYSLASTUSED_SNUS = R04_AU9029_NN * 30.4375; ELSE
IF R04_AU9029_UN = 3 AND R04_AU9029_NN => 0
THEN R04R_A_DAYSLASTUSED_SNUS = R04_AU9029_NN * 365.25; ELSE IF
R04_AU9029_NN = -9 THEN R04R_A_DAYSLASTUSED_SNUS = -99999;
ELSE IF R04_AU9029_NN = -8 THEN R04R_A_DAYSLASTUSED_SNUS
= -99988; ELSE IF R04_AU9029_NN = -7 THEN
R04R_A_DAYSLASTUSED_SNUS = -99977; ELSE IF R04_AU9029_NN = -5 THEN
R04R_A_DAYSLASTUSED_SNUS = -99955; ELSE IF R04_AU9029_NN = -1
THEN R04R_A_DAYSLASTUSED_SNUS = -99911;
```

This variable has 106 valid cases out of 33,822 total cases.

- Mean: 1209.7305
- Median: 365.2500
- Mode: 365.2500
- Minimum: 30.0000
- Maximum: 16436.2500

- Standard Deviation: 2456.0020

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	27	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33682	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,716</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13495-13505 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSBRAND\_SNUS: DERIVED - Wave 4 Adult Number of Days Using Regular Brand of Snus Pouches

Long Description: Wave 4 Adult current, experimental current, past 30 day or new former snus pouch users who have a regular brand - Recode of length of time using regular brand of snus pouches into days

```
Algorithm: IF R04_AU1051_UN =1 AND R04_AU1051_NN=>0
THEN R04R_A_DAYSBRAND_SNUS=R04_AU1051_NN; ELSE IF
R04_AU1051_UN =2 AND R04_AU1051_NN=>0 THEN
R04R_A_DAYSBRAND_SNUS=R04_AU1051_NN * 30.4375; ELSE IF R04_AU1051_UN
=3 AND R04_AU1051_NN=>0 THEN R04R_A_DAYSBRAND_SNUS=
R04_AU1051_NN * 365.25; ELSE IF R04_AU1051_NN=-9 THEN
R04R_A_DAYSBRAND_SNUS=-99999; ELSE IF R04_AU1051_NN=-8
THEN R04R_A_DAYSBRAND_SNUS=-99988; ELSE IF R04_AU1051_NN=-7
THEN R04R_A_DAYSBRAND_SNUS=-99977; ELSE IF R04_AU1051_NN=-5
THEN R04R_A_DAYSBRAND_SNUS=-99955; ELSE IF
R04_AU1051_NN=-1 THEN R04R_A_DAYSBRAND_SNUS=-99911;
```

This variable has 383 valid cases out of 33,822 total cases.

- Mean: 1689.8404
- Median: 730.5000
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 24106.5000
- Standard Deviation: 3288.6119

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33434	98.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,439</b>	<b>98.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13506-13516 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777)

## R04R\_A\_EVR\_SMKLS: DERIVED - Wave 4 Adult Ever Smokeless Tobacco User

Long Description: Wave 4 adult respondents who have ever used smokeless tobacco.

```
Algorithm: IF R03M_EVR_SMKLS=1 OR R04_AS1004 = 1 OR
R04_AS1002_12M=1 OR R04_AS1002_RS=1 THEN R04R_A_EVR_SMKLS = 1;
ELSE IF R04_AS1002_RS=2 OR R04_AS1001_RS=2 OR
(R03M_EVR_SMKLS=2 AND R04_AS1002_12M=2 AND R03M_SKIPPED_WAVE=2)
THEN R04R_A_EVR_SMKLS = 2; ELSE IF (R04_AS1004=-9 AND R04_AS1002_12M=-1)
OR R04_AS1002_12M=-9 OR R04_AS1002_RS=-9 OR
R04_AS1001_RS=-9 THEN R04R_A_EVR_SMKLS = -99999;
ELSE IF R04_AS1002_12M=-8 OR R04_AS1001_RS=-8 OR R04_AS1002_RS=-8
THEN R04R_A_EVR_SMKLS = -99988; ELSE IF R04_AS1002_12M=-7
OR R04_AS1001_RS=-7 OR R04_AS1002_RS=-7 THEN
R04R_A_EVR_SMKLS = -99977; ELSE IF R03M_EVR_SMKLS in
(-99999,-99988,-99977,-99966,-99911) OR R03M_SKIPPED_WAVE=1 THEN
R04R_A_EVR_SMKLS = -99966; ELSE IF R04_AS1002_12M=-1
OR R04_AS1001_RS=-1 OR R04_AS1002_RS=-1 THEN R04R_A_EVR_SMKLS =
-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	6719	19.9 %
2	2 = No	25569	75.6 %
<b>Total</b>		<b>32,288</b>	<b>95.5%</b>

This variable has 32,288 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1508	4.5 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>1,534</b>	<b>4.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13517-13522 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_EVR\_THRSH\_SMKLS: DERIVED - Wave 4 Adult Smokeless Tobacco Lifetime Threshold of Use- Intermediate Derived Variable

Long Description: Wave 4 adult respondents who have ever used smokeless tobacco fairly regularly.

```
Algorithm: IF R04R_A_EVR_SMKLS=1 AND (R03M_EVR_THRSH_SMKLS=1
OR R04_AS1100=1) THEN R04R_A_EVR_THRSH_SMKLS=1;
ELSE IF R04R_A_EVR_SMKLS=2 OR (R04R_A_EVR_SMKLS=1 AND R04_AS1100 =2)
THEN R04R_A_EVR_THRSH_SMKLS=2; ELSE IF
R04R_A_EVR_SMKLS=-99999 OR R04_AS1100=-9 THEN R04R_A_EVR_THRSH_SMKLS=-99999;
ELSE IF R04R_A_EVR_SMKLS=-99988
OR R04_AS1100=-8 THEN R04R_A_EVR_THRSH_SMKLS=-99988; ELSE IF
R04R_A_EVR_SMKLS=-99977 OR R04_AS1100=-7 THEN
R04R_A_EVR_THRSH_SMKLS=-99977; ELSE IF R04R_A_EVR_SMKLS= -99966
THEN R04R_A_EVR_THRSH_SMKLS = -99966; ELSE IF
R04R_A_EVR_SMKLS=-99911 OR R04_AS1100=-1 THEN
R04R_A_EVR_THRSH_SMKLS=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	2916	8.6 %
2	2 = No	28414	84.0 %
	<b>Total</b>	<b>31,330</b>	<b>92.6%</b>

This variable has 31,330 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1508	4.5 %

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	952	2.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>2,492</b>	<b>7.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13523-13528 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_CUR\_ESTD\_SMKLS: DERIVED - Wave 4 Adult Current Established Smokeless Tobacco User

Long Description: Wave 4 adult respondents who have ever used smokeless tobacco, have ever used it fairly regularly, and currently use every day or some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_SMKLS=1 AND R04\_AS1003 in (1,2) THEN  
 R04R\_A\_CUR\_ESTD\_SMKLS=1; ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS=2 OR R04\_AS1003=3 OR  
 R04\_AS1002\_12M=2 THEN R04R\_A\_CUR\_ESTD\_SMKLS=2; ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS =-99999  
 OR R04\_AS1003 = -9 OR R04\_AS1002\_12M = -9 THEN R04R\_A\_CUR\_ESTD\_SMKLS=-99999; ELSE  
 IF R04R\_A\_EVR\_THRSH\_SMKLS =-99988 OR R04\_AS1003 = -8 OR R04\_AS1002\_12M = -8 THEN  
 R04R\_A\_CUR\_ESTD\_SMKLS=-99988; ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS =-99977 OR R04\_AS1003 = -7  
 OR R04\_AS1002\_12M = -7 THEN R04R\_A\_CUR\_ESTD\_SMKLS=-99977; ELSE IF  
 R04R\_A\_EVR\_THRSH\_SMKLS =-99966 THEN R04R\_A\_CUR\_ESTD\_SMKLS=-99966; ELSE IF  
 R04R\_A\_EVR\_THRSH\_SMKLS =-99911 OR R04\_AS1003 = -1 OR R04\_AS1002\_12M = -1 THEN  
 R04R\_A\_CUR\_ESTD\_SMKLS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1293	3.8 %
2	2 = No	32501	96.1 %
<b>Total</b>		<b>33,794</b>	<b>99.9%</b>

This variable has 33,794 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>28</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13529-13534 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_CUR\_EDSD\_SMKLS: DERIVED - Wave 4 Adult Current Every Day/Some Day (Without Threshold) Smokeless Tobacco User

Long Description: Wave 4 adult respondents who have ever used smokeless tobacco and currently use every day or some days.

Algorithm: IF R04R\_A\_EVR\_SMKLS=1 AND R04\_AS1003 in (1,2) THEN  
R04R\_A\_CUR\_EDSD\_SMKLS=1; ELSE IF R04R\_A\_EVR\_SMKLS=2  
OR R04\_AS1003=3 OR R04\_AS1002\_12M=2 THEN R04R\_A\_CUR\_EDSD\_SMKLS=2;  
ELSE IF R04R\_A\_EVR\_SMKLS=-99999 OR  
R04\_AS1003 = -9 OR R04\_AS1002\_12M = -9 THEN R04R\_A\_CUR\_EDSD\_SMKLS=-99999;  
ELSE IF R04R\_A\_EVR\_SMKLS=-99988 OR  
R04\_AS1003 = -8 OR R04\_AS1002\_12M = -8 THEN R04R\_A\_CUR\_EDSD\_SMKLS=-99988;  
ELSE IF R04R\_A\_EVR\_SMKLS=-99977 OR  
R04\_AS1003 = -7 OR R04\_AS1002\_12M = -7 THEN R04R\_A\_CUR\_EDSD\_SMKLS=-99977;  
ELSE IF R04R\_A\_EVR\_SMKLS =-99966 THEN  
R04R\_A\_CUR\_EDSD\_SMKLS=-99966; ELSE IF R04R\_A\_EVR\_SMKLS =-99911 OR  
R04\_AS1003 = -1 OR R04\_AS1002\_12M = -1 THEN  
R04R\_A\_CUR\_EDSD\_SMKLS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1473	4.4 %
2	2 = No	32322	95.6 %
	<b>Total</b>	<b>33,795</b>	<b>99.9%</b>

This variable has 33,795 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>27</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13535-13540 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_EDY\_SMKLS: DERIVED - Wave 4 Adult Current Every Day Smokeless Tobacco User

Long Description: Wave 4 adult respondents who have ever used smokeless tobacco, have ever used it fairly regularly, and currently use every day.

Algorithm: IF R04R\_A\_EVR\_THRSH\_SMKLS=1 AND R04\_AS1003=1 THEN  
R04R\_A\_EDY\_SMKLS=1; ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS=2  
OR R04\_AS1003 in (2,3) OR R04\_AS1002\_12M=2 THEN R04R\_A\_EDY\_SMKLS=2;  
ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS ==-99999 OR  
R04\_AS1003 = -9 OR R04\_AS1002\_12M = -9 THEN R04R\_A\_EDY\_SMKLS=-99999;  
ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS ==-99988 OR  
R04\_AS1003 = -8 OR R04\_AS1002\_12M = -8 THEN R04R\_A\_EDY\_SMKLS=-99988;  
ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS ==-99977 OR  
R04\_AS1003 = -7 OR R04\_AS1002\_12M = -7 THEN R04R\_A\_EDY\_SMKLS=-99977;  
ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS ==-99966 THEN  
R04R\_A\_EDY\_SMKLS=-99966; ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS ==-99911 OR  
R04\_AS1003 = -1 OR R04\_AS1002\_12M = -1 THEN  
R04R\_A\_EDY\_SMKLS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	801	2.4 %
2	2 = No	32993	97.5 %
	<b>Total</b>	<b>33,794</b>	<b>99.9%</b>

This variable has 33,794 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>28</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13541-13546 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_SDY\_SMKLS: DERIVED - Wave 4 Adult Current Some Day Smokeless Tobacco User

Long Description: Wave 4 adult respondents who have ever used smokeless tobacco, have ever used it fairly regularly, and currently use some days.

Algorithm: IF R04R\_A\_EVR\_THRSH\_SMKLS=1 AND R04\_AS1003=2  
 THEN R04R\_A\_SDY\_SMKLS=1; ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS=2;  
 OR R04\_AS1003 in (1,3) OR R04\_AS1002\_12M=2 THEN R04R\_A\_SDY\_SMKLS=2;  
 ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS =-99999 OR  
 R04\_AS1003 = -9 OR R04\_AS1002\_12M = -9 THEN R04R\_A\_SDY\_SMKLS=-99999;  
 ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS =-99988 OR  
 R04\_AS1003 = -8 OR R04\_AS1002\_12M = -8 THEN R04R\_A\_SDY\_SMKLS=-99988;  
 ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS =-99977 OR  
 R04\_AS1003 = -7 OR R04\_AS1002\_12M = -7 THEN R04R\_A\_SDY\_SMKLS=-99977;  
 ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS =-99966 THEN  
 R04R\_A\_SDY\_SMKLS=-99966; ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS =-99911 OR  
 R04\_AS1003 = -1 OR R04\_AS1002\_12M = -1 THEN  
 R04R\_A\_SDY\_SMKLS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	492	1.5 %
2	2 = No	33303	98.5 %
	<b>Total</b>	<b>33,795</b>	<b>99.9%</b>

This variable has 33,795 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>27</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13547-13552 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_P30D\_SMKLS: DERIVED - Wave 4 Adult Past 30 Day Smokeless Tobacco User

Long Description: Wave 4 adult respondents who have used smokeless tobacco within the past 30 days.

Algorithm: IF R04R\_A\_EVR\_SMKLS=1 AND (R04\_AS1004=1 OR R04\_AS0100 in (1,2,3,4) OR (1<=R04\_AS1009\_NN<= 30 AND R04\_AS1009\_UN=1) OR (R04\_AS1009\_NN=1 AND R04\_AS1009\_UN=2) OR R04\_AS1022>0) THEN R04R\_A\_P30D\_SMKLS=1; ELSE IF R04R\_A\_EVR\_SMKLS=2 OR R04\_AS1004=2 OR (R04\_AS1009\_NN>30 AND R04\_AS1009\_UN=1) OR (R04\_AS1009\_NN>1 AND

```

R04_AS1009_UN=2) OR R04_AS1009_UN=3 OR R04_AS1022=0 THEN R04R_A_P30D_SMKLS=2;
ELSE IF R04R_A_EVR_SMKLS= -99999
OR R04_AS1004= -9 OR R04_AS0100= -9 OR R04_AS1009_NN= -9 OR R04_AS1022= -9
THEN R04R_A_P30D_SMKLS = -99999;
ELSE IF R04R_A_EVR_SMKLS= -99988 OR R04_AS1004= -8 OR R04_AS0100= -8 OR
R04_AS1009_NN= -8 OR R04_AS1022= -8 THEN
R04R_A_P30D_SMKLS = -99988; ELSE IF R04R_A_EVR_SMKLS= -99977 OR R04_AS1004= -7
OR R04_AS0100= -7 OR R04_AS1009_NN=
-7 OR R04_AS1022= -7 THEN R04R_A_P30D_SMKLS = -99977; ELSE IF R04_AS1009_NN= -5
THEN R04R_A_P30D_SMKLS = -99955; ELSE
IF R04R_A_EVR_SMKLS= -99966 THEN R04R_A_P30D_SMKLS = -99966; ELSE IF R04R_A_EVR_SMKLS=
-99911 OR R04_AS1004= -1 OR
R04_AS0100= -1 OR R04_AS1009_NN= -1 OR R04_AS1022= -1 THEN
R04R_A_P30D_SMKLS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1603	4.7 %
2	2 = No	32204	95.2 %
	<b>Total</b>	<b>33,807</b>	<b>100.0%</b>

This variable has 33,807 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>15</b>	<b>0.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13553-13558 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99955 , -99911 , -97777

## R04R\_A\_NEW\_SMKLS: DERIVED - Wave 4 Adult Never to Ever Smokeless Tobacco User

Long Description: Wave 4 adult respondents who started using smokeless tobacco between Wave 3 and Wave 4.

Algorithm: IF R03M\_EVR\_SMKLS=2 AND R04R\_A\_EVR\_SMKLS=1 AND  
WAVE3\_INTERVIEW in (1,2) THEN R04R\_A\_NEW\_SMKLS=1;  
ELSE IF (R03M\_EVR\_SMKLS=1 OR R04R\_A\_EVR\_SMKLS=2) AND WAVE3\_INTERVIEW

```

in (1,2) THEN R04R_A_NEW_SMKLS=2; ELSE
IF WAVE3_INTERVIEW = 0 THEN R04R_A_NEW_SMKLS = -99933; ELSE IF
R04R_A_EVR_SMKLS=-99999 THEN R04R_A_NEW_SMKLS
= -99999; ELSE IF R04R_A_EVR_SMKLS=-99988 THEN R04R_A_NEW_SMKLS = -99988;
ELSE IF R04R_A_EVR_SMKLS=-99977
THEN R04R_A_NEW_SMKLS = -99977; ELSE IF R03M_EVR_SMKLS in
(-99999,-99988,-99977,-99955,-99966,-99911) OR
R04R_A_EVR_SMKLS=-99966 OR WAVE3_INTERVIEW = 9 THEN R04R_A_NEW_SMKLS
= -99966; ELSE IF R04R_A_EVR_SMKLS=-99911 THEN
R04R_A_NEW_SMKLS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	180	0.5 %
2	2 = No	25823	76.3 %
	<b>Total</b>	<b>26,003</b>	<b>76.9%</b>

This variable has 26,003 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1736	5.1 %	
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>7,819</b>	<b>23.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13559-13564 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99933, -99911, -97777

## R04R\_A\_CUR\_EXPR\_SMKLS: DERIVED - Wave 4 Adult Current Experimental Smokeless Tobacco User

Long Description: Wave 4 adult respondents who have never used smokeless tobacco fairly regularly, and currently use every day or some days.

```

Algorithm: IF R04R_A_EVR_SMKLS=1 AND R04R_A_EVR_THRSH_SMKLS=2 AND
R04_AS1003 in (1,2) THEN R04R_A_CUR_EXPR_SMKLS=1;
ELSE IF R04R_A_EVR_THRSH_SMKLS=1 OR R04_AS1003 = 3 OR R04_AS1002_12M = 2
OR R04R_A_EVR_SMKLS=2 THEN
R04R_A_CUR_EXPR_SMKLS=2; ELSE IF R04R_A_EVR_THRSH_SMKLS =-99999 OR
R04_AS1003 = -9 OR R04_AS1002_12M = -9 OR

```

```

R04R_A_EVR_SMKLS=-99999 THEN R04R_A_CUR_EXPR_SMKLS=-99999;
ELSE IF R04R_A_EVR_THRSH_SMKLS = -99988 OR R04_AS1003 = -8
OR R04_AS1002_12M = -8 OR R04R_A_EVR_SMKLS=-99988 THEN R04R_A_CUR_EXPR_SMKLS
=-99988; ELSE IF R04R_A_EVR_THRSH_SMKLS
=-99977 OR R04_AS1003 = -7 OR R04_AS1002_12M = -7 OR R04R_A_EVR_SMKLS=-99977
THEN R04R_A_CUR_EXPR_SMKLS=-99977;
ELSE IF R04R_A_EVR_THRSH_SMKLS = -99966 OR R04R_A_EVR_SMKLS=-99966 THEN
R04R_A_CUR_EXPR_SMKLS=-99966; ELSE
IF R04R_A_EVR_THRSH_SMKLS = -99911 OR R04_AS1003 = -1 OR R04_AS1002_12M
= -1 OR R04R_A_EVR_SMKLS=-99911 THEN
R04R_A_CUR_EXPR_SMKLS=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	179	0.5 %
2	2 = No	33616	99.4 %
<b>Total</b>		<b>33,795</b>	<b>99.9%</b>

This variable has 33,795 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>27</b>	<b>0.1%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13565-13570 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R04R\_A\_FMR\_ESTD\_SMKLS: DERIVED - Wave 4 Adult Former Established Smokeless Tobacco User

**Long Description:** Wave 4 adult respondents who have ever used smokeless tobacco fairly regularly, and have not used it within the past 12 months or currently use not at all. Recanters are excluded from the derivation.

```

Algorithm: IF R04R_A_EVR_THRSH_SMKLS = 1 AND (R04_AS1003 = 3 OR
R04_AS1002_12M = 2) AND R04_AS1010 != 3 THEN
R04R_A_FMR_ESTD_SMKLS=1; ELSE IF (R04R_A_EVR_THRSH_SMKLS = 2 OR
R04_AS1003 in (1, 2)) AND R04_AS1010 != 3 THEN
R04R_A_FMR_ESTD_SMKLS = 2; ELSE IF R04R_A_EVR_THRSH_SMKLS = -99999
OR R04_AS1003 = -9 OR R04_AS1002_12M = -9 OR

```

R04\_AS1010 = -9 THEN R04R\_A\_FMR\_ESTD\_SMKLS = -99999; ELSE IF  
 R04R\_A\_EVR\_THRSH\_SMKLS = -99988 OR R04\_AS1003 = -8  
 OR R04\_AS1002\_12M = -8 OR R04\_AS1010 = -8 THEN R04R\_A\_FMR\_ESTD\_SMKLS  
 = -99988; ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS =  
 -99977 OR R04\_AS1003 = -7 OR R04\_AS1002\_12M = -7 OR R04\_AS1010 = -7  
 THEN R04R\_A\_FMR\_ESTD\_SMKLS = -99977; ELSE IF  
 R04R\_A\_EVR\_THRSH\_SMKLS = -99966 THEN R04R\_A\_FMR\_ESTD\_SMKLS = -99966;  
 ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS = -99911 OR  
 R04\_AS1003 = -1 OR R04\_AS1002\_12M = -1 OR R04\_AS1010 in (-1,3) THEN  
 R04R\_A\_FMR\_ESTD\_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1569	4.6 %
2	2 = No	29708	87.8 %
	<b>Total</b>	<b>31,277</b>	<b>92.5%</b>

This variable has 31,277 valid cases out of 33,822 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1508	4.5 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1005	3.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>2,545</b>	<b>7.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13571-13576 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_FMR\_EXPR\_SMKLS: DERIVED - Wave 4 Adult Former Experimental Smokeless Tobacco User

**Long Description:** Wave 4 adult respondents who have never used smokeless tobacco fairly regularly, and did not use it within the past 12 months or currently use not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R04R\_A\_EVR\_SMKLS = 1 AND R04R\_A\_EVR\_THRSH\_SMKLS = 2 AND  
 (R04\_AS1003 = 3 OR R04\_AS1002\_12M = 2) AND  
 R04\_AS1010 != 3 THEN R04R\_A\_FMR\_EXPR\_SMKLS = 1; ELSE IF  
 (R04R\_A\_EVR\_THRSH\_SMKLS = 1 OR R04\_AS1003 in (1,2) OR  
 R04R\_A\_EVR\_SMKLS = 2) AND R04\_AS1010 != 3 THEN R04R\_A\_FMR\_EXPR\_SMKLS = 2;  
 ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS = -99999 OR  
 R04R\_A\_EVR\_SMKLS = -99999 OR R04\_AS1003 = -9 OR R04\_AS1002\_12M = -9 OR

R04\_AS1010 = -9 THEN R04R\_A\_FMR\_EXPR\_SMKLS =  
 -99999; ELSE IF R04R\_A\_EVR\_THRSH\_SMKLS = -99988 OR R04R\_A\_EVR\_SMKLS  
 = -99988 OR R04\_AS1003 = -8 OR R04\_AS1002\_12M = -8  
 OR R04\_AS1010 = -8 THEN R04R\_A\_FMR\_EXPR\_SMKLS = -99988; ELSE IF  
 R04R\_A\_EVR\_THRSH\_SMKLS = -99977 OR R04R\_A\_EVR\_SMKLS  
 = -99977 OR R04\_AS1003 = -7 OR R04\_AS1002\_12M = -7 OR R04\_AS1010 = -7  
 THEN R04R\_A\_FMR\_EXPR\_SMKLS = -99977; ELSE  
 IF R04R\_A\_EVR\_THRSH\_SMKLS = -99966 OR R04R\_A\_EVR\_SMKLS = -99966  
 THEN R04R\_A\_FMR\_EXPR\_SMKLS = -99966; ELSE IF  
 R04R\_A\_EVR\_THRSH\_SMKLS = -99911 OR R04R\_A\_EVR\_SMKLS = -99911 OR  
 R04\_AS1003 = -1 OR R04\_AS1002\_12M = -1 OR R04\_AS1010 in  
 (-1,3) THEN R04R\_A\_FMR\_EXPR\_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2666	7.9 %
2	2 = No	28612	84.6 %
	<b>Total</b>	<b>31,278</b>	<b>92.5%</b>

This variable has 31,278 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1508	4.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1005	3.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>2,544</b>	<b>7.5%</b>

Percentages for both tables are based on 33,822 total cases.

Location: 13577-13582 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_MINFIRST\_30D\_SMKLS: DERIVED - Wave 4 Adult Former Past 30 Day Smokeless Tobacco User - Number of Minutes From Waking Up to Using First Smokeless Tobacco

Long Description: Wave 4 Adult former smokeless tobacco users who have used in the past 30 Days - Recode of amount of time from waking up to using first smokeless tobacco into minutes

Algorithm: IF R04\_AS1024\_30D\_UN = 1 AND R04\_AS1024\_30D\_NN >= 0 THEN  
 R04R\_A\_MINFIRST\_30D\_SMKLS = R04\_AS1024\_30D\_NN;  
 ELSE IF R04\_AS1024\_30D\_UN = 2 AND R04\_AS1024\_30D\_NN >= 0 THEN  
 R04R\_A\_MINFIRST\_30D\_SMKLS = R04\_AS1024\_30D\_NN  
 \* 60; ELSE IF R04\_AS1024\_30D\_NN = -9 THEN R04R\_A\_MINFIRST\_30D\_SMKLS

```

= -99999; ELSE IF R04_AS1024_30D_NN = -8 THEN
R04R_A_MINFIRST_30D_SMKLS = -99988; ELSE IF R04_AS1024_30D_NN = -7
THEN R04R_A_MINFIRST_30D_SMKLS = -99977;
ELSE IF R04_AS1024_30D_NN = -5 THEN R04R_A_MINFIRST_30D_SMKLS = -99955;
ELSE IF R04_AS1024_30D_NN = -1 THEN
R04R_A_MINFIRST_30D_SMKLS = -99911;

```

This variable has 195 valid cases out of 33,822 total cases.

- Mean: 315.12
- Median: 240.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 307.99

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33611	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,627</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13583-13588 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04R\_A\_MINFIRST\_SMKLS: DERIVED - Wave 4 Adult Number of Minutes From Waking Up to Using First Smokeless Tobacco

**Long Description:** Wave 4 adult current or experimental current smokeless tobacco users - Recode of amount of time after waking up to using first smokeless tobacco into minutes.

```

Algorithm: IF R04_AS1024_UN = 1 AND R04_AS1024_NN >= 0 THEN
R04R_A_MINFIRST_SMKLS = R04_AS1024_NN; ELSE IF R04_AS1024_UN
= 2 AND R04_AS1024_NN >= 0 THEN R04R_A_MINFIRST_SMKLS =
R04_AS1024_NN * 60; ELSE IF R04_AS1024_NN = -9 THEN
R04R_A_MINFIRST_SMKLS = -99999; ELSE IF R04_AS1024_NN =
-8 THEN R04R_A_MINFIRST_SMKLS = -99988; ELSE IF R04_AS1024_NN
= -7 THEN R04R_A_MINFIRST_SMKLS = -99977; ELSE IF R04_AS1024_NN =
-5 THEN R04R_A_MINFIRST_SMKLS = -99955; ELSE IF
R04_AS1024_NN = -1 THEN R04R_A_MINFIRST_SMKLS = -99911;

```

This variable has 1,448 valid cases out of 33,822 total cases.

- Mean: 157.83
- Median: 60.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 193.42

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32347	95.6 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,374</b>	<b>95.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13589-13594 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_DAYSQUIT\_SMKLS: DERIVED - Wave 4 Adult Number of Days Since Last Used Smokeless Tobacco (Non-Current Users)

Long Description: Wave 4 adult Recode of length of time since last used smokeless tobacco into days for users who do not currently user at all or did not use in the past 12 months.

```
Algorithm: IF R04_AS1009_UN = 1 AND R04_AS1009_NN >= 0 THEN
R04R_A_DAYSQUIT_SMKLS = R04_AS1009_NN; ELSE IF
R04_AS1009_UN = 2 AND R04_AS1009_NN >= 0 THEN R04R_A_DAYSQUIT_SMKLS
= R04_AS1009_NN * 30.4375; ELSE IF R04_AS1009_UN
= 3 AND R04_AS1009_NN >= 0 THEN R04R_A_DAYSQUIT_SMKLS =
R04_AS1009_NN * 365.25; ELSE IF R04_AS1009_NN = -9 THEN
R04R_A_DAYSQUIT_SMKLS = -99999; ELSE IF R04_AS1009_NN =
-8 THEN R04R_A_DAYSQUIT_SMKLS = -99988; ELSE IF R04_AS1009_NN
= -7 THEN R04R_A_DAYSQUIT_SMKLS = -99977; ELSE IF R04_AS1009_NN
= -5 THEN R04R_A_DAYSQUIT_SMKLS = -99955; ELSE IF
R04_AS1009_NN = -1 THEN R04R_A_DAYSQUIT_SMKLS = -99911;
```

This variable has 1,588 valid cases out of 33,822 total cases.

- Mean: 2960.6033
- Median: 730.5000
- Mode: 730.5000

- Minimum: 1.0000
- Maximum: 25567.5000
- Standard Deviation: 4233.2278

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	28	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	64	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32133	95.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,234</b>	<b>95.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13595-13605 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSLASTUSED\_SMKLS: DERIVED - Wave 4 Adult Number of Days Since Last Used Smokeless Tobacco (Some Day or Current Experimental Users)

Long Description: Wave 4 adult some day, current experimental, or former 30 day smokeless tobacco users who have not used in the past 30 days - Recode of length of time since last used smokeless tobacco into days.

```
Algorithm: IF R04_AS9029_UN = 1 AND R04_AS9029_NN => 0 THEN
R04R_A_DAYSLASTUSED_SMKLS = R04_AS9029_NN; ELSE
IF R04_AS9029_UN = 2 AND R04_AS9029_NN => 0
THEN R04R_A_DAYSLASTUSED_SMKLS = R04_AS9029_NN * 30.4375; ELSE
IF R04_AS9029_UN = 3 AND R04_AS9029_NN => 0
THEN R04R_A_DAYSLASTUSED_SMKLS = R04_AS9029_NN * 365.25; ELSE IF
R04_AS9029_NN = -9 THEN R04R_A_DAYSLASTUSED_SMKLS = -99999;
ELSE IF R04_AS9029_NN = -8 THEN R04R_A_DAYSLASTUSED_SMKLS
= -99988; ELSE IF R04_AS9029_NN = -7
THEN R04R_A_DAYSLASTUSED_SMKLS = -99977; ELSE IF R04_AS9029_NN = -5 THEN
R04R_A_DAYSLASTUSED_SMKLS = -99955; ELSE IF R04_AS9029_NN
= -1 THEN R04R_A_DAYSLASTUSED_SMKLS = -99911;
```

This variable has 140 valid cases out of 33,822 total cases.

- Mean: 805.6741
- Median: 152.1875
- Mode: 60.8750
- Minimum: 30.0000
- Maximum: 18262.5000
- Standard Deviation: 2158.4340

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	31	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33646	99.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,682</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13606-13616 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSBRAND\_SMKLS: DERIVED - Wave 4 Adult Number of Days Using Regular Brand of Smokeless Tobacco

Long Description: Wave 4 adult current, experimental current, past 30 day or new former smokeless tobacco users who have a regular brand - Recode of length of time using regular brand of smokeless tobacco into days.

```
Algorithm: IF R04_AS1051_UN = 1 AND R04_AS1051_NN >= 0 THEN
R04R_A_DAYSBRAND_SMKLS = R04_AS1051_NN; ELSE IF
R04_AS1051_UN = 2 AND R04_AS1051_NN >= 0 THEN
R04R_A_DAYSBRAND_SMKLS = R04_AS1051_NN * 30.4375; ELSE IF R04_AS1051_UN
= 3 AND R04_AS1051_NN >= 0 THEN R04R_A_DAYSBRAND_SMKLS =
R04_AS1051_NN * 365.25; ELSE IF R04_AS1051_NN = -9
THEN R04R_A_DAYSBRAND_SMKLS = -99999; ELSE IF R04_AS1051_NN =
-8 THEN R04R_A_DAYSBRAND_SMKLS = -99988; ELSE IF
R04_AS1051_NN = -7 THEN R04R_A_DAYSBRAND_SMKLS = -99977;
ELSE IF R04_AS1051_NN = -5 THEN R04R_A_DAYSBRAND_SMKLS =
-99955; ELSE IF R04_AS1051_NN = -1 THEN R04R_A_DAYSBRAND_SMKLS
= -99911;
```

This variable has 1,501 valid cases out of 33,822 total cases.

- Mean: 3345.6962
- Median: 1826.2500
- Mode: 1826.2500
- Minimum: 0.0000
- Maximum: 32872.5000
- Standard Deviation: 4214.3001

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32305	95.5 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>32,321</b>	<b>95.6%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13617-13627 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_EVR\_DISSBL: DERIVED - Wave 4 Adult Ever Dissolvable Tobacco User

Long Description: Wave 4 adult respondents who have ever used dissolvable tobacco.

```
Algorithm: IF R03M_EVR_DISSBL=1 OR R04_AD1002_12M=1 OR
R04_AD1002_RS=1 THEN R04R_A_EVR_DISSBL = 1; ELSE IF
R04_AD1002_RS=2 OR R04_AD1001_RS=2 OR (R03M_EVR_DISSBL=2 AND
R04_AD1002_12M=2 AND R03M_SKIPPED_WAVE=2) THEN
R04R_A_EVR_DISSBL = 2; ELSE IF R04_AD1002_12M=-9 OR
R04_AD1002_RS=-9 OR R04_AD1001_RS=-9 THEN R04R_A_EVR_DISSBL =
-99999; ELSE IF R04_AD1002_12M=-8 OR R04_AD1002_RS=-8
OR R04_AD1001_RS=-8 THEN R04R_A_EVR_DISSBL = -99988; ELSE IF
R04_AD1002_12M=-7 OR R04_AD1002_RS=-7 OR R04_AD1001_RS=-7
THEN R04R_A_EVR_DISSBL = -99977; ELSE IF R03M_EVR_DISSBL in
(-99999,-99988,-99977,-99966, -99911) OR R03M_SKIPPED_WAVE=1
THEN R04R_A_EVR_DISSBL = -99966; ELSE IF R04_AD1002_12M=-1
OR R04_AD1002_RS=-1 OR R04_AD1001_RS=-1 THEN R04R_A_EVR_DISSBL
= -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	477	1.4 %
2	2 = No	31587	93.4 %
<b>Total</b>		<b>32,064</b>	<b>94.8%</b>

This variable has 32,064 valid cases out of 33,822 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1725	5.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>1,758</b>	<b>5.2%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13628-13633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R04R\_A\_NEW\_DISSBL: DERIVED - Wave 4 Adult Never to Ever Dissolvable Tobacco User

Long Description: Wave 4 adult respondents who started using dissolvable tobacco between Wave 3 and Wave 4.

Algorithm: IF R03M\_EVR\_DISSBL = 2 AND R04R\_A\_EVR\_DISSBL = 1  
AND WAVE3\_INTERVIEW IN (1,2) THEN R04R\_A\_NEW\_DISSBL = 1;  
ELSE IF (R03M\_EVR\_DISSBL = 1 OR R04R\_A\_EVR\_DISSBL = 2) AND  
WAVE3\_INTERVIEW IN (1,2) THEN R04R\_A\_NEW\_DISSBL = 2; ELSE  
IF WAVE3\_INTERVIEW = 0 THEN R04R\_A\_NEW\_DISSBL = -99933;  
ELSE IF R04R\_A\_EVR\_DISSBL = -99999 THEN R04R\_A\_NEW\_DISSBL  
= -99999; ELSE IF R04R\_A\_EVR\_DISSBL = -99988 THEN R04R\_A\_NEW\_DISSBL =  
-99988; ELSE IF R04R\_A\_EVR\_DISSBL = -99977 THEN  
R04R\_A\_NEW\_DISSBL = -99977; ELSE IF R03M\_EVR\_DISSBL IN  
(-99999,-99988,-99977,-99955,-99966,-99911) OR WAVE3\_INTERVIEW  
= 9 OR R04R\_A\_EVR\_DISSBL = -99966 THEN R04R\_A\_NEW\_DISSBL  
= -99966; ELSE IF R04R\_A\_EVR\_DISSBL = -99911 THEN  
R04R\_A\_NEW\_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.2 %
2	2 = No	25933	76.7 %
	<b>Total</b>	<b>25,989</b>	<b>76.8%</b>

This variable has 25,989 valid cases out of 33,822 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1746	5.2 %

<b>Missing Data</b>			
-99933	-99933 = Missing due to respondent not being in previous wave	6065	17.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>7,833</b>	<b>23.2%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13634-13639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99933, -99911, -97777

## R04R\_A\_MINFIRST\_TOB: DERIVED - Wave 4 Adult Number of Minutes From Waking Up to Using First Tobacco Product

Long Description: Wave 4 Adult - Recode of length of time from waking up to using first tobacco product into minutes.

```
Algorithm: IF R04_AY0010_UN=1 AND R04_AY0010_NN>=0 THEN
R04R_A_MINFIRST_TOB=R04_AY0010_NN; ELSE IF
R04_AY0010_UN=2 AND R04_AY0010_NN>=0 THEN
R04R_A_MINFIRST_TOB=R04_AY0010_NN * 60; ELSE IF R04_AY0010_NN=-9 THEN
R04R_A_MINFIRST_TOB=-99999; ELSE IF R04_AY0010_NN=-8
THEN R04R_A_MINFIRST_TOB=-99988; ELSE IF R04_AY0010_NN=-7 THEN
R04R_A_MINFIRST_TOB=-99977; ELSE IF R04_AY0010_NN=-5
THEN R04R_A_MINFIRST_TOB=-99955; ELSE IF R04_AY0010_NN=-1 THEN
R04R_A_MINFIRST_TOB=-99911;
```

This variable has 2,136 valid cases out of 33,822 total cases.

- Mean: 85.39
- Median: 30.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 160.73

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	29	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	5	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31643	93.6 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>31,686</b>	<b>93.7%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13640-13645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_WRKOUTIME: DERIVED - Wave 4 Adult Number of Minutes Spent Doing Physical Activity or Exercise of at Least Moderate Intensity

Long Description: Wave 4 Adult - Recode of length of time spent doing physical activity or exercise of at least moderate intensity into minutes.

```
Algorithm: IF R04_AX0242_UN=2 AND R04_AX0242_NN=> 0  
THEN R04R_A_WRKOUTIME = R04_AX0242_NN; ELSE IF R04_AX0242_UN=1  
AND R04_AX0242_NN=> 0 THEN R04R_A_WRKOUTIME = R04_AX0242_NN * 60;  
ELSE IF R04_AX0242_NN=-9 THEN R04R_A_WRKOUTIME  
= -99999; ELSE IF R04_AX0242_NN=-8 THEN R04R_A_WRKOUTIME = -99988;  
ELSE IF R04_AX0242_NN=-7 THEN R04R_A_WRKOUTIME  
= -99977; ELSE IF R04_AX0242_NN=-5 THEN R04R_A_WRKOUTIME = -99955;  
ELSE IF R04_AX0242_NN=-1 THEN R04R_A_WRKOUTIME =  
-99911;
```

This variable has 27,041 valid cases out of 33,822 total cases.

- Mean: 115.75
- Median: 60.00
- Mode: 60.00
- Minimum: 1.00
- Maximum: 1440.00
- Standard Deviation: 132.50

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	91	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	55	0.2 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	158	0.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	6475	19.1 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>6,781</b>	<b>20.0%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13646-13651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_WKPREG: DERIVED - Wave 4 Adult Number of Weeks Pregnant

Long Description: Wave 4 Adult - Recode of length of time pregnant into weeks.

```
Algorithm: IF R04_AX0137_UN = 1 AND R04_AX0137_NN >= 0
THEN R04R_A_WKPREG = R04_AX0137_NN * 4.3482; ELSE IF
R04_AX0137_UN = 2 AND R04_AX0137_NN >= 0 THEN R04R_A_WKPREG
= R04_AX0137_NN; ELSE IF R04_AX0137_NN = -9 THEN
R04R_A_WKPREG = -99999; ELSE IF R04_AX0137_NN = -8
THEN R04R_A_WKPREG = -99988; ELSE IF R04_AX0137_NN = -7 THEN
R04R_A_WKPREG = -99977; ELSE IF R04_AX0137_NN = -5
THEN R04R_A_WKPREG = -99955; ELSE IF R04_AX0137_NN = -1 THEN
R04R_A_WKPREG = -99911;
```

This variable has 408 valid cases out of 33,822 total cases.

- Mean: 22.62015882
- Median: 22.00000000
- Mode: 30.43740000
- Minimum: 4.00000000
- Maximum: 39.13380000
- Standard Deviation: 9.76790386

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33409	98.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,414</b>	<b>98.8%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 13652-13666 (width: 15; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSDENTAL: DERIVED - Wave 4 Adult Number of Days Since Had Teeth Cleaned

Long Description: Wave 4 Adult - Recode of length of time since had teeth cleaned by a dentist, hygienist, or other health professional into days.

```
Algorithm: IF R04_AX0729_UN = 1 AND R04_AX0729_NN => 0 THEN R04R_A_DAYSDENTAL
= R04_AX0729_NN; ELSE IF R04_AX0729_UN =
2 AND R04_AX0729_NN => 0 THEN R04R_A_DAYSDENTAL = R04_AX0729_NN * 30.4375;
ELSE IF R04_AX0729_UN = 3 AND R04_AX0729_NN
=> 0 THEN R04R_A_DAYSDENTAL = R04_AX0729_NN * 365.25; ELSE IF R04_AX0729_NN
=-9 THEN R04R_A_DAYSDENTAL = -99999; ELSE IF
R04_AX0729_NN = -8 THEN R04R_A_DAYSDENTAL = -99988; ELSE IF R04_AX0729_NN
```

```

= -7 THEN R04R_A_DAYSDENTAL = -99977; ELSE IF
R04_AX0729_NN = -5 THEN R04R_A_DAYSDENTAL = -99955; ELSE IF R04_AX0729_NN
= -1 THEN R04R_A_DAYSDENTAL = -99911;

```

This variable has 19,133 valid cases out of 33,822 total cases.

- Mean: 330.9620
- Median: 152.1875
- Mode: 182.6250
- Minimum: 1.0000
- Maximum: 20454.0000
- Standard Deviation: 918.8969

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	131	0.4 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	29	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	63	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14464	42.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>14,689</b>	<b>43.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13667-13677 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_MINTLASTNOUSE\_P12M: DERIVED - Wave 4 Adult Non-E-product Number of Minutes Stopped Using Non-electronic Tobacco Products the Last Time in the Past 12 Months Because of Trying to Quit

**Long Description:** Wave 4 Adult current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months - Recode of length of time stopped using non-electronic tobacco products the last time in the past 12 months because of trying to quit into minutes.

```

Algorithm: IF R04_AN0130_UN = 1 AND R04_AN0130_NN >= 0 THEN
R04R_A_MINTLASTNOUSE_P12M = R04_AN0130_NN; ELSE IF
R04_AN0130_UN = 2 AND R04_AN0130_NN >= 0 THEN R04R_A_MINTLASTNOUSE_P12M =
= R04_AN0130_NN * 60; ELSE IF R04_AN0130_UN
= 3 AND R04_AN0130_NN >= 0 THEN R04R_A_MINTLASTNOUSE_P12M =
R04_AN0130_NN * 60 * 24; ELSE IF R04_AN0130_UN = 4
AND R04_AN0130_NN >= 0 THEN R04R_A_MINTLASTNOUSE_P12M =
R04_AN0130_NN * 60 * 24 * 7; ELSE IF R04_AN0130_UN = 5 AND
R04_AN0130_NN >= 0 THEN R04R_A_MINTLASTNOUSE_P12M =
R04_AN0130_NN * 60 * 24 * 30.4375; ELSE IF R04_AN0130_NN = -9
THEN R04R_A_MINTLASTNOUSE_P12M = -99999; ELSE IF R04_AN0130_NN = -8
THEN R04R_A_MINTLASTNOUSE_P12M = -99988; ELSE IF

```

```

R04_AN0130_NN = -7 THEN R04R_A_MINTLASTNOUSE_P12M = -99977;
ELSE IF R04_AN0130_NN = -5 THEN R04R_A_MINTLASTNOUSE_P12M
= -99955; ELSE IF R04_AN0130_NN = -1 THEN
R04R_A_MINTLASTNOUSE_P12M = -99911;

```

This variable has 3,620 valid cases out of 33,822 total cases.

- Mean: 60557.49
- Median: 10080.00
- Mode: 2880.00
- Minimum: 1.00
- Maximum: 525960.00
- Standard Deviation: 107996.06

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	21	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	39	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	30135	89.1 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>30,202</b>	<b>89.3%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13678-13683 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_MINTMAXNOUSE\_P12M: DERIVED - Wave 4 Adult Non-E-product Largest Number of Minutes Stopped Using Non-electronic Tobacco Products in the Past 12 Months Because of Trying to Quit

**Long Description:** Wave 4 Adult current and new former tobacco users (excluding e-products) whose last quit attempt was not their longest in the past 12 months or new former tobacco users (excluding eproducts) who did not provide a valid response for R03\_A\*1009 - Recode of longest length of time stopped using non-electronic tobacco products in the past 12 months because of trying to quit into minutes.

```

Algorithm: IF R04_AN0145_UN = 1 AND R04_AN0145_NN >= 0
THEN R04R_A_MINTMAXNOUSE_P12M = R04_AN0145_NN; ELSE IF
R04_AN0145_UN = 2 AND R04_AN0145_NN >= 0 THEN
R04R_A_MINTMAXNOUSE_P12M = R04_AN0145_NN * 60; ELSE IF R04_AN0145_UN
= 3 AND R04_AN0145_NN >= 0 THEN
R04R_A_MINTMAXNOUSE_P12M = R04_AN0145_NN * 60 * 24; ELSE IF R04_AN0145_UN = 4
AND R04_AN0145_NN >= 0 THEN R04R_A_MINTMAXNOUSE_P12M =
R04_AN0145_NN * 60 * 24 * 7; ELSE IF R04_AN0145_UN = 5 AND
R04_AN0145_NN >= 0 THEN R04R_A_MINTMAXNOUSE_P12M =
R04_AN0145_NN * 60 * 24 * 30.4375; ELSE IF R04_AN0145_NN = -9

```

```

THEN R04R_A_MINTMAXNOUSE_P12M = -99999; ELSE
IF R04_AN0145_NN = -8 THEN R04R_A_MINTMAXNOUSE_P12M = -99988; ELSE IF
R04_AN0145_NN = -7 THEN R04R_A_MINTMAXNOUSE_P12M = -99977;
ELSE IF R04_AN0145_NN = -5 THEN R04R_A_MINTMAXNOUSE_P12M
= -99955; ELSE IF R04_AN0145_NN = -1 THEN R04R_A_MINTMAXNOUSE_P12M = -99911;

```

This variable has 801 valid cases out of 33,822 total cases.

- Mean: 171211.75
- Median: 87660.00
- Mode: 525960.00
- Minimum: 1.00
- Maximum: 525960.00
- Standard Deviation: 179413.95

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	67	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32916	97.3 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,021</b>	<b>97.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13684-13689 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSMED\_LSTATMPTQUIT: DERIVED - Wave 4 Adult Number of Days Used Nicotine Medication During Last Tobacco Product(s) Quit Attempt

**Long Description:** Wave 4 Adult current and new former tobacco users (excluding e-products) who used nicotine replacement therapy to help them quit - recode of length of time using nicotine medication during last tobacco product quit attempt into days.

```

Algorithm: IF R04_AN0165_UN=1 AND R04_AN0165_NN>=0 THEN
R04R_A_DAYSMED_LSTATMPTQUIT=R04_AN0165_NN; ELSE IF
R04_AN0165_UN=2 AND R04_AN0165_NN>=0 THEN
R04R_A_DAYSMED_LSTATMPTQUIT=R04_AN0165_NN * 7; ELSE IF R04_AN0165_UN=3
AND R04_AN0165_NN>=0 THEN R04R_A_DAYSMED_LSTATMPTQUIT=
R04_AN0165_NN * 30.4375; ELSE IF R04_AN0165_NN=-9
THEN R04R_A_DAYSMED_LSTATMPTQUIT=-99999; ELSE IF R04_AN0165_NN=-8
THEN R04R_A_DAYSMED_LSTATMPTQUIT=-99988;
ELSE IF R04_AN0165_NN=-7 THEN R04R_A_DAYSMED_LSTATMPTQUIT=-99977;
ELSE IF R04_AN0165_NN=-5 THEN
R04R_A_DAYSMED_LSTATMPTQUIT=-99955; ELSE IF R04_AN0165_NN=-1 THEN

```

R04R\_A\_DAYSMED\_LSTATMPTQUIT=-99911;

This variable has 763 valid cases out of 33,822 total cases.

- Mean: 35.3108
- Median: 14.0000
- Mode: 14.0000
- Minimum: 0.0000
- Maximum: 1461.0000
- Standard Deviation: 93.6969

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33053	97.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,059</b>	<b>97.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13690-13700 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R04R\_A\_DAYSNO\_NRT: DERIVED - Wave 4 Adult Non-E-product Number of Days Since Last Used Nicotine Replacement Therapy

Long Description: Wave 4 Adult Non-e-product - Recode of length of time since last used nicotine replacement therapy into days.

Algorithm: IF R04\_AN0175\_UN=1 AND R04\_AN0175\_NN=>0 THEN  
R04R\_A\_DAYSNO\_NRT=R04\_AN0175\_NN; ELSE IF R04\_AN0175\_UN=2  
AND R04\_AN0175\_NN=>0 THEN R04R\_A\_DAYSNO\_NRT=  
R04\_AN0175\_NN \* 30.4375; ELSE IF R04\_AN0175\_UN=3 AND R04\_AN0175\_NN=>0  
THEN R04R\_A\_DAYSNO\_NRT=R04\_AN0175\_NN \* 365.25;  
ELSE IF R04\_AN0175\_NN=-9 THEN R04R\_A\_DAYSNO\_NRT=-99999; ELSE IF  
R04\_AN0175\_NN=-8 THEN R04R\_A\_DAYSNO\_NRT=-99988;  
ELSE IF R04\_AN0175\_NN=-7 THEN R04R\_A\_DAYSNO\_NRT=-99977; ELSE IF  
R04\_AN0175\_NN=-5 THEN R04R\_A\_DAYSNO\_NRT=-99955;  
ELSE IF R04\_AN0175\_NN=-1 THEN R04R\_A\_DAYSNO\_NRT=-99911;

This variable has 835 valid cases out of 33,822 total cases.

- Mean: 217.9419
- Median: 91.3125

- Mode: 91.3125
- Minimum: 0.0000
- Maximum: 12783.7500
- Standard Deviation: 635.0765

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32971	97.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>32,987</b>	<b>97.5%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13701-13711 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R04R\_A\_DAYSPMED\_LSTATMPTQT: DERIVED - Wave 4 Adult Non-E-product Number of Days Used Prescription Medication During Last Tobacco Product(s) Quit Attempt

Long Description: Wave 4 Adult Non-e-product - Recode of length of time used prescription medication during last tobacco product(s) quit attempt trying to quit into days.

```
Algorithm: IF R04_AN0195_UN = 1 AND R04_AN0195_NN>=0 THEN
R04R_A_DAYSPMED_LSTATMPTQT = R04_AN0195_NN; ELSE IF
R04_AN0195_UN = 2 AND R04_AN0195_NN>=0 THEN
R04R_A_DAYSPMED_LSTATMPTQT = R04_AN0195_NN * 7; ELSE IF R04_AN0195_UN
= 3 AND R04_AN0195_NN>=0 THEN R04R_A_DAYSPMED_LSTATMPTQT
= R04_AN0195_NN * 30.4375; ELSE IF R04_AN0195_NN=
-9 THEN R04R_A_DAYSPMED_LSTATMPTQT= -99999; ELSE
IF R04_AN0195_NN= -8 THEN R04R_A_DAYSPMED_LSTATMPTQT=
-99988; ELSE IF R04_AN0195_NN= -7 THEN
R04R_A_DAYSPMED_LSTATMPTQT= -99977; ELSE IF R04_AN0195_NN= -5 THEN
R04R_A_DAYSPMED_LSTATMPTQT= -99955; ELSE
IF R04_AN0195_NN= -1 THEN R04R_A_DAYSPMED_LSTATMPTQT= -99911;
```

This variable has 338 valid cases out of 33,822 total cases.

- Mean: 85.2596
- Median: 35.0000
- Mode: 60.8750
- Minimum: 1.0000
- Maximum: 2678.5000
- Standard Deviation: 180.6523

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	5	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33471	99.0 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,484</b>	<b>99.0%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13712-13722 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSUSED\_NRT: DERIVED - Wave 4 Adult Non-E-product Number of Days Using Nicotine Patch, Gum, Inhaler, Nasal Spray, Lozenge, or Pill

**Long Description:** Wave 4 Adult current and new former tobacco users (excluding e-products) who attempted to quit in the past 12 months - Recode of amount of time using nicotine patch, gum, inhaler, nasal spray, lozenge, or pill into days.

```
Algorithm: IF R04_AN0251_UN = 1 AND R04_AN0251_NN >= 0
THEN R04R_A_DAYSUSED_NRT = R04_AN0251_NN; ELSE IF R04_AN0251_UN
= 2 AND R04_AN0251_NN >= 0 THEN R04R_A_DAYSUSED_NRT =
R04_AN0251_NN * 30.4375; ELSE IF R04_AN0251_UN = 3
AND R04_AN0251_NN >= 0 THEN R04R_A_DAYSUSED_NRT =
R04_AN0251_NN * 365.25; ELSE IF R04_AN0251_NN = -9 THEN
R04R_A_DAYSUSED_NRT = -99999; ELSE IF R04_AN0251_NN = -8
THEN R04R_A_DAYSUSED_NRT = -99988; ELSE IF R04_AN0251_NN = -7
THEN R04R_A_DAYSUSED_NRT = -99977; ELSE IF R04_AN0251_NN =
-5 THEN R04R_A_DAYSUSED_NRT = -99955; ELSE IF R04_AN0251_NN
= -1 THEN R04R_A_DAYSUSED_NRT = -99911;
```

This variable has 151 valid cases out of 33,822 total cases.

- Mean: 266.7347
- Median: 30.4375
- Minimum: 1.0000
- Maximum: 6574.5000
- Standard Deviation: 808.9279

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33667	99.5 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,671</b>	<b>99.6%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13723-13733 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSUSED\_RX: DERIVED - Wave 4 Adult Non-E-product Number of Days Using Chantix, Varenicline, Wellbutrin, Zyban, or Bupropion

Long Description: Wave 4 Adult non-e-product - Recode of amount of time using Chantix, Varenicline, Wellbutrin, Zyban or Bupropion into days

```
Algorithm: IF R04_AN0252_UN = 1 AND R04_AN0252_NN > 0
THEN R04R_A_DAYSUSED_RX = R04_AN0252_NN; ELSE IF
R04_AN0252_UN = 2 AND R04_AN0252_NN > 0 THEN
R04R_A_DAYSUSED_RX = R04_AN0252_NN * 30.4375; ELSE IF R04_AN0252_UN
= 3 AND R04_AN0252_NN>0 THEN R04R_A_DAYSUSED_RX
= R04_AN0252_NN * 365.25; ELSE IF R04_AN0252_NN = -9 THEN
R04R_A_DAYSUSED_RX = -99999; ELSE IF R04_AN0252_NN =
-8 THEN R04R_A_DAYSUSED_RX = -99988; ELSE IF R04_AN0252_NN = -7
THEN R04R_A_DAYSUSED_RX = -99977; ELSE IF R04_AN0252_NN
in (-5,0) THEN R04R_A_DAYSUSED_RX = -99955; ELSE IF R04_AN0252_NN
= -1 THEN R04R_A_DAYSUSED_RX = -99911;
```

This variable has 105 valid cases out of 33,822 total cases.

- Mean: 571.6524
- Median: 91.3125
- Mode: 60.8750
- Minimum: 1.0000
- Maximum: 7305.0000
- Standard Deviation: 1213.9813

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33713	99.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,717</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13734-13744 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_MINTLASTNOUSE\_P12M\_E: DERIVED - Wave 4 Adult E-product Number of Minutes Stopped Using E-products the Last Time in the Past 12 Months Because of Trying to Quit

Long Description: Wave 4 Adult current e-product users who have tried to quit completely in the past 12 months - Recode of length of time stopped using electronic nicotine products the last time in the past 12 months because of trying to quit into minutes.

```
Algorithm: IF R04_AN0130E_UN = 1 AND R04_AN0130E_NN >= 0
THEN R04R_A_MINTLASTNOUSE_P12M_E = R04_AN0130E_NN; ELSE
IF R04_AN0130E_UN = 2 AND R04_AN0130E_NN >= 0 THEN
R04R_A_MINTLASTNOUSE_P12M_E = R04_AN0130E_NN * 60; ELSE IF
R04_AN0130E_UN = 3 AND R04_AN0130E_NN >= 0 THEN
R04R_A_MINTLASTNOUSE_P12M_E = R04_AN0130E_NN * 60 * 24; ELSE
IF R04_AN0130E_UN = 4 AND R04_AN0130E_NN >= 0
THEN R04R_A_MINTLASTNOUSE_P12M_E = R04_AN0130E_NN * 60 * 24 *
7; ELSE IF R04_AN0130E_UN = 5 AND R04_AN0130E_NN >= 0
THEN R04R_A_MINTLASTNOUSE_P12M_E = R04_AN0130E_NN * 60
* 24 * 30.4375; ELSE IF R04_AN0130E_NN = -9
THEN R04R_A_MINTLASTNOUSE_P12M_E = -99999; ELSE IF R04_AN0130E_NN =
-8 THEN R04R_A_MINTLASTNOUSE_P12M_E = -99988;
ELSE IF R04_AN0130E_NN = -7 THEN R04R_A_MINTLASTNOUSE_P12M_E =
-99977; ELSE IF R04_AN0130E_NN = -5 THEN
R04R_A_MINTLASTNOUSE_P12M_E = -99955; ELSE IF R04_AN0130E_NN = -1 THEN
R04R_A_MINTLASTNOUSE_P12M_E = -99911;
```

This variable has 238 valid cases out of 33,822 total cases.

- Mean: 126778.80
- Median: 43830.00
- Mode: 525960.00
- Minimum: 1.00
- Maximum: 525960.00
- Standard Deviation: 165299.76

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	

Missing Data			
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33575	99.3 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,584</b>	<b>99.3%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13745-13750 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_MINTMAXNOUSE\_P12M\_E: DERIVED - Wave 4 Adult E-product Largest Number of Minutes Stopped Using E-products in the Past 12 Months Because of Trying to Quit

Long Description: Wave 4 Adult current and new former e-product users whose last quit attempt was not their longest in the past 12 months or new former tobacco users who did not provide a valid response for R03\_AV1009\_NN Eproduct - Recode of longest length of time stopped using electronic nicotine products in the past 12 months because of trying to quit into minutes.

```
Algorithm: IF R04_AN0145E_UN = 1 AND R04_AN0145E_NN >= 0
THEN R04R_A_MINTMAXNOUSE_P12M_E = R04_AN0145E_NN; ELSE
IF R04_AN0145E_UN = 2 AND R04_AN0145E_NN >= 0
THEN R04R_A_MINTMAXNOUSE_P12M_E = R04_AN0145E_NN * 60; ELSE IF
R04_AN0145E_UN = 3 AND R04_AN0145E_NN >= 0
THEN R04R_A_MINTMAXNOUSE_P12M_E = R04_AN0145E_NN * 60 * 24; ELSE
IF R04_AN0145E_UN = 4 AND R04_AN0145E_NN >= 0
THEN R04R_A_MINTMAXNOUSE_P12M_E = R04_AN0145E_NN * 60 * 24 *
7; ELSE IF R04_AN0145E_UN = 5 AND R04_AN0145E_NN
>= 0 THEN R04R_A_MINTMAXNOUSE_P12M_E = R04_AN0145E_NN * 60
* 24 * 30.4375; ELSE IF R04_AN0145E_NN = -9 THEN R04R_A_MINTMAXNOUSE_P12M_E
= -99999; ELSE IF R04_AN0145E_NN =
-8 THEN R04R_A_MINTMAXNOUSE_P12M_E = -99988; ELSE IF R04_AN0145E_NN = -7
THEN R04R_A_MINTMAXNOUSE_P12M_E =
-99977; ELSE IF R04_AN0145E_NN = -5 THEN R04R_A_MINTMAXNOUSE_P12M_E
= -99955; ELSE IF R04_AN0145E_NN = -1 THEN
R04R_A_MINTMAXNOUSE_P12M_E = -99911;
```

This variable has 191 valid cases out of 33,822 total cases.

- Mean: 287376.68
- Median: 262980.00
- Mode: 525960.00
- Minimum: 1.00
- Maximum: 525960.00
- Standard Deviation: 181369.05

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	5	0.0 %

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	20	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33586	99.3 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
<b>Total</b>		<b>33,631</b>	<b>99.4%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13751-13756 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSMED\_LSTATMPTQUIT\_E: DERIVED - Wave 4 Adult Number of Days Used Nicotine Medication During Last E-Product(s) Quit Attempt

Long Description: Wave 4 Adult current or new former e-product users who used nicotine replacement therapy to help them quit - recode of length of time using nicotine medication during last eproduct quit attempt into days.

```
Algorithm: IF R04_AN0165E_UN=1 AND R04_AN0165E_NN>=0 THEN
R04R_A_DAYSMED_LSTATMPTQUIT_E=R04_AN0165E_NN;
ELSE IF R04_AN0165E_UN=2 AND R04_AN0165E_NN>=0 THEN R04R_A_DAYSMED_LSTATMPTQUIT_E=
R04_AN0165E_NN *
7; ELSE IF R04_AN0165E_UN=3 AND R04_AN0165E_NN>=0 THEN R04R_A_DAYSMED_LSTATMPTQUIT_E=
R04_AN0165E_NN *
30.4375; ELSE IF R04_AN0165E_NN=-9 THEN R04R_A_DAYSMED_LSTATMPTQUIT_E=-99999;
ELSE IF R04_AN0165E_NN=-8 THEN
R04R_A_DAYSMED_LSTATMPTQUIT_E=-99988; ELSE IF R04_AN0165E_NN=-7 THEN
R04R_A_DAYSMED_LSTATMPTQUIT_E=-99977;
ELSE IF R04_AN0165E_NN=-5 THEN R04R_A_DAYSMED_LSTATMPTQUIT_E=-99955;
ELSE IF R04_AN0165E_NN=-1 THEN
R04R_A_DAYSMED_LSTATMPTQUIT_E=-99911;
```

This variable has 66 valid cases out of 33,822 total cases.

- Mean: 50.3892
- Median: 7.0000
- Mode: 3.0000
- Minimum: 1.0000
- Maximum: 365.2500
- Standard Deviation: 87.2879

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33754	99.8 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
	<b>Total</b>	<b>33,756</b>	<b>99.8%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13757-13767 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSNO\_NRT\_E: DERIVED - Wave 4 Adult E-product Number of Days Since Last Used Nicotine Replacement Therapy

Long Description: Wave 4 Adult e-product - Recode of length of time since last used nicotine replacement therapy into days.

```
Algorithm: IF R04_AN0175E_UN=1 AND R04_AN0175E_NN=>0 THEN
R04R_A_DAYSNO_NRT_E=R04_AN0175E_NN; ELSE IF
R04_AN0175E_UN=2 AND R04_AN0175E_NN=>0 THEN R04R_A_DAYSNO_NRT_E=
R04_AN0175E_NN * 30.4375; ELSE IF R04_AN0175E_UN=3
AND R04_AN0175E_NN=>0 THEN R04R_A_DAYSNO_NRT_E=R04_AN0175E_NN * 365.25;
ELSE IF R04_AN0175E_NN=-9 THEN
R04R_A_DAYSNO_NRT_E=-99999; ELSE IF R04_AN0175E_NN=-8
THEN R04R_A_DAYSNO_NRT_E=-99988; ELSE IF R04_AN0175E_NN=-7
THEN R04R_A_DAYSNO_NRT_E=-99977; ELSE IF R04_AN0175E_NN=-5
THEN R04R_A_DAYSNO_NRT_E=-99955; ELSE IF
R04_AN0175E_NN=-1 THEN R04R_A_DAYSNO_NRT_E=-99911;
```

This variable has 198 valid cases out of 33,822 total cases.

- Mean: 222.2705
- Median: 91.3125
- Mode: 60.8750
- Minimum: 1.0000
- Maximum: 8400.7500
- Standard Deviation: 696.5390

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33619	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,624</b>	<b>99.4%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13768-13778 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSPMED\_LSTATMPTQT\_E: DERIVED - Wave 4 Adult E-cigarette Number of Days Used Prescription Medication During Last E-cigarette Quit Attempt

Long Description: Wave 4 Adult E-cigarette - Recode of length of time using prescription medication during last e-cigarette quit attempt into days.

```
Algorithm: IF R04_AN0195E_UN=1 AND R04_AN0195E_NN>=0 THEN
R04R_A_DAYSPMED_LSTATMPTQT_E=R04_AN0195E_NN;
ELSE IF R04_AN0195E_UN=2 AND R04_AN0195E_NN>=0 THEN
R04R_A_DAYSPMED_LSTATMPTQT_E=R04_AN0195E_NN *
7; ELSE IF R04_AN0195E_UN=3 AND R04_AN0195E_NN>=0
THEN R04R_A_DAYSPMED_LSTATMPTQT_E=R04_AN0195E_NN *
30.4375; ELSE IF R04_AN0195E_NN=-9 THEN
R04R_A_DAYSPMED_LSTATMPTQT_E=-99999; ELSE IF R04_AN0195E_NN=-8 THEN
R04R_A_DAYSPMED_LSTATMPTQT_E=-99988;
ELSE IF R04_AN0195E_NN=-7 THEN R04R_A_DAYSPMED_LSTATMPTQT_E=-99977;
ELSE IF R04_AN0195E_NN=-5 THEN R04R_A_DAYSPMED_LSTATMPTQT_E=-99955;
ELSE IF R04_AN0195E_NN=-1 THEN
R04R_A_DAYSPMED_LSTATMPTQT_E=-99911;
```

This variable has 43 valid cases out of 33,822 total cases.

- Mean: 137.4302
- Median: 60.0000
- Minimum: 0.0000
- Maximum: 1095.7500
- Standard Deviation: 197.8938

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33774	99.9 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,779</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13779-13789 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSUSED\_NRT\_E: DERIVED - Wave 4 Adult E-product Number of Days Using Nicotine Patch, Gum, Inhaler, Nasal Spray, Lozenge, or Pill

Long Description: Wave 4 Adult current and new former e-product users who attempted to quit in the past 12 months - Recode of amount of time using nicotine patch, gum, inhaler, nasal spray, lozenge, or pill into days.

```
Algorithm: IF R04_AN0251E_UN = 1 AND R04_AN0251E_NN > 0
THEN R04R_A_DAYSUSED_NRT_E = R04_AN0251E_NN; ELSE
IF R04_AN0251E_UN = 2 AND R04_AN0251E_NN > 0 THEN R04R_A_DAYSUSED_NRT_E =
R04_AN0251E_NN * 30.4375; ELSE IF
R04_AN0251E_UN = 3 AND R04_AN0251E_NN>0 THEN R04R_A_DAYSUSED_NRT_E
= R04_AN0251E_NN * 365.25; ELSE IF R04_AN0251E_NN
= -9 THEN R04R_A_DAYSUSED_NRT_E = -99999; ELSE IF R04_AN0251E_NN = -8
THEN R04R_A_DAYSUSED_NRT_E = -99988; ELSE IF
R04_AN0251E_NN = -7 THEN R04R_A_DAYSUSED_NRT_E = -99977;
ELSE IF R04_AN0251E_NN = -5 THEN R04R_A_DAYSUSED_NRT_E =
-99955; ELSE IF R04_AN0251E_NN = -1 THEN R04R_A_DAYSUSED_NRT_E = -99911;
```

This variable has 37 valid cases out of 33,822 total cases.

- Mean: 487.0760
- Median: 91.3125
- Minimum: 2.0000
- Maximum: 7305.0000
- Standard Deviation: 1247.5453

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33783	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %
	<b>Total</b>	<b>33,785</b>	<b>99.9%</b>

Percentages for both tables are based on 33,822 total cases.

*Location:* 13790-13800 (width: 11; decimal: 4)

*Variable Type:* numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSUSED\_RX\_E: DERIVED - Wave 4 Adult E-product - Number of Days Using Chantix, Varenicline, Wellbutrin, Zyban or Bupropion

Long Description: Wave 4 Adult e-product - Recode of amount of time using Chantix, Varenicline, Wellbutrin, Zyban or Bupropion into days.

```
Algorithm: IF R04_AN0252E_UN = 1 AND R04_AN0252E_NN > 0  
THEN R04R_A_DAYSUSED_RX_E = R04_AN0252E_NN; ELSE  
IF R04_AN0252E_UN = 2 AND R04_AN0252E_NN > 0 THEN R04R_A_DAYSUSED_RX_E  
= R04_AN0252E_NN * 30.4375; ELSE IF  
R04_AN0252E_UN = 3 AND R04_AN0252E_NN > 0 THEN R04R_A_DAYSUSED_RX_E =  
R04_AN0252E_NN * 365.25; ELSE IF R04_AN0252E_NN  
= -9 THEN R04R_A_DAYSUSED_RX_E = -99999; ELSE IF R04_AN0252E_NN = -8  
THEN R04R_A_DAYSUSED_RX_E = -99988; ELSE IF  
R04_AN0252E_NN = -7 THEN R04R_A_DAYSUSED_RX_E = -99977; ELSE IF  
R04_AN0252E_NN IN (0,-5) THEN R04R_A_DAYSUSED_RX_E =  
-99955; ELSE IF R04_AN0252E_NN = -1 THEN R04R_A_DAYSUSED_RX_E = -99911;
```

This variable has 29 valid cases out of 33,822 total cases.

- Mean: 1064.7112
- Median: 730.5000
- Minimum: 2.0000
- Maximum: 5478.7500
- Standard Deviation: 1325.5565

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33791	99.9 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,793</b>	<b>99.9%</b>	

Percentages for both tables are based on 33,822 total cases.

Location: 13801-13811 (width: 11; decimal: 4)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R04R\_A\_DAYSNO\_RX\_E: DERIVED - Wave 4 Adult E-product Number of Days Since Last Used Prescription Drug

Long Description: Wave 4 Adult E-product - Recode of length of time since last used prescription drug into days.

```

Algorithm: IF R04_AN0205E_UN=1 AND R04_AN0205E_NN=>0 THEN
R04R_A_DAYSNO_RX_E=R04_AN0205E_NN; ELSE IF
R04_AN0205E_UN=2 AND R04_AN0205E_NN=>0 THEN R04R_A_DAYSNO_RX_E=
R04_AN0205E_NN * 30.4375; ELSE IF R04_AN0205E_UN=3
AND R04_AN0205E_NN=>0 THEN R04R_A_DAYSNO_RX_E=R04_AN0205E_NN * 365.25;
ELSE IF R04_AN0205E_NN=-9 THEN
R04R_A_DAYSNO_RX_E=-99999; ELSE IF R04_AN0205E_NN=-8 THEN
R04R_A_DAYSNO_RX_E=-99988; ELSE IF R04_AN0205E_NN=-7 THEN
R04R_A_DAYSNO_RX_E=-99977; ELSE IF R04_AN0205E_NN=-5 THEN
R04R_A_DAYSNO_RX_E=-99955; ELSE IF R04_AN0205E_NN=-1 THEN
R04R_A_DAYSNO_RX_E=-99911;

```

This variable has 86 valid cases out of 33,822 total cases.

- Mean: 171.5879
- Median: 152.1875
- Mode: 182.6250
- Minimum: 3.0000
- Maximum: 730.5000
- Standard Deviation: 145.6316

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33734	99.7 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,736</b>	<b>99.7%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13812-13822 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R04R\_A\_DAYSNO\_RX: DERIVED - Wave 4 Adult Non-E-product Number of Days Since Last Used Prescription Drug

*Long Description:* Wave 4 Adult Non-e-product - Recode of length of time since last used prescription drug into days.

```

Algorithm: IF R04_AN0205_UN=1 AND R04_AN0205_NN=>0 THEN
R04R_A_DAYSNO_RX=R04_AN0205_NN; ELSE IF R04_AN0205_UN=2
AND R04_AN0205_NN=>0 THEN R04R_A_DAYSNO_RX=
R04_AN0205_NN * 30.4375; ELSE IF R04_AN0205_UN=3 AND R04_AN0205_NN=>0
THEN R04R_A_DAYSNO_RX=R04_AN0205_NN * 365.25;
ELSE IF R04_AN0205_NN=-9 THEN R04R_A_DAYSNO_RX=-99999; ELSE IF

```

```

R04_AN0205_NN=-8 THEN R04R_A_DAYSNO_RX=-99988;
ELSE IF R04_AN0205_NN=-7 THEN R04R_A_DAYSNO_RX=-99977; ELSE IF
R04_AN0205_NN=-5 THEN R04R_A_DAYSNO_RX=-99955;
ELSE IF R04_AN0205_NN=-1 THEN R04R_A_DAYSNO_RX=-99911;

```

This variable has 297 valid cases out of 33,822 total cases.

- Mean: 249.0265
- Median: 152.1875
- Mode: 182.6250
- Minimum: 0.0000
- Maximum: 7305.0000
- Standard Deviation: 607.8956

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33521	99.1 %	
-97777	-97777 = Missing due to data removed per respondent request	2	0.0 %	
<b>Total</b>		<b>33,525</b>	<b>99.1%</b>	

Percentages for both tables are based on 33,822 total cases.

*Location:* 13823-13833 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

# **APPENDIX**

**Top Response Options for  
Tobacco Brand / Product Variables**

**Total tables = 26**

Table Name	Variable Name	Top Ranked Response
<a href="#">R04_AC1048MC_BRAND</a>	R04_AC1048MC_BRAND: Brand of cigarettes usually/last smoked	1125 = Marlboro
<a href="#">R04_AC1070MC_PRODUCT</a>	R04_AC1070MC_PRODUCT: Sub-brand of cigarette product usually/last smoked	11218 = Newport Full Flavor menthol kings
<a href="#">R04_AC1048RY_BRAND</a>	R04_AC1048RY_BRAND: Brand of roll-your-own cigarette tobacco usually/last smoked	1081 = Gambler
<a href="#">R04_AC1070RY_PRODUCT</a>	R04_AC1070RY_PRODUCT: Sub-brand of roll-your-own cigarette tobacco product usually/last smoked	10625 = Gambler Full Flavor
<a href="#">R04_AV9002_BRAND</a>	R04_AV9002_BRAND: Brand of electronic nicotine product owned	1028 = Blu Cigs
<a href="#">R04_AV1048_BRAND</a>	R04_AV1048_BRAND: Brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] usually/last used	1028 = Blu Cigs
<a href="#">R04_AJ1048TC_BRAND</a>	R04_AJ1048TC_BRAND: Brand of traditional cigars for blunts usually/last smoked	1061 = Dutch Masters
<a href="#">R04_AJ1070TC_PRODUCT</a>	R04_AJ1070TC_PRODUCT: Sub-brand of traditional cigar as a blunt product usually/last smoked	11704 = Swisher Sweets Blunts
<a href="#">R04_AJ1048CG_BRAND</a>	R04_AJ1048CG_BRAND: Brand of cigarillos for blunts usually/last smoked	1204 = Swisher Sweets
<a href="#">R04_AJ1070CG_PRODUCT</a>	R04_AJ1070CG_PRODUCT: Sub-brand of cigarillos as a blunt product usually/last smoked	11943 = White Owl Cigarillos White Grape
<a href="#">R04_AJ1048FC_BRAND</a>	R04_AJ1048FC_BRAND: Brand of filtered cigars for blunts usually/last smoked	1204 = Swisher Sweets
<a href="#">R04_AJ1070FC_PRODUCT</a>	R04_AJ1070FC_PRODUCT: Sub-brand of filtered cigar as a blunt product usually/last smoked	10244 = Black & Mild Sweets
<a href="#">R04_AG1048TC_BRAND</a>	R04_AG1048TC_BRAND: Brand of traditional cigars usually/last smoked	1024 = Black & Mild
<a href="#">R04_AG1070TC_PRODUCT</a>	R04_AG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked	10243 = Black & Mild Classic
<a href="#">R04_AG1048CG_BRAND</a>	R04_AG1048CG_BRAND: Brand of cigarillos usually/last smoked	1024 = Black & Mild
<a href="#">R04_AG1070CG_PRODUCT</a>	R04_AG1070CG_PRODUCT: Sub-brand of cigarillo product usually/last smoked	10245 = Black & Mild Wine
<a href="#">R04_AG1048FC_BRAND</a>	R04_AG1048FC_BRAND: Brand of filtered cigars usually/last smoked	1024 = Black & Mild
<a href="#">R04_AG1070FC_PRODUCT</a>	R04_AG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked	10243 = Black & Mild Classic
<a href="#">R04_AP1048_BRAND</a>	R04_AP1048_BRAND: Brand of pipe tobacco usually/last smoked	1037 = Captain Black
<a href="#">R04_AP1070_PRODUCT</a>	R04_AP1070_PRODUCT: Sub-brand of pipe tobacco usually/last smoked	10330 = Captain Black Cherry
<a href="#">R04_AH1048_BRAND</a>	R04_AH1048_BRAND: Brand of shisha or hookah tobacco usually/last smoked	1198 = Starbuzz
<a href="#">R04_AH1070_PRODUCT</a>	R04_AH1070_PRODUCT: Sub-brand of hookah tobacco usually/last smoked	11619 = Starbuzz Blue Mist
<a href="#">R04_AU1048_BRAND</a>	R04_AU1048_BRAND: Brand of snus usually/last used	1033 = Camel
<a href="#">R04_AU1070_PRODUCT</a>	R04_AU1070_PRODUCT: Sub-brand of snus product usually/last used	10289 = Camel Snus Frost
<a href="#">R04_AS1048_BRAND</a>	R04_AS1048_BRAND: Brand of smokeless tobacco usually/last used	1049 = Copenhagen
<a href="#">R04_AS1070_PRODUCT</a>	R04_AS1070_PRODUCT: Sub-brand of smokeless tobacco product usually/last used	10719 = Grizzly Long Cut Wintergreen

Obs	R04_AC1048MC_BRAND: Brand of cigarettes usually/last smoked	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	1125 = Marlboro	3,924	11.602
<b>2</b>	1144 = Newport	2,127	6.289
<b>3</b>	1033 = Camel	1,590	4.701
<b>4</b>	1152 = Pall Mall	686	2.028
<b>5</b>	1012 = American Spirit	495	1.464
<b>6</b>	1115 = L & M	369	1.091
<b>7</b>	1113 = Kool	241	0.713
<b>8</b>	1126 = Maverick	226	0.668
<b>9</b>	1021 = Basic	152	0.449
<b>10</b>	1166 = Pyramid	131	0.387
<b>11</b>	1237 = Winston	131	0.387
<b>12</b>	1002 = 305's	102	0.302
<b>13</b>	1219 = USA Gold	89	0.263
<b>14</b>	1184 = Seneca	83	0.245
<b>15</b>	1265 = RECODE: Eagle	78	0.231
<b>16</b>	1181 = Salem	75	0.222
<b>17</b>	1132 = Misty	72	0.213
<b>18</b>	1153 = Parliament	70	0.207
<b>19</b>	1225 = Virginia Slims	66	0.195
<b>20</b>	1278 = RECODE: Timeless Time	59	0.174
<b>21</b>	All other coded responses	571	1.688
<b>22</b>	9995 = Some other brand	122	0.361
<b>23</b>	-8 = Don't know	24	0.071
<b>24</b>	-7 = Refused	15	0.044
<b>25</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>26</b>	-1 = Inapplicable	22,322	65.998
<b>27</b>			
<b>28</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AC1070MC_PRODUCT: Sub-brand of cigarette product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	11218 = Newport Full Flavor menthol kings	1,168	3.453
<b>2</b>	11031 = Marlboro Red non-menthol kings	1,078	3.187
<b>3</b>	11020 = Marlboro Gold non-menthol kingss	836	2.472
<b>4</b>	11219 = Newport Full Flavor menthol 100s	711	2.102
<b>5</b>	10275 = Camel Filters menthol kings	412	1.218
<b>6</b>	11026 = Marlboro Full Flavor menthol kings	323	0.955
<b>7</b>	10273 = Camel Filters non-menthol kings	311	0.920
<b>8</b>	10268 = Camel Blue non-menthol kings	289	0.854
<b>9</b>	11005 = Marlboro Black non-menthol kings	247	0.730
<b>10</b>	10288 = Camel Silver menthol kings	231	0.683
<b>11</b>	11037 = Marlboro Silver non-menthol kings	190	0.562
<b>12</b>	10173 = American Spirit Mellow non-methol kings	167	0.494
<b>13</b>	10271 = Camel Crush non-menthol and menthol kings	155	0.458
<b>14</b>	11264 = Pall Mall Red non-menthol 100s	147	0.435
<b>15</b>	11224 = Newport Full Flavor non-menthol kings	144	0.426
<b>16</b>	11258 = Pall Mall Full Flavor menthol kings	138	0.408
<b>17</b>	11025 = Marlboro Gold menthol kingss	136	0.402
<b>18</b>	10169 = American Spirit Full-bodied non-menthol kings	133	0.393
<b>19</b>	10919 = Kool Full Flavor menthol kings	110	0.325
<b>20</b>	11072 = Maverick Full Flavor menthol 100s	108	0.319
<b>21</b>	All other coded responses	3,834	11.336
<b>22</b>	99995 = Some other product	208	0.615
<b>23</b>	99990 = No data (Brand text response up-coded)	229	0.677
<b>24</b>	-8 = Don't know	19	0.056
<b>25</b>	-7 = Refused	13	0.038
<b>26</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>27</b>	-1 = Inapplicable	22,483	66.474
<b>28</b>			
<b>29</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AC1048RY_BRAND: Brand of roll-your-own cigarette tobacco usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1081 = Gambler	142	0.420
<b>2</b>	1030 = Bugler	94	0.278
<b>3</b>	1012 = American Spirit	78	0.231
<b>4</b>	1051 = Criss Cross	68	0.201
<b>5</b>	1277 = RECODE: The Good Stuff	67	0.198
<b>6</b>	1215 = Top	41	0.121
<b>7</b>	1087 = Golden Harvest	40	0.118
<b>8</b>	1003 = 4 Aces	39	0.115
<b>9</b>	1239 = Zig Zag	38	0.112
<b>10</b>	1107 = Kentucky Select	26	0.077
<b>11</b>	1272 = RECODE: Red River	23	0.068
<b>12</b>	1281 = RECODE: American Club	23	0.068
<b>13</b>	1118 = Largo	22	0.065
<b>14</b>	1271 = RECODE: OHM	22	0.065
<b>15</b>	1160 = Premier	15	0.044
<b>16</b>	1042 = Cheyenne	13	0.038
<b>17</b>	1059 = Drum	12	0.035
<b>18</b>	1111 = Kite	11	0.033
<b>19</b>	1168 = Red Cap	11	0.033
<b>20</b>	1192 = Smoker's Pride	10	0.030
<b>21</b>	All other coded responses	106	0.313
<b>22</b>	9995 = Some other brand	77	0.228
<b>23</b>	-8 = Don't know	6	0.018
<b>24</b>	-7 = Refused	4	0.012
<b>25</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>26</b>	-1 = Inapplicable	32,832	97.073
<b>27</b>			
<b>28</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AC1070RY_PRODUCT: Sub-brand of roll-your-own cigarette tobacco product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10625 = Gambler Full Flavor	86	0.254
<b>2</b>	10258 = Bugler Blended	78	0.231
<b>3</b>	10178 = American Spirit Organic	39	0.115
<b>4</b>	10628 = Gambler Menthol	33	0.098
<b>5</b>	10416 = Criss Cross Original	30	0.089
<b>6</b>	10179 = American Spirit Original	26	0.077
<b>7</b>	11871 = Top Blended (Regular)	25	0.074
<b>8</b>	10032 = 4 Aces Full Flavor	23	0.068
<b>9</b>	10415 = Criss Cross Mint	21	0.062
<b>10</b>	10674 = Golden Harvest Full Flavor	20	0.059
<b>11</b>	10952 = Largo Regular	18	0.053
<b>12</b>	11976 = Zig Zag Menthol	16	0.047
<b>13</b>	11974 = Zig Zag Full Flavor	14	0.041
<b>14</b>	10626 = Gambler Gold	13	0.038
<b>15</b>	10417 = Criss Cross Smooth	12	0.035
<b>16</b>	11873 = Top Menthol	12	0.035
<b>17</b>	10886 = Kentucky Select Full Flavor	10	0.030
<b>18</b>	10914 = Kite Menthol	10	0.030
<b>19</b>	10259 = Bugler Gold	8	0.024
<b>20</b>	10372 = Cheyenne Red	8	0.024
<b>21</b>	All other coded responses	192	0.568
<b>22</b>	99995 = Some other product	39	0.115
<b>23</b>	99990 = No data (Brand text response up-coded)	164	0.485
<b>24</b>	-8 = Don't know	3	0.009
<b>25</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>26</b>	-7 = Refused	1	0.003
<b>27</b>	-1 = Inapplicable	32,919	97.330
<b>28</b>		Total	33,822
<b>29</b>			100.000

<b>Obs</b>	<b>R04_AV9002_BRAND: Brand of electronic nicotine product owned</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1028 = Blu Cigs	205	0.606
<b>2</b>	1255 = Kangertech	167	0.494
<b>3</b>	1275 = RECODE: Smok	134	0.396
<b>4</b>	1259 = Eleaf	133	0.393
<b>5</b>	1258 = Vuse	89	0.263
<b>6</b>	1256 = MarkTen	70	0.207
<b>7</b>	1254 = eGo Twist	67	0.198
<b>8</b>	1146 = NJOY	50	0.148
<b>9</b>	1260 = iTaste	47	0.139
<b>10</b>	1280 = RECODE: Sigelei	41	0.121
<b>11</b>	1248 = Logic	38	0.112
<b>12</b>	1269 = RECODE: Juul	34	0.101
<b>13</b>	1298 = RECODE: Wismec	30	0.089
<b>14</b>	1068 = eSmoke	24	0.071
<b>15</b>	1163 = ProVape	20	0.059
<b>16</b>	1220 = V2 Cigs	20	0.059
<b>17</b>	1262 = RECODE: Aspire	19	0.056
<b>18</b>	1221 = Vapor King	18	0.053
<b>19</b>	1245 = E-Swisher	18	0.053
<b>20</b>	1261 = VaporFi	18	0.053
<b>21</b>	All other coded responses	166	0.491
<b>22</b>	9995 = Some other brand	202	0.597
<b>23</b>	-8 = Don't know	51	0.151
<b>24</b>	-7 = Refused	10	0.030
<b>25</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>26</b>	-1 = Inapplicable	32,149	95.054
<b>27</b>			
<b>28</b>	Total	33,822	100.000

<b>Obs used</b>	<b>R04_AV1048_BRAND: Brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] usually/last</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1028 = Blu Cigs	171	0.506
<b>2</b>	1258 = Vuse	87	0.257
<b>3</b>	1256 = MarkTen	79	0.234
<b>4</b>	1269 = RECODE: Juul	46	0.136
<b>5</b>	1146 = NJOY	37	0.109
<b>6</b>	1248 = Logic	36	0.106
<b>7</b>	1297 = RECODE: Naked 100	33	0.098
<b>8</b>	1046 = Cloud 9	26	0.077
<b>9</b>	1245 = E-Swisher	22	0.065
<b>10</b>	1221 = Vapor King	15	0.044
<b>11</b>	1251 = Smoker's 1 Choice	15	0.044
<b>12</b>	1255 = Kangertech	15	0.044
<b>13</b>	1259 = Eleaf	15	0.044
<b>14</b>	1220 = V2 Cigs	14	0.041
<b>15</b>	1261 = VaporFi	14	0.041
<b>16</b>	1068 = eSmoke	13	0.038
<b>17</b>	1249 = Mistic	13	0.038
<b>18</b>	1163 = ProVape	12	0.035
<b>19</b>	1254 = eGo Twist	12	0.035
<b>20</b>	1270 = RECODE: Mt. Baker Vapor	12	0.035
<b>21</b>	All other coded responses	141	0.417
<b>22</b>	9995 = Some other brand	513	1.517
<b>23</b>	-8 = Don't know	63	0.186
<b>24</b>	-7 = Refused	12	0.035
<b>25</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>26</b>	-1 = Inapplicable	32,404	95.807
<b>27</b>			
<b>28</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AJ1048TC_BRAND: Brand of traditional cigars for blunts usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1061 = Dutch Masters	88	0.260
<b>2</b>	1204 = Swisher Sweets	67	0.198
<b>3</b>	1019 = Backwoods	48	0.142
<b>4</b>	1231 = White Owl	37	0.109
<b>5</b>	1024 = Black & Mild	16	0.047
<b>6</b>	1084 = Garcia y Vega	16	0.047
<b>7</b>	1082 = Game (Garcia y Vega)	12	0.035
<b>8</b>	1156 = Phillies	5	0.015
<b>9</b>	1239 = Zig Zag	5	0.015
<b>10</b>	1202 = Supre Sweets	2	0.006
<b>11</b>	1266 = RECODE: Good Times	2	0.006
<b>12</b>	1005 = Acid	1	0.003
<b>13</b>	1042 = Cheyenne	1	0.003
<b>14</b>	1064 = El Producto	1	0.003
<b>15</b>	1088 = Goodies	1	0.003
<b>16</b>	1150 = Optimo	1	0.003
<b>17</b>	1164 = Punch	1	0.003
<b>18</b>	1207 = Tampa Sweet	1	0.003
<b>19</b>	9995 = Some other brand	14	0.041
<b>20</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>21</b>	-1 = Inapplicable	33,501	99.051
<b>22</b>			
<b>23</b>	Total	33,822	100.000

Obs	R04_AJ1070TC_PRODUCT: Sub-brand of traditional cigar as a blunt product usually/last smoked	Unweighted Frequency	Percent of Total Frequency
1	11704 = Swisher Sweets Blunts	29	0.086
2	10512 = Dutch Masters Palma	21	0.062
3	11701 = Swisher Sweets Blunt XL Grape	15	0.044
4	11929 = White Owl Blunt White Grape	14	0.041
5	10213 = Backwoods Original	12	0.035
6	10511 = Dutch Masters Corona Vanilla	12	0.035
7	10211 = Backwoods Honey	11	0.033
8	10212 = Backwoods Honey Berry	10	0.030
9	10507 = Dutch Masters Corona Grape	9	0.027
10	10510 = Dutch Masters Corona Strawberry	8	0.024
11	10513 = Dutch Masters Palma Chocolate	8	0.024
12	10514 = Dutch Masters Palma Cognac	8	0.024
13	10646 = Garcia y Vega Blunts	8	0.024
14	11927 = White Owl Blunt Grape	8	0.024
15	10214 = Backwoods Sweet Aromatic	7	0.021
16	10210 = Backwoods Black 'n Sweet Aromatic	5	0.015
17	10243 = Black & Mild Classic	5	0.015
18	10244 = Black & Mild Sweets	5	0.015
19	11703 = Swisher Sweets Blunt XL Strawberry	5	0.015
20	10245 = Black & Mild Wine	4	0.012
21	All other coded responses	62	0.183
22	99995 = Some other product	28	0.083
23	99990 = No data (Brand text response up-coded)	9	0.027
24	-97777 = Missing due to data removed per respondent request	2	0.006
25	-8 = Don't know	2	0.006
26	-1 = Inapplicable	33,515	99.092
27			
28	Total	33,822	100.000

<b>Obs</b>	<b>R04_AJ1048CG_BRAND: Brand of cigarillos for blunts usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1204 = Swisher Sweets	393	1.162
<b>2</b>	1231 = White Owl	301	0.890
<b>3</b>	1019 = Backwoods	201	0.594
<b>4</b>	1024 = Black & Mild	114	0.337
<b>5</b>	1082 = Game (Garcia y Vega)	86	0.254
<b>6</b>	1061 = Dutch Masters	66	0.195
<b>7</b>	1239 = Zig Zag	66	0.195
<b>8</b>	1156 = Phillies	8	0.024
<b>9</b>	1150 = Optimo	6	0.018
<b>10</b>	1266 = RECODE: Good Times	5	0.015
<b>11</b>	1084 = Garcia y Vega	3	0.009
<b>12</b>	1088 = Goodies	3	0.009
<b>13</b>	1055 = Djarum	2	0.006
<b>14</b>	1005 = Acid	1	0.003
<b>15</b>	1042 = Cheyenne	1	0.003
<b>16</b>	1052 = Davidoff	1	0.003
<b>17</b>	1109 = King Edward	1	0.003
<b>18</b>	9995 = Some other brand	23	0.068
<b>19</b>	-8 = Don't know	5	0.015
<b>20</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>21</b>	-7 = Refused	1	0.003
<b>22</b>	-1 = Inapplicable	32,533	96.189
<b>23</b>			
<b>24</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AJ1070CG_PRODUCT: Sub-brand of cigarillos as a blunt product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	11943 = White Owl Cigarillos White Grape	134	0.396
<b>2</b>	10244 = Black & Mild Sweets	65	0.192
<b>3</b>	11707 = Swisher Sweets Cigarillos	65	0.192
<b>4</b>	10212 = Backwoods Honey Berry	62	0.183
<b>5</b>	10211 = Backwoods Honey	54	0.160
<b>6</b>	10213 = Backwoods Original	49	0.145
<b>7</b>	11939 = White Owl Cigarillos Grape	43	0.127
<b>8</b>	11704 = Swisher Sweets Blunts	42	0.124
<b>9</b>	11729 = Swisher Sweets White Grape Cigarillos	37	0.109
<b>10</b>	11941 = White Owl Cigarillos Peach	35	0.103
<b>11</b>	11723 = Swisher Sweets Strawberry Cigarillos	34	0.101
<b>12</b>	11711 = Swisher Sweets Grape 100s	30	0.089
<b>13</b>	10245 = Black & Mild Wine	25	0.074
<b>14</b>	11940 = White Owl Cigarillos Green Sweets	22	0.065
<b>15</b>	10243 = Black & Mild Classic	19	0.056
<b>16</b>	11938 = White Owl Cigarillos	19	0.056
<b>17</b>	11701 = Swisher Sweets Blunt XL Grape	18	0.053
<b>18</b>	11942 = White Owl Cigarillos Strawberry	16	0.047
<b>19</b>	10633 = Game Dutch Masters Grape	15	0.044
<b>20</b>	11699 = Swisher Sweets Blueberry Mini Cigarillos	15	0.044
<b>21</b>	All other coded responses	310	0.917
<b>22</b>	99995 = Some other product	110	0.325
<b>23</b>	99990 = No data (Brand text response up-coded)	27	0.080
<b>24</b>	-8 = Don't know	8	0.024
<b>25</b>	-7 = Refused	4	0.012
<b>26</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>27</b>	-1 = Inapplicable	32,562	96.275
<b>28</b>			
<b>29</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AJ1048FC_BRAND: Brand of filtered cigars for blunts usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1204 = Swisher Sweets	15	0.044
<b>2</b>	1024 = Black & Mild	14	0.041
<b>3</b>	1082 = Game (Garcia y Vega)	3	0.009
<b>4</b>	1239 = Zig Zag	2	0.006
<b>5</b>	1019 = Backwoods	1	0.003
<b>6</b>	1042 = Cheyenne	1	0.003
<b>7</b>	1055 = Djarum	1	0.003
<b>8</b>	1062 = Dutch Treat	1	0.003
<b>9</b>	1156 = Phillies	1	0.003
<b>10</b>	1234 = Winchester	1	0.003
<b>11</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>12</b>	-1 = Inapplicable	33,780	99.876
<b>13</b>			
<b>14</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AJ1070FC_PRODUCT: Sub-brand of filtered cigar as a blunt product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10244 = Black & Mild Sweets	9	0.027
<b>2</b>	11711 = Swisher Sweets Grape 100s	7	0.021
<b>3</b>	10243 = Black & Mild Classic	3	0.009
<b>4</b>	11722 = Swisher Sweets Strawberry 100s	2	0.006
<b>5</b>	10245 = Black & Mild Wine	1	0.003
<b>6</b>	10367 = Cheyenne Grape 100s	1	0.003
<b>7</b>	11714 = Swisher Sweets Menthol 100s	1	0.003
<b>8</b>	12008 = Djarum Spice Islands Kretek Cigarillos	1	0.003
<b>9</b>	12111 = RECODE: Swisher Sweets Wild Rush	1	0.003
<b>10</b>	99995 = Some other product	7	0.021
<b>11</b>	99990 = No data (Brand text response up-coded)	5	0.015
<b>12</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>13</b>	-8 = Don't know	2	0.006
<b>14</b>	-1 = Inapplicable	33,780	99.876
<b>15</b>			
<b>16</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AG1048TC_BRAND: Brand of traditional cigars usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1024 = Black & Mild	237	0.701
<b>2</b>	1047 = Cohiba	97	0.287
<b>3</b>	1204 = Swisher Sweets	96	0.284
<b>4</b>	1017 = Arturo Fuente	77	0.228
<b>5</b>	1061 = Dutch Masters	56	0.166
<b>6</b>	1174 = Romeo y Julieta	52	0.154
<b>7</b>	1005 = Acid	50	0.148
<b>8</b>	1019 = Backwoods	49	0.145
<b>9</b>	1231 = White Owl	38	0.112
<b>10</b>	1136 = Montecristo	37	0.109
<b>11</b>	1084 = Garcia y Vega	29	0.086
<b>12</b>	1124 = Macanudo	27	0.080
<b>13</b>	1156 = Phillies	18	0.053
<b>14</b>	1042 = Cheyenne	16	0.047
<b>15</b>	1052 = Davidoff	15	0.044
<b>16</b>	1018 = Ashton	13	0.038
<b>17</b>	1164 = Punch	13	0.038
<b>18</b>	1274 = RECODE: Rocky Patel	11	0.033
<b>19</b>	1096 = Hav-A-Tampa	8	0.024
<b>20</b>	1035 = CAO	7	0.021
<b>21</b>	All other coded responses	78	0.231
<b>22</b>	9995 = Some other brand	108	0.319
<b>23</b>	-8 = Don't know	17	0.050
<b>24</b>	-7 = Refused	4	0.012
<b>25</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>26</b>	-1 = Inapplicable	32,667	96.585
<b>27</b>			
<b>28</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10243 = Black & Mild Classic	88	0.260
<b>2</b>	10245 = Black & Mild Wine	81	0.239
<b>3</b>	10244 = Black & Mild Sweets	38	0.112
<b>4</b>	10398 = Cohiba Cohiba	32	0.095
<b>5</b>	10399 = Cohiba Puro Dominicana	29	0.086
<b>6</b>	11704 = Swisher Sweets Blunts	25	0.074
<b>7</b>	10040 = Acid Blondie	21	0.062
<b>8</b>	10202 = Arturo Fuente Hemingway	21	0.062
<b>9</b>	10047 = Acid Kuba Kuba	18	0.053
<b>10</b>	10212 = Backwoods Honey Berry	16	0.047
<b>11</b>	11701 = Swisher Sweets Blunt XL Grape	15	0.044
<b>12</b>	11129 = Montecristo Classic	14	0.041
<b>13</b>	12115 = RECODE: Black & Mild Jazz	14	0.041
<b>14</b>	10397 = Cohiba Black	13	0.038
<b>15</b>	10646 = Garcia y Vega Blunts	12	0.035
<b>16</b>	11391 = Romeo y Julieta 1875	12	0.035
<b>17</b>	11708 = Swisher Sweets Filter Tip	12	0.035
<b>18</b>	10214 = Backwoods Sweet Aromatic	11	0.033
<b>19</b>	10201 = Arturo Fuente Gran Reserva	9	0.027
<b>20</b>	10210 = Backwoods Black 'n Sweet Aromatic	9	0.027
<b>21</b>	All other coded responses	341	1.008
<b>22</b>	99995 = Some other product	110	0.325
<b>23</b>	99990 = No data (Brand text response up-coded)	61	0.180
<b>24</b>	-8 = Don't know	19	0.056
<b>25</b>	-7 = Refused	3	0.009
<b>26</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>27</b>	-1 = Inapplicable	32,796	96.966
<b>28</b>		Total	33,822
<b>29</b>			100.000

Obs	R04_AG1048CG_BRAND: Brand of cigarillos usually/last smoked	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	1024 = Black & Mild	1,103	3.261
<b>2</b>	1204 = Swisher Sweets	341	1.008
<b>3</b>	1231 = White Owl	120	0.355
<b>4</b>	1019 = Backwoods	114	0.337
<b>5</b>	1042 = Cheyenne	42	0.124
<b>6</b>	1061 = Dutch Masters	38	0.112
<b>7</b>	1082 = Game (Garcia y Vega)	29	0.086
<b>8</b>	1009 = Al Capone	28	0.083
<b>9</b>	1055 = Djarum	26	0.077
<b>10</b>	1239 = Zig Zag	22	0.065
<b>11</b>	1047 = Cohiba	8	0.024
<b>12</b>	1242 = Prime Time	8	0.024
<b>13</b>	1156 = Phillies	7	0.021
<b>14</b>	1052 = Davidoff	5	0.015
<b>15</b>	1150 = Optimo	5	0.015
<b>16</b>	1005 = Acid	4	0.012
<b>17</b>	1025 = BlackStone	3	0.009
<b>18</b>	1026 = BLK	3	0.009
<b>19</b>	1002 = 305's	2	0.006
<b>20</b>	1045 = Clipper	2	0.006
<b>21</b>	All other coded responses	32	0.095
<b>22</b>	9995 = Some other brand	38	0.112
<b>23</b>	-8 = Don't know	5	0.015
<b>24</b>	-7 = Refused	5	0.015
<b>25</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>26</b>	-1 = Inapplicable	31,830	94.110
<b>27</b>			
<b>28</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AG1070CG_PRODUCT: Sub-brand of cigarillo product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10245 = Black & Mild Wine	425	1.257
<b>2</b>	10243 = Black & Mild Classic	365	1.079
<b>3</b>	10244 = Black & Mild Sweets	179	0.529
<b>4</b>	12115 = RECODE: Black & Mild Jazz	76	0.225
<b>5</b>	11707 = Swisher Sweets Cigarillos	74	0.219
<b>6</b>	11943 = White Owl Cigarillos White Grape	37	0.109
<b>7</b>	10212 = Backwoods Honey Berry	30	0.089
<b>8</b>	11704 = Swisher Sweets Blunts	28	0.083
<b>9</b>	10211 = Backwoods Honey	27	0.080
<b>10</b>	10213 = Backwoods Original	26	0.077
<b>11</b>	11711 = Swisher Sweets Grape 100s	26	0.077
<b>12</b>	11941 = White Owl Cigarillos Peach	22	0.065
<b>13</b>	11699 = Swisher Sweets Blueberry Mini Cigarillos	20	0.059
<b>14</b>	11938 = White Owl Cigarillos	19	0.056
<b>15</b>	12114 = RECODE: Black & Mild Casino	19	0.056
<b>16</b>	11939 = White Owl Cigarillos Grape	16	0.047
<b>17</b>	10214 = Backwoods Sweet Aromatic	14	0.041
<b>18</b>	11712 = Swisher Sweets Grape Mini Cigarillos	14	0.041
<b>19</b>	11716 = Swisher Sweets Mini Cigarillos	14	0.041
<b>20</b>	10361 = Cheyenne Classic 100s	13	0.038
<b>21</b>	All other coded responses	336	0.993
<b>22</b>	99995 = Some other product	94	0.278
<b>23</b>	99990 = No data (Brand text response up-coded)	57	0.169
<b>24</b>	-8 = Don't know	7	0.021
<b>25</b>	-7 = Refused	4	0.012
<b>26</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>27</b>	-1 = Inapplicable	31,878	94.252
<b>28</b>		Total	33,822
<b>29</b>			100.000

<b>Obs</b>	<b>R04_AG1048FC_BRAND: Brand of filtered cigars usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1024 = Black & Mild	327	0.967
<b>2</b>	1042 = Cheyenne	110	0.325
<b>3</b>	1204 = Swisher Sweets	93	0.275
<b>4</b>	1055 = Djarum	56	0.166
<b>5</b>	1002 = 305's	44	0.130
<b>6</b>	1242 = Prime Time	36	0.106
<b>7</b>	1156 = Phillies	32	0.095
<b>8</b>	1009 = Al Capone	25	0.074
<b>9</b>	1045 = Clipper	14	0.041
<b>10</b>	1234 = Winchester	11	0.033
<b>11</b>	1293 = RECODE: Talon	11	0.033
<b>12</b>	1058 = Double Diamond	9	0.027
<b>13</b>	1276 = RECODE: Smoker's Choice	9	0.027
<b>14</b>	1182 = Santa Fe	8	0.024
<b>15</b>	1051 = Criss Cross	7	0.021
<b>16</b>	1096 = Hav-A-Tampa	7	0.021
<b>17</b>	1184 = Seneca	6	0.018
<b>18</b>	1001 = 1839	5	0.015
<b>19</b>	1037 = Captain Black	4	0.012
<b>20</b>	1062 = Dutch Treat	4	0.012
<b>21</b>	All other coded responses	27	0.080
<b>22</b>	9995 = Some other brand	68	0.201
<b>23</b>	-8 = Don't know	4	0.012
<b>24</b>	-7 = Refused	3	0.009
<b>25</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>26</b>	-1 = Inapplicable	32,900	97.274
<b>27</b>			
<b>28</b>	Total	33,822	100.000

Obs	R04_AG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	10243 = Black & Mild Classic	138	0.408
<b>2</b>	10245 = Black & Mild Wine	107	0.316
<b>3</b>	10244 = Black & Mild Sweets	59	0.174
<b>4</b>	10361 = Cheyenne Classic 100s	25	0.074
<b>5</b>	11711 = Swisher Sweets Grape 100s	24	0.071
<b>6</b>	11721 = Swisher Sweets Regular 100s	23	0.068
<b>7</b>	10448 = Djarum Black	21	0.062
<b>8</b>	10369 = Cheyenne Menthol 100s	17	0.050
<b>9</b>	10023 = 305's Full Flavor non-menthol 100s	15	0.044
<b>10</b>	10129 = Al Capone Sweets Filter	15	0.044
<b>11</b>	11326 = Phillies Natural Filter-Tipped 100s	15	0.044
<b>12</b>	11725 = Swisher Sweets Sweet Cherry 100s	14	0.041
<b>13</b>	10375 = Cheyenne Wild Cherry 100s	13	0.038
<b>14</b>	11329 = Phillies Sweet Filter-Tipped 100s	12	0.035
<b>15</b>	10022 = 305's Full Flavor non-menthol kings	11	0.033
<b>16</b>	10364 = Cheyenne Full Flavor 100s	10	0.030
<b>17</b>	10367 = Cheyenne Grape 100s	10	0.030
<b>18</b>	12030 = Prime Time Little Cigar Grape	10	0.030
<b>19</b>	10374 = Cheyenne Vanilla 100s	9	0.027
<b>20</b>	10028 = 305's Full Flavor menthol 100s	8	0.024
<b>21</b>	All other coded responses	171	0.506
<b>22</b>	99995 = Some other product	50	0.148
<b>23</b>	99990 = No data (Brand text response up-coded)	67	0.198
<b>24</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>25</b>	-8 = Don't know	1	0.003
<b>26</b>	-1 = Inapplicable	32,975	97.496
<b>27</b>			
<b>28</b>	Total	33,822	100.000

Obs	R04_AP1048_BRAND: Brand of pipe tobacco usually/last smoked	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	1037 = Captain Black	28	0.083
<b>2</b>	1061 = Dutch Masters	9	0.027
<b>3</b>	1081 = Gambler	8	0.024
<b>4</b>	1161 = Prince Albert	7	0.021
<b>5</b>	1192 = Smoker's Pride	6	0.018
<b>6</b>	1003 = 4 Aces	5	0.015
<b>7</b>	1012 = American Spirit	5	0.015
<b>8</b>	1029 = Borkum Riff	5	0.015
<b>9</b>	1060 = Dunhill	5	0.015
<b>10</b>	1030 = Bugler	4	0.012
<b>11</b>	1087 = Golden Harvest	4	0.012
<b>12</b>	1043 = China Black	3	0.009
<b>13</b>	1107 = Kentucky Select	3	0.009
<b>14</b>	1157 = PIIYPASI	3	0.009
<b>15</b>	1281 = RECODE: American Club	3	0.009
<b>16</b>	1051 = Criss Cross	2	0.006
<b>17</b>	1094 = Half & Half	2	0.006
<b>18</b>	1118 = Largo	2	0.006
<b>19</b>	1130 = Middleton's	2	0.006
<b>20</b>	1189 = Sir Walter Raleigh	2	0.006
<b>21</b>	All other coded responses	27	0.080
<b>22</b>	9995 = Some other brand	45	0.133
<b>23</b>	-7 = Refused	3	0.009
<b>24</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>25</b>	-8 = Don't know	2	0.006
<b>26</b>	-1 = Inapplicable	33,635	99.447
<b>27</b>			
<b>28</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AP1070_PRODUCT: Sub-brand of pipe tobacco usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10330 = Captain Black Cherry	11	0.033
<b>2</b>	10336 = Captain Black Regular	6	0.018
<b>3</b>	10337 = Captain Black Royal	6	0.018
<b>4</b>	10494 = Dutch Masters Cavendish	5	0.015
<b>5</b>	10625 = Gambler Full Flavor	5	0.015
<b>6</b>	11350 = Prince Albert Regular	5	0.015
<b>7</b>	10333 = Captain Black Gold	4	0.012
<b>8</b>	10032 = 4 Aces Full Flavor	3	0.009
<b>9</b>	11534 = Smoker's Pride Cherry Cavendish	3	0.009
<b>10</b>	10257 = Borkum Riff Whiskey Pipe	2	0.006
<b>11</b>	10388 = China Black Black Whiskey	2	0.006
<b>12</b>	10416 = Criss Cross Original	2	0.006
<b>13</b>	10495 = Dutch Masters Cherry Cavendish	2	0.006
<b>14</b>	10627 = Gambler Mellow	2	0.006
<b>15</b>	10728 = Half & Half Pipe Tobacco	2	0.006
<b>16</b>	10952 = Largo Regular	2	0.006
<b>17</b>	11332 = PIIYPASI Desperado Gold	2	0.006
<b>18</b>	11512 = Sir Walter Raleigh Pipe Tobacco	2	0.006
<b>19</b>	11539 = Smoker's Pride Vanilla Cavendish	2	0.006
<b>20</b>	11698 = Sutliff Private Stock Bulk Tobacco	2	0.006
<b>21</b>	All other coded responses	29	0.086
<b>22</b>	99995 = Some other product	9	0.027
<b>23</b>	99990 = No data (Brand text response up-coded)	27	0.080
<b>24</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>25</b>	-1 = Inapplicable	33,685	99.595
<b>26</b>			
<b>27</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AH1048_BRAND: Brand of shisha or hookah tobacco usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1198 = Starbuzz	98	0.290
<b>2</b>	1253 = Al Fakher	60	0.177
<b>3</b>	1073 = Fantasia	43	0.127
<b>4</b>	1080 = Fumari	18	0.053
<b>5</b>	1098 = HookahFina	15	0.044
<b>6</b>	1095 = Havana	14	0.041
<b>7</b>	1007 = Al Amir	13	0.038
<b>8</b>	1100 = Hydro Herbal	10	0.030
<b>9</b>	1195 = Social Smoke	7	0.021
<b>10</b>	1141 = Nakhla	6	0.018
<b>11</b>	1208 = Tangiers	6	0.018
<b>12</b>	1101 = Inhale	5	0.015
<b>13</b>	1119 = Layalina	4	0.012
<b>14</b>	1008 = Al Amir Exotic	3	0.009
<b>15</b>	1010 = Al Tawareg	2	0.006
<b>16</b>	1175 = Romman	2	0.006
<b>17</b>	1214 = Tonic	2	0.006
<b>18</b>	1144 = Newport	1	0.003
<b>19</b>	9995 = Some other brand	14	0.041
<b>20</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>21</b>	-8 = Don't know	1	0.003
<b>22</b>	-7 = Refused	1	0.003
<b>23</b>	-1 = Inapplicable	33,495	99.033
<b>24</b>			
<b>25</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AH1070_PRODUCT: Sub-brand of hookah tobacco usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	11619 = Starbuzz Blue Mist	19	0.056
<b>2</b>	12081 = Al Fakher Mint	17	0.050
<b>3</b>	11645 = Starbuzz Kiwi Strawberry	8	0.024
<b>4</b>	12060 = Al Fakher Apple	8	0.024
<b>5</b>	11635 = Starbuzz Code 69	7	0.021
<b>6</b>	11631 = Starbuzz Citrus Mint	6	0.018
<b>7</b>	10541 = Fantasia 4 Play	5	0.015
<b>8</b>	11620 = Starbuzz Blueberry	5	0.015
<b>9</b>	11637 = Starbuzz Double Apple	5	0.015
<b>10</b>	12093 = Al Fakher Lemon With Mint	5	0.015
<b>11</b>	12069 = Al Fakher Peach	4	0.012
<b>12</b>	10543 = Fantasia Adios M@#%+&!	3	0.009
<b>13</b>	10557 = Fantasia Dragon's Breath	3	0.009
<b>14</b>	10570 = Fantasia Peach Fuzzy Navel	3	0.009
<b>15</b>	10614 = Fumari Ambrosia	3	0.009
<b>16</b>	10734 = Havana Cherry	3	0.009
<b>17</b>	10742 = Havana Kiwi Strawberry	3	0.009
<b>18</b>	11557 = Social Smoke Double Apple	3	0.009
<b>19</b>	11628 = Starbuzz Cherry	3	0.009
<b>20</b>	11632 = Starbuzz Citrus Mist	3	0.009
<b>21</b>	All other coded responses	171	0.506
<b>22</b>	99995 = Some other product	16	0.047
<b>23</b>	99990 = No data (Brand text response up-coded)	3	0.009
<b>24</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>25</b>	-8 = Don't know	2	0.006
<b>26</b>	-7 = Refused	1	0.003
<b>27</b>	-1 = Inapplicable	33,511	99.080
<b>28</b>		Total	33,822
<b>29</b>			100.000

Obs	R04_AU1048_BRAND: Brand of snus usually/last used	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	1033 = Camel	203	0.600
<b>2</b>	1190 = Skoal	106	0.313
<b>3</b>	1049 = Copenhagen	48	0.142
<b>4</b>	1092 = Grizzly	45	0.133
<b>5</b>	1125 = Marlboro	15	0.044
<b>6</b>	1085 = General	13	0.038
<b>7</b>	1121 = Longhorn	2	0.006
<b>8</b>	1257 = Stoker's	2	0.006
<b>9</b>	1171 = Red Seal	1	0.003
<b>10</b>	1212 = Timber Wolf	1	0.003
<b>11</b>	1240 = Beechnut	1	0.003
<b>12</b>	9995 = Some other brand	13	0.038
<b>13</b>	-8 = Don't know	6	0.018
<b>14</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>15</b>	-1 = Inapplicable	33,364	98.646
<b>16</b>			
<b>17</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AU1070_PRODUCT: Sub-brand of snus product usually/last used</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10289 = Camel Snus Frost	123	0.364
<b>2</b>	11977 = Skoal snus Mint	50	0.148
<b>3</b>	11523 = Skoal Smooth Mint	30	0.089
<b>4</b>	10291 = Camel Snus Mint	28	0.083
<b>5</b>	10293 = Camel Snus Winterchill	25	0.074
<b>6</b>	10290 = Camel Snus Mellow	16	0.047
<b>7</b>	10292 = Camel Snus Robust	9	0.027
<b>8</b>	10662 = General Mint	7	0.021
<b>9</b>	11528 = Skoal Wintergreen	4	0.012
<b>10</b>	11050 = Marlboro Snus Mint (Tin)	3	0.009
<b>11</b>	11993 = Marlboro Snus Cool Mint Box	3	0.009
<b>12</b>	11994 = Marlboro Snus Smooth Mint Box	3	0.009
<b>13</b>	10665 = General Original	2	0.006
<b>14</b>	11051 = Marlboro Snus Original (Tin)	2	0.006
<b>15</b>	11053 = Marlboro Snus Rich	2	0.006
<b>16</b>	11513 = Skoal Apple	2	0.006
<b>17</b>	11521 = Skoal Peach	2	0.006
<b>18</b>	10405 = Copenhagen Long Cut Straight	1	0.003
<b>19</b>	10408 = Copenhagen Pouches	1	0.003
<b>20</b>	10656 = General Classic Blend	1	0.003
<b>21</b>	All other coded responses	7	0.021
<b>22</b>	99995 = Some other product	26	0.077
<b>23</b>	99990 = No data (Brand text response up-coded)	88	0.260
<b>24</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>25</b>	-7 = Refused	2	0.006
<b>26</b>	-1 = Inapplicable	33,383	98.702
<b>27</b>			
<b>28</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AS1048_BRAND: Brand of smokeless tobacco usually/last used</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1049 = Copenhagen	616	1.821
<b>2</b>	1092 = Grizzly	501	1.481
<b>3</b>	1190 = Skoal	173	0.512
<b>4</b>	1170 = Red Man	47	0.139
<b>5</b>	1112 = Kodiak	42	0.124
<b>6</b>	1171 = Red Seal	42	0.124
<b>7</b>	1121 = Longhorn	35	0.103
<b>8</b>	1241 = Levi Garrett	30	0.089
<b>9</b>	1104 = Kayak	29	0.086
<b>10</b>	1240 = Beechnut	20	0.059
<b>11</b>	1257 = Stoker's	18	0.053
<b>12</b>	1212 = Timber Wolf	14	0.041
<b>13</b>	1099 = Husky	10	0.030
<b>14</b>	1097 = Hawken	6	0.018
<b>15</b>	1294 = RECODE: Trophy	3	0.009
<b>16</b>	1033 = Camel	2	0.006
<b>17</b>	1291 = RECODE: Ralph	2	0.006
<b>18</b>	1045 = Clipper	1	0.003
<b>19</b>	1048 = Cooper	1	0.003
<b>20</b>	1187 = Silver Creek	1	0.003
<b>21</b>	9995 = Some other brand	35	0.103
<b>22</b>	-7 = Refused	4	0.012
<b>23</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>24</b>	-8 = Don't know	1	0.003
<b>25</b>	-1 = Inapplicable	32,187	95.166
<b>26</b>			
<b>27</b>	Total	33,822	100.000

<b>Obs</b>	<b>R04_AS1070_PRODUCT: Sub-brand of smokeless tobacco product usually/last used</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10719 = Grizzly Long Cut Wintergreen	275	0.813
<b>2</b>	10407 = Copenhagen Long Cut Wintergreen	180	0.532
<b>3</b>	10403 = Copenhagen Long Cut	126	0.373
<b>4</b>	10409 = Copenhagen Snuff	84	0.248
<b>5</b>	10405 = Copenhagen Long Cut Straight	60	0.177
<b>6</b>	10715 = Grizzly Long Cut	47	0.139
<b>7</b>	10724 = Grizzly Wintergreen Pouches	45	0.133
<b>8</b>	10716 = Grizzly Long Cut Mint	37	0.109
<b>9</b>	10408 = Copenhagen Pouches	34	0.101
<b>10</b>	10918 = Kodiak Wintergreen	33	0.098
<b>11</b>	11979 = Levi Garrett Loose Leaf Chewing Tobacco	29	0.086
<b>12</b>	10402 = Copenhagen Extra Long Cut Natural	27	0.080
<b>13</b>	11518 = Skoal Mint	26	0.077
<b>14</b>	10713 = Grizzly Fine Cut Premium Natural	24	0.071
<b>15</b>	12117 = RECODE: Copenhagen Long Cut Mint	24	0.071
<b>16</b>	11526 = Skoal Straight	23	0.068
<b>17</b>	10410 = Copenhagen Wintergreen Pouches	22	0.065
<b>18</b>	11388 = Red Seal Wintergreen	21	0.062
<b>19</b>	11985 = Red Man Chewing Tobacco	20	0.059
<b>20</b>	10710 = Grizzly 1900 Long Cut	19	0.056
<b>21</b>	All other coded responses	358	1.058
<b>22</b>	99995 = Some other product	59	0.174
<b>23</b>	99990 = No data (Brand text response up-coded)	14	0.041
<b>24</b>	-8 = Don't know	5	0.015
<b>25</b>	-97777 = Missing due to data removed per respondent request	2	0.006
<b>26</b>	-7 = Refused	1	0.003
<b>27</b>	-1 = Inapplicable	32,227	95.284
<b>28</b>		Total	33,822
<b>29</b>			100.000