

ICPSR 36498

## **Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files**

*United States Department of Health and  
Human Services. National Institutes of  
Health. National Institute on Drug Abuse*

*United States Department of Health and  
Human Services. Food and Drug  
Administration. Center for Tobacco  
Products*

ICPSR Codebook for Wave 5: Adult  
Questionnaire Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## **Terms of Use**

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/web/ICPSR/studies/36498/terms>

## **Information about Copyrighted Content**

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE  
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

**NOTE**

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at [nahdap@icpsr.umich.edu](mailto:nahdap@icpsr.umich.edu). Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

# **CODEBOOK DISPLAY NOTES**

## **PATH STUDY**

### **ADULT QUESTIONNAIRE DATA**

#### **ICPSR #36498-5001**

1. ICPSR customized the display of the variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some numeric variables show summary statistics (arithmetic mean, mode, median, minimum, maximum, and standard deviation) instead of a frequency table. The median and mode may not display in the summary statistics if a variable has a very large number of distinct categories or values. These numeric variables do not have value labels for valid data. The third type of variable display does not show either a frequency table or summary statistics. These variables usually fall into one of three categories:
  - A. Character (String) variables: Free text responses have been omitted when there are more than 10 to 15 unique responses.
  - B. Lengthy Categorical variables: Variables with more than 25 valid value labels such as variables that end in “\_BRAND” and “\_PRODUCT”.
  - C. Identification variables: Variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.

Unless a variable falls into the above categories of A or C, a missing values table will be present if the valid cases have been presented in a frequency table, display summary statistics, or have been suppressed.
2. A variable with the same PATH ID (see description in the Public-Use Files User Guide) can display differently over time as a frequency table, summary statistics, or neither of these in the codebook depending on the range of valid values or the number of valid values or the number of valid cases present for that variable for that wave.
3. Frequencies or summary statistics are not displayed for the valid cases for variables ending in “\_C” that ask about “cents” for the cost of a product, or “\_IN” that ask about “inches” for a person’s height. These variables are paired with a preceding variable ending in “\_D” (dollars) and “\_FT” (feet), respectively. Summary statistics or a frequency table may be displayed for that preceding “\_D” or “\_FT” variable. Both variables in the

pair should be used together to accurately estimate the cost of a product or a person's height.

4. Some variables contain lengthy universal lists of values for a particular type of question or section. Examples of this are the “\_BRAND” and “\_PRODUCT” variables that are in each tobacco type section. Not all of the values listed in the data file apply to that type of tobacco. Frequency tables for these variables have been suppressed in the codebooks.
5. As noted above, the frequency tables of the “\_BRAND” and “\_PRODUCT” variables have been suppressed in the main section of the codebook. However, the top 20 most frequent responses are provided for each variable, with all other coded responses grouped into a separate category. These condensed frequency tables appear in the appendix of this codebook.
6. Variables ending in “\_NN” do not have frequencies or summary statistics displayed for valid cases because the valid values correspond to different units. The “\_NN” variables are paired with variables ending in “\_UN” that specify the units used in the “\_NN” responses. For example, see variables R05\_AC1009\_NN and R05\_AC1009\_UN.
7. The questionnaire contains numerous boxes of information that precede certain sections or individual variables. When utilizing this codebook, users should refer to the questionnaire and pay special attention to the content of these boxes. Using the questionnaire side by side with the codebook when reviewing the content will help in understanding the information in the data file. The question text of the first variable directly after one of these “boxes” contains the text from the box or a reference to that box. Boxes containing descriptive text are repeated. Boxes containing programming information for system routing variables are referenced. The text or reference following that information for the first variable also applies to the remaining variables in that questionnaire section.
8. In multiple sections of the interview, the order of a series of questions is automatically randomized for the respondent. Information about the order of randomization is included in the variables containing “\_RANDOM\_” in the variable name. Cases coded as “-1” indicate that the question was not applicable to the respondent and was skipped during the interview.

9. Users should consult Table 1 and Table 2 in the front of the questionnaire for specific variables that have been removed entirely from or revised in this public-use version of the data.
10. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%.
11. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes how many valid cases for a variable were used for the calculation of percents for the frequency tables and in the calculations of summary statistics for continuous variables. Users can also quickly understand the amount of missing data for a particular variable. All percents and summary statistics are unweighted.
12. Data may be missing for a multitude of reasons. The codebook contains a statement as the last piece of information in the display of a variable that lists all user-defined missing values assigned to that variable. Most variables will contain four user-defined missing values. For these variables, the codebook will display, “*(Range of) Missing Values: -9 , -8, -7, -1*”. Some variables may contain additional negative numbers assigned as missing values. The *(Range of . . .)* statement will not display for any variable where missing values are not assigned, such as CASEID, PERSONID, and weight variables.
13. Users should consult Section 6.7 of the Public-Use Files User Guide for further information about Missing Values. As with numeric variables, character (string) variables contain numerical values to signify why a case is missing but these values are not labeled. All missing values still correspond to the descriptions listed in the following table.

## PATH Study Missing Value Codes and Their Descriptions

Value	Definition	Applicable data types		Applicable variable types	Description
		Numeric,	Character		
-1	Inapplicable	Numeric, Character	Interview	Interview	This value is coded to identify items that were validly skipped on a route specific to a respondent.
-5	Improbable response removed	Numeric	Interview	Interview	This value is coded to represent improbable numeric answers provided by respondents.
-6	Unassigned PERSONID	Character	Interview	Interview	This value is coded when a new person is added as a spouse or other guardian in parent interviews for Wave 2 and beyond.
-7	Refused	Numeric, Character	Interview	Interview	This value is coded when respondents answered a question as "Refused."
-8	Don't know	Numeric, Character	Interview	Interview	This value is coded when respondents answered a question as "Don't know."
-9	Missing – Not ascertained	Numeric, Character	Interview	Interview	This value is coded when data were supposed to be collected on a route specific to a respondent but the collection did not occur due to a skip error in the instrument.
-99933	Missing due to respondent not being in previous wave	Numeric, Character	Derived	Derived	This value is coded when a value in a derived variable is missing because a respondent did not participate in an interview in the previous wave.
-99999	Missing due to data not ascertained on one or more component variables	Numeric, Character	Derived	Derived	This value is coded when a value in a derived variable is missing because data were "Not ascertained" (as described above) in one or more component variables.
-99988	Missing due to a don't know response on one or more component variables	Numeric, Character	Derived	Derived	This value is coded when a value in a derived variable is missing due to a "Don't know" response in one or more component variables and none of those variables were "Not ascertained" (as described above).
-99977	Missing due to a refused response on one or more component variables	Numeric, Character	Derived	Derived	This value is coded when a value in a derived variable is missing due to a "Refused" response in one or more component variables and none of those variables were missing due to a "Don't know" response or because they were "Not ascertained" (as described above).
-99955	Missing due to an improbable response on one or more component variables	Numeric	Derived	Derived	This value is coded when a value in a derived variable is missing due to an improbable response in one or more component variables and none of those variables were missing due to "Don't know" or "Refused" responses or because they were "Not ascertained" (as described above).

Value	Definition	Applicable data types		Description
		Applicable variable types		
-99966	Missing due to missing data on a prior wave for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because of missing data in one or more component variables from any previous wave and none of those variables were missing due to "Don't know" or "Refused" responses, because they were "Not ascertained," or because of an improbable response (as described above).
-99911	Missing due to an instrument skip pattern for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to items that are not applicable/validly skipped for a respondent in one or more component variables and none of those variables were missing due to the other reasons listed above.
-97777	Missing due to data removed per respondent request	Numeric, Character	Interview, Derived	This value is coded when respondents request data removal.

# **ICPSR 36498**

## **Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files**

### **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Wave 5: Adult Questionnaire Data

## CASEID: Case Identification Number

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1-5 (width: 5; decimal: 0)

*Variable Type:* numeric

## PERSONID: Participant ID

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6-15 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_ADULTTYPE: Wave 5 adult type classification

Wave 5 adult type classification

Long Description: Flag to indicate whether respondent is a continuing adult or a new baseline (aged-up) adult.

Value	Label	Unweighted Frequency	%
1	1 = Continuing adult	29875	87.1 %
2	2 = Aged-up adult	4433	12.9 %
	<b>Total</b>	<b>34,308</b>	<b>100.0%</b>

This variable has 34,308 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>1</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 16-21 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777

## R05R\_A\_AGECAT6: DERIVED - Wave 5 Adult Age - 6 Categories

Long Description: Wave 5 adult respondents who are between the ages of 18 and 24, 25 and 34, 35 and 44, 45 and 54, 55 and 64, or 65 and older.

Algorithm: [STEP 1: Create R05R\_A\_AGE]IF (R05\_AM0001 != .) THEN  
R05R\_A\_AGE = R05\_AdultInterviewDT (Adult Wave 5 Interview Date) -  
R05\_AM0001; ELSE IF (R05\_AM0002 != -1) THEN R05R\_A\_AGE = R05\_AM0002; ELSE  
IF (R05\_ADULTTYPE = 1 AND R03\_AM0001 != .) THEN R05R\_A\_AGE =  
R05\_AdultInterviewDT - R04\_AM0001 (Wave 4 Adult Corrected Date of Birth);  
ELSE IF (R05\_ADULTTYPE = 1 AND R03\_AM0001 != .) THEN R05R\_A\_AGE =  
R05\_AdultInterviewDT - R03\_AM0001 (Wave 3 Adult Corrected Date of Birth);

```

ELSE IF (R05_ADULTTYPE = 1 AND R02_AM0001 != .) THEN R05R_A_AGE =
R05_AdultInterviewDT - R02_AM0001 (Wave 2 Adult Corrected Date of Birth);
ELSE IF (R05_ADULTTYPE = 1 AND R01_AM0001 != .) THEN R05R_A_AGE =
R05_AdultInterviewDT - R01_AM0001 (Wave 1 Adult Date of Birth); ELSE IF
(R05_ADULTTYPE = 2 AND R04_CPT06 (Wave 4 Youth Corrected Date of
Birth) != . THEN R05R_A_AGE = R05_AdultInterviewDT - R04_CPT06; ELSE IF
(R05_ADULTTYPE = 2 AND R03_CPT06 (Wave 3 Youth Corrected Date of
Birth) != . THEN R05R_A_AGE = R05_AdultInterviewDT - R03_CPT06; ELSE IF
(R05_ADULTTYPE = 2 AND R02_CPT06 (Wave 2 Youth Corrected Date of
Birth) != . THEN R05R_A_AGE = R05_AdultInterviewDT - R02_CPT06; ELSE IF
(R05_ADULTTYPE = 2 AND R01_CPT07 (Wave 1 Youth Date of
Birth) != . THEN R05R_A_AGE = R05_AdultInterviewDT - R01_CPT07;
[STEP 2: Create R05R_A_AGECAT6]IF (18 <= R05R_A_AGE <= 24) THEN
R05R_A_AGECAT6 = 1; ELSE IF (25 <= R05R_A_AGE <= 34) THEN
R05R_A_AGECAT6 = 2; ELSE IF (35 <= R05R_A_AGE <= 44) THEN
R05R_A_AGECAT6 = 3; ELSE IF (45 <= R05R_A_AGE <= 54) THEN
R05R_A_AGECAT6 = 4; ELSE IF (55 <= R05R_A_AGE <= 64) THEN
R05R_A_AGECAT6 = 5; ELSE IF (65 <= R05R_A_AGE ) THEN R05R_A_AGECAT6 = 6;
ELSE IF (R05_AM0003 = -9 OR R05_AM0002 = -9 OR R05_AM0001 = -9) THEN
R05R_A_AGECAT6 = -99999; ELSE IF (R05_AM0003 = -8 OR R05_AM0002 = -8 OR
R05_AM0001 = -8) THEN R05R_A_AGECAT6 = -99988; ELSE IF (R05_AM0003 = -7
OR R05_AM0002 = -7 OR R05_AM0001 = -7) THEN R05R_A_AGECAT6 = -99977;

```

Value	Label	Unweighted Frequency	%
1	1 = 18 to 24 years old	11926	34.8 %
2	2 = 25 to 34 years old	7394	21.6 %
3	3 = 35 to 44 years old	4348	12.7 %
4	4 = 45 to 54 years old	3704	10.8 %
5	5 = 55 to 64 years old	3711	10.8 %
6	6 = 65 or more years old	3225	9.4 %
<b>Total</b>		<b>34,308</b>	<b>100.0%</b>

This variable has 34,308 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>1</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13058-13063 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -97777

---

## R05R\_A\_AT0047: DERIVED - Recoded marital status (3 levels)

Long Description: What is your marital status?

Algorithm: IF R05\_AT0047 = 1 THEN R05R\_A\_AT0047 = 1; ELSE IF R05\_AT0047 IN (2,3,4) THEN R05R\_A\_AT0047 = 2; ELSE IF R05\_AT0047 = 5 THEN R05R\_A\_AT0047 = 3; ELSE IF R05\_AT0047 = -9 THEN R05R\_A\_AT0047 = -99999; ELSE IF R05\_AT0047 = -8 THEN R05R\_A\_AT0047 = -99988; ELSE IF R05\_AT0047 = -7 THEN R05R\_A\_AT0047 = -99977; ELSE IF R05\_AT0047 = -1 THEN R05R\_A\_AT0047 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Married	11470	33.4 %
2	2 = Widowed, divorced or separated	5516	16.1 %
3	3 = Never married	17204	50.1 %
<b>Total</b>		<b>34,190</b>	<b>99.7%</b>

This variable has 34,190 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	31	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	87	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>119</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 22-27 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99911, -97777)

---

## R05R\_A\_AM0065\_V2: DERIVED - Recoded number of years in US (2 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: IF R05\_AM0065 = -2 THEN R05R\_A\_AM0065\_V2 = 1; ELSE if R05\_AM0065 >= 0 then R05R\_A\_AM0065\_V2 = 2; ELSE IF R05\_AM0065 = -9 THEN R05R\_A\_AM0065\_V2 = -99999 ; ELSE IF R05\_AM0065 = -8 THEN R05R\_A\_AM0065\_V2 = -99988 ; ELSE IF R05\_AM0065 = -7 THEN R05R\_A\_AM0065\_V2 = -99977 ; ELSE IF R05\_AM0065 = -5 THEN R05R\_A\_AM0065\_V2 = -99955 ; ELSE IF R05\_AM0065 = -1 THEN R05R\_A\_AM0065\_V2 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Lived in the U.S. entire life	23764	69.3 %
2	2 = Not lived in the U.S. entire life	10442	30.4 %
	<b>Total</b>	<b>34,206</b>	<b>99.7%</b>

This variable has 34,206 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	26	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	68	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>103</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 28-33 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05\_AM0066: How well you speak English

How well do you...

speak English?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05\_PARENT\_COMPLETE\_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Very well	31107	90.7 %
2	2 = Well	2085	6.1 %
3	3 = Not well	731	2.1 %
4	4 = Not at all	343	1.0 %
	<b>Total</b>	<b>34,266</b>	<b>99.9%</b>

This variable has 34,266 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	29	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>43</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 34-39 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AM0070: How well you read English

How well do you...

read English?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05\_PARENT\_COMPLETE\_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Very well	30423	88.7 %
2	2 = Well	2556	7.4 %
3	3 = Not well	821	2.4 %
4	4 = Not at all	372	1.1 %
	<b>Total</b>	<b>34,172</b>	<b>99.6%</b>

This variable has 34,172 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	50	0.1 %	
-7	-7 = Refused	85	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>137</b>	<b>0.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 40-45 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AM0073: How well you write in English

How well do you...

write in English?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05\_PARENT\_COMPLETE\_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Very well	29838	87.0 %
2	2 = Well	2965	8.6 %
3	3 = Not well	947	2.8 %
4	4 = Not at all	427	1.2 %
	<b>Total</b>	<b>34,177</b>	<b>99.6%</b>

This variable has 34,177 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	80	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>132</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 46-51 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AM0071: Speak a language other than English at home

Do you speak a language other than English at home?

[IF No (-2), Don't Know (-8), or Refused (-7), GO To BOX R05\_ACT02]

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05\_PARENT\_COMPLETE\_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7742	22.6 %
2	2 = No	26541	77.4 %
	<b>Total</b>	<b>34,283</b>	<b>99.9%</b>

This variable has 34,283 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>26</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 52-57 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AM0072\_01: Other language spoken at home: Spanish

What other languages do you speak at home? Choose all that apply.

Spanish

ASK: Adult respondents who did not already complete a parent interview and speak another language at home.

ASK Specification: IF R05\_PARENT\_COMPLETE\_LD != 1 AND R05\_AM0071 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5581	16.3 %
2	2 = Not Marked	1642	4.8 %
<b>Total</b>		<b>7,223</b>	<b>21.1%</b>

This variable has 7,223 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	292	0.9 %
-7	-7 = Refused	227	0.7 %
-1	-1 = Inapplicable	26566	77.4 %
<b>Total</b>		<b>27,086</b>	<b>78.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 58-63 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AM0072\_02: DERIVED - Recoded other language(s) spoken at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language (adult)

Long Description: What other languages do you speak at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language?

Algorithm: IF R05\_AM0072\_02 = 1 OR R05\_AM0072\_03 = 1 OR  
 R05\_AM0072\_04 = 1 OR R05\_AM0072\_05 = 1 OR R05\_AM0072\_06 = 1 OR  
 R05\_AM0072\_07 = 1 OR R05\_AM0072\_08 = 1 OR R05\_AM0072\_09 = 1 OR  
 R05\_AM0072\_10 = 1 THEN R05R\_A\_AM0072\_02 = 1; ELSE IF  
 R05\_AM0072\_02 = 2 AND R05\_AM0072\_03 = 2 AND R05\_AM0072\_04 = 2  
 AND R05\_AM0072\_05 = 2 AND R05\_AM0072\_06 = 2 AND  
 R05\_AM0072\_07 = 2 AND R05\_AM0072\_08 = 2 AND R05\_AM0072\_09 = 2  
 AND R05\_AM0072\_10 = 2 THEN R05R\_A\_AM0072\_02 = 2; ELSE IF  
 R05\_AM0072\_02 = -9 OR R05\_AM0072\_03 = -9 OR R05\_AM0072\_04 = -9  
 OR R05\_AM0072\_05 = -9 OR R05\_AM0072\_06 = -9 OR  
 R05\_AM0072\_07 = -9 OR R05\_AM0072\_08 = -9 OR R05\_AM0072\_09 = -9  
 OR R05\_AM0072\_10 = -9 THEN R05R\_A\_AM0072\_02 = -99999; ELSE IF  
 R05\_AM0072\_02 = -8 OR R05\_AM0072\_03 = -8 OR R05\_AM0072\_04 = -8  
 OR R05\_AM0072\_05 = -8 OR R05\_AM0072\_06 = -8 OR  
 R05\_AM0072\_07 = -8 OR R05\_AM0072\_08 = -8 OR R05\_AM0072\_09 = -8  
 OR R05\_AM0072\_10 = -8 THEN R05R\_A\_AM0072\_02 = -99988;  
 ELSE IF R05\_AM0072\_02 = -7 OR R05\_AM0072\_03 = -7 OR  
 R05\_AM0072\_04 = -7 OR R05\_AM0072\_05 = -7 OR R05\_AM0072\_06 = -7 OR  
 R05\_AM0072\_07 = -7 OR R05\_AM0072\_08 = -7 OR R05\_AM0072\_09 = -7 OR  
 R05\_AM0072\_10 = -7 THEN R05R\_A\_AM0072\_02 = -99977; ELSE IF  
 R05\_AM0072\_02 = -1 OR R05\_AM0072\_03 = -1 OR R05\_AM0072\_04 = -1 OR  
 R05\_AM0072\_05 = -1 OR R05\_AM0072\_06 = -1 OR R05\_AM0072\_07 = -1 OR  
 R05\_AM0072\_08 = -1 OR R05\_AM0072\_09 = -1 OR R05\_AM0072\_10 = -1 THEN  
 R05R\_A\_AM0072\_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Marked	1873	5.5 %
2	2 = Not Marked	5350	15.6 %
<b>Total</b>		<b>7,223</b>	<b>21.1%</b>

This variable has 7,223 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	292	0.9 %
-99977	-99977 = Missing due to a refused response on one or more component variables	227	0.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	26566	77.4 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>27,086</b>	<b>78.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 64-69 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

---

## R05\_AC1002: Ever smoked a cigarette, even one or two puffs

Have you ever smoked a cigarette, even one or two puffs?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACV04]

ASK: Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview.

ASK Specification: IF R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	324	0.9 %
2	2 = No	721	2.1 %
	<b>Total</b>	<b>1,045</b>	<b>3.0%</b>

This variable has 1,045 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33263	97.0 %
	<b>Total</b>	<b>33,264</b>	<b>97.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 70-75 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AC1002\_12M: In past 12 months, smoked a cigarette, even one or two puffs

In the past 12 months, have you smoked a cigarette, even one or two puffs?

ASK: Adult respondents who are not previous wave non-responders and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a cigarette as of their last completed interview and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AC1004 = 2, -8, -7) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 1 AND R05\_AC1004 = 2, -8, -7) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2 AND R05\_AC1002 = 1 AND R05\_AC1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2276	6.6 %
2	2 = No	21101	61.5 %
	<b>Total</b>	<b>23,377</b>	<b>68.1%</b>

This variable has 23,377 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	10919	31.8 %	
	<b>Total</b>	<b>10,932</b>	<b>31.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 76-81 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1003: Now smoke cigarettes

Do you now smoke cigarettes...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACV04]

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months, or Adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months.

ASK Specification: IF R05\_AC1004 = 1 OR R05\_AC1002\_12M = 1 OR  
(R04\_EVER\_NEVER\_CIGS = 1 AND R05\_AC1002\_12M = -8, -7) OR  
(R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2 AND R05\_AC1002 = 1 AND  
R05\_AC1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	6659	19.4 %
2	2 = Some days	2768	8.1 %
3	3 = Not at all	3047	8.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>12,474</b>	<b>36.4%</b>

This variable has 12,474 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	21825	63.6 %
	<b>Total</b>	<b>21,835</b>	<b>63.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 82-87 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1009\_NN: How long since last smoked a cigarette - Number

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACV04]

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or Adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or Adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental, recent former established, or long-term former established cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and have not smoked a cigarette in the past 12 months.

ASK Specification: IF ((R05\_AC1004 = 1 OR R05\_AC1002\_12M = 1) AND R05\_AC1003 = 3) OR (R04\_EVER\_NEVER\_CIGS = 1 AND R05\_AC1002\_12M = -8, -7 AND R05\_AC1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2 AND R05\_AC1002 = 1 AND R05\_AC1002\_12M = -8, -7 AND R05\_AC1003 = 3) OR (R04\_EVER\_NEVER\_CIGS = 1 AND R04\_CIG\_USER\_STATUS != 3, 4, 5 AND R05\_AC1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2 AND R05\_AC1002 = 1 AND R05\_AC1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

This variable has 4,234 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	25	0.1 %
-5	-5 = Improbable response removed	191	0.6 %
-1	-1 = Inapplicable	29808	86.9 %
<b>Total</b>		<b>30,075</b>	<b>87.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 88-93 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AC1009\_UN: How long since last smoked a cigarette - Unit

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACV04]

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or Adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or Adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental, recent former established, or long-term former established cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and have not smoked a cigarette in the past 12 months.

ASK Specification: IF ((R05\_AC1004 = 1 OR R05\_AC1002\_12M = 1) AND R05\_AC1003 = 3) OR (R04\_EVER\_NEVER\_CIGS = 1 AND R05\_AC1002\_12M = -8, -7 AND R05\_AC1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2 AND R05\_AC1002 = 1 AND R05\_AC1002\_12M = -8, -7 AND R05\_AC1003 = 3) OR (R04\_EVER\_NEVER\_CIGS = 1 AND R04\_CIG\_USER\_STATUS != 3, 4, 5 AND R05\_AC1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2 AND R05\_AC1002 = 1 AND R05\_AC1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

Value	Label	Unweighted Frequency	%
1	1 = Days	931	2.7 %

Value	Label	Unweighted Frequency	%
2	2 = Months	2174	6.3 %
3	3 = Years	1320	3.8 %
	<b>Total</b>	<b>4,425</b>	<b>12.9%</b>

This variable has 4,425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	29883	87.1 %
	<b>Total</b>	<b>29,884</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 94-99 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1004: In past 30 days, smoked a cigarette, even one or two puffs

In the past 30 days, have you smoked a cigarette, even one or two puffs?

[IF Yes (1); GO TO BOX R05\_ACR14]

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a cigarette as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette.

ASK Specification: IF R05\_WNR = 2 OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 1)  
OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2 AND R05\_AC1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	10198	29.7 %
2	2 = No	23373	68.1 %
	<b>Total</b>	<b>33,571</b>	<b>97.8%</b>

This variable has 33,571 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	9	0.0 %

Missing Data			
-1	-1 = Inapplicable	721	2.1 %
	<b>Total</b>	<b>738</b>	<b>2.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 100-105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1010: Completely quit smoking cigarettes

Have you completely quit smoking cigarettes?

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or Adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or Adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and have not smoked a cigarette in the past 12 months.

ASK Specification: IF ((R05\_AC1004 = 1 OR R05\_AC1002\_12M = 1) AND R05\_AC1003 = 3) OR (R04\_EVER\_NEVER\_CIGS = 1 AND R05\_AC1002\_12M = -8, -7 AND R05\_AC1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2 AND R05\_AC1002 = 1 AND R05\_AC1002\_12M = -8, -7 AND R05\_AC1003 = 3) OR (R04\_EVER\_NEVER\_CIGS = 1 AND R04\_CIG\_USER\_STATUS != 3 AND R05\_AC1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_CIGS = 2 AND R05\_AC1002 = 1 AND R05\_AC1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7871	22.9 %
2	2 = No	582	1.7 %
3	3 = I have never smoked a cigarette in my entire life, not even one or two puffs	75	0.2 %
<b>Total</b>		<b>8,528</b>	<b>24.9%</b>

This variable has 8,528 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	25751	75.1 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>25,781</b>	<b>75.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 106-111 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1103: Ever been curious about smoking a cigarette

Have you ever been curious about smoking a cigarette?

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND R05\_EVER\_NEVER\_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	41	0.1 %
2	2 = Somewhat curious	287	0.8 %
3	3 = A little curious	1053	3.1 %
4	4 = Not at all curious	5717	16.7 %
	<b>Total</b>	<b>7,098</b>	<b>20.7%</b>

This variable has 7,098 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	27208	79.3 %
	<b>Total</b>	<b>27,211</b>	<b>79.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 112-117 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1206: Think you will smoke a cigarette in the next year

Do you think you will smoke a cigarette in the next year?

ASK: Young adult respondents who have never smoked a cigarette, or young adult respondents who have not smoked a cigarette in the past 12 months or did not know or refused to report whether they have smoked a cigarette in the past 12 months.

ASK Specification: IF (18 <= R05R\_A\_AGE < 25 AND R05\_EVER\_NEVER\_CIGS = 2)

OR (18 <= R05R\_A\_AGE < 25 AND R05\_AC1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	16	0.0 %
2	2 = Probably yes	85	0.2 %
3	3 = Probably not	1201	3.5 %
4	4 = Definitely not	7517	21.9 %
<b>Total</b>		<b>8,819</b>	<b>25.7%</b>

This variable has 8,819 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	25488	74.3 %
<b>Total</b>		<b>25,490</b>	<b>74.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 118-123 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1104: Think you will try a cigarette soon

Do you think that you will try a cigarette soon?

ASK: Adult respondents who have never smoked a cigarette.

ASK Specification: IF R05\_EVER\_NEVER\_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	8	0.0 %
2	2 = Probably yes	28	0.1 %
3	3 = Probably not	863	2.5 %
4	4 = Definitely not	11780	34.3 %
<b>Total</b>		<b>12,679</b>	<b>37.0%</b>

This variable has 12,679 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	21627	63.0 %	
<b>Total</b>		<b>21,630</b>	<b>63.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 124-129 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1205: Would smoke a cigarette if a best friend offered

If one of your best friends were to offer you a cigarette, would you smoke it?

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND R05\_EVER\_NEVER\_CIGS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	12	0.0 %
2	2 = Probably yes	108	0.3 %
3	3 = Probably not	837	2.4 %
4	4 = Definitely not	6140	17.9 %
<b>Total</b>		<b>7,097</b>	<b>20.7%</b>

This variable has 7,097 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	27208	79.3 %
<b>Total</b>		<b>27,212</b>	<b>79.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 130-135 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1004: In the past 30 days, used an electronic nicotine product, even one or two times

In the past 30 days, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[IF Yes (1); Go TO BOX R05\_AVV02]

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview, or adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP.

ASK Specification: IF R05\_WNR = 2 OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 1) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2 AND R05\_AV1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	5781	16.8 %
2	2 = No	27292	79.5 %
	<b>Total</b>	<b>33,073</b>	<b>96.4%</b>

This variable has 33,073 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	1199	3.5 %
	<b>Total</b>	<b>1,236</b>	<b>3.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 136-141 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1002: Ever used an electronic nicotine product, even one or two times

Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[IF No (2), Don't Know (-8), or Refused (-7)); GO TO BOX R05\_AVV02]

ASK: Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview.

ASK Specification: IF R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	474	1.4 %
2	2 = No	1195	3.5 %
	<b>Total</b>	<b>1,669</b>	<b>4.9%</b>

This variable has 1,669 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32635	95.1 %
	<b>Total</b>	<b>32,640</b>	<b>95.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 142-147 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1002\_12M: In the past 12 months, used an electronic nicotine product, even one or two times

In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: Adult respondents who are not previous wave non-responders and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days, or Adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days, or Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AV1004 = 2, -8, -7) OR  
(R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV1004 = 2, -8,  
-7) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2 AND R05\_AV1002 = 1  
AND R05\_AV1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2189	6.4 %
2	2 = No	25128	73.2 %
	<b>Total</b>	<b>27,317</b>	<b>79.6%</b>

This variable has 27,317 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	6980	20.3 %
<b>Total</b>		<b>6,992</b>	<b>20.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 148-153 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1003: Now use electronic nicotine products

Do you now use electronic nicotine products...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7), GO TO BOX R05\_AVV02]

ASK: Adult respondents who have used an ENP in the past 30 days or in the past 12 months, or Adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months, or Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months.

ASK Specification: IF R05\_AV1004 = 1 OR R05\_AV1002\_12M = 1 OR  
(R04\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV1002\_12M = -8, -7) OR  
(R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2 AND R05\_AV1002 = 1  
AND R05\_AV1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	1687	4.9 %
2	2 = Some days	2796	8.1 %
3	3 = Not at all	3488	10.2 %
<b>Total</b>		<b>7,971</b>	<b>23.2%</b>

This variable has 7,971 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	26335	76.8 %
<b>Total</b>		<b>26,338</b>	<b>76.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 154-159 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -8, -7, -1

---

## R05\_AV1009\_NN: How long since you last took a puff from an electronic nicotine product - Number

About how long has it been since you last took a puff from an electronic nicotine product? (If it was earlier today, enter 1 day).

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1010]

ASK: Adult respondents who have used an ENP in the past 30 days or in the past 12 months and now use ENPs not at all, or Adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or Adult respondents who have ever used an ENP as of their last completed interview and were not former experimental, recent former established, or long-term former established ENP users as of their last completed interview and have not used an ENP in the past 12 months, or Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 12 months.

ASK Specification: IF ((R05\_AV1004 = 1 OR R05\_AV1002\_12M = 1) AND R05\_AV1003 = 3) OR (R04\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV1002\_12M = -8, -7 AND R05\_AV1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2 AND R05\_AV1002 = 1 AND R05\_AV1002\_12M = -8, -7 AND R05\_AV1003 = 3) OR (R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_EPROD\_USER\_STATUS != 3, 4, 5 AND R05\_AV1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2 AND R05\_AV1002 = 1 AND R05\_AV1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

This variable has 4,348 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	120	0.3 %	
-7	-7 = Refused	26	0.1 %	
-5	-5 = Improbable response removed	412	1.2 %	
-1	-1 = Inapplicable	29402	85.7 %	
<b>Total</b>		<b>29,961</b>	<b>87.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 160-165 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AV1009\_UN: How long since you last took a puff from an electronic nicotine product - Unit

About how long has it been since you last took a puff from an electronic nicotine product? (If it was earlier today, enter 1 day).

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1010]

ASK: Adult respondents who have used an ENP in the past 30 days or in the past 12 months and now use ENPs not at all, or Adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or Adult respondents who have ever used an ENP as of their last completed interview and were not former experimental, recent former established, or long-term former established ENP users as of their last completed interview and have not used an ENP in the past 12 months, or Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 12 months.

ASK Specification: IF ((R05\_AV1004 = 1 OR R05\_AV1002\_12M = 1) AND R05\_AV1003 = 3) OR (R04\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV1002\_12M = -8, -7 AND R05\_AV1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2 AND R05\_AV1002 = 1 AND R05\_AV1002\_12M = -8, -7 AND R05\_AV1003 = 3) OR (R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_EPROD\_USER\_STATUS != 3, 4, 5 AND R05\_AV1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2 AND R05\_AV1002 = 1 AND R05\_AV1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

Value	Label	Unweighted Frequency	%
1	1 = Days	1254	3.7 %
2	2 = Months	2320	6.8 %
3	3 = Years	1186	3.5 %
<b>Total</b>		<b>4,760</b>	<b>13.9%</b>

This variable has 4,760 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	29548	86.1 %
<b>Total</b>		<b>29,549</b>	<b>86.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 166-171 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1010: Completely quit using electronic nicotine products

Have you completely quit using electronic nicotine products?

ASK: Adult respondents who have used an ENP in the past 30 days or in the past 12 months and now use ENPs not at all, or Adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or Adult respondents who have ever used an ENP as of their last completed interview and were not former experimental ENP users as of their last completed interview and have not used an ENP in the past 12 months, or Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 12 months.

ASK Specification: IF ((R05\_AV1004 = 1 OR R05\_AV1002\_12M = 1) AND R05\_AV1003 = 3) OR (R04\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV1002\_12M = -8, -7 AND R05\_AV1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2 AND R05\_AV1002 = 1 AND R05\_AV1002\_12M = -8, -7 AND R05\_AV1003 = 3) OR (R04\_EVER\_NEVER\_EPRODS = 1 AND R04\_EPROD\_USER\_STATUS != 3 AND R05\_AV1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_EPRODS = 2 AND R05\_AV1002 = 1 AND R05\_AV1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	5223	15.2 %
2	2 = No	920	2.7 %
3	3 = I have never used an electronic nicotine product in my entire life, not even one or two times	185	0.5 %
<b>Total</b>		<b>6,328</b>	<b>18.4%</b>

This variable has 6,328 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	41	0.1 %	
-7	-7 = Refused	16	0.0 %	
-1	-1 = Inapplicable	27923	81.4 %	
<b>Total</b>		<b>27,981</b>	<b>81.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 172-177 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1103: Ever been curious about using an electronic nicotine product

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine

products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

ASK: Young adult respondents who have never used an ENP.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_EVER\_NEVER\_EPRODS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	47	0.1 %
2	2 = Somewhat curious	292	0.9 %
3	3 = A little curious	1013	3.0 %
4	4 = Not at all curious	4463	13.0 %
	<b>Total</b>	<b>5,815</b>	<b>16.9%</b>

This variable has 5,815 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	28492	83.0 %	
	<b>Total</b>	<b>28,494</b>	<b>83.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 178-183 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1206: Think you will use an electronic nicotine product in the next year

Do you think you will use an electronic nicotine product in the next year?

ASK: Young adult respondents who have never used an ENP, or young adult respondents who have not used an ENP in the past 12 months or did not know or refused to report whether they have used an ENP in the past 12 months.

ASK Specification: IF (18 <= R05R\_A\_AGE < 25 AND  
R05\_EVER\_NEVER\_EPRODS = 2) OR (18 <= R05R\_A\_AGE < 25  
AND R05\_AV1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	23	0.1 %
2	2 = Probably yes	168	0.5 %
3	3 = Probably not	1515	4.4 %

Value	Label	Unweighted Frequency	%
4	4 = Definitely not	6081	17.7 %
	<b>Total</b>	<b>7,787</b>	<b>22.7%</b>

This variable has 7,787 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	26516	77.3 %
	<b>Total</b>	<b>26,522</b>	<b>77.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 184-189 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1104: Think you will try an electronic nicotine product soon

Do you think that you will try an electronic nicotine product soon?

ASK: Adult respondents who have never used an ENP.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	59	0.2 %
2	2 = Probably yes	253	0.7 %
3	3 = Probably not	2303	6.7 %
4	4 = Definitely not	16457	48.0 %
	<b>Total</b>	<b>19,072</b>	<b>55.6%</b>

This variable has 19,072 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	15227	44.4 %
	<b>Total</b>	<b>15,237</b>	<b>44.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 190-195 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1105: Would try an electronic nicotine product if one of your best friends offered it to you

If one of your best friends were to offer you an electronic nicotine product, would you try it?

ASK: Young adult respondents who have never used an ENP.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND

R05\_EVER\_NEVER\_EPRODS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	24	0.1 %
2	2 = Probably yes	224	0.7 %
3	3 = Probably not	948	2.8 %
4	4 = Definitely not	4619	13.5 %
<b>Total</b>		<b>5,815</b>	<b>16.9%</b>

This variable has 5,815 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	28492	83.0 %
<b>Total</b>		<b>28,494</b>	<b>83.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 196-201 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9030: In past 30 days, smoked a traditional cigar, even one or two puffs

In the past 30 days, have you smoked a traditional cigar, even one or two puffs?

[IF Yes (1), GO TO BOX R05\_AGR55]

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar.

ASK Specification: IF R05\_WNR = 2 OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 1) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 2 AND R05\_AG9003 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1700	5.0 %
2	2 = No	30977	90.3 %
	<b>Total</b>	<b>32,677</b>	<b>95.2%</b>

This variable has 32,677 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	1607	4.7 %
	<b>Total</b>	<b>1,632</b>	<b>4.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 202-207 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9003: Ever smoked a traditional cigar, even one or two puffs

Have you ever smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: Adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview.

ASK Specification: IF R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	500	1.5 %
2	2 = No	1606	4.7 %
	<b>Total</b>	<b>2,106</b>	<b>6.1%</b>

This variable has 2,106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		32201	93.9 %
<b>Total</b>			<b>32,203</b>	<b>93.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 208-213 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG9003\_12M: In past 12 months, smoked a traditional cigar, even one or two puffs

In the past 12 months, have you smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: Adult respondents who are not previous wave non-responders and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9030 = 2, -8, -7) OR  
(R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R05\_AG9030 = 2, -8, -7)  
OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 2 AND R05\_AG9003 = 1 AND  
R05\_AG9030 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1743	5.1 %
2	2 = No	29247	85.2 %
<b>Total</b>		<b>30,990</b>	<b>90.3%</b>

This variable has 30,990 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	3307	9.6 %	
<b>Total</b>		<b>3,319</b>	<b>9.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 214-219 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AG9031: In past 30 days, smoked a cigarillo or filtered cigar, even one or two puffs

In the past 30 days, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX AG9004\_12M]

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R05\_WNR = 2 OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1)) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2748	8.0 %
2	2 = No	30031	87.5 %
	<b>Total</b>	<b>32,779</b>	<b>95.5%</b>

This variable has 32,779 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	1511	4.4 %
	<b>Total</b>	<b>1,530</b>	<b>4.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 220-225 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AG9049\_01: In past 30 days, type of cigarillos or filtered cigars smoked: With a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days?

Choose all that apply.

The kind...

With a plastic or wooden tip

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) AND R05\_AG9031 = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1 AND R05\_AG9031 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1520	4.4 %
2	2 = Not Marked	1213	3.5 %
	<b>Total</b>	<b>2,733</b>	<b>8.0%</b>

This variable has 2,733 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31560	92.0 %
	<b>Total</b>	<b>31,576</b>	<b>92.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 226-231 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9049\_02: In past 30 days, type of cigarillos or filtered cigars smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days?

Choose all that apply.

The kind...

With a filter (like a cigarette filter)

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or

filtered cigar in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) AND R05\_AG9031 = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1 AND R05\_AG9031 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	703	2.0 %
2	2 = Not Marked	2030	5.9 %
	<b>Total</b>	<b>2,733</b>	<b>8.0%</b>

This variable has 2,733 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	31560	92.0 %	
	<b>Total</b>	<b>31,576</b>	<b>92.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 232-237 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9049\_03: In past 30 days, type of cigarillos or filtered cigars smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days?

Choose all that apply.

The kind...

Without a tip or filter

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of

their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) AND R05\_AG9031 = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1 AND R05\_AG9031 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1005	2.9 %
2	2 = Not Marked	1728	5.0 %
	<b>Total</b>	<b>2,733</b>	<b>8.0%</b>

This variable has 2,733 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	31560	92.0 %	
	<b>Total</b>	<b>31,576</b>	<b>92.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 238-243 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9051: In past 12 months, smoked cigarillo/filtered cigar that has a plastic/wooden tip, even one or two puffs

In the past 12 months, have you smoked the kind with a plastic or wooden tip, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 1 AND

R05\_AG9049\_01 = 2, -8, -7) OR (R05\_WNR = 1 AND  
(R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) AND  
R05\_AG9031 = 1 AND R05\_AG9049\_01 = 2, -8, -7) OR (R05\_WNR = 1 AND  
(R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND  
R05\_AG9004 = 1 AND R05\_AG9031 = 1 AND R05\_AG9049\_01 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	273	0.8 %
2	2 = No	955	2.8 %
	<b>Total</b>	<b>1,228</b>	<b>3.6%</b>

This variable has 1,228 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33080	96.4 %	
	<b>Total</b>	<b>33,081</b>	<b>96.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 244-249 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9052: In past 12 months, smoked cigarillo/filtered cigar that has a filter, even one or two puffs

In the past 12 months, have you smoked the kind with a filter (like a cigarette filter), even one or two puffs?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 1 AND  
R05\_AG9049\_02 = 2, -8, -7) OR (R05\_WNR = 1 AND  
(R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) AND  
R05\_AG9031 = 1 AND R05\_AG9049\_02 = 2, -8, -7) OR (R05\_WNR = 1 AND

(R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND  
R05\_AG9004 = 1 AND R05\_AG9031 = 1 AND R05\_AG9049\_02 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	435	1.3 %
2	2 = No	1609	4.7 %
	<b>Total</b>	<b>2,044</b>	<b>6.0%</b>

This variable has 2,044 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32263	94.0 %	
	<b>Total</b>	<b>32,265</b>	<b>94.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 250-255 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9053: In past 12 months, smoked cigarillo/filtered cigar without a tip or filter, even one or two puffs

In the past 12 months, have you smoked the kind without a tip or filter, even one or two puffs?

[IF Yes (1), No (2), Don't Know (-8), or Refused; Go TO R05\_AG9107]

[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 1 AND R05\_AG9049\_03 = 2, -8, -7) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) AND R05\_AG9031 = 1 AND R05\_AG9049\_03 = 2, -8, -7) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1 AND R05\_AG9031 = 1 AND

R05\_AG9049\_03 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	488	1.4 %
2	2 = No	1253	3.7 %
	<b>Total</b>	<b>1,741</b>	<b>5.1%</b>

This variable has 1,741 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32565	94.9 %
	<b>Total</b>	<b>32,568</b>	<b>94.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 256-261 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9004: Ever smoked a cigarillo or filtered cigar, even one or two puffs

Have you ever smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

ASK: Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview.

ASK Specification: IF R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	874	2.5 %
2	2 = No	1508	4.4 %
	<b>Total</b>	<b>2,382</b>	<b>6.9%</b>

This variable has 2,382 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %

Missing Data			
-1	-1 = Inapplicable	31923	93.0 %
	<b>Total</b>	<b>31,927</b>	<b>93.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 262-267 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG9009\_01: Type of cigarillo or filtered cigar ever smoked: with a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

With a plastic or wooden tip

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	642	1.9 %
2	2 = Not Marked	228	0.7 %
	<b>Total</b>	<b>870</b>	<b>2.5%</b>

This variable has 870 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33434	97.4 %
	<b>Total</b>	<b>33,439</b>	<b>97.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 268-273 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG9009\_02: Type of cigarillo or filtered cigar ever smoked: with a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

With a filter (like a cigarette filter)

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	294	0.9 %
2	2 = Not Marked	576	1.7 %
	<b>Total</b>	<b>870</b>	<b>2.5%</b>

This variable has 870 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33434	97.4 %
	<b>Total</b>	<b>33,439</b>	<b>97.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 274-279 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1)

---

## R05\_AG9009\_03: Type of cigarillo or filtered cigar ever smoked: without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

Without a tip or filter

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	346	1.0 %
2	2 = Not Marked	524	1.5 %
	<b>Total</b>	<b>870</b>	<b>2.5%</b>

This variable has 870 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33434	97.4 %	
	<b>Total</b>	<b>33,439</b>	<b>97.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 280-285 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9004\_12M: In past 12 months, smoked cigarillo or filtered cigar, even one or two puffs

In the past 12 months, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AG9107]

ASK: Adult respondents who are not previous wave non-responders and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 2, -8, -7) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1) AND R05\_AG9031 = 2, -8, -7) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9031 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1105	3.2 %
2	2 = No	28933	84.3 %
	<b>Total</b>	<b>30,038</b>	<b>87.6%</b>

This variable has 30,038 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	4259	12.4 %
	<b>Total</b>	<b>4,271</b>	<b>12.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 286-291 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9009\_12M\_01: In last 12 months, type of cigarillos or filtered cigars smoked: With a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

With a plastic or wooden tip

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are not previous wave non-responders and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 2, -8, -7 AND R05\_AG9004\_12M = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) AND R05\_AG9031 = 2, -8, -7 AND R05\_AG9004\_12M = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1 AND R05\_AG9031 = 2, -8, -7 AND R05\_AG9004\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	666	1.9 %
2	2 = Not Marked	436	1.3 %
	<b>Total</b>	<b>1,102</b>	<b>3.2%</b>

This variable has 1,102 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33203	96.8 %
	<b>Total</b>	<b>33,207</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 292-297 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG9009\_12M\_02: In last 12 months, type of cigarillos or filtered cigars smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

With a filter (like a cigarette filter)

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are not previous wave non-responders and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 2, -8, -7 AND R05\_AG9004\_12M = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) AND R05\_AG9031 = 2, -8, -7 AND R05\_AG9004\_12M = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1 AND R05\_AG9031 = 2, -8, -7 AND R05\_AG9004\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	263	0.8 %
2	2 = Not Marked	839	2.4 %
	<b>Total</b>	<b>1,102</b>	<b>3.2%</b>

This variable has 1,102 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33203	96.8 %
	<b>Total</b>	<b>33,207</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 298-303 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9009\_12M\_03: In last 12 months, type of cigarillos or filtered cigars smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

Without a tip or filter

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Adult respondents who are not previous wave non-responders and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AG9031 = 2, -8, -7 AND R05\_AG9004\_12M = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) AND R05\_AG9031 = 2, -8, -7 AND R05\_AG9004\_12M = 1) OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 2 OR R04\_EVER\_NEVER\_GFILTR = 2) AND R05\_AG9004 = 1 AND R05\_AG9031 = 2, -8, -7 AND R05\_AG9004\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	376	1.1 %
2	2 = Not Marked	726	2.1 %
	<b>Total</b>	<b>1,102</b>	<b>3.2%</b>

This variable has 1,102 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33203	96.8 %
	<b>Total</b>	<b>33,207</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 304-309 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9107: In past 12 months, smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana

Sometimes people take tobacco out of a traditional cigar, cigarillo, or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGV01]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5709	16.6 %
2	2 = No	28571	83.3 %
	<b>Total</b>	<b>34,280</b>	<b>99.9%</b>

This variable has 34,280 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	20	0.1 %

Missing Data			
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>29</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 310-315 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1095\_01: Cigar type smoked as a blunt: Group 1 (Traditional cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

Traditional Cigars

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

[IF Don't Know (-8) or Refused (-7); GO TO BOX R5\_AGV01]

ASK: Adult respondents who have smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R05\_AG9107 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1080	3.1 %
2	2 = Not Marked	4550	13.3 %
	<b>Total</b>	<b>5,630</b>	<b>16.4%</b>

This variable has 5,630 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.1 %
-7	-7 = Refused	28	0.1 %
-1	-1 = Inapplicable	28599	83.4 %
	<b>Total</b>	<b>28,679</b>	<b>83.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 316-321 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1095\_02: Cigar type smoked as a blunt: Group 2 (Cigarillos with and without tips)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all

that apply.

Cigarillos with and without tips

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

[IF Don't Know (-8) or Refused (-7); GO TO BOX R5\_AGV01]

ASK: Adult respondents who have smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R05\_AG9107 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4597	13.4 %
2	2 = Not Marked	1033	3.0 %
	<b>Total</b>	<b>5,630</b>	<b>16.4%</b>

This variable has 5,630 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.1 %
-7	-7 = Refused	28	0.1 %
-1	-1 = Inapplicable	28599	83.4 %
	<b>Total</b>	<b>28,679</b>	<b>83.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 322-327 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AG1095\_03: Cigar type smoked as a blunt: Group 3 (Filtered cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

Filtered Cigars

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

[IF Don't Know (-8) or Refused (-7); GO TO BOX R5\_AGV01]

ASK: Adult respondents who have smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R05\_AG9107 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	439	1.3 %
2	2 = Not Marked	5191	15.1 %
	<b>Total</b>	<b>5,630</b>	<b>16.4%</b>

This variable has 5,630 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.1 %
-7	-7 = Refused	28	0.1 %
-1	-1 = Inapplicable	28599	83.4 %
	<b>Total</b>	<b>28,679</b>	<b>83.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 328-333 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG9106\_01: In past 12 months, how often tobacco in traditional cigar was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF Traditional Cigars]

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R05\_AG9106\_01: IF R05\_AG9107 = 1 AND R05\_AG1095\_01 = 1.

[PROGRAM NOTE: Repeat this question for every cigar type identified in R05\_AG1095\_01/\_02/\_03]. If R05\_AG1095\_01 = 1, show image of traditional cigars. If R05\_AG1095\_02 = 1, show image of cigarillos with tips and cigarillos without tips. If R05\_AG1095\_03 = 1, show image of filtered cigars. ]

Value	Label	Unweighted Frequency	%
1	1 = Every time	522	1.5 %
2	2 = Most of the time	115	0.3 %
3	3 = Sometimes	144	0.4 %
4	4 = Rarely	177	0.5 %
5	5 = Never	122	0.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,080</b>	<b>3.1%</b>

This variable has 1,080 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33228	96.8 %
	<b>Total</b>	<b>33,229</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 334-339 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG9106\_02: In past 12 months, how often tobacco in cigarillos with or without tips was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF Cigarillos]

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R05\_AG9106\_02: IF R05\_AG9107 = 1 AND R05\_AG1095\_02 = 1.

[PROGRAM NOTE: Repeat this question for every cigar type identified in R05\_AG1095\_01/\_02/\_03]. If R05\_AG1095\_01 = 1, show image of traditional cigars. If R05\_AG1095\_02 = 1, show image of cigarillos with tips and cigarillos without tips. If R05\_AG1095\_03 = 1, show image of filtered cigars. ]

Value	Label	Unweighted Frequency	%
1	1 = Every time	2564	7.5 %
2	2 = Most of the time	617	1.8 %
3	3 = Sometimes	547	1.6 %
4	4 = Rarely	712	2.1 %
5	5 = Never	154	0.4 %
	<b>Total</b>	<b>4,594</b>	<b>13.4%</b>

This variable has 4,594 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	29711	86.6 %
<b>Total</b>		<b>29,715</b>	<b>86.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 340-345 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9106\_03: In past 12 months, how often tobacco in filtered cigars was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF Filtered Cigars]

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R05\_AG9106\_03: IF R05\_AG9107 = 1 AND R05\_AG1095\_03 = 1.

[PROGRAM NOTE: Repeat this question for every cigar type identified in R05\_AG1095\_01/\_02/\_03]. If R05\_AG1095\_01 = 1, show image of traditional cigars. If R05\_AG1095\_02 = 1, show image of cigarillos with tips and cigarillos without tips. If R05\_AG1095\_03 = 1, show image of filtered cigars. ]

Value	Label	Unweighted Frequency	%
1	1 = Every time	178	0.5 %
2	2 = Most of the time	34	0.1 %
3	3 = Sometimes	62	0.2 %
4	4 = Rarely	97	0.3 %
5	5 = Never	65	0.2 %
<b>Total</b>		<b>436</b>	<b>1.3%</b>

This variable has 436 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33869	98.7 %	
<b>Total</b>		<b>33,873</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 346-351 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1003TC: Now smoke traditional cigars

Do you now smoke Traditional Cigars

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have smoked a traditional cigar in the past 30 days or in the past 12 months, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1003TC: IF (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND (R05\_AG9030 = 1 OR R05\_AG9003\_12M = 1)) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R05\_AG9003\_12M = -8, -7) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 2 AND R05\_AG9003 = 1 AND R05\_AG9030 = 2, -8, -7 AND R05\_AG9003\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	84	0.2 %
2	2 = Some days	1388	4.0 %
3	3 = Not at all	1831	5.3 %
<b>Total</b>		<b>3,303</b>	<b>9.6%</b>

This variable has 3,303 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	31003	90.4 %
	<b>Total</b>	<b>31,006</b>	<b>90.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 352-357 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1009TC\_NN: How long since last smoked a traditional cigar - Number

About how long has it been since you last smoked a Tradition Cigar? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have smoked a traditional cigar in the past 30 days or in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established traditional cigar smokers as of their last completed interview and have not smoked a traditional cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar in the past 30 days and have not smoked a traditional cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar smokers and now smoke traditional cigars as blunts not at all.

ASK Specification: FOR R05\_AG1009TC: IF (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND (R05\_AG9030 = 1 OR R05\_AG9003\_12M = 1) AND R05\_AG1003TC = 3) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R05\_AG9003\_12M = -8, -7 AND R05\_AG1003TC = 3) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 2 AND R05\_AG9003 = 1 AND R05\_AG9030 = 2, -8, -7 AND R05\_AG9003\_12M = -8, -7 AND R05\_AG1003TC = 3) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_GTRAD\_USER\_STATUS != 3, 4, 5 AND R05\_AG9003\_12M = 2) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 2 AND R05\_AG9003 = 1 AND R05\_AG9030 = 2, -8, -7 AND R05\_AG9003\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days; the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value "3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This issue was fixed in a field update on 3/26/2019. ]

This variable has 2,592 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	7	0.0 %
-5	-5 = Improbable response removed	212	0.6 %
-1	-1 = Inapplicable	31451	91.7 %
<b>Total</b>		<b>31,717</b>	<b>92.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 358-363 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AG1009TC\_UN: How long since last smoked a traditional cigar - Unit

About how long has it been since you last smoked a Traditional Cigar? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have smoked a traditional cigar in the past 30 days or in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established traditional cigar smokers as of their last completed interview and have not smoked a traditional cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar in the past 30 days and have not smoked a traditional cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar smokers and now smoke traditional cigars as blunts not at all.

ASK Specification: FOR R05\_AG1009TC: IF (R05\_12MBLUNT\_ONLY\_BTRAD != 1

AND (R05\_AG9030 = 1 OR R05\_AG9003\_12M = 1) AND R05\_AG1003TC = 3) OR  
 (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_EVER\_NEVER\_GTRAD = 1 AND  
 R05\_AG9003\_12M = -8, -7 AND R05\_AG1003TC = 3) OR  
 (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_WNR = 1 AND  
 R04\_EVER\_NEVER\_GTRAD = 2 AND R05\_AG9003 = 1 AND R05\_AG9030 = 2, -8,  
 -7 AND R05\_AG9003\_12M = -8, -7 AND R05\_AG1003TC = 3) OR  
 (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_EVER\_NEVER\_GTRAD = 1 AND  
 R04\_GTRAD\_USER\_STATUS != 3, 4, 5 AND R05\_AG9003\_12M = 2) OR  
 (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_WNR = 1 AND  
 R04\_EVER\_NEVER\_GTRAD = 2 AND R05\_AG9003 = 1 AND R05\_AG9030 = 2, -8,  
 -7 AND R05\_AG9003\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days;  
 the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value  
 "3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents  
 who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a  
 cigarillo and filtered cigar as of their last completed interview  
 (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not  
 smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This  
 issue was fixed in a field update on 3/26/2019.]

Value	Label	Unweighted Frequency	%
1	1 = Days	369	1.1 %
2	2 = Months	1206	3.5 %
3	3 = Years	1229	3.6 %
<b>Total</b>		<b>2,804</b>	<b>8.2%</b>

This variable has 2,804 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31504	91.8 %
<b>Total</b>		<b>31,505</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 364-369 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1010TC: Completely quit smoking traditional cigars

Have you completely quit smoking Traditional Cigars?

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have smoked a traditional cigar in the past 30 days or in the past 12 months and now smoke traditional cigars not at

all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and were not former experimental traditional cigar smokers as of their last completed interview and have not smoked a traditional cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar in the past 30 days and have not smoked a traditional cigar in the past 12 months.

ASK Specification: FOR R05\_AG1010TC: IF (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND (R05\_AG9030 = 1 OR R05\_AG9003\_12M = 1) AND R05\_AG1003TC = 3) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R05\_AG9003\_12M = -8, -7 AND R05\_AG1003TC = 3) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 2 AND R05\_AG9003 = 1 AND R05\_AG9030 = 2, -8, -7 AND R05\_AG9003\_12M = -8, -7 AND R05\_AG1003TC = 3) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_EVER\_NEVER\_GTRAD = 1 AND R04\_GTRAD\_USER\_STATUS != 3 AND R05\_AG9003\_12M = 2) OR (R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GTRAD = 2 AND R05\_AG9003 = 1 AND R05\_AG9030 = 2, -8, -7 AND R05\_AG9003\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2776	8.1 %
2	2 = No	875	2.6 %
3	3 = I have never smoked a traditional cigar in my entire life, not even one or two puffs	85	0.2 %
<b>Total</b>		<b>3,736</b>	<b>10.9%</b>

This variable has 3,736 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	30556	89.1 %
<b>Total</b>		<b>30,573</b>	<b>89.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 370-375 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1003CG: Now smoke cigarillos

Do you now smoke Cigarillos ...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only cigarillo smokers and have smoked a cigarillo in the past 30 days or in the past 12 months, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and did not know or refused to report whether they have smoked a cigarillo in the past 12 months, or Adult respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1003CG: IF (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R05\_AG9049\_01 = 1 OR R05\_AG9049\_03 = 1 OR R05\_AG9051 = 1 OR R05\_AG9053 = 1 OR R05\_AG9009\_12M\_01 = 1 OR R05\_AG9009\_12M\_03 = 1)) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_EVER\_NEVER\_GRILLO = 1 AND ((R05\_AG9051 = -8, -7 AND R05\_AG9053 = -8, -7) OR R05\_AG9004\_12M = -8, -7 OR (R05\_AG9009\_12M\_01 = -8, -7 AND R05\_AG9009\_12M\_03 = -8, -7))) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GRILLO = 2 AND R05\_AG9004 = 1 AND ((R05\_AG9051 = -8, -7 AND R05\_AG9053 = -8, -7) OR R05\_AG9004\_12M = -8, -7 OR (R05\_AG9009\_12M\_01 = -8, -7 AND R05\_AG9009\_12M\_03 = -8, -7))).

Value	Label	Unweighted Frequency	%
1	1 = Every day	234	0.7 %
2	2 = Some days	1288	3.8 %
3	3 = Not at all	1279	3.7 %
<b>Total</b>		<b>2,801</b>	<b>8.2%</b>

This variable has 2,801 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	14	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31488	91.8 %
<b>Total</b>		<b>31,508</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 376-381 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1009CG\_NN: How long since last smoked a cigarillo - Number

About how long has it been since you last smoked a Cigarillo? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only cigarillo smokers and have smoked a cigarillo in the past 30 days or in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and did not know or refused to report whether they have smoked a cigarillo in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and were not former experimental, recent former established, or long-term former established cigarillo smokers as of their last completed interview and have not smoked a cigarillo in the past 12 months, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and have not smoked a cigarillo in the past 30 days or did not know or refused to report whether they have smoked a cigarillo in the past 30 days and have not smoked a cigarillo in the past 12 months, or Adult respondents who are past 12 month blunt-only cigarillo smokers and now smoke cigarillos as blunts not at all.

ASK Specification: FOR R05\_AG1009CG: IF (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R05\_AG9049\_01 = 1 OR R05\_AG9049\_03 = 1 OR R05\_AG9051 = 1 OR R05\_AG9053 = 1 OR R05\_AG9009\_12M\_01 = 1 OR R05\_AG9009\_12M\_03 = 1) AND R05\_AG1003CG = 3) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_EVER\_NEVER\_GRILLO = 1 AND ((R05\_AG9051 = -8, -7 AND R05\_AG9053 = -8, -7) OR R05\_AG9004\_12M = -8, -7 OR (R05\_AG9009\_12M\_01 = -8, -7 AND R05\_AG9009\_12M\_03 = -8, -7)) AND R05\_AG1003CG = 3) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GRILLO = 2 AND R05\_AG9004 = 1 AND ((R05\_AG9051 = -8, -7 AND R05\_AG9053 = -8, -7) OR R05\_AG9004\_12M = -8, -7 OR (R05\_AG9009\_12M\_01 = -8, -7 AND R05\_AG9009\_12M\_03 = -8, -7)) AND R05\_AG1003CG = 3) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_GRILLO\_USER\_STATUS != 3, 4, 5 AND (R05\_WNR = 2 OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GFILTR = 1 OR (R04\_EVER\_NEVER\_GFILTR != 1 AND R05\_AG9004 = 1 AND (R05\_AG9009\_01 = 1 OR R05\_AG9009\_03 = 1)))) AND R05\_AG9049\_01 != 1 AND R05\_AG9049\_03 != 1 AND R05\_AG9051 != 1 AND R05\_AG9053 != 1 AND R05\_AG9009\_12M\_01 != 1 AND R05\_AG9009\_12M\_03 != 1 AND R05\_AG1003CG != 1, 2, -8, -7) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GRILLO = 2 AND R05\_AG9004 = 1 AND (R05\_AG9009\_01 = 1 OR R05\_AG9009\_03 = 1) AND ((R05\_AG9051 = 2 AND R05\_AG9053 = 2) OR R05\_AG9004\_12M = 2 OR (R05\_AG9009\_12M\_01 = 2 AND R05\_AG9009\_12M\_03 = 2))).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days; the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value "3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This

issue was fixed in a field update on 3/26/2019. ]

This variable has 2,039 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	69	0.2 %	
-7	-7 = Refused	21	0.1 %	
-5	-5 = Improbable response removed	281	0.8 %	
-1	-1 = Inapplicable	31898	93.0 %	
<b>Total</b>		<b>32,270</b>	<b>94.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 382-387 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AG1009CG\_UN: How long since last smoked a cigarillo - Unit

About how long has it been since you last smoked a Cigarillo? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only cigarillo smokers and have smoked a cigarillo in the past 30 days or in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and did not know or refused to report whether they have smoked a cigarillo in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and were not former experimental, recent former established, or long-term former established cigarillo smokers as of their last completed interview and have not smoked a cigarillo in the past 12 months, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and have not smoked a cigarillo in the past 30 days or did not know or refused to report whether they have smoked a cigarillo in the past 30 days and have not smoked a cigarillo in the past 12 months, or Adult respondents who are past 12 month blunt-only cigarillo smokers and now smoke cigarillos as blunts not at all.

ASK Specification: FOR R05\_AG1009CG: IF  
(R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R05\_AG9049\_01 = 1 OR  
R05\_AG9049\_03 = 1 OR R05\_AG9051 = 1 OR R05\_AG9053 = 1 OR  
R05\_AG9009\_12M\_01 = 1 OR R05\_AG9009\_12M\_03 = 1) AND R05\_AG1003CG = 3)  
OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_EVER\_NEVER\_GRILLO = 1 AND  
((R05\_AG9051 = -8, -7 AND R05\_AG9053 = -8, -7) OR R05\_AG9004\_12M = -8,  
-7 OR (R05\_AG9009\_12M\_01 = -8, -7 AND R05\_AG9009\_12M\_03 = -8, -7)) AND  
R05\_AG1003CG = 3) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_WNR = 1

AND R04\_EVER\_NEVER\_GRILLO = 2 AND R05\_AG9004 = 1 AND ((R05\_AG9051 = -8, -7 AND R05\_AG9053 = -8, -7) OR R05\_AG9004\_12M = -8, -7 OR  
 (R05\_AG9009\_12M\_01 = -8, -7 AND R05\_AG9009\_12M\_03 = -8, -7)) AND  
 R05\_AG1003CG = 3) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND  
 R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_GRILLO\_USER\_STATUS != 3, 4, 5 AND  
 (R05\_WNR = 2 OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GFILTR = 1 OR  
 (R04\_EVER\_NEVER\_GFILTR != 1 AND R05\_AG9004 = 1 AND (R05\_AG9009\_01 = 1  
 OR R05\_AG9009\_03 = 1)))) AND R05\_AG9049\_01 != 1 AND  
 R05\_AG9049\_03 != 1 AND R05\_AG9051 != 1 AND R05\_AG9053 != 1 AND  
 R05\_AG9009\_12M\_01 != 1 AND R05\_AG9009\_12M\_03 != 1 AND  
 R05\_AG1003CG != 1, 2, -8, -7) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND  
 R05\_WNR = 1 AND R04\_EVER\_NEVER\_GRILLO = 2 AND R05\_AG9004 = 1 AND  
 (R05\_AG9009\_01 = 1 OR R05\_AG9009\_03 = 1) AND ((R05\_AG9051 = 2 AND  
 R05\_AG9053 = 2) OR R05\_AG9004\_12M = 2 OR (R05\_AG9009\_12M\_01 = 2 AND  
 R05\_AG9009\_12M\_03 = 2))).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days;  
 the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value  
 "3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents  
 who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a  
 cigarillo and filtered cigar as of their last completed interview  
 (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not  
 smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This  
 issue was fixed in a field update on 3/26/2019.]

Value	Label	Unweighted Frequency	%
1	1 = Days	447	1.3 %
2	2 = Months	842	2.5 %
3	3 = Years	1031	3.0 %
<b>Total</b>		<b>2,320</b>	<b>6.8%</b>

This variable has 2,320 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31988	93.2 %
<b>Total</b>		<b>31,989</b>	<b>93.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 388-393 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1010CG: Completely quit smoking cigarillos

Have you completely quit smoking Cigarillos?

ASK: Adult respondents who are not past 12 month blunt-only cigarillo smokers and have smoked a cigarillo in the past 30 days or in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and did not know or refused to report whether they have smoked a cigarillo in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and were not former experimental cigarillo smokers as of their last completed interview and have not smoked a cigarillo in the past 12 months, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and have not smoked a cigarillo in the past 30 days or did not know or refused to report whether they have smoked a cigarillo in the past 30 days and have not smoked a cigarillo in the past 12 months.

ASK Specification: FOR R05\_AG1010CG: IF  
(R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R05\_AG9049\_01 = 1 OR  
R05\_AG9049\_03 = 1 OR R05\_AG9051 = 1 OR R05\_AG9053 = 1 OR  
R05\_AG9009\_12M\_01 = 1 OR R05\_AG9009\_12M\_03 = 1) AND R05\_AG1003CG = 3)  
OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_EVER\_NEVER\_GRILLO = 1 AND  
((R05\_AG9051 = -8, -7 AND R05\_AG9053 = -8, -7) OR R05\_AG9004\_12M = -8,  
-7 OR (R05\_AG9009\_12M\_01 = -8, -7 AND R05\_AG9009\_12M\_03 = -8, -7)) AND  
R05\_AG1003CG = 3) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_WNR = 1  
AND R04\_EVER\_NEVER\_GRILLO = 2 AND R05\_AG9004 = 1 AND ((R05\_AG9051 =  
-8, -7 AND R05\_AG9053 = -8, -7) OR R05\_AG9004\_12M = -8, -7 OR  
(R05\_AG9009\_12M\_01 = -8, -7 AND R05\_AG9009\_12M\_03 = -8, -7)) AND  
R05\_AG1003CG = 3) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND  
R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_GRILLO\_USER\_STATUS != 3 AND  
(R05\_WNR = 2 OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GFILTR = 1 OR  
(R04\_EVER\_NEVER\_GFILTR != 1 AND R05\_AG9004 = 1 AND (R05\_AG9009\_01 = 1  
OR R05\_AG9009\_03 = 1)))) AND R05\_AG9049\_01 != 1 AND  
R05\_AG9049\_03 != 1 AND R05\_AG9051 != 1 AND R05\_AG9053 != 1 AND  
R05\_AG9009\_12M\_01 != 1 AND R05\_AG9009\_12M\_03 != 1 AND R05\_AG1003CG !=  
1, 2, -8, -7) OR (R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_WNR = 1 AND  
R04\_EVER\_NEVER\_GRILLO = 2 AND R05\_AG9004 = 1 AND (R05\_AG9009\_01 = 1 OR  
R05\_AG9009\_03 = 1) AND ((R05\_AG9051 = 2 AND R05\_AG9053 = 2) OR  
R05\_AG9004\_12M = 2 OR (R05\_AG9009\_12M\_01 = 2 AND  
R05\_AG9009\_12M\_03 = 2))).

NOTES: SKIP ERROR: R05\_AG1010CG: This item was skipped incorrectly by some respondents who had ever smoked a cigarillo as of their last completed interview  
(R04\_EVER\_NEVER\_GRILLO = 1) and were not former experimental cigarillo smokers as of their last completed interview (R04\_GRILLO\_USER\_STATUS != 3) and did not know or refused to report which type of cigarillo or filtered cigar they had smoked in the past 30 days  
(R05\_AG9049\_01 = -8, -7 AND R05\_AG9049\_03 = -8, -7). This issue was fixed in a field update on 3/26/2019. R05\_AG1010FC: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months  
(R05\_AG9052 = 2). This issue was fixed in a field update on 3/26/2019.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2908	8.5 %
2	2 = No	638	1.9 %
3	3 = I have never smoked a cigarillo in my entire life, not even one or two puffs	156	0.5 %
<b>Total</b>		<b>3,702</b>	<b>10.8%</b>

This variable has 3,702 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	16	0.0 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	30578	89.1 %	
<b>Total</b>		<b>30,607</b>	<b>89.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 394-399 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1003FC: Now smoke filtered cigars

Do you now smoke Filtered Cigars...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have smoked a filtered cigar in the past 30 days or in the past 12 months, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and did not know or refused to report whether they have smoked a filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1003FC: IF (R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND (R05\_AG9049\_02 = 1 OR R05\_AG9052 = 1 OR R05\_AG9009\_12M\_02 = 1)) OR (R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_EVER\_NEVER\_GFILTR = 1 AND (R05\_AG9052 = -8, -7 OR R05\_AG9004\_12M = -8, -7 OR R05\_AG9009\_12M\_02 = -8, -7)) OR (R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GFILTR = 2 AND R05\_AG9004 = 1 AND (R05\_AG9052 = -8, -7 OR R05\_AG9004\_12M = -8, -7 OR R05\_AG9009\_12M\_02 = -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Every day	203	0.6 %
2	2 = Some days	546	1.6 %

Value	Label	Unweighted Frequency	%
3	3 = Not at all	626	1.8 %
	<b>Total</b>	<b>1,375</b>	<b>4.0%</b>

This variable has 1,375 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	13	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32916	95.9 %
	<b>Total</b>	<b>32,934</b>	<b>96.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 400-405 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1009FC\_NN: How long since last smoked a filtered cigar - Number

About how long has it been since you last smoked a Filtered Cigar? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have smoked a filtered cigar in the past 30 days or in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and did not know or refused to report whether they have smoked a filtered cigar in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established filtered cigar smokers as of their last completed interview and have not smoked a filtered cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and have not smoked a filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a filtered cigar in the past 30 days and have not smoked a filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only filtered cigar smokers and now smoke filtered cigars as blunts not at all.

ASK Specification: FOR R05\_AG1009FC: IF  
(R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND (R05\_AG9049\_02 = 1 OR  
R05\_AG9052 = 1 OR R05\_AG9009\_12M\_02 = 1) AND R05\_AG1003FC = 3) OR  
(R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_EVER\_NEVER\_GFILTR = 1 AND  
(R05\_AG9052 = -8, -7 OR R05\_AG9004\_12M = -8, -7 OR R05\_AG9009\_12M\_02 =

-8, -7) AND R05\_AG1003FC = 3) OR (R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GFILTR = 2 AND R05\_AG9004 = 1 AND (R05\_AG9052 = -8, -7 OR R05\_AG9004\_12M = -8, -7 OR R05\_AG9009\_12M\_02 = -8, -7) AND R05\_AG1003FC = 3) OR (R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_GFILTR\_USER\_STATUS != 3, 4, 5 AND (R05\_WNR = 2 OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 OR (R04\_EVER\_NEVER\_GRILLO != 1 AND R05\_AG9004 = 1 AND R05\_AG9009\_02 = 1)))) AND R05\_AG9049\_02 != 1 AND R05\_AG9052 != 1 AND R05\_AG9009\_12M\_02 != 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_WNR = 1 AND R04\_EVER\_NEVER\_GFILTR = 2 AND R05\_AG9004 = 1 AND R05\_AG9009\_02 = 1 AND (R05\_AG9052 = 2 OR R05\_AG9004\_12M = 2 OR R05\_AG9009\_12M\_02 = 2)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days; the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value "3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This issue was fixed in a field update on 3/26/2019.]

This variable has 1,178 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	4	0.0 %	
-8	-8 = Don't know	45	0.1 %	
-7	-7 = Refused	12	0.0 %	
-5	-5 = Improbable response removed	159	0.5 %	
-1	-1 = Inapplicable	32910	95.9 %	
<b>Total</b>		<b>33,131</b>	<b>96.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 406-411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1009FC\_UN: How long since last smoked a filtered cigar - Unit

About how long has it been since you last smoked a Filtered Cigar? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have smoked a filtered cigar in the past 30 days or in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a

filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and did not know or refused to report whether they have smoked a filtered cigar in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established filtered cigar smokers as of their last completed interview and have not smoked a filtered cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and have not smoked a filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a filtered cigar in the past 30 days and have not smoked a filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only filtered cigar smokers and now smoke filtered cigars as blunts not at all.

ASK Specification: FOR R05\_AG1009FC: IF  
(R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND (R05\_AG9049\_02 = 1 OR  
R05\_AG9052 = 1 OR R05\_AG9009\_12M\_02 = 1) AND R05\_AG1003FC = 3) OR  
(R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_EVER\_NEVER\_GFILTR = 1 AND  
(R05\_AG9052 = -8, -7 OR R05\_AG9004\_12M = -8, -7 OR R05\_AG9009\_12M\_02 =  
-8, -7) AND R05\_AG1003FC = 3) OR (R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND  
R05\_WNR = 1 AND R04\_EVER\_NEVER\_GFILTR = 2 AND R05\_AG9004 = 1 AND  
(R05\_AG9052 = -8, -7 OR R05\_AG9004\_12M = -8, -7 OR R05\_AG9009\_12M\_02 =  
-8, -7) AND R05\_AG1003FC = 3) OR (R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND  
R04\_EVER\_NEVER\_GFILTR = 1 AND R04\_GFILTR\_USER\_STATUS != 3, 4, 5 AND  
(R05\_WNR = 2 OR (R05\_WNR = 1 AND (R04\_EVER\_NEVER\_GRILLO = 1 OR  
(R04\_EVER\_NEVER\_GRILLO != 1 AND R05\_AG9004 = 1 AND  
R05\_AG9009\_02 = 1)))) AND R05\_AG9049\_02 != 1 AND R05\_AG9052 != 1 AND  
R05\_AG9009\_12M\_02 != 1 AND R05\_AG1003FC != 1, 2, -8, -7) OR  
(R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_WNR = 1 AND  
R04\_EVER\_NEVER\_GFILTR = 2 AND R05\_AG9004 = 1 AND R05\_AG9009\_02 = 1  
AND (R05\_AG9052 = 2 OR R05\_AG9004\_12M = 2 OR R05\_AG9009\_12M\_02 = 2)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

[NOTES: The value "1" refers to R05\_AG1009[TC.../FJ]\_UN = Days;  
the value "2" refers to R05\_AG1009[TC.../FJ]\_UN = Months; the value  
"3" refers to R05\_AG1009[TC.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents  
who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a  
cigarillo and filtered cigar as of their last completed interview  
(R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not  
smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This  
issue was fixed in a field update on 3/26/2019.]

Value	Label	Unweighted Frequency	%
1	1 = Days	292	0.9 %
2	2 = Months	439	1.3 %
3	3 = Years	606	1.8 %
<b>Total</b>		<b>1,337</b>	<b>3.9%</b>

This variable has 1,337 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32971	96.1 %	
<b>Total</b>		<b>32,972</b>	<b>96.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 412-417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1010FC: Completely quit smoking filtered cigars

Have you completely quit smoking Filtered Cigars?

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have smoked a filtered cigar in the past 30 days or in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and did not know or refused to report whether they have smoked a filtered cigar in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar as of their last completed interview and were not former experimental filtered cigar smokers as of their last completed interview and have not smoked a filtered cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and have not smoked a filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a filtered cigar in the past 30 days and have not smoked a filtered cigar in the past 12 months.

ASK Specification: FOR R05\_AG1010FC: IF

```
(R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG9049_02 = 1 OR
R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1) AND R05_AG1003FC = 3) OR
(R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND
(R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR
R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR
(R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND
R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND (R05_AG9052 = -8, -7
OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND
R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND
R04_EVER_NEVER_GFILTR = 1 AND R04_GFILTR_USER_STATUS != 3 AND
(R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 OR
(R04_EVER_NEVER_GRILLO != 1 AND R05_AG9004 = 1 AND R05_AG9009_02 =
1))) AND R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND
R05_AG9009_12M_02 != 1 AND R05_AG1003FC != 1, 2, -8, -7) OR
(R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND
R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1
AND (R05_AG9052 = 2 OR R05_AG9004_12M = 2 OR R05_AG9009_12M_02 = 2)).
```

NOTES: \*\*SKIP ERROR: R05\_AG1010CG: This item was skipped incorrectly by some respondents who had ever

smoked a cigarillo as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1) and were not former experimental cigarillo smokers as of their last completed interview (R04\_GRILLO\_USER\_STATUS != 3) and did not know or refused to report which type of cigarillo or filtered cigar they had smoked in the past 30 days (R05\_AG9049\_01 = -8, -7 AND R05\_AG9049\_03 = -8, -7). This issue was fixed in a field update on 3/26/2019. R05\_AG1010FC: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This issue was fixed in a field update on 3/26/2019.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1867	5.4 %
2	2 = No	397	1.2 %
3	3 = I have never smoked a filtered cigar in my entire life, not even one or two puffs	123	0.4 %
<b>Total</b>		<b>2,387</b>	<b>7.0%</b>

This variable has 2,387 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31902	93.0 %
<b>Total</b>		<b>31,922</b>	<b>93.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 418-423 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1003TJ: Now smoke traditional cigars as blunts

Do you now smoke Traditional Cigars as blunts...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have smoked a traditional cigar in the past 30 days or in the past 12 months, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1003TJ: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	136	0.4 %
2	2 = Some days	258	0.8 %
3	3 = Not at all	128	0.4 %
<b>Total</b>		<b>522</b>	<b>1.5%</b>

This variable has 522 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33786	98.5 %	
<b>Total</b>		<b>33,787</b>	<b>98.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 424-429 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1009TJ\_NN: How long since last smoked a traditional cigar as a blunt - Number

About how long has it been since you last smoked a Traditional Cigar as a blunt? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have smoked a traditional cigar in the past 30 days or in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established traditional cigar smokers as of their last completed interview and have not smoked a traditional cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar in the past 30 days and have not smoked a traditional cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar smokers and now smoke traditional cigars as blunts not at all.

ASK Specification: FOR R05\_AG1009TJ: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1 AND

R05\_AG1003TJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days; the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value "3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This issue was fixed in a field update on 3/26/2019. ]

This variable has 122 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	4	0.0 %	
-1	-1 = Inapplicable	34180	99.6 %	
	<b>Total</b>	<b>34,187</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 430-435 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## **R05\_AG1009TJ\_UN: How long since last smoked a traditional cigar as a blunt - Unit**

About how long has it been since you last smoked a Traditional Cigar as a blunt? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have smoked a traditional cigar in the past 30 days or in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not know or refused to report whether they have smoked a traditional cigar in the past 12 months and now smoke traditional cigars not at all, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have ever smoked a traditional cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established traditional cigar smokers as of their last completed interview and have not smoked a traditional cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only traditional cigar smokers and are previous wave non-responders and have

never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar in the past 30 days and have not smoked a traditional cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only traditional cigar smokers and now smoke traditional cigars as blunts not at all.

ASK Specification: FOR R05\_AG1009TJ: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1 AND R05\_AG1003TJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days; the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value "3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This issue was fixed in a field update on 3/26/2019.]

Value	Label	Unweighted Frequency	%
1	1 = Days	30	0.1 %
2	2 = Months	82	0.2 %
3	3 = Years	14	0.0 %
<b>Total</b>		<b>126</b>	<b>0.4%</b>

This variable has 126 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34182	99.6 %
<b>Total</b>		<b>34,183</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 436-441 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1003GJ: Now smoke cigarillos as blunts

Do you now smoke Cigarillos as blunts...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only cigarillo smokers and have smoked a cigarillo in the past 30 days or in the past 12 months, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and did not know

or refused to report whether they smoked in the past 12 months, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and did not know or refused to report whether they have smoked a cigarillo in the past 12 months, or Adult respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1003GJ: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	468	1.4 %
2	2 = Some days	1404	4.1 %
3	3 = Not at all	687	2.0 %
<b>Total</b>		<b>2,559</b>	<b>7.5%</b>

This variable has 2,559 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	31744	92.5 %	
<b>Total</b>		<b>31,750</b>	<b>92.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 442-447 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1009GJ\_NN: How long since last smoked a cigarillo as a blunt - Number

About how long has it been since you last smoked a Cigarillo as a blunt? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only cigarillo smokers and have smoked a cigarillo in the past 30 days or in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke cigarillo not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and did not know or refused to report whether they have smoked a cigarillo in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and were not former experimental, recent former established, or long-term former established cigarillo smokers as of their last completed interview and have not smoked a cigarillo in the past 12 months, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last

completed interview and have ever smoked a cigarillo and have not smoked a cigarillo in the past 30 days or did not know or refused to report whether they have smoked a cigarillo in the past 30 days and have not smoked a cigarillo in the past 12 months, or Adult respondents who are past 12 month blunt-only cigarillo smokers and now smoke cigarillos as blunts not at all.

ASK Specification: FOR R05\_AG1009GJ: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AG1003GJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days;  
the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value  
"3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents  
who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a  
cigarillo and filtered cigar as of their last completed interview  
(R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not  
smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This  
issue was fixed in a field update on 3/26/2019.]

This variable has 664 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		1	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		6	0.0 %
-7	-7 = Refused		1	0.0 %
-5	-5 = Improbable response removed		16	0.0 %
-1	-1 = Inapplicable		33621	98.0 %
<b>Total</b>			<b>33,645</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 448-453 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1009GJ\_UN: How long since last smoked a cigarillo as a blunt - Unit

About how long has it been since you last smoked a Cigarillo as a blunt? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only cigarillo smokers and have smoked a cigarillo in the past 30 days or in the past 12 months and now smoke cigarillos not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke cigarillo not at all, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and did not know or refused to report whether they have smoked a cigarillo in the past 12 months and now smoke cigarillos not at all, or Adult

respondents who are not past 12 month blunt-only cigarillo smokers and have ever smoked a cigarillo as of their last completed interview and were not former experimental, recent former established, or long-term former established cigarillo smokers as of their last completed interview and have not smoked a cigarillo in the past 12 months, or Adult respondents who are not past 12 month blunt-only cigarillo smokers and are previous wave non-responders and have never smoked a cigarillo as of their last completed interview and have ever smoked a cigarillo and have not smoked a cigarillo in the past 30 days or did not know or refused to report whether they have smoked a cigarillo in the past 30 days and have not smoked a cigarillo in the past 12 months, or Adult respondents who are past 12 month blunt-only cigarillo smokers and now smoke cigarillos as blunts not at all.

ASK Specification: FOR R05\_AG1009GJ: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AG1003GJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days; the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value "3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This issue was fixed in a field update on 3/26/2019. ]

Value	Label	Unweighted Frequency	%
1	1 = Days	109	0.3 %
2	2 = Months	525	1.5 %
3	3 = Years	46	0.1 %
<b>Total</b>		<b>680</b>	<b>2.0%</b>

This variable has 680 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33628	98.0 %
<b>Total</b>		<b>33,629</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 454-459 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1003FJ: Now smoke filtered cigars as blunts

Do you now smoke Filtered Cigars as blunts...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR06]

ASK: Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have smoked a filtered cigar in the past 30 days or in the past 12 months, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and did not know or refused to report whether they have smoked a filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1003FJ: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	11	0.0 %
2	2 = Some days	67	0.2 %
3	3 = Not at all	100	0.3 %
<b>Total</b>		<b>178</b>	<b>0.5%</b>

This variable has 178 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34130	99.5 %	
<b>Total</b>		<b>34,131</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 460-465 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1)

## R05\_AG1009FJ\_NN: How long since last smoked a filtered cigar as a blunt - Number

About how long has it been since you last smoked a Filtered Cigar as a blunt? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have smoked a filtered cigar in the past 30 days or in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and did not know or refused to report whether they have smoked a filtered cigar in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered

cigar smokers and have ever smoked a filtered cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established filtered cigar smokers as of their last completed interview and have not smoked a filtered cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and have not smoked a filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a filtered cigar in the past 30 days and have not smoked a filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only filtered cigar smokers and now smoke filtered cigars as blunts not at all.

ASK Specification: FOR R05\_AG1009FJ: IF R05\_12MBLUNT\_ONLY\_BFLTR = 1  
AND R05\_AG1003FJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days; the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value "3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This issue was fixed in a field update on 3/26/2019. ]

This variable has 87 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	10	0.0 %	
-1	-1 = Inapplicable	34208	99.7 %	
<b>Total</b>		<b>34,222</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 466-471 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1009FJ\_UN: How long since last smoked a filtered cigar as a blunt - Unit

About how long has it been since you last smoked a Filtered Cigar as a blunt? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8) or Refused (-7); GO TO BOX R05\_AGR32]

ASK: Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have smoked a filtered cigar in the past 30 days or in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a

filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and did not know or refused to report whether they have smoked a filtered cigar in the past 12 months and now smoke filtered cigars not at all, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have ever smoked a filtered cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established filtered cigar smokers as of their last completed interview and have not smoked a filtered cigar in the past 12 months, or Adult respondents who are not past 12 month blunt-only filtered cigar smokers and are previous wave non-responders and have never smoked a filtered cigar as of their last completed interview and have ever smoked a filtered cigar and have not smoked a filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a filtered cigar in the past 30 days and have not smoked a filtered cigar in the past 12 months, or Adult respondents who are past 12 month blunt-only filtered cigar smokers and now smoke filtered cigars as blunts not at all.

ASK Specification: FOR R05\_AG1009FJ: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AG1003FJ = 3.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

[NOTES: The value "1" refers to R05\_AG1009[TC/.../FJ]\_UN = Days;  
the value "2" refers to R05\_AG1009[TC/.../FJ]\_UN = Months; the value  
"3" refers to R05\_AG1009[TC/.../FJ]\_UN = Years.

SKIP ERROR: This item was skipped incorrectly by some adult respondents  
who were previous wave non-responders (R05\_WNR = 1) who had ever smoked a  
cigarillo and filtered cigar as of their last completed interview  
(R04\_EVER\_NEVER\_GRILLO = 1 AND R04\_EVER\_NEVER\_GFILTR = 1) and had not  
smoked a filtered cigar in the past 12 months (R05\_AG9052 = 2). This  
issue was fixed in a field update on 3/26/2019.]

Value	Label	Unweighted Frequency	%
1	1 = Days	19	0.1 %
2	2 = Months	59	0.2 %
3	3 = Years	19	0.1 %
<b>Total</b>		<b>97</b>	<b>0.3%</b>

This variable has 97 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34211	99.7 %
<b>Total</b>		<b>34,212</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 472-477 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9010: Ever been curious about smoking a traditional cigar

The next questions are about traditional cigars.

Have you ever been curious about smoking a traditional cigar?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_EVER\_NEVER\_GTRAD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	95	0.3 %
2	2 = Somewhat curious	339	1.0 %
3	3 = A little curious	1107	3.2 %
4	4 = Not at all curious	8023	23.4 %
	<b>Total</b>	<b>9,564</b>	<b>27.9%</b>

This variable has 9,564 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	24741	72.1 %
	<b>Total</b>	<b>24,745</b>	<b>72.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 478-483 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9020: Think you will smoke a traditional cigar in the next year

[The next question is about traditional cigars.]

Do you think you will smoke a traditional cigar in the next year?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar or have not smoked a traditional cigar in the past 12 months or did not know or refused to report whether they have smoked a traditional cigar in the past 12 months.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
 R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND (R05\_EVER\_NEVER\_GTRAD = 2 OR  
 R05\_AG9003\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	43	0.1 %
2	2 = Probably yes	228	0.7 %
3	3 = Probably not	1835	5.3 %
4	4 = Definitely not	8511	24.8 %
	<b>Total</b>	<b>10,617</b>	<b>30.9%</b>

This variable has 10,617 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	23687	69.0 %	
	<b>Total</b>	<b>23,692</b>	<b>69.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 484-489 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9013: Think you will try a traditional cigar soon

Do you think that you will try a traditional cigar soon?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar.

ASK Specification: IF R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND  
 R05\_EVER\_NEVER\_GTRAD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	41	0.1 %
2	2 = Probably yes	228	0.7 %
3	3 = Probably not	2687	7.8 %
4	4 = Definitely not	20456	59.6 %
	<b>Total</b>	<b>23,412</b>	<b>68.2%</b>

This variable has 23,412 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	10876	31.7 %
<b>Total</b>		<b>10,897</b>	<b>31.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 490-495 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9016: Would smoke a traditional cigar if a best friend offered it

If one of your best friends were to offer you a traditional cigar, would you smoke it?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND

R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_EVER\_NEVER\_GTRAD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	94	0.3 %
2	2 = Probably yes	666	1.9 %
3	3 = Probably not	1309	3.8 %
4	4 = Definitely not	7496	21.8 %
<b>Total</b>		<b>9,565</b>	<b>27.9%</b>

This variable has 9,565 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	24741	72.1 %
<b>Total</b>		<b>24,744</b>	<b>72.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 496-501 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AG9011: Ever been curious about smoking a cigarillo

The next questions are about cigarillos.

Have you ever been curious about smoking a cigarillo?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_EVER\_NEVER\_GRILLO = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	26	0.1 %
2	2 = Somewhat curious	104	0.3 %
3	3 = A little curious	438	1.3 %
4	4 = Not at all curious	7361	21.5 %
	<b>Total</b>	<b>7,929</b>	<b>23.1%</b>

This variable has 7,929 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	26378	76.9 %
	<b>Total</b>	<b>26,380</b>	<b>76.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 502-507 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AG9021: Think you will smoke a cigarillo in the next year

[The next question is about cigarillos.]

Do you think you will smoke a cigarillo in the next year?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo or have not smoked a cigarillo in the past 12 months or did not know or refused to report whether they have smoked a cigarillo in the past 12 months.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
 R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND (R05\_EVER\_NEVER\_GRILLO = 2 OR  
 ((R05\_AG9004\_12M != 1 OR (R05\_AG9009\_12M\_01 != 1 AND  
 R05\_AG9009\_12M\_03 != 1)) AND R05\_AG9049\_01 != 1 AND R05\_AG9049\_03 != 1  
 AND R05\_AG9051 != 1 AND R05\_AG9053 != 1)).

NOTES: SKIP ERROR: This item was skipped incorrectly by some young adult respondents (between ages 18 and 24) who had ever smoked a cigarillo (R05\_EVER\_NEVER\_GRILLO = 1) and smoked a cigarillo or filtered cigar in the past 30 days (R05\_AG9031 = 1) and did not smoke a cigarillo in the 12 months (R05\_AG9051 = 2 AND R05\_AG9053 = 2). This issue was fixed in a field update on 1/24/2019.

DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	20	0.1 %
2	2 = Probably yes	158	0.5 %
3	3 = Probably not	1180	3.4 %
4	4 = Definitely not	7929	23.1 %
	<b>Total</b>	<b>9,287</b>	<b>27.1%</b>

This variable has 9,287 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	7	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	25007	72.9 %
	<b>Total</b>	<b>25,022</b>	<b>72.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 508-513 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG9014: Think you will try a cigarillo soon

Do you think that you will try a cigarillo soon?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: Adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo.

ASK Specification: IF R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND  
 R05\_EVER\_NEVER\_GRILLO = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	32	0.1 %
2	2 = Probably yes	121	0.4 %
3	3 = Probably not	1795	5.2 %
4	4 = Definitely not	19462	56.7 %
	<b>Total</b>	<b>21,410</b>	<b>62.4%</b>

This variable has 21,410 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12886	37.6 %
	<b>Total</b>	<b>12,899</b>	<b>37.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 514-519 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9017: Would smoke a cigarillo if a best friend offered it

If one of your best friends were to offer you a cigarillo, would you smoke it?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_EVER\_NEVER\_GRILLO = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	24	0.1 %
2	2 = Probably yes	246	0.7 %
3	3 = Probably not	813	2.4 %
4	4 = Definitely not	6845	20.0 %
	<b>Total</b>	<b>7,928</b>	<b>23.1%</b>

This variable has 7,928 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	26378	76.9 %	
<b>Total</b>		<b>26,381</b>	<b>76.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 520-525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG9012: Ever been curious about smoking filtered cigar

The next questions are about filtered cigars.

Have you ever been curious about smoking a filtered cigar?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_EVER\_NEVER\_GFILTR = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	40	0.1 %
2	2 = Somewhat curious	145	0.4 %
3	3 = A little curious	537	1.6 %
4	4 = Not at all curious	9586	27.9 %
<b>Total</b>		<b>10,308</b>	<b>30.0%</b>

This variable has 10,308 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	23997	69.9 %	
<b>Total</b>		<b>24,001</b>	<b>70.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 526-531 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG9022: Think you will smoke a filtered cigar in the next year

[The next question is about filtered cigars.]

Do you think you will smoke a filtered cigar in the next year?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar or have not smoked a filtered cigar in the past 12 months or did not know or refused to report whether they have smoked a filtered cigar in the past 12 months.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND (R05\_EVER\_NEVER\_GFILTR = 2 OR  
(R05\_AG9049\_02 != 1 AND R05\_AG9052 != 1 AND (R05\_AG9004\_12M != 1 OR  
R05\_AG9009\_12M\_02 != 1))).

NOTES: SKIP ERROR: This item was skipped incorrectly by some young adult respondents (between ages 18 and 24) who had ever smoked a filtered cigar (R05\_EVER\_NEVER\_GFILTR = 1) and smoked a cigarillo or filtered cigar in the past 30 days (R05\_AG9031 = 1) and did not smoke a filtered cigar in the past 30 days (R05\_AG9049\_02 = 2) and did not smoke a filtered cigar in the past 12 months (R05\_AG9052 = 2). This issue was fixed in a field update on 1/24/2019. DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	27	0.1 %
2	2 = Probably yes	140	0.4 %
3	3 = Probably not	1620	4.7 %
4	4 = Definitely not	9512	27.7 %
	<b>Total</b>	<b>11,299</b>	<b>32.9%</b>

This variable has 11,299 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	37	0.1 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	22969	66.9 %
	<b>Total</b>	<b>23,010</b>	<b>67.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 532-537 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9015: Think you will try a filtered cigar soon

Do you think that you will try a filtered cigar soon?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar.

ASK Specification: IF R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_EVER\_NEVER\_GFILTR = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	34	0.1 %
2	2 = Probably yes	169	0.5 %
3	3 = Probably not	3168	9.2 %
4	4 = Definitely not	24183	70.5 %
	<b>Total</b>	<b>27,554</b>	<b>80.3%</b>

This variable has 27,554 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	6738	19.6 %
	<b>Total</b>	<b>6,755</b>	<b>19.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 538-543 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9018: Would smoke a filtered cigar if a best friend offered it

If one of your best friends were to offer you a filtered cigar, would you smoke it?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_APV02]

ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_EVER\_NEVER\_GFILTR = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	52	0.2 %

Value	Label	Unweighted Frequency	%
2	2 = Probably yes	457	1.3 %
3	3 = Probably not	1289	3.8 %
4	4 = Definitely not	8511	24.8 %
	<b>Total</b>	<b>10,309</b>	<b>30.0%</b>

This variable has 10,309 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	23997	69.9 %
	<b>Total</b>	<b>24,000</b>	<b>70.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 544-549 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1004: In past 30 days, smoked a pipe filled with tobacco, even one or two puffs

In the past 30 days, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

[IF Yes (1); GO TO BOX R05\_APR05]

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a pipe as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe as of their last completed interview.

ASK Specification: IF R05\_WNR = 2 OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 1) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 2 AND R05\_AP1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	379	1.1 %
2	2 = No	31638	92.2 %
	<b>Total</b>	<b>32,017</b>	<b>93.3%</b>

This variable has 32,017 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	2277	6.6 %	
	<b>Total</b>	<b>2,292</b>	<b>6.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 550-555 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1002: Ever smoked a pipe filled with tobacco, even one or two puffs

Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_APV02]

ASK: Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview.

ASK Specification: IF R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	185	0.5 %
2	2 = No	2275	6.6 %
	<b>Total</b>	<b>2,460</b>	<b>7.2%</b>

This variable has 2,460 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	31846	92.8 %	
	<b>Total</b>	<b>31,849</b>	<b>92.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 556-561 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1002\_12M: In past 12 months, smoked a pipe filled with tobacco, even one or two puffs

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

ASK: Adult respondents who are not previous wave non-responders and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a pipe as of their last completed interview and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AP1004 = 2, -8, -7) OR  
(R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 1 AND R05\_AP1004 = 2, -8, -7)  
OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 2 AND R05\_AP1002 = 1 AND  
R05\_AP1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	295	0.9 %
2	2 = No	31336	91.3 %
	<b>Total</b>	<b>31,631</b>	<b>92.2%</b>

This variable has 31,631 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	2656	7.7 %
	<b>Total</b>	<b>2,678</b>	<b>7.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 562-567 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1003: Now smoke a pipe filled with tobacco

Do you now smoke a pipe filled with tobacco...

[IF Yes (1), No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_APV02]

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months, or Adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months.

ASK Specification: IF R05\_AP1004 = 1 OR R05\_AP1002\_12M = 1 OR  
(R04\_EVER\_NEVER\_PIPE = 1 AND R05\_AP1002\_12M = -8, -7) OR (R05\_WNR = 1  
AND R04\_EVER\_NEVER\_PIPE = 2 AND R05\_AP1002 = 1 AND  
R05\_AP1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	63	0.2 %
2	2 = Some days	300	0.9 %
3	3 = Not at all	314	0.9 %
<b>Total</b>		<b>677</b>	<b>2.0%</b>

This variable has 677 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33629	98.0 %	
<b>Total</b>		<b>33,632</b>	<b>98.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 568-573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1009\_NN: How long since you last smoked a pipe filled with tobacco - Number

About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7), GO TO BOX R05\_AP1010]

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months and now smoke a pipe not at all, or Adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or Adult respondents who have ever smoked a pipe as of their last completed interview and were not former experimental, recent former established, or long-term former established pipe smokers as of their last completed interview and have not smoked a pipe in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days and have not smoked a pipe in the past 12 months.

ASK Specification: IF ((R05\_AP1004 = 1 OR R05\_AP1002\_12M = 1) AND R05\_AP1003 = 3) OR (R04\_EVER\_NEVER\_PIPE = 1 AND R05\_AP1002\_12M = -8, -7 AND R05\_AP1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 2 AND R05\_AP1002 = 1 AND R05\_AP1002\_12M = -8, -7 AND R05\_AP1003 = 3) OR (R04\_EVER\_NEVER\_PIPE = 1 AND R04\_PIPE\_USER\_STATUS != 3, 4, 5 AND R05\_AP1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 2 AND R05\_AP1002 = 1 AND R05\_AP1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AP1009\_UN = Days; the value "2" refers to R05\_AP1009\_UN = Months; the value "3" refers to R05\_AP1009\_UN = Years.

This variable has 649 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		1	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		21	0.1 %
-7	-7 = Refused		7	0.0 %
-5	-5 = Improbable response removed		101	0.3 %
-1	-1 = Inapplicable		33530	97.7 %
<b>Total</b>			<b>33,660</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 574-579 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AP1009\_UN: How long since you last smoked a pipe filled with tobacco - Unit

About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7), GO TO BOX R05\_AP1010]

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months and now smoke a pipe not at all, or Adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or Adult respondents who have ever smoked a pipe as of their last completed interview and were not former experimental, recent former established, or long-term former established pipe smokers as of their last completed interview and have not smoked a pipe in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days and have not smoked a pipe in the past 12 months.

ASK Specification: IF ((R05\_AP1004 = 1 OR R05\_AP1002\_12M = 1) AND  
 R05\_AP1003 = 3) OR (R04\_EVER\_NEVER\_PIPE = 1 AND R05\_AP1002\_12M = -8,  
 -7 AND R05\_AP1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 2 AND  
 R05\_AP1002 = 1 AND R05\_AP1002\_12M = -8, -7 AND R05\_AP1003 = 3) OR  
 (R04\_EVER\_NEVER\_PIPE = 1 AND R04\_PIPE\_USER\_STATUS != 3, 4, 5 AND  
 R05\_AP1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 2 AND  
 R05\_AP1002 = 1 AND R05\_AP1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AP1009\_UN = Days; the value "2" refers to  
 R05\_AP1009\_UN = Months; the value "3" refers to R05\_AP1009\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	92	0.3 %
2	2 = Months	210	0.6 %
3	3 = Years	448	1.3 %
	<b>Total</b>	<b>750</b>	<b>2.2%</b>

This variable has 750 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33558	97.8 %	
	<b>Total</b>	<b>33,559</b>	<b>97.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 580-585 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1010: Completely quit smoking pipes filled with tobacco

Have you completely quit smoking pipes filled with tobacco?

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months and now smoke a pipe not at all, or Adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or Adult respondents who have ever smoked a pipe as of their last completed interview and were not former experimental pipe smokers as of their last completed interview and have not smoked a pipe in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 12 months.

ASK Specification: IF ((R05\_AP1004 = 1 OR R05\_AP1002\_12M = 1) AND

R05\_AP1003 = 3) OR (R04\_EVER\_NEVER\_PIPE = 1 AND R05\_AP1002\_12M = -8, -7 AND R05\_AP1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 2 AND R05\_AP1002 = 1 AND R05\_AP1002\_12M = -8, -7 AND R05\_AP1003 = 3) OR (R04\_EVER\_NEVER\_PIPE = 1 AND R04\_PIPE\_USER\_STATUS != 3 AND R05\_AP1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_PIPE = 2 AND R05\_AP1002 = 1 AND R05\_AP1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1367	4.0 %
2	2 = No	248	0.7 %
3	3 = I have never smoked a pipe filled with tobacco in my entire life, not even one or two puffs	73	0.2 %
<b>Total</b>		<b>1,688</b>	<b>4.9%</b>

This variable has 1,688 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32607	95.0 %	
<b>Total</b>		<b>32,621</b>	<b>95.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 586-591 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1004: In past 30 days, smoked hookah, even one or two puffs

In the past 30 days, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

[IF Yes (1); GO TO BOX R05\_AHR05]

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked hookah as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah.

ASK Specification: IF R05\_WNR = 2 OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 1) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 2 AND R05\_AH1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1125	3.3 %

Value	Label	Unweighted Frequency	%
2	2 = No	31457	91.7 %
	<b>Total</b>	<b>32,582</b>	<b>95.0%</b>

This variable has 32,582 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	1704	5.0 %
	<b>Total</b>	<b>1,727</b>	<b>5.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 592-597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1002: Ever smoked tobacco in a hookah, even one or two puffs

Have you ever smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX\_AHV02]

ASK: Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview.

ASK Specification: IF R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	249	0.7 %
2	2 = No	1701	5.0 %
	<b>Total</b>	<b>1,950</b>	<b>5.7%</b>

This variable has 1,950 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,359</b>	<b>94.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 598-603 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1002\_12M: In past 12 months, smoked tobacco in a hookah, even one or two puffs

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

ASK: Adult respondents who are not previous wave non-responders and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked hookah as of their last completed interview and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AH1004 = 2, -8, -7) OR  
(R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 1 AND R05\_AH1004 = 2, -8, -7)  
OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 2 AND R05\_AH1002 = 1 AND  
R05\_AH1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1399	4.1 %
2	2 = No	30059	87.6 %
	<b>Total</b>	<b>31,458</b>	<b>91.7%</b>

This variable has 31,458 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	2829	8.2 %
	<b>Total</b>	<b>2,851</b>	<b>8.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 604-609 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1003: Now smoke hookah

Do you now smoke tobacco in a hookah...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AHV02]

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months, or Adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months.

ASK Specification: IF R05\_AH1004 = 1 OR R05\_AH1002\_12M = 1 OR  
(R04\_EVER\_NEVER\_HOOK = 1 AND R05\_AH1002\_12M = -8, -7) OR (R05\_WNR = 1  
AND R04\_EVER\_NEVER\_HOOK = 2 AND R05\_AH1002 = 1 AND  
R05\_AH1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	41	0.1 %
2	2 = Some days	947	2.8 %
3	3 = Not at all	1535	4.5 %
<b>Total</b>		<b>2,523</b>	<b>7.4%</b>

This variable has 2,523 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31780	92.6 %
<b>Total</b>		<b>31,786</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 610-615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1009\_NN: How long since you last smoked tobacco in a hookah - Number

About how long has it been since you last smoked tobacco in a hookah? (If it was earlier today, enter 1 day)

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AH1010]

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or Adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or Adult respondents who have ever

smoked hookah as of their last completed interview and were not former experimental, recent former established, or long-term former established hookah smokers as of their last completed interview and have not smoked hookah in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 12 months.

ASK Specification: IF ((R05\_AH1004 = 1 OR R05\_AH1002\_12M = 1) AND R05\_AH1003 = 3) OR (R04\_EVER\_NEVER\_HOOK = 1 AND R05\_AH1002\_12M = -8, -7 AND R05\_AH1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 2 AND R05\_AH1002 = 1 AND R05\_AH1002\_12M = -8, -7 AND R05\_AH1003 = 3) OR (R04\_EVER\_NEVER\_HOOK = 1 AND R04\_HOOK\_USER\_STATUS != 3, 4, 5 AND R05\_AH1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 2 AND R05\_AH1002 = 1 AND R05\_AH1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AH1009\_UN = Days; the value "2" refers to R05\_AH1009\_UN = Months; the value "3" refers to R05\_AH1009\_UN = Years

This variable has 2,447 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	18	0.1 %
-5	-5 = Improbable response removed	240	0.7 %
-1	-1 = Inapplicable	31557	92.0 %
<b>Total</b>		<b>31,862</b>	<b>92.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 616-621 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AH1009\_UN: How long since you last smoked tobacco in a hookah - Unit

About how long has it been since you last smoked tobacco in a hookah? (If it was earlier today, enter 1 day)

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AH1010]

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or Adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or Adult respondents who have ever smoked hookah as of their last completed interview and were not former experimental, recent former established, or long-term former established hookah smokers as of their last completed interview

and have not smoked hookah in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 12 months.

ASK Specification: IF ((R05\_AH1004 = 1 OR R05\_AH1002\_12M = 1) AND R05\_AH1003 = 3) OR (R04\_EVER\_NEVER\_HOOK = 1 AND R05\_AH1002\_12M = -8, -7 AND R05\_AH1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 2 AND R05\_AH1002 = 1 AND R05\_AH1002\_12M = -8, -7 AND R05\_AH1003 = 3) OR (R04\_EVER\_NEVER\_HOOK = 1 AND R04\_HOOK\_USER\_STATUS != 3, 4, 5 AND R05\_AH1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 2 AND R05\_AH1002 = 1 AND R05\_AH1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AH1009\_UN = Days; the value "2" refers to R05\_AH1009\_UN = Months; the value "3" refers to R05\_AH1009\_UN = Years

Value	Label	Unweighted Frequency	%
1	1 = Days	334	1.0 %
2	2 = Months	1154	3.4 %
3	3 = Years	1199	3.5 %
<b>Total</b>		<b>2,687</b>	<b>7.8%</b>

This variable has 2,687 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	31621	92.2 %	
<b>Total</b>		<b>31,622</b>	<b>92.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 622-627 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1010: Completely quit smoking tobacco in a hookah

Have you completely quit smoking tobacco in a hookah?

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or Adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or Adult respondents who have ever smoked hookah as of their last completed interview and were not former experimental hookah smokers as of their last completed interview and have not smoked hookah in the past 12 months, or Adult

respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 12 months.

ASK Specification: IF ((R05\_AH1004 = 1 OR R05\_AH1002\_12M = 1) AND R05\_AH1003 = 3) OR (R04\_EVER\_NEVER\_HOOK = 1 AND R05\_AH1002\_12M = -8, -7 AND R05\_AH1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 2 AND R05\_AH1002 = 1 AND R05\_AH1002\_12M = -8, -7 AND R05\_AH1003 = 3) OR (R04\_EVER\_NEVER\_HOOK = 1 AND R04\_HOOK\_USER\_STATUS != 3 AND R05\_AH1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_HOOK = 2 AND R05\_AH1002 = 1 AND R05\_AH1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2853	8.3 %
2	2 = No	903	2.6 %
3	3 = I have never smoked hookah in my entire life, not even one or two puffs	94	0.3 %
<b>Total</b>		<b>3,850</b>	<b>11.2%</b>

This variable has 3,850 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	30438	88.7 %
<b>Total</b>		<b>30,459</b>	<b>88.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 628-633 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1103: Ever been curious about smoking tobacco in a hookah

Have you ever been curious about smoking tobacco in a hookah?

ASK: Young adult respondents who have never smoked hookah.

ASK Specification: IF 18 <= R05\_A\_AGE < 25 AND R05\_EVER\_NEVER\_HOOK = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	162	0.5 %
2	2 = Somewhat curious	457	1.3 %
3	3 = A little curious	1298	3.8 %
4	4 = Not at all curious	6412	18.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>8,329</b>	<b>24.3%</b>

This variable has 8,329 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	25971	75.7 %
	<b>Total</b>	<b>25,980</b>	<b>75.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 634-639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1206: Think you will smoke tobacco in a hookah in the next year

Do you think you will smoke tobacco in a hookah in the next year?

ASK: Young adult respondents who have never smoked hookah, or young adult respondents who have not smoked hookah in the past 12 months or did not know or refused to report whether they have smoked hookah in the past 12 months.

ASK Specification: IF (18 <= R05R\_A\_AGE < 25 AND R05\_EVER\_NEVER\_HOOK = 2) OR (18 <= R05R\_A\_AGE < 25 AND R05\_AH1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	36	0.1 %
2	2 = Probably yes	347	1.0 %
3	3 = Probably not	2275	6.6 %
4	4 = Definitely not	7859	22.9 %
	<b>Total</b>	<b>10,517</b>	<b>30.7%</b>

This variable has 10,517 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	23781	69.3 %
	<b>Total</b>	<b>23,792</b>	<b>69.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 640-645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1104: Think you will try smoking tobacco in a hookah soon

Do you think you will try smoking tobacco in a hookah soon?

ASK: Adult respondents who have never smoked hookah.

ASK Specification: IF R05\_EVER\_NEVER\_HOOK = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	41	0.1 %
2	2 = Probably yes	261	0.8 %
3	3 = Probably not	3021	8.8 %
4	4 = Definitely not	20456	59.6 %
	<b>Total</b>	<b>23,779</b>	<b>69.3%</b>

This variable has 23,779 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	10514	30.6 %
	<b>Total</b>	<b>10,530</b>	<b>30.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 646-651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1205: Would try a hookah if a best friend offered

If one of your best friends were to offer you a hookah, would you try it?

ASK: Young adult respondents who have never smoked hookah.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND

R05\_EVER\_NEVER\_HOOK = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	156	0.5 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
2	2 = Probably yes	852	2.5 %
3	3 = Probably not	1261	3.7 %
4	4 = Definitely not	6067	17.7 %
	<b>Total</b>	<b>8,336</b>	<b>24.3%</b>

This variable has 8,336 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	25971	75.7 %	
	<b>Total</b>	<b>25,973</b>	<b>75.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 652-657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9031: Ever smoked marijuana from a hookah

Have you ever smoked marijuana from a hookah? (Remember all information you give to the PATH Study will be kept private.)

ASK: All adult respondents.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	4521	13.2 %
2	2 = No	29757	86.7 %
	<b>Total</b>	<b>34,278</b>	<b>99.9%</b>

This variable has 34,278 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	19	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>31</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 658-663 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AH9040: Ever smoked herbal or tobacco-free shisha in a hookah

Have you ever smoked herbal or tobacco-free shisha in a hookah?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4607	13.4 %
2	2 = No	29624	86.3 %
	<b>Total</b>	<b>34,231</b>	<b>99.8%</b>

This variable has 34,231 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	69	0.2 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>78</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 664-669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AU1004: In past 30 days, used snus, even one or two times

In the past 30 days, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

[IF Yes (1); GO TO BOX R05\_AUR22]

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever used snus as of their last completed interview, or adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus.

ASK Specification: IF R05\_WNR = 2 OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 1) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 2 AND R05\_AU1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	463	1.3 %
2	2 = No	31385	91.5 %
	<b>Total</b>	<b>31,848</b>	<b>92.8%</b>

This variable has 31,848 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	2418	7.0 %
	<b>Total</b>	<b>2,461</b>	<b>7.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 670-675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1002: Ever used snus, even one or two times

Have you ever used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AUV03]

ASK: Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview.

ASK Specification: IF R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	190	0.6 %
2	2 = No	2408	7.0 %
	<b>Total</b>	<b>2,598</b>	<b>7.6%</b>

This variable has 2,598 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	31700	92.4 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>31,711</b>	<b>92.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 676-681 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1002: Ever used smokeless tobacco, even one or two times

Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASV03]

ASK: Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview.

ASK Specification: IF R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	196	0.6 %
2	2 = No	2191	6.4 %
	<b>Total</b>	<b>2,387</b>	<b>7.0%</b>

This variable has 2,387 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31919	93.0 %
	<b>Total</b>	<b>31,922</b>	<b>93.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 682-687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1002\_12M: In past 12 months, used snus, even one or two times

In the past 12 months, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

ASK: Adult respondents who are not previous wave non-responders and have not used snus in the past

30 days or did not know or refused to report whether they have used snus in the past 30 days, or Adult respondents who are previous wave non-responders and have ever used snus as of their last completed interview and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AU1004 = 2, -8, -7) OR  
 (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 1 AND R05\_AU1004 = 2, -8, -7)  
 OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 2 AND R05\_AU1002 = 1 AND  
 R05\_AU1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	329	1.0 %
2	2 = No	31080	90.6 %
	<b>Total</b>	<b>31,409</b>	<b>91.5%</b>

This variable has 31,409 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	2881	8.4 %
	<b>Total</b>	<b>2,900</b>	<b>8.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 688-693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1002\_12M: In past 12 months, used smokeless tobacco products, even one or two times

In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: Adult respondents who are not previous wave non-responders and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days, or Adult respondents who are previous wave non-responders and have ever used smokeless tobacco as of their last completed interview and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days, or Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_WNR = 2 AND R05\_AS1004 = 2, -8, -7) OR  
(R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 1 AND R05\_AS1004 = 2, -8, -7)  
OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 2 AND R05\_AS1002 = 1 AND  
R05\_AS1004 = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	458	1.3 %
2	2 = No	30372	88.5 %
<b>Total</b>		<b>30,830</b>	<b>89.9%</b>

This variable has 30,830 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	3464	10.1 %
<b>Total</b>		<b>3,479</b>	<b>10.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 694-699 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1004: In past 30 days, used smokeless tobacco products, even one or two times

In the past 30 days, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

[IF Yes (1); GO TO BOX R05\_ASR29]

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever used smokeless tobacco as of their last completed interview, or adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco.

ASK Specification: IF R05\_WNR = 2 OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 1) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 2 AND R05\_AS1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1271	3.7 %
2	2 = No	30821	89.8 %
<b>Total</b>		<b>32,092</b>	<b>93.5%</b>

This variable has 32,092 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	2193	6.4 %
<b>Total</b>		<b>2,217</b>	<b>6.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 700-705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1003: Now use snus

Do you now use snus...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AUV03]

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months, or Adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months.

ASK Specification: IF R05\_AU1004 = 1 OR R05\_AU1002\_12M = 1 OR  
(R04\_EVER\_NEVER\_SNUS = 1 AND R05\_AU1002\_12M = -8, -7) OR (R05\_WNR = 1  
AND R04\_EVER\_NEVER\_SNUS = 2 AND R05\_AU1002 = 1 AND  
R05\_AU1002\_12M = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Every day	124	0.4 %
2	2 = Some days	259	0.8 %
3	3 = Not at all	409	1.2 %
<b>Total</b>		<b>792</b>	<b>2.3%</b>

This variable has 792 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33515	97.7 %
<b>Total</b>		<b>33,517</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 706-711 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1009\_NN: How long since you last used snus - Number

About how long has it been since you last used snus? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Dont Know (-8), or Refused (-7); GO TO BOX R05\_AU1010]

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or Adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or Adult respondents who have ever used snus as of their last completed interview and were not former experimental, recent former established, or long-term former established snus users as of their last completed interview and have not used snus in the past 12 months, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 12 months.

ASK Specification: IF ((R05\_AU1004 = 1 OR R05\_AU1002\_12M = 1) AND R05\_AU1003 = 3) OR (R04\_EVER\_NEVER\_SNUS = 1 AND R05\_AU1002\_12M = -8, -7 AND R05\_AU1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 2 AND R05\_AU1002 = 1 AND R05\_AU1002\_12M = -8, -7 AND R05\_AU1003 = 3) OR (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_SNUS\_USER\_STATUS != 3, 4, 5 AND R05\_AU1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 2 AND R05\_AU1002 = 1 AND R05\_AU1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AU1009\_UN = Days; the value "2" refers to R05\_AU1009\_UN = Months; the value "3" refers to R05\_AU1009\_UN = Years.

DATA ERROR: Some respondents have missing data (-9) for this variable.

This variable has 749 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	8	0.0 %
-5	-5 = Improbable response removed	79	0.2 %
-1	-1 = Inapplicable	33442	97.5 %
<b>Total</b>		<b>33,560</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 712-717 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

## R05\_AU1009\_UN: How long since you last used snus - Unit

About how long has it been since you last used snus? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Dont Know (-8), or Refused (-7); GO TO BOX R05\_AU1010]

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or Adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or Adult respondents who have ever used snus as of their last completed interview and were not former experimental, recent former established, or long-term former established snus users as of their last completed interview and have not used snus in the past 12 months, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 12 months.

ASK Specification: IF ((R05\_AU1004 = 1 OR R05\_AU1002\_12M = 1) AND R05\_AU1003 = 3) OR (R04\_EVER\_NEVER\_SNUS = 1 AND R05\_AU1002\_12M = -8, -7 AND R05\_AU1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 2 AND R05\_AU1002 = 1 AND R05\_AU1002\_12M = -8, -7 AND R05\_AU1003 = 3) OR (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_SNUS\_USER\_STATUS != 3, 4, 5 AND R05\_AU1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 2 AND R05\_AU1002 = 1 AND R05\_AU1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AU1009\_UN = Days; the value "2" refers to R05\_AU1009\_UN = Months; the value "3" refers to R05\_AU1009\_UN = Years.

DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Days	105	0.3 %
2	2 = Months	286	0.8 %
3	3 = Years	437	1.3 %
<b>Total</b>		<b>828</b>	<b>2.4%</b>

This variable has 828 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33480	97.6 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,481</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 718-723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1010: Completely quit using snus

Have you completely quit using snus?

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or Adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or Adult respondents who have ever used snus as of their last completed interview and were not former experimental snus users as of their last completed interview and have not used snus in the past 12 months, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 12 months.

ASK Specification: IF ((R05\_AU1004 = 1 OR R05\_AU1002\_12M = 1) AND R05\_AU1003 = 3) OR (R04\_EVER\_NEVER\_SNUS = 1 AND R05\_AU1002\_12M = -8, -7 AND R05\_AU1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 2 AND R05\_AU1002 = 1 AND R05\_AU1002\_12M = -8, -7 AND R05\_AU1003 = 3) OR (R04\_EVER\_NEVER\_SNUS = 1 AND R04\_SNUS\_USER\_STATUS != 3 AND R05\_AU1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SNUS = 2 AND R05\_AU1002 = 1 AND R05\_AU1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1177	3.4 %
2	2 = No	123	0.4 %
3	3 = I have never used snus in my entire life, not even one or two times	74	0.2 %
<b>Total</b>		<b>1,374</b>	<b>4.0%</b>

This variable has 1,374 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32929	96.0 %
<b>Total</b>		<b>32,935</b>	<b>96.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 724-729 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AU1103: Ever been curious about using snus

Have you ever been curious about using snus?

ASK: Young adult respondents who have never used snus.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_EVER\_NEVER\_SNUS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	19	0.1 %
2	2 = Somewhat curious	74	0.2 %
3	3 = A little curious	334	1.0 %
4	4 = Not at all curious	10630	31.0 %
	<b>Total</b>	<b>11,057</b>	<b>32.2%</b>

This variable has 11,057 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	23242	67.7 %
	<b>Total</b>	<b>23,252</b>	<b>67.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 730-735 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AU1206: Think you will use snus in the next year

Do you think you will use snus in the next year?

ASK: Young adult respondents who have never used snus, or young adult respondents who have not used snus in the past 12 months or did not know or refused to report whether they have used snus in the past 12 months.

ASK Specification: IF (18 <= R05R\_A\_AGE < 25 AND R05\_EVER\_NEVER\_SNUS = 2) OR (18 <= R05R\_A\_AGE < 25 AND R05\_AU1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	8	0.0 %
2	2 = Probably yes	33	0.1 %
3	3 = Probably not	548	1.6 %
4	4 = Definitely not	11017	32.1 %
	<b>Total</b>	<b>11,606</b>	<b>33.8%</b>

This variable has 11,606 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	22699	66.2 %
	<b>Total</b>	<b>22,703</b>	<b>66.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 736-741 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1104: Think you will try snus soon

Do you think you will try snus soon?

ASK: Adult respondents who have never used snus.

ASK Specification: IF R05\_EVER\_NEVER\_SNUS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	21	0.1 %
2	2 = Probably yes	43	0.1 %
3	3 = Probably not	1438	4.2 %
4	4 = Definitely not	29565	86.2 %
	<b>Total</b>	<b>31,067</b>	<b>90.6%</b>

This variable has 31,067 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	8	0.0 %

Missing Data			
-1	-1 = Inapplicable	3226	9.4 %
	<b>Total</b>	<b>3,242</b>	<b>9.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 742-747 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1205: Would try snus if a best friend offered it

If one of your best friends were to offer you snus, would you try it?

ASK: Young adult respondents who have never used snus.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND

R05\_EVER\_NEVER\_SNUS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	16	0.0 %
2	2 = Probably yes	116	0.3 %
3	3 = Probably not	541	1.6 %
4	4 = Definitely not	10389	30.3 %
	<b>Total</b>	<b>11,062</b>	<b>32.2%</b>

This variable has 11,062 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	23242	67.7 %
	<b>Total</b>	<b>23,247</b>	<b>67.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 748-753 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1003: Now use smokeless tobacco

Do you now use smokeless tobacco...

[IF Every day (1), Some days (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASV03]

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months,

or Adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF R05\_AS1004 = 1 OR R05\_AS1002\_12M = 1 OR  
(R04\_EVER\_NEVER\_SMKLS = 1 AND R05\_AS1002\_12M = -8, -7) OR (R05\_WNR = 1  
AND R04\_EVER\_NEVER\_SMKLS = 2 AND R05\_AS1002 = 1 AND  
R05\_AS1002\_12M = -8, -7).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Every day	665	1.9 %
2	2 = Some days	526	1.5 %
3	3 = Not at all	539	1.6 %
<b>Total</b>		<b>1,730</b>	<b>5.0%</b>

This variable has 1,730 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32575	94.9 %
<b>Total</b>		<b>32,579</b>	<b>95.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 754-759 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1009\_NN: How long since you last used smokeless tobacco - Number

About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASV03]

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or Adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental, recent former established, or long-term former established smokeless tobacco users as of their last completed interview and have not used smokeless tobacco in

the past 12 months, or Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months.

ASK Specification: IF ((R05\_AS1004 = 1 OR R05\_AS1002\_12M = 1) AND R05\_AS1003 = 3) OR (R04\_EVER\_NEVER\_SMKLS = 1 AND R05\_AS1002\_12M = -8, -7 AND R05\_AS1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 2 AND R05\_AS1002 = 1 AND R05\_AS1002\_12M = -8, -7 AND R05\_AS1003 = 3) OR (R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_SMKLS\_USER\_STATUS != 3, 4, 5 AND R05\_AS1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 2 AND R05\_AS1002 = 1 AND R05\_AS1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AS1009\_UN = Days; the value "2" refers to R05\_AS1009\_UN = Months; the value "3" refers to R05\_AS1009\_UN = Years.

This variable has 1,078 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	35	0.1 %	
-7	-7 = Refused	7	0.0 %	
-5	-5 = Improbable response removed	93	0.3 %	
-1	-1 = Inapplicable	33095	96.5 %	
<b>Total</b>		<b>33,231</b>	<b>96.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 760-765 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AS1009\_UN: How long since you last used smokeless tobacco - Unit

About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASV03]

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or Adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental, recent former established, or long-term former established smokeless tobacco users as of their last completed interview and have not used smokeless tobacco in the past 12 months, or Adult respondents who are previous wave non-responders and have never used

smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months.

ASK Specification: IF ((R05\_AS1004 = 1 OR R05\_AS1002\_12M = 1) AND R05\_AS1003 = 3) OR (R04\_EVER\_NEVER\_SMKLS = 1 AND R05\_AS1002\_12M = -8, -7 AND R05\_AS1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 2 AND R05\_AS1002 = 1 AND R05\_AS1002\_12M = -8, -7 AND R05\_AS1003 = 3) OR (R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_SMKLS\_USER\_STATUS != 3, 4, 5 AND R05\_AS1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 2 AND R05\_AS1002 = 1 AND R05\_AS1002\_12M = 2).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AS1009\_UN = Days; the value "2" refers to R05\_AS1009\_UN = Months; the value "3" refers to R05\_AS1009\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	170	0.5 %
2	2 = Months	442	1.3 %
3	3 = Years	559	1.6 %
<b>Total</b>		<b>1,171</b>	<b>3.4%</b>

This variable has 1,171 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33137	96.6 %	
<b>Total</b>		<b>33,138</b>	<b>96.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 766-771 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1010: Completely quit using smokeless tobacco

Have you completely quit using smokeless tobacco?

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or Adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental smokeless tobacco users as of their last completed interview and have not used smokeless tobacco in the past 12 months, or Adult respondents who are previous wave

non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months.

ASK Specification: IF ((R05\_AS1004 = 1 OR R05\_AS1002\_12M = 1) AND R05\_AS1003 = 3) OR (R04\_EVER\_NEVER\_SMKLS = 1 AND R05\_AS1002\_12M = -8, -7 AND R05\_AS1003 = 3) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 2 AND R05\_AS1002 = 1 AND R05\_AS1002\_12M = -8, -7 AND R05\_AS1003 = 3) OR (R04\_EVER\_NEVER\_SMKLS = 1 AND R04\_SMKLS\_USER\_STATUS != 3 AND R05\_AS1002\_12M = 2) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_SMKLS = 2 AND R05\_AS1002 = 1 AND R05\_AS1002\_12M = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1950	5.7 %
2	2 = No	219	0.6 %
3	3 = I have never used smokeless tobacco in my entire life, not even one or two times	78	0.2 %
<b>Total</b>		<b>2,247</b>	<b>6.5%</b>

This variable has 2,247 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32045	93.4 %	
<b>Total</b>		<b>32,062</b>	<b>93.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 772-777 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1103: Ever been curious about using smokeless tobacco

Have you ever been curious about using smokeless tobacco?

ASK: Young adult respondents who have never used smokeless tobacco.

ASK Specification: IF 18 <= R05\_A\_AGE < 25 AND R05\_EVER\_NEVER\_SMKLS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	22	0.1 %
2	2 = Somewhat curious	63	0.2 %
3	3 = A little curious	379	1.1 %
4	4 = Not at all curious	10072	29.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>10,536</b>	<b>30.7%</b>

This variable has 10,536 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	23768	69.3 %
	<b>Total</b>	<b>23,773</b>	<b>69.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 778-783 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1206: Think you will use smokeless tobacco in the next year

Do you think you will use smokeless tobacco in the next year?

ASK: Young adult respondents who have never used smokeless tobacco, or young adult respondents who have not used smokeless tobacco in the past 12 months or did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF (18 <= R05R\_A\_AGE < 25 AND R05\_EVER\_NEVER\_SMKLS = 2) OR (18 <= R05R\_A\_AGE < 25 AND R05\_AS1002\_12M = 2, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	10	0.0 %
2	2 = Probably yes	32	0.1 %
3	3 = Probably not	560	1.6 %
4	4 = Definitely not	10702	31.2 %
	<b>Total</b>	<b>11,304</b>	<b>32.9%</b>

This variable has 11,304 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	22998	67.0 %
	<b>Total</b>	<b>23,005</b>	<b>67.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 784-789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1104: Think you will try smokeless tobacco soon

Do you think you will try smokeless tobacco soon?

ASK: Adult respondents who have never used smokeless tobacco.

ASK Specification: IF R05\_EVER\_NEVER\_SMKLS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	23	0.1 %
2	2 = Probably yes	70	0.2 %
3	3 = Probably not	1307	3.8 %
4	4 = Definitely not	27340	79.7 %
	<b>Total</b>	<b>28,740</b>	<b>83.8%</b>

This variable has 28,740 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	5558	16.2 %
	<b>Total</b>	<b>5,569</b>	<b>16.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 790-795 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1205: Would try smokeless tobacco if a best friend offered it

If one of your best friends were to offer you smokeless tobacco, would you try it?

ASK: Young adult respondents who have never used smokeless tobacco.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND

R05\_EVER\_NEVER\_SMKLS = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	14	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Probably yes	81	0.2 %
3	3 = Probably not	528	1.5 %
4	4 = Definitely not	9911	28.9 %
	<b>Total</b>	<b>10,534</b>	<b>30.7%</b>

This variable has 10,534 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	23768	69.3 %	
	<b>Total</b>	<b>23,775</b>	<b>69.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 796-801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AD1002: Ever used dissolvable tobacco products, even one or two times

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ADV01]

ASK: Adult respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview.

ASK Specification: IF R05\_WNR = 1 AND R04\_EVER\_NEVER\_DISSBL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.0 %
2	2 = No	2825	8.2 %
	<b>Total</b>	<b>2,840</b>	<b>8.3%</b>

This variable has 2,840 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	31465	91.7 %	
<b>Total</b>		<b>31,469</b>	<b>91.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 802-807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AD1002\_12M: In past 12 months, used dissolvable tobacco, even one or two times

In the past 12 months, have you used dissolvable tobacco, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

ASK: Adult respondents who are not previous wave non-responders, or Adult respondents who are previous wave non-responders and have ever used dissolvable tobacco as of their last completed interview, or Adult respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview and have ever used dissolvable tobacco.

ASK Specification: IF R05\_WNR = 2 OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_DISSBL = 1) OR (R05\_WNR = 1 AND R04\_EVER\_NEVER\_DISSBL = 2 AND R05\_AD1002 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	114	0.3 %
2	2 = No	31336	91.3 %
<b>Total</b>		<b>31,450</b>	<b>91.7%</b>

This variable has 31,450 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	16	0.0 %	
-7	-7 = Refused	14	0.0 %	
-1	-1 = Inapplicable	2828	8.2 %	
<b>Total</b>		<b>2,859</b>	<b>8.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 808-813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AZ1002: Ever used any other tobacco products

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars,

cigarillos, filtered cigars, pipe tobacco, hookah tobacco, snus, smokeless tobacco, [and] dissolvable tobacco [LIST ALL AVAILABLE HEATED TOBACCO BRANDS].

Besides these products, have you ever used any other tobacco products? Please do not include products such as a nicotine patch, gum, inhaler, nasal spray or lozenge.

ASK: All adult respondents.

[PROGRAM NOTE: If iQOS or other heated tobacco brands have become available on the US market, then list the available brands after dissolvable tobacco (tabaco que se disuelve). Include all the heated tobacco brands that have been made available. Separate with commas with ", and" preceding the last brand for English. Separate with commas with "y" preceding the last brand for Spanish. ]

Value	Label	Unweighted Frequency	%
1	1 = Yes	213	0.6 %
2	2 = No	34065	99.3 %
	<b>Total</b>	<b>34,278</b>	<b>99.9%</b>

This variable has 34,278 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	16	0.0 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>31</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 814-819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1005: Number of cigarettes smoked in your entire life

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

ASK: Adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_CIGS = 1 AND R04\_NUMLIFE\_CIGS != 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole cigarette	2387	7.0 %
2	2 = 1 to 10 cigarettes (about 1/2 pack total)	1785	5.2 %
3	3 = 11 to 20 cigarettes (about 1/2 pack to 1 pack)	931	2.7 %

Value	Label	Unweighted Frequency	%
4	4 = 21 to 50 cigarettes (more than 1 pack but less than 3 packs)	880	2.6 %
5	5 = 51 to 99 (more than 2 1/2 packs but less than 5 packs)	529	1.5 %
6	6 = 100 or more cigarettes (5 packs or more)	740	2.2 %
<b>Total</b>		<b>7,252</b>	<b>21.1%</b>

This variable has 7,252 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	130	0.4 %	
-7	-7 = Refused	67	0.2 %	
-1	-1 = Inapplicable	26859	78.3 %	
<b>Total</b>		<b>27,057</b>	<b>78.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 820-825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1100: Ever smoked cigarettes fairly regularly

Have you ever smoked cigarettes fairly regularly?

ASK: Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_CIGS = 1 AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6) AND R04\_REGUSE\_CIGS != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	673	2.0 %
2	2 = No	572	1.7 %
<b>Total</b>		<b>1,245</b>	<b>3.6%</b>

This variable has 1,245 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33062	96.4 %	
<b>Total</b>		<b>33,064</b>	<b>96.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 826-831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AC1007\_NB: DERIVED - Age group when you first started smoking cigarettes fairly regularly (6 levels)

Long Description: How old were you when you first started smoking cigarettes fairly regularly?

Algorithm: IF (0 <= R05\_AC1007\_NB < 18) OR R05\_AC1121\_NB = 1 THEN  
R05R\_A\_AC1007\_NB = 1; ELSE IF (18 <= R05\_AC1007\_NB <= 24) OR  
R05\_AC1121\_NB = 2 THEN R05R\_A\_AC1007\_NB = 2; ELSE IF  
(25 <= R05\_AC1007\_NB <= 34) OR R05\_AC1121\_NB = 3 THEN  
R05R\_A\_AC1007\_NB = 3; ELSE IF (35 <= R05\_AC1007\_NB <= 44) OR  
R05\_AC1121\_NB = 4 THEN R05R\_A\_AC1007\_NB = 4; ELSE IF  
(45 <= R05\_AC1007\_NB <= 54) OR R05\_AC1121\_NB = 5 THEN  
R05R\_A\_AC1007\_NB = 5; ELSE IF (R05\_AC1007\_NB >= 55) OR  
R05\_AC1121\_NB = 6 THEN R05R\_A\_AC1007\_NB = 6; ELSE IF R05\_AC1007\_NB = -9  
OR R05\_AC1121\_NB = -9 THEN R05R\_A\_AC1007\_NB = -99999; ELSE IF  
R05\_AC1007\_NB = -8 OR R05\_AC1121\_NB = -8 THEN R05R\_A\_AC1007\_NB = -99988;  
ELSE IF R05\_AC1007\_NB = -7 OR R05\_AC1121\_NB = -7 THEN  
R05R\_A\_AC1007\_NB = -99977; ELSE IF R05\_AC1007\_NB = -5 THEN  
R05R\_A\_AC1007\_NB = -99955; ELSE IF R05\_AC1007\_NB = -1 OR  
R05\_AC1121\_NB = -1 THEN R05R\_A\_AC1007\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	64	0.2 %
2	2 = 18 to 24 years old	55	0.2 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>119</b>	<b>0.3%</b>

This variable has 119 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34189	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>34,190</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 832-837 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_AC1020\_NB: DERIVED - Age group when you first started smoking cigarettes every day (6 levels)

Long Description: How old were you when you first started smoking cigarettes every day?

Algorithm: IF (0 <= R05\_AC1020\_NB < 18) OR R05\_AC1122\_NB = 1 THEN  
 R05R\_A\_AC1020\_NB = 1; ELSE IF (18 <= R05\_AC1020\_NB <= 24) OR  
 R05\_AC1122\_NB = 2 THEN R05R\_A\_AC1020\_NB = 2; ELSE IF  
 (25 <= R05\_AC1020\_NB <= 34) OR R05\_AC1122\_NB = 3 THEN  
 R05R\_A\_AC1020\_NB = 3; ELSE IF (35 <= R05\_AC1020\_NB <= 44) OR  
 R05\_AC1122\_NB = 4 THEN R05R\_A\_AC1020\_NB = 4; ELSE IF  
 (45 <= R05\_AC1020\_NB <= 54) OR R05\_AC1122\_NB = 5 THEN  
 R05R\_A\_AC1020\_NB = 5; ELSE IF ( R05\_AC1020\_NB >= 55) OR  
 R05\_AC1122\_NB = 6 THEN R05R\_A\_AC1020\_NB = 6; ELSE IF  
 R05\_AC1020\_NB = -9 OR R05\_AC1122\_NB = -9 THEN  
 R05R\_A\_AC1020\_NB = -99999; ELSE IF R05\_AC1020\_NB = -8 OR  
 R05\_AC1122\_NB = -8 THEN R05R\_A\_AC1020\_NB = -99988; ELSE IF  
 R05\_AC1020\_NB = -7 OR R05\_AC1122\_NB = -7 THEN  
 R05R\_A\_AC1020\_NB = -99977; ELSE IF R05\_AC1020\_NB = -5 THEN  
 R05R\_A\_AC1020\_NB = -99955; ELSE IF R05\_AC1020\_NB = -1 OR  
 R05\_AC1122\_NB = -1 THEN R05R\_A\_AC1020\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	100	0.3 %
2	2 = 18 to 24 years old	30	0.1 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>130</b>	<b>0.4%</b>

This variable has 130 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

Missing Data			
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34175	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,179</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 838-843 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05\_AC1008: When first started smoking cigarettes, smoked cigarettes flavored to taste like menthol or mint

When you first started smoking cigarettes, did you start with cigarettes flavored to taste like menthol or mint?

ASK: Adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF R05\_INIT\_CIGS\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	332	1.0 %
2	2 = No	519	1.5 %
3	3 = I don't know	280	0.8 %
<b>Total</b>		<b>1,131</b>	<b>3.3%</b>

This variable has 1,131 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33175	96.7 %
<b>Total</b>		<b>33,178</b>	<b>96.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 844-849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9904: How much pleasant sensation experienced the first time smoked a cigarette

How much did you experience pleasant sensations the first time you smoked a cigarette?

ASK: Young adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_INIT\_CIGS\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	374	1.1 %
2	2 = A little	249	0.7 %
3	3 = Somewhat	195	0.6 %
4	4 = A lot	62	0.2 %
	<b>Total</b>	<b>880</b>	<b>2.6%</b>

This variable has 880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33424	97.4 %
	<b>Total</b>	<b>33,429</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 850-855 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AC9905: How much unpleasant sensation experienced the first time smoked a cigarette

How much did you experience unpleasant sensations the first time you smoked a cigarette?

ASK: Young adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_INIT\_CIGS\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	223	0.6 %
2	2 = A little	267	0.8 %
3	3 = Somewhat	222	0.6 %
4	4 = A lot	168	0.5 %
	<b>Total</b>	<b>880</b>	<b>2.6%</b>

This variable has 880 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33424	97.4 %	
<b>Total</b>		<b>33,429</b>	<b>97.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 856-861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9906: How much felt sick to stomach the first time smoked a cigarette

How much did you feel sick to your stomach the first time you smoked a cigarette?

ASK: Young adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND

R05\_INIT\_CIGS\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	453	1.3 %
2	2 = A little	191	0.6 %
3	3 = Somewhat	139	0.4 %
4	4 = A lot	96	0.3 %
<b>Total</b>		<b>879</b>	<b>2.6%</b>

This variable has 879 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33424	97.4 %	
<b>Total</b>		<b>33,430</b>	<b>97.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 862-867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9002\_NN: How long smoking/smoked cigarettes fairly regularly - Number

About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.

\_\_ Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR23]

ASK: Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.

ASK Specification: IF R05\_EVER\_NEVER\_CIGS = 1 AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6) AND R04\_REGUSE\_CIGS != 1 AND R05\_AC1100 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AC9002\_UN = Months; the value "2" refers to R05\_AC9002\_UN = Years.

This variable has 667 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		1	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		3	0.0 %
-7	-7 = Refused		2	0.0 %
-5	-5 = Improbable response removed		1	0.0 %
-1	-1 = Inapplicable		33635	98.0 %
<b>Total</b>			<b>33,642</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 868-873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AC9002\_UN: How long smoking/smoked cigarettes fairly regularly - Unit

About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.

\_\_ Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR23]

ASK: Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.

ASK Specification: IF R05\_EVER\_NEVER\_CIGS = 1 AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6) AND R04\_REGUSE\_CIGS != 1 AND R05\_AC1100 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AC9002\_UN = Months; the value "2" refers to R05\_AC9002\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Months	228	0.7 %
2	2 = Years	440	1.3 %
	<b>Total</b>	<b>668</b>	<b>1.9%</b>

This variable has 668 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33640	98.1 %
	<b>Total</b>	<b>33,641</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 874-879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9003\_NN: How many cigarettes smoked per day when you smoked fairly regularly - Number

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly?  
A pack usually has 20 cigarettes in it.

\_\_ Cigarettes/Packs per day

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR04]

ASK: Adult respondents who are recent former established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 4 AND R04\_REGUSE\_CIGS != 1  
AND R05\_AC1100 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC9003\_UN = Cigarettes per day; the value "2" refers to R05\_AC9003\_UN = Packs per day.

This variable has 192 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34114	99.4 %
<b>Total</b>		<b>34,117</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 880-885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AC9003\_UN: How many cigarettes smoked per day when you smoked fairly regularly - Unit

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly?  
A pack usually has 20 cigarettes in it.

\_\_ Cigarettes/Packs per day

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR04]

ASK: Adult respondents who are recent former established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 4 AND R04\_REGUSE\_CIGS != 1  
AND R05\_AC1100 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AC9003\_UN = Cigarettes per day; the value "2" refers to R05\_AC9003\_UN = Packs per day.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Cigarettes per day	155	0.5 %
2	2 = Packs per day	37	0.1 %
<b>Total</b>		<b>192</b>	<b>0.6%</b>

This variable has 192 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	34116	99.4 %
	<b>Total</b>	<b>34,117</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 886-891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1021\_NN: Average number of cigarettes now smoked each day - Number

On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.

\_\_ Cigarettes/Packs per day

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AC1090]

ASK: Adult respondents who are every day established cigarette smokers.

ASK Specification: IF R05\_CURRENT\_CIG\_USE = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC1021\_UN = Cigarettes per day;  
the value "2" refers to R05\_AC1021\_UN = Packs per day.

This variable has 6,447 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	6	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	27852	81.2 %
	<b>Total</b>	<b>27,862</b>	<b>81.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 892-897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AC1021\_UN: Average number of cigarettes now smoked each day - Unit

On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.

\_\_ Cigarettes/Packs per day

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AC1090]

ASK: Adult respondents who are every day established cigarette smokers.

ASK Specification: IF R05\_CURRENT\_CIG\_USE = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AC1021\_UN = Cigarettes per day;  
the value "2" refers to R05\_AC1021\_UN = Packs per day.

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes per day	4940	14.4 %
2	2 = Packs per day	1507	4.4 %
	<b>Total</b>	<b>6,447</b>	<b>18.8%</b>

This variable has 6,447 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	27861	81.2 %
	<b>Total</b>	<b>27,862</b>	<b>81.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 898-903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1090: Average number of cigarettes now smoked per day (Pack measure)

Would you say that, on average, you now smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day?

[IF ANY ANSWER IS SELECTED; GO TO BOX R05\_ACV03]

ASK: Adult respondents who are every day established cigarette smokers and did not know or refused to report how many cigarettes they now smoke each day.

ASK Specification: IF R05\_CURRENT\_CIG\_USE = 1 AND  
R05\_AC1021\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = More than 20 cigarettes each day	1	0.0 %
2	2 = About 20 cigarettes each day	1	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = Less than 20 cigarettes each day	4	0.0 %
	<b>Total</b>	<b>6</b>	<b>0.0%</b>

This variable has 6 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	34299	100.0 %
	<b>Total</b>	<b>34,303</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 904-909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1022: In past 30 days, number of days smoked cigarettes

On how many of the past 30 days did you smoke cigarettes?

\_\_ Days

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R05\_CURRENT\_CIG\_USE = 2 OR R05\_CIG\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 4,113 valid cases out of 34,309 total cases.

- Mean: 8.26
- Median: 4.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 9.43

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	9	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	30172	87.9 %
	<b>Total</b>	<b>30,196</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 910-915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AC9029\_NN: How long since you last smoked a cigarette - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a cigarette?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACV03]

ASK: Adult respondents who are some day established or current experimental cigarette smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_CIG\_USE = 2 OR  
R05\_CIG\_USER\_STATUS = 2) AND R05\_AC1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC9029\_UN = Days; the value "2" refers to R05\_AC9029\_UN = Months; the value "3" refers to R05\_AC9029\_UN = Years.

This variable has 198 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	39	0.1 %	
-1	-1 = Inapplicable	34068	99.3 %	
	<b>Total</b>	<b>34,111</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 916-921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AC9029\_UN: How long since you last smoked a cigarette - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a cigarette?

Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACV03]

ASK: Adult respondents who are some day established or current experimental cigarette smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_CIG\_USE = 2 OR  
R05\_CIG\_USER\_STATUS = 2) AND R05\_AC1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC9029\_UN = Days; the value "2" refers to R05\_AC9029\_UN = Months; the value "3" refers to R05\_AC9029\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	52	0.2 %
2	2 = Months	134	0.4 %
3	3 = Years	51	0.1 %
<b>Total</b>		<b>237</b>	<b>0.7%</b>

This variable has 237 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34071	99.3 %
<b>Total</b>		<b>34,072</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 922-927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC1023\_NN: In past 30 days, average number of cigarettes smoked per day on days smoked - Number

On average, on those [FILL NUMBER OF DAYS FROM R05\_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

  Cigarettes/Packs per day

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACV03]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R05\_CURRENT\_CIG\_USE = 2 OR R05\_CIG\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1022 != 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC1023\_UN = Cigarettes per day; the value "2" refers to R05\_AC1023\_UN = Packs per day.

This variable has 3,449 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	7	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	30840	89.9 %	
<b>Total</b>		<b>30,860</b>	<b>89.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 928-933 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AC1023\_UN: In past 30 days, average number of cigarettes smoked per day on days smoked - Unit

On average, on those [FILL NUMBER OF DAYS FROM R05\_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

\_\_ Cigarettes/Packs per day

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACV03]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R05\_CURRENT\_CIG\_USE = 2 OR R05\_CIG\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1022 != 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC1023\_UN = Cigarettes per day; the value "2" refers to R05\_AC1023\_UN = Packs per day.

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes per day	3277	9.6 %

Value	Label	Unweighted Frequency	%
2	2 = Packs per day	172	0.5 %
	<b>Total</b>	<b>3,449</b>	<b>10.1%</b>

This variable has 3,449 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	30859	89.9 %
	<b>Total</b>	<b>30,860</b>	<b>89.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 934-939 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9004: Smoked same number of cigarettes per day since started smoking fairly regularly

You mentioned that you smoke [#] [[cigarette[s]/pack[s]] per day[ on the days that you smoke]. Have you smoked about this many [cigarettes/packs] per day since you started smoking fairly regularly?

{IF Yes (1); GO TO BOX R05\_ACR41: IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AC9005}

ASK: New baseline adult respondents who are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, or Adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_CIG\_USER\_STATUS = 1  
AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6) AND R04\_REGUSE\_CIGS != 1  
AND R05\_AC1100 = 1 AND (R05\_AC1023\_NN > 0 OR R05\_AC1021\_NN > 0)) OR  
(R05\_INIT\_CIGS\_ADULT = 1 AND R05\_CIG\_USER\_STATUS = 1 AND  
(R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6) AND R04\_REGUSE\_CIGS != 1 AND  
R05\_AC1100 = 1 AND (R05\_AC1023\_NN > 0 OR R05\_AC1021\_NN > 0)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	66	0.2 %
2	2 = No	59	0.2 %
	<b>Total</b>	<b>125</b>	<b>0.4%</b>

This variable has 125 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34183	99.6 %	
<b>Total</b>		<b>34,184</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 940-945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9009: Smoked same number of cigarettes per day since started smoking fairly regularly (Pack measure)

You mentioned that you smoke [R05\_CIGSPERDAY2]. Have you smoked about this many cigarettes per day since you started smoking fairly regularly?

[IF Yes (1); GO TO BOX R05\_ACR41]

ASK: New baseline adult respondents who are every day established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or Adult respondents who initiated cigarette smoking since their last completed interview and are every day established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_CURRENT\_CIG\_USE = 1 AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6) AND R04\_REGUSE\_CIGS != 1 AND R05\_AC1100 = 1 AND R05\_AC1021\_NN = -8, -7 AND R05\_AC1090 = 1, 2, 3) OR (R05\_INIT\_CIGS\_ADULT = 1 AND R05\_CURRENT\_CIG\_USE = 1 AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6) AND R04\_REGUSE\_CIGS != 1 AND R05\_AC1100 = 1 AND R05\_AC1021\_NN = -8, -7 AND R05\_AC1090 = 1, 2, 3).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	1	0.0 %
<b>Total</b>		<b>1</b>	<b>0.0%</b>

This variable has 1 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34307	100.0 %
	<b>Total</b>	<b>34,308</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 946-951 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9005\_NN: Average number of cigarettes smoked per day when smoked fairly regularly in the past - Number

On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past?

\_\_ Cigarettes/Packs per day

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR41]

ASK: New baseline adult respondents who are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, or Adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_CIG\_USER\_STATUS = 1  
AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6) AND R04\_REGUSE\_CIGS != 1  
AND R05\_AC1100 = 1 AND (((R05\_AC1023\_NN > 0 OR R05\_AC1021\_NN > 0) AND  
R05\_AC9004 != 1) OR (R05\_AC1021\_NN = -8, -7 AND R05\_AC1090 = 1, 2, 3  
AND R05\_AC9009 != 1))) OR (R05\_INIT\_CIGS\_ADULT = 1 AND  
R05\_CIG\_USER\_STATUS = 1 AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6)  
AND R04\_REGUSE\_CIGS != 1 AND R05\_AC1100 = 1 AND (((R05\_AC1023\_NN > 0  
OR R05\_AC1021\_NN > 0) AND R05\_AC9004 != 1) OR (R05\_AC1021\_NN = -8, -7  
AND R05\_AC1090 = 1, 2, 3 AND R05\_AC9009 != 1))).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AC9005\_UN = Cigarettes per day;  
the value "2" refers to R05\_AC9005\_UN = Packs per day.

This variable has 60 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34248	99.8 %
<b>Total</b>		<b>34,249</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 952-957 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AC9005\_UN: Average number of cigarettes smoked per day when smoked fairly regularly in the past - Unit

On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past?

\_\_ Cigarettes/Packs per day

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR41]

ASK: New baseline adult respondents who are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, or Adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_CIG\_USER\_STATUS = 1  
AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6) AND R04\_REGUSE\_CIGS != 1  
AND R05\_AC1100 = 1 AND (((R05\_AC1023\_NN > 0 OR R05\_AC1021\_NN > 0) AND  
R05\_AC9004 != 1) OR (R05\_AC1021\_NN = -8, -7 AND R05\_AC1090 = 1, 2, 3  
AND R05\_AC9009 != 1))) OR (R05\_INIT\_CIGS\_ADULT = 1 AND  
R05\_CIG\_USER\_STATUS = 1 AND (R04\_NUMLIFE\_CIGS = 1 OR R05\_AC1005 = 6)  
AND R04\_REGUSE\_CIGS != 1 AND R05\_AC1100 = 1 AND (((R05\_AC1023\_NN > 0  
OR R05\_AC1021\_NN > 0) AND R05\_AC9004 != 1) OR (R05\_AC1021\_NN = -8, -7  
AND R05\_AC1090 = 1, 2, 3 AND R05\_AC9009 != 1))).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC9005\_UN = Cigarettes per day;  
the value "2" refers to R05\_AC9005\_UN = Packs per day.

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes per day	53	0.2 %
2	2 = Packs per day	7	0.0 %
	<b>Total</b>	<b>60</b>	<b>0.2%</b>

This variable has 60 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34248	99.8 %
	<b>Total</b>	<b>34,248</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 958-963 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1024\_NN: Time to first cigarette after waking on days smoked - Number (current smokers)

[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AC1092]

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits. ]

NOTES: The value "1" refers to R05\_AC1024\_UN = Minutes after waking;  
the value "2" refers to R05\_AC1024\_UN = Hours after waking.

This variable has 9,340 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	21	0.1 %
-5	-5 = Improbable response removed	6	0.0 %
-1	-1 = Inapplicable	24881	72.5 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>24,969</b>	<b>72.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 964-969 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

## R05\_AC1024\_UN: Time to first cigarette after waking on days smoked - Unit (current smokers)

[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AC1092]

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AC1024\_UN = Minutes after waking;  
the value "2" refers to R05\_AC1024\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	5497	16.0 %
2	2 = Hours after waking	3849	11.2 %
	<b>Total</b>	<b>9,346</b>	<b>27.2%</b>

This variable has 9,346 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	24962	72.8 %
	<b>Total</b>	<b>24,963</b>	<b>72.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 970-975 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AC1092: Smoke first cigarette of the day within 30 minutes after waking (current smokers)

[On the days that you smoke, would/Would] you say you smoke your first cigarette of the day within the first 30 minutes after you wake up?

[IF ANY ANSWER IS PROVIDED; Go TO R05\_AC9052]

ASK: Adult respondents who are current established or current experimental cigarette smokers and did not know or refused to report how soon after waking up they smoke their first cigarette of the day.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2 AND  
R05\_AC1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.0 %
2	2 = No	55	0.2 %
3	3 = It varies	12	0.0 %
<b>Total</b>		<b>75</b>	<b>0.2%</b>

This variable has 75 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	34227	99.8 %
<b>Total</b>		<b>34,234</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 976-981 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC1024\_30D\_NN: Time to first cigarette after waking on days smoked - Number (non-current smokers)

On the days that you smoked, how soon after you woke up did you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AC1092\_30D]

ASK: Adult respondents who are non-current 30-day cigarette smokers.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AC1024\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AC1024\_30D\_UN = Hours after waking.

This variable has 1,084 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	63	0.2 %	
-7	-7 = Refused	17	0.0 %	
-5	-5 = Improbable response removed	1	0.0 %	
-1	-1 = Inapplicable	33143	96.6 %	
<b>Total</b>		<b>33,225</b>	<b>96.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 982-987 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AC1024\_30D\_UN: Time to first cigarette after waking on days smoked - Unit (non-current smokers)

On the days that you smoked, how soon after you woke up did you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

\_\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AC1092\_30D]

ASK: Adult respondents who are non-current 30-day cigarette smokers.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AC1024\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AC1024\_30D\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	313	0.9 %
2	2 = Hours after waking	772	2.3 %
<b>Total</b>		<b>1,085</b>	<b>3.2%</b>

This variable has 1,085 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	

Missing Data			
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
<b>Total</b>		<b>33,224</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 988-993 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1092\_30D: Smoked first cigarette of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked, would you say you smoked your first cigarette of the day within the first 30 minutes after you woke up?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AC9048]

ASK: Adult respondents who are non-current 30-day cigarette smokers and did not know or refused to report how soon after waking up they typically smoke their first cigarette of the day.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1 AND  
R05\_AC1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	65	0.2 %
3	3 = It varies	3	0.0 %
<b>Total</b>		<b>71</b>	<b>0.2%</b>

This variable has 71 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	34228	99.8 %
<b>Total</b>		<b>34,238</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 994-999 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9022: Consider yourself a smoker

Do you consider yourself a smoker?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7894	23.0 %
2	2 = No	1522	4.4 %
	<b>Total</b>	<b>9,416</b>	<b>27.4%</b>

This variable has 9,416 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	24881	72.5 %	
	<b>Total</b>	<b>24,893</b>	<b>72.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1000-1005 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC9045: Level of Agreement: Enjoy sensation in throat and chest when smoking

Please rate your level of agreement using the following scale: 1 = Not at all to 7 = Extremely.

Do you enjoy the sensation in your throat and chest when you smoke a cigarette?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display response options as a horizontal scale, with labels as anchors on left and right.]

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1568	4.6 %
2	2 = 2 on a scale of 1 to 7	1027	3.0 %
3	3 = 3 on a scale of 1 to 7	1555	4.5 %
4	4 = 4 on a scale of 1 to 7	2313	6.7 %
5	5 = 5 on a scale of 1 to 7	1527	4.5 %

Value	Label	Unweighted Frequency	%
6	6 = 6 on a scale of 1 to 7	709	2.1 %
7	7 = Extremely	685	2.0 %
<b>Total</b>		<b>9,384</b>	<b>27.4%</b>

This variable has 9,384 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	24881	72.5 %
<b>Total</b>		<b>24,925</b>	<b>72.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1006-1011 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9052: Cigarette you would hate most to give up

Which cigarette would you hate most to give up?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = The first one in the morning	4997	14.6 %
2	2 = All others	4143	12.1 %
<b>Total</b>		<b>9,140</b>	<b>26.6%</b>

This variable has 9,140 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	208	0.6 %
-7	-7 = Refused	79	0.2 %
-1	-1 = Inapplicable	24881	72.5 %
<b>Total</b>		<b>25,169</b>	<b>73.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1012-1017 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC9053: Smoke cigarettes more frequently during the first hours after waking compared to rest of the day

Do you smoke more frequently during the first hours after waking than during the rest of the day?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3458	10.1 %
2	2 = No	5940	17.3 %
	<b>Total</b>	<b>9,398</b>	<b>27.4%</b>

This variable has 9,398 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	24881	72.5 %	
	<b>Total</b>	<b>24,911</b>	<b>72.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1018-1023 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC9054: Smoke cigarettes even if ill in bed all day

Do you smoke if you are so ill that you are in bed most of the day?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2288	6.7 %
2	2 = No	7106	20.7 %
	<b>Total</b>	<b>9,394</b>	<b>27.4%</b>

This variable has 9,394 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	24881	72.5 %
<b>Total</b>		<b>24,915</b>	<b>72.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1024-1029 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9048: When smoking cigarettes, usually smoke manufactured cigarettes or roll-your-own cigarettes

When you [smoke/smoked] cigarettes, [do/did] you usually smoke manufactured cigarettes or [do/did] you smoke roll-your-own cigarettes?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1.

[PROGRAM NOTE: If option 3 is selected, other options cannot be selected.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Manufactured cigarettes	8986	26.2 %
2	2 = Roll-your-own cigarettes	461	1.3 %
3	3 = Both manufactured and roll-your-own cigarettes	729	2.1 %
4	4 = I don't know	383	1.1 %
<b>Total</b>		<b>10,559</b>	<b>30.8%</b>

This variable has 10,559 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	23716	69.1 %
<b>Total</b>		<b>23,750</b>	<b>69.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1030-1035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC0100MC: When last smoked a cigarette

When did you last smoke a cigarette?

[IF In the past hour (1); GO TO R05\_AC0103MC : IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AC1130MC]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AC0100MC: IF R05\_AC9048 = 1, 3, 4, -8, -7  
AND (R05\_CURRENT\_CIG\_USE = 1 OR ((R05\_CURRENT\_CIG\_USE = 2 OR  
R05\_CIG\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND  
R05\_AC1022 != 0)).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	5295	15.4 %
2	2 = Sometime today, but more than an hour ago	1486	4.3 %
3	3 = Yesterday	929	2.7 %
4	4 = Day before yesterday	293	0.9 %
5	5 = Three or more days ago	1442	4.2 %
<b>Total</b>		<b>9,445</b>	<b>27.5%</b>

This variable has 9,445 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	17	0.0 %	
-1	-1 = Inapplicable	24825	72.4 %	
<b>Total</b>		<b>24,864</b>	<b>72.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1036-1041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC0102MC: Time period of day when you last smoked a cigarette

When you last smoked a cigarette [FILL BASED ON R05\_AC0100[MC/RY]], was it...

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette sometime today, yesterday, or the day before yesterday, or adult

respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a cigarette sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05\_AC0102MC: IF R05\_AC9048 = 1, 3, 4, -8, -7  
AND ((R05\_CURRENT\_CIG\_USE = 1 AND R05\_AC0100MC = 2, 3, 4) OR  
((R05\_CURRENT\_CIG\_USE = 2 OR R05\_CIG\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1022 != 0 AND  
R05\_AC0100MC = 2, 3, 4)).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	315	0.9 %
2	2 = After 6AM but before noon	796	2.3 %
3	3 = Between noon and 6PM	909	2.6 %
4	4 = After 6PM but before midnight	682	2.0 %
	<b>Total</b>	<b>2,702</b>	<b>7.9%</b>

This variable has 2,702 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31600	92.1 %
	<b>Total</b>	<b>31,607</b>	<b>92.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1042-1047 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC0103MC: Number of cigarettes smoked today/yesterday/day before yesterday

How many cigarettes [have/did] you [smoked/smoke] [FILL BASED ON R05\_AC0100]? [A pack usually has 20 cigarettes in it.]

\_\_\_\_ Cigarettes

[IF Don't Know (-8), or Refused (-7); Go TO R05\_AC1130MC]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05\_AC0103MC: IF R05\_AC9048 = 1, 3, 4, -8, -7

AND ((R05\_CURRENT\_CIG\_USE = 1 AND R05\_AC0100MC = 1, 2, 3, 4) OR  
 ((R05\_CURRENT\_CIG\_USE = 2 OR R05\_CIG\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1022 != 0 AND  
 R05\_AC0100MC = 1, 2, 3, 4)).

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 7,990 valid cases out of 34,309 total cases.

- Mean: 5.76
- Median: 4.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 551.00
- Standard Deviation: 9.01

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	4	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	26305	76.7 %	
<b>Total</b>		<b>26,319</b>	<b>76.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1048-1053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AC1130MC: In past 30 days, cigarette flavor smoked: Menthol or mint

In the past 30 days, were any of the cigarettes you smoked flavored to taste like menthol or mint?

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: FOR R05\_AC1130MC: IF R05\_AC9048 = 1, 3, 4, -8, -7  
 AND (R05\_CURRENT\_CIG\_USE = 1 OR ((R05\_CURRENT\_CIG\_USE = 2 OR  
 R05\_CIG\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND  
 R05\_AC1022 != 0)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4312	12.6 %
2	2 = No	4936	14.4 %
3	3 = I don't know	226	0.7 %
<b>Total</b>		<b>9,474</b>	<b>27.6%</b>

This variable has 9,474 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	24825	72.4 %
<b>Total</b>		<b>24,835</b>	<b>72.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1054-1059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1030MC: How you usually buy your cigarettes

The next questions ask about your experience buying cigarettes.

How [do/did] you usually buy cigarettes for yourself?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_ACR07]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R05\_AC1030MC: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 1, 3, 4, -8, -7.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = In person	8955	26.1 %
2	2 = From the internet	20	0.1 %
3	3 = By telephone	22	0.1 %
4	4 = I do not buy my own cigarettes	1105	3.2 %
<b>Total</b>		<b>10,102</b>	<b>29.4%</b>

This variable has 10,102 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	24177	70.5 %
<b>Total</b>		<b>24,207</b>	<b>70.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1060-1065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1032MC: Geographic area where you usually buy your cigarettes

[Do/Did] you usually buy cigarettes...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: FOR R05\_AC1032MC: IF R05\_AC1030MC = 1 AND  
(R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND  
R05\_AC9048 = 1, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	8644	25.2 %
2	2 = In another state	250	0.7 %
3	3 = Outside the US	52	0.2 %
<b>Total</b>		<b>8,946</b>	<b>26.1%</b>

This variable has 8,946 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	25353	73.9 %
<b>Total</b>		<b>25,363</b>	<b>73.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1066-1071 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1033MC: Retail location where your cigarettes are purchased most of the time

Where [do/did] you buy your cigarettes most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: FOR R05\_AC1033MC: IF R05\_AC1030MC = 1 AND  
(R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R05\_AC9048 = 1, 3, 4, -8, -7.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = A convenience store or gas station	7622	22.2 %
2	2 = A supermarket, grocery store, or drug store	411	1.2 %
3	3 = A warehouse club, such as Sam's or Costco	16	0.0 %
4	4 = A smoke shop, tobacco specialty store, or tobacco outlet store	615	1.8 %
5	5 = A duty free shop or military commissary	12	0.0 %
6	6 = A bar, pub, restaurant, or casino	16	0.0 %
7	7 = A friend or relative	28	0.1 %
8	8 = A swap meet or flea market	1	0.0 %
9	9 = A store on an Indian reservation	81	0.2 %
10	10 = A liquor store	139	0.4 %
11	11 = Somewhere else	4	0.0 %
<b>Total</b>		<b>8,945</b>	<b>26.1%</b>

This variable has 8,945 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	25353	73.9 %
<b>Total</b>		<b>25,364</b>	<b>73.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1072-1077 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1039: Usually buy cigarettes by carton, pack or as single cigarettes

Do you usually buy cigarettes by the carton, pack, or as single cigarettes?

[IF Pack (2); GO TO R05\_AC1042MC : IF Single cigarettes (3); GO TO R05\_AC1043MC :  
IF Don't Know (-8) or Refused (-7); GO TO R05\_AC1047MC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 1, 4, -8, -7 OR  
(R05\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND  
R05\_AC1030MC != 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Carton	1096	3.2 %
2	2 = Pack	7460	21.7 %
3	3 = Single cigarettes	422	1.2 %
	<b>Total</b>	<b>8,978</b>	<b>26.2%</b>

This variable has 8,978 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	25311	73.8 %
	<b>Total</b>	<b>25,331</b>	<b>73.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1078-1083 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1040: Number of cigarette packs in the carton you usually buy

How many packs of cigarettes are in the carton you usually buy?

\_\_\_ Packs

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 1, 4, -8, -7 OR  
(R05\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND  
R05\_AC1030MC != 4, -8, -7 AND R05\_AC1039 = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 1,091 valid cases out of 34,309 total cases.

- Mean: 11.23
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 15.65

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33212	96.8 %	
<b>Total</b>		<b>33,218</b>	<b>96.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1084-1089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AC1041\_D: Amount usually paid for a carton of cigarettes - Dollars

How much do you usually pay for a carton of cigarettes?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AC1047MC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 1, 4, -8, -7 OR  
(R05\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND  
R05\_AC1030MC != 4, -8, -7 AND R05\_AC1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents. ]

This variable has 1,082 valid cases out of 34,309 total cases.

- Mean: 46.59
- Median: 46.00
- Mode: 50.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 25.92

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	5	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33212	96.8 %	
<b>Total</b>		<b>33,227</b>	<b>96.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1090-1095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AC1041\_C: Amount usually paid for a carton of cigarettes - Cents

How much do you usually pay for a carton of cigarettes?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AC1047MC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 1, 4, -8, -7 OR  
(R05\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND  
R05\_AC1030MC != 4, -8, -7 AND R05\_AC1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents. ]

This variable has 1,082 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33226	96.8 %	
<b>Total</b>		<b>33,227</b>	<b>96.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1096-1101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AC1042\_D: Amount usually paid for a pack of cigarettes - Dollars

How much do you usually pay for a pack of cigarettes?

\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AC1047MC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the

internet, or by telephone and usually buy manufactured cigarettes by the pack.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 1, 4, -8, -7 OR  
(R05\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND  
R05\_AC1030MC != 4, -8, -7 AND R05\_AC1039 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents. ]

This variable has 7,421 valid cases out of 34,309 total cases.

- Mean: 7.87
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 846.00
- Standard Deviation: 29.99

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.1 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	26848	78.3 %
<b>Total</b>		<b>26,888</b>	<b>78.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1102-1107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AC1042\_C: Amount usually paid for a pack of cigarettes - Cents

How much do you usually pay for a pack of cigarettes?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AC1047MC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the pack.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 1, 4, -8, -7 OR  
(R05\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND  
R05\_AC1030MC != 4, -8, -7 AND R05\_AC1039 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents. ]

This variable has 7,421 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	26887	78.4 %
<b>Total</b>		<b>26,888</b>	<b>78.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1108-1113 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AC1043\_D: Amount usually paid for a single cigarette - Dollars

How much do you usually pay for a single cigarette?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO AC1047MC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy single manufactured cigarettes.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 1, 4, -8, -7 OR (R05\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05\_AC1030MC != 4, -8, -7 AND R05\_AC1039 = 3.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents. ]

This variable has 413 valid cases out of 34,309 total cases.

- Mean: 4.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 39.12

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	1	0.0 %

<b>Missing Data</b>			
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33886	98.8 %
<b>Total</b>		<b>33,896</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1114-1119 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AC1043\_C: Amount usually paid for a single cigarette - Cents

How much do you usually pay for a single cigarette?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO AC1047MC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy single manufactured cigarettes.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 1, 4, -8, -7 OR  
 (R05\_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND  
 R05\_AC1030MC != 4, -8, -7 AND R05\_AC1039 = 3.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents. ]

This variable has 413 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33895	98.8 %
<b>Total</b>		<b>33,896</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1120-1125 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AC1047MC: Have a regular brand of cigarettes you usually smoke

[Do/Did] you have a regular brand of cigarettes that you usually [smoke/ smoked]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R05\_AC1047MC: IF (R05\_AC9048 = 1, 3, 4, -8, -7 AND (R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)) OR (R05\_CIG\_USER\_STATUS = 4 AND R05\_AC9048 != 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	9433	27.5 %
2	2 = No	2021	5.9 %
	<b>Total</b>	<b>11,454</b>	<b>33.4%</b>

This variable has 11,454 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	22837	66.6 %
	<b>Total</b>	<b>22,855</b>	<b>66.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1126-1131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1050: Regular/last brand of cigarettes smoked flavored to taste like menthol or mint

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol or mint?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AC1945MC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers, or recent former established cigarette smokers who are not non-current 30-day cigarette smokers.

ASK Specification: IF ((R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 1, 3, 4, -8, -7) OR (R05\_CIG\_USER\_STATUS = 4 AND R05\_FORMER\_THIRTYDAY\_USER\_CIGS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4801	14.0 %
2	2 = No	6202	18.1 %
3	3 = I don't know	457	1.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>11,460</b>	<b>33.4%</b>

This variable has 11,460 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	22837	66.6 %
	<b>Total</b>	<b>22,849</b>	<b>66.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1132-1137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1945MC: Know the name of brand of cigarettes usually/last smoked

Do you know the name of the brand of cigarettes you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers, or recent former established cigarette smokers who are not non-current 30-day cigarette smokers.

ASK Specification: FOR R05\_AC1945MC: IF (R05\_AC9048 = 1, 3, 4, -8,  
-7 AND (R05\_CIG\_USER\_STATUS = 1, 2 OR

R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)) OR (R05\_CIG\_USER\_STATUS = 4 AND  
R05\_AC9048 != 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	10247	29.9 %
2	2 = No	1213	3.5 %
	<b>Total</b>	<b>11,460</b>	<b>33.4%</b>

This variable has 11,460 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	22837	66.6 %
	<b>Total</b>	<b>22,849</b>	<b>66.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1138-1143 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC1048MC\_BRAND: Brand of cigarettes usually/last smoked

What brand of cigarettes [do/did] you [usually/last] smoke?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: FOR R05\_AC1048MC\_BRAND: IF (((R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 1, 3, 4, -8, -7) OR R05\_CIG\_USER\_STATUS = 4) AND R05\_AC1945MC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 10,121 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	78	0.2 %	
-7	-7 = Refused	48	0.1 %	
-1	-1 = Inapplicable	24061	70.1 %	
<b>Total</b>		<b>24,188</b>	<b>70.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1144-1149 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC1070MC\_PRODUCT: Sub-brand of cigarette product usually/last smoked

You selected [CIGBRANDFILL] as your brand. What kind of [CIGBRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

Product

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and

know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R05\_AC1070MC\_PRODUCT: IF  
 $((R05\_CIG\_USER\_STATUS = 1, 2 \text{ OR } R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)$   
 $\text{AND } R05\_AC9048 = 1, 3, 4, -8, -7) \text{ OR } R05\_CIG\_USER\_STATUS = 4) \text{ AND }$   
 $R05\_AC1945MC = 1 \text{ AND } R05\_AC1048MC\_BRAND} != 9995, -8, -7.$

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

This variable has 9,840 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	44	0.1 %	
-7	-7 = Refused	21	0.1 %	
-1	-1 = Inapplicable	24403	71.1 %	
<b>Total</b>		<b>24,469</b>	<b>71.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1150-1155 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1051MC\_NN: How long smoked regular brand of manufactured cigarettes - Number

About how long [have you been smoking/did you smoke] your regular brand of cigarettes?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR43]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R05\_AC1051MC: IF (R05\_CIG\_USER\_STATUS = 1, 2,  
4 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 != 2 AND  
R05\_AC1047MC = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC1051[MC/RY]\_UN = Days;  
the value "2" refers to R05\_AC1051 [MC/RY]\_UN = Months;  
the value "3" refers to R05\_AC1051[MC/RY]\_UN = Years.

This variable has 9,364 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		53	0.2 %
-7	-7 = Refused		7	0.0 %
-5	-5 = Improbable response removed		9	0.0 %
-1	-1 = Inapplicable		24875	72.5 %
	<b>Total</b>		<b>24,945</b>	<b>72.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1156-1161 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AC1051MC\_UN: How long smoked regular brand of manufactured cigarettes - Unit

About how long [have you been smoking/did you smoke] your regular brand of cigarettes?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR43]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R05\_AC1051MC: IF (R05\_CIG\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 != 2 AND R05\_AC1047MC = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AC1051[MC/RY]\_UN = Days;  
the value "2" refers to R05\_AC1051 [MC/RY]\_UN = Months;  
the value "3" refers to R05\_AC1051[MC/RY]\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	232	0.7 %
2	2 = Months	896	2.6 %
3	3 = Years	8245	24.0 %
	<b>Total</b>	<b>9,373</b>	<b>27.3%</b>

This variable has 9,373 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	

Missing Data			
-1	-1 = Inapplicable	24935	72.7 %
	<b>Total</b>	<b>24,936</b>	<b>72.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1162-1167 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC0100RY: When last smoked a roll-your-own cigarette

When did you last smoke a roll-your-own cigarette?

[IF In the past hour (1); GO TO R05\_AC0103RY : IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AC1130RY]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AC0100RY: IF R05\_AC9048 = 2, 3 AND  
(R05\_CURRENT\_CIG\_USE = 1 OR ((R05\_CURRENT\_CIG\_USE = 2 OR  
R05\_CIG\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND  
R05\_AC1022 != 0)).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	470	1.4 %
2	2 = Sometime today, but more than an hour ago	101	0.3 %
3	3 = Yesterday	122	0.4 %
4	4 = Day before yesterday	58	0.2 %
5	5 = Three or more days ago	363	1.1 %
	<b>Total</b>	<b>1,114</b>	<b>3.2%</b>

This variable has 1,114 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33180	96.7 %
	<b>Total</b>	<b>33,195</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1168-1173 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC0102RY: Time period of day when you last smoked a roll-your-own cigarette

When you last smoked a roll-your-own cigarette [FILL BASED ON R05\_AC0100[MC/RY]], was it...

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a cigarette sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05\_AC0102RY: IF R05\_AC9048 = 2, 3 AND  
((R05\_CURRENT\_CIG\_USE = 1 AND R05\_AC0100RY = 2, 3, 4) OR  
((R05\_CURRENT\_CIG\_USE = 2 OR R05\_CIG\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1022 != 0 AND  
R05\_AC0100RY = 2, 3, 4)).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	36	0.1 %
2	2 = After 6AM but before noon	78	0.2 %
3	3 = Between noon and 6PM	99	0.3 %
4	4 = After 6PM but before midnight	66	0.2 %
	<b>Total</b>	<b>279</b>	<b>0.8%</b>

This variable has 279 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34027	99.2 %
	<b>Total</b>	<b>34,030</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1174-1179 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC0103RY: Number of roll-your-own cigarettes smoked today/yesterday/day before yesterday

How many roll-your-own cigarettes [have/did] you [smoked/smoke] [FILL BASED ON R05\_AC0100]? [A pack usually has 20 cigarettes in it.]

\_\_\_ Roll your own cigarettes

[IF Don't Know (-8), or Refused (-7); Go TO R05\_AC1130RY]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05\_AC0103RY: IF R05\_AC9048 = 2, 3 AND  
 $((R05\_CURRENT\_CIG\_USE = 1 \text{ AND } R05\_AC0100RY = 1, 2, 3, 4) \text{ OR }$   
 $((R05\_CURRENT\_CIG\_USE = 2 \text{ OR } R05\_CIG\_USER\_STATUS = 2 \text{ OR }$   
 $R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) \text{ AND } R05\_AC1022 != 0 \text{ AND }$   
 $R05\_AC0100RY = 1, 2, 3, 4).$

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 750 valid cases out of 34,309 total cases.

- Mean: 8.95
- Median: 5.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 880.00
- Standard Deviation: 33.92

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33557	97.8 %
<b>Total</b>		<b>33,559</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1180-1185 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AC1130RY: In past 30 days, roll-your-own tobacco flavor smoked: Menthol or mint

In the past 30 days, was any of the roll-your-own cigarette tobacco you smoked flavored to taste like menthol or mint?

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: FOR R05\_AC1130RY: IF R05\_AC9048 = 2, 3 AND  
 $(R05\_CURRENT\_CIG\_USE = 1 \text{ OR } ((R05\_CURRENT\_CIG\_USE = 2 \text{ OR }$   
 $R05\_CIG\_USER\_STATUS = 2 \text{ OR } R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) \text{ AND }$   
 $R05\_AC1022 != 0).$

Value	Label	Unweighted Frequency	%
1	1 = Yes	271	0.8 %
2	2 = No	813	2.4 %
3	3 = I don't know	41	0.1 %
<b>Total</b>		<b>1,125</b>	<b>3.3%</b>

This variable has 1,125 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33180	96.7 %
<b>Total</b>		<b>33,184</b>	<b>96.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1186-1191 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1030RY: How you usually buy your pouch of roll-your-own cigarette tobacco

The next questions ask about your experience buying cigarettes.

How [do/did] you usually buy a pouch of roll-your-own cigarette tobacco for yourself?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_ACR07]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R05\_AC1030RY: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = In person	943	2.7 %
2	2 = From the internet	32	0.1 %
3	3 = By telephone	8	0.0 %
4	4 = I do not buy my own cigarette tobacco	206	0.6 %
<b>Total</b>		<b>1,189</b>	<b>3.5%</b>

This variable has 1,189 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33118	96.5 %
	<b>Total</b>	<b>33,120</b>	<b>96.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1192-1197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1032RY: Geographic area where you usually buy your roll-your-own cigarette tobacco

[Do/Did] you usually buy roll-your-own cigarette tobacco...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: FOR R05\_AC1032RY: IF R05\_AC1030RY = 1 AND  
(R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R05\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	891	2.6 %
2	2 = In another state	38	0.1 %
3	3 = Outside the US	12	0.0 %
	<b>Total</b>	<b>941</b>	<b>2.7%</b>

This variable has 941 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33365	97.2 %
	<b>Total</b>	<b>33,368</b>	<b>97.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1198-1203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1033RY: Retail location where your roll-your-own cigarette tobacco is purchased most of the time

Where [do/did] you buy your roll-your-own cigarette tobacco most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: FOR R05\_AC1033RY: IF R05\_AC1030RY = 1 AND  
(R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1)  
AND R05\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	438	1.3 %
2	2 = A supermarket, grocery store, or drug store	45	0.1 %
3	3 = A warehouse club, such as Sam's or Costco	2	0.0 %
4	4 = A smoke shop, tobacco specialty store, or tobacco outlet store	409	1.2 %
5	5 = A duty free shop or military commissary	1	0.0 %
6	6 = A bar, pub, restaurant, or casino	2	0.0 %
7	7 = A friend or relative	6	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = A store on an Indian reservation	9	0.0 %
10	10 = A liquor store	28	0.1 %
11	11 = Somewhere else	1	0.0 %
<b>Total</b>		<b>941</b>	<b>2.7%</b>

This variable has 941 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33365	97.2 %
<b>Total</b>		<b>33,368</b>	<b>97.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 1204-1209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AC9049RY\_D: How much you pay for a pouch of roll-your-own cigarette tobacco - Dollars

How much do you usually pay for a pouch of roll-your-own cigarette tobacco?

\_\_\_ Dollars

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 2 OR  
(R05\_AC9048 = 3 AND LOOP = RYO CIGARETTES)) AND  
R05\_AC1030RY != 4, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents. ]

This variable has 964 valid cases out of 34,309 total cases.

- Mean: 11.28
- Median: 10.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 220.00
- Standard Deviation: 11.15

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	5	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33325	97.1 %	
<b>Total</b>		<b>33,345</b>	<b>97.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1210-1215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AC9049RY\_C: How much you pay for a pouch of roll-your-own cigarette tobacco - Cents

How much do you usually pay for a pouch of roll-your-own cigarette tobacco?

\_\_\_ Cents

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (R05\_AC9048 = 2 OR  
(R05\_AC9048 = 3 AND LOOP = RYO CIGARETTES)) AND  
R05\_AC1030RY != 4, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents. ]

This variable has 964 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33344	97.2 %
<b>Total</b>		<b>33,345</b>	<b>97.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1216-1221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AC1047RY: Have a regular brand of roll-your-own cigarette tobacco you usually smoke

[Do/Did] you have a regular brand of roll-your-own cigarette tobacco that you usually [smoke/ smoked]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R05\_AC1047RY: IF (R05\_CIG\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	716	2.1 %
2	2 = No	472	1.4 %
<b>Total</b>		<b>1,188</b>	<b>3.5%</b>

This variable has 1,188 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33118	96.5 %
<b>Total</b>		<b>33,121</b>	<b>96.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1222-1227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC9150: Regular/last brand of roll-your-own cigarette tobacco flavored to taste like menthol or mint

[Is/Was] [your regular brand/the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like menthol or mint?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers.

ASK Specification: IF R05\_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R05\_AC9048 = 3).

Value	Label	Unweighted Frequency	%
1	1 = Yes	269	0.8 %
2	2 = No	861	2.5 %
3	3 = I don't know	60	0.2 %
<b>Total</b>		<b>1,190</b>	<b>3.5%</b>

This variable has 1,190 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33118	96.5 %
<b>Total</b>		<b>33,119</b>	<b>96.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1228-1233 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC1945RY: Know the name of brand of roll-your-own cigarette tobacco usually/last smoked

Do you know the name of the brand of roll-your-own cigarette tobacco you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers, or recent former established cigarette smokers who are not non-current 30-day cigarette smokers.

ASK Specification: FOR R05\_AC1945RY: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	771	2.2 %
2	2 = No	417	1.2 %
	<b>Total</b>	<b>1,188</b>	<b>3.5%</b>

This variable has 1,188 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33118	96.5 %
	<b>Total</b>	<b>33,121</b>	<b>96.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1234-1239 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1048RY\_BRAND: Brand of roll-your-own cigarette tobacco usually/last smoked

What brand of roll-your-own cigarette tobacco [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

Brand

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: FOR R05\_AC1048RY\_BRAND: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1945RY = 1 AND R05\_AC9048 = 2, 3.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. ]

This variable has 758 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33537	97.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,551</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1240-1245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1070RY\_PRODUCT: Sub-brand of roll-your-own cigarette tobacco product usually/last smoked

You selected [RYOBRANDFILL] as your brand. What kind of [RYOBRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

Product

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R05\_AC1070RY\_PRODUCT: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1945RY = 1 AND R05\_AC9048 = 2, 3 AND R05\_AC1048RY\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

This variable has 690 valid cases out of 34,309 total cases.

	<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33614	98.0 %	
	<b>Total</b>	<b>33,619</b>	<b>98.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1246-1251 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1051RY\_NN: How long smoked regular brand of roll-your-own cigarette tobacco - Number

About how long [have you been smoking/did you smoke] your regular brand of roll-your-own cigarette tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR43]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R05\_AC1051RY: IF (R05\_CIG\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 2, 3 AND R05\_AC1047RY = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC1051[MC/RY]\_UN = Days;  
the value "2" refers to R05\_AC1051 [MC/RY]\_UN = Months;  
the value "3" refers to R05\_AC1051[MC/RY]\_UN = Years.

This variable has 710 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33592	97.9 %
<b>Total</b>		<b>33,599</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1252-1257 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AC1051RY\_UN: How long smoked regular brand of roll-your-own cigarette tobacco - Unit

About how long [have you been smoking/did you smoke] your regular brand of roll-your-own cigarette tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ACR43]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R05\_AC1051RY: IF (R05\_CIG\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 2, 3 AND R05\_AC1047RY = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AC1051[MC/RY]\_UN = Days;  
the value "2" refers to R05\_AC1051 [MC/RY]\_UN = Months;  
the value "3" refers to R05\_AC1051[MC/RY]\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	40	0.1 %
2	2 = Months	101	0.3 %
3	3 = Years	569	1.7 %
<b>Total</b>		<b>710</b>	<b>2.1%</b>

This variable has 710 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33598	97.9 %
<b>Total</b>		<b>33,599</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1258-1263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9010\_RANDOM\_01: AC9010 series random question 1

[ICPSR NOTE: The 4 items that follow in the questionnaire (R05\_AC9010 through R05\_AC9115) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ACD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	24875	72.5 %
-97777	-	1	0.0 %
R05_AC9010	-	2259	6.6 %
R05_AC9011	-	2447	7.1 %
R05_AC9014	-	2353	6.9 %
R05_AC9015	-	2374	6.9 %
<b>Total</b>		<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1264-1273 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AC9010\_RANDOM\_02: AC9010 series random question 2

[ICPSR NOTE: The 4 items that follow in the questionnaire (R05\_AC9010 through R05\_AC9115) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ACD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	24875	72.5 %
-97777	-	1	0.0 %
R05_AC9010	-	2423	7.1 %
R05_AC9011	-	2274	6.6 %
R05_AC9014	-	2384	6.9 %
R05_AC9015	-	2352	6.9 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1274-1283 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AC9010\_RANDOM\_03: AC9010 series random question 3

[ICPSR NOTE: The 4 items that follow in the questionnaire (R05\_AC9010 through R05\_AC9115) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ACD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	24875	72.5 %
-97777	-	1	0.0 %
R05_AC9010	-	2387	7.0 %
R05_AC9011	-	2354	6.9 %
R05_AC9014	-	2366	6.9 %
R05_AC9015	-	2326	6.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1284-1293 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AC9010\_RANDOM\_04: AC9010 series random question 4

[ICPSR NOTE: The 4 items that follow in the questionnaire (R05\_AC9010 through R05\_AC9115) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ACD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	24875	72.5 %
-97777	-	1	0.0 %
R05_AC9010	-	2364	6.9 %
R05_AC9011	-	2358	6.9 %
R05_AC9014	-	2330	6.8 %
R05_AC9015	-	2381	6.9 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1294-1303 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AC9010: In choosing regular brand of cigarettes, part of your decision was based on the following: It was affordable

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes. ]In choosing your regular brand of cigarettes[ when you smoked], was part of your decision based on any of the following?

It [is/was] affordable.

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1047MC = 1 AND  
R05\_AC9048 = 1, 3, 4, -8, -7) OR (R05\_CIG\_USER\_STATUS = 4 AND  
R05\_AC1047MC = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4533	13.2 %

Value	Label	Unweighted Frequency	%
2	2 = No	4803	14.0 %
	<b>Total</b>	<b>9,336</b>	<b>27.2%</b>

This variable has 9,336 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	47	0.1 %
-7	-7 = Refused	50	0.1 %
-1	-1 = Inapplicable	24875	72.5 %
	<b>Total</b>	<b>24,973</b>	<b>72.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1304-1309 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9011: In choosing regular brand of cigarettes, part of your decision was based on the following: The tar and nicotine levels

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes.] In choosing your regular brand of cigarettes[ when you smoked], was part of your decision based on any of the following?

The tar and nicotine levels.

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1047MC = 1 AND R05\_AC9048 = 1, 3, 4, -8, -7) OR (R05\_CIG\_USER\_STATUS = 4 AND R05\_AC1047MC = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2289	6.7 %
2	2 = No	7041	20.5 %
	<b>Total</b>	<b>9,330</b>	<b>27.2%</b>

This variable has 9,330 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	48	0.1 %	
-1	-1 = Inapplicable	24875	72.5 %	
<b>Total</b>		<b>24,979</b>	<b>72.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1310-1315 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9014: In choosing regular brand of cigarettes, part of your decision was based on the following: The taste

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes. ]In choosing your regular brand of cigarettes[ when you smoked], was part of your decision based on any of the following?

The taste.

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R05\_CIG\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1047MC = 1 AND  
R05\_AC9048 = 1, 3, 4, -8, -7) OR (R05\_CIG\_USER\_STATUS = 4 AND  
R05\_AC1047MC = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7603	22.2 %
2	2 = No	1716	5.0 %
<b>Total</b>		<b>9,319</b>	<b>27.2%</b>

This variable has 9,319 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	57	0.2 %	
-7	-7 = Refused	57	0.2 %	
-1	-1 = Inapplicable	24875	72.5 %	
<b>Total</b>		<b>24,990</b>	<b>72.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1316-1321 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9015: In choosing regular brand of cigarettes, part of your decision was based on the following: As a way to help you quit

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes.] In choosing your regular brand of cigarettes[ when you smoked], was part of your decision based on any of the following?

As a way to help you quit.

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC1047MC = 1 AND R05\_AC9048 = 1, 3, 4, -8, -7) OR (R05\_CIG\_USER\_STATUS = 4 AND R05\_AC1047MC = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1276	3.7 %
2	2 = No	8066	23.5 %
	<b>Total</b>	<b>9,342</b>	<b>27.2%</b>

This variable has 9,342 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	54	0.2 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	24875	72.5 %
	<b>Total</b>	<b>24,967</b>	<b>72.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 1322-1327 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AC9019: Perception of harmfulness of usual brand of cigarettes you smoke compared to other brands

Do you think the brand of cigarettes you [usually smoke/usually smoked/last smoked] might be less harmful, no different, or more harmful, compared to other cigarette brands?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers.

ASK Specification: IF ((R05\_CIG\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 1, 3, 4, -8, -7)

OR R05\_CIG\_USER\_STATUS = 4.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	843	2.5 %
2	2 = No different	9461	27.6 %
3	3 = More harmful	1119	3.3 %
<b>Total</b>		<b>11,423</b>	<b>33.3%</b>

This variable has 11,423 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	34	0.1 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	22826	66.5 %	
<b>Total</b>		<b>22,886</b>	<b>66.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1328-1333 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC0105: Brand of cigarette last smoked when used both manufactured cigarettes and roll-your-own tobacco

You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand...

[IF ANY ANSWER IS PROVIDED; GO TO THE NEXT SECTION]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and subbrands of both types of cigarettes.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND R05\_AC9048 = 3 AND  
 (R05\_AC0100MC = 1, 2, 3, 4 OR R05\_AC0100RY = 1, 2, 3, 4) AND  
 R05\_AC1945MC = 1 AND R05\_AC1048MC\_BRAND != 9995, -8, -7 AND  
 R05\_AC1070MC\_PRODUCT != 99990, 99995, -8, -7 AND R05\_AC1945RY = 1  
 AND R05\_AC1048RY\_BRAND != 9995, -8, -7 AND R05\_AC1070RY\_PRODUCT !=  
 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Manufactured cigarette brand	154	0.4 %

Value	Label	Unweighted Frequency	%
2	2 = Roll-your-own tobacco brand	63	0.2 %
3	3 = Some other brand	40	0.1 %
<b>Total</b>		<b>257</b>	<b>0.7%</b>

This variable has 257 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34051	99.2 %
<b>Total</b>		<b>34,052</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1334-1339 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC0104: Brand of very last cigarette smoked is same as brand regularly/last smoked

We just have one more question about [your regular brand / the last brand] of cigarettes[ you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers and did not report smoking both manufactured and roll-your-own cigarettes and last smoked a manufactured/roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes, or Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of one type of cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes but did not know the name of the brand of the other type of cigarettes they usually smoke or last smoked or did not select a brand or did not select a subbrand of the other type of cigarettes.

ASK Specification: IF (R05\_CIG\_USER\_STATUS = 1, 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_CIGS = 1) AND (((R05\_AC9048 = 1, 4, -8, -7  
 AND R05\_AC0100MC = 1, 2, 3, 4 AND R05\_AC1945MC = 1 AND  
 R05\_AC1048MC\_BRAND != 9995, -8, -7 AND R05\_AC1070MC\_PRODUCT != 99990,  
 99995, -8, -7) OR (R05\_AC9048 = 2 AND R05\_AC0100RY = 1, 2, 3, 4 AND  
 R05\_AC1945RY = 1 AND R05\_AC1048RY\_BRAND != 9995, -8, -7 AND  
 R05\_AC1070RY\_PRODUCT != 99990, 99995, -8, -7)) AND ((R05\_AC9048 != 1,  
 4, -8, -7 OR R05\_AC0100MC != 1, 2, 3, 4 OR R05\_AC1945MC != 1 OR  
 R05\_AC1048MC\_BRAND = 9995, -8, -7 OR R05\_AC1070MC\_PRODUCT = 99990,  
 99995, -8, -7) OR (R05\_AC9048 != 2 OR R05\_AC0100RY != 1, 2, 3, 4 OR

R05\_AC1945RY != 1 OR R05\_AC1048RY\_BRAND = 9995, -8, -7 OR  
 R05\_AC1070RY\_PRODUCT = 99990, 99995, -8, -7)) OR (R05\_AC9048 = 3 AND  
 ((R05\_AC0100MC = 1, 2, 3, 4 AND R05\_AC1945MC = 1 AND  
 R05\_AC1048MC\_BRAND != 9995, -8, -7 AND R05\_AC1070MC\_PRODUCT != 99990,  
 99995, -8, -7) OR (R05\_AC0100RY = 1, 2, 3, 4 AND R05\_AC1945RY = 1 AND  
 R05\_AC1048RY\_BRAND != 9995, -8, -7 AND R05\_AC1070RY\_PRODUCT != 99990,  
 99995, -8, -7)) AND ((R05\_AC1945MC != 1 OR R05\_AC1048MC\_BRAND = 9995,  
 -8, -7 OR R05\_AC1070MC\_PRODUCT = 99990, 99995, -8, -7) OR  
 (R05\_AC1945RY != 1 OR R05\_AC1048RY\_BRAND = 9995, -8, -7 OR  
 R05\_AC1070RY\_PRODUCT = 99990, 99995, -8, -7))).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6162	18.0 %
2	2 = No	692	2.0 %
	<b>Total</b>	<b>6,854</b>	<b>20.0%</b>

This variable has 6,854 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	59	0.2 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	27392	79.8 %	
	<b>Total</b>	<b>27,455</b>	<b>80.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1340-1345 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1090: Own an electronic nicotine product

The next questions are about electronic nicotine products.

Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with a cartridge or tank system. Some people refill their own electronic nicotine products with nicotine fluid, sometimes called "e-liquid" or "e-juice".

Disposable electronic nicotine products, electronic nicotine product cartridges and e-liquid come in many different flavors and nicotine concentrations. Some common brands include Vuse, Blu, Logic, MarkTen, JUUL, NJOY, eGo, and iTaste.

Do you own an electronic nicotine product?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AV9041]

ASK: Adult respondents who have ever used an ENP.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3991	11.6 %
2	2 = No	11229	32.7 %
	<b>Total</b>	<b>15,220</b>	<b>44.4%</b>

This variable has 15,220 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	19081	55.6 %
	<b>Total</b>	<b>19,089</b>	<b>55.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1346-1351 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9945: Know the name of the brand of electronic nicotine product that you own

Do you know the name of the brand of electronic nicotine product that you own?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AV9004]

ASK: Adult respondents who have ever used an ENP and own an ENP.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV1090 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2777	8.1 %
2	2 = No	1213	3.5 %
	<b>Total</b>	<b>3,990</b>	<b>11.6%</b>

This variable has 3,990 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30317	88.4 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>30,319</b>	<b>88.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1352-1357 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9002\_BRAND: Brand of electronic nicotine product owned

What brand of electronic nicotine product do you own? (If you own more than one electronic nicotine product, answer about the one you use most often.)

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". / If you do not see it below, touch the box marked "Something else".]

Brand

ASK: Adult respondents who have ever used an ENP and own an ENP and know the name of the brand of ENP they own.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV1090 = 1  
AND R05\_AV9945 = 1.

This variable has 2,719 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	31531	91.9 %
	<b>Total</b>	<b>31,590</b>	<b>92.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1358-1363 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9004: Price paid for electronic nicotine product

About how much did you pay for your electronic nicotine product? Do not include the cost of additional cartridges or accessories unless they were included in a starter kit.

(If you own more than one electronic nicotine product, answer about the one you use most often.)

ASK: Adult respondents who have ever used an ENP and own an ENP.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV1090 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10	582	1.7 %
2	2 = \$10 to \$20	946	2.8 %
3	3 = \$21 to \$100	2143	6.2 %
4	4 = More than \$100	293	0.9 %
	<b>Total</b>	<b>3,964</b>	<b>11.6%</b>

This variable has 3,964 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	30317	88.4 %
	<b>Total</b>	<b>30,345</b>	<b>88.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1364-1369 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9041: Anyone else living in your home own an electronic nicotine product

Does anyone else living in your home own an electronic nicotine product?

ASK: Adult respondents who have ever used an ENP.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2515	7.3 %
2	2 = No	12698	37.0 %
	<b>Total</b>	<b>15,213</b>	<b>44.3%</b>

This variable has 15,213 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	19081	55.6 %
	<b>Total</b>	<b>19,096</b>	<b>55.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1370-1375 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1005: Number of times used electronic nicotine product in entire life

How many times have you used an electronic nicotine product in your entire life?

ASK: Adult respondents who have ever used an ENP and had not used ENPs 100 or more times as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND  
R04\_NUMLIFE\_EPROD != 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 time, even just a few puffs	3412	9.9 %
2	2 = 2 to 10 times	3374	9.8 %
3	3 = 11 to 20 times	1532	4.5 %
4	4 = 21 to 50 times	1310	3.8 %
5	5 = 51 to 99 times	714	2.1 %
6	6 = 100 or more times	1522	4.4 %
<b>Total</b>		<b>11,864</b>	<b>34.6%</b>

This variable has 11,864 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	446	1.3 %
-7	-7 = Refused	190	0.6 %
-1	-1 = Inapplicable	21808	63.6 %
<b>Total</b>		<b>22,445</b>	<b>65.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1376-1381 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1100: Ever used electronic nicotine products fairly regularly

Have you ever used electronic nicotine products fairly regularly?

ASK: Adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND

R04\_REGUSE\_EPROD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1679	4.9 %
2	2 = No	9146	26.7 %
	<b>Total</b>	<b>10,825</b>	<b>31.6%</b>

This variable has 10,825 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	23470	68.4 %
	<b>Total</b>	<b>23,484</b>	<b>68.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1382-1387 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05R\_A\_AV1007\_NB: DERIVED - Age group you were in when you first started using electronic nicotine products fairly regularly (6 levels)

Long Description: How old were you when you first started using electronic nicotine products fairly regularly?

Algorithm: if (0 <= R05\_AV1007\_NB < 18) or R05\_AV1121\_NB = 1 then  
 R05R\_A\_AV1007\_NB = 1; else if (18 <= R05\_AV1007\_NB <= 24) or  
 R05\_AV1121\_NB = 2 then R05R\_A\_AV1007\_NB = 2; else if  
 (25 <= R05\_AV1007\_NB <= 34) or R05\_AV1121\_NB = 3 then R05R\_A\_AV1007\_NB = 3;  
 else if (35 <= R05\_AV1007\_NB <= 44) or R05\_AV1121\_NB = 4 then  
 R05R\_A\_AV1007\_NB = 4; else if (45 <= R05\_AV1007\_NB <= 54) or  
 R05\_AV1121\_NB = 5 then R05R\_A\_AV1007\_NB = 5; else if (R05\_AV1007\_NB >= 55)  
 or R05\_AV1121\_NB = 6 then R05R\_A\_AV1007\_NB = 6; else if R05\_AV1007\_NB = -9  
 or R05\_AV1121\_NB = -9 then R05R\_A\_AV1007\_NB = -99999; else if  
 R05\_AV1007\_NB = -8 or R05\_AV1121\_NB = -8 then R05R\_A\_AV1007\_NB = -99988;  
 else if R05\_AV1007\_NB = -7 or R05\_AV1121\_NB = -7 then  
 R05R\_A\_AV1007\_NB = -99977; else if R05\_AV1007\_NB = -5 then  
 R05R\_A\_AV1007\_NB = -99955; else if R05\_AV1007\_NB = -1 or  
 R05\_AV1121\_NB = -1 then R05R\_A\_AV1007\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	202	0.6 %
2	2 = 18 to 24 years old	294	0.9 %
3	3 = 25 to 34 years old	0	0.0 %

Value	Label	Unweighted Frequency	%
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>496</b>	<b>1.4%</b>

This variable has 496 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33812	98.6 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>33,813</b>	<b>98.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1388-1393 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_AV1020\_NB: DERIVED - Age group you were in when you first started using electronic nicotine products every day (6 levels)

Long Description: How old were you when you first started using electronic nicotine products every day?

```
Algorithm: if (0 <= R05_AV1020_NB < 18) or R05_AV1122_NB = 1 then
R05R_A_AV1020_NB = 1; else if (18 <= R05_AV1020_NB <= 24) or
R05_AV1122_NB = 2 then R05R_A_AV1020_NB = 2; else if
(25 <= R05_AV1020_NB <= 34) or R05_AV1122_NB = 3 then
R05R_A_AV1020_NB = 3; else if (35 <= R05_AV1020_NB <= 44) or
R05_AV1122_NB = 4 then R05R_A_AV1020_NB = 4; else if
(45 <= R05_AV1020_NB <= 54) or R05_AV1122_NB = 5 then
R05R_A_AV1020_NB = 5; else if (R05_AV1020_NB >= 55) or
R05_AV1122_NB = 6 then R05R_A_AV1020_NB = 6; else if R05_AV1020_NB = -9
or R05_AV1122_NB = -9 then R05R_A_AV1020_NB = -99999; else if
R05_AV1020_NB = -8 or R05_AV1122_NB = -8 then R05R_A_AV1020_NB = -99988;
else if R05_AV1020_NB = -7 or R05_AV1122_NB = -7 then
R05R_A_AV1020_NB = -99977; else if R05_AV1020_NB = -5 then
R05R_A_AV1020_NB = -99955; else if R05_AV1020_NB = -1 or
R05_AV1122_NB = -1 then R05R_A_AV1020_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	143	0.4 %
2	2 = 18 to 24 years old	180	0.5 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>323</b>	<b>0.9%</b>

This variable has 323 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33985	99.1 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>33,986</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1394-1399 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05\_AV1011\_01: Flavor of electronic nicotine product when first started using: Tobacco-flavored

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Tobacco-flavored

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05\_INIT\_EPRODS\_ADULT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	302	0.9 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	2029	5.9 %
	<b>Total</b>	<b>2,331</b>	<b>6.8%</b>

This variable has 2,331 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	31871	92.9 %
	<b>Total</b>	<b>31,978</b>	<b>93.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1400-1405 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1011\_02: Flavor of electronic nicotine product when first started using: Menthol or mint

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05\_INIT\_EPRODS\_ADULT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	875	2.6 %
2	2 = Not Marked	1456	4.2 %
	<b>Total</b>	<b>2,331</b>	<b>6.8%</b>

This variable has 2,331 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	31871	92.9 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>31,978</b>	<b>93.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1406-1411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1011\_03: Flavor of electronic nicotine product when first started using: Clove or spice

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05\_INIT\_EPRODS\_ADULT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	39	0.1 %
2	2 = Not Marked	2292	6.7 %
	<b>Total</b>	<b>2,331</b>	<b>6.8%</b>

This variable has 2,331 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	31871	92.9 %
	<b>Total</b>	<b>31,978</b>	<b>93.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1412-1417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1011\_04: Flavor of electronic nicotine product when first started using: Fruit

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Fruit

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05\_INIT\_EPRODS\_ADULT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1313	3.8 %
2	2 = Not Marked	1018	3.0 %
	<b>Total</b>	<b>2,331</b>	<b>6.8%</b>

This variable has 2,331 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	31871	92.9 %
	<b>Total</b>	<b>31,978</b>	<b>93.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1418-1423 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1011\_05: Flavor of electronic nicotine product when first started using: Chocolate

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Chocolate

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05\_INIT\_EPRODS\_ADULT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	67	0.2 %
2	2 = Not Marked	2264	6.6 %
	<b>Total</b>	<b>2,331</b>	<b>6.8%</b>

This variable has 2,331 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	81	0.2 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	31871	92.9 %	
	<b>Total</b>	<b>31,978</b>	<b>93.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1424-1429 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1011\_06: Flavor of electronic nicotine product when first started using: An alcoholic drink

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05\_INIT\_EPRODS\_ADULT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	53	0.2 %
2	2 = Not Marked	2278	6.6 %
	<b>Total</b>	<b>2,331</b>	<b>6.8%</b>

This variable has 2,331 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	81	0.2 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	31871	92.9 %	
	<b>Total</b>	<b>31,978</b>	<b>93.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1430-1435 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1011\_07: Flavor of electronic nicotine product when first started using: A non-alcoholic drink

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05\_INIT\_EPRODS\_ADULT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	90	0.3 %
2	2 = Not Marked	2241	6.5 %
	<b>Total</b>	<b>2,331</b>	<b>6.8%</b>

This variable has 2,331 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	31871	92.9 %
	<b>Total</b>	<b>31,978</b>	<b>93.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1436-1441 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1011\_08: Flavor of electronic nicotine product when first started using: Candy, desserts or other sweets

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Candy, desserts, or other sweets

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05\_INIT\_EPRODS\_ADULT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	718	2.1 %
2	2 = Not Marked	1613	4.7 %
	<b>Total</b>	<b>2,331</b>	<b>6.8%</b>

This variable has 2,331 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	31871	92.9 %
	<b>Total</b>	<b>31,978</b>	<b>93.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1442-1447 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1011\_09: Flavor of electronic nicotine product when first started using: Some other flavor

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05\_INIT\_EPRODS\_ADULT = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	60	0.2 %
2	2 = Not Marked	2271	6.6 %
	<b>Total</b>	<b>2,331</b>	<b>6.8%</b>

This variable has 2,331 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	25	0.1 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	31871	92.9 %
	<b>Total</b>	<b>31,978</b>	<b>93.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1448-1453 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9035\_01: Electronic nicotine product you have used: E-cigarette including a vape pen, personal vaporizer, or mod

Which of the following types of electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-cigarette including a vape pen, personal vaporizer, or mod

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND (R05\_AV1004 = 1  
OR R05\_AV1002\_12M = 1 OR R05\_INIT\_EPRODS\_ADULT = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7482	21.8 %
2	2 = Not Marked	489	1.4 %
	<b>Total</b>	<b>7,971</b>	<b>23.2%</b>

This variable has 7,971 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	112	0.3 %
-7	-7 = Refused	64	0.2 %
-1	-1 = Inapplicable	26161	76.3 %
	<b>Total</b>	<b>26,338</b>	<b>76.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1454-1459 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9035\_02: Electronic nicotine product you have used: E-cigar

Which of the following types of electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-cigarette

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND (R05\_AV1004 = 1  
OR R05\_AV1002\_12M = 1 OR R05\_INIT\_EPRODS\_ADULT = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	291	0.8 %
2	2 = Not Marked	7680	22.4 %
	<b>Total</b>	<b>7,971</b>	<b>23.2%</b>

This variable has 7,971 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	112	0.3 %
-7	-7 = Refused	64	0.2 %
-1	-1 = Inapplicable	26161	76.3 %
	<b>Total</b>	<b>26,338</b>	<b>76.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1460-1465 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AV9035\_03: Electronic nicotine product you have used: E-pipe

Which of the following types of electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-pipe

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND (R05\_AV1004 = 1  
OR R05\_AV1002\_12M = 1 OR R05\_INIT\_EPRODS\_ADULT = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	107	0.3 %
2	2 = Not Marked	7864	22.9 %
	<b>Total</b>	<b>7,971</b>	<b>23.2%</b>

This variable has 7,971 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	112	0.3 %
-7	-7 = Refused	64	0.2 %
-1	-1 = Inapplicable	26161	76.3 %
	<b>Total</b>	<b>26,338</b>	<b>76.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1466-1471 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9035\_04: Electronic nicotine product you have used: E-hookah including a hookah pen

Which of the following types of electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-hookah including a hookah pen

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND (R05\_AV1004 = 1  
OR R05\_AV1002\_12M = 1 OR R05\_INIT\_EPRODS\_ADULT = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	880	2.6 %
2	2 = Not Marked	7091	20.7 %
	<b>Total</b>	<b>7,971</b>	<b>23.2%</b>

This variable has 7,971 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	112	0.3 %

Missing Data				
-7	-7 = Refused		64	0.2 %
-1	-1 = Inapplicable		26161	76.3 %
<b>Total</b>			<b>26,338</b>	<b>76.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1472-1477 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9035\_05: Electronic nicotine product you have used: Something else

Which of the following types of electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

Something else (SPECIFY)

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND (R05\_AV1004 = 1  
OR R05\_AV1002\_12M = 1 OR R05\_INIT\_EPRODS\_ADULT = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	127	0.4 %
2	2 = Not Marked	7844	22.9 %
	<b>Total</b>	<b>7,971</b>	<b>23.2%</b>

This variable has 7,971 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	112	0.3 %	
-7	-7 = Refused	64	0.2 %	
-1	-1 = Inapplicable	26161	76.3 %	
	<b>Total</b>	<b>26,338</b>	<b>76.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1478-1483 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9060\_01: Used more than one kind of e-cigarette

[Do/Did] you use more than one kind of e-cigarette?

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview and selected a type of ENP they have used.

ASK Specification: FOR R05\_AV9060\_01: IF R05\_EVER\_NEVER\_EPRODS = 1  
AND (R05\_AV1004 = 1 OR R05\_AV1002\_12M = 1 OR R05\_INIT\_EPRODS\_ADULT = 1) AND R05\_AV9035\_01 = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable

Value	Label	Unweighted Frequency	%
1	1 = Yes	1495	4.4 %
2	2 = No	5917	17.2 %
	<b>Total</b>	<b>7,412</b>	<b>21.6%</b>

This variable has 7,412 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	61	0.2 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	26826	78.2 %
	<b>Total</b>	<b>26,897</b>	<b>78.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 1484-1489 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AV9060\_02: Used more than one kind of e-cigar

[Do/Did] you use more than one kind of e-cigar?

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview and selected a type of ENP they have used.

ASK Specification: FOR R05\_AV9060\_02: IF R05\_EVER\_NEVER\_EPRODS = 1  
AND (R05\_AV1004 = 1 OR R05\_AV1002\_12M = 1 OR R05\_INIT\_EPRODS\_ADULT = 1) AND R05\_AV9035\_02 = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable

Value	Label	Unweighted Frequency	%
1	1 = Yes	55	0.2 %
2	2 = No	233	0.7 %
	<b>Total</b>	<b>288</b>	<b>0.8%</b>

This variable has 288 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34017	99.1 %
	<b>Total</b>	<b>34,021</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1490-1495 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9060\_03: Used more than one kind of e-pipe

[Do/Did] you use more than one kind of e-pipe?

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview and selected a type of ENP they have used.

ASK Specification: FOR R05\_AV9060\_03: IF R05\_EVER\_NEVER\_EPRODS = 1  
AND (R05\_AV1004 = 1 OR R05\_AV1002\_12M = 1 OR R05\_INIT\_EPRODS\_ADULT = 1) AND R05\_AV9035\_03 = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.1 %
2	2 = No	89	0.3 %
	<b>Total</b>	<b>107</b>	<b>0.3%</b>

This variable has 107 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	34201	99.7 %
	<b>Total</b>	<b>34,202</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1496-1501 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9060\_04: Used more than one kind of e-hookah

[Do/Did] you use more than one kind of e-hookah?

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview and selected a type of ENP they have used.

ASK Specification: FOR R05\_AV9060\_04: IF R05\_EVER\_NEVER\_EPRODS = 1  
AND (R05\_AV1004 = 1 OR R05\_AV1002\_12M = 1 OR R05\_INIT\_EPRODS\_ADULT = 1) AND R05\_AV9035\_04 = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable

Value	Label	Unweighted Frequency	%
1	1 = Yes	140	0.4 %
2	2 = No	737	2.1 %
	<b>Total</b>	<b>877</b>	<b>2.6%</b>

This variable has 877 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33428	97.4 %
	<b>Total</b>	<b>33,432</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1502-1507 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9044: Electronic nicotine product used most often

You mentioned that you have used more than one type of electronic nicotine product.

Which type of electronic nicotine product [do/did] you use most often?

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

ASK: Adult respondents who have used more than one type of ENP.

ASK Specification: IF R05\_EPRODCOUNT > 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = E-cigarette including a vape pen, personal vaporizer, or mod	656	1.9 %
2	2 = E-cigar	11	0.0 %
3	3 = E-pipe	5	0.0 %
4	4 = E-hookah including a hookah pen	121	0.4 %
5	5 = Something else	14	0.0 %
	<b>Total</b>	<b>807</b>	<b>2.4%</b>

This variable has 807 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33497	97.6 %
	<b>Total</b>	<b>33,502</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 1508-1513 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AV9040: Group that most looks like the electronic nicotine product you usually use/last used

Please look at this picture. Which group is most like the electronic nicotine product you [use/used] most often?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Note: Group 1 is tank system 'box style' e-cigarettes; group 2 is tank system 'vapor pen' e-cigarettes; group 3 is disposable 'cig-a-like' e-cigarettes; group 4 is e-cigars; group 5 is e-pipes; group 6 is e-hookah and hookah pens.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	2733	8.0 %
2	2 = Group 2	1327	3.9 %
3	3 = Group 3	2403	7.0 %
4	4 = Group 4	22	0.1 %
5	5 = Group 5	23	0.1 %
6	6 = Group 6	217	0.6 %
7	7 = None of the above	448	1.3 %
<b>Total</b>		<b>7,173</b>	<b>20.9%</b>

This variable has 7,173 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	27112	79.0 %
<b>Total</b>		<b>27,136</b>	<b>79.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1514-1519 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9001: Type of electronic nicotine product used most often

For the following question, please think about the electronic nicotine product you [use/used] most often.

What kind of electronic nicotine product [is/was] it?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = A disposable device	660	1.9 %
2	2 = A device that uses replaceable prefilled cartridges	2612	7.6 %
3	3 = A device with a tank that you refill with liquids	2881	8.4 %
4	4 = A mod system	784	2.3 %
5	5 = Something else	106	0.3 %
<b>Total</b>		<b>7,043</b>	<b>20.5%</b>

This variable has 7,043 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	102	0.3 %
-7	-7 = Refused	51	0.1 %
-1	-1 = Inapplicable	27112	79.0 %
<b>Total</b>		<b>27,266</b>	<b>79.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1520-1525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9046: Frequency with which you refill your electronic nicotine product with e-liquid

How often [do/did] you refill your electronic nicotine product with e-liquid?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use a refillable tank device type or a mod system device type.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_EDEVICETYPE = 3, 4.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = At least once a day	997	2.9 %
2	2 = Once every couple of days	758	2.2 %
3	3 = Once a week	413	1.2 %
4	4 = A few times a month	324	0.9 %
5	5 = Once a month	315	0.9 %
6	6 = A few times a year	202	0.6 %
7	7 = Once a year	67	0.2 %
8	8 = Never	556	1.6 %
<b>Total</b>		<b>3,632</b>	<b>10.6%</b>

This variable has 3,632 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	11	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	30643	89.3 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>30,677</b>	<b>89.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1526-1531 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9036: Who refills electronic nicotine product with e-liquid

Who [refills/refilled] it with e-liquid?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use a refillable tank device type or a mod system device type and have refilled their ENP or did not know or refused to report how often they refill their ENP.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_EDEVICETYPE = 3, 4 AND  
R05\_AV9046 != 8.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = I refill/refilled it myself	2775	8.1 %
2	2 = I get/got it refilled at a vape shop or vapor lounge	93	0.3 %
3	3 = I buy/bought it already filled	81	0.2 %
4	4 = I get/got it refilled some other way	136	0.4 %
	<b>Total</b>	<b>3,085</b>	<b>9.0%</b>

This variable has 3,085 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	11	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31199	90.9 %
	<b>Total</b>	<b>31,224</b>	<b>91.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1532-1537 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9045: Number of milliliters of e-liquid your tank system holds/hold

How many milliliters of e-liquid [does/did] your tank system hold?

\_\_\_ mL

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use a refillable tank device type or a mod system device type.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_EDEVICETYPE = 3, 4.

[PROGRAM NOTE: Allow 3 digits. ]

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

This variable has 907 valid cases out of 34,309 total cases.

- Mean: 8.16
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 150.00
- Standard Deviation: 13.50

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	11	0.0 %
-8	-8 = Don't know	2744	8.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-2	-2 = I don't know	0	0.0 %
-1	-1 = Inapplicable	30643	89.3 %
<b>Total</b>		<b>33,402</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1538-1543 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -2, -1

---

## R05\_AV9010: Electronic nicotine product used most of the time contains nicotine

Please think about the electronic nicotine product/electronic nicotine cartridge/e-liquid you [use/used] most often.

[Does/Did] it contain nicotine?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AVR12]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5524	16.1 %
2	2 = No	1607	4.7 %
	<b>Total</b>	<b>7,131</b>	<b>20.8%</b>

This variable has 7,131 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,178</b>	<b>79.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1544-1549 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9006: Concentration level of nicotine you usually use/used

What concentration of nicotine [do/did] you usually use?

[IF I don't know the concentration (1), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AVR12]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use an ENP that contains nicotine.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV9010 = 1.

Value	Label	Unweighted Frequency	%
1	1 = I don't know the concentration	1974	5.8 %
2	2 = 1 - 3 mg/mL or 0.1 - 0.3%	1117	3.3 %
3	3 = 4 - 6 mg/mL or 0.4 - 0.6%	886	2.6 %
4	4 = 7 - 12 mg/mL or 0.7 - 1.2%	229	0.7 %
5	5 = 13 - 17 mg/mL or 1.3 - 1.7%	83	0.2 %
6	6 = 18 - 24 mg/mL or 1.8 - 2.4%	197	0.6 %
7	7 = 25 - 39 mg/mL or 2.5 - 3.9%	186	0.5 %
8	8 = 40 - 49 mg/mL or 4.0 - 4.9%	112	0.3 %
9	9 = 50 - 59mg/mL or 5.0-5.9%	646	1.9 %
10	10 = 60+ mg/mL or 6.0+%	74	0.2 %
	<b>Total</b>	<b>5,504</b>	<b>16.0%</b>

This variable has 5,504 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	28784	83.9 %
<b>Total</b>		<b>28,805</b>	<b>84.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1550-1555 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9056: Changed concentration level of nicotine since first use

Have you changed the concentration of nicotine you use since you first started using electronic nicotine products?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AVR12]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use an ENP that contains nicotine and usually use a nicotine concentration of 1-3mg/mL, 4-6mg/mL, 7-12mg/mL, 13-17mg/mL, 18-24mg/mL, 25-39mg/mL, 40-49mg/mL, 50-59mg/mL, or 60+mg/mL.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV9010 = 1 AND  
R05\_AV9006 = 2, 3, 4, 5, 6, 7, 8, 9, 10.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1230	3.6 %
2	2 = No	2294	6.7 %
<b>Total</b>		<b>3,524</b>	<b>10.3%</b>

This variable has 3,524 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	30778	89.7 %
<b>Total</b>		<b>30,785</b>	<b>89.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1556-1561 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV9956: Higher or lower concentration level of nicotine since first use

Is the concentration of nicotine you currently use higher or lower than the concentration you used when you first started using electronic nicotine products?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use an ENP that contains nicotine and usually use a nicotine concentration of 1-3mg/mL, 4-6mg/mL, 7-12mg/mL, 13-17mg/mL, 18-24mg/mL, 25-39mg/mL, 40-49mg/mL, 50-59mg/mL, or 60+mg/mL and have changed their concentration of nicotine.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV9010 = 1 AND R05\_AV9006 = 2, 3, 4, 5, 6, 7, 8, 9, 10 AND R05\_AV9056 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Higher	446	1.3 %
2	2 = Lower	780	2.3 %
	<b>Total</b>	<b>1,226</b>	<b>3.6%</b>

This variable has 1,226 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33078	96.4 %
	<b>Total</b>	<b>33,083</b>	<b>96.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1562-1567 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1021: Average number of [electronic nicotine products/cartridges/milliliters of e-liquid] use each day

On average, about how many electronic nicotine products/electronic nicotine cartridges/e-liquids do you now use each day?

\_\_ Products each day

[IF Less than 1 each day (-2), Don't Know (-8), or Refused (-7); GO TO R05\_AV1026]

ASK: Adult respondents who are every day established ENP users.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 1,551 valid cases out of 34,309 total cases.

- Mean: 2.25
- Median: 1.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 90.00
- Standard Deviation: 6.81

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	64	0.2 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32693	95.3 %
	<b>Total</b>	<b>32,758</b>	<b>95.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1568-1573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AV1022: How many of the past 30 days used an electronic nicotine product

On how many of the past 30 days did you use an electronic nicotine product?

\_\_ Days

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day ENP users.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 2 OR  
R05\_EPROD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Range check: 0-30 days. ]

This variable has 4,645 valid cases out of 34,309 total cases.

- Mean: 5.50
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.90

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	23	0.1 %	
-7	-7 = Refused	11	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	29629	86.4 %	
	<b>Total</b>	<b>29,664</b>	<b>86.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1574-1579 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## **R05\_AV9029\_NN: Time since you took last puff from an electronic nicotine product - Number (Some day or current experimental users)**

About how long has it been since you last took a puff from an electronic nicotine product?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AVR32]

ASK: Adult respondents who are some day established or current experimental ENP users and used on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2) AND R05\_AV1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AV9029\_UN = Days; the value "2" refers to R05\_AV9029\_UN = Months; the value "3" refers to R05\_AV9029\_UN = Years.

This variable has 425 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	93	0.3 %	
-1	-1 = Inapplicable	33783	98.5 %	
	<b>Total</b>	<b>33,884</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1580-1585 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AV9029\_UN: Time since you took last puff from an electronic nicotine product - Unit (Some day or current experimental users)

About how long has it been since you last took a puff from an electronic nicotine product?

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AV32]

ASK: Adult respondents who are some day established or current experimental ENP users and used on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2) AND R05\_AV1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AV9029\_UN = Days; the value "2" refers to R05\_AV9029\_UN = Months; the value "3" refers to R05\_AV9029\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	115	0.3 %
2	2 = Months	313	0.9 %
3	3 = Years	90	0.3 %
<b>Total</b>		<b>518</b>	<b>1.5%</b>

This variable has 518 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33790	98.5 %
<b>Total</b>		<b>33,791</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1586-1591 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1026: Average number of times you pick up your electronic nicotine product to take one or more puffs each day on days used

On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?

\_\_\_ Times

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1027]

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 4,818 valid cases out of 34,309 total cases.

- Mean: 15.25
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 777.00
- Standard Deviation: 31.22

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	88	0.3 %	
-7	-7 = Refused	17	0.0 %	
-5	-5 = Improbable response removed	3	0.0 %	
-1	-1 = Inapplicable	29382	85.6 %	
<b>Total</b>		<b>29,491</b>	<b>86.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1592-1597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AV1027: Number of puffs you take each time you pick up your electronic nicotine product to use it

Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?

\_\_\_\_ Puffs

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AVR32]

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

This variable has 4,883 valid cases out of 34,309 total cases.

- Mean: 4.59
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 220.00
- Standard Deviation: 9.13

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	29	0.1 %	
-7	-7 = Refused	12	0.0 %	
-5	-5 = Improbable response removed	2	0.0 %	
-1	-1 = Inapplicable	29382	85.6 %	
<b>Total</b>		<b>29,426</b>	<b>85.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1598-1603 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AV1024\_NN: Time to first electronic nicotine product puff after waking - Number (current users)

[On the days that you use an electronic nicotine product, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.

\_\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1092]

ASK: Adult respondents who are current established or current experimental ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AV1024\_UN = Minutes after waking; the value "2" refers to R05\_AV1024\_UN = Hours after waking.

This variable has 4,353 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	97	0.3 %	
-7	-7 = Refused	27	0.1 %	
-5	-5 = Improbable response removed	6	0.0 %	

<b>Missing Data</b>			
-1	-1 = Inapplicable	29825	86.9 %
	<b>Total</b>	<b>29,956</b>	<b>87.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1604-1609 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AV1024\_UN: Time to first electronic nicotine product puff after waking - Unit (current users)

[On the days that you use an electronic nicotine product, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1092]

ASK: Adult respondents who are current established or current experimental ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits. ]

NOTES: The value "1" refers to R05\_AV1024\_UN = Minutes after waking; the value "2" refers to R05\_AV1024\_UN = Hours after waking.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Minutes after waking	1783	5.2 %
2	2 = Hours after waking	2576	7.5 %
	<b>Total</b>	<b>4,359</b>	<b>12.7%</b>

This variable has 4,359 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	29949	87.3 %
	<b>Total</b>	<b>29,950</b>	<b>87.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1610-1615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV1092: Take first puff of electronic nicotine product of the day within 30 minutes after waking (current users)

(On the days that you use electronic nicotine products, would/Would) you say you take your first puff of the day within the first 30 minutes after you wake up?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_AV46]

ASK: Adult respondents who are current established or current experimental ENP users and did not know or refused to report how soon after waking up they typically take their first puff from an ENP.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2 AND  
R05\_AV1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	78	0.2 %
3	3 = It varies	30	0.1 %
<b>Total</b>		<b>113</b>	<b>0.3%</b>

This variable has 113 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	34184	99.6 %
<b>Total</b>		<b>34,196</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 1616-1621 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AV1024\_30D\_NN: Time to first electronic nicotine product puff after waking - Number (non-current users)

On the days that you used an electronic nicotine product, how soon after you woke up did you typically take your first puff of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1092\_30D]

ASK: Adult respondents who are non-current 30-day ENP users.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits. ]

NOTES: The value "1" refers to R05\_AV1024\_30D\_UN = Minutes after waking; the value "2" refers to R05\_AV1024\_30D\_UN = Hours after waking.

This variable has 1,659 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	119	0.3 %
-7	-7 = Refused	29	0.1 %
-5	-5 = Improbable response removed	4	0.0 %
-1	-1 = Inapplicable	32497	94.7 %
<b>Total</b>		<b>32,650</b>	<b>95.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1622-1627 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AV1024\_30D\_UN: Time to first electronic nicotine product puff after waking - Unit (non-current users)

On the days that you used an electronic nicotine product, how soon after you woke up did you typically take your first puff of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1092\_30D]

ASK: Adult respondents who are non-current 30-day ENP users.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits. ]

NOTES: The value "1" refers to R05\_AV1024\_30D\_UN = Minutes after waking; the value "2" refers to R05\_AV1024\_30D\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	492	1.4 %
2	2 = Hours after waking	1171	3.4 %
<b>Total</b>		<b>1,663</b>	<b>4.8%</b>

This variable has 1,663 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32645	95.1 %
	<b>Total</b>	<b>32,646</b>	<b>95.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1628-1633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1092\_30D: Took first puff of electronic nicotine product of the day within 30 minutes after waking (non-current users)

On the days that you used electronic nicotine products, would you say you took your first puff of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day ENP users and did not know or refused to report how soon after waking up they typically take their first puff from an ENP.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1 AND R05\_AV1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	108	0.3 %
3	3 = It varies	9	0.0 %
	<b>Total</b>	<b>119</b>	<b>0.3%</b>

This variable has 119 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	34160	99.6 %
	<b>Total</b>	<b>34,190</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1634-1639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV100: When last used electronic nicotine product

When did you last use an electronic nicotine product?

[IF In the past hour (1); GO TO R05\_Av0103 : IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AV1131]

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 $((R05\_CURRENT\_EPROD\_USE = 2 \text{ OR } R05\_EPROD\_USER\_STATUS = 2 \text{ OR } R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) \text{ AND } R05\_AV1022 \neq 0)$ .

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	1445	4.2 %
2	2 = Sometime today, but more than an hour ago	479	1.4 %
3	3 = Yesterday	650	1.9 %
4	4 = Day before yesterday	286	0.8 %
5	5 = Three or more days ago	2024	5.9 %
<b>Total</b>		<b>4,884</b>	<b>14.2%</b>

This variable has 4,884 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	31	0.1 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	29382	85.6 %	
<b>Total</b>		<b>29,425</b>	<b>85.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1640-1645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV102: Time period of day when you last used electronic nicotine product

When you last used an electronic nicotine product [FILL BASED ON R05\_AV100], was it...

ASK: Adult respondents who are every day established ENP users and last used an ENP sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_CURRENT\_EPROD\_USE = 1 AND R05\_AV100 = 2,  
 $3, 4)$  OR ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR

R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0 AND R05\_AV0100 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	181	0.5 %
2	2 = After 6AM but before noon	297	0.9 %
3	3 = Between noon and 6PM	527	1.5 %
4	4 = After 6PM but before midnight	405	1.2 %
	<b>Total</b>	<b>1,410</b>	<b>4.1%</b>

This variable has 1,410 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32893	95.9 %	
	<b>Total</b>	<b>32,899</b>	<b>95.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1646-1651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV0103: Number of puffs taken from electronic nicotine product today/yesterday/day before yesterday

How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R05\_AV0100]?

\_\_\_\_ Puffs

ASK: Adult respondents who are every day established ENP users and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_CURRENT\_EPROD\_USE = 1 AND R05\_AV0100 = 1, 2, 3, 4) OR ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0 AND R05\_AV0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 3 digits.]

This variable has 2,815 valid cases out of 34,309 total cases.

- Mean: 18.05
- Median: 9.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 801.00
- Standard Deviation: 40.66

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	43	0.1 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	31448	91.7 %	
<b>Total</b>		<b>31,494</b>	<b>91.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1652-1657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AV1131\_01: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Tobacco-flavored

In the past 30 days, which flavors of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used? Choose all that apply.

Tobacco-flavored

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	676	2.0 %
2	2 = Not Marked	4171	12.2 %
<b>Total</b>		<b>4,847</b>	<b>14.1%</b>

This variable has 4,847 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	29382	85.6 %	
	<b>Total</b>	<b>29,462</b>	<b>85.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1658-1663 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1131\_02: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Menthol or mint

In the past 30 days, which flavors of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used? Choose all that apply.

Menthol or mint

**ASK:** Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

**ASK Specification:** IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1847	5.4 %
2	2 = Not Marked	3000	8.7 %
	<b>Total</b>	<b>4,847</b>	<b>14.1%</b>

This variable has 4,847 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	29382	85.6 %	
	<b>Total</b>	<b>29,462</b>	<b>85.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1664-1669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AV1131\_03: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Clove or spice

In the past 30 days, which flavors of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	64	0.2 %
2	2 = Not Marked	4783	13.9 %
	<b>Total</b>	<b>4,847</b>	<b>14.1%</b>

This variable has 4,847 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	29382	85.6 %
	<b>Total</b>	<b>29,462</b>	<b>85.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1670-1675 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AV1131\_04: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Fruit

In the past 30 days, which flavors of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2739	8.0 %
2	2 = Not Marked	2108	6.1 %
	<b>Total</b>	<b>4,847</b>	<b>14.1%</b>

This variable has 4,847 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	29382	85.6 %	
	<b>Total</b>	<b>29,462</b>	<b>85.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1676-1681 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1131\_05: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Chocolate

In the past 30 days, which flavors of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	144	0.4 %
2	2 = Not Marked	4703	13.7 %
	<b>Total</b>	<b>4,847</b>	<b>14.1%</b>

This variable has 4,847 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	29382	85.6 %
	<b>Total</b>	<b>29,462</b>	<b>85.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1682-1687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1131\_06: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: An alcoholic drink

In the past 30 days, which flavors of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other)

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	120	0.3 %
2	2 = Not Marked	4727	13.8 %
	<b>Total</b>	<b>4,847</b>	<b>14.1%</b>

This variable has 4,847 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	29382	85.6 %	
	<b>Total</b>	<b>29,462</b>	<b>85.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1688-1693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1131\_07: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: A non-alcoholic drink

In the past 30 days, which flavors of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	187	0.5 %
2	2 = Not Marked	4660	13.6 %
	<b>Total</b>	<b>4,847</b>	<b>14.1%</b>

This variable has 4,847 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	29382	85.6 %	
	<b>Total</b>	<b>29,462</b>	<b>85.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1694-1699 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV1131\_08: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Candy, desserts or other sweets

In the past 30 days, which flavors of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used? Choose all that apply.

Candy, desserts, or sweets

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1417	4.1 %
2	2 = Not Marked	3430	10.0 %
	<b>Total</b>	<b>4,847</b>	<b>14.1%</b>

This variable has 4,847 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	29382	85.6 %
	<b>Total</b>	<b>29,462</b>	<b>85.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1700-1705 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV1131\_09: In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Some other flavor

In the past 30 days, which flavors of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_EPROD\_USE = 1 OR  
 ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	124	0.4 %
2	2 = Not Marked	4723	13.8 %
	<b>Total</b>	<b>4,847</b>	<b>14.1%</b>

This variable has 4,847 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	29382	85.6 %
	<b>Total</b>	<b>29,462</b>	<b>85.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1706-1711 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1133: In past 30 days, flavor of electronic nicotine product / electronic nicotine cartridge / e-liquid used most often

In the past 30 days, which flavor of electronic nicotine product/electronic nicotine cartridge/e-liquid have you used most often?

ASK: Adult respondents who are every day established ENP users and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_EPROD\_USE = 1 AND  
 (R05\_AV1131\_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR  
 R05\_AV1131\_[01/.../09] = -8, -7)) OR ((R05\_CURRENT\_EPROD\_USE = 2 OR  
 R05\_EPROD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND  
 R05\_AV1022 != 0 AND (R05\_AV1131\_[01/.../09] = 1 FOR 2 OR MORE FLAVORS  
 OR R05\_AV1131\_[01/.../09] = -8, -7)).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Tobacco-flavored	88	0.3 %
2	2 = Menthol or mint	460	1.3 %
3	3 = Clove or spice	11	0.0 %
4	4 = Fruit	739	2.2 %
5	5 = Chocolate	8	0.0 %
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	11	0.0 %
7	7 = A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)	29	0.1 %
8	8 = Candy, desserts, or other sweets	348	1.0 %
9	9 = Some other flavor	11	0.0 %
<b>Total</b>		<b>1,705</b>	<b>5.0%</b>

This variable has 1,705 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	39	0.1 %	
-7	-7 = Refused	22	0.1 %	
-1	-1 = Inapplicable	32541	94.8 %	
<b>Total</b>		<b>32,604</b>	<b>95.0%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 1712-1717 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AV1147: In past 30 days, on days used, how often electronic nicotine product used was flavored to taste like menthol or mint

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

ASK: Adult respondents who are every day established ENP users and used menthol or mint flavored ENPs in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol or mint flavored ENPs in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_EPROD\_USE = 1 AND R05\_AV1131\_02 = 1) OR ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0 AND R05\_AV1131\_02 = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	766	2.2 %
2	2 = Most of the time	463	1.3 %
3	3 = Sometimes	381	1.1 %
4	4 = Rarely	190	0.6 %
5	5 = Never	43	0.1 %
	<b>Total</b>	<b>1,843</b>	<b>5.4%</b>

This variable has 1,843 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32461	94.6 %
	<b>Total</b>	<b>32,466</b>	<b>94.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1718-1723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1157: In the past 30 days, on days used, how often electronic nicotine product used was flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts, or other sweets?

ASK: Adult respondents who are every day established ENP users and used flavored ENPs in the past 30 days, other than tobacco-flavored or menthol or mint, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored ENPs in the past 30 days, other than tobacco-flavored or menthol or mint.

ASK Specification: IF (R05\_CURRENT\_EPROD\_USE = 1 AND R05\_AV1131[\_03/\_04/\_05/\_06/\_07/\_08] = 1) OR ((R05\_CURRENT\_EPROD\_USE = 2 OR R05\_EPROD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1022 != 0 AND R05\_AV1131[\_03/\_04/\_05/\_06/\_07/\_08] = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	1672	4.9 %
2	2 = Most of the time	609	1.8 %
3	3 = Sometimes	516	1.5 %
4	4 = Rarely	302	0.9 %
5	5 = Never	301	0.9 %
	<b>Total</b>	<b>3,400</b>	<b>9.9%</b>

This variable has 3,400 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	29	0.1 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30875	90.0 %
	<b>Total</b>	<b>30,909</b>	<b>90.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1724-1729 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1030: How you usually buy your [electronic nicotine products/electronic nicotine cartridges/e-liquid]

The next questions ask about your experience buying electronic nicotine product/electronic nicotine cartridge/e-liquid.

How [do/did] you usually buy electronic nicotine product/electronic nicotine cartridge/e-liquid for yourself?

[IF From the internet (2), or By telephone (3); GO TO BOX R05\_AVR05 :

IF I do not buy my own (4), Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	4115	12.0 %
2	2 = From the internet	353	1.0 %
3	3 = By telephone	20	0.1 %
4	4 = I do not buy my own (e-cigarettes/e-cigarette cartridges/e-liquid)	1751	5.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>6,239</b>	<b>18.2%</b>

This variable has 6,239 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	28014	81.7 %
	<b>Total</b>	<b>28,070</b>	<b>81.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1730-1735 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1098: In past 30 days, how often used a coupon when buying electronic nicotine products / electronic nicotine cartridges / e-liquid

In the past 30 days, how often have you used a coupon when buying electronic nicotine product/electronic nicotine cartridge/e-liquid?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Always	146	0.4 %
2	2 = Sometimes	287	0.8 %
3	3 = Rarely	314	0.9 %
4	4 = Never	3365	9.8 %
	<b>Total</b>	<b>4,112</b>	<b>12.0%</b>

This variable has 4,112 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	30193	88.0 %
	<b>Total</b>	<b>30,197</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1736-1741 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1032: Geographic area where you usually buy your [electronic nicotine products/electronic nicotine cartridges/e-liquid]

[Do/Did] you usually buy electronic nicotine product/electronic nicotine cartridge/e-liquid...

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	4000	11.7 %
2	2 = In another state	88	0.3 %
3	3 = Outside the US	9	0.0 %
<b>Total</b>		<b>4,097</b>	<b>11.9%</b>

This variable has 4,097 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	30193	88.0 %
<b>Total</b>		<b>30,212</b>	<b>88.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1742-1747 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1033: Retail location where your [electronic nicotine products/electronic nicotine cartridges/e-liquid] are purchased most of the time

Where [do/did] you buy your electronic nicotine product/electronic nicotine cartridge/e-liquid most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR

R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A mall kiosk	26	0.1 %
2	2 = A convenience store or gas station	1022	3.0 %
3	3 = A supermarket, grocery store, or drug store	84	0.2 %
4	4 = A warehouse club, such as Sam's or Costco	7	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	341	1.0 %
6	6 = A duty free shop or military commissary	3	0.0 %
7	7 = A bar, pub, restaurant or casino	4	0.0 %
8	8 = A friend or relative	93	0.3 %
9	9 = A swap meet or flea market	3	0.0 %
10	10 = A liquor store	51	0.1 %
11	11 = Somewhere else	22	0.1 %
12	12 = A vape shop or vapor lounge	2445	7.1 %
<b>Total</b>		<b>4,101</b>	<b>12.0%</b>

This variable has 4,101 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	30193	88.0 %
<b>Total</b>		<b>30,208</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1748-1753 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1136: Usually buy/bought [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] by the box or pack, or as a single

[Do/Did] you usually buy electronic nicotine product/electronic nicotine cartridge/e-liquid by the box or pack, or as single electronic nicotine product/electronic nicotine cartridge/e-liquid?

[IF Single [EPRODFILL1] (2), Don't Know (-8), or Refused (-7); GO TO R05\_AV1034]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND

R05\_EDEVICETYPE = 1, 5.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	132	0.4 %
2	2 = Single (e-cigarette/e-cigar/e-pipe/e-hookah/electronic nicotine product)	312	0.9 %
<b>Total</b>		<b>444</b>	<b>1.3%</b>

This variable has 444 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33856	98.7 %
<b>Total</b>		<b>33,865</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1754-1759 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1137: Number of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] come/came in the box or pack you usually buy/bought

How many electronic nicotine product/electronic nicotine cartridge/e-liquid [come/came] in the box or pack that you usually [buy/bought]?

\_\_ In a box/pack

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND R05\_EDEVICETYPE = 1, 5 AND R05\_AV1136 = 1.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 127 valid cases out of 34,309 total cases.

- Mean: 6.50
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 12.48

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34176	99.6 %
<b>Total</b>		<b>34,182</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1760-1765 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AV1138\_D: How much usually pay/paid for a box or pack of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] - Dollars

How much [do/did] you usually pay for a box or pack of electronic nicotine product/electronic nicotine cartridge/e-liquid?

\_\_\_ Dollars

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 1, 5 AND R05\_AV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 129 valid cases out of 34,309 total cases.

- Mean: 22.78
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 79.59

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	34176	99.6 %
	<b>Total</b>	<b>34,180</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1766-1771 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

### **R05\_AV1138\_C: How much usually pay/paid for a box or pack of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] - Cents**

How much [do/did] you usually pay for a box or pack of electronic nicotine product/electronic nicotine cartridge/e-liquid?

\_\_ Cents

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 1, 5 AND R05\_AV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 129 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34179	99.6 %
	<b>Total</b>	<b>34,180</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1772-1777 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

### **R05\_AV1034\_D: Amount usually paid for a single [electronic nicotine product/electronic nicotine cartridge/e-liquid] - Dollars (by respondents who use a disposable or unknown electronic nicotine product)**

How much [do/did] you usually pay for a single electronic nicotine product/electronic nicotine

cartridge/e-liquid??

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type and usually buy single ENPs.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 1, 5 AND R05\_AV1136 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 300 valid cases out of 34,309 total cases.

- Mean: 12.92
- Median: 10.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 12.45

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33996	99.1 %
<b>Total</b>		<b>34,009</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1778-1783 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

### R05\_AV1034\_C: Amount usually paid for a single [electronic nicotine product/electronic nicotine cartridge/e-liquid] - Cents (by respondents who use a disposable or unknown electronic nicotine product)

How much [do/did] you usually pay for a single electronic nicotine product/electronic nicotine cartridge/e-liquid?

\_\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable

device type or an unknown device type and usually buy single ENPs.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 1, 5 AND R05\_AV1136 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 300 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34008	99.1 %
<b>Total</b>		<b>34,009</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1784-1789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AV1041\_D: Amount usually paid for bottle or container of e-liquid - Dollars

How much [do/did] you usually pay for a bottle or container of e-liquid?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a refillable tank device type or a mod system device type.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 3, 4.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

This variable has 2,396 valid cases out of 34,309 total cases.

- Mean: 17.23
- Median: 15.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 120.00

- Standard Deviation: 10.29

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	9	0.0 %	
-8	-8 = Don't know	42	0.1 %	
-7	-7 = Refused	5	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	31856	92.9 %	
<b>Total</b>		<b>31,913</b>	<b>93.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1790-1795 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## **R05\_AV1041\_C: Amount usually paid for bottle or container of e-liquid - Cents**

How much [do/did] you usually pay for a bottle or container of e-liquid?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a refillable tank device type or a mod system device type.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 3, 4.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents. ]

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

This variable has 2,396 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	8	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	31904	93.0 %	
<b>Total</b>		<b>31,913</b>	<b>93.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1796-1801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AV1039: Usually buy [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] by the box, pack, or as singles

[Do/Did] you usually buy electronic nicotine product/electronic nicotine cartridge/e-liquid by the box or pack, or as single cartridges?

[IF Single cartridges (2); GO TO R05\_AV1043 : IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 2.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	1073	3.1 %
2	2 = Single cartridges	498	1.5 %
	<b>Total</b>	<b>1,571</b>	<b>4.6%</b>

This variable has 1,571 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32724	95.4 %
	<b>Total</b>	<b>32,738</b>	<b>95.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1802-1807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV1040: Number of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] that come in a box or pack you buy/bought

How many electronic nicotine product/electronic nicotine cartridge/e-liquid [come/came] in the box or pack that you [buy/bought]?

\_\_ In a box/pack

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP

users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 2 AND R05\_AV1039 = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 1,068 valid cases out of 34,309 total cases.

- Mean: 4.03
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 44.00
- Standard Deviation: 3.54

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	33235	96.9 %
<b>Total</b>		<b>33,241</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1808-1813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AV1042\_D: Amount usually paid for box or pack of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] - Dollars

How much [do/did] you usually pay for a box or pack of electronic nicotine product/electronic nicotine cartridge/e-liquid?

\_\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 2 AND R05\_AV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 1,055 valid cases out of 34,309 total cases.

- Mean: 15.36
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 75.00
- Standard Deviation: 5.87

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	16	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33235	96.9 %	
<b>Total</b>		<b>33,254</b>	<b>96.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1814-1819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AV1042\_C: Amount usually paid for box or pack of [electronic nicotine products/electronic nicotine cartridges/milliliters of e-liquid] - Cents

How much [do/did] you usually pay for a box or pack of electronic nicotine product/electronic nicotine cartridge/e-liquid?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 2 AND R05\_AV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 1,055 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	

Missing Data				
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33253	96.9 %	
<b>Total</b>		<b>33,254</b>	<b>96.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1820-1825 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AV1043\_D: Amount usually paid for a single [electronic nicotine product/electronic nicotine cartridge/e-liquid] - Dollars (by respondents who use an electronic nicotine product with a non-refillable cartridge)

How much [do/did] you usually pay for a single electronic nicotine product/electronic nicotine cartridge/e-liquid?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type and usually buy their ENPs as single cartridges.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 2 AND R05\_AV1039 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 478 valid cases out of 34,309 total cases.

- Mean: 16.07
- Median: 10.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 26.09

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	18	0.1 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33810	98.5 %	
<b>Total</b>		<b>33,831</b>	<b>98.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1826-1831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AV1043\_C: Amount usually paid for a single [electronic nicotine product/electronic nicotine cartridge/e-liquid] - Cents (by respondents who use an electronic nicotine product with a non-refillable cartridge)

How much [do/did] you usually pay for a single electronic nicotine product/electronic nicotine cartridge/e-liquid?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type and usually buy their ENPs as single cartridges.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1030 = 1, 2, 3 AND  
R05\_EDEVICETYPE = 2 AND R05\_AV1039 = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 478 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33830	98.6 %	
<b>Total</b>		<b>33,831</b>	<b>98.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1832-1837 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AV1047: Have a regular brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] you usually use

[Do/Did] you have a regular brand of electronic nicotine product/electronic nicotine cartridge/e-liquid that you usually [use/used]?ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2325	6.8 %
2	2 = No	3738	10.9 %
3	3 = I don't know	1097	3.2 %
<b>Total</b>		<b>7,160</b>	<b>20.9%</b>

This variable has 7,160 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	18	0.1 %	
-7	-7 = Refused	18	0.1 %	
-1	-1 = Inapplicable	27112	79.0 %	
<b>Total</b>		<b>27,149</b>	<b>79.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1838-1843 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1012\_01: Flavor of electronic nicotine product brand regularly/last used: Tobacco-flavored

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Tobacco-flavored

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	939	2.7 %
2	2 = Not Marked	6001	17.5 %
<b>Total</b>		<b>6,940</b>	<b>20.2%</b>

This variable has 6,940 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>			
-8	-8 = Don't know	175	0.5 %
-7	-7 = Refused	81	0.2 %
-1	-1 = Inapplicable	27112	79.0 %
<b>Total</b>		<b>27,369</b>	<b>79.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1844-1849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1012\_02: Flavor of electronic nicotine product brand regularly/last used: Menthol or mint

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	2118	6.2 %
2	2 = Not Marked	4822	14.1 %
<b>Total</b>		<b>6,940</b>	<b>20.2%</b>

This variable has 6,940 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	175	0.5 %
-7	-7 = Refused	81	0.2 %
-1	-1 = Inapplicable	27112	79.0 %
<b>Total</b>		<b>27,369</b>	<b>79.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1850-1855 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV1012\_03: Flavor of electronic nicotine product brand regularly/last used: Clove or spice

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	91	0.3 %
2	2 = Not Marked	6849	20.0 %
	<b>Total</b>	<b>6,940</b>	<b>20.2%</b>

This variable has 6,940 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	175	0.5 %
-7	-7 = Refused	81	0.2 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,369</b>	<b>79.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1856-1861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1012\_04: Flavor of electronic nicotine product brand regularly/last used: Fruit

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3449	10.1 %
2	2 = Not Marked	3491	10.2 %
	<b>Total</b>	<b>6,940</b>	<b>20.2%</b>

This variable has 6,940 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	175	0.5 %
-7	-7 = Refused	81	0.2 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,369</b>	<b>79.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1862-1867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1012\_05: Flavor of electronic nicotine product brand regularly/last used: Chocolate

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	159	0.5 %
2	2 = Not Marked	6781	19.8 %
	<b>Total</b>	<b>6,940</b>	<b>20.2%</b>

This variable has 6,940 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	175	0.5 %
-7	-7 = Refused	81	0.2 %

Missing Data			
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,369</b>	<b>79.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1868-1873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1012\_06: Flavor of electronic nicotine product brand regularly/last used: An alcoholic drink

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	124	0.4 %
2	2 = Not Marked	6816	19.9 %
	<b>Total</b>	<b>6,940</b>	<b>20.2%</b>

This variable has 6,940 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	175	0.5 %
-7	-7 = Refused	81	0.2 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,369</b>	<b>79.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1874-1879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1012\_07: Flavor of electronic nicotine product brand regularly/last used: A non-alcoholic drink

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	200	0.6 %
2	2 = Not Marked	6740	19.6 %
	<b>Total</b>	<b>6,940</b>	<b>20.2%</b>

This variable has 6,940 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	175	0.5 %
-7	-7 = Refused	81	0.2 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,369</b>	<b>79.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1880-1885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1012\_08: Flavor of electronic nicotine product brand regularly/last used: Candy, desserts or other sweets

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Candy, desserts, or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1662	4.8 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	5278	15.4 %
	<b>Total</b>	<b>6,940</b>	<b>20.2%</b>

This variable has 6,940 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	175	0.5 %
-7	-7 = Refused	81	0.2 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,369</b>	<b>79.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1886-1891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1012\_09: Flavor of electronic nicotine product brand regularly/last used: Some other flavor

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	161	0.5 %
2	2 = Not Marked	6779	19.8 %
	<b>Total</b>	<b>6,940</b>	<b>20.2%</b>

This variable has 6,940 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	175	0.5 %
-7	-7 = Refused	81	0.2 %

Missing Data			
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,369</b>	<b>79.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1892-1897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1945: Know the name of brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] usually/last used

Do you know the name of the brand of electronic nicotine product/electronic nicotine cartridge/e-liquid you [usually use/usually used/last used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2644	7.7 %
2	2 = No	4514	13.2 %
	<b>Total</b>	<b>7,158</b>	<b>20.9%</b>

This variable has 7,158 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,151</b>	<b>79.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1898-1903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1048\_BRAND: Brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] usually/last used

What brand of electronic nicotine product/electronic nicotine cartridge/e-liquid [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch

the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

#### Brand

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and know the name of the brand of ENPs they usually use or last used.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 2,563 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	67	0.2 %	
-7	-7 = Refused	14	0.0 %	
-1	-1 = Inapplicable	31664	92.3 %	
<b>Total</b>		<b>31,746</b>	<b>92.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1904-1909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1051\_NN: How long used regular brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] - Number

About how long [did you use/have you been using] your regular brand of electronic nicotine product/electronic nicotine cartridge/e-liquid?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and have a regular brand of ENPs.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AV1051\_UN = Days; the value "2" refers to R05\_AV1051\_UN = Months; the value "3" refers to R05\_AV1051\_UN = Years.

This variable has 2,295 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	

Missing Data				
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	6	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	31983	93.2 %	
	<b>Total</b>	<b>32,014</b>	<b>93.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1910-1915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AV1051\_UN: How long used regular brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] - Unit

About how long [did you use/have you been using] your regular brand of electronic nicotine product/electronic nicotine cartridge/e-liquid?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and have a regular brand of ENPs.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AV1051\_UN = Days; the value "2" refers to R05\_AV1051\_UN = Months; the value "3" refers to R05\_AV1051\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	214	0.6 %
2	2 = Months	1029	3.0 %
3	3 = Years	1052	3.1 %
	<b>Total</b>	<b>2,295</b>	<b>6.7%</b>

This variable has 2,295 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32013	93.3 %	
	<b>Total</b>	<b>32,014</b>	<b>93.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 1916-1921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV0104: Brand of very last electronic nicotine product puff is same as brand regularly/last used

You said earlier that you last used an electronic nicotine product [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and last used an ENP in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR

R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_AV0100 = 1, 2, 3, 4 AND

R05\_AV1945 = 1 AND R05\_AV1048\_BRAND != 9995, -8, -7.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	979	2.9 %
2	2 = No	129	0.4 %
	<b>Total</b>	<b>1,108</b>	<b>3.2%</b>

This variable has 1,108 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	26	0.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33173	96.7 %
	<b>Total</b>	<b>33,201</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 1922-1927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1060\_RANDOM\_01: AV1060 series random question 1

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	27112	79.0 %
-97777	-	1	0.0 %
R05_AV1060	-	771	2.2 %
R05_AV1062	-	787	2.3 %
R05_AV1063	-	829	2.4 %
R05_AV1064	-	387	1.1 %
R05_AV1065	-	836	2.4 %
R05_AV1066	-	782	2.3 %
R05_AV1067	-	789	2.3 %
R05_AV1075	-	783	2.3 %
R05_AV1077	-	411	1.2 %
R05_AV1085	-	821	2.4 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1928-1937 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AV1060\_RANDOM\_02: AV1060 series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	27112	79.0 %
-97777	-	1	0.0 %
R05_AV1060	-	759	2.2 %
R05_AV1062	-	800	2.3 %
R05_AV1063	-	805	2.3 %
R05_AV1064	-	399	1.2 %
R05_AV1065	-	857	2.5 %

Value	Label	Unweighted Frequency	%
R05_AV1066	-	760	2.2 %
R05_AV1067	-	821	2.4 %
R05_AV1075	-	809	2.4 %
R05_AV1077	-	390	1.1 %
R05_AV1085	-	796	2.3 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1938-1947 (width: 10; decimal: 0)

*Variable Type:* character

### **R05\_AV1060\_RANDOM\_03: AV1060 series random question 3**

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	27112	79.0 %
-97777	-	1	0.0 %
R05_AV1060	-	762	2.2 %
R05_AV1062	-	849	2.5 %
R05_AV1063	-	799	2.3 %
R05_AV1064	-	381	1.1 %
R05_AV1065	-	770	2.2 %
R05_AV1066	-	838	2.4 %
R05_AV1067	-	806	2.3 %
R05_AV1075	-	799	2.3 %
R05_AV1077	-	368	1.1 %
R05_AV1085	-	824	2.4 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1948-1957 (width: 10; decimal: 0)

*Variable Type:* character

### **R05\_AV1060\_RANDOM\_04: AV1060 series random question 4**

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	27112	79.0 %
-97777	-	1	0.0 %
R05_AV1060	-	840	2.4 %
R05_AV1062	-	812	2.4 %
R05_AV1063	-	775	2.3 %
R05_AV1064	-	370	1.1 %
R05_AV1065	-	787	2.3 %
R05_AV1066	-	831	2.4 %
R05_AV1067	-	826	2.4 %
R05_AV1075	-	831	2.4 %
R05_AV1077	-	377	1.1 %
R05_AV1085	-	747	2.2 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1958-1967 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AV1060\_RANDOM\_05: AV1060 series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	27112	79.0 %
-97777	-	1	0.0 %
R05_AV1060	-	844	2.5 %
R05_AV1062	-	810	2.4 %

Value	Label	Unweighted Frequency	%
R05_AV1063	-	812	2.4 %
R05_AV1064	-	350	1.0 %
R05_AV1065	-	826	2.4 %
R05_AV1066	-	798	2.3 %
R05_AV1067	-	743	2.2 %
R05_AV1075	-	789	2.3 %
R05_AV1077	-	399	1.2 %
R05_AV1085	-	825	2.4 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1968-1977 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AV1060\_RANDOM\_06: AV1060 series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	27112	79.0 %
-97777	-	1	0.0 %
R05_AV1060	-	862	2.5 %
R05_AV1062	-	745	2.2 %
R05_AV1063	-	812	2.4 %
R05_AV1064	-	385	1.1 %
R05_AV1065	-	766	2.2 %
R05_AV1066	-	864	2.5 %
R05_AV1067	-	786	2.3 %
R05_AV1075	-	772	2.3 %
R05_AV1077	-	406	1.2 %
R05_AV1085	-	798	2.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1978-1987 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AV1060\_RANDOM\_07: AV1060 series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	27112	79.0 %
-97777	-	1	0.0 %
R05_AV1060	-	778	2.3 %
R05_AV1062	-	824	2.4 %
R05_AV1063	-	818	2.4 %
R05_AV1064	-	369	1.1 %
R05_AV1065	-	769	2.2 %
R05_AV1066	-	820	2.4 %
R05_AV1067	-	800	2.3 %
R05_AV1075	-	837	2.4 %
R05_AV1077	-	351	1.0 %
R05_AV1085	-	830	2.4 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1988-1997 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AV1060\_RANDOM\_08: AV1060 series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	27112	79.0 %

Value	Label	Unweighted Frequency	%
-97777	-	1	0.0 %
R05_AV1060	-	814	2.4 %
R05_AV1062	-	806	2.3 %
R05_AV1063	-	755	2.2 %
R05_AV1064	-	429	1.3 %
R05_AV1065	-	804	2.3 %
R05_AV1066	-	790	2.3 %
R05_AV1067	-	818	2.4 %
R05_AV1075	-	823	2.4 %
R05_AV1077	-	359	1.0 %
R05_AV1085	-	798	2.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 1998-2007 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AV1060\_RANDOM\_09: AV1060 series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30480	88.8 %
-97777	-	1	0.0 %
R05_AV1060	-	380	1.1 %
R05_AV1062	-	384	1.1 %
R05_AV1063	-	387	1.1 %
R05_AV1064	-	374	1.1 %
R05_AV1065	-	403	1.2 %
R05_AV1066	-	362	1.1 %
R05_AV1067	-	415	1.2 %
R05_AV1075	-	355	1.0 %
R05_AV1077	-	395	1.2 %
R05_AV1085	-	373	1.1 %

Value	Label	Unweighted Frequency	%
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 2008-2017 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AV1060\_RANDOM\_10: AV1060 series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AV1060 through R05\_AV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30480	88.8 %
-97777	-	1	0.0 %
R05_AV1060	-	386	1.1 %
R05_AV1062	-	379	1.1 %
R05_AV1063	-	404	1.2 %
R05_AV1064	-	384	1.1 %
R05_AV1065	-	378	1.1 %
R05_AV1066	-	351	1.0 %
R05_AV1067	-	392	1.1 %
R05_AV1075	-	398	1.2 %
R05_AV1077	-	372	1.1 %
R05_AV1085	-	384	1.1 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 2018-2027 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AV1060: Use/used electronic nicotine products because: They are/were affordable

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They [are/were] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3360	9.8 %
2	2 = No	3773	11.0 %
	<b>Total</b>	<b>7,133</b>	<b>20.8%</b>

This variable has 7,133 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	29	0.1 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,176</b>	<b>79.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2028-2033 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1085: Use/used electronic nicotine products because: Can/Could use electronic nicotine products at times or in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

I [can/could] use electronic nicotine products at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4380	12.8 %
2	2 = No	2766	8.1 %
	<b>Total</b>	<b>7,146</b>	<b>20.8%</b>

This variable has 7,146 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	27112	79.0 %
<b>Total</b>		<b>27,163</b>	<b>79.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2034-2039 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1062: Use/used electronic nicotine products because: It might be/have been less harmful to me than smoking cigarettes

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4347	12.7 %
2	2 = No	2793	8.1 %
<b>Total</b>		<b>7,140</b>	<b>20.8%</b>

This variable has 7,140 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	27112	79.0 %
<b>Total</b>		<b>27,169</b>	<b>79.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2040-2045 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV1075: Use/used electronic nicotine products because: They might be less harmful to people around me than cigarettes

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They might [be/have been] less harmful to people around me than cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4701	13.7 %
2	2 = No	2446	7.1 %
	<b>Total</b>	<b>7,147</b>	<b>20.8%</b>

This variable has 7,147 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	31	0.1 %	
-7	-7 = Refused	18	0.1 %	
-1	-1 = Inapplicable	27112	79.0 %	
	<b>Total</b>	<b>27,162</b>	<b>79.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2046-2051 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV1063: Use/used electronic nicotine products because: electronic nicotine products come/came in flavors I like/liked

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

E-liquid [comes/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established,

or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5169	15.1 %
2	2 = No	1971	5.7 %
	<b>Total</b>	<b>7,140</b>	<b>20.8%</b>

This variable has 7,140 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	36	0.1 %	
-7	-7 = Refused	20	0.1 %	
-1	-1 = Inapplicable	27112	79.0 %	
	<b>Total</b>	<b>27,169</b>	<b>79.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2052-2057 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1064: Use/used electronic nicotine products because: Using them helps people quit smoking cigarettes

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

Using electronic nicotine products helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2213	6.5 %
2	2 = No	1581	4.6 %
	<b>Total</b>	<b>3,794</b>	<b>11.1%</b>

This variable has 3,794 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.0 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	30480	88.8 %
<b>Total</b>		<b>30,515</b>	<b>88.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2058-2063 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1065: Use/used electronic nicotine products because: They don't smell

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

Electronic nicotine products don't smell.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4273	12.5 %
2	2 = No	2868	8.4 %
<b>Total</b>		<b>7,141</b>	<b>20.8%</b>

This variable has 7,141 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	27112	79.0 %
<b>Total</b>		<b>27,168</b>	<b>79.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2064-2069 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AV1066: Use/used electronic nicotine products because: Using an electronic nicotine product feels/felt like smoking a regular cigarette

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

Using an electronic nicotine product [feels/felt] like smoking a regular cigarette.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1917	5.6 %
2	2 = No	5225	15.2 %
	<b>Total</b>	<b>7,142</b>	<b>20.8%</b>

This variable has 7,142 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,167</b>	<b>79.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 2070-2075 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AV1067: Use/used electronic nicotine products because: Electronic nicotine products are/were more acceptable to non-tobacco users

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

Electronic nicotine products [are/were] more acceptable to non-tobacco users.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4369	12.7 %
2	2 = No	2768	8.1 %
	<b>Total</b>	<b>7,137</b>	<b>20.8%</b>

This variable has 7,137 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,172</b>	<b>79.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2076-2081 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1077: Use electronic nicotine products because: Using electronic nicotine products satisfies / satisfied my cravings for cigarettes

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

Using electronic nicotine products [satisfies/satisfied] my cravings for cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2420	7.1 %
2	2 = No	1368	4.0 %
	<b>Total</b>	<b>3,788</b>	<b>11.0%</b>

This variable has 3,788 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	30480	88.8 %
<b>Total</b>		<b>30,521</b>	<b>89.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2082-2087 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1086: In the past 30 days, used an electronic nicotine products at times when could not smoke regular cigarettes

In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AVR51]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and are current established or current experimental cigarette smokers.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1326	3.9 %
2	2 = No	1386	4.0 %
<b>Total</b>		<b>2,712</b>	<b>7.9%</b>

This variable has 2,712 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31588	92.1 %
<b>Total</b>		<b>31,597</b>	<b>92.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2088-2093 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1087: Frequency of using electronic nicotine products at times when could not smoke regular cigarettes

How often [do/did] you use an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and are current established or current experimental cigarette smokers and have used ENPs at times when or in places where they could not smoke regular cigarettes.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_CIG\_USER\_STATUS = 1, 2  
AND R05\_AV1086 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	326	1.0 %
2	2 = Some days	589	1.7 %
3	3 = Rarely	407	1.2 %
<b>Total</b>		<b>1,322</b>	<b>3.9%</b>

This variable has 1,322 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32982	96.1 %
<b>Total</b>		<b>32,987</b>	<b>96.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 2094-2099 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AV9054: Number of cigarettes smoked on days both cigarettes and electronic nicotine products are used

On the days you use both cigarettes and electronic nicotine products, do you smoke...

ASK: Adult respondents who are current established or current experimental ENP users and are current established or current experimental cigarette smokers.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2 AND  
R05\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Fewer cigarettes than usual	1529	4.5 %
2	2 = The same amount of cigarettes	466	1.4 %
3	3 = More cigarettes than usual	71	0.2 %
<b>Total</b>		<b>2,066</b>	<b>6.0%</b>

This variable has 2,066 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	32200	93.9 %
<b>Total</b>		<b>32,243</b>	<b>94.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2100-2105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1080: Use/used electronic nicotine products as a way of cutting down on your cigarette smoking

[Do/Did] you use electronic nicotine products as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established or recent former established cigarette users.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2132	6.2 %
2	2 = No	1280	3.7 %
<b>Total</b>		<b>3,412</b>	<b>9.9%</b>

This variable has 3,412 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	30884	90.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>30,897</b>	<b>90.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2106-2111 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1082: Using / use electronic nicotine products as a way to quit smoking cigarettes

[Are/Did] you [using/use] electronic nicotine products as a way to quit smoking cigarettes?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1) AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1823	5.3 %
2	2 = No	1586	4.6 %
	<b>Total</b>	<b>3,409</b>	<b>9.9%</b>

This variable has 3,409 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30884	90.0 %
	<b>Total</b>	<b>30,900</b>	<b>90.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2112-2117 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV1139: Level of agreement: It is/was easier to talk and get along with other people when using an electronic nicotine product

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using an electronic nicotine product.

ASK: Adult respondents who are current established, current experimental, recent former established,

or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	3987	11.6 %
2	2 = 2 on a scale of 1 to 4	1450	4.2 %
3	3 = 3 on a scale of 1 to 4	1073	3.1 %
4	4 = Very true of me	616	1.8 %
	<b>Total</b>	<b>7,126</b>	<b>20.8%</b>

This variable has 7,126 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	44	0.1 %	
-7	-7 = Refused	26	0.1 %	
-1	-1 = Inapplicable	27112	79.0 %	
	<b>Total</b>	<b>27,183</b>	<b>79.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2118-2123 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1140: Level of agreement: Feel/felt more confident with other people while using an electronic nicotine product

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While using an electronic nicotine product, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	4628	13.5 %
2	2 = 2 on a scale of 1 to 4	1329	3.9 %
3	3 = 3 on a scale of 1 to 4	784	2.3 %
4	4 = Very true of me	388	1.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>7,129</b>	<b>20.8%</b>

This variable has 7,129 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,180</b>	<b>79.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2124-2129 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1141: Level of agreement: Use/used electronic nicotine products much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I [use/used] electronic nicotine products much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_EPROD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	3244	9.5 %
2	2 = 2 on a scale of 1 to 4	1357	4.0 %
3	3 = 3 on a scale of 1 to 4	1285	3.7 %
4	4 = Very true of me	1259	3.7 %
	<b>Total</b>	<b>7,145</b>	<b>20.8%</b>

This variable has 7,145 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	26	0.1 %

Missing Data			
-1	-1 = Inapplicable	27112	79.0 %
	<b>Total</b>	<b>27,164</b>	<b>79.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2130-2135 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV0335: Main reason you stopped using electronic nicotine products

What is the main reason you stopped using electronic nicotine products?

ASK: Adult respondents who are former experimental or recent former established ENP users.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = They cost too much money	698	2.0 %
2	2 = I didn't like how they tasted	946	2.8 %
3	3 = Using them didn't help me deal with cravings to smoke regular cigarettes	454	1.3 %
4	4 = Using them didn't help me quit or cut back on smoking regular cigarettes	275	0.8 %
5	5 = Using them didn't feel like smoking regular cigarettes	341	1.0 %
6	6 = They are poor quality, defective, or break easily	111	0.3 %
7	7 = They were a hassle to use	180	0.5 %
8	8 = I was concerned about the health risks caused by using them	943	2.7 %
9	9 = I didn't like the side effects of using them	220	0.6 %
10	10 = I was just experimenting with them	3902	11.4 %
11	11 = Some other reason	661	1.9 %
	<b>Total</b>	<b>8,731</b>	<b>25.4%</b>

This variable has 8,731 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	222	0.6 %
-7	-7 = Refused	97	0.3 %
-1	-1 = Inapplicable	25258	73.6 %
	<b>Total</b>	<b>25,578</b>	<b>74.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2136-2141 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV9042: Ever used marijuana concentrates, marijuana waxes, THC or hash oils in electronic nicotine product

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

(Remember all information you give to the PATH Study will be kept private.)

[IF No (2), Don't Know (-8), or Refused (-7); GO TO THE NEXT SECTION]

ASK: Adult respondents who have ever used an ENP.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7206	21.0 %
2	2 = No	7988	23.3 %
	<b>Total</b>	<b>15,194</b>	<b>44.3%</b>

This variable has 15,194 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	19081	55.6 %
	<b>Total</b>	<b>19,115</b>	<b>55.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2142-2147 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV9106: When used an electronic nicotine product, how often use it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils

When you have used an electronic product, how often were you using it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils?

[IF Never (5); GO TO THE NEXT SECTION]

ASK: Adult respondents who have ever used an ENP and have ever used marijuana in an electronic product.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV9042 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	1378	4.0 %
2	2 = Most of the time	1226	3.6 %
3	3 = Sometimes	1532	4.5 %
4	4 = Rarely	2035	5.9 %
5	5 = Never	1029	3.0 %
	<b>Total</b>	<b>7,200</b>	<b>21.0%</b>

This variable has 7,200 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	27102	79.0 %
	<b>Total</b>	<b>27,109</b>	<b>79.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2148-2153 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AM0100: When last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product

When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

[IF In the past hour (1); GO TO R05\_AM0103 :

IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO THE NEXT SECTION]

ASK: Adult respondents who have ever used an ENP and have ever used marijuana in an electronic product.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV9042 = 1  
AND R05\_AV9106 != 5.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	402	1.2 %
2	2 = Sometime today, but more than an hour ago	315	0.9 %
3	3 = Yesterday	763	2.2 %
4	4 = Day before yesterday	302	0.9 %
5	5 = Three or more days ago	4298	12.5 %
	<b>Total</b>	<b>6,080</b>	<b>17.7%</b>

This variable has 6,080 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	69	0.2 %
-7	-7 = Refused	28	0.1 %
-1	-1 = Inapplicable	28131	82.0 %
<b>Total</b>		<b>28,229</b>	<b>82.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2154-2159 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AM0102: Time period of day when you last used marijuana in electronic nicotine product

When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product [FILL BASED ON R05\_AM0100], was it...

ASK: Adult respondents who have ever used an ENP and have ever used marijuana in an ENP and last used marijuana in an electronic product sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV9042 = 1  
AND R05\_AV9106 != 5 AND R05\_AM0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	198	0.6 %
2	2 = After 6AM but before noon	225	0.7 %
3	3 = Between noon and 6PM	340	1.0 %
4	4 = After 6PM but before midnight	607	1.8 %
<b>Total</b>		<b>1,370</b>	<b>4.0%</b>

This variable has 1,370 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32928	96.0 %
<b>Total</b>		<b>32,939</b>	<b>96.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2160-2165 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AM0103: Number of puffs of marijuana taken from an electronic nicotine product today/yesterday/day before yesterday

How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an electronic product [have/did] you [taken/take] [FILL BASED ON R05\_AM0100]?

\_\_\_ Puffs

[IF Don't Know (-8), or Refused (-7); GO TO THE NEXT SECTION]

ASK: Adult respondents who have ever used an ENP and have ever used marijuana in an ENP and last used marijuana in an electronic product in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 1 AND R05\_AV9042 = 1  
AND R05\_AV9106 != 5 AND R05\_AM0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 1,763 valid cases out of 34,309 total cases.

- Mean: 9.44
- Median: 5.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 757.00
- Standard Deviation: 26.22

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	8	0.0 %
-1	-1 = Inapplicable	32526	94.8 %
<b>Total</b>		<b>32,546</b>	<b>94.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2166-2171 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ1008TC: When first started smoking traditional cigars as blunts, smoked blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking Traditional Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AJ9030TC]

ASK: Adult respondents who initiated blunt-only traditional cigar smoking since their last completed interview.

ASK Specification: FOR R05\_AJ1008TC: IF R05\_INIT\_BLUNT\_BTRAD\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	145	0.4 %
2	2 = No	123	0.4 %
3	3 = I don't know	43	0.1 %
<b>Total</b>		<b>311</b>	<b>0.9%</b>

This variable has 311 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33995	99.1 %
<b>Total</b>		<b>33,998</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2172-2177 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1011TC\_01: Flavor of traditional cigar used as blunts when first started smoking: Menthol or mint

When you first started smoking Traditional Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011TC: IF R05\_INIT\_BLUNT\_BTRAD\_ADULT = 1  
AND R05\_AJ1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.1 %
2	2 = Not Marked	118	0.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>145</b>	<b>0.4%</b>

This variable has 145 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34163	99.6 %
	<b>Total</b>	<b>34,164</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2178-2183 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1011TC\_02: Flavor of traditional cigar used as blunts when first started smoking: Clove or spice

When you first started smoking Traditional Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011TC: IF R05\_INIT\_BLUNT\_BTRAD\_ADULT = 1  
AND R05\_AJ1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	138	0.4 %
	<b>Total</b>	<b>145</b>	<b>0.4%</b>

This variable has 145 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		34163	99.6 %
<b>Total</b>			<b>34,164</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2184-2189 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1011TC\_03: Flavor of traditional cigar used as blunts when first started smoking: Fruit

When you first started smoking Traditional Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Adult respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011TC: IF R05\_INIT\_BLUNT\_BTRAD\_ADULT = 1  
AND R05\_AJ1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	95	0.3 %
2	2 = Not Marked	50	0.1 %
	<b>Total</b>	<b>145</b>	<b>0.4%</b>

This variable has 145 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34163	99.6 %	
	<b>Total</b>	<b>34,164</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2190-2195 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1011TC\_04: Flavor of traditional cigar used as blunts when first started smoking: Chocolate

When you first started smoking Traditional Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Adult respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011TC: IF R05\_INIT\_BLUNT\_BTRAD\_ADULT = 1  
AND R05\_AJ1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.1 %
2	2 = Not Marked	120	0.3 %
	<b>Total</b>	<b>145</b>	<b>0.4%</b>

This variable has 145 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34163	99.6 %
	<b>Total</b>	<b>34,164</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 2196-2201 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AJ1011TC\_05: Flavor of traditional cigar used as blunts when first started smoking: An alcoholic drink

When you first started smoking Traditional Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated blunt-only traditional cigar smoking since their last completed

interview and whose first traditional cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011TC: IF R05\_INIT\_BLUNT\_BTRAD\_ADULT = 1  
AND R05\_AJ1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	29	0.1 %
2	2 = Not Marked	116	0.3 %
	<b>Total</b>	<b>145</b>	<b>0.4%</b>

This variable has 145 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34163	99.6 %
	<b>Total</b>	<b>34,163</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2202-2207 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1011TC\_06: Flavor of traditional cigar used as blunts when first started smoking: Candy or other sweets

When you first started smoking Traditional Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011TC: IF R05\_INIT\_BLUNT\_BTRAD\_ADULT = 1  
AND R05\_AJ1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	58	0.2 %
2	2 = Not Marked	87	0.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>145</b>	<b>0.4%</b>

This variable has 145 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34163	99.6 %
	<b>Total</b>	<b>34,163</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2208-2213 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1011TC\_07: Flavor of traditional cigar used as blunts when first started smoking: Some other flavor

When you first started smoking Traditional Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011TC: IF R05\_INIT\_BLUNT\_BTRAD\_ADULT = 1  
AND R05\_AJ1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	142	0.4 %
	<b>Total</b>	<b>145</b>	<b>0.4%</b>

This variable has 145 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34163	99.6 %	
<b>Total</b>		<b>34,164</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2214-2219 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ9030TC: In past 30 days, smoked a traditional cigar as a blunt, even one or two puffs

In the past 30 days, have you smoked a Traditional Cigar as a blunt, even one or two puffs?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AJ9029TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AJ9030TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	330	1.0 %
2	2 = No	190	0.6 %
<b>Total</b>		<b>520</b>	<b>1.5%</b>

This variable has 520 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33786	98.5 %	
<b>Total</b>		<b>33,789</b>	<b>98.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2220-2225 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1022TC: In past 30 days, number of days smoked traditional cigars as blunts

On how many of the past 30 days did you smoke Traditional Cigars as blunts?

\_\_ Days

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and smoked a traditional cigar as a blunt in the past 30 days.

ASK Specification: FOR R05\_AJ1022TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1.

[PROGRAM NOTE: Range check: 0-30 days. ]

This variable has 329 valid cases out of 34,309 total cases.

- Mean: 13.53
- Median: 10.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 11.75

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33978	99.0 %	
<b>Total</b>		<b>33,980</b>	<b>99.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2226-2231 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ9029TC\_NN: Time since last smoked traditional cigar as blunt - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a Traditional Cigar as a blunt?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1030TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and did not smoke a traditional cigar as a blunt in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar as a blunt in the past 30 days, or smoked a traditional cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AJ9029TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND (R05\_AJ9030TC = 2, -8, -7 OR (R05\_AJ9030TC = 1 AND  
R05\_AJ1022TC = 0)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AJ9029TC\_UN = Days;  
the value "2" refers to R05\_AJ9029TC\_UN = Months;

the value "3" refers to R05\_AJ9029TC\_UN = Years.

This variable has 160 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	27	0.1 %	
-1	-1 = Inapplicable	34114	99.4 %	
<b>Total</b>		<b>34,149</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2232-2237 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AJ9029TC\_UN: Time since last smoked traditional cigar as blunt - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a Traditional Cigar as a blunt?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1030TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and did not smoke a traditional cigar as a blunt in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar as a blunt in the past 30 days, or smoked a traditional cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AJ9029TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND (R05\_AJ9030TC = 2, -8, -7 OR (R05\_AJ9030TC = 1 AND  
R05\_AJ1022TC = 0)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AJ9029TC\_UN = Days;  
the value "2" refers to R05\_AJ9029TC\_UN = Months;  
the value "3" refers to R05\_AJ9029TC\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	36	0.1 %
2	2 = Months	121	0.4 %
3	3 = Years	30	0.1 %
<b>Total</b>		<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34121	99.5 %
<b>Total</b>		<b>34,122</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2238-2243 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1023TC: In past 30 days, average number of traditional cigars as blunts smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R05\_AJ1022TC days/days you smoked], how many Traditional Cigars did you usually smoke as a blunt each day?

\_\_\_ Traditional Cigars as blunts

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ9012TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ1023TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 328 valid cases out of 34,309 total cases.

- Mean: 3.18
- Median: 2.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 90.00
- Standard Deviation: 8.13

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33980	99.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,981</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2244-2249 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AJ9012TC: Usually share traditional cigars as blunts with others when you smoke them

Do you usually share blunts with others when you smoke them?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ9012TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	279	0.8 %
2	2 = No	49	0.1 %
	<b>Total</b>	<b>328</b>	<b>1.0%</b>

This variable has 328 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33980	99.0 %
	<b>Total</b>	<b>33,981</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2250-2255 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ0100TC: When last smoked a traditional cigar as a blunt

When did you last smoke a Traditional Cigar as a blunt?

[IF In the past hour (1); GO TO R05\_AJ0103TC :

IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AJ1130TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ0100TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	49	0.1 %
2	2 = Sometime today, but more than an hour ago	49	0.1 %
3	3 = Yesterday	82	0.2 %
4	4 = Day before yesterday	23	0.1 %
5	5 = Three or more days ago	125	0.4 %
<b>Total</b>		<b>328</b>	<b>1.0%</b>

This variable has 328 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33980	99.0 %
<b>Total</b>		<b>33,981</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2256-2261 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ0102TC: Time period of day when you last smoked a traditional cigar as a blunt

When you last smoked a traditional Cigar as a blunt [FILL BASED ON R05\_AJ0100TC], was it...

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R05\_AJ0102TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND  
R05\_AJ0100TC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	33	0.1 %
2	2 = After 6AM but before noon	28	0.1 %
3	3 = Between noon and 6PM	39	0.1 %
4	4 = After 6PM but before midnight	54	0.2 %
<b>Total</b>		<b>154</b>	<b>0.4%</b>

This variable has 154 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34154	99.5 %
<b>Total</b>		<b>34,155</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2262-2267 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ0103TC: Number of traditional cigars as a blunt smoked today/yesterday/day before yesterday

How many Traditional Cigars [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R05\_AJ0100TC]?  
(If less than 1, enter 1.)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R05\_AJ0103TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND  
R05\_AJ0100TC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 203 valid cases out of 34,309 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 2.95

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34105	99.4 %
<b>Total</b>		<b>34,106</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2268-2273 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ1130TC: In past 30 days, any of the traditional cigars smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the Traditional Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AJ1030TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ1130TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	162	0.5 %
2	2 = No	143	0.4 %
3	3 = I don't know	23	0.1 %
<b>Total</b>		<b>328</b>	<b>1.0%</b>

This variable has 328 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33980	99.0 %
<b>Total</b>		<b>33,981</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2274-2279 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1131TC\_01: In past 30 days, traditional cigar as blunts flavor smoked: Menthol or mint

In the past 30 days, were any of the Traditional Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND R05\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.1 %
2	2 = Not Marked	137	0.4 %
	<b>Total</b>	<b>161</b>	<b>0.5%</b>

This variable has 161 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34146	99.5 %	
	<b>Total</b>	<b>34,148</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2280-2285 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1131TC\_02: In past 30 days, traditional cigar as blunts flavor smoked: Clove or spice

In the past 30 days, were any of the Traditional Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	156	0.5 %
	<b>Total</b>	<b>161</b>	<b>0.5%</b>

This variable has 161 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34146	99.5 %
	<b>Total</b>	<b>34,148</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2286-2291 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1131TC\_03: In past 30 days, traditional cigar as blunts flavor smoked: Fruit

In the past 30 days, were any of the Traditional Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND R05\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	114	0.3 %
2	2 = Not Marked	47	0.1 %
	<b>Total</b>	<b>161</b>	<b>0.5%</b>

This variable has 161 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34146	99.5 %
	<b>Total</b>	<b>34,148</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2292-2297 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1131TC\_04: In past 30 days, traditional cigar as blunts flavor smoked: Chocolate

In the past 30 days, were any of the Traditional Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND R05\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	140	0.4 %
	<b>Total</b>	<b>161</b>	<b>0.5%</b>

This variable has 161 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34146	99.5 %
	<b>Total</b>	<b>34,148</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2298-2303 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AJ1131TC\_05: In past 30 days, traditional cigar as blunts flavor smoked: An alcoholic drink

In the past 30 days, were any of the Traditional Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND R05\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.1 %
2	2 = Not Marked	130	0.4 %
	<b>Total</b>	<b>161</b>	<b>0.5%</b>

This variable has 161 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34146	99.5 %
	<b>Total</b>	<b>34,148</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 2304-2309 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AJ1131TC\_06: In past 30 days, traditional cigar as blunts flavor smoked: Candy or other sweets

In the past 30 days, were any of the Traditional Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND R05\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	71	0.2 %
2	2 = Not Marked	90	0.3 %
	<b>Total</b>	<b>161</b>	<b>0.5%</b>

This variable has 161 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34146	99.5 %
	<b>Total</b>	<b>34,148</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2310-2315 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1131TC\_07: In past 30 days, traditional cigar as blunts flavor smoked: Some other flavor

In the past 30 days, were any of the Traditional Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND R05\_AJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	157	0.5 %
	<b>Total</b>	<b>161</b>	<b>0.5%</b>

This variable has 161 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34146	99.5 %
	<b>Total</b>	<b>34,148</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2316-2321 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1133TC: In past 30 days, flavor of traditional cigars smoked as blunts most often

In the past 30 days, which flavor of Traditional Cigars have you smoked as blunts most often?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1133TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1 AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND R05\_AJ1130TC = 1 AND (R05\_AJ1131TC\_[01]...[07] = 1 FOR 2 OR MORE FLAVORS OR R05\_AJ1131TC\_[01]...[07] = -8, -7).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	2	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	35	0.1 %
4	4 = Chocolate	3	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	10	0.0 %
6	6 = Candy or other sweets	14	0.0 %
7	7 = Some other flavor	2	0.0 %
	<b>Total</b>	<b>66</b>	<b>0.2%</b>

This variable has 66 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34239	99.8 %
<b>Total</b>		<b>34,243</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2322-2327 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1147TC: How often smoked flavored traditional cigars as blunts on days smoked in past 30 days

On the days you smoked Traditional Cigars as blunts in the past 30 days, how often did you smoke flavored Traditional Cigars?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1147TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND R05\_AJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	80	0.2 %
2	2 = Most of the time	28	0.1 %
3	3 = Sometimes	28	0.1 %
4	4 = Rarely	15	0.0 %
5	5 = Never	11	0.0 %
<b>Total</b>		<b>162</b>	<b>0.5%</b>

This variable has 162 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34146	99.5 %
<b>Total</b>		<b>34,147</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2328-2333 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1030TC: How you usually buy your traditional cigars as blunts

How do you usually buy Traditional Cigars for yourself when you smoke blunts?

[IF From the internet (2), or By telephone; GO TO R05\_AJ1039TC :

IF I do not buy my own Traditional Cigars for blunts (4), Don't Know (-8) or Refused (-7);  
GO TO R05\_AJ1047TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AJ1030TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	405	1.2 %
2	2 = From the internet	7	0.0 %
3	3 = By telephone	1	0.0 %
4	4 = I do not buy my own traditional cigars for blunts	107	0.3 %
	<b>Total</b>	<b>520</b>	<b>1.5%</b>

This variable has 520 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33786	98.5 %
	<b>Total</b>	<b>33,789</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2334-2339 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1032TC: Geographic area where you usually buy your traditional cigars for blunts

Do you usually buy Traditional Cigars for blunts...?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars for blunts in person.

ASK Specification: FOR R05\_AJ1032TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1

AND R05\_AJ1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	402	1.2 %
2	2 = In another state	2	0.0 %
3	3 = Outside the US	0	0.0 %
<b>Total</b>		<b>404</b>	<b>1.2%</b>

This variable has 404 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33903	98.8 %	
<b>Total</b>		<b>33,905</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2340-2345 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1033TC: Retail location where your traditional cigars for blunts are purchased most of the time

Where do you buy your Traditional Cigars for blunts most of the time?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars for blunts in person.

ASK Specification: FOR R05\_AJ1033TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	11	0.0 %
2	2 = A convenience store or gas station	327	1.0 %
3	3 = A supermarket, grocery store, or drug store	18	0.1 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	37	0.1 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	1	0.0 %
9	9 = A swap meet or flea market	0	0.0 %

Value	Label	Unweighted Frequency	%
10	10 = A liquor store	9	0.0 %
11	11 = Somewhere else	0	0.0 %
	<b>Total</b>	<b>403</b>	<b>1.2%</b>

This variable has 403 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33903	98.8 %
	<b>Total</b>	<b>33,906</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2346-2351 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1039TC: Usually buy traditional cigars for blunts by the box, pack or as singles

Do you usually buy Traditional Cigars for blunts by the box or pack, or as single Traditional Cigars?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars for blunts in person, from the internet, or by telephone.

ASK Specification: FOR R05\_AJ1039TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1030TC = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	193	0.6 %
2	2 = Single traditional cigars	219	0.6 %
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

This variable has 412 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33895	98.8 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2352-2357 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1040TC: Number of traditional cigars come in box or pack usually buy

How many Traditional Cigars come in the box or pack that you usually buy for blunts?

\_\_\_ Per pack

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars for blunts by the box or pack.

ASK Specification: FOR R05\_AJ1040TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1030TC = 1, 2, 3 AND R05\_AJ1039TC = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 192 valid cases out of 34,309 total cases.

- Mean: 4.06
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 4.69

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34115	99.4 %	
<b>Total</b>		<b>34,117</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2358-2363 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ1042TC\_D: Amount usually paid for a box or pack of traditional cigars for blunts - Dollars

How much do you usually pay for a box or pack of Traditional Cigars for blunts?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1047TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars for blunts by the box or pack.

ASK Specification: FOR R05\_AJ1042TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1030TC = 1, 2, 3 AND R05\_AJ1039TC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 192 valid cases out of 34,309 total cases.

- Mean: 3.08
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 5.19

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34115	99.4 %
<b>Total</b>		<b>34,117</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2364-2369 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ1042TC\_C: Amount usually paid for a box or pack of traditional cigars for blunts - Cents

How much do you usually pay for a box or pack of Traditional Cigars for blunts?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1047TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars for blunts by the box or pack.

ASK Specification: FOR R05\_AJ1042TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1030TC = 1, 2, 3 AND R05\_AJ1039TC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 192 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34116	99.4 %
<b>Total</b>		<b>34,117</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2370-2375 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ1043TC\_D: Amount usually paid for a single traditional cigar for a blunt - Dollars

How much do you usually pay for a single Traditional Cigar for a blunt?

\_\_\_ Dollars

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars for blunts.

ASK Specification: FOR R05\_AJ1043TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1030TC = 1, 2, 3 AND R05\_AJ1039TC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 212 valid cases out of 34,309 total cases.

- Mean: 1.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 53.00
- Standard Deviation: 4.18

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34089	99.4 %
<b>Total</b>		<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2376-2381 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ1043TC\_C: Amount usually paid for a single traditional cigar for a blunt - Cents

How much do you usually pay for a single Traditional Cigar for a blunt?

\_\_ Cents

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars for blunts.

ASK Specification: FOR R05\_AJ1043TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1030TC = 1, 2, 3 AND R05\_AJ1039TC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 212 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
<b>Total</b>		<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2382-2387 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ1047TC: Have a regular brand of traditional cigars you usually use for blunts

Do you have a regular brand of Traditional Cigars that you usually use for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AJ1047TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	278	0.8 %
2	2 = No	243	0.7 %
	<b>Total</b>	<b>521</b>	<b>1.5%</b>

This variable has 521 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33786	98.5 %
<b>Total</b>		<b>33,788</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2388-2393 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1050TC: Regular/last brand of traditional cigars smoked as blunts was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AJ1945TC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AJ1050TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1.\_

Value	Label	Unweighted Frequency	%
1	1 = Yes	230	0.7 %
2	2 = No	214	0.6 %
3	3 = I don't know	77	0.2 %
<b>Total</b>		<b>521</b>	<b>1.5%</b>

This variable has 521 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33786	98.5 %
<b>Total</b>		<b>33,788</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2394-2399 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1012TC\_01: Traditional cigar as blunts flavor usually/last smoked: Menthol or mint

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.1 %
2	2 = Not Marked	200	0.6 %
	<b>Total</b>	<b>230</b>	<b>0.7%</b>

This variable has 230 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34078	99.3 %
	<b>Total</b>	<b>34,079</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2400-2405 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1012TC\_02: Traditional cigar as blunts flavor usually/last smoked: Clove or spice

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1

AND R05\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	221	0.6 %
	<b>Total</b>	<b>230</b>	<b>0.7%</b>

This variable has 230 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34078	99.3 %
	<b>Total</b>	<b>34,079</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2406-2411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AJ1012TC\_03: Traditional cigar as blunts flavor usually/last smoked: Fruit

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	158	0.5 %
2	2 = Not Marked	72	0.2 %
	<b>Total</b>	<b>230</b>	<b>0.7%</b>

This variable has 230 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34078	99.3 %	
<b>Total</b>		<b>34,079</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2412-2417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1012TC\_04: Traditional cigar as blunts flavor usually/last smoked: Chocolate

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	31	0.1 %
2	2 = Not Marked	199	0.6 %
	<b>Total</b>	<b>230</b>	<b>0.7%</b>

This variable has 230 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34078	99.3 %	
<b>Total</b>		<b>34,079</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2418-2423 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1012TC\_05: Traditional cigar as blunts flavor usually/last smoked: An alcoholic drink

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	44	0.1 %
2	2 = Not Marked	186	0.5 %
	<b>Total</b>	<b>230</b>	<b>0.7%</b>

This variable has 230 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34078	99.3 %	
	<b>Total</b>	<b>34,079</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2424-2429 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1012TC\_06: Traditional cigar as blunts flavor usually/last smoked: Candy or other sweets

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	88	0.3 %
2	2 = Not Marked	142	0.4 %
	<b>Total</b>	<b>230</b>	<b>0.7%</b>

This variable has 230 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34078	99.3 %
	<b>Total</b>	<b>34,079</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2430-2435 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1012TC\_07: Traditional cigar as blunts flavor usually/last smoked: Some other flavor

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
AND R05\_AJ1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	224	0.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>230</b>	<b>0.7%</b>

This variable has 230 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34078	99.3 %
	<b>Total</b>	<b>34,079</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2436-2441 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1945TC: Know the name of brand of traditional cigars for blunts usually/last smoked

Do you know the name of the brand of Traditional Cigars that you [usually use/last used] for blunts?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AJ1945TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	308	0.9 %
2	2 = No	213	0.6 %
	<b>Total</b>	<b>521</b>	<b>1.5%</b>

This variable has 521 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33786	98.5 %
	<b>Total</b>	<b>33,788</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2442-2447 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1048TC\_BRAND: Brand of traditional cigars for blunts usually/last smoked

What brand of Traditional Cigars for blunts [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

Brand

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and know the name of the brand of traditional cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R05\_AJ1048TC\_BRAND: IF  
R05\_12MBLUNT\_ONLY\_BTRAD = 1 AND R05\_AJ1945TC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. ]

This variable has 308 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34000	99.1 %	
<b>Total</b>		<b>34,001</b>	<b>99.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2448-2453 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1070TC\_PRODUCT: Sub-brand of traditional cigar as a blunt product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

Product

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and know the name of the brand of traditional cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars for blunts.

ASK Specification: FOR R05\_AJ1070TC\_PRODUCT:  
IF R05\_12MBLUNT\_ONLY\_BTRAD = 1 AND R05\_AJ1945TC = 1 AND  
R05\_AJ1048TC\_BRAND != 9995, -8, -7.

This variable has 294 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34012	99.1 %
<b>Total</b>		<b>34,015</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2454-2459 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ0104TC: Brand of very last traditional cigar smoked as a blunt is same as brand regularly/last smoked

You said earlier that you smoked a Traditional Cigar as a blunt [TIME OF LAST USE].

Think about the very last Traditional Cigar you smoked as a blunt.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars they usually smoke as blunts or last smoked as blunts, and selected a brand and subbrand of traditional cigars for blunts.

ASK Specification: FOR R05\_AJ0104TC: IF R05\_12MBLUNT\_ONLY\_BTRAD = 1  
 AND R05\_AJ9030TC = 1 AND R05\_AJ1022TC != 0 AND  
 R05\_AJ0100TC = 1, 2, 3, 4 AND R05\_AJ1945TC = 1 AND  
 R05\_AJ1048TC\_BRAND != 9995, -8, -7 AND  
 R05\_AJ1070TC\_PRODUCT != 99990, 99995, -8, -7.

NOTES: SKIP ERROR: R05\_AJ0104TC: This item was skipped incorrectly by some respondents who did not know or refused to report how many traditional cigars they smoked as a blunt in the past 30 days (R05\_AJ1022TC = -8, -7). This issue was fixed in a field update on 1/24/2019.

DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	102	0.3 %
2	2 = No	29	0.1 %
	<b>Total</b>	<b>131</b>	<b>0.4%</b>

This variable has 131 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	4	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34173	99.6 %	
	<b>Total</b>	<b>34,178</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2460-2465 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1008CG: When first started smoking cigarillos as blunts, smoked blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking Cigarillos as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

ASK: Adult respondents who initiated blunt-only cigarillo smoking since their last completed interview.

ASK Specification: FOR R05\_AJ1008CG: IF R05\_INIT\_BLUNT\_BRILLO\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	536	1.6 %
2	2 = No	391	1.1 %
3	3 = I don't know	141	0.4 %
	<b>Total</b>	<b>1,068</b>	<b>3.1%</b>

This variable has 1,068 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33240	96.9 %	
	<b>Total</b>	<b>33,241</b>	<b>96.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2466-2471 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1011CG\_01: Flavor of cigarillo used as blunts when first started smoking: Menthol or mint

When you first started smoking Cigarillos as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: FOR R05\_AJ1011CG: IF R05\_INIT\_BLUNT\_BRILLO\_ADULT = 1  
AND R05\_AJ1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	57	0.2 %
2	2 = Not Marked	477	1.4 %
	<b>Total</b>	<b>534</b>	<b>1.6%</b>

This variable has 534 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33772	98.4 %
	<b>Total</b>	<b>33,775</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 2472-2477 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AJ1011CG\_02: Flavor of cigarillo used as blunts when first started smoking: Clove or spice

When you first started smoking Cigarillos as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: FOR R05\_AJ1011CG: IF R05\_INIT\_BLUNT\_BRILLO\_ADULT = 1  
AND R05\_AJ1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	513	1.5 %
	<b>Total</b>	<b>534</b>	<b>1.6%</b>

This variable has 534 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33772	98.4 %
	<b>Total</b>	<b>33,772</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2478-2483 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1011CG\_03: Flavor of cigarillo used as blunts when first started smoking: Fruit

When you first started smoking Cigarillos as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Adult respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: R05\_AJ1011CG: IF R05\_INIT\_BLUNT\_BRILLO\_ADULT = 1  
AND R05\_AJ1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	418	1.2 %
2	2 = Not Marked	116	0.3 %
	<b>Total</b>	<b>534</b>	<b>1.6%</b>

This variable has 534 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33772	98.4 %	
<b>Total</b>		<b>33,775</b>	<b>98.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2484-2489 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1011CG\_04: Flavor of cigarillo used as blunts when first started smoking: Chocolate

When you first started smoking Cigarillos as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Adult respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: FOR R05\_AJ1011CG: IF R05\_INIT\_BLUNT\_BRILLO\_ADULT = 1  
AND R05\_AJ1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	48	0.1 %
2	2 = Not Marked	486	1.4 %
	<b>Total</b>	<b>534</b>	<b>1.6%</b>

This variable has 534 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33772	98.4 %	
<b>Total</b>		<b>33,775</b>	<b>98.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2490-2495 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1011CG\_05: Flavor of cigarillo used as blunts when first started smoking: An alcoholic drink

When you first started smoking Cigarillos as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: FOR R05\_AJ1011CG: IF R05\_INIT\_BLUNT\_BRILLO\_ADULT = 1  
AND R05\_AJ1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.1 %
2	2 = Not Marked	500	1.5 %
	<b>Total</b>	<b>534</b>	<b>1.6%</b>

This variable has 534 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33772	98.4 %
	<b>Total</b>	<b>33,775</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2496-2501 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1011CG\_06: Flavor of cigarillo used as blunts when first started smoking: Candy or other sweets

When you first started smoking Cigarillos as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first traditional cigarillo for blunts was flavored.

ASK Specification: FOR R05\_AJ1011CG: IF R05\_INIT\_BLUNT\_BRILLO\_ADULT = 1  
AND R05\_AJ1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	168	0.5 %
2	2 = Not Marked	366	1.1 %
	<b>Total</b>	<b>534</b>	<b>1.6%</b>

This variable has 534 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33772	98.4 %
	<b>Total</b>	<b>33,775</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 2502-2507 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AJ1011CG\_07: Flavor of cigarillo used as blunts when first started smoking: Some other flavor

When you first started smoking Cigarillos as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: FOR R05\_AJ1011CG: IF R05\_INIT\_BLUNT\_BRILLO\_ADULT = 1  
AND R05\_AJ1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	530	1.5 %
	<b>Total</b>	<b>534</b>	<b>1.6%</b>

This variable has 534 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33772	98.4 %
	<b>Total</b>	<b>33,775</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2508-2513 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ9030CG: In past 30 days, smoked a cigarillo as a blunt, even one or two puffs

In the past 30 days, have you smoked a Cigarillo as a blunt, even one or two puffs?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AJ9029CG]

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AJ9030CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1548	4.5 %
2	2 = No	1013	3.0 %
	<b>Total</b>	<b>2,561</b>	<b>7.5%</b>

This variable has 2,561 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31744	92.5 %
	<b>Total</b>	<b>31,748</b>	<b>92.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2514-2519 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1022CG: In past 30 days, number of days smoked cigarillos as blunts

On how many of the past 30 days did you smoke Cigarillos as blunts?

\_\_ Days

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and smoked a cigarillo as a blunt in the past 30 days.

ASK Specification: FOR R05\_AJ1022CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1 AND R05\_AJ9030CG = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 1,541 valid cases out of 34,309 total cases.

- Mean: 11.92
- Median: 6.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 11.27

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32760	95.5 %	
	<b>Total</b>	<b>32,768</b>	<b>95.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2520-2525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ9029CG\_NN: Time since last smoked cigarillo as blunt - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a Cigarillo as a blunt?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1030CG]

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and did not smoke a

cigarillo as a blunt in the past 30 days or did not know or refused to report whether they have smoked a cigarillo as a blunt in the past 30 days, or smoked a cigarillo as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AJ9029CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
 AND (R05\_AJ9030CG = 2, -8, -7 OR (R05\_AJ9030CG = 1 AND  
 R05\_AJ1022CG = 0)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AJ9029CG\_UN = Days;  
 the value "2" refers to R05\_AJ9029CG\_UN = Months;  
 the value "3" refers to R05\_AJ9029CG\_UN = Years.

This variable has 937 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	73	0.2 %	
-1	-1 = Inapplicable	33285	97.0 %	
	<b>Total</b>	<b>33,372</b>	<b>97.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2526-2531 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ9029CG\_UN: Time since last smoked cigarillo as blunt - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a Cigarillo as a blunt?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1030CG]

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and did not smoke a cigarillo as a blunt in the past 30 days or did not know or refused to report whether they have smoked a cigarillo as a blunt in the past 30 days, or smoked a cigarillo as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AJ9029CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
 AND (R05\_AJ9030CG = 2, -8, -7 OR (R05\_AJ9030CG = 1 AND  
 R05\_AJ1022CG = 0)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AJ9029CG\_UN = Days;  
 the value "2" refers to R05\_AJ9029CG\_UN = Months;

the value "3" refers to R05\_AJ9029CG\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	109	0.3 %
2	2 = Months	805	2.3 %
3	3 = Years	96	0.3 %
<b>Total</b>		<b>1,010</b>	<b>2.9%</b>

This variable has 1,010 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33298	97.1 %	
<b>Total</b>		<b>33,299</b>	<b>97.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2532-2537 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1023CG: In past 30 days, average number of cigarillos as blunts smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R05\_AJ1022CG] days/days you smoked], how many Cigarillos did you usually smoke as a blunt each day?

\_\_ Cigarillos as blunts

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ9012CG]

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ1023CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 1,537 valid cases out of 34,309 total cases.

- Mean: 2.12
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00

- Maximum: 90.00
- Standard Deviation: 5.78

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	32767	95.5 %
<b>Total</b>		<b>32,772</b>	<b>95.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2538-2543 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AJ9012CG: Usually share cigarillos as blunts with others when you smoke them

Do you usually share blunts with others when you smoke them?

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ9012CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1396	4.1 %
2	2 = No	145	0.4 %
<b>Total</b>		<b>1,541</b>	<b>4.5%</b>

This variable has 1,541 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32767	95.5 %
<b>Total</b>		<b>32,768</b>	<b>95.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2544-2549 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ0100CG: When last smoked a cigarillo as a blunt

When did you last smoke a Cigarillo as a blunt?

[IF In the past hour (1); GO TO R05\_AJ0103CG :  
IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AJ1130CG]

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ0100CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	175	0.5 %
2	2 = Sometime today, but more than an hour ago	160	0.5 %
3	3 = Yesterday	366	1.1 %
4	4 = Day before yesterday	141	0.4 %
5	5 = Three or more days ago	697	2.0 %
<b>Total</b>		<b>1,539</b>	<b>4.5%</b>

This variable has 1,539 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32767	95.5 %
<b>Total</b>		<b>32,770</b>	<b>95.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2550-2555 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ0102CG: Time period of day when you last smoked a cigarillo as a blunt

When you last smoked a Cigarillo as a blunt [FILL BASED ON R05\_AJ0100CG], was it...

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R05\_AJ0102CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND

R05\_AJ0100CG = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	95	0.3 %
2	2 = After 6AM but before noon	121	0.4 %
3	3 = Between noon and 6PM	173	0.5 %
4	4 = After 6PM but before midnight	278	0.8 %
	<b>Total</b>	<b>667</b>	<b>1.9%</b>

This variable has 667 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33641	98.1 %
	<b>Total</b>	<b>33,642</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2556-2561 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ0103CG: Number of cigarillos as blunts smoked today/yesterday/day before yesterday

How many Cigarillos [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R05\_AJ0100CG]? (If less than 1, enter 1.)

\_\_\_ Cigarillos as blunts

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R05\_AJ0103CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND  
R05\_AJ0100CG = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 841 valid cases out of 34,309 total cases.

- Mean: 1.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 55.00

- Standard Deviation: 2.67

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33466	97.5 %	
	<b>Total</b>	<b>33,468</b>	<b>97.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2562-2567 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AJ1130CG: In past 30 days, any of the cigarillos smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the Cigarillos that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AJ1030CG]

ASK: Adult respondents who are past 12 month blunt-only traditional cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ1130CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	815	2.4 %
2	2 = No	568	1.7 %
3	3 = I don't know	157	0.5 %
	<b>Total</b>	<b>1,540</b>	<b>4.5%</b>

This variable has 1,540 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32767	95.5 %	
	<b>Total</b>	<b>32,769</b>	<b>95.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2568-2573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1131CG\_01: In past 30 days, cigarillo as blunts flavor smoked: Menthol or mint

In the past 30 days, were any of the Cigarillos that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	78	0.2 %
2	2 = Not Marked	737	2.1 %
	<b>Total</b>	<b>815</b>	<b>2.4%</b>

This variable has 815 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33493	97.6 %
	<b>Total</b>	<b>33,493</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2574-2579 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1131CG\_02: In past 30 days, cigarillo as blunts flavor smoked: Clove or spice

In the past 30 days, were any of the Cigarillos that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	794	2.3 %
	<b>Total</b>	<b>815</b>	<b>2.4%</b>

This variable has 815 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33493	97.6 %
	<b>Total</b>	<b>33,493</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2580-2585 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

### R05\_AJ1131CG\_03: In past 30 days, cigarillo as blunts flavor smoked: Fruit

In the past 30 days, were any of the Cigarillos that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	665	1.9 %
2	2 = Not Marked	150	0.4 %
	<b>Total</b>	<b>815</b>	<b>2.4%</b>

This variable has 815 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33493	97.6 %
	<b>Total</b>	<b>33,493</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2586-2591 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1131CG\_04: In past 30 days, cigarillo as blunts flavor smoked: Chocolate

In the past 30 days, were any of the Cigarillos that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	85	0.2 %
2	2 = Not Marked	730	2.1 %
	<b>Total</b>	<b>815</b>	<b>2.4%</b>

This variable has 815 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33493	97.6 %
	<b>Total</b>	<b>33,494</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2592-2597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1131CG\_05: In past 30 days, cigarillo as blunts flavor smoked: An alcoholic drink

In the past 30 days, were any of the Cigarillos that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

**ASK:** Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos as blunts in the past 30 days.

**ASK Specification:** FOR R05\_AJ1131CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1 AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	99	0.3 %
2	2 = Not Marked	716	2.1 %
	<b>Total</b>	<b>815</b>	<b>2.4%</b>

This variable has 815 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33493	97.6 %
	<b>Total</b>	<b>33,494</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2598-2603 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1131CG\_06: In past 30 days, cigarillo as blunts flavor smoked: Candy or other sweets

In the past 30 days, were any of the Cigarillos that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	276	0.8 %
2	2 = Not Marked	539	1.6 %
	<b>Total</b>	<b>815</b>	<b>2.4%</b>

This variable has 815 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33493	97.6 %
	<b>Total</b>	<b>33,493</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 2604-2609 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1131CG\_07: In past 30 days, cigarillo as blunts flavor smoked: Some other flavor

In the past 30 days, were any of the Cigarillos that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at

least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.0 %
2	2 = Not Marked	799	2.3 %
	<b>Total</b>	<b>815</b>	<b>2.4%</b>

This variable has 815 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33493	97.6 %
	<b>Total</b>	<b>33,493</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2610-2615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1133CG: In past 30 days, flavor of cigarillos smoked as blunts most often

In the past 30 days, which flavor of Cigarillos have you smoked as blunts most often?

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1133CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1 AND  
(R05\_AJ1131CG\_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR  
R05\_AJ1131CG\_[01/.../07] = -8, -7).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	10	0.0 %
2	2 = Clove or spice	2	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = Fruit	178	0.5 %
4	4 = Chocolate	11	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	19	0.1 %
6	6 = Candy or other sweets	49	0.1 %
7	7 = Some other flavor	7	0.0 %
	<b>Total</b>	<b>276</b>	<b>0.8%</b>

This variable has 276 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34029	99.2 %
	<b>Total</b>	<b>34,033</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2616-2621 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1147CG: How often smoked flavored cigarillos as blunts on days smoked in past 30 days

On the days you smoked Cigarillos as blunts in the past 30 days, how often did you smoke flavored Cigarillos?

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1147CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND R05\_AJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	506	1.5 %
2	2 = Most of the time	170	0.5 %
3	3 = Sometimes	78	0.2 %
4	4 = Rarely	48	0.1 %
5	5 = Never	12	0.0 %
	<b>Total</b>	<b>814</b>	<b>2.4%</b>

This variable has 814 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33493	97.6 %
<b>Total</b>		<b>33,495</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2622-2627 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1030CG: How you usually buy your cigarillos as blunts

How do you usually buy Cigarillos for yourself when you smoke blunts?

[IF From the internet (2), or By telephone; GO TO R05\_AJ1039CG :

IF I do not buy my own Cigarillos for blunts (4), Don't Know (-8) or Refused (-7);  
GO TO R05\_AJ1047CG]

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AJ1030CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = In person (such as at a store or cigar bar)	1865	5.4 %
2	2 = From the internet	19	0.1 %
3	3 = By telephone	4	0.0 %
4	4 = I do not buy my own cigarillos for blunts	672	2.0 %
<b>Total</b>		<b>2,560</b>	<b>7.5%</b>

This variable has 2,560 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31744	92.5 %
<b>Total</b>		<b>31,749</b>	<b>92.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2628-2633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1032CG: Geographic area where you usually buy your cigarillos for blunts

Do you usually buy Cigarillos for blunts...?

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and usually buy their cigarillos for blunts in person.

ASK Specification: FOR R05\_AJ1032CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1843	5.4 %
2	2 = In another state	19	0.1 %
3	3 = Outside the US	0	0.0 %
<b>Total</b>		<b>1,862</b>	<b>5.4%</b>

This variable has 1,862 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32443	94.6 %
<b>Total</b>		<b>32,447</b>	<b>94.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2634-2639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1033CG: Retail location where your cigarillos for blunts are purchased most of the time

Where do you buy your Cigarillos for blunts most of the time?

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and usually buy their cigarillos for blunts in person.

ASK Specification: FOR R05\_AJ1033CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	14	0.0 %
2	2 = A convenience store or gas station	1570	4.6 %
3	3 = A supermarket, grocery store, or drug store	54	0.2 %

Value	Label	Unweighted Frequency	%
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	120	0.3 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	7	0.0 %
9	9 = A swap meet or flea market	2	0.0 %
10	10 = A liquor store	93	0.3 %
11	11 = Somewhere else	3	0.0 %
<b>Total</b>		<b>1,863</b>	<b>5.4%</b>

This variable has 1,863 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32443	94.6 %
<b>Total</b>		<b>32,446</b>	<b>94.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2640-2645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1039CG: Usually buy cigarillos for blunts by the box, pack or as singles

Do you usually buy Cigarillos for blunts by the box or pack, or as single Cigarillos?

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and usually buy their cigarillos for blunts in person, from the internet, or by telephone.

ASK Specification: FOR R05\_AJ1039CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1030CG = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	1008	2.9 %
2	2 = Single cigarillos	873	2.5 %
<b>Total</b>		<b>1,881</b>	<b>5.5%</b>

This variable has 1,881 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32420	94.5 %
	<b>Total</b>	<b>32,428</b>	<b>94.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2646-2651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1040CG: Number of cigarillos come in box or pack usually buy

How many Cigarillos come in the box or pack that you usually buy for blunts?

\_\_\_ Cigarillos

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and usually buy their cigarillos for blunts in person, from the internet, or by telephone and usually buy cigarillos for blunts by the box or pack.

ASK Specification: FOR R05\_AJ1040CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1030CG = 1, 2, 3 AND R05\_AJ1039CG = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 1,007 valid cases out of 34,309 total cases.

- Mean: 3.85
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 808.00
- Standard Deviation: 25.65

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	33300	97.1 %
	<b>Total</b>	<b>33,302</b>	<b>97.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2652-2657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AJ1042CG\_D: Amount usually paid for a box or pack of cigarillos for blunts - Dollars

How much do you usually pay for a box or pack of Cigarillos for blunts?

\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1047CG]

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and usually buy their cigarillos for blunts in person, from the internet, or by telephone and usually buy cigarillos for blunts by the box or pack.

ASK Specification: FOR R05\_AJ1042CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1030CG = 1, 2, 3 AND R05\_AJ1039CG = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 999 valid cases out of 34,309 total cases.

- Mean: 3.23
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 883.00
- Standard Deviation: 29.33

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33300	97.1 %	
<b>Total</b>		<b>33,310</b>	<b>97.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2658-2663 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ1042CG\_C: Amount usually paid for a box or pack of cigarillos for blunts - Cents

How much do you usually pay for a box or pack of Cigarillos for blunts?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1047CG]

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and usually buy their cigarillos for blunts in person, from the internet, or by telephone and usually buy cigarillos for blunts by the box or pack.

ASK Specification: FOR R05\_AJ1042CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1030CG = 1, 2, 3 AND R05\_AJ1039CG = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 999 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33309	97.1 %
<b>Total</b>		<b>33,310</b>	<b>97.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2664-2669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AJ1043CG\_D: Amount usually paid for a single cigarillo for a blunt - Dollars

How much do you usually pay for a single Cigarillo for a blunt?

\_\_\_ Dollars

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and usually buy their cigarillos for blunts in person, from the internet, or by telephone and usually buy single cigarillos for blunts.

ASK Specification: FOR R05\_AJ1043CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1030CG = 1, 2, 3 AND R05\_AJ1039CG = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 856 valid cases out of 34,309 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 2.73

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.0 %

<b>Missing Data</b>			
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33435	97.5 %
<b>Total</b>		<b>33,453</b>	<b>97.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2670-2675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AJ1043CG\_C: Amount usually paid for a single cigarillo for a blunt - Cents

How much do you usually pay for a single Cigarillo for a blunt?

\_\_ Cents

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and usually buy their cigarillos for blunts in person, from the internet, or by telephone and usually buy single cigarillos for blunts.

ASK Specification: FOR R05\_AJ1043CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1030CG = 1, 2, 3 AND R05\_AJ1039CG = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 856 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33452	97.5 %
<b>Total</b>		<b>33,453</b>	<b>97.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2676-2681 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AJ1047CG: Have a regular brand of cigarillos you usually use for blunts

Do you have a regular brand of Cigarillos that you usually use for blunts?

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AJ1047CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1414	4.1 %
2	2 = No	1145	3.3 %
	<b>Total</b>	<b>2,559</b>	<b>7.5%</b>

This variable has 2,559 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31744	92.5 %
	<b>Total</b>	<b>31,750</b>	<b>92.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 2682-2687 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AJ1050CG: Regular/last brand of cigarillos smoked as blunts was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AJ1945CG]

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AJ1050CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1372	4.0 %
2	2 = No	813	2.4 %
3	3 = I don't know	376	1.1 %
	<b>Total</b>	<b>2,561</b>	<b>7.5%</b>

This variable has 2,561 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

Missing Data				
-7	-7 = Refused		2	0.0 %
-1	-1 = Inapplicable		31744	92.5 %
<b>Total</b>			<b>31,748</b>	<b>92.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2688-2693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1012CG\_01: Cigarillo as blunts flavor usually/last smoked: Menthol or mint

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillos smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	139	0.4 %
2	2 = Not Marked	1230	3.6 %
<b>Total</b>		<b>1,369</b>	<b>4.0%</b>

This variable has 1,369 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32936	96.0 %	
<b>Total</b>		<b>32,940</b>	<b>96.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2694-2699 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1012CG\_02: Cigarillo as blunts flavor usually/last smoked: Clove or spice

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillos smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.1 %
2	2 = Not Marked	1328	3.9 %
	<b>Total</b>	<b>1,369</b>	<b>4.0%</b>

This variable has 1,369 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32936	96.0 %
	<b>Total</b>	<b>32,940</b>	<b>96.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2700-2705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

### R05\_AJ1012CG\_03: Cigarillo as blunts flavor usually/last smoked: Fruit

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillos smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1087	3.2 %
2	2 = Not Marked	282	0.8 %
	<b>Total</b>	<b>1,369</b>	<b>4.0%</b>

This variable has 1,369 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32936	96.0 %
	<b>Total</b>	<b>32,940</b>	<b>96.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2706-2711 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1012CG\_04: Cigarillo as blunts flavor usually/last smoked: Chocolate

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillos smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	98	0.3 %
2	2 = Not Marked	1271	3.7 %
	<b>Total</b>	<b>1,369</b>	<b>4.0%</b>

This variable has 1,369 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32936	96.0 %	
<b>Total</b>		<b>32,940</b>	<b>96.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2712-2717 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1012CG\_05: Cigarillo as blunts flavor usually/last smoked: An alcoholic drink

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillos smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	156	0.5 %
2	2 = Not Marked	1213	3.5 %
	<b>Total</b>	<b>1,369</b>	<b>4.0%</b>

This variable has 1,369 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32936	96.0 %	
<b>Total</b>		<b>32,940</b>	<b>96.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2718-2723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1012CG\_06: Cigarillo as blunts flavor usually/last smoked: Candy or other sweets

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillos smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	435	1.3 %
2	2 = Not Marked	934	2.7 %
	<b>Total</b>	<b>1,369</b>	<b>4.0%</b>

This variable has 1,369 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32936	96.0 %	
	<b>Total</b>	<b>32,940</b>	<b>96.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2724-2729 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1012CG\_07: Cigarillo as blunts flavor usually/last smoked: Some other flavor

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers whose regular brand or

last brand of cigarillos smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.1 %
2	2 = Not Marked	1346	3.9 %
	<b>Total</b>	<b>1,369</b>	<b>4.0%</b>

This variable has 1,369 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32936	96.0 %	
	<b>Total</b>	<b>32,940</b>	<b>96.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2730-2735 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1945CG: Know the name of brand of cigarillos for blunts usually/last smoked

Do you know the name of the brand of Cigarillos that you [usually use/last used] for blunts?

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AJ1945CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1593	4.6 %
2	2 = No	970	2.8 %
	<b>Total</b>	<b>2,563</b>	<b>7.5%</b>

This variable has 2,563 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		31744	92.5 %
<b>Total</b>			<b>31,746</b>	<b>92.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2736-2741 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1048CG\_BRAND: Brand of cigarillos for blunts usually/last smoked

What brand of Cigarillo for blunts [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

Brand

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and know the name of the brand of cigarillos they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R05\_AJ1048CG\_BRAND: IF

R05\_12MBLUNT\_ONLY\_BRILLO = 1 AND R05\_AJ1945CG = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. ]

This variable has 1,586 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		1	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		5	0.0 %
-7	-7 = Refused		2	0.0 %
-1	-1 = Inapplicable		32715	95.4 %
<b>Total</b>			<b>32,723</b>	<b>95.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2742-2747 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1070CG\_PRODUCT: Sub-brand of cigarillos as a blunt product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

## Product

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and know the name of the brand of cigarillos they usually smoke as blunts or last smoked as blunts and selected a brand of cigarillos for blunts.

ASK Specification: FOR R05\_AJ1070CG\_PRODUCT:  
IF R05\_12MBLUNT\_ONLY\_BRILLO = 1 AND R05\_AJ1945CG = 1 AND  
R05\_AJ1048CG\_BRAND != 9995, -8, -7.

This variable has 1,543 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32750	95.5 %	
Total		32,766	95.5%	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2748-2753 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ0104CG: Brand of very last cigarillo smoked as a blunt is same as brand regularly/last smoked

You said earlier that you smoked a Cigarillo as a blunt [TIME OF LAST USE].

Think about the very last Cigarillo you smoked as a blunt.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of cigarillos they usually smoke as blunts or last smoked as blunts, and selected a brand and subbrand of cigarillos for blunts.

ASK Specification: FOR R05\_AJ0104CG: IF R05\_12MBLUNT\_ONLY\_BRILLO = 1  
AND R05\_AJ9030CG = 1 AND R05\_AJ1022CG != 0 AND  
R05\_AJ0100CG = 1, 2, 3, 4 AND R05\_AJ1945CG = 1 AND  
R05\_AJ1048CG\_BRAND != 9995, -8, -7 AND  
R05\_AJ1070CG\_PRODUCT != 99990, 99995, -8, -7.

NOTES: SKIP ERROR: R05\_AJ0104CG: This item was skipped incorrectly by some respondents who did not know or refused to report how many cigarillos they smoked as a blunt in the past 30 days (R05\_AJ1022CG = -8, -7). This issue was fixed in a field update on 1/24/2019.

DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	394	1.1 %
2	2 = No	152	0.4 %
	<b>Total</b>	<b>546</b>	<b>1.6%</b>

This variable has 546 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	27	0.1 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33734	98.3 %
	<b>Total</b>	<b>33,763</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2754-2759 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1008FC: When first started smoking filtered cigars as blunts, smoked blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking Filtered Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

ASK: Adult respondents who initiated blunt-only filtered cigar smoking since their last completed interview.

ASK Specification: FOR R05\_AJ1008FC: IF R05\_INIT\_BLUNT\_BFLTR\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	60	0.2 %
2	2 = No	73	0.2 %
3	3 = I don't know	33	0.1 %
	<b>Total</b>	<b>166</b>	<b>0.5%</b>

This variable has 166 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	34142	99.5 %
	<b>Total</b>	<b>34,143</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2760-2765 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1011FC\_01: Flavor of filtered cigar used as blunts when first started smoking: Menthol or mint

When you first started smoking Filtered Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

**ASK:** Adult respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

**ASK Specification:** FOR R05\_AJ1011FC: IF R05\_INIT\_BLUNT\_BFLTR\_ADULT = 1  
AND R05\_AJ1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	9	0.0 %
2	2 = Not Marked	51	0.1 %
	<b>Total</b>	<b>60</b>	<b>0.2%</b>

This variable has 60 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34248	99.8 %
	<b>Total</b>	<b>34,249</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2766-2771 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1011FC\_02: Flavor of filtered cigar used as blunts when first started smoking: Clove or spice

When you first started smoking Filtered Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011FC: IF R05\_INIT\_BLUNT\_BFILTR\_ADULT = 1  
AND R05\_AJ1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	56	0.2 %
	<b>Total</b>	<b>60</b>	<b>0.2%</b>

This variable has 60 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34248	99.8 %
	<b>Total</b>	<b>34,249</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 2772-2777 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AJ1011FC\_03: Flavor of filtered cigar used as blunts when first started smoking: Fruit

When you first started smoking Filtered Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Adult respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011FC: IF R05\_INIT\_BLUNT\_BFILTR\_ADULT = 1  
AND R05\_AJ1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.1 %
2	2 = Not Marked	9	0.0 %
	<b>Total</b>	<b>60</b>	<b>0.2%</b>

This variable has 60 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34248	99.8 %
	<b>Total</b>	<b>34,249</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2778-2783 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1011FC\_04: Flavor of filtered cigar used as blunts when first started smoking: Chocolate

When you first started smoking Filtered Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Adult respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011FC: IF R05\_INIT\_BLUNT\_BFILTR\_ADULT = 1  
AND R05\_AJ1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	56	0.2 %
	<b>Total</b>	<b>60</b>	<b>0.2%</b>

This variable has 60 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34248	99.8 %
<b>Total</b>		<b>34,249</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2784-2789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1011FC\_05: Flavor of filtered cigar used as blunts when first started smoking: An alcoholic drink

When you first started smoking Filtered Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011FC: IF R05\_INIT\_BLUNT\_BFILTR\_ADULT = 1  
AND R05\_AJ1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	57	0.2 %
<b>Total</b>		<b>60</b>	<b>0.2%</b>

This variable has 60 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34248	99.8 %
<b>Total</b>		<b>34,249</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2790-2795 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AJ1011FC\_06: Flavor of filtered cigar used as blunts when first started smoking: Candy or other sweets

When you first started smoking Filtered Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011FC: IF R05\_INIT\_BLUNT\_BFILTR\_ADULT = 1  
AND R05\_AJ1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	39	0.1 %
	<b>Total</b>	<b>60</b>	<b>0.2%</b>

This variable has 60 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34248	99.8 %
	<b>Total</b>	<b>34,249</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2796-2801 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AJ1011FC\_07: Flavor of filtered cigar used as blunts when first started smoking: Some other flavor

When you first started smoking Filtered Cigars as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: FOR R05\_AJ1011FC: IF R05\_INIT\_BLUNT\_BFILTR\_ADULT = 1  
AND R05\_AJ1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	60	0.2 %
	<b>Total</b>	<b>60</b>	<b>0.2%</b>

This variable has 60 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34248	99.8 %
	<b>Total</b>	<b>34,249</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2802-2807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ9030FC: In past 30 days, smoked a filtered cigar as a blunt, even one or two puffs

In the past 30 days, have you smoked a Filtered Cigar as a blunt, even one or two puffs?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AJ9029FC]

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AJ9030FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	48	0.1 %
2	2 = No	130	0.4 %
	<b>Total</b>	<b>178</b>	<b>0.5%</b>

This variable has 178 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34130	99.5 %
<b>Total</b>		<b>34,131</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2808-2813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1022FC: In past 30 days, number of days smoked filtered cigars as blunts

On how many of the past 30 days did you smoke Filtered Cigars as blunts?

\_\_ Days

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and smoked a filtered cigar as a blunt in the past 30 days.

ASK Specification: FOR R05\_AJ1022FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 48 valid cases out of 34,309 total cases.

- Mean: 8.79
- Median: 4.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 10.03

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34260	99.9 %
<b>Total</b>		<b>34,261</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2814-2819 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AJ9029FC\_NN: Time since last smoked filtered cigar as blunt - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a Filtered Cigar as a blunt?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1030FC]

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and did not smoke a filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they have smoked a filtered cigar as a blunt in the past 30 days, or smoked a filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AJ9029FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND (R05\_AJ9030FC = 2, -8, -7 OR (R05\_AJ9030FC = 1 AND  
R05\_AJ1022FC = 0)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AJ9029FC\_UN = Days;  
the value "2" refers to R05\_AJ9029FC\_UN = Months;  
the value "3" refers to R05\_AJ9029FC\_UN = Years.

This variable has 107 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	18	0.1 %	
-1	-1 = Inapplicable	34177	99.6 %	
<b>Total</b>		<b>34,202</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 2820-2825 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AJ9029FC\_UN: Time since last smoked filtered cigar as blunt - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a Filtered Cigar as a blunt?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1030FC]

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and did not smoke a

filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they have smoked a filtered cigar as a blunt in the past 30 days, or smoked a filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AJ9029FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND (R05\_AJ9030FC = 2, -8, -7 OR (R05\_AJ9030FC = 1 AND  
R05\_AJ1022FC = 0)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AJ9029FC\_UN = Days;  
the value "2" refers to R05\_AJ9029FC\_UN = Months;  
the value "3" refers to R05\_AJ9029FC\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	16	0.0 %
2	2 = Months	83	0.2 %
3	3 = Years	26	0.1 %
<b>Total</b>		<b>125</b>	<b>0.4%</b>

This variable has 125 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34183	99.6 %
<b>Total</b>		<b>34,184</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2826-2831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1023FC: In past 30 days, average number of filtered cigars as blunts smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R05\_AJ1022FC] days/days you smoked], how many Filtered Cigars did you usually smoke as a blunt each day?

\_\_ Filtered Cigars as blunts

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ9012FC]

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ1023FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1

AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 47 valid cases out of 34,309 total cases.

- Mean: 1.28
- Median: 1.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 9.00
- Standard Deviation: 2.83

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34261	99.9 %	
<b>Total</b>		<b>34,262</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2832-2837 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AJ9012FC: Usually share filtered cigars as blunts with others when you smoke them

Do you usually share blunts with others when you smoke them?

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ9012FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	43	0.1 %
2	2 = No	4	0.0 %
<b>Total</b>		<b>47</b>	<b>0.1%</b>

This variable has 47 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34261	99.9 %	
<b>Total</b>		<b>34,262</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2838-2843 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ0100FC: When last smoked a filtered cigar as a blunt

When did you last smoke a Filtered Cigar as a blunt?

[IF In the past hour (1); GO TO R05\_AJ0103FC :

IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AJ1130FC]

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ0100FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	5	0.0 %
2	2 = Sometime today, but more than an hour ago	2	0.0 %
3	3 = Yesterday	7	0.0 %
4	4 = Day before yesterday	5	0.0 %
5	5 = Three or more days ago	28	0.1 %
<b>Total</b>		<b>47</b>	<b>0.1%</b>

This variable has 47 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34261	99.9 %	
<b>Total</b>		<b>34,262</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 2844-2849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ0102FC: Time period of day when you last smoked a filtered cigar as a blunt

When you last smoked a Filtered Cigar as a blunt [FILL BASED ON R05\_AJ0100FC], was it...

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R05\_AJ0102FC: IF R05\_12MBLUNT\_ONLY\_BFLTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND  
R05\_AJ0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	6	0.0 %
2	2 = After 6AM but before noon	1	0.0 %
3	3 = Between noon and 6PM	2	0.0 %
4	4 = After 6PM but before midnight	5	0.0 %
	<b>Total</b>	<b>14</b>	<b>0.0%</b>

This variable has 14 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34294	100.0 %
	<b>Total</b>	<b>34,295</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2850-2855 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ0103FC: Number of filtered cigars as blunts smoked today/yesterday/day before yesterday

How many Filtered Cigars [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R05\_AJ0100FC]? (If less than 1, enter 1.)

\_\_\_\_ Filtered Cigars as blunts

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R05\_AJ0103FC: IF R05\_12MBLUNT\_ONLY\_BFLTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND  
R05\_AJ0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 19 valid cases out of 34,309 total cases.

- Mean: 5.74
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 55.00
- Standard Deviation: 12.13

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34289	99.9 %
	<b>Total</b>	<b>34,290</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2856-2861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AJ1130FC: In past 30 days, any of the filtered cigars smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the Filtered Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AJ1030FC]

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AJ1130FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.1 %
2	2 = No	22	0.1 %
3	3 = I don't know	3	0.0 %
	<b>Total</b>	<b>47</b>	<b>0.1%</b>

This variable has 47 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34261	99.9 %
<b>Total</b>		<b>34,262</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2862-2867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1131FC\_01: In past 30 days, filtered cigar as blunts flavor smoked: Menthol or mint

In the past 30 days, were any of the Filtered Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND R05\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	17	0.0 %
<b>Total</b>		<b>22</b>	<b>0.1%</b>

This variable has 22 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34286	99.9 %
<b>Total</b>		<b>34,287</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2868-2873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1131FC\_02: In past 30 days, filtered cigar as blunts flavor smoked: Clove or spice

In the past 30 days, were any of the Filtered Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND R05\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	20	0.1 %
	<b>Total</b>	<b>22</b>	<b>0.1%</b>

This variable has 22 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34286	99.9 %
	<b>Total</b>	<b>34,287</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2874-2879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1131FC\_03: In past 30 days, filtered cigar as blunts flavor smoked: Fruit

In the past 30 days, were any of the Filtered Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND R05\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	2	0.0 %
	<b>Total</b>	<b>22</b>	<b>0.1%</b>

This variable has 22 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34286	99.9 %
	<b>Total</b>	<b>34,287</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2880-2885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1131FC\_04: In past 30 days, filtered cigar as blunts flavor smoked: Chocolate

In the past 30 days, were any of the Filtered Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND R05\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	19	0.1 %
	<b>Total</b>	<b>22</b>	<b>0.1%</b>

This variable has 22 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34286	99.9 %
	<b>Total</b>	<b>34,287</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2886-2891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1131FC\_05: In past 30 days, filtered cigar as blunts flavor smoked: An alcoholic drink

In the past 30 days, were any of the Filtered Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND R05\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	19	0.1 %
	<b>Total</b>	<b>22</b>	<b>0.1%</b>

This variable has 22 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34286	99.9 %
	<b>Total</b>	<b>34,287</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2892-2897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1131FC\_06: In past 30 days, filtered cigar as blunts flavor smoked: Candy or other sweets

In the past 30 days, were any of the Filtered Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND R05\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	8	0.0 %
2	2 = Not Marked	14	0.0 %
	<b>Total</b>	<b>22</b>	<b>0.1%</b>

This variable has 22 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34286	99.9 %
	<b>Total</b>	<b>34,287</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2898-2903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1131FC\_07: In past 30 days, filtered cigar as blunts flavor smoked: Some other flavor

In the past 30 days, were any of the Filtered Cigars that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1131FC: IF R05\_12MBLUNT\_ONLY\_BFLTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND R05\_AJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	21	0.1 %
	<b>Total</b>	<b>22</b>	<b>0.1%</b>

This variable has 22 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34286	99.9 %
	<b>Total</b>	<b>34,287</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2904-2909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1133FC: In past 30 days, flavor of filtered cigars smoked as blunts most often

In the past 30 days, which flavor of Filtered Cigars have you smoked as blunts most often?

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1133FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND R05\_AJ1130FC = 1 AND  
(R05\_AJ1131FC\_[01.../07] = 1 FOR 2 OR MORE FLAVORS OR  
R05\_AJ1131FC\_[01.../07] = -8, -7).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	1	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	4	0.0 %
4	4 = Chocolate	0	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0 %
6	6 = Candy or other sweets	2	0.0 %
7	7 = Some other flavor	0	0.0 %
<b>Total</b>		<b>7</b>	<b>0.0%</b>

This variable has 7 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34300	100.0 %
<b>Total</b>		<b>34,302</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2910-2915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1147FC: How often smoked flavored filtered cigars as blunts on days smoked in past 30 days

On the days you smoked Filtered Cigars as blunts in the past 30 days, how often did you smoke flavored Filtered Cigars?

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05\_AJ1147FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND R05\_AJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	9	0.0 %
2	2 = Most of the time	6	0.0 %
3	3 = Sometimes	3	0.0 %
4	4 = Rarely	3	0.0 %
5	5 = Never	1	0.0 %
<b>Total</b>		<b>22</b>	<b>0.1%</b>

This variable has 22 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34286	99.9 %
<b>Total</b>		<b>34,287</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2916-2921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1030FC: How you usually buy your filtered cigars as blunts

How do you usually buy Filtered Cigars for yourself when you smoke blunts?

[IF From the internet (2), or By telephone; GO TO R05\_AJ1039FC :

IF I do not buy my own Filtered Cigars for blunts (4), Don't Know (-8) or Refused (-7);

GO TO R05\_AJ1047FC]

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AJ1030FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	81	0.2 %
2	2 = From the internet	2	0.0 %
3	3 = By telephone	0	0.0 %
4	4 = I do not buy my own filtered cigars for blunts	94	0.3 %
<b>Total</b>		<b>177</b>	<b>0.5%</b>

This variable has 177 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34130	99.5 %
	<b>Total</b>	<b>34,132</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2922-2927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1032FC: Geographic area where you usually buy your filtered cigars for blunts

Do you usually buy Filtered Cigars for blunts...?

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars for blunts in person.

ASK Specification: FOR R05\_AJ1032FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	78	0.2 %
2	2 = In another state	3	0.0 %
3	3 = Outside the US	0	0.0 %
	<b>Total</b>	<b>81</b>	<b>0.2%</b>

This variable has 81 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34227	99.8 %
	<b>Total</b>	<b>34,228</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2928-2933 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1033FC: Retail location where your filtered cigars for blunts are purchased most of the time

Where do you buy your Filtered Cigars for blunts most of the time?

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars for blunts in person.

ASK Specification: FOR R05\_AJ1033FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	3	0.0 %
2	2 = A convenience store or gas station	58	0.2 %
3	3 = A supermarket, grocery store, or drug store	4	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	12	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = A liquor store	3	0.0 %
11	11 = Somewhere else	1	0.0 %
<b>Total</b>		<b>81</b>	<b>0.2%</b>

This variable has 81 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34227	99.8 %
<b>Total</b>		<b>34,228</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2934-2939 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1039FC: Usually buy filtered cigars for blunts by the box, pack or as singles

Do you usually buy Filtered Cigars for blunts by the box or pack, or as single Filtered Cigars?

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars for blunts in person, from the internet, or by telephone.

ASK Specification: FOR R05\_AJ1039FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1

AND R05\_AJ1030FC = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	20	0.1 %
2	2 = Single filtered cigars	62	0.2 %
	<b>Total</b>	<b>82</b>	<b>0.2%</b>

This variable has 82 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34225	99.8 %
	<b>Total</b>	<b>34,227</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2940-2945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1040FC: Number of filtered cigars for blunts come in box or pack usually buy

How many Filtered Cigars come in the box or pack that you usually buy for blunts?

\_\_\_\_ Filtered Cigars

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars for blunts in person, from the internet, or by telephone and usually buy filtered cigars for blunts by the box or pack.

ASK Specification: FOR R05\_AJ1040FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1030FC = 1, 2, 3 AND R05\_AJ1039FC = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 19 valid cases out of 34,309 total cases.

- Mean: 3.63
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 4.28

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>			
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34288	99.9 %
	<b>Total</b>	<b>34,290</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2946-2951 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AJ1042FC\_D: Amount usually paid for a box or pack of filtered cigars for blunts - Dollars

How much do you usually pay for a box or pack of Filtered Cigars for blunts?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1047FC]

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars for blunts in person, from the internet, or by telephone and usually buy filtered cigars for blunts by the box or pack.

ASK Specification: FOR R05\_AJ1042FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1030FC = 1, 2, 3 AND R05\_AJ1039FC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 18 valid cases out of 34,309 total cases.

- Mean: 3.94
- Median: 2.50
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 4.35

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34288	99.9 %
	<b>Total</b>	<b>34,291</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2952-2957 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AJ1042FC\_C: Amount usually paid for a box or pack of filtered cigars for blunts - Cents

How much do you usually pay for a box or pack of Filtered Cigars for blunts?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AJ1047FC]

ASK: Adult respondents who are past 12 month blunt-only traditional filtered cigar smokers and usually buy their filtered cigars for blunts in person, from the internet, or by telephone and usually buy filtered cigars for blunts by the box or pack.

ASK Specification: FOR R05\_AJ1042FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1030FC = 1, 2, 3 AND R05\_AJ1039FC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 18 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34290	99.9 %
<b>Total</b>		<b>34,291</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2958-2963 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AJ1043FC\_D: Amount usually paid for a single filtered cigar for a blunt - Dollars

How much do you usually pay for a single filtered Cigar for a blunt?

\_\_ Dollars

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars for blunts in person, from the internet, or by telephone and usually buy single filtered cigars for blunts.

ASK Specification: FOR R05\_AJ1043FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1030FC = 1, 2, 3 AND R05\_AJ1039FC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 58 valid cases out of 34,309 total cases.

- Mean: 1.64
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.41

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34246	99.8 %
<b>Total</b>		<b>34,251</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2964-2969 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AJ1043FC\_C: Amount usually paid for a single filtered cigar for a blunt - Cents

How much do you usually pay for a single Filtered Cigar for a blunt?

\_\_ Cents

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars for blunts in person, from the internet, or by telephone and usually buy single filtered cigars for blunts.

ASK Specification: FOR R05\_AJ1043FC: IF R05\_12MBLUNT\_ONLY\_BFLTR = 1  
AND R05\_AJ1030FC = 1, 2, 3 AND R05\_AJ1039FC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 58 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34250	99.8 %
<b>Total</b>		<b>34,251</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2970-2975 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AJ1047FC: Have a regular brand of filtered cigars you usually use for blunts

Do you have a regular brand of Filtered Cigars that you usually use for blunts?

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AJ1047FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.1 %
2	2 = No	141	0.4 %
	<b>Total</b>	<b>178</b>	<b>0.5%</b>

This variable has 178 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34130	99.5 %
	<b>Total</b>	<b>34,131</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2976-2981 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1050FC: Regular/last brand of filtered cigars smoked as blunts was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like\\ menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AJ1945FC]

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AJ1050FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.2 %
2	2 = No	65	0.2 %
3	3 = I don't know	55	0.2 %
<b>Total</b>		<b>177</b>	<b>0.5%</b>

This variable has 177 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34130	99.5 %
<b>Total</b>		<b>34,132</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2982-2987 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1012FC\_01: Filtered cigar as blunts flavor usually/last smoked: Menthol or mint

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	49	0.1 %
<b>Total</b>		<b>57</b>	<b>0.2%</b>

This variable has 57 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34251	99.8 %
	<b>Total</b>	<b>34,252</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2988-2993 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1012FC\_02: Filtered cigar as blunts flavor usually/last smoked: Clove or spice

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	2	0.0 %
2	2 = Not Marked	55	0.2 %
	<b>Total</b>	<b>57</b>	<b>0.2%</b>

This variable has 57 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34251	99.8 %
	<b>Total</b>	<b>34,252</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 2994-2999 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AJ1012FC\_03: Filtered cigar as blunts flavor usually/last smoked: Fruit

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.1 %
2	2 = Not Marked	8	0.0 %
	<b>Total</b>	<b>57</b>	<b>0.2%</b>

This variable has 57 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34251	99.8 %
	<b>Total</b>	<b>34,252</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3000-3005 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1012FC\_04: Filtered cigar as blunts flavor usually/last smoked: Chocolate

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1

AND R05\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	53	0.2 %
	<b>Total</b>	<b>57</b>	<b>0.2%</b>

This variable has 57 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34251	99.8 %
	<b>Total</b>	<b>34,252</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3006-3011 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1012FC\_05: Filtered cigar as blunts flavor usually/last smoked: An alcoholic drink

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	54	0.2 %
	<b>Total</b>	<b>57</b>	<b>0.2%</b>

This variable has 57 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34251	99.8 %	
<b>Total</b>		<b>34,252</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3012-3017 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AJ1012FC\_06: Filtered cigar as blunts flavor usually/last smoked: Candy or other sweets

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of traditional filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	12	0.0 %
2	2 = Not Marked	45	0.1 %
	<b>Total</b>	<b>57</b>	<b>0.2%</b>

This variable has 57 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34251	99.8 %	
<b>Total</b>		<b>34,252</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3018-3023 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1012FC\_07: Filtered cigar as blunts flavor usually/last smoked: Some other flavor

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R05\_AJ1012FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1  
AND R05\_AJ1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	56	0.2 %
	<b>Total</b>	<b>57</b>	<b>0.2%</b>

This variable has 57 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34251	99.8 %	
	<b>Total</b>	<b>34,252</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3024-3029 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1945FC: Know the name of brand of filtered cigars for blunts usually/last smoked

Do you know the name of the brand of Filtered Cigars that you [usually use/last used] for blunts?

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AJ1945FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.1 %
2	2 = No	137	0.4 %
	<b>Total</b>	<b>178</b>	<b>0.5%</b>

This variable has 178 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34130	99.5 %
	<b>Total</b>	<b>34,131</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3030-3035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AJ1048FC\_BRAND: Brand of filtered cigars for blunts usually/last smoked

What brand of Filtered Cigar for blunts [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

Brand

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and know the name of the brand of filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R05\_AJ1048FC\_BRAND: IF  
R05\_12MBLUNT\_ONLY\_BFILTR = 1 AND R05\_AJ1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN. ]

This variable has 41 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34267	99.9 %
	<b>Total</b>	<b>34,268</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3036-3041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ1070FC\_PRODUCT: Sub-brand of filtered cigar as a blunt product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

Product

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and know the name of the brand of filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of filtered cigars for blunts.

ASK Specification: FOR R05\_AJ1070FC\_PRODUCT:

IF R05\_12MBLUNT\_ONLY\_BFILTR = 1 AND R05\_AJ1945FC = 1 AND  
R05\_AJ1048FC\_BRAND != 9995, -8, -7.

This variable has 38 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34270	99.9 %	
<b>Total</b>		<b>34,271</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3042-3047 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AJ0104FC: Brand of the very last filtered cigar smoked as a blunt is same as brand usually / last smoked

You said earlier that you smoked a Filtered Cigar as a blunt [TIME OF LAST USE].

Think about the very last Filtered Cigar you smoked as a blunt.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of filtered cigars they usually smoke as blunts or last smoked as blunts, and selected a brand and subbrand of filtered cigars for blunts.

ASK Specification: FOR R05\_AJ0104FC: IF R05\_12MBLUNT\_ONLY\_BFILTR = 1

AND R05\_AJ9030FC = 1 AND R05\_AJ1022FC != 0 AND  
R05\_AJ0100FC = 1, 2, 3, 4 AND R05\_AJ1945FC = 1 AND  
R05\_AJ1048FC\_BRAND != 9995, -8, -7 AND  
R05\_AJ1070FC\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	3	0.0 %
	<b>Total</b>	<b>8</b>	<b>0.0%</b>

This variable has 8 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34300	100.0 %
	<b>Total</b>	<b>34,301</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3048-3053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1005TC: Number of traditional cigars smoked in entire life

How many Traditional Cigars have you smoked in your entire life?

ASK: Adult respondents who have ever smoked traditional cigars and are not past 12 month blunt-only traditional cigar smokers and had not smoked 100 or more traditional cigars as of their last completed interview.

ASK Specification: FOR R05\_AG1005TC: IF R05\_EVER\_NEVER\_GTRAD = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_NUMLIFE\_GTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	3128	9.1 %
2	2 = 1 to 10	2976	8.7 %
3	3 = 11 to 20	1108	3.2 %
4	4 = 21 to 50	992	2.9 %
5	5 = 51 to 99	297	0.9 %
6	6 = 100 or more	232	0.7 %
	<b>Total</b>	<b>8,733</b>	<b>25.5%</b>

This variable has 8,733 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	162	0.5 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	25329	73.8 %
<b>Total</b>		<b>25,576</b>	<b>74.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3054-3059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1100TC: Ever smoked traditional cigars fairly regularly

Have you ever smoked Traditional Cigars fairly regularly?

ASK: Adult respondents who have ever smoked traditional cigars and are not past 12 month blunt-only traditional cigar smokers and had not reported ever smoking traditional cigars fairly regularly as of their last completed interview.

ASK Specification: FOR R05\_AG1100TC: IF R05\_EVER\_GTRAD = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R04\_REGUSE\_GTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	319	0.9 %
2	2 = No	8384	24.4 %
<b>Total</b>		<b>8,703</b>	<b>25.4%</b>

This variable has 8,703 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	25597	74.6 %
<b>Total</b>		<b>25,606</b>	<b>74.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3060-3065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AG1007TC\_NB: DERIVED - Age group when you first started smoking traditional cigars fairly regularly (6 levels)

Long Description: How old were you when you first started smoking traditional cigars fairly regularly?

```
Algorithm: if (0 <= R05_AG1007TC_NB < 18) or R05_AG1121TC_NB = 1 then
R05R_A_AG1007TC_NB = 1; else if (18 <= R05_AG1007TC_NB <= 24) or
R05_AG1121TC_NB = 2 then R05R_A_AG1007TC_NB = 2; else if
(25 <= R05_AG1007TC_NB <= 34) or R05_AG1121TC_NB = 3 then
R05R_A_AG1007TC_NB = 3; else if (35 <= R05_AG1007TC_NB <= 44) or
R05_AG1121TC_NB = 4 then R05R_A_AG1007TC_NB = 4; else if
(45 <= R05_AG1007TC_NB <= 54) or R05_AG1121TC_NB = 5 then
R05R_A_AG1007TC_NB = 5; else if ( R05_AG1007TC_NB => 55) or
R05_AG1121TC_NB = 6 then R05R_A_AG1007TC_NB = 6; else if
R05_AG1007TC_NB = -9 or R05_AG1121TC_NB = -9 then
R05R_A_AG1007TC_NB = -99999; else if R05_AG1007TC_NB = -8 or
R05_AG1121TC_NB = -8 then R05R_A_AG1007TC_NB = -99988;
else if R05_AG1007TC_NB = -7 or R05_AG1121TC_NB = -7 then
R05R_A_AG1007TC_NB = -99977; else if R05_AG1007TC_NB = -5 then
R05R_A_AG1007TC_NB = -99955; else if R05_AG1007TC_NB = -1 or
R05_AG1121TC_NB = -1 then R05R_A_AG1007TC_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	12	0.0 %
2	2 = 18 to 24 years old	7	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>19</b>	<b>0.1%</b>

This variable has 19 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34288	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,290</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 3066-3071 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_AG1020TC\_NB: DERIVED - Age group when you first started smoking traditional cigars every day (6 levels)

Long Description: How old were you when you first started smoking traditional cigars every day?

Algorithm: if (0 <= R05\_AG1020TC\_NB < 18) or R05\_AG1122TC\_NB = 1 then  
R05R\_A\_AG1020TC\_NB = 1; else if (18 <= R05\_AG1020TC\_NB <= 24) or  
R05\_AG1122TC\_NB = 2 then R05R\_A\_AG1020TC\_NB = 2; else if  
(25 <= R05\_AG1020TC\_NB <= 34) or R05\_AG1122TC\_NB = 3 then  
R05R\_A\_AG1020TC\_NB = 3; else if (35 <= R05\_AG1020TC\_NB <= 44) or  
R05\_AG1122TC\_NB = 4 then R05R\_A\_AG1020TC\_NB = 4; else if  
(45 <= R05\_AG1020TC\_NB <= 54) or R05\_AG1122TC\_NB = 5 then  
R05R\_A\_AG1020TC\_NB = 5; else if (R05\_AG1020TC\_NB => 55) or  
R05\_AG1122TC\_NB = 6 then R05R\_A\_AG1020TC\_NB = 6; else if  
R05\_AG1020TC\_NB = -9 or R05\_AG1122TC\_NB = -9 then  
R05R\_A\_AG1020TC\_NB = -99999; else if R05\_AG1020TC\_NB = -8 or  
R05\_AG1122TC\_NB = -8 then R05R\_A\_AG1020TC\_NB = -99988;  
else if R05\_AG1020TC\_NB = -7 or R05\_AG1122TC\_NB = -7 then  
R05R\_A\_AG1020TC\_NB = -99977; else if R05\_AG1020TC\_NB = -5 then  
R05R\_A\_AG1020TC\_NB = -99955; else if R05\_AG1020TC\_NB = -1 or  
R05\_AG1122TC\_NB = -1 then R05R\_A\_AG1020TC\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	1	0.0 %
2	2 = 18 to 24 years old	2	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>3</b>	<b>0.0%</b>

This variable has 3 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34305	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>34,306</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3072-3077 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05\_AG1008TC: When first started smoking traditional cigars, smoked traditional cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking Traditional Cigars, did you smoke Traditional Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

ASK: Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1008TC: IF R05\_INIT\_GTRAD\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	287	0.8 %
2	2 = No	854	2.5 %
3	3 = I don't know	276	0.8 %
<b>Total</b>		<b>1,417</b>	<b>4.1%</b>

This variable has 1,417 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32888	95.9 %
<b>Total</b>		<b>32,892</b>	<b>95.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3078-3083 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AG1011TC\_01: Flavor of traditional cigar when first started smoking: Menthol or mint

When you first started smoking Traditional Cigars, did you smoke Traditional Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: FOR R05\_AG1011TC: IF R05\_INIT\_GTRAD\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	73	0.2 %
2	2 = Not Marked	212	0.6 %
	<b>Total</b>	<b>285</b>	<b>0.8%</b>

This variable has 285 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34021	99.2 %
	<b>Total</b>	<b>34,024</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3084-3089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1011TC\_02: Flavor of traditional cigar when first started smoking: Clove or spice

When you first started smoking Traditional Cigars, did you smoke Traditional Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: FOR R05\_AG1011TC: IF R05\_INIT\_GTRAD\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.1 %
2	2 = Not Marked	255	0.7 %
	<b>Total</b>	<b>285</b>	<b>0.8%</b>

This variable has 285 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34021	99.2 %
	<b>Total</b>	<b>34,024</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3090-3095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1011TC\_03: Flavor of traditional cigar when first started smoking: Fruit

When you first started smoking Traditional Cigars, did you smoke Traditional Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: FOR R05\_AG1011TC: IF R05\_INIT\_GTRAD\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	119	0.3 %
2	2 = Not Marked	166	0.5 %
	<b>Total</b>	<b>285</b>	<b>0.8%</b>

This variable has 285 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34021	99.2 %
	<b>Total</b>	<b>34,024</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3096-3101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1011TC\_04: Flavor of traditional cigar when first started smoking: Chocolate

When you first started smoking Traditional Cigars, did you smoke Traditional Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Chocolate

**ASK:** Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first filtered cigar was flavored.

**ASK Specification:** FOR R05\_AG1011TC: IF R05\_INIT\_GTRAD\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	55	0.2 %
2	2 = Not Marked	230	0.7 %
	<b>Total</b>	<b>285</b>	<b>0.8%</b>

This variable has 285 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34021	99.2 %
	<b>Total</b>	<b>34,024</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3102-3107 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AG1011TC\_05: Flavor of traditional cigar when first started smoking: An alcoholic drink

When you first started smoking Traditional Cigars, did you smoke Traditional Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: FOR R05\_AG1011TC: IF R05\_INIT\_GTRAD\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	50	0.1 %
2	2 = Not Marked	235	0.7 %
	<b>Total</b>	<b>285</b>	<b>0.8%</b>

This variable has 285 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34021	99.2 %
	<b>Total</b>	<b>34,024</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 3108-3113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AG1011TC\_06: Flavor of traditional cigar when first started smoking: Candy or other sweets

When you first started smoking Traditional Cigars, did you smoke Traditional Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: FOR R05\_AG1011TC: IF R05\_INIT\_GTRAD\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	63	0.2 %
2	2 = Not Marked	222	0.6 %
	<b>Total</b>	<b>285</b>	<b>0.8%</b>

This variable has 285 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34021	99.2 %
	<b>Total</b>	<b>34,024</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3114-3119 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1011TC\_07: Flavor of traditional cigar when first started smoking: Some other flavor

When you first started smoking Traditional Cigars, did you smoke Traditional Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: FOR R05\_AG1011TC: IF R05\_INIT\_GTRAD\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1008TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	278	0.8 %
	<b>Total</b>	<b>285</b>	<b>0.8%</b>

This variable has 285 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34021	99.2 %
	<b>Total</b>	<b>34,024</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3120-3125 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1021TC: Average number of traditional cigars now smoked each day

On average, about how many Traditional Cigars do you now smoke each day?

— Traditional Cigars

[IF Less than 1 each day (-2), Don't Know (-8), or Refused (-7); GO TO R05\_AG1024TC]

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1021TC: IF R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 63 valid cases out of 34,309 total cases.

- Mean: 4.14
- Median: 2.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 55.00
- Standard Deviation: 9.03

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

<b>Missing Data</b>				
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34245	99.8 %	
<b>Total</b>		<b>34,246</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3126-3131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1022TC: In past 30 days, number of days smoked traditional cigars

On how many of the past 30 days did you smoke Traditional Cigars?

\_\_ Days

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1022TC: IF (R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 2,159 valid cases out of 34,309 total cases.

- Mean: 1.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.69

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32141	93.7 %	
<b>Total</b>		<b>32,150</b>	<b>93.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3132-3137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG9029TC\_NN: Time since last smoked traditional cigars - Number (Some day or current experimental smokers)

About how long has it been since you last smoked Traditional Cigars?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR30]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AG9029TC: IF (R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1022TC = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AG9029TC\_UN = Days;  
the value "2" refers to R05\_AG9029TC\_UN = Months;  
the value "3" refers to R05\_AG9029TC\_UN = Years.

This variable has 599 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	43	0.1 %	
-1	-1 = Inapplicable	33665	98.1 %	
<b>Total</b>		<b>33,710</b>	<b>98.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3138-3143 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG9029TC\_UN: Time since last smoked traditional cigars - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked Traditional Cigars?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR30]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AG9029TC: IF (R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1022TC = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AG9029TC\_UN = Days;  
the value "2" refers to R05\_AG9029TC\_UN = Months;  
the value "3" refers to R05\_AG9029TC\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	71	0.2 %
2	2 = Months	459	1.3 %
3	3 = Years	112	0.3 %
<b>Total</b>		<b>642</b>	<b>1.9%</b>

This variable has 642 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33666	98.1 %
<b>Total</b>		<b>33,667</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3144-3149 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1023TC: In past 30 days, average number of traditional cigars smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R05\_AG1022 days/days you smoked], how many Traditional Cigars did you usually smoke each day?

\_\_ Traditional Cigars

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR30]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AG1023TC: IF (R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1022TC != 0.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 1,042 valid cases out of 34,309 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 90.00
- Standard Deviation: 5.66

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33259	96.9 %	
	<b>Total</b>	<b>33,267</b>	<b>97.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3150-3155 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AG1024TC\_NN: Time to first traditional cigar after waking on days smoked - Number (current smokers)

[On the days that you smoke Traditional Cigars, how/How] soon after you wake up do you typically smoke your first Traditional Cigar of the day? Please enter the number of minutes or hours.

\_\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092TC]

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1024TC: IF R05\_GTRAD\_USER\_STATUS = 1, 2  
AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits. ]

NOTES: The value "1" refers to R05\_AG1024TC\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024TC\_UN = Hours after waking.

This variable has 1,401 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	49	0.1 %	
-7	-7 = Refused	16	0.0 %	
-5	-5 = Improbable response removed	6	0.0 %	
-1	-1 = Inapplicable	32836	95.7 %	
<b>Total</b>		<b>32,908</b>	<b>95.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3156-3161 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1024TC\_UN: Time to first traditional cigar after waking on days smoked - Unit (current smokers)

[On the days that you smoke Traditional Cigars, how/How] soon after you wake up do you typically smoke your first Traditional Cigar of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092TC]

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1024TC: IF R05\_GTRAD\_USER\_STATUS = 1, 2  
AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AG1024TC\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024TC\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	206	0.6 %
2	2 = Hours after waking	1201	3.5 %
<b>Total</b>		<b>1,407</b>	<b>4.1%</b>

This variable has 1,407 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32901	95.9 %	
<b>Total</b>		<b>32,902</b>	<b>95.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3162-3167 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1092TC: Smoke first traditional cigar of the day within 30 minutes after waking (current smokers)

[On the days that you smoke Traditional Cigars, would/Would] you say you smoke your first Traditional Cigar of the day within the first 30 minutes after you wake up?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_AGR34]

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first traditional cigar.

ASK Specification: FOR R05\_AG1092TC: IF R05\_GTRAD\_USER\_STATUS = 1, 2  
AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1024TC\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	51	0.1 %
3	3 = It varies	5	0.0 %
<b>Total</b>		<b>56</b>	<b>0.2%</b>

This variable has 56 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34243	99.8 %
<b>Total</b>		<b>34,253</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3168-3173 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1024TC\_30D\_NN: Time to first traditional cigar after waking on days smoked - Number (non-current smokers)

On the days that you smoked Traditional Cigars, how soon after you woke up did you typically smoke your first Traditional Cigar of the day? Please enter the number of minutes or hours.

\_\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092TC]

ASK: Adult respondents who are non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1024TC\_30D:

IF R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1 AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AG1024TC\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024TC\_30D\_UN = Hours after waking.

This variable has 700 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	38	0.1 %	
-7	-7 = Refused	20	0.1 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33550	97.8 %	
<b>Total</b>		<b>33,609</b>	<b>98.0%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 3174-3179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777, -9, -8, -7, -5, -1

---

## R05\_AG1024TC\_30D\_UN: Time to first traditional cigar after waking on days smoked - Unit (non-current smokers)

On the days that you smoked Traditional Cigars, how soon after you woke up did you typically smoke your first Traditional Cigar of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092TC]

ASK: Adult respondents who are non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1024TC\_30D:

IF R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1 AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AG1024TC\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024TC\_30D\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	229	0.7 %
2	2 = Hours after waking	471	1.4 %
	<b>Total</b>	<b>700</b>	<b>2.0%</b>

This variable has 700 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33608	98.0 %
	<b>Total</b>	<b>33,608</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3180-3185 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1092TC\_30D: Smoked first traditional cigar of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked Traditional Cigars, would you say you smoked your first Traditional Cigar of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and did not know or refused to report how soon after waking up they typically smoked their first a traditional cigar.

ASK Specification: FOR R05\_AG1092TC\_30D:

IF R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1  
AND R05\_AG1024TC\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	51	0.1 %
3	3 = It varies	3	0.0 %
	<b>Total</b>	<b>54</b>	<b>0.2%</b>

This variable has 54 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

Missing Data				
-7	-7 = Refused		2	0.0 %
-1	-1 = Inapplicable		34250	99.8 %
<b>Total</b>			<b>34,255</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3186-3191 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG0100TC: When last smoked a traditional cigar

When did you last smoke a Traditional Cigar?

[IF In the past hour (1); GO TO R05\_AG0103TC :

IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AG1130TC]

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AG0100TC: IF (R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1) OR ((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1022TC != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	78	0.2 %
2	2 = Sometime today, but more than an hour ago	48	0.1 %
3	3 = Yesterday	140	0.4 %
4	4 = Day before yesterday	56	0.2 %
5	5 = Three or more days ago	777	2.3 %
<b>Total</b>		<b>1,099</b>	<b>3.2%</b>

This variable has 1,099 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	10	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33196	96.8 %	
<b>Total</b>		<b>33,210</b>	<b>96.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3192-3197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG0102TC: Time period of day when you last smoked a traditional cigar

When you last smoked a Traditional Cigar [FILL BASED ON R05\_AG0100TC], was it...

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05\_AG0102TC: IF (R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG0100TC = 2, 3, 4) OR ((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1022TC != 0 AND R05\_AG0100TC = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	28	0.1 %
2	2 = After 6AM but before noon	51	0.1 %
3	3 = Between noon and 6PM	75	0.2 %
4	4 = After 6PM but before midnight	90	0.3 %
<b>Total</b>		<b>244</b>	<b>0.7%</b>

This variable has 244 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34064	99.3 %	
<b>Total</b>		<b>34,065</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3198-3203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG0103TC: Number of traditional cigars smoked today/yesterday/day before yesterday

How many Traditional Cigars [have/did] you [smoked/smoke] [FILL BASED ON R05\_AG0100TC]? (If less than 1, enter 1.)

\_\_\_ Traditional Cigars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1130TC]

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05\_AG0103TC: IF (R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG0100TC = 1, 2, 3, 4) OR ((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1022TC != 0 AND R05\_AG0100TC = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 3 digits.]

This variable has 320 valid cases out of 34,309 total cases.

- Mean: 2.98
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 96.00
- Standard Deviation: 7.25

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33986	99.1 %
<b>Total</b>		<b>33,989</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3204-3209 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

### R05\_AG1130TC: In past 30 days, any of the traditional cigars smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the Traditional Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AG1030TC]

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12

month blunt-only traditional cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AG1130TC: IF (R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1) OR ((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1022TC != 0).

Value	Label	Unweighted Frequency	%
1	1 = Yes	226	0.7 %
2	2 = No	806	2.3 %
3	3 = I don't know	79	0.2 %
<b>Total</b>		<b>1,111</b>	<b>3.2%</b>

This variable has 1,111 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33196	96.8 %
<b>Total</b>		<b>33,198</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3210-3215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131TC\_01: In past 30 days, traditional cigar flavor smoked: Menthol or mint

In the past 30 days, were any of the Traditional Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked flavored traditional cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131TC: IF (R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1130TC = 1) OR ((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_AG1022TC != 0 AND

R05\_AG1130TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	64	0.2 %
2	2 = Not Marked	158	0.5 %
	<b>Total</b>	<b>222</b>	<b>0.6%</b>

This variable has 222 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34082	99.3 %
	<b>Total</b>	<b>34,087</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3216-3221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## **R05\_AG1131TC\_02: In past 30 days, traditional cigar flavor smoked: Clove or spice**

In the past 30 days, were any of the Traditional Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked flavored traditional cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131TC: IF (R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1130TC = 1) OR ((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_AG1022TC != 0 AND R05\_AG1130TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.1 %
2	2 = Not Marked	196	0.6 %
	<b>Total</b>	<b>222</b>	<b>0.6%</b>

This variable has 222 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34082	99.3 %
	<b>Total</b>	<b>34,087</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3222-3227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1131TC\_03: In past 30 days, traditional cigar flavor smoked: Fruit

In the past 30 days, were any of the Traditional Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked flavored traditional cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131TC: IF (R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1130TC = 1) OR ((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_AG1022TC != 0 AND R05\_AG1130TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	94	0.3 %
2	2 = Not Marked	128	0.4 %
	<b>Total</b>	<b>222</b>	<b>0.6%</b>

This variable has 222 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34082	99.3 %
<b>Total</b>		<b>34,087</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3228-3233 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131TC\_04: In past 30 days, traditional cigar flavor smoked: Chocolate

In the past 30 days, were any of the Traditional Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked flavored traditional cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131TC: IF (R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1130TC = 1) OR ((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_AG1022TC != 0 AND R05\_AG1130TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.1 %
2	2 = Not Marked	181	0.5 %
<b>Total</b>		<b>222</b>	<b>0.6%</b>

This variable has 222 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34082	99.3 %	
<b>Total</b>		<b>34,087</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3234-3239 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1131TC\_05: In past 30 days, traditional cigar flavor smoked: An alcoholic drink

In the past 30 days, were any of the Traditional Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked flavored traditional cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131TC: IF (R05\_CURRENT\_GTRAD\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1130TC = 1) OR  
((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_AG1022TC != 0 AND  
R05\_AG1130TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.1 %
2	2 = Not Marked	180	0.5 %
	<b>Total</b>	<b>222</b>	<b>0.6%</b>

This variable has 222 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34082	99.3 %	
<b>Total</b>		<b>34,087</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3240-3245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1131TC\_06: In past 30 days, traditional cigar flavor smoked: Candy or other sweets

In the past 30 days, were any of the Traditional Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked flavored traditional cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131TC: IF (R05\_CURRENT\_GTRAD\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1130TC = 1) OR  
((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_AG1022TC != 0 AND  
R05\_AG1130TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	53	0.2 %
2	2 = Not Marked	169	0.5 %
	<b>Total</b>	<b>222</b>	<b>0.6%</b>

This variable has 222 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34082	99.3 %
	<b>Total</b>	<b>34,087</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3246-3251 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131TC\_07: In past 30 days, traditional cigar flavor smoked: Some other flavor

In the past 30 days, were any of the Traditional Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked flavored traditional cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131TC: IF (R05\_CURRENT\_GTRAD\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1130TC = 1) OR  
((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_AG1022TC != 0 AND  
R05\_AG1130TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	213	0.6 %
	<b>Total</b>	<b>222</b>	<b>0.6%</b>

This variable has 222 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34082	99.3 %
	<b>Total</b>	<b>34,087</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3252-3257 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1133TC: In past 30 days, flavor of traditional cigar smoked most often

In the past 30 days, which flavor of Traditional Cigars have you smoked most often?

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked flavored traditional cigars in the past 30

days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: FOR R05\_AG1133TC: IF (R05\_CURRENT\_GTRAD\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1130TC = 1 AND (R05\_AG1131TC\_[01.../07] = 1 FOR 2 OR MORE FLAVORS OR R05\_AG1131TC\_[01.../07] = -8, -7)) OR ((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_AG1022TC != 0 AND R05\_AG1130TC = 1 AND (R05\_AG1131TC\_[01.../07] = 1 FOR 2 OR MORE FLAVORS OR R05\_AG1131TC\_[01.../07] = -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	13	0.0 %
2	2 = Clove or spice	5	0.0 %
3	3 = Fruit	19	0.1 %
4	4 = Chocolate	11	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	15	0.0 %
6	6 = Candy or other sweets	7	0.0 %
7	7 = Some other flavor	1	0.0 %
<b>Total</b>		<b>71</b>	<b>0.2%</b>

This variable has 71 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34235	99.8 %	
<b>Total</b>		<b>34,238</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3258-3263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1030TC: How you usually buy/bought your traditional cigars

The next questions ask about your experience buying Traditional Cigars.

How [do/did] you usually buy Traditional Cigars for yourself?

[IF From the internet (2), or By telephone (3); GO TO R05\_AG1039TC :

IF I do not buy my own Traditional Cigars (4), Don't Know (-8), or Refused (-7); GO TO R05\_AG9040TC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1030TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	1448	4.2 %
2	2 = From the internet	131	0.4 %
3	3 = By telephone	26	0.1 %
4	4 = I do not buy my own traditional cigars	605	1.8 %
	<b>Total</b>	<b>2,210</b>	<b>6.4%</b>

This variable has 2,210 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32078	93.5 %
	<b>Total</b>	<b>32,099</b>	<b>93.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3264-3269 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1147TC: How often smoked flavored traditional cigars on days smoked in past 30 days

On the days you smoked Traditional Cigars in the past 30 days, how often did you smoke flavored Traditional Cigars?

ASK: Adult respondents who are every day established traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and smoked flavored traditional cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars in the past 30 days.

ASK Specification: FOR R05\_AG1147TC: IF (R05\_CURRENT\_GTRAD\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1130TC = 1) OR  
((R05\_CURRENT\_GTRAD\_USE = 2 OR R05\_GTRAD\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1  
AND R05\_AG1022TC != 0 AND R05\_AG1130TC = 1).

Value	Label	Unweighted Frequency	%
1	1 = All of the time	71	0.2 %
2	2 = Most of the time	48	0.1 %
3	3 = Sometimes	46	0.1 %
4	4 = Rarely	46	0.1 %
5	5 = Never	15	0.0 %
	<b>Total</b>	<b>226</b>	<b>0.7%</b>

This variable has 226 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34082	99.3 %
	<b>Total</b>	<b>34,083</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3270-3275 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1032TC: Geographic area where you usually buy/bought your traditional cigars

[Do/Did] you usually buy Traditional Cigars...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars in person.

ASK Specification: FOR R05\_AG1032TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1320	3.8 %
2	2 = In another state	72	0.2 %
3	3 = Outside the US	53	0.2 %
	<b>Total</b>	<b>1,445</b>	<b>4.2%</b>

This variable has 1,445 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	32860	95.8 %	
<b>Total</b>		<b>32,864</b>	<b>95.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3276-3281 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1033TC: Retail location where your traditional cigars are purchased most of the time

Where [do/did] you buy your Traditional Cigars most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars in person.

ASK Specification: FOR R05\_AG1033TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	417	1.2 %
2	2 = A convenience store or gas station	487	1.4 %
3	3 = A supermarket, grocery store, or drug store	46	0.1 %
4	4 = A warehouse club, such as Sam's or Costco	5	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	370	1.1 %
6	6 = A duty free shop or military commissary	6	0.0 %
7	7 = A bar, pub, restaurant or casino	11	0.0 %
8	8 = A friend or relative	10	0.0 %
9	9 = A swap meet or flea market	4	0.0 %
10	10 = A liquor store	81	0.2 %
11	11 = Somewhere else	8	0.0 %
<b>Total</b>		<b>1,445</b>	<b>4.2%</b>

This variable has 1,445 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32860	95.8 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>32,864</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3282-3287 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1039TC: Usually buy/bought traditional cigars by the box, pack or as singles

{Do you usually buy Traditional Cigars/Did you buy the last Traditional Cigars you smoked} by the box or pack, or as single Traditional Cigars?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars in person, from the internet, or by telephone.

ASK Specification: FOR R05\_AG1039TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1030TC = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	411	1.2 %
2	2 = Single traditional cigars	1190	3.5 %
	<b>Total</b>	<b>1,601</b>	<b>4.7%</b>

This variable has 1,601 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32703	95.3 %
	<b>Total</b>	<b>32,708</b>	<b>95.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3288-3293 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1040TC: Number of traditional cigars that come/came in box or pack usually buy/bought

How many Traditional Cigars [come/came] in the box or pack that you [usually buy/bought]?

\_\_\_\_ Traditional Cigars

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars in person, from the internet, or by telephone and usually buy traditional cigars by the box or pack.

ASK Specification: FOR R05\_AG1040TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2  
 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
 R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1030TC = 1, 2, 3 AND  
 R05\_AG1039TC = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 410 valid cases out of 34,309 total cases.

- Mean: 11.36
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 378.00
- Standard Deviation: 21.85

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33897	98.8 %
<b>Total</b>		<b>33,899</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3294-3299 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1042TC\_D: Amount usually paid for a box or pack of traditional cigars - Dollars

[How much do you usually pay for a box or pack of Traditional Cigars/How much did you pay for the last box or pack of Traditional Cigars that you smoked]?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AG9040TC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars in person, from the internet, or by telephone and usually buy traditional cigars by the box or pack.

ASK Specification: FOR R05\_AG1042TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2  
 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
 R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1030TC = 1, 2, 3 AND  
 R05\_AG1039TC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 408 valid cases out of 34,309 total cases.

- Mean: 32.69
- Median: 6.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 64.86

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33897	98.8 %	
	<b>Total</b>	<b>33,901</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3300-3305 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AG1042TC\_C: Amount usually paid for a box or pack of traditional cigars - Cents

[How much do you usually pay for a box or pack of Cigarillos/How much did you pay for the last box or pack of Cigarillos that you smoked]?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AG9040TC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars in person, from the internet, or by telephone and usually buy traditional cigars by the box or pack.

ASK Specification: FOR R05\_AG1042TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1030TC = 1, 2, 3 AND  
R05\_AG1039TC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 408 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33900	98.8 %
<b>Total</b>		<b>33,901</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3306-3311 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AG1043TC\_D: Amount usually paid for a single traditional cigar - Dollars

[How much do you usually pay for a single Traditional Cigar?/How much did you pay for the single Traditional Cigar that you last smoked?]

\_\_\_ Dollars

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars in person, from the internet, or by telephone and usually buy single traditional cigars.

ASK Specification: FOR R05\_AG1043TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1030TC = 1, 2, 3 AND  
R05\_AG1039TC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 1,164 valid cases out of 34,309 total cases.

- Mean: 7.81
- Median: 7.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 7.13

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33118	96.5 %
<b>Total</b>		<b>33,145</b>	<b>96.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3312-3317 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1043TC\_C: Amount usually paid for a single traditional cigar - Cents

[How much do you usually pay for a single Traditional Cigar?/How much did you pay for the single Traditional Cigar that you last smoked?]

\_\_ Cents

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and usually buy their traditional cigars in person, from the internet, or by telephone and usually buy single traditional cigars.

ASK Specification: FOR R05\_AG1043TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2

OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND

R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1030TC = 1, 2, 3 AND

R05\_AG1039TC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 1,164 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33144	96.6 %	
<b>Total</b>		<b>33,145</b>	<b>96.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3318-3323 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG9040TC: Group in picture most like traditional cigar usually/last smoked

Please look at this picture. Which group is most like the Traditional Cigar you [usually smoke/last smoked]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG9040TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars

Value	Label	Unweighted Frequency	%
1	1 = Group 1	1591	4.6 %
2	2 = Group 2	403	1.2 %
3	3 = Group 3	411	1.2 %
4	4 = Group 4	109	0.3 %
	<b>Total</b>	<b>2,514</b>	<b>7.3%</b>

This variable has 2,514 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	31749	92.5 %	
	<b>Total</b>	<b>31,795</b>	<b>92.7%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 3324-3329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1047TC: Have a regular brand of traditional cigars you usually smoke/smoked

[Do/Did] you have a regular brand of Traditional Cigars that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1047TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	797	2.3 %
2	2 = No	1758	5.1 %
	<b>Total</b>	<b>2,555</b>	<b>7.4%</b>

This variable has 2,555 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
<b>Total</b>		<b>31,754</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3330-3335 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1050TC: Regular/last brand of traditional cigars smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

---

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AG1945TC]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1050TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	613	1.8 %
2	2 = No	1645	4.8 %
3	3 = I don't know	297	0.9 %
<b>Total</b>		<b>2,555</b>	<b>7.4%</b>

This variable has 2,555 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
<b>Total</b>		<b>31,754</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3336-3341 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1012TC\_01: Traditional cigar flavor usually/last smoked: Menthol or mint

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	139	0.4 %
2	2 = Not Marked	472	1.4 %
	<b>Total</b>	<b>611</b>	<b>1.8%</b>

This variable has 611 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33695	98.2 %
	<b>Total</b>	<b>33,698</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3342-3347 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1012TC\_02: Traditional cigar flavor usually/last smoked: Clove or spice

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	57	0.2 %
2	2 = Not Marked	554	1.6 %
	<b>Total</b>	<b>611</b>	<b>1.8%</b>

This variable has 611 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33695	98.2 %
	<b>Total</b>	<b>33,698</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3348-3353 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AG1012TC\_03: Traditional cigar flavor usually/last smoked: Fruit

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	251	0.7 %
2	2 = Not Marked	360	1.0 %
	<b>Total</b>	<b>611</b>	<b>1.8%</b>

This variable has 611 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33695	98.2 %
	<b>Total</b>	<b>33,698</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3354-3359 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1012TC\_04: Traditional cigar flavor usually/last smoked: Chocolate

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	79	0.2 %
2	2 = Not Marked	532	1.6 %
	<b>Total</b>	<b>611</b>	<b>1.8%</b>

This variable has 611 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33695	98.2 %
<b>Total</b>		<b>33,698</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3360-3365 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1012TC\_05: Traditional cigar flavor usually/last smoked: An alcoholic drink

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2,  
4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	126	0.4 %
2	2 = Not Marked	485	1.4 %
<b>Total</b>		<b>611</b>	<b>1.8%</b>

This variable has 611 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33695	98.2 %
<b>Total</b>		<b>33,698</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3366-3371 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1012TC\_06: Traditional cigar flavor usually/last smoked: Candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	151	0.4 %
2	2 = Not Marked	460	1.3 %
	<b>Total</b>	<b>611</b>	<b>1.8%</b>

This variable has 611 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33695	98.2 %
	<b>Total</b>	<b>33,698</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3372-3377 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1012TC\_07: Traditional cigar flavor usually/last smoked: Some other flavor

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers whose regular brand or last brand of traditional cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1050TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.1 %
2	2 = Not Marked	581	1.7 %
	<b>Total</b>	<b>611</b>	<b>1.8%</b>

This variable has 611 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33695	98.2 %
	<b>Total</b>	<b>33,698</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3378-3383 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1945TC: Know the name of brand of traditional cigars usually/last smoked

Do you know the name of the brand of Traditional Cigars you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1945TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1108	3.2 %
2	2 = No	1447	4.2 %
	<b>Total</b>	<b>2,555</b>	<b>7.4%</b>

This variable has 2,555 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
	<b>Total</b>	<b>31,754</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3384-3389 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1048TC\_BRAND: Brand of traditional cigars usually/last smoked

What brand of Traditional Cigars [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

Brand

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and know the name of the brand of traditional cigars they usually smoke or last smoked.

ASK Specification: FOR R05\_AG1048TC\_BRAND:

IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND

R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1945TC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 1,090 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33200	96.8 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,219</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3390-3395 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1070TC\_PRODUCT: Sub-brand of traditional cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and know the name of the brand of traditional cigars they usually smoke or last smoked and selected a brand of traditional cigars.

ASK Specification: FOR R05\_AG1070TC\_PRODUCT:

IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1  
AND R05\_AG1945TC = 1 AND R05\_AG1048TC\_BRAND != 9995, -8, -7.

This variable has 951 valid cases out of 34,309 total cases.

	<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	18	0.1 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33338	97.2 %	
	<b>Total</b>	<b>33,358</b>	<b>97.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3396-3401 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1051TC\_NN: How long smoked regular brand of traditional cigar - Number

About how long [did you smoke/have you been smoking] your regular brand of Traditional Cigar?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have a regular brand of traditional cigars.

ASK Specification: FOR R05\_AG1051TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1047TC = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AG1051[TC/CG/FC]\_UN = Days; the value "2" refers to R05\_AG1051TC\_UN = Months; the value "3" refers to R05\_AG1051TC\_UN = Years.

This variable has 789 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	1	0.0 %	
-1	-1 = Inapplicable	33511	97.7 %	
<b>Total</b>		<b>33,520</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3402-3407 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1051TC\_UN: How long smoked regular brand of traditional cigar - Unit

About how long [did you smoke/have you been smoking] your regular brand of Traditional Cigar?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and have a regular brand of traditional cigars.

ASK Specification: FOR R05\_AG1051TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG1047TC = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AG1051[TC/CG/FC]\_UN = Days; the value "2" refers to R05\_AG1051TC\_UN = Months; the value "3" refers to R05\_AG1051TC\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	133	0.4 %
2	2 = Months	111	0.3 %
3	3 = Years	546	1.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>790</b>	<b>2.3%</b>

This variable has 790 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33518	97.7 %
	<b>Total</b>	<b>33,519</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3408-3413 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG0104TC: Brand of very last traditional cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a Traditional Cigar [TIME OF LAST USE].

Think about the very last Traditional Cigar you smoked.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and last smoked a traditional cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars.

ASK Specification: FOR R05\_AG0104TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_AG0100TC = 1, 2, 3, 4 AND  
R05\_AG1945TC = 1 AND R05\_AG1048TC\_BRAND != 9995, -8, -7 AND  
R05\_AG1070TC\_PRODUCT != 99990, 99995, -8, -7.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	105	0.3 %
2	2 = No	22	0.1 %
	<b>Total</b>	<b>127</b>	<b>0.4%</b>

This variable has 127 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34180	99.6 %	
<b>Total</b>		<b>34,182</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3414-3419 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1060TC\_RANDOM\_01: AG1060TC series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060TC through R05\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31749	92.5 %
-97777	-	1	0.0 %
R05_AG1060TC	-	395	1.2 %
R05_AG1062TC	-	350	1.0 %
R05_AG1063TC	-	366	1.1 %
R05_AG1064TC	-	143	0.4 %
R05_AG1066TC	-	352	1.0 %
R05_AG1075TC	-	371	1.1 %
R05_AG1077TC	-	159	0.5 %
R05_AG1085TC	-	423	1.2 %
<b>Total</b>		<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3420-3431 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060TC\_RANDOM\_02: AG1060TC series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060TC through R05\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31749	92.5 %
-97777	-	1	0.0 %
R05_AG1060TC	-	364	1.1 %
R05_AG1062TC	-	371	1.1 %
R05_AG1063TC	-	382	1.1 %
R05_AG1064TC	-	166	0.5 %
R05_AG1066TC	-	399	1.2 %
R05_AG1075TC	-	376	1.1 %
R05_AG1077TC	-	125	0.4 %
R05_AG1085TC	-	376	1.1 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3432-3443 (width: 12; decimal: 0)

*Variable Type:* character

---

### **R05\_AG1060TC\_RANDOM\_03: AG1060TC series random question 3**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060TC through R05\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31749	92.5 %
-97777	-	1	0.0 %
R05_AG1060TC	-	351	1.0 %
R05_AG1062TC	-	383	1.1 %
R05_AG1063TC	-	398	1.2 %
R05_AG1064TC	-	161	0.5 %
R05_AG1066TC	-	374	1.1 %
R05_AG1075TC	-	379	1.1 %
R05_AG1077TC	-	150	0.4 %
R05_AG1085TC	-	363	1.1 %

Value	Label	Unweighted Frequency	%
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3444-3455 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060TC\_RANDOM\_04: AG1060TC series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060TC through R05\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31749	92.5 %
-97777	-	1	0.0 %
R05_AG1060TC	-	373	1.1 %
R05_AG1062TC	-	368	1.1 %
R05_AG1063TC	-	377	1.1 %
R05_AG1064TC	-	142	0.4 %
R05_AG1066TC	-	385	1.1 %
R05_AG1075TC	-	382	1.1 %
R05_AG1077TC	-	183	0.5 %
R05_AG1085TC	-	349	1.0 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3456-3467 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060TC\_RANDOM\_05: AG1060TC series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060TC through R05\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31749	92.5 %
-97777	-	1	0.0 %
R05_AG1060TC	-	389	1.1 %
R05_AG1062TC	-	384	1.1 %
R05_AG1063TC	-	364	1.1 %
R05_AG1064TC	-	150	0.4 %
R05_AG1066TC	-	347	1.0 %
R05_AG1075TC	-	378	1.1 %
R05_AG1077TC	-	183	0.5 %
R05_AG1085TC	-	364	1.1 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3468-3479 (width: 12; decimal: 0)

*Variable Type:* character

## **R05\_AG1060TC\_RANDOM\_06: AG1060TC series random question 6**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060TC through R05\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31749	92.5 %
-97777	-	1	0.0 %
R05_AG1060TC	-	347	1.0 %
R05_AG1062TC	-	392	1.1 %
R05_AG1063TC	-	370	1.1 %
R05_AG1064TC	-	179	0.5 %
R05_AG1066TC	-	380	1.1 %
R05_AG1075TC	-	362	1.1 %
R05_AG1077TC	-	166	0.5 %
R05_AG1085TC	-	363	1.1 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3480-3491 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060TC\_RANDOM\_07: AG1060TC series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060TC through R05\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	96.3 %
-9	-	1	0.0 %
-97777	-	1	0.0 %
R05_AG1060TC	-	176	0.5 %
R05_AG1062TC	-	150	0.4 %
R05_AG1063TC	-	168	0.5 %
R05_AG1064TC	-	144	0.4 %
R05_AG1066TC	-	160	0.5 %
R05_AG1075TC	-	161	0.5 %
R05_AG1077TC	-	153	0.4 %
R05_AG1085TC	-	163	0.5 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3492-3503 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060TC\_RANDOM\_08: AG1060TC series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060TC through R05\_AG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33032	96.3 %
-97777	-	1	0.0 %
R05_AG1060TC	-	164	0.5 %
R05_AG1062TC	-	161	0.5 %
R05_AG1063TC	-	134	0.4 %

Value	Label	Unweighted Frequency	%
R05_AG1064TC	-	191	0.6 %
R05_AG1066TC	-	161	0.5 %
R05_AG1075TC	-	150	0.4 %
R05_AG1077TC	-	157	0.5 %
R05_AG1085TC	-	158	0.5 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3504-3515 (width: 12; decimal: 0)

*Variable Type:* character

## **R05\_AG1060TC: Smoke/smoked traditional cigars because: They are/were affordable**

The next questions are about the reasons people smoke Traditional Cigars.

Please select which reasons [apply to you/applied to you when you used to smoke Traditional Cigars].

I [smoke/smoked] Traditional Cigars because...

They [are/were] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1060TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2,  
4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND  
R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	846	2.5 %
2	2 = No	1688	4.9 %
	<b>Total</b>	<b>2,534</b>	<b>7.4%</b>

This variable has 2,534 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	10	0.0 %	
-7	-7 = Refused	15	0.0 %	
-1	-1 = Inapplicable	31749	92.5 %	
	<b>Total</b>	<b>31,775</b>	<b>92.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3516-3521 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1085TC: Smoke/smoked traditional cigars because: Can/could smoke them in places where smoking cigarettes is/was not allowed

Please select which reasons [apply to you/applied to you when you used to smoke Traditional Cigars].

I [smoke/smoked] Traditional Cigars because...

I [can/could] smoke Traditional Cigars at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1085TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	312	0.9 %
2	2 = No	2227	6.5 %
	<b>Total</b>	<b>2,539</b>	<b>7.4%</b>

This variable has 2,539 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
	<b>Total</b>	<b>31,770</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3522-3527 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1062TC: Smoke/smoked traditional cigars because: They might be/have been less harmful than cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Traditional Cigars].

I [smoke/smoked] Traditional Cigars because...

They might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1062TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	585	1.7 %
2	2 = No	1954	5.7 %
	<b>Total</b>	<b>2,539</b>	<b>7.4%</b>

This variable has 2,539 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
	<b>Total</b>	<b>31,770</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3528-3533 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1075TC: Smoke/smoked traditional cigars because: Might be/have been less harmful to people around me than smoking cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Traditional Cigars].

I [smoke/smoked] Traditional Cigars because...

They might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1075TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	392	1.1 %

Value	Label	Unweighted Frequency	%
2	2 = No	2152	6.3 %
	<b>Total</b>	<b>2,544</b>	<b>7.4%</b>

This variable has 2,544 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
	<b>Total</b>	<b>31,765</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3534-3539 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1063TC: Smoke/smoked traditional cigars because: They come/came in flavors I like/liked

Please select which reasons [apply to you/applied to you when you used to smoke Traditional Cigars].

I [smoke/smoked] Traditional Cigars because...

Traditional Cigars [come/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1063TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1130	3.3 %
2	2 = No	1412	4.1 %
	<b>Total</b>	<b>2,542</b>	<b>7.4%</b>

This variable has 2,542 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %

Missing Data				
-7	-7 = Refused		5	0.0 %
-1	-1 = Inapplicable		31749	92.5 %
<b>Total</b>			<b>31,767</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3540-3545 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1064TC: Smoke/smoked traditional cigars because: Smoking them helps people to quit smoking cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Traditional Cigars].

I [smoke/smoked] Traditional Cigars because...

Smoking Traditional Cigars helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1064TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	176	0.5 %
2	2 = No	1091	3.2 %
	<b>Total</b>	<b>1,267</b>	<b>3.7%</b>

This variable has 1,267 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	33032	96.3 %	
<b>Total</b>		<b>33,042</b>	<b>96.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3546-3551 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1066TC: Smoke/smoked traditional cigars because: Smoking it feels/felt like smoking a regular cigarette

Please select which reasons [apply to you/applied to you when you used to smoke Traditional Cigars].

I [smoke/smoked] Traditional Cigars because...

Smoking a Traditional Cigar [feels/felt] like smoking a regular cigarette.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1066TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

NOTES: SKIP ERROR: R05\_AG1066TC: This item was skipped incorrectly by some respondents who were ever users of cigarettes (R05\_EVER\_NEVER\_CIGS = 1) and were current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers (R05\_GTRAD\_USER\_STATUS = 1, 2, 4) and were not past 12 month blunt-only traditional cigar smokers (R05\_12MBLUNT\_ONLY\_BTRAD != 1). This issue was fixed in a field update on 1/24/2019.

Value	Label	Unweighted Frequency	%
1	1 = Yes	338	1.0 %
2	2 = No	2199	6.4 %
	<b>Total</b>	<b>2,537</b>	<b>7.4%</b>

This variable has 2,537 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
	<b>Total</b>	<b>31,772</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 3552-3557 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1077TC: Smoke/smoked traditional cigars because: Smoking traditional cigars satisfies/satisfied cravings for cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Traditional Cigars].

I [smoke/smoked] Traditional Cigars because...

Smoking Traditional Cigars [satisfies/satisfied] my cravings for cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1077TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	460	1.3 %
2	2 = No	806	2.3 %
	<b>Total</b>	<b>1,266</b>	<b>3.7%</b>

This variable has 1,266 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33032	96.3 %
	<b>Total</b>	<b>33,043</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3558-3563 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1080TC: Smoke/smoked traditional cigars as a way of cutting down on cigarette smoking

[Do/Did] you smoke Traditional Cigars as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and are current established or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1080TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	208	0.6 %
2	2 = No	937	2.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,145</b>	<b>3.3%</b>

This variable has 1,145 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33162	96.7 %
	<b>Total</b>	<b>33,162</b>	<b>96.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3564-3569 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1082TC: Smoking/smoked traditional cigars as a way to quit smoking cigarettes

[Are/Did] you [smoking/smoke] Traditional Cigars as a way to quit smoking cigarettes?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers and are current established or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1082TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1 AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	150	0.4 %
2	2 = No	992	2.9 %
	<b>Total</b>	<b>1,142</b>	<b>3.3%</b>

This variable has 1,142 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33162	96.7 %
	<b>Total</b>	<b>33,167</b>	<b>96.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3570-3575 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1139TC: Level of agreement: It is/was easier to talk and get along with other people when smoking a traditional cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a Traditional Cigar.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1139TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1638	4.8 %
2	2 = 2 on a scale of 1 to 4	452	1.3 %
3	3 = 3 on a scale of 1 to 4	303	0.9 %
4	4 = Very true of me	147	0.4 %
	<b>Total</b>	<b>2,540</b>	<b>7.4%</b>

This variable has 2,540 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
	<b>Total</b>	<b>31,769</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3576-3581 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1140TC: Level of agreement: Feel/felt more confident with other people while smoking a traditional cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While smoking a Traditional Cigar, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1140TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1705	5.0 %
2	2 = 2 on a scale of 1 to 4	459	1.3 %
3	3 = 3 on a scale of 1 to 4	263	0.8 %
4	4 = Very true of me	114	0.3 %
	<b>Total</b>	<b>2,541</b>	<b>7.4%</b>

This variable has 2,541 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
	<b>Total</b>	<b>31,768</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3582-3587 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1141TC: Level of agreement: Smoke/smoked traditional cigars much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] Traditional Cigars much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: FOR R05\_AG1141TC: IF (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GTRAD = 1) AND R05\_12MBLUNT\_ONLY\_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1091	3.2 %
2	2 = 2 on a scale of 1 to 4	396	1.2 %
3	3 = 3 on a scale of 1 to 4	458	1.3 %
4	4 = Very true of me	593	1.7 %
	<b>Total</b>	<b>2,538</b>	<b>7.4%</b>

This variable has 2,538 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	31749	92.5 %
	<b>Total</b>	<b>31,771</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3588-3593 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1005CG: Number of cigarillos smoked in entire life

How many Cigarillos have you smoked in your entire life?

ASK: Adult respondents who have ever smoked cigarillos and are not past 12 month blunt-only cigarillo smokers and had not smoked 100 or more cigarillos as of their last completed interview.

ASK Specification: FOR R05\_AG1005CG: IF R05\_EVER\_NEVER\_GRILLO = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_NUMLIFE\_GRILLO != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	2692	7.8 %
2	2 = 1 to 10	2403	7.0 %
3	3 = 11 to 20	1162	3.4 %
4	4 = 21 to 50	955	2.8 %
5	5 = 51 to 99	397	1.2 %
6	6 = 100 or more	459	1.3 %
	<b>Total</b>	<b>8,068</b>	<b>23.5%</b>

This variable has 8,068 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	12	0.0 %	
-8	-8 = Don't know	269	0.8 %	
-7	-7 = Refused	127	0.4 %	
-1	-1 = Inapplicable	25832	75.3 %	
<b>Total</b>		<b>26,241</b>	<b>76.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3594-3599 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1100CG: Ever smoked cigarillos fairly regularly

Have you ever smoked Cigarillos fairly regularly?

ASK: Adult respondents who have ever smoked cigarillos and are not past 12 month blunt-only cigarillo smokers and had not reported ever smoking cigarillos fairly regularly as of their last completed interview.

ASK Specification: FOR R05\_AG1100CG: IF R05\_EVER\_NEVER\_GRILLO = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R04\_REGUSE\_GRILLO != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	646	1.9 %
2	2 = No	7261	21.2 %
<b>Total</b>		<b>7,907</b>	<b>23.0%</b>

This variable has 7,907 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	12	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	26373	76.9 %	
<b>Total</b>		<b>26,402</b>	<b>77.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3600-3605 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AG1007CG\_NB: DERIVED - Age group when you first started smoking cigarillos fairly regularly (6 levels)

Long Description: How old were you when you first started smoking cigarillos fairly regularly?

```
Algorithm: if (0 <= R05_AG1007CG_NB < 18) or R05_AG1121CG_NB = 1 then
R05R_A_AG1007CG_NB = 1; else if (18 <= R05_AG1007CG_NB <= 24) or
R05_AG1121CG_NB = 2 then R05R_A_AG1007CG_NB = 2; else if
(25 <= R05_AG1007CG_NB <= 34) or R05_AG1121CG_NB = 3 then
R05R_A_AG1007CG_NB = 3; else if (35 <= R05_AG1007CG_NB <= 44) or
R05_AG1121CG_NB = 4 then R05R_A_AG1007CG_NB = 4; else if
(45 <= R05_AG1007CG_NB <= 54) or R05_AG1121CG_NB = 5 then
R05R_A_AG1007CG_NB = 5; else if (R05_AG1007CG_NB >= 55) or
R05_AG1121CG_NB = 6 then R05R_A_AG1007CG_NB = 6; else if
R05_AG1007CG_NB = -9 or R05_AG1121CG_NB = -9 then
R05R_A_AG1007CG_NB = -99999; else if R05_AG1007CG_NB = -8 or
R05_AG1121CG_NB = -8 then R05R_A_AG1007CG_NB = -99988; else if
R05_AG1007CG_NB = -7 or R05_AG1121CG_NB = -7 then
R05R_A_AG1007CG_NB = -99977; else if R05_AG1007CG_NB = -5 then
R05R_A_AG1007CG_NB = -99955; else if R05_AG1007CG_NB = -1 or
R05_AG1121CG_NB = -1 then R05R_A_AG1007CG_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	50	0.1 %
2	2 = 18 to 24 years old	35	0.1 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>85</b>	<b>0.2%</b>

This variable has 85 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34223	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,224</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 3606-3611 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_AG1020CG\_NB: DERIVED - Age group when you first started smoking cigarillos every day (6 levels)

Long Description: How old were you when you first started smoking cigarillos every day?

Algorithm: if (0 <= R05\_AGG1020CG\_NB < 18) or R05\_AGG1122CG\_NB = 1 then  
R05R\_AAG1020CG\_NB = 1; else if (18 <= R05\_AGG1020CG\_NB <= 24) or  
R05\_AGG1122CG\_NB = 2 then R05R\_AAG1020CG\_NB = 2; else if  
(25 <= R05\_AGG1020CG\_NB <= 34) or R05\_AGG1122CG\_NB = 3 then  
R05R\_AAG1020CG\_NB = 3; else if (35 <= R05\_AGG1020CG\_NB <= 44) or  
R05\_AGG1122CG\_NB = 4 then R05R\_AAG1020CG\_NB = 4; else if  
(45 <= R05\_AGG1020CG\_NB <= 54) or R05\_AGG1122CG\_NB = 5 then  
R05R\_AAG1020CG\_NB = 5; else if (R05\_AGG1020CG\_NB >= 55) or  
R05\_AGG1122CG\_NB = 6 then R05R\_AAG1020CG\_NB = 6; else if  
R05\_AGG1020CG\_NB = -9 or R05\_AGG1122CG\_NB = -9 then  
R05R\_AAG1020CG\_NB = -99999; else if R05\_AGG1020CG\_NB = -8 or  
R05\_AGG1122CG\_NB = -8 then R05R\_AAG1020CG\_NB = -99988;  
else if R05\_AGG1020CG\_NB = -7 or R05\_AGG1122CG\_NB = -7 then  
R05R\_AAG1020CG\_NB = -99977; else if R05\_AGG1020CG\_NB = -5 then  
R05R\_AAG1020CG\_NB = -99955; else if R05\_AGG1020CG\_NB = -1 or  
R05\_AGG1122CG\_NB = -1 then R05R\_AAG1020CG\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	12	0.0 %
2	2 = 18 to 24 years old	1	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>13</b>	<b>0.0%</b>

This variable has 13 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34295	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>34,296</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3612-3617 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05\_AG1008CG: When first started smoking cigarillos, smoked cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking Cigarillos, did you smoke Cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

ASK: Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1008CG: IF R05\_INIT\_GRILLO\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	352	1.0 %
2	2 = No	473	1.4 %
3	3 = I don't know	149	0.4 %
	<b>Total</b>	<b>974</b>	<b>2.8%</b>

This variable has 974 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33329	97.1 %
	<b>Total</b>	<b>33,335</b>	<b>97.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3618-3623 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1011CG\_01: Flavor of cigarillo when first started smoking: Menthol or mint

When you first started smoking Cigarillos, did you smoke Cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: FOR R05\_AG1011CG: IF R05\_INIT\_GRILLO\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	69	0.2 %
2	2 = Not Marked	282	0.8 %
	<b>Total</b>	<b>351</b>	<b>1.0%</b>

This variable has 351 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33956	99.0 %
	<b>Total</b>	<b>33,956</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3624-3629 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1011CG\_02: Flavor of cigarillo when first started smoking: Clove or spice

When you first started smoking Cigarillos, did you smoke Cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: FOR R05\_AG1011CG: IF R05\_INIT\_GRILLO\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	29	0.1 %
2	2 = Not Marked	322	0.9 %
	<b>Total</b>	<b>351</b>	<b>1.0%</b>

This variable has 351 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33956	99.0 %
	<b>Total</b>	<b>33,958</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3630-3635 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1011CG\_03: Flavor of cigarillo when first started smoking: Fruit

When you first started smoking Cigarillos, did you smoke Cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: FOR R05\_AG1011CG: IF R05\_INIT\_GRILLO\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	188	0.5 %
2	2 = Not Marked	163	0.5 %
	<b>Total</b>	<b>351</b>	<b>1.0%</b>

This variable has 351 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data			
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33956	99.0 %
<b>Total</b>		<b>33,958</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3636-3641 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1011CG\_04: Flavor of cigarillo when first started smoking: Chocolate

When you first started smoking Cigarillos, did you smoke Cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Chocolate

**ASK:** Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

**ASK Specification:** FOR R05\_AG1011CG: IF R05\_INIT\_GRILLO\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.1 %
2	2 = Not Marked	325	0.9 %
<b>Total</b>		<b>351</b>	<b>1.0%</b>

This variable has 351 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33956	99.0 %
<b>Total</b>		<b>33,958</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3642-3647 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1011CG\_05: Flavor of cigarillo when first started smoking: An alcoholic drink

When you first started smoking Cigarillos, did you smoke Cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: FOR R05\_AG1011CG; IF R05\_INIT\_GRILLO\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	62	0.2 %
2	2 = Not Marked	289	0.8 %
	<b>Total</b>	<b>351</b>	<b>1.0%</b>

This variable has 351 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33956	99.0 %
	<b>Total</b>	<b>33,958</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3648-3653 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1011CG\_06: Flavor of cigarillo when first started smoking: Candy or other sweets

When you first started smoking Cigarillos, did you smoke Cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: FOR R05\_AG1011CG; IF R05\_INIT\_GRILLO\_ADULT = 1 AND

R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	97	0.3 %
2	2 = Not Marked	254	0.7 %
	<b>Total</b>	<b>351</b>	<b>1.0%</b>

This variable has 351 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33956	99.0 %
	<b>Total</b>	<b>33,958</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3654-3659 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1011CG\_07: Flavor of cigarillo when first started smoking: Some other flavor

When you first started smoking Cigarillos, did you smoke Cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first cigarillo was flavored.

ASK Specification: FOR R05\_AG1011CG: IF R05\_INIT\_GRILLO\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1008CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.0 %
2	2 = Not Marked	341	1.0 %
	<b>Total</b>	<b>351</b>	<b>1.0%</b>

This variable has 351 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33956	99.0 %
<b>Total</b>		<b>33,958</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3660-3665 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1021CG: Average number of cigarillos now smoked each day

On average, about how many Cigarillos do you now smoke each day?

\_\_ Cigarillos

[IF Less than 1 each day (-2), Don't Know (-8), or Refused (-7); GO TO R05\_AG1024CG]

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1021CG: IF R05\_CURRENT\_GRILLO\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 207 valid cases out of 34,309 total cases.

- Mean: 3.28
- Median: 3.00
- Mode: 2.00
- Minimum: -2.00
- Maximum: 25.00
- Standard Deviation: 3.63

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34101	99.4 %
<b>Total</b>		<b>34,102</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3666-3671 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1022CG: In past 30 days, number of days smoked cigarillos

On how many of the past 30 days did you smoke Cigarillos?

\_\_ Days

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1022CG: IF (R05\_CURRENT\_GRILLO\_USE = 2  
OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 2,063 valid cases out of 34,309 total cases.

- Mean: 4.22
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.37

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	16	0.0 %	
-7	-7 = Refused	11	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32218	93.9 %	
<b>Total</b>		<b>32,246</b>	<b>94.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3672-3677 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG9029CG\_NN: Time since last smoked cigarillos - Number (Some day or current experimental smokers)

About how long has it been since you last smoked Cigarillos?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR30]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AG9029CG: IF (R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AG9029CG\_UN = Days;  
the value "2" refers to R05\_AG9029CG\_UN = Months;  
the value "3" refers to R05\_AG9029CG\_UN = Years.

This variable has 327 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	52	0.2 %	
-1	-1 = Inapplicable	33922	98.9 %	
<b>Total</b>		<b>33,982</b>	<b>99.0%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 3678-3683 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777, -9, -8, -7, -5, -1)

---

## R05\_AG9029CG\_UN: Time since last smoked cigarillos - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked Cigarillos?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR30]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AG9029CG: IF (R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AG9029CG\_UN = Days;  
the value "2" refers to R05\_AG9029CG\_UN = Months;

the value "3" refers to R05\_AG9029CG\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	56	0.2 %
2	2 = Months	226	0.7 %
3	3 = Years	97	0.3 %
<b>Total</b>		<b>379</b>	<b>1.1%</b>

This variable has 379 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33929	98.9 %	
<b>Total</b>		<b>33,930</b>	<b>98.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3684-3689 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1023CG: In past 30 days, average number of cigarillos smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R05\_AG1022 days/days you smoked], how many Cigarillos did you usually smoke each day?

\_\_ Cigarillos

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR30]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AG1023CG: IF (R05\_CURRENT\_GRILLO\_USE = 2  
OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 1,265 valid cases out of 34,309 total cases.

- Mean: 1.21
- Median: 1.00
- Mode: -2.00

- Minimum: -2.00
- Maximum: 88.00
- Standard Deviation: 5.69

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	6	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	33025	96.3 %
<b>Total</b>		<b>33,044</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3690-3695 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1024CG\_NN: Time to first cigarillo after waking on days smoked - Number (current smokers)

[On the days that you smoke Cigarillos, how/How] soon after you wake up do you typically smoke your first Cigarillo of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092CG]

ASK: Adult respondents who are current established or current experimental cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1024CG: IF R05\_GRILLO\_USER\_STATUS = 1, 2  
AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AG1024CG\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024CG\_UN = Hours after waking.

This variable has 1,452 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	49	0.1 %
-7	-7 = Refused	17	0.0 %
-5	-5 = Improbable response removed	4	0.0 %
-1	-1 = Inapplicable	32786	95.6 %
<b>Total</b>		<b>32,857</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3696-3701 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1024CG\_UN: Time to first cigarillo after waking on days smoked - Unit (current smokers)

[On the days that you smoke Cigarillos, how/How soon after you wake up do you typically smoke your first Cigarillo of the day? Please enter the number of minutes or hours.]

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092CG]

ASK: Adult respondents who are current established or current experimental cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1024CG: IF R05\_GRILLO\_USER\_STATUS = 1, 2  
AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AG1024CG\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024CG\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	353	1.0 %
2	2 = Hours after waking	1103	3.2 %
	<b>Total</b>	<b>1,456</b>	<b>4.2%</b>

This variable has 1,456 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32852	95.8 %
	<b>Total</b>	<b>32,853</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3702-3707 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1092CG: Smoke first cigarillo of the day within 30 minutes after waking (current smokers)

[On the days that you smoke Cigarillos, would/Would] you say you smoke your first Cigarillo of the day within the first 30 minutes after you wake up?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_AGR34]

ASK: Adult respondents who are current established or current experimental cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and did not know or refused to report how soon after waking up they typically smoke their first cigarillo.

ASK Specification: FOR R05\_AG1092CG: IF R05\_GRILLO\_USER\_STATUS = 1, 2  
AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1024CG\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	50	0.1 %
3	3 = It varies	5	0.0 %
<b>Total</b>		<b>58</b>	<b>0.2%</b>

This variable has 58 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	34242	99.8 %
<b>Total</b>		<b>34,251</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3708-3713 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1024CG\_30D\_NN: Time to first cigarillo after waking on days smoked - Number (non-current smokers)

On the days that you smoked Cigarillos, how soon after you woke up did you typically smoke your first Cigarillo of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092CG]

ASK: Adult respondents who are non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1024CG\_30D:  
IF R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1 AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits. ]

NOTES: The value "1" refers to R05\_AG1024CG\_30D\_UN = Minutes after waking; the value "2" refers to R05\_AG1024CG\_30D\_UN = Hours after waking.

This variable has 726 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	28	0.1 %	
-7	-7 = Refused	18	0.1 %	
-5	-5 = Improbable response removed	3	0.0 %	
-1	-1 = Inapplicable	33533	97.7 %	
<b>Total</b>		<b>33,583</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3714-3719 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AG1024CG\_30D\_UN: Time to first cigarillo after waking on days smoked - Unit (non-current smokers)

On the days that you smoked Cigarillos, how soon after you woke up did you typically smoke your first Cigarillo of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092CG]

ASK: Adult respondents who are non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1024CG\_30D:  
IF R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1 AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits. ]

NOTES: The value "1" refers to R05\_AG1024CG\_30D\_UN = Minutes after waking; the value "2" refers to R05\_AG1024CG\_30D\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	228	0.7 %
2	2 = Hours after waking	501	1.5 %
<b>Total</b>		<b>729</b>	<b>2.1%</b>

This variable has 729 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33579	97.9 %
<b>Total</b>		<b>33,580</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3720-3725 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1092CG\_30D: Smoked first cigarillo of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked Cigarillos, would you say you smoked your first Cigarillo of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and did not know or refused to report how soon after waking up they typically smoked their first a cigarillo.

ASK Specification: FOR R05\_AG1092CG\_30D:

IF R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1 AND

R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1024CG\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	34	0.1 %
3	3 = It varies	5	0.0 %
<b>Total</b>		<b>39</b>	<b>0.1%</b>

This variable has 39 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	34262	99.9 %
<b>Total</b>		<b>34,270</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3726-3731 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG0100CG: When last smoked a cigarillo

When did you last smoke a Cigarillo?

[IF In the past hour (1); GO TO R05\_AG0103CG :

IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AG1130CG]

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AG0100CG: IF (R05\_CURRENT\_GRILLO\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR  
R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)  
AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	216	0.6 %
2	2 = Sometime today, but more than an hour ago	145	0.4 %
3	3 = Yesterday	230	0.7 %
4	4 = Day before yesterday	108	0.3 %
5	5 = Three or more days ago	761	2.2 %
<b>Total</b>		<b>1,460</b>	<b>4.3%</b>

This variable has 1,460 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	32818	95.7 %
<b>Total</b>		<b>32,849</b>	<b>95.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 3732-3737 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG0102CG: Time period of day when you last smoked a cigarillo

When you last smoked a Cigarillo [FILL BASED ON R05\_AG0100CG], was it...

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month

blunt-only cigarillo smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05\_AG0102CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG0100CG = 2, 3, 4) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND R05\_AG0100CG = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	62	0.2 %
2	2 = After 6AM but before noon	107	0.3 %
3	3 = Between noon and 6PM	182	0.5 %
4	4 = After 6PM but before midnight	132	0.4 %
	<b>Total</b>	<b>483</b>	<b>1.4%</b>

This variable has 483 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33825	98.6 %
	<b>Total</b>	<b>33,826</b>	<b>98.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 3738-3743 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG0103CG: Number of cigarillos smoked today/yesterday/day before yesterday

How many Cigarillos [have/did] you [smoked/smoke] [FILL BASED ON R05\_AG0100CG]? (If less than 1, enter 1.)

\_\_\_ Cigarillos

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1130CG]

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day

before yesterday.

ASK Specification: FOR R05\_AG0103CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG0100CG = 1, 2, 3, 4) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND R05\_AG0100CG = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 698 valid cases out of 34,309 total cases.

- Mean: 2.87
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 220.00
- Standard Deviation: 10.37

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33609	98.0 %
<b>Total</b>		<b>33,611</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3744-3749 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1130CG: In past 30 days, any of the cigarillos smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the Cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AG1030CG]

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AG1130CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1)

AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0).

Value	Label	Unweighted Frequency	%
1	1 = Yes	641	1.9 %
2	2 = No	678	2.0 %
3	3 = I don't know	163	0.5 %
<b>Total</b>		<b>1,482</b>	<b>4.3%</b>

This variable has 1,482 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	32818	95.7 %	
<b>Total</b>		<b>32,827</b>	<b>95.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3750-3755 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131CG\_01: In past 30 days, cigarillo flavor smoked: Menthol or mint

In the past 30 days, were any of the Cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked flavored cigarillos in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos in the past 30 days.

ASK Specification: FOR R05\_AG1131CG: IF (R05\_CURRENT\_GRILLO\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1130CG = 1) OR  
((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND  
R05\_AG1130CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	134	0.4 %
2	2 = Not Marked	506	1.5 %
	<b>Total</b>	<b>640</b>	<b>1.9%</b>

This variable has 640 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33667	98.1 %
	<b>Total</b>	<b>33,669</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3756-3761 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1131CG\_02: In past 30 days, cigarillo flavor smoked: Clove or spice

In the past 30 days, were any of the Cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked flavored cigarillos in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos in the past 30 days.

ASK Specification: FOR R05\_AG1131CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1130CG = 1) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND R05\_AG1130CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.1 %
2	2 = Not Marked	609	1.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>640</b>	<b>1.9%</b>

This variable has 640 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33667	98.1 %
	<b>Total</b>	<b>33,669</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3762-3767 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1131CG\_03: In past 30 days, cigarillo flavor smoked: Fruit

In the past 30 days, were any of the Cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked flavored cigarillos in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos in the past 30 days.

ASK Specification: FOR R05\_AG1131CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1130CG = 1) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND R05\_AG1130CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	315	0.9 %
2	2 = Not Marked	325	0.9 %
	<b>Total</b>	<b>640</b>	<b>1.9%</b>

This variable has 640 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33667	98.1 %	
<b>Total</b>		<b>33,669</b>	<b>98.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3768-3773 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131CG\_04: In past 30 days, cigarillo flavor smoked: Chocolate

In the past 30 days, were any of the Cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked flavored cigarillos in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos in the past 30 days.

ASK Specification: FOR R05\_AG1131CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1130CG = 1) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND R05\_AG1130CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	57	0.2 %
2	2 = Not Marked	583	1.7 %
<b>Total</b>		<b>640</b>	<b>1.9%</b>

This variable has 640 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		33667	98.1 %
<b>Total</b>			<b>33,669</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3774-3779 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1131CG\_05: In past 30 days, cigarillo flavor smoked: An alcoholic drink

In the past 30 days, were any of the Cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked flavored cigarillos in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos in the past 30 days.

ASK Specification: FOR R05\_AG1131CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1130CG = 1) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND R05\_AG1130CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	181	0.5 %
2	2 = Not Marked	459	1.3 %
	<b>Total</b>	<b>640</b>	<b>1.9%</b>

This variable has 640 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33667	98.1 %	
<b>Total</b>		<b>33,669</b>	<b>98.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3780-3785 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1131CG\_06: In past 30 days, cigarillo flavor smoked: Candy or other sweets

In the past 30 days, were any of the Cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked flavored cigarillos in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos in the past 30 days.

ASK Specification: FOR R05\_AG1131CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1130CG = 1) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND R05\_AG1130CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	169	0.5 %
2	2 = Not Marked	471	1.4 %
	<b>Total</b>	<b>640</b>	<b>1.9%</b>

This variable has 640 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33667	98.1 %
	<b>Total</b>	<b>33,669</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3786-3791 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131CG\_07: In past 30 days, cigarillo flavor smoked: Some other flavor

In the past 30 days, were any of the Cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked flavored cigarillos in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos in the past 30 days.

ASK Specification: FOR R05\_AG1131CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1130CG = 1) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND R05\_AG1130CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	620	1.8 %
	<b>Total</b>	<b>640</b>	<b>1.9%</b>

This variable has 640 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33667	98.1 %
	<b>Total</b>	<b>33,669</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 3792-3797 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1133CG: In past 30 days, flavor of cigarillo smoked most often

In the past 30 days, which flavor of Cigarillos have you smoked most often?

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month

blunt-only cigarillo smokers and smoked flavored cigarillos in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: FOR R05\_AG1133CG: IF (R05\_CURRENT\_GRILLO\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1130CG = 1 AND (R05\_AG1131CG\_[01.../07] = 1 FOR 2 OR MORE FLAVORS OR R05\_AG1131CG\_[01.../07] = -8, -7)) OR ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND R05\_AG1130CG = 1 AND (R05\_AG1131CG\_[01.../07] = 1 FOR 2 OR MORE FLAVORS OR R05\_AG1131CG\_[01.../07] = -8, -7)).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	19	0.1 %
2	2 = Clove or spice	6	0.0 %
3	3 = Fruit	70	0.2 %
4	4 = Chocolate	8	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	30	0.1 %
6	6 = Candy or other sweets	32	0.1 %
7	7 = Some other flavor	3	0.0 %
<b>Total</b>		<b>168</b>	<b>0.5%</b>

This variable has 168 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34136	99.5 %
<b>Total</b>		<b>34,141</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3798-3803 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1030CG: How you usually buy/bought your cigarillos

The next questions ask about your experience buying Cigarillos.

How [do/did] you usually buy Cigarillos for yourself?

[IF From the internet (2), or By telephone (3); GO TO R05\_AG1039CG :  
 IF I do not buy my own Cigarillos (4), Don't Know (-8), or Refused (-7); GO TO R05\_AG9040CG]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1030CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2  
 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
 R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	1835	5.3 %
2	2 = From the internet	30	0.1 %
3	3 = By telephone	21	0.1 %
4	4 = I do not buy my own cigarillos	392	1.1 %
<b>Total</b>		<b>2,278</b>	<b>6.6%</b>

This variable has 2,278 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	32011	93.3 %	
<b>Total</b>		<b>32,031</b>	<b>93.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3804-3809 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1147CG: How often smoked flavored cigarillos on days smoked in past 30 days

On the days you smoked Cigarillos in the past 30 days, how often did you smoke flavored Cigarillos?

ASK: Adult respondents who are every day established cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and smoked flavored cigarillos in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored cigarillos in the past 30 days.

ASK Specification: FOR R05\_AG1147CG: IF (R05\_CURRENT\_GRILLO\_USE = 1  
 AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1130CG = 1) OR  
 ((R05\_CURRENT\_GRILLO\_USE = 2 OR R05\_GRILLO\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
 R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1022CG != 0 AND

R05\_AG1130CG = 1).

Value	Label	Unweighted Frequency	%
1	1 = All of the time	278	0.8 %
2	2 = Most of the time	119	0.3 %
3	3 = Sometimes	124	0.4 %
4	4 = Rarely	107	0.3 %
5	5 = Never	13	0.0 %
	<b>Total</b>	<b>641</b>	<b>1.9%</b>

This variable has 641 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33667	98.1 %	
	<b>Total</b>	<b>33,668</b>	<b>98.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3810-3815 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1032CG: Geographic area where you usually buy/bought your cigarillos

[Do/Did] you usually buy Cigarillos...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and usually buy their cigarillos in person.

ASK Specification: FOR R05\_AG1032CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1801	5.2 %
2	2 = In another state	28	0.1 %
3	3 = Outside the US	4	0.0 %
	<b>Total</b>	<b>1,833</b>	<b>5.3%</b>

This variable has 1,833 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32473	94.6 %
<b>Total</b>		<b>32,476</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3816-3821 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1033CG: Retail location where your cigarillos are purchased most of the time

Where [do/did] you buy your Cigarillos most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillos smokers and are not past 12 month blunt-only cigarillo smokers and usually buy their cigarillos in person.

ASK Specification: FOR R05\_AG1033CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	76	0.2 %
2	2 = A convenience store or gas station	1442	4.2 %
3	3 = A supermarket, grocery store, or drug store	69	0.2 %
4	4 = A warehouse club, such as Sam's or Costco	2	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	159	0.5 %
6	6 = A duty free shop or military commissary	2	0.0 %
7	7 = A bar, pub, restaurant or casino	3	0.0 %
8	8 = A friend or relative	10	0.0 %
9	9 = A swap meet or flea market	1	0.0 %
10	10 = A liquor store	64	0.2 %
11	11 = Somewhere else	3	0.0 %
<b>Total</b>		<b>1,831</b>	<b>5.3%</b>

This variable has 1,831 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		32473	94.6 %
<b>Total</b>			<b>32,478</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3822-3827 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AG1039CG: Usually buy/bought cigarillos by the box, pack or as singles

{Do you usually buy Cigarillos/Did you buy the last Cigarillos you smoked} by the box or pack, or as single Cigarillos?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and usually buy their cigarillos in person, from the internet, or by telephone.

ASK Specification: FOR R05\_AG1039CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1030CG = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	759	2.2 %
2	2 = Single cigarillos	1125	3.3 %
<b>Total</b>		<b>1,884</b>	<b>5.5%</b>

This variable has 1,884 valid cases out of 34,309 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32422	94.5 %	
<b>Total</b>		<b>32,425</b>	<b>94.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3828-3833 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AG1040CG: Number of cigarillos that come/came in box or pack usually buy/bought

How many Cigarillos [come/came] in the box or pack that you [usually buy/bought]?

\_\_\_ Cigarillos

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and usually buy their cigarillos in person, from the internet, or by telephone and usually buy cigarillos by the box or pack.

ASK Specification: FOR R05\_AG1040CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2  
 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
 R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1030CG = 1, 2, 3 AND  
 R05\_AG1039CG = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 758 valid cases out of 34,309 total cases.

- Mean: 6.37
- Median: 4.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 11.73

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33549	97.8 %	
<b>Total</b>		<b>33,551</b>	<b>97.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3834-3839 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1042CG\_D: Amount usually paid for a box or pack of cigarillos - Dollars

[How much do you usually pay for a box or pack of Cigarillos/How much did you pay for the last box or pack of Cigarillos that you smoked]?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AG9040CG]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and usually buy their cigarillos in person, from the internet, or by telephone and usually buy cigarillos by the box or pack.

ASK Specification: FOR R05\_AG1042CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2  
 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
 R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1030CG = 1, 2, 3 AND

R05\_AG1039CG = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 743 valid cases out of 34,309 total cases.

- Mean: 4.38
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 97.00
- Standard Deviation: 7.63

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33549	97.8 %
<b>Total</b>		<b>33,566</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 3840-3845 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777, -9, -8, -7, -5, -1

---

## R05\_AG1042CG\_C: Amount usually paid for a box or pack of cigarillos - Cents

[How much do you usually pay for a box or pack of Cigarillos/How much did you pay for the last box or pack of Cigarillos that you smoked]?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AG9040CG]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and usually buy their cigarillos in person, from the internet, or by telephone and usually buy cigarillos by the box or pack.

ASK Specification: FOR R05\_AG1042CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1030CG = 1, 2, 3 AND  
R05\_AG1039CG = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 743 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33565	97.8 %
<b>Total</b>		<b>33,566</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3846-3851 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AG1043CG\_D: Amount usually paid for a single cigarillo - Dollars

[How much do you usually pay for a single Cigarillo?/How much did you pay for the single Cigarillo that you last smoked?]

\_\_\_ Dollars

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and usually buy their cigarillos in person, from the internet, or by telephone and usually buy single cigarillos.

ASK Specification: FOR R05\_AG1043CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND

R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1030CG = 1, 2, 3 AND  
R05\_AG1039CG = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 1,109 valid cases out of 34,309 total cases.

- Mean: 1.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 335.00
- Standard Deviation: 10.69

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33183	96.7 %
<b>Total</b>		<b>33,200</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3852-3857 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1043CG\_C: Amount usually paid for a single cigarillo - Cents

[How much do you usually pay for a single Cigarillo?/How much did you pay for the single Cigarillo that you last smoked?]

\_\_ Cents

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and usually buy their cigarillos in person, from the internet, or by telephone and usually buy single cigarillos.

ASK Specification: FOR R05\_AG1043CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2

OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND

R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1030CG = 1, 2, 3 AND

R05\_AG1039CG = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 1,109 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33199	96.8 %
<b>Total</b>		<b>33,200</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3858-3863 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG9040CG: Group in picture most like cigarillo usually/last smoked

Please look at this picture. Which group is most like the Cigarillo you [usually smoke/last smoked]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG9040CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars

Value	Label	Unweighted Frequency	%
1	1 = Group 1	170	0.5 %
2	2 = Group 2	1420	4.1 %
3	3 = Group 3	963	2.8 %
4	4 = Group 4	255	0.7 %
	<b>Total</b>	<b>2,808</b>	<b>8.2%</b>

This variable has 2,808 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	26	0.1 %	
-7	-7 = Refused	19	0.1 %	
-1	-1 = Inapplicable	31455	91.7 %	
	<b>Total</b>	<b>31,501</b>	<b>91.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3864-3869 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1047CG: Have a regular brand of cigarillos you usually smoke/smoked

[Do/Did] you have a regular brand of Cigarillos that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1047CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1570	4.6 %
2	2 = No	1269	3.7 %
	<b>Total</b>	<b>2,839</b>	<b>8.3%</b>

This variable has 2,839 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	31455	91.7 %	
<b>Total</b>		<b>31,470</b>	<b>91.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3870-3875 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1050CG: Regular/last brand of cigarillos smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AG1945CG]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1050CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1263	3.7 %
2	2 = No	1216	3.5 %
3	3 = I don't know	360	1.0 %
	<b>Total</b>	<b>2,839</b>	<b>8.3%</b>

This variable has 2,839 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	31455	91.7 %
	<b>Total</b>	<b>31,470</b>	<b>91.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3876-3881 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG1012CG\_01: Cigarillo flavor usually/last smoked: Menthol or mint

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillo smoked was flavored.

ASK Specification: FOR R05\_AG1012CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	237	0.7 %
2	2 = Not Marked	1019	3.0 %
	<b>Total</b>	<b>1,256</b>	<b>3.7%</b>

This variable has 1,256 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33045	96.3 %
	<b>Total</b>	<b>33,053</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 3882-3887 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AG1012CG\_02: Cigarillo flavor usually/last smoked: Clove or spice

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers whose

regular brand or last brand of cigarillo smoked was flavored.

ASK Specification: FOR R05\_AG1012CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	77	0.2 %
2	2 = Not Marked	1179	3.4 %
	<b>Total</b>	<b>1,256</b>	<b>3.7%</b>

This variable has 1,256 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33045	96.3 %
	<b>Total</b>	<b>33,053</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3888-3893 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1012CG\_03: Cigarillo flavor usually/last smoked: Fruit

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillo smoked was flavored.

ASK Specification: FOR R05\_AG1012CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	616	1.8 %
2	2 = Not Marked	640	1.9 %
	<b>Total</b>	<b>1,256</b>	<b>3.7%</b>

This variable has 1,256 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33045	96.3 %
	<b>Total</b>	<b>33,053</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3894-3899 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1012CG\_04: Cigarillo flavor usually/last smoked: Chocolate

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillo smoked was flavored.

ASK Specification: FOR R05\_AG1012CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	102	0.3 %
2	2 = Not Marked	1154	3.4 %
	<b>Total</b>	<b>1,256</b>	<b>3.7%</b>

This variable has 1,256 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33045	96.3 %
	<b>Total</b>	<b>33,053</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3900-3905 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1012CG\_05: Cigarillo flavor usually/last smoked: An alcoholic drink

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillo smoked was flavored.

ASK Specification: FOR R05\_AG1012CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	337	1.0 %
2	2 = Not Marked	919	2.7 %
	<b>Total</b>	<b>1,256</b>	<b>3.7%</b>

This variable has 1,256 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33045	96.3 %
	<b>Total</b>	<b>33,053</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3906-3911 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG1012CG\_06: Cigarillo flavor usually/last smoked: Candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillo smoked was flavored.

ASK Specification: FOR R05\_AG1012CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2,  
4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	306	0.9 %
2	2 = Not Marked	950	2.8 %
	<b>Total</b>	<b>1,256</b>	<b>3.7%</b>

This variable has 1,256 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33045	96.3 %
	<b>Total</b>	<b>33,053</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3912-3917 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG1012CG\_07: Cigarillo flavor usually/last smoked: Some other flavor

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers whose regular brand or last brand of cigarillo smoked was flavored.

ASK Specification: FOR R05\_AG1012CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1050CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	46	0.1 %
2	2 = Not Marked	1210	3.5 %
	<b>Total</b>	<b>1,256</b>	<b>3.7%</b>

This variable has 1,256 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33045	96.3 %
	<b>Total</b>	<b>33,053</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3918-3923 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1945CG: Know the name of brand of cigarillos usually/last smoked

Do you know the name of the brand of Cigarillos you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1945CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1730	5.0 %
2	2 = No	1105	3.2 %
	<b>Total</b>	<b>2,835</b>	<b>8.3%</b>

This variable has 2,835 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	31455	91.7 %
<b>Total</b>		<b>31,474</b>	<b>91.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3924-3929 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1048CG\_BRAND: Brand of cigarillos usually/last smoked

What brand of Cigarillos [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

Brand

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and know the name of the brand of cigarillos they usually smoke or last smoked.

ASK Specification: FOR R05\_AG1048CG\_BRAND:

IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND

R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1945CG = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 1,722 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32578	95.0 %
<b>Total</b>		<b>32,587</b>	<b>95.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 3930-3935 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1070CG\_PRODUCT: Sub-brand of cigarillo product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and know the name of the brand of cigarillos they usually smoke or last smoked and selected a brand of cigarillos.

ASK Specification: FOR R05\_AG1070CG\_PRODUCT:

IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1  
AND R05\_AG1945CG = 1 AND R05\_AG1048CG\_BRAND != 9995, -8, -7.

This variable has 1,677 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32619	95.1 %	
<b>Total</b>		<b>32,632</b>	<b>95.1%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 3936-3941 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AG1051CG\_NN: How long smoked regular brand of cigarillo - Number

About how long [did you smoke/have you been smoking] your regular brand of Cigarillo?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have a regular brand of cigarillos.

ASK Specification: FOR R05\_AG1051CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1047CG = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AG1051[TC/CG/FC]\_UN = Days; the value "2" refers to

R05\_AG1051CG\_UN = Months; the value "3" refers to R05\_AG1051CG\_UN = Years.

This variable has 1,535 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	26	0.1 %	
-7	-7 = Refused	6	0.0 %	
-5	-5 = Improbable response removed	3	0.0 %	
-1	-1 = Inapplicable	32738	95.4 %	
<b>Total</b>		<b>32,774</b>	<b>95.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3942-3947 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AG1051CG\_UN: How long smoked regular brand of cigarillo - Unit

About how long [did you smoke/have you been smoking] your regular brand of Cigarillo?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and have a regular brand of cigarillos.

ASK Specification: FOR R05\_AG1051CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG1047CG = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AG1051[TC/CG/FC]\_UN = Days; the value "2" refers to R05\_AG1051CG\_UN = Months; the value "3" refers to R05\_AG1051CG\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	226	0.7 %
2	2 = Months	307	0.9 %
3	3 = Years	1005	2.9 %
<b>Total</b>		<b>1,538</b>	<b>4.5%</b>

This variable has 1,538 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32770	95.5 %	
<b>Total</b>		<b>32,771</b>	<b>95.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3948-3953 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG0104CG: Brand of very last cigarillo smoked is same as brand regularly/last smoked

You said earlier that you smoked a Cigarillo [TIME OF LAST USE].

Think about the very last Cigarillo you smoked.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and last smoked a cigarillo in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of cigarillos they usually smoke or last smoked, and selected a brand and subbrand of cigarillos.

ASK Specification: FOR R05\_AG0104CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND  
R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_AG0100CG = 1, 2, 3, 4 AND  
R05\_AG1945CG = 1 AND R05\_AG1048CG\_BRAND != 9995, -8, -7 AND  
R05\_AG1070CG\_PRODUCT != 99990, 99995, -8, -7.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	393	1.1 %
2	2 = No	67	0.2 %
	<b>Total</b>	<b>460</b>	<b>1.3%</b>

This variable has 460 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	29	0.1 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33818	98.6 %	
<b>Total</b>		<b>33,849</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 3954-3959 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1060CG\_RANDOM\_01: AG1060CG series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060CG through R05\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31455	91.7 %
-97777	-	1	0.0 %
R05_AG1060CG	-	426	1.2 %
R05_AG1062CG	-	381	1.1 %
R05_AG1063CG	-	384	1.1 %
R05_AG1064CG	-	230	0.7 %
R05_AG1066CG	-	389	1.1 %
R05_AG1075CG	-	394	1.1 %
R05_AG1077CG	-	242	0.7 %
R05_AG1085CG	-	407	1.2 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3960-3971 (width: 12; decimal: 0)

*Variable Type:* character

---

## R05\_AG1060CG\_RANDOM\_02: AG1060CG series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060CG through R05\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31455	91.7 %
-97777	-	1	0.0 %

Value	Label	Unweighted Frequency	%
R05_AG1060CG	-	388	1.1 %
R05_AG1062CG	-	445	1.3 %
R05_AG1063CG	-	400	1.2 %
R05_AG1064CG	-	231	0.7 %
R05_AG1066CG	-	426	1.2 %
R05_AG1075CG	-	372	1.1 %
R05_AG1077CG	-	197	0.6 %
R05_AG1085CG	-	394	1.1 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3972-3983 (width: 12; decimal: 0)

*Variable Type:* character

### **R05\_AG1060CG\_RANDOM\_03: AG1060CG series random question 3**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060CG through R05\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31455	91.7 %
-97777	-	1	0.0 %
R05_AG1060CG	-	420	1.2 %
R05_AG1062CG	-	396	1.2 %
R05_AG1063CG	-	405	1.2 %
R05_AG1064CG	-	236	0.7 %
R05_AG1066CG	-	390	1.1 %
R05_AG1075CG	-	394	1.1 %
R05_AG1077CG	-	209	0.6 %
R05_AG1085CG	-	403	1.2 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3984-3995 (width: 12; decimal: 0)

*Variable Type:* character

### **R05\_AG1060CG\_RANDOM\_04: AG1060CG series random question 4**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060CG through R05\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31455	91.7 %
-97777	-	1	0.0 %
R05_AG1060CG	-	394	1.1 %
R05_AG1062CG	-	409	1.2 %
R05_AG1063CG	-	394	1.1 %
R05_AG1064CG	-	249	0.7 %
R05_AG1066CG	-	396	1.2 %
R05_AG1075CG	-	382	1.1 %
R05_AG1077CG	-	244	0.7 %
R05_AG1085CG	-	385	1.1 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 3996-4007 (width: 12; decimal: 0)

*Variable Type:* character

---

## R05\_AG1060CG\_RANDOM\_05: AG1060CG series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060CG through R05\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31455	91.7 %
-97777	-	1	0.0 %
R05_AG1060CG	-	365	1.1 %
R05_AG1062CG	-	385	1.1 %
R05_AG1063CG	-	411	1.2 %
R05_AG1064CG	-	249	0.7 %
R05_AG1066CG	-	390	1.1 %

Value	Label	Unweighted Frequency	%
R05_AG1075CG	-	410	1.2 %
R05_AG1077CG	-	241	0.7 %
R05_AG1085CG	-	402	1.2 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4008-4019 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060CG\_RANDOM\_06: AG1060CG series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060CG through R05\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	31455	91.7 %
-97777	-	1	0.0 %
R05_AG1060CG	-	390	1.1 %
R05_AG1062CG	-	360	1.0 %
R05_AG1063CG	-	388	1.1 %
R05_AG1064CG	-	226	0.7 %
R05_AG1066CG	-	402	1.2 %
R05_AG1075CG	-	432	1.3 %
R05_AG1077CG	-	252	0.7 %
R05_AG1085CG	-	403	1.2 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4020-4031 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060CG\_RANDOM\_07: AG1060CG series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060CG through R05\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order

[these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32453	94.6 %
-9	-	2	0.0 %
-97777	-	1	0.0 %
R05_AG1060CG	-	213	0.6 %
R05_AG1062CG	-	235	0.7 %
R05_AG1063CG	-	246	0.7 %
R05_AG1064CG	-	212	0.6 %
R05_AG1066CG	-	239	0.7 %
R05_AG1075CG	-	242	0.7 %
R05_AG1077CG	-	227	0.7 %
R05_AG1085CG	-	239	0.7 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4032-4043 (width: 12; decimal: 0)

*Variable Type:* character

---

## **R05\_AG1060CG\_RANDOM\_08: AG1060CG series random question 8**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060CG through R05\_AG1066CG) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32453	94.6 %
-97777	-	1	0.0 %
R05_AG1060CG	-	257	0.7 %
R05_AG1062CG	-	242	0.7 %
R05_AG1063CG	-	225	0.7 %
R05_AG1064CG	-	220	0.6 %
R05_AG1066CG	-	221	0.6 %
R05_AG1075CG	-	227	0.7 %
R05_AG1077CG	-	243	0.7 %
R05_AG1085CG	-	220	0.6 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4044-4055 (width: 12; decimal: 0)

*Variable Type:* character

---

## R05\_AG1060CG: Smoke/smoked cigarillos because: They are/were affordable

The next questions are about the reasons people smoke Cigarillos.

Please select which reasons [apply to you/applied to you when you used to smoke Cigarillos].

I [smoke/smoked] Cigarillos because...

They [are/were] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1060CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1746	5.1 %
2	2 = No	1091	3.2 %
	<b>Total</b>	<b>2,837</b>	<b>8.3%</b>

This variable has 2,837 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	31455	91.7 %
	<b>Total</b>	<b>31,472</b>	<b>91.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4056-4061 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AG1085CG: Smoke/smoked cigarillos because: Can/could smoked them in places where smoking cigarettes is/was not allowed

Please select which reasons [apply to you/applied to you when you used to smoke Cigarillos].

I [smoke/smoked] Cigarillos because...

I [can/could] smoke Cigarillos at times when or in places where smoking cigarettes

[isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1085CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	304	0.9 %
2	2 = No	2526	7.4 %
	<b>Total</b>	<b>2,830</b>	<b>8.2%</b>

This variable has 2,830 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	31455	91.7 %
	<b>Total</b>	<b>31,479</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4062-4067 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1062CG: Smoke/smoked cigarillos because: They might be/have been less harmful than cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Cigarillos].

I [smoke/smoked] Cigarillos because...

They might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1062CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	539	1.6 %
2	2 = No	2291	6.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,830</b>	<b>8.2%</b>

This variable has 2,830 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	31455	91.7 %
	<b>Total</b>	<b>31,479</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4068-4073 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1075CG: Smoke/smoked cigarillos because: They might be/have been less harmful to people around me than smoking cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Cigarillos].

I [smoke/smoked] Cigarillos because...

They might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1075CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	406	1.2 %
2	2 = No	2427	7.1 %
	<b>Total</b>	<b>2,833</b>	<b>8.3%</b>

This variable has 2,833 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	31455	91.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>31,476</b>	<b>91.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4074-4079 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1063CG: Smoke/smoked cigarillos because: They come/came in flavors I like/liked

Please select which reasons [apply to you/applied to you when you used to smoke Cigarillos].

I [smoke/smoked] Cigarillos because...

Cigarillos [come/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1063CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1630	4.8 %
2	2 = No	1199	3.5 %
	<b>Total</b>	<b>2,829</b>	<b>8.2%</b>

This variable has 2,829 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	31455	91.7 %
	<b>Total</b>	<b>31,480</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4080-4085 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1064CG: Smoke/smoked cigarillos because: Smoking them helps people to quit smoking cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Cigarillos].

I [smoke/smoked] Cigarillos because...

Smoking Cigarillos helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1064CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	280	0.8 %
2	2 = No	1559	4.5 %
	<b>Total</b>	<b>1,839</b>	<b>5.4%</b>

This variable has 1,839 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32453	94.6 %
	<b>Total</b>	<b>32,470</b>	<b>94.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4086-4091 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1066CG: Smoke/smoked cigarillos because: Smoking them feels/felt like smoking a regular cigarette

Please select which reasons [apply to you/applied to you when you used to smoke Cigarillos].

I [smoke/smoked] Cigarillos because...

Smoking a Cigarillo [feels/felt] like smoking a regular cigarette.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1066CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

NOTES: SKIP ERROR: R05\_AG1066CG: This item was skipped incorrectly by some respondents who were ever users of cigarettes (R05\_EVER\_NEVER\_CIGS = 1) and were current established, current experimental, recent former established, or non-current 30-day cigarillo

smokers (R05\_GRILLO\_USER\_STATUS = 1, 2, 4) and were not past 12 month blunt-only cigarillo smokers (R05\_12MBLUNT\_ONLY\_BRILLO != 1). This issue was fixed in a field update on 1/24/2019.

Value	Label	Unweighted Frequency	%
1	1 = Yes	636	1.9 %
2	2 = No	2193	6.4 %
	<b>Total</b>	<b>2,829</b>	<b>8.2%</b>

This variable has 2,829 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	31455	91.7 %
	<b>Total</b>	<b>31,480</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4092-4097 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1077CG: Smoke/smoked cigarillos because: Smoking them satisfies cravings for cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Cigarillos].

I [smoke/smoked] Cigarillos because...

Smoking Cigarillos [satisfies/satisfied] my cravings for cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1077CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	774	2.3 %
2	2 = No	1055	3.1 %
	<b>Total</b>	<b>1,829</b>	<b>5.3%</b>

This variable has 1,829 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	12	0.0 %	
-1	-1 = Inapplicable	32453	94.6 %	
<b>Total</b>		<b>32,480</b>	<b>94.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4098-4103 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1080CG: Smoke/smoked cigarillos as a way of cutting down on cigarette smoking

[Do/Did] you smoke Cigarillos as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and are current established or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1080CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	350	1.0 %
2	2 = No	1270	3.7 %
<b>Total</b>		<b>1,620</b>	<b>4.7%</b>

This variable has 1,620 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32682	95.3 %	
<b>Total</b>		<b>32,689</b>	<b>95.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4104-4109 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1082CG: Smoke/smoked cigarillos as a way to quit smoking cigarettes

[Are/Did] you [smoking/smoke] Cigarillos as a way to quit smoking cigarettes?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers and are current established or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1082CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1 AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	253	0.7 %
2	2 = No	1368	4.0 %
	<b>Total</b>	<b>1,621</b>	<b>4.7%</b>

This variable has 1,621 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32682	95.3 %
	<b>Total</b>	<b>32,688</b>	<b>95.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4110-4115 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1139CG: Level of agreement: It is/was easier to talk and get along with other people when smoking a cigarillo

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a Cigarillo.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1139CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1807	5.3 %

Value	Label	Unweighted Frequency	%
2	2 = 2 on a scale of 1 to 4	537	1.6 %
3	3 = 3 on a scale of 1 to 4	303	0.9 %
4	4 = Very true of me	180	0.5 %
	<b>Total</b>	<b>2,827</b>	<b>8.2%</b>

This variable has 2,827 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	13	0.0 %	
-7	-7 = Refused	13	0.0 %	
-1	-1 = Inapplicable	31455	91.7 %	
	<b>Total</b>	<b>31,482</b>	<b>91.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4116-4121 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1140CG: Level of agreement: Feel/felt more confident with other people while smoking a cigarillo

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While smoking a Cigarillo, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1140CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1961	5.7 %
2	2 = 2 on a scale of 1 to 4	477	1.4 %
3	3 = 3 on a scale of 1 to 4	256	0.7 %
4	4 = Very true of me	136	0.4 %
	<b>Total</b>	<b>2,830</b>	<b>8.2%</b>

This variable has 2,830 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	31455	91.7 %
<b>Total</b>		<b>31,479</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4122-4127 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1141CG: Level of agreement: Smoke/smoked cigarillos much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] Cigarillos much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day cigarillo smokers and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: FOR R05\_AG1141CG: IF (R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GRILLO = 1) AND R05\_12MBLUNT\_ONLY\_BRILLO != 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Not true of me at all	1526	4.4 %
2	2 = 2 on a scale of 1 to 4	508	1.5 %
3	3 = 3 on a scale of 1 to 4	437	1.3 %
4	4 = Very true of me	357	1.0 %
<b>Total</b>		<b>2,828</b>	<b>8.2%</b>

This variable has 2,828 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	31455	91.7 %
<b>Total</b>		<b>31,481</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4128-4133 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1005FC: Number of filtered cigars smoked in entire life

How many Filtered Cigars have you smoked in your entire life?

ASK: Adult respondents who have ever smoked filtered cigars and are not past 12 month blunt-only filtered cigar smokers and had not smoked 100 or more filtered cigars as of their last completed interview.

ASK Specification: FOR R05\_AG1005FC: IF R05\_EVER\_NEVER\_GFILTR = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_NUMLIFE\_GFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	2169	6.3 %
2	2 = 1 to 10	1357	4.0 %
3	3 = 11 to 20	559	1.6 %
4	4 = 21 to 50	528	1.5 %
5	5 = 51 to 99	191	0.6 %
6	6 = 100 or more	265	0.8 %
<b>Total</b>		<b>5,069</b>	<b>14.8%</b>

This variable has 5,069 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	17	0.0 %	
-8	-8 = Don't know	180	0.5 %	
-7	-7 = Refused	84	0.2 %	
-1	-1 = Inapplicable	28958	84.4 %	
<b>Total</b>		<b>29,240</b>	<b>85.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4134-4139 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1100FC: Ever smoked filtered cigars fairly regularly

Have you ever smoked Filtered Cigars fairly regularly?

ASK: Adult respondents who have ever smoked filtered cigars and are not past 12 month blunt-only filtered cigar smokers and had not reported ever smoking filtered cigars fairly regularly as of their last completed interview.

ASK Specification: FOR R05\_AG1100FC: IF R05\_EVER\_NEVER\_GFILTR = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R04\_REGUSE\_GFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	357	1.0 %
2	2 = No	4689	13.7 %
	<b>Total</b>	<b>5,046</b>	<b>14.7%</b>

This variable has 5,046 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	10	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	29237	85.2 %
	<b>Total</b>	<b>29,263</b>	<b>85.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4140-4145 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05R\_A\_AG1007FC\_NB: DERIVED - Age group when you first started smoking filtered cigars fairly regularly (6 levels)

Long Description: How old were you when you first started smoking filtered cigars fairly regularly?

Algorithm: if (0 <= R05\_AG1007FC\_NB < 18) or R05\_AG1121FC\_NB = 1 then  
 R05R\_A\_AG1007FC\_NB = 1; else if (18 <= R05\_AG1007FC\_NB <= 24) or  
 R05\_AG1121FC\_NB = 2 then R05R\_A\_AG1007FC\_NB = 2; else if  
 (25 <= R05\_AG1007FC\_NB <= 34) or R05\_AG1121FC\_NB = 3 then  
 R05R\_A\_AG1007FC\_NB = 3; else if (35 <= R05\_AG1007FC\_NB <= 44) or  
 R05\_AG1121FC\_NB = 4 then R05R\_A\_AG1007FC\_NB = 4; else if  
 (45 <= R05\_AG1007FC\_NB <= 54) or R05\_AG1121FC\_NB = 5 then  
 R05R\_A\_AG1007FC\_NB = 5; else if (R05\_AG1007FC\_NB => 55) or  
 R05\_AG1121FC\_NB = 6 then R05R\_A\_AG1007FC\_NB = 6; else if  
 R05\_AG1007FC\_NB = -9 or R05\_AG1121FC\_NB = -9 then  
 R05R\_A\_AG1007FC\_NB = -99999; else if R05\_AG1007FC\_NB = -8 or  
 R05\_AG1121FC\_NB = -8 then R05R\_A\_AG1007FC\_NB = -99988;  
 else if R05\_AG1007FC\_NB = -7 or R05\_AG1121FC\_NB = -7 then  
 R05R\_A\_AG1007FC\_NB = -99977; else if R05\_AG1007FC\_NB = -5 then  
 R05R\_A\_AG1007FC\_NB = -99955; else if R05\_AG1007FC\_NB = -1 or  
 R05\_AG1121FC\_NB = -1 then R05R\_A\_AG1007FC\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	20	0.1 %
2	2 = 18 to 24 years old	10	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>30</b>	<b>0.1%</b>

This variable has 30 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34278	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,279</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4146-4151 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_AG1020FC\_NB: DERIVED - Age group when you first started smoking filtered cigars every day (6 levels)

Long Description: How old were you when you first started smoking filtered cigars every day?

```
Algorithm: if (0 <= R05_AGG1020FC_NB < 18) or R05_AGG1122FC_NB = 1 then
R05R_A_AG1020FC_NB = 1; else if (18 <= R05_AGG1020FC_NB <= 24) or
R05_AGG1122FC_NB = 2 then R05R_A_AG1020FC_NB = 2; else if
(25 <= R05_AGG1020FC_NB <= 34) or R05_AGG1122FC_NB = 3 then
R05R_A_AG1020FC_NB = 3; else if (35 <= R05_AGG1020FC_NB <= 44) or
R05_AGG1122FC_NB = 4 then R05R_A_AG1020FC_NB = 4; else if
(45 <= R05_AGG1020FC_NB <= 54) or R05_AGG1122FC_NB = 5 then
R05R_A_AG1020FC_NB = 5; else if (R05_AGG1020FC_NB >= 55) or
R05_AGG1122FC_NB = 6 then R05R_A_AG1020FC_NB = 6; else if
R05_AGG1020FC_NB = -9 or R05_AGG1122FC_NB = -9 then
R05R_A_AG1020FC_NB = -99999; else if R05_AGG1020FC_NB = -8 or
R05_AGG1122FC_NB = -8 then R05R_A_AG1020FC_NB = -99988;
else if R05_AGG1020FC_NB = -7 or R05_AGG1122FC_NB = -7 then
R05R_A_AG1020FC_NB = -99977; else if R05_AGG1020FC_NB = -5 then
```

R05R\_A\_AG1020FC\_NB = -99955; else if R05\_AG1020FC\_NB = -1 or  
 R05\_AG1122FC\_NB = -1 then R05R\_A\_AG1020FC\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	2	0.0 %
2	2 = 18 to 24 years old	1	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>3</b>	<b>0.0%</b>

This variable has 3 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34304	100.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,306</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4152-4157 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05\_AG1008FC: When first started smoking filtered cigars, smoked filtered cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking Filtered Cigars, did you smoke Filtered Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

ASK: Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1008FC: IF R05\_INIT\_GFILTR\_ADULT = 1 AND  
 R05\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	240	0.7 %
2	2 = No	417	1.2 %
3	3 = I don't know	121	0.4 %
	<b>Total</b>	<b>778</b>	<b>2.3%</b>

This variable has 778 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33521	97.7 %
	<b>Total</b>	<b>33,531</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4158-4163 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1011FC\_01: Flavor of filtered cigar when first started smoking: Menthol or mint

When you first started smoking Filtered Cigars, did you smoke Filtered Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: FOR R05\_AG1011FC: IF R05\_INIT\_GFILTR\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	82	0.2 %
2	2 = Not Marked	155	0.5 %
	<b>Total</b>	<b>237</b>	<b>0.7%</b>

This variable has 237 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34068	99.3 %	
	<b>Total</b>	<b>34,072</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4164-4169 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1011FC\_02: Flavor of filtered cigar when first started smoking: Clove or spice

When you first started smoking Filtered Cigars, did you smoke Filtered Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Clove or Spice

ASK: Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: FOR R05\_AG1011FC: IF R05\_INIT\_GFILTR\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	40	0.1 %
2	2 = Not Marked	197	0.6 %
	<b>Total</b>	<b>237</b>	<b>0.7%</b>

This variable has 237 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34068	99.3 %	
	<b>Total</b>	<b>34,072</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4170-4175 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG1011FC\_03: Flavor of filtered cigar when first started smoking: Fruit

When you first started smoking Filtered Cigars, did you smoke Filtered Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first traditional filtered cigar was flavored.

ASK Specification: FOR R05\_AG1011FC: IF R05\_INIT\_GFILTR\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	101	0.3 %
2	2 = Not Marked	136	0.4 %
	<b>Total</b>	<b>237</b>	<b>0.7%</b>

This variable has 237 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34068	99.3 %
	<b>Total</b>	<b>34,072</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4176-4181 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AG1011FC\_04: Flavor of filtered cigar when first started smoking: Chocolate

When you first started smoking Filtered Cigars, did you smoke Filtered Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: FOR R05\_AG1011FC: IF R05\_INIT\_GFILTR\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.1 %
2	2 = Not Marked	212	0.6 %
	<b>Total</b>	<b>237</b>	<b>0.7%</b>

This variable has 237 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34068	99.3 %
	<b>Total</b>	<b>34,072</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4182-4187 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1011FC\_05: Flavor of filtered cigar when first started smoking: An alcoholic drink

When you first started smoking Filtered Cigars, did you smoke Filtered Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: FOR R05\_AG1011FC: IF R05\_INIT\_GFILTR\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.0 %
2	2 = Not Marked	220	0.6 %
	<b>Total</b>	<b>237</b>	<b>0.7%</b>

This variable has 237 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34068	99.3 %
<b>Total</b>		<b>34,072</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4188-4193 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1011FC\_06: Flavor of filtered cigar when first started smoking: Candy or other sweets

When you first started smoking Filtered Cigars, did you smoke Filtered Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: FOR R05\_AG1011FC: IF R05\_INIT\_GFILTR\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	54	0.2 %
2	2 = Not Marked	183	0.5 %
<b>Total</b>		<b>237</b>	<b>0.7%</b>

This variable has 237 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34068	99.3 %
<b>Total</b>		<b>34,072</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4194-4199 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1011FC\_07: Flavor of filtered cigar when first started smoking: Some other flavor

When you first started smoking Filtered Cigars, did you smoke Filtered Cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: FOR R05\_AG1011FC: IF R05\_INIT\_GFILTR\_ADULT = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1008FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	233	0.7 %
	<b>Total</b>	<b>237</b>	<b>0.7%</b>

This variable has 237 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34068	99.3 %
	<b>Total</b>	<b>34,072</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4200-4205 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1021FC: Average number of filtered cigars now smoked each day

On average, about how many Filtered Cigars do you now smoke each day?

\_\_ Filtered Cigars per day

[IF Less than 1 each day (-2), Don't Know (-8), or Refused (-7); GO TO R05\_AG1024FC]

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1021FC: IF R05\_CURRENT\_GFILTR\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 174 valid cases out of 34,309 total cases.

- Mean: 10.18
- Median: 9.50
- Minimum: -2.00
- Maximum: 89.00
- Standard Deviation: 9.64

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34134	99.5 %
<b>Total</b>		<b>34,135</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4206-4211 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1022FC: In past 30 days, number of days smoked filtered cigars

On how many of the past 30 days did you smoke Filtered Cigars?

\_\_ Days

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1022FC: IF (R05\_CURRENT\_GFILTR\_USE = 2  
OR R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Range check: 0-30 days. ]

This variable has 928 valid cases out of 34,309 total cases.

- Mean: 4.05
- Median: 1.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.40

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	6	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33366	97.3 %
<b>Total</b>		<b>33,381</b>	<b>97.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4212-4217 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG9029FC\_NN: Time since last smoked filtered cigars - Number (Some day or current experimental smokers)

About how long has it been since you last smoked Filtered Cigars?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR30]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AG9029FC: IF (R05\_CURRENT\_GFILTR\_USE = 2  
OR R05\_GFILTR\_USER\_STATUS = 2) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND  
R05\_AG1022FC = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AG9029FC\_UN = Days;  
the value "2" refers to R05\_AG9029FC\_UN = Months;  
the value "3" refers to R05\_AG9029FC\_UN = Years.

This variable has 165 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	47	0.1 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	34091	99.4 %
	<b>Total</b>	<b>34,144</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4218-4223 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AG9029FC\_UN: Time since last smoked filtered cigars - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked Filtered Cigars?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR30]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05\_AG9029FC: IF (R05\_CURRENT\_GFILTR\_USE = 2  
OR R05\_GFILTR\_USER\_STATUS = 2) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND  
R05\_AG1022FC = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers to R05\_AG9029FC\_UN = Days;  
the value "2" refers to R05\_AG9029FC\_UN = Months;  
the value "3" refers to R05\_AG9029FC\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	39	0.1 %
2	2 = Months	100	0.3 %
3	3 = Years	73	0.2 %
<b>Total</b>		<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4224-4229 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1023FC: In past 30 days, average number of filtered cigars smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R05\_AG1022 days/days you smoked], how many Filtered Cigars did you usually smoke each day?

\_\_ Filtered Cigars

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AGR30]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AG1023FC: IF (R05\_CURRENT\_GFILTR\_USE = 2  
OR R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 502 valid cases out of 34,309 total cases.

- Mean: 2.68
- Median: 1.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 85.00
- Standard Deviation: 7.06

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	6	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33795	98.5 %	
	<b>Total</b>	<b>33,807</b>	<b>98.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4230-4235 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1024FC\_NN: Time to first filtered cigar after waking on days smoked - Number (current smokers)

[On the days that you smoke Filtered Cigars, how/How] soon after you wake up do you typically smoke your first Filtered Cigar of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092FC]

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1024FC: IF R05\_GFILTR\_USER\_STATUS = 1, 2  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AG1024FC\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024FC\_UN = Hours after waking.

This variable has 726 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	13	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	33559	97.8 %
<b>Total</b>		<b>33,583</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4236-4241 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1024FC\_UN: Time to first filtered cigar after waking on days smoked - Unit (current smokers)

[On the days that you smoke Filtered Cigars, how/How] soon after you wake up do you typically smoke your first Filtered Cigar of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092FC]

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1024FC: IF R05\_GFILTR\_USER\_STATUS = 1, 2  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AG1024FC\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024FC\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	308	0.9 %
2	2 = Hours after waking	419	1.2 %
	<b>Total</b>	<b>727</b>	<b>2.1%</b>

This variable has 727 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33581	97.9 %	
	<b>Total</b>	<b>33,582</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4242-4247 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1092FC: Smoke first filtered cigar of the day within 30 minutes after waking (current smokers)

[On the days that you smoke Filtered Cigars, would/Would] you say you smoke your first Filtered Cigar of the day within the first 30 minutes after you wake up?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_AGR34]

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first filtered cigar.

ASK Specification: FOR R05\_AG1092FC: IF R05\_GFILTR\_USER\_STATUS = 1, 2  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1024FC\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	14	0.0 %
3	3 = It varies	4	0.0 %
	<b>Total</b>	<b>18</b>	<b>0.1%</b>

This variable has 18 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34286	99.9 %
<b>Total</b>		<b>34,291</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4248-4253 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1024FC\_30D\_NN: Time to first filtered cigar after waking on days smoked - Number (non-current smokers)

On the days that you smoked Filtered Cigars, how soon after you woke up did you typically smoke your first Filtered Cigar of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092TC]

ASK: Adult respondents who are non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1024FC\_30D:  
IF R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1 AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AG1024FC\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024FC\_30D\_UN = Hours after waking.

This variable has 344 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	11	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33941	98.9 %
<b>Total</b>		<b>33,965</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4254-4259 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AG1024FC\_30D\_UN: Time to first filtered cigar after waking on days smoked - Unit (non-current smokers)

On the days that you smoked Filtered Cigars, how soon after you woke up did you typically smoke your first Filtered Cigar of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1092TC]

ASK: Adult respondents who are non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1024FC\_30D:  
IF R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1 AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AG1024FC\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AG1024FC\_30D\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	131	0.4 %
2	2 = Hours after waking	213	0.6 %
	<b>Total</b>	<b>344</b>	<b>1.0%</b>

This variable has 344 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33964	99.0 %
	<b>Total</b>	<b>33,965</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4260-4265 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AG1092FC\_30D: Smoked first filtered cigar of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked Filtered Cigars, would you say you smoked your first Filtered Cigar of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoked their first a filtered cigar.

ASK Specification: FOR R05\_AG1092FC\_30D:

IF R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1 AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1024FC\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	15	0.0 %
3	3 = It varies	0	0.0 %
<b>Total</b>		<b>16</b>	<b>0.0%</b>

This variable has 16 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	34285	99.9 %	
<b>Total</b>		<b>34,293</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4266-4271 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG0100FC: When last smoked a filtered cigar

When did you last smoke a Filtered Cigar?

[IF In the past hour (1); GO TO R05\_AG0103FC :

IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AG1130FC]

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AG0100FC: IF (R05\_CURRENT\_GFILTR\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R05\_CURRENT\_GFILTR\_USE = 2 OR  
R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	195	0.6 %
2	2 = Sometime today, but more than an hour ago	65	0.2 %
3	3 = Yesterday	86	0.3 %
4	4 = Day before yesterday	42	0.1 %
5	5 = Three or more days ago	287	0.8 %
	<b>Total</b>	<b>675</b>	<b>2.0%</b>

This variable has 675 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33621	98.0 %
	<b>Total</b>	<b>33,634</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4272-4277 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG0102FC: Time period of day when you last smoked a filtered cigar

When you last smoked a Filtered Cigar [FILL BASED ON R05\_AG0100FC], was it...

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05\_AG0102FC: IF (R05\_CURRENT\_GFILTR\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG0100FC = 2, 3, 4) OR ((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND R05\_AG0100FC = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	25	0.1 %
2	2 = After 6AM but before noon	54	0.2 %
3	3 = Between noon and 6PM	74	0.2 %
4	4 = After 6PM but before midnight	40	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>193</b>	<b>0.6%</b>

This variable has 193 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34115	99.4 %
	<b>Total</b>	<b>34,116</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4278-4283 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG0103FC: Number of filtered cigars smoked today/yesterday/day before yesterday

How many Filtered Cigars [have/did] you [smoked/smoke] [FILL BASED ON R05\_AG0100FC]? (If less than 1, enter 1.)

\_\_\_\_ Filtered Cigars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AG1130FC]

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05\_AG0103FC: IF (R05\_CURRENT\_GFILTR\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG0100FC = 1, 2, 3, 4) OR ((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND R05\_AG0100FC = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 387 valid cases out of 34,309 total cases.

- Mean: 4.89
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 350.00

- Standard Deviation: 18.17

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33920	98.9 %	
<b>Total</b>		<b>33,922</b>	<b>98.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4284-4289 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1130FC: In past 30 days, any of the filtered cigars smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the Filtered Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AG1030FC]

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05\_AG1130FC: IF (R05\_CURRENT\_GFILTR\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1) OR ((R05\_CURRENT\_GFILTR\_USE = 2 OR  
R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1)  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0).

Value	Label	Unweighted Frequency	%
1	1 = Yes	289	0.8 %
2	2 = No	326	1.0 %
3	3 = I don't know	68	0.2 %
<b>Total</b>		<b>683</b>	<b>2.0%</b>

This variable has 683 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	3	0.0 %	

Missing Data			
-1	-1 = Inapplicable	33621	98.0 %
	<b>Total</b>	<b>33,626</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4290-4295 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1131FC\_01: In past 30 days, filtered cigar flavor smoked: Menthol or mint

In the past 30 days, were any of the Filtered Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

**ASK:** Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only traditional filtered cigar smokers and smoked flavored filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars in the past 30 days.

**ASK Specification:** FOR R05\_AG1131FC: IF (R05\_CURRENT\_GFILTR\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1130FC = 1) OR ((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND R05\_AG1130FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	128	0.4 %
2	2 = Not Marked	158	0.5 %
	<b>Total</b>	<b>286</b>	<b>0.8%</b>

This variable has 286 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34019	99.2 %
	<b>Total</b>	<b>34,023</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4296-4301 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1131FC\_02: In past 30 days, filtered cigar flavor smoked: Clove or spice

In the past 30 days, were any of the Filtered Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only traditional filtered cigar smokers and smoked flavored filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131FC: IF (R05\_CURRENT\_GFILTR\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1130FC = 1) OR  
((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND  
R05\_AG1130FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	36	0.1 %
2	2 = Not Marked	250	0.7 %
	<b>Total</b>	<b>286</b>	<b>0.8%</b>

This variable has 286 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34019	99.2 %
	<b>Total</b>	<b>34,023</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4302-4307 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131FC\_03: In past 30 days, filtered cigar flavor smoked: Fruit

In the past 30 days, were any of the Filtered Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only traditional filtered cigar smokers and smoked flavored filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131FC: IF (R05\_CURRENT\_GFILTR\_USE = 1  
AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1130FC = 1) OR  
((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND  
R05\_AG1130FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	100	0.3 %
2	2 = Not Marked	186	0.5 %
	<b>Total</b>	<b>286</b>	<b>0.8%</b>

This variable has 286 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34019	99.2 %
	<b>Total</b>	<b>34,023</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4308-4313 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131FC\_04: In past 30 days, filtered cigar flavor smoked: Chocolate

In the past 30 days, were any of the Filtered Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only traditional filtered cigar smokers and smoked flavored filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131FC: IF (R05\_CURRENT\_GFILTR\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1130FC = 1) OR ((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND R05\_AG1130FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.0 %
2	2 = Not Marked	269	0.8 %
	<b>Total</b>	<b>286</b>	<b>0.8%</b>

This variable has 286 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34019	99.2 %
	<b>Total</b>	<b>34,023</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4314-4319 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1131FC\_05: In past 30 days, filtered cigar flavor smoked: An alcoholic drink

In the past 30 days, were any of the Filtered Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only traditional filtered cigar smokers and smoked flavored filtered cigars in the past

30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131FC: IF (R05\_CURRENT\_GFILTR\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1130FC = 1) OR ((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND R05\_AG1130FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.1 %
2	2 = Not Marked	258	0.8 %
	<b>Total</b>	<b>286</b>	<b>0.8%</b>

This variable has 286 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	34019	99.2 %	
	<b>Total</b>	<b>34,023</b>	<b>99.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4320-4325 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131FC\_06: In past 30 days, filtered cigar flavor smoked: Candy or other sweets

In the past 30 days, were any of the Filtered Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only traditional filtered cigar smokers and smoked flavored filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131FC: IF (R05\_CURRENT\_GFILTR\_USE = 1

AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1130FC = 1) OR  
 ((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
 R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND  
 R05\_AG1130FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	43	0.1 %
2	2 = Not Marked	243	0.7 %
	<b>Total</b>	<b>286</b>	<b>0.8%</b>

This variable has 286 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34019	99.2 %
	<b>Total</b>	<b>34,023</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4326-4331 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1131FC\_07: In past 30 days, filtered cigar flavor smoked: Some other flavor

In the past 30 days, were any of the Filtered Cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only traditional filtered cigar smokers and smoked flavored filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars in the past 30 days.

ASK Specification: FOR R05\_AG1131FC: IF (R05\_CURRENT\_GFILTR\_USE = 1  
 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1130FC = 1) OR  
 ((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
 R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND  
 R05\_AG1130FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	281	0.8 %
	<b>Total</b>	<b>286</b>	<b>0.8%</b>

This variable has 286 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34019	99.2 %
	<b>Total</b>	<b>34,023</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4332-4337 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1133FC: In past 30 days, flavor of filtered cigar smoked most often

In the past 30 days, which flavor of Filtered Cigars have you smoked most often?

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and smoked flavored filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: FOR R05\_AG1133FC: IF (R05\_CURRENT\_GFILTR\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1130FC = 1 AND (R05\_AG1131FC\_[01.../07] = 1 FOR 2 OR MORE FLAVORS OR R05\_AG1131FC\_[01.../07] = -8, -7)) OR ((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND R05\_AG1130FC = 1 AND (R05\_AG1131FC\_[01.../07] = 1 FOR 2 OR MORE FLAVORS OR R05\_AG1131FC\_[01.../07] = -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	20	0.1 %
2	2 = Clove or spice	5	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = Fruit	9	0.0 %
4	4 = Chocolate	1	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	7	0.0 %
6	6 = Candy or other sweets	2	0.0 %
7	7 = Some other flavor	0	0.0 %
	<b>Total</b>	<b>44</b>	<b>0.1%</b>

This variable has 44 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34263	99.9 %
	<b>Total</b>	<b>34,265</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4338-4343 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1030FC: How you usually buy/bought your filtered cigars

The next questions ask about your experience buying Filtered Cigars.

How [do/did] you usually buy Filtered Cigars for yourself?

[IF From the internet (2), or By telephone (3); GO TO R05\_AG1039FC :

IF I do not buy my own Filtered Cigars (4), Don't Know (-8), or Refused (-7); GO TO R05\_AG9040FC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1030FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	803	2.3 %
2	2 = From the internet	22	0.1 %
3	3 = By telephone	13	0.0 %
4	4 = I do not buy my own filtered cigars	253	0.7 %
	<b>Total</b>	<b>1,091</b>	<b>3.2%</b>

This variable has 1,091 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	33192	96.7 %
<b>Total</b>		<b>33,218</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4344-4349 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1147FC: How often smoked flavored filtered cigars on days smoked in past 30 days

On the days you smoked Filtered Cigars in the past 30 days, how often did you smoke flavored Filtered Cigars?

ASK: Adult respondents who are every day established filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and smoked flavored filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored filtered cigars in the past 30 days.

ASK Specification: FOR R05\_AG1147FC: IF (R05\_CURRENT\_GFILTR\_USE = 1 AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1130FC = 1) OR ((R05\_CURRENT\_GFILTR\_USE = 2 OR R05\_GFILTR\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1022FC != 0 AND R05\_AG1130FC = 1).

Value	Label	Unweighted Frequency	%
1	1 = All of the time	136	0.4 %
2	2 = Most of the time	44	0.1 %
3	3 = Sometimes	43	0.1 %
4	4 = Rarely	49	0.1 %
5	5 = Never	17	0.0 %
<b>Total</b>		<b>289</b>	<b>0.8%</b>

This variable has 289 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		34019	99.2 %
<b>Total</b>			<b>34,020</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4350-4355 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AG1032FC: Geographic area where you usually buy/bought your filtered cigars

[Do/Did] you usually buy Filtered Cigars...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars in person.

ASK Specification: FOR R05\_AG1032FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2

OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND

R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	785	2.3 %
2	2 = In another state	15	0.0 %
3	3 = Outside the US	1	0.0 %
<b>Total</b>		<b>801</b>	<b>2.3%</b>

This variable has 801 valid cases out of 34,309 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33505	97.7 %	
<b>Total</b>		<b>33,508</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4356-4361 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AG1033FC: Retail location where your filtered cigars are purchased most of the time

Where [do/did] you buy your Filtered Cigars most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigars smokers and are not past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars in person.

ASK Specification: FOR R05\_AG1033FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	33	0.1 %
2	2 = A convenience store or gas station	591	1.7 %
3	3 = A supermarket, grocery store, or drug store	38	0.1 %
4	4 = A warehouse club, such as Sam's or Costco	5	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	102	0.3 %
6	6 = A duty free shop or military commissary	1	0.0 %
7	7 = A bar, pub, restaurant or casino	1	0.0 %
8	8 = A friend or relative	3	0.0 %
9	9 = A swap meet or flea market	1	0.0 %
10	10 = A liquor store	22	0.1 %
11	11 = Somewhere else	3	0.0 %
<b>Total</b>		<b>800</b>	<b>2.3%</b>

This variable has 800 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33505	97.7 %
<b>Total</b>		<b>33,509</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4362-4367 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1039FC: Usually buy/bought filtered cigars by the box, pack or as singles

{Do you usually buy Filtered Cigars/Did you buy the last Filtered Cigars you smoked} by the box or pack, or as single Filtered Cigar[s]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars in person, from the internet, or by telephone.

ASK Specification: FOR R05\_AG1039FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2

OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1030FC = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	510	1.5 %
2	2 = Single filtered cigars	324	0.9 %
	<b>Total</b>	<b>834</b>	<b>2.4%</b>

This variable has 834 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33470	97.6 %	
	<b>Total</b>	<b>33,470</b>	<b>97.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4368-4373 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1040FC: Number of filtered cigars that come/came in box or pack usually buy/bought

How many Filtered Cigars [come/came] in the box or pack that you [usually buy/bought]?

\_\_\_\_ Filtered Cigars

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars in person, from the internet, or by telephone and usually buy filtered cigars by the box or pack.

ASK Specification: FOR R05\_AG1040FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1030FC = 1, 2, 3 AND  
R05\_AG1039FC = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 507 valid cases out of 34,309 total cases.

- Mean: 14.91
- Median: 20.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 14.83

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33798	98.5 %
<b>Total</b>		<b>33,802</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4374-4379 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AG1042FC\_D: Amount usually paid for a box or pack of filtered cigars - Dollars

[How much do you usually pay for a box or pack of Filtered Cigars/How much did you pay for the last box or pack of Filtered Cigars that you smoked?]

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AG9040FC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars in person, from the internet, or by telephone and usually buy filtered cigars by the box or pack.

ASK Specification: FOR R05\_AG1042FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1030FC = 1, 2, 3 AND  
R05\_AG1039FC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 504 valid cases out of 34,309 total cases.

- Mean: 4.94
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 130.00
- Standard Deviation: 9.33

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	33798	98.5 %
	<b>Total</b>	<b>33,805</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4380-4385 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1042FC\_C: Amount usually paid for a box or pack of filtered cigars - Cents

[How much do you usually pay for a box or pack of Filtered Cigars/How much did you pay for the last box or pack of Filtered Cigars that you smoked?]

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AG9040FC]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars in person, from the internet, or by telephone and usually buy filtered cigars by the box or pack.

ASK Specification: FOR R05\_AG1042FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1030FC = 1, 2, 3 AND  
R05\_AG1039FC = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 504 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33804	98.5 %
	<b>Total</b>	<b>33,805</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4386-4391 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AG1043FC\_D: Amount usually paid for a single filtered cigar - Dollars

[How much do you usually pay for a single Filtered Cigar/?How much did you pay for the single Filtered Cigar that you last smoked?]

\_\_\_ Dollars

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars in person, from the internet, or by telephone and usually buy single filtered cigars.

ASK Specification: FOR R05\_AG1043FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1030FC = 1, 2, 3 AND  
R05\_AG1039FC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 317 valid cases out of 34,309 total cases.

- Mean: 5.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 567.00
- Standard Deviation: 42.96

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33984	99.1 %
<b>Total</b>		<b>33,992</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4392-4397 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG1043FC\_C: Amount usually paid for a single filtered cigar - Cents

[How much do you usually pay for a single Filtered Cigar?/How much did you pay for the single Filtered Cigar that you last smoked?]

\_\_\_ Cents

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and usually buy their filtered cigars in person, from the internet, or by telephone and usually buy single filtered cigars.

ASK Specification: FOR R05\_AG1043FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1030FC = 1, 2, 3 AND

R05\_AG1039FC = 2.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 317 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33991	99.1 %
<b>Total</b>		<b>33,992</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4398-4403 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AG9040FC: Group in picture most like filtered cigar usually/last smoked

Please look at this picture. Which group is most like the Filtered Cigar you [usually smoke/last smoked]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG9040FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	78	0.2 %
2	2 = Group 2	410	1.2 %
3	3 = Group 3	187	0.5 %
4	4 = Group 4	740	2.2 %
<b>Total</b>		<b>1,415</b>	<b>4.1%</b>

This variable has 1,415 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	29	0.1 %	
-7	-7 = Refused	22	0.1 %	
-1	-1 = Inapplicable	32841	95.7 %	
<b>Total</b>		<b>32,894</b>	<b>95.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4404-4409 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1047FC: Have a regular brand of filtered cigars you usually smoke/smoked

[Do/Did] you have a regular brand of Filtered Cigars that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1047FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	703	2.0 %
2	2 = No	754	2.2 %
<b>Total</b>		<b>1,457</b>	<b>4.2%</b>

This variable has 1,457 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	32841	95.7 %	
<b>Total</b>		<b>32,852</b>	<b>95.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4410-4415 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1050FC: Regular/last brand of filtered cigars smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AG1945FC]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1050FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	622	1.8 %
2	2 = No	635	1.9 %
3	3 = I don't know	199	0.6 %
<b>Total</b>		<b>1,456</b>	<b>4.2%</b>

This variable has 1,456 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32841	95.7 %
<b>Total</b>		<b>32,853</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4416-4421 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AG1012FC\_01: Filtered cigar flavor usually/last smoked: Menthol or mint

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established,

or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2,  
4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	239	0.7 %
2	2 = Not Marked	382	1.1 %
	<b>Total</b>	<b>621</b>	<b>1.8%</b>

This variable has 621 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33686	98.2 %
	<b>Total</b>	<b>33,688</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4422-4427 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1012FC\_02: Filtered cigar flavor usually/last smoked: Clove or spice

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2,  
4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	75	0.2 %
2	2 = Not Marked	546	1.6 %
	<b>Total</b>	<b>621</b>	<b>1.8%</b>

This variable has 621 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33686	98.2 %
	<b>Total</b>	<b>33,688</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4428-4433 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1012FC\_03: Filtered cigar flavor usually/last smoked: Fruit

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	238	0.7 %
2	2 = Not Marked	383	1.1 %
	<b>Total</b>	<b>621</b>	<b>1.8%</b>

This variable has 621 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33686	98.2 %
	<b>Total</b>	<b>33,688</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4434-4439 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1012FC\_04: Filtered cigar flavor usually/last smoked: Chocolate

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	39	0.1 %
2	2 = Not Marked	582	1.7 %
	<b>Total</b>	<b>621</b>	<b>1.8%</b>

This variable has 621 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33686	98.2 %
	<b>Total</b>	<b>33,688</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4440-4445 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG1012FC\_05: Filtered cigar flavor usually/last smoked: An alcoholic drink

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2,  
4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	79	0.2 %
2	2 = Not Marked	542	1.6 %
	<b>Total</b>	<b>621</b>	<b>1.8%</b>

This variable has 621 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33686	98.2 %
	<b>Total</b>	<b>33,688</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4446-4451 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG1012FC\_06: Filtered cigar flavor usually/last smoked: Candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	113	0.3 %
2	2 = Not Marked	508	1.5 %
	<b>Total</b>	<b>621</b>	<b>1.8%</b>

This variable has 621 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33686	98.2 %
	<b>Total</b>	<b>33,688</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4452-4457 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1012FC\_07: Filtered cigar flavor usually/last smoked: Some other flavor

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers whose regular brand or last brand of filtered cigar smoked was flavored.

ASK Specification: FOR R05\_AG1012FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1050FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	609	1.8 %
	<b>Total</b>	<b>621</b>	<b>1.8%</b>

This variable has 621 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33686	98.2 %
	<b>Total</b>	<b>33,688</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4458-4463 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1945FC: Know the name of brand of filtered cigars usually/last smoked

Do you know the name of the brand of Filtered Cigars you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1945FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	789	2.3 %
2	2 = No	665	1.9 %
	<b>Total</b>	<b>1,454</b>	<b>4.2%</b>

This variable has 1,454 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32841	95.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>32,855</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4464-4469 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1048FC\_BRAND: Brand of filtered cigars usually/last smoked

What brand of Filtered Cigars [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

Brand

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and know the name of the brand of filtered cigars they usually smoke or last smoked.

ASK Specification: FOR R05\_AG1048FC\_BRAND:

IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND

R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 782 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33519	97.7 %	
	<b>Total</b>	<b>33,527</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4470-4475 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1070FC\_PRODUCT: Sub-brand of filtered cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and know the name of the brand of filtered cigars they usually smoke or last smoked and selected a brand of filtered cigars.

ASK Specification: FOR R05\_AG1070FC\_PRODUCT:

IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1  
AND R05\_AG1945FC = 1 AND R05\_AG1048FC\_BRAND != 9995, -8, -7.

This variable has 727 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33579	97.9 %	
<b>Total</b>		<b>33,582</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4476-4481 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1051FC\_NN: How long smoked regular brand of filtered cigar - Number

About how long [did you smoke/have you been smoking] your regular brand of Filtered Cigar?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have a regular brand of filtered cigars.

ASK Specification: FOR R05\_AG1051FC: IF (R05\_GFILTR\_USER\_STATUS = 1,  
2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1047FC = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AG1051[TC/CG/FC]\_UN = Days; the value "2" refers to R05\_AG1051FC\_UN = Months; the value "3" refers to R05\_AG1051FC\_UN = Years.

This variable has 693 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	

<b>Missing Data</b>				
-7	-7 = Refused		3	0.0 %
-5	-5 = Improbable response removed		2	0.0 %
-1	-1 = Inapplicable		33605	97.9 %
<b>Total</b>			<b>33,616</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4482-4487 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AG1051FC\_UN: How long smoked regular brand of filtered cigar - Unit

About how long [did you smoke/have you been smoking] your regular brand of Filtered Cigar?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and have a regular brand of filtered cigars.

ASK Specification: FOR R05\_AG1051FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG1047FC = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AG1051[TC/CG/FC]\_UN = Days; the value "2" refers to R05\_AG1051FC\_UN = Months; the value "3" refers to R05\_AG1051FC\_UN = Years.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Days	107	0.3 %
2	2 = Months	159	0.5 %
3	3 = Years	429	1.3 %
<b>Total</b>		<b>695</b>	<b>2.0%</b>

This variable has 695 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33613	98.0 %	
<b>Total</b>		<b>33,614</b>	<b>98.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4488-4493 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG0104FC: Brand of very last filtered cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a Filtered Cigar [TIME OF LAST USE].

Think about the very last Filtered Cigar you smoked.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and last smoked a filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of filtered cigars.

ASK Specification: FOR R05\_AG0104FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2  
OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND  
R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_AG0100FC = 1, 2, 3, 4 AND  
R05\_AG1945FC = 1 AND R05\_AG1048FC\_BRAND != 9995, -8, -7 AND  
R05\_AG1070FC\_PRODUCT != 99990, 99995, -8, -7.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	172	0.5 %
2	2 = No	14	0.0 %
	<b>Total</b>	<b>186</b>	<b>0.5%</b>

This variable has 186 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	7	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34115	99.4 %	
	<b>Total</b>	<b>34,123</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4494-4499 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1060FC\_RANDOM\_01: AG1060FC series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060FC through R05\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32843	95.7 %
-97777	-	1	0.0 %
R05_AG1060FC	-	183	0.5 %
R05_AG1062FC	-	215	0.6 %
R05_AG1063FC	-	197	0.6 %
R05_AG1064FC	-	170	0.5 %
R05_AG1066FC	-	195	0.6 %
R05_AG1075FC	-	188	0.5 %
R05_AG1077FC	-	148	0.4 %
R05_AG1085FC	-	169	0.5 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4500-4511 (*width:* 12; *decimal:* 0)

*Variable Type:* character

---

## **R05\_AG1060FC\_RANDOM\_02: AG1060FC series random question 2**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060FC through R05\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32843	95.7 %
-97777	-	1	0.0 %
R05_AG1060FC	-	187	0.5 %
R05_AG1062FC	-	190	0.6 %
R05_AG1063FC	-	203	0.6 %
R05_AG1064FC	-	140	0.4 %
R05_AG1066FC	-	199	0.6 %
R05_AG1075FC	-	184	0.5 %
R05_AG1077FC	-	144	0.4 %

Value	Label	Unweighted Frequency	%
R05_AG1085FC	-	218	0.6 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4512-4523 (width: 12; decimal: 0)

*Variable Type:* character

### **R05\_AG1060FC\_RANDOM\_03: AG1060FC series random question 3**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060FC through R05\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32843	95.7 %
-97777	-	1	0.0 %
R05_AG1060FC	-	185	0.5 %
R05_AG1062FC	-	211	0.6 %
R05_AG1063FC	-	197	0.6 %
R05_AG1064FC	-	142	0.4 %
R05_AG1066FC	-	180	0.5 %
R05_AG1075FC	-	178	0.5 %
R05_AG1077FC	-	148	0.4 %
R05_AG1085FC	-	224	0.7 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4524-4535 (width: 12; decimal: 0)

*Variable Type:* character

### **R05\_AG1060FC\_RANDOM\_04: AG1060FC series random question 4**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060FC through R05\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32843	95.7 %
-97777	-	1	0.0 %
R05_AG1060FC	-	213	0.6 %
R05_AG1062FC	-	178	0.5 %
R05_AG1063FC	-	187	0.5 %
R05_AG1064FC	-	151	0.4 %
R05_AG1066FC	-	233	0.7 %
R05_AG1075FC	-	182	0.5 %
R05_AG1077FC	-	134	0.4 %
R05_AG1085FC	-	187	0.5 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4536-4547 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060FC\_RANDOM\_05: AG1060FC series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060FC through R05\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32843	95.7 %
-97777	-	1	0.0 %
R05_AG1060FC	-	208	0.6 %
R05_AG1062FC	-	206	0.6 %
R05_AG1063FC	-	183	0.5 %
R05_AG1064FC	-	128	0.4 %
R05_AG1066FC	-	191	0.6 %
R05_AG1075FC	-	214	0.6 %
R05_AG1077FC	-	132	0.4 %
R05_AG1085FC	-	203	0.6 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4548-4559 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060FC\_RANDOM\_06: AG1060FC series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060FC through R05\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32843	95.7 %
-97777	-	1	0.0 %
R05_AG1060FC	-	185	0.5 %
R05_AG1062FC	-	184	0.5 %
R05_AG1063FC	-	196	0.6 %
R05_AG1064FC	-	161	0.5 %
R05_AG1066FC	-	197	0.6 %
R05_AG1075FC	-	219	0.6 %
R05_AG1077FC	-	140	0.4 %
R05_AG1085FC	-	183	0.5 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4560-4571 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060FC\_RANDOM\_07: AG1060FC series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060FC through R05\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33158	96.6 %
-97777	-	1	0.0 %
R05_AG1060FC	-	152	0.4 %
R05_AG1062FC	-	139	0.4 %
R05_AG1063FC	-	154	0.4 %
R05_AG1064FC	-	127	0.4 %

Value	Label	Unweighted Frequency	%
R05_AG1066FC	-	139	0.4 %
R05_AG1075FC	-	151	0.4 %
R05_AG1077FC	-	144	0.4 %
R05_AG1085FC	-	144	0.4 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4572-4583 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060FC\_RANDOM\_08: AG1060FC series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AG1060FC through R05\_AG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AGD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33158	96.6 %
-97777	-	1	0.0 %
R05_AG1060FC	-	152	0.4 %
R05_AG1062FC	-	142	0.4 %
R05_AG1063FC	-	148	0.4 %
R05_AG1064FC	-	131	0.4 %
R05_AG1066FC	-	131	0.4 %
R05_AG1075FC	-	149	0.4 %
R05_AG1077FC	-	160	0.5 %
R05_AG1085FC	-	137	0.4 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 4584-4595 (width: 12; decimal: 0)

*Variable Type:* character

## R05\_AG1060FC: Smoke/smoked filtered cigars because: They are/were affordable

The next questions are about the reasons people smoke Filtered Cigars.

Please select which reasons [apply to you/applied to you when you used to smoke Filtered Cigars].

I [smoke/smoked] Filtered Cigars because...

They [are/were] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1060FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	897	2.6 %
2	2 = No	552	1.6 %
	<b>Total</b>	<b>1,449</b>	<b>4.2%</b>

This variable has 1,449 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32841	95.7 %
	<b>Total</b>	<b>32,860</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4596-4601 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1085FC: Smoke/smoked filtered cigars because: Can/could smoke them in places where smoking cigarettes is/was not allowed

Please select which reasons [apply to you/applied to you when you used to smoke Filtered Cigars].

I [smoke/smoked] Filtered Cigars because...

I [can/could] smoke Filtered Cigars at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1085FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	193	0.6 %
2	2 = No	1262	3.7 %
	<b>Total</b>	<b>1,455</b>	<b>4.2%</b>

This variable has 1,455 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32841	95.7 %
	<b>Total</b>	<b>32,854</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4602-4607 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1062FC: Smoke/smoked filtered cigars because: They might be/have been less harmful than cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Filtered Cigars].

I [smoke/smoked] Filtered Cigars because...

They might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1062FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	273	0.8 %
2	2 = No	1176	3.4 %
	<b>Total</b>	<b>1,449</b>	<b>4.2%</b>

This variable has 1,449 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32841	95.7 %
<b>Total</b>		<b>32,860</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4608-4613 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1075FC: Smoke/smoked filtered cigars because: They might be/have been less harmful to people around me than smoking cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Filtered Cigars].

I [smoke/smoked] Filtered Cigars because...

They might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1075FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	258	0.8 %
2	2 = No	1193	3.5 %
<b>Total</b>		<b>1,451</b>	<b>4.2%</b>

This variable has 1,451 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32841	95.7 %
<b>Total</b>		<b>32,858</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4614-4619 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1063FC: Smoke/smoked filtered cigars because: They come/came in flavors I like/liked

Please select which reasons [apply to you/applied to you when you used to smoke Filtered Cigars].

I [smoke/smoked] Filtered Cigars because...

Filtered Cigars [come/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1063FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	772	2.3 %
2	2 = No	680	2.0 %
	<b>Total</b>	<b>1,452</b>	<b>4.2%</b>

This variable has 1,452 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32841	95.7 %
	<b>Total</b>	<b>32,857</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4620-4625 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG1064FC: Smoke/smoked filtered cigars because: Smoking them helps people to quit smoking cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Filtered Cigars].

I [smoke/smoked] Filtered Cigars because...

Smoking Filtered Cigars helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1064FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	201	0.6 %
2	2 = No	938	2.7 %
	<b>Total</b>	<b>1,139</b>	<b>3.3%</b>

This variable has 1,139 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	33156	96.6 %
	<b>Total</b>	<b>33,170</b>	<b>96.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4626-4631 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1066FC: Smoke/smoked filtered cigars because: Smoking them feels/felt like smoking a regular cigarette

Please select which reasons [apply to you/applied to you when you used to smoke Filtered Cigars].

I [smoke/smoked] Filtered Cigars because...

Smoking a Filtered Cigar [feels/felt] like smoking a regular cigarette.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1066FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: SKIP ERROR: R05\_AG1066FC: This item was skipped incorrectly by some respondents who were ever users of cigarettes (R05\_EVER\_NEVER\_CIGS = 1) and were current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers (R05\_GTRAD\_USER\_STATUS = 1, 2, 4 OR R05\_GRILLO\_USER\_STATUS = 1, 2, 4 OR R05\_GFILTR\_USER\_STATUS = 1, 2, 4) and were not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers (R05\_12MBLUNT\_ONLY\_BTRAD != 1 OR R05\_12MBLUNT\_ONLY\_BRILLO != 1 OR R05\_12MBLUNT\_ONLY\_BFILTR != 1). This issue was fixed in a field update on 1/24/2019.

Value	Label	Unweighted Frequency	%
1	1 = Yes	526	1.5 %
2	2 = No	926	2.7 %
	<b>Total</b>	<b>1,452</b>	<b>4.2%</b>

This variable has 1,452 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	2	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	32841	95.7 %	
	<b>Total</b>	<b>32,857</b>	<b>95.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4632-4637 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1077FC: Smoke/smoked filtered cigars because: Smoking them satisfies cravings for cigarettes

Please select which reasons [apply to you/applied to you when you used to smoke Filtered Cigars].

I [smoke/smoked] Filtered Cigars because...

Smoking Filtered Cigars [satisfies/satisfied] my cravings for cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1077FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	537	1.6 %
2	2 = No	602	1.8 %
	<b>Total</b>	<b>1,139</b>	<b>3.3%</b>

This variable has 1,139 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	33156	96.6 %
	<b>Total</b>	<b>33,170</b>	<b>96.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4638-4643 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1080FC: Smoke/smoked filtered cigars as a way of cutting down on cigarette smoking

[Do/Did] you smoke Filtered Cigars as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and are current established or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1080FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_CIG\_USER\_STATUS = 1, 4.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	209	0.6 %
2	2 = No	785	2.3 %
	<b>Total</b>	<b>994</b>	<b>2.9%</b>

This variable has 994 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %

Missing Data			
-1	-1 = Inapplicable	33308	97.1 %
	<b>Total</b>	<b>33,315</b>	<b>97.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4644-4649 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1082FC: Smoke/smoked filtered cigars as a way to quit smoking cigarettes

[Are/Did] you [smoking/smoke] Filtered Cigars as a way to quit smoking cigarettes?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers and are current established or recent former established cigarette smokers.

ASK Specification: FOR R05\_AG1082FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1 AND R05\_CIG\_USER\_STATUS = 1, 4.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	164	0.5 %
2	2 = No	830	2.4 %
	<b>Total</b>	<b>994</b>	<b>2.9%</b>

This variable has 994 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33308	97.1 %
	<b>Total</b>	<b>33,315</b>	<b>97.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4650-4655 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1139FC: Level of agreement: It is/was easier to talk and get along with other people when smoking a filtered cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a Filtered Cigar.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1139FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	937	2.7 %
2	2 = 2 on a scale of 1 to 4	266	0.8 %
3	3 = 3 on a scale of 1 to 4	152	0.4 %
4	4 = Very true of me	92	0.3 %
<b>Total</b>		<b>1,447</b>	<b>4.2%</b>

This variable has 1,447 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	32841	95.7 %
<b>Total</b>		<b>32,862</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4656-4661 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1140FC: Level of agreement: Feel/felt more confident with other people while smoking a filtered cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While smoking a Filtered Cigar, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1140FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1000	2.9 %
2	2 = 2 on a scale of 1 to 4	231	0.7 %
3	3 = 3 on a scale of 1 to 4	150	0.4 %
4	4 = Very true of me	65	0.2 %
	<b>Total</b>	<b>1,446</b>	<b>4.2%</b>

This variable has 1,446 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	32841	95.7 %
	<b>Total</b>	<b>32,863</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4662-4667 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AG1141FC: Level of agreement: Smoke/smoked filtered cigars much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] Filtered Cigars much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: FOR R05\_AG1141FC: IF (R05\_GFILTR\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_GFILTR = 1) AND R05\_12MBLUNT\_ONLY\_BFILTR != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	831	2.4 %
2	2 = 2 on a scale of 1 to 4	256	0.7 %
3	3 = 3 on a scale of 1 to 4	205	0.6 %

Value	Label	Unweighted Frequency	%
4	4 = Very true of me	153	0.4 %
	<b>Total</b>	<b>1,445</b>	<b>4.2%</b>

This variable has 1,445 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	32841	95.7 %
	<b>Total</b>	<b>32,864</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4668-4673 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1005: Number of bowls filled with pipe tobacco smoked in entire life

The next questions are about smoking tobacco in pipes.

Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco.

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

How many bowls filled with pipe tobacco have you smoked in your entire life?

ASK: Adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_PIPE = 1 AND R04\_NUMLIFE\_PIPE != 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	2001	5.8 %
2	2 = 1 to 10	1126	3.3 %
3	3 = 11 to 20	457	1.3 %
4	4 = 21 to 50	361	1.1 %
5	5 = 51 to 99	121	0.4 %
6	6 = 100 or more	107	0.3 %
	<b>Total</b>	<b>4,173</b>	<b>12.2%</b>

This variable has 4,173 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	184	0.5 %
-7	-7 = Refused	62	0.2 %
-1	-1 = Inapplicable	29889	87.1 %
<b>Total</b>		<b>30,136</b>	<b>87.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4674-4679 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1100: Ever smoked a pipe filled with tobacco fairly regularly

Have you ever smoked a pipe filled with tobacco fairly regularly?

ASK: Adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_PIPE = 1 AND R04\_REGUSE\_PIPE != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	201	0.6 %
2	2 = No	3845	11.2 %
<b>Total</b>		<b>4,046</b>	<b>11.8%</b>

This variable has 4,046 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30259	88.2 %
<b>Total</b>		<b>30,263</b>	<b>88.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4680-4685 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AP1007\_NB: DERIVED - Age group when you first started smoking a pipe filled with tobacco fairly regularly (6 levels)

Long Description: How old were you when you first started smoking a pipe filled with tobacco fairly

regularly?

```

Algorithm: if (0 <= R05_AP1007_NB < 18) or R05_AP1121_NB = 1 then
R05R_A_AP1007_NB = 1; else if (18 <= R05_AP1007_NB <= 24) or
R05_AP1121_NB = 2 then R05R_A_AP1007_NB = 2; else if
(25 <= R05_AP1007_NB <= 34) or R05_AP1121_NB = 3 then
R05R_A_AP1007_NB = 3; else if (35 <= R05_AP1007_NB <= 44) or
R05_AP1121_NB = 4 then R05R_A_AP1007_NB = 4; else if
(45 <= R05_AP1007_NB <= 54) or R05_AP1121_NB = 5 then
R05R_A_AP1007_NB = 5; else if ( R05_AP1007_NB => 55) or
R05_AP1121_NB = 6 then R05R_A_AP1007_NB = 6; else if
R05_AP1007_NB = -9 or R05_AP1121_NB = -9 then
R05R_A_AP1007_NB = -99999; else if R05_AP1007_NB = -8 or
R05_AP1121_NB = -8 then R05R_A_AP1007_NB = -99988; else if
R05_AP1007_NB = -7 or R05_AP1121_NB = -7 then R05R_A_AP1007_NB = -99977;
else if R05_AP1007_NB = -5 then R05R_A_AP1007_NB = -99955; else if
R05_AP1007_NB = -1 or R05_AP1121_NB = -1 then R05R_A_AP1007_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	17	0.0 %
2	2 = 18 to 24 years old	6	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>23</b>	<b>0.1%</b>

This variable has 23 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34284	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,286</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4686-4691 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_AP1020\_NB: DERIVED - Age group when you first started smoking a pipe filled with tobacco every day (6 levels)

Long Description: How old were you when you first started smoking a pipe filled with tobacco every day?

```
Algorithm: if (0 <= R05_AP1020_NB < 18) or R05_AP1122_NB = 1 then
R05R_A_AP1020_NB = 1; else if (18 <= R05_AP1020_NB <= 24) or
R05_AP1122_NB = 2 then R05R_A_AP1020_NB = 2; else if
(25 <= R05_AP1020_NB <= 34) or R05_AP1122_NB = 3 then R05R_A_AP1020_NB
= 3; else if (35 <= R05_AP1020_NB <= 44) or R05_AP1122_NB = 4 then
R05R_A_AP1020_NB = 4; else if (45 <= R05_AP1020_NB <= 54) or
R05_AP1122_NB = 5 then R05R_A_AP1020_NB = 5; else if
(R05_AP1020_NB => 55) or R05_AP1122_NB = 6 then R05R_A_AP1020_NB = 6;
else if R05_AP1020_NB = -9 or R05_AP1122_NB = -9 then
R05R_A_AP1020_NB = -99999; else if R05_AP1020_NB = -8 or R05_AP1122_NB
= -8 then R05R_A_AP1020_NB = -99988; else if R05_AP1020_NB = -7 or
R05_AP1122_NB = -7 then R05R_A_AP1020_NB = -99977; else if
R05_AP1020_NB = -5 then R05R_A_AP1020_NB = -99955; else if
R05_AP1020_NB = -1 or R05_AP1122_NB = -1 then R05R_A_AP1020_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	2	0.0 %
2	2 = 18 to 24 years old	1	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>3</b>	<b>0.0%</b>

This variable has 3 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34305	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,306</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4692-4697 (width: 6; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R05\_AP1008: When first started smoking a pipe, smoked a pipe with tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AP13]

ASK: Adult respondents who initiated pipe smoking since their last completed interview.

ASK Specification: IF R05\_INIT\_PIPE\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	82	0.2 %
2	2 = No	274	0.8 %
3	3 = I don't know	88	0.3 %
	<b>Total</b>	<b>444</b>	<b>1.3%</b>

This variable has 444 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33863	98.7 %
	<b>Total</b>	<b>33,863</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4698-4703 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AP1011\_01: Flavor of pipe tobacco when first started smoking: Menthol or mint

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored.

ASK Specification: IF R05\_INIT\_PIPE\_ADULT = 1 AND R05\_AP1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.1 %
2	2 = Not Marked	57	0.2 %
	<b>Total</b>	<b>80</b>	<b>0.2%</b>

This variable has 80 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34226	99.8 %
	<b>Total</b>	<b>34,229</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4704-4709 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1011\_02: Flavor of pipe tobacco when first started smoking: Clove or spice

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored.

ASK Specification: IF R05\_INIT\_PIPE\_ADULT = 1 AND R05\_AP1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	68	0.2 %
	<b>Total</b>	<b>80</b>	<b>0.2%</b>

This variable has 80 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34226	99.8 %
<b>Total</b>		<b>34,229</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4710-4715 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1011\_03: Flavor of pipe tobacco when first started smoking: Fruit

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored.

ASK Specification: IF R05\_INIT\_PIPE\_ADULT = 1 AND R05\_AP1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	35	0.1 %
2	2 = Not Marked	45	0.1 %
<b>Total</b>		<b>80</b>	<b>0.2%</b>

This variable has 80 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34226	99.8 %
<b>Total</b>		<b>34,229</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4716-4721 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AP1011\_04: Flavor of pipe tobacco when first started smoking: Chocolate

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored.

ASK Specification: IF R05\_INIT\_PIPE\_ADULT = 1 AND R05\_AP1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	67	0.2 %
	<b>Total</b>	<b>80</b>	<b>0.2%</b>

This variable has 80 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34226	99.8 %
	<b>Total</b>	<b>34,229</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4722-4727 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AP1011\_05: Flavor of pipe tobacco when first started smoking: An alcoholic drink

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored.

ASK Specification: IF R05\_INIT\_PIPE\_ADULT = 1 AND R05\_AP1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	74	0.2 %
	<b>Total</b>	<b>80</b>	<b>0.2%</b>

This variable has 80 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34226	99.8 %
	<b>Total</b>	<b>34,229</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4728-4733 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1011\_06: Flavor of pipe tobacco when first started smoking: Candy or other sweets

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored.

ASK Specification: IF R05\_INIT\_PIPE\_ADULT = 1 AND R05\_AP1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	71	0.2 %
	<b>Total</b>	<b>80</b>	<b>0.2%</b>

This variable has 80 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34226	99.8 %
<b>Total</b>		<b>34,229</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4734-4739 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1011\_07: Flavor of pipe tobacco when first started smoking: Some other flavor

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored.

ASK Specification: IF R05\_INIT\_PIPE\_ADULT = 1 AND R05\_AP1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	3	0.0 %
2	2 = Not Marked	77	0.2 %
<b>Total</b>		<b>80</b>	<b>0.2%</b>

This variable has 80 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34226	99.8 %
<b>Total</b>		<b>34,229</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4740-4745 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AP1021: Average number of bowls filled with pipe tobacco now smoke each day

On average, about how many bowls filled with pipe tobacco do you now smoke each day?

\_\_ Bowls

[IF Less than 1 each day (2), Don't Know (-8), or Refused (-7); GO TO R05\_AP1024]

ASK: Adult respondents who are every day established pipe smokers.

ASK Specification: IF R05\_CURRENT\_PIPE\_USE = 1.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 50 valid cases out of 34,309 total cases.

- Mean: 7.10
- Median: 3.50
- Mode: 2.00
- Minimum: -2.00
- Maximum: 85.00
- Standard Deviation: 13.30

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34258	99.9 %	
<b>Total</b>		<b>34,259</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 4746-4751 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AP1022: In past 30 days, number of days smoked a pipe filled with tobacco

On how many of the past 30 days did you smoke a pipe filled with tobacco?

\_\_ Days

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_CURRENT\_PIPE\_USE = 2 OR  
R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 444 valid cases out of 34,309 total cases.

- Mean: 2.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 5.31

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33859	98.7 %
	<b>Total</b>	<b>33,865</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4752-4757 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AP9029\_NN: Time since last smoked a pipe filled with tobacco - Number (Some day or current experimental smokers)

About how long has it been since you last smoked a pipe filled with tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AP429]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 2 OR  
R05\_PIPE\_USER\_STATUS = 2) AND R05\_AP1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AP9029\_UN = Days;  
the value "2" refers to R05\_AP9029\_UN = Months;  
the value "3" refers to R05\_AP9029\_UN = Years.

This variable has 128 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	14	0.0 %	
-1	-1 = Inapplicable	34163	99.6 %	
	<b>Total</b>	<b>34,181</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4758-4763 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AP9029\_UN: Time since last smoked a pipe filled with tobacco - Unit (Some day or current experimental smokers)

About how long has it been since you last smoked a pipe filled with tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AP29]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 2 OR  
R05\_PIPE\_USER\_STATUS = 2) AND R05\_AP1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AP9029\_UN = Days;

the value "2" refers to R05\_AP9029\_UN = Months;

the value "3" refers to R05\_AP9029\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	16	0.0 %
2	2 = Months	89	0.3 %
3	3 = Years	37	0.1 %
	<b>Total</b>	<b>142</b>	<b>0.4%</b>

This variable has 142 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34166	99.6 %	
	<b>Total</b>	<b>34,167</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4764-4769 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AP1023: In past 30 days, average number of bowls filled with pipe tobacco smoked per day on days smoked

On average, on those [FILL NUMBER OF DAYS FROM R05\_AP1022 days/days you smoked], how many bowls filled with pipe tobacco did you usually smoke each day?

\_\_ Bowls

[IF Less than 1 each day (-2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_APR29]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 2 OR  
R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND  
R05\_AP1022 != 0.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 213 valid cases out of 34,309 total cases.

- Mean: 3.14
- Median: 1.00
- Mode: 1.00
- Minimum: -2.00
- Maximum: 66.00
- Standard Deviation: 9.87

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34092	99.4 %
<b>Total</b>		<b>34,096</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4770-4775 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AP1024\_NN: Time to first pipe bowl after waking on days smoked - Number (current smokers)

[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.

\_\_\_ Hours/Minutes after waking

ASK: Adult respondents who are current established or current experimental pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AP1024\_UN = Minutes after waking;  
the value "2" refers to R05\_AP1024\_UN = Hours after waking.

This variable has 353 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	4	0.0 %	
-5	-5 = Improbable response removed	1	0.0 %	
-1	-1 = Inapplicable	33945	98.9 %	
<b>Total</b>		<b>33,956</b>	<b>99.0%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 4776-4781 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777, -9, -8, -7, -5, -1)

## R05\_AP1024\_UN: Time to first pipe bowl after waking on days smoked - Unit (current smokers)

[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.

\_\_\_ Hours/Minutes after waking

ASK: Adult respondents who are current established or current experimental pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AP1024\_UN = Minutes after waking;  
the value "2" refers to R05\_AP1024\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	102	0.3 %

Value	Label	Unweighted Frequency	%
2	2 = Hours after waking	252	0.7 %
	<b>Total</b>	<b>354</b>	<b>1.0%</b>

This variable has 354 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33954	99.0 %
	<b>Total</b>	<b>33,955</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4782-4787 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1092: Take first puff from a pipe of the day within 30 minutes after waking (current smokers)

[On the days that you smoke a pipe filled with tobacco, would/Would] you say you take your first puff from a pipe within the first 30 minutes after you wake up?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AP0100]

ASK: Adult respondents who are current established or current experimental pipe smokers and did not know or refused to report how soon after waking up they first smoke a pipe.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2 AND  
R05\_AP1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	7	0.0 %
3	3 = It varies	1	0.0 %
	<b>Total</b>	<b>8</b>	<b>0.0%</b>

This variable has 8 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	34299	100.0 %
	<b>Total</b>	<b>34,301</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4788-4793 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1024\_30D\_NN: Time to first pipe bowl after waking on days smoked - Number (non-current smokers)

On the days that you smoked a pipe filled with tobacco, how soon after you woke up did you typically take your first puff from a pipe? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AP1092\_30D]

ASK: Adult respondents who are non-current 30-day pipe smokers.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AP1024\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AP1024\_30D\_UN = Hours after waking.

This variable has 125 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34172	99.6 %	
	<b>Total</b>	<b>34,184</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4794-4799 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AP1024\_30D\_UN: Time to first pipe bowl after waking on days smoked - Unit (non-current smokers)

On the days that you smoked a pipe filled with tobacco, how soon after you woke up did you typically take your first puff from a pipe? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AP1092\_30D]

ASK: Adult respondents who are non-current 30-day pipe smokers.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AP1024\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AP1024\_30D\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	52	0.2 %
2	2 = Hours after waking	73	0.2 %
	<b>Total</b>	<b>125</b>	<b>0.4%</b>

This variable has 125 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34183	99.6 %
	<b>Total</b>	<b>34,184</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4800-4805 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AP1092\_30D: Took first puff from a pipe of the day within 30 minutes after waking (non-current smokers)

On the days that you smoked a pipe filled with tobacco, would you say you took your first puff from a pipe within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day pipe smokers and did not know or refused to report how soon after waking up they typically take their first puff from a pipe.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1 AND  
R05\_AP1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	9	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = It varies	0	0.0 %
	<b>Total</b>	<b>9</b>	<b>0.0%</b>

This variable has 9 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34297	100.0 %
	<b>Total</b>	<b>34,300</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4806-4811 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP0100: When last smoked a pipe filled with tobacco

When did you last smoke a pipe filled with tobacco?

[IF In the past hour (1), Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AP1130]

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R05\_CURRENT\_PIPE\_USE = 1 OR  
 ((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	38	0.1 %
2	2 = Sometime today, but more than an hour ago	25	0.1 %
3	3 = Yesterday	33	0.1 %
4	4 = Day before yesterday	17	0.0 %
5	5 = Three or more days ago	147	0.4 %
	<b>Total</b>	<b>260</b>	<b>0.8%</b>

This variable has 260 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>				
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	34042	99.2 %	
<b>Total</b>		<b>34,049</b>	<b>99.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4812-4817 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP0102: Time period of day when you last smoked a pipe filled with tobacco

When you last smoked a pipe filled with tobacco [FILL BASED ON R05\_AP0100], was it...

ASK: Adult respondents who are every day established pipe smokers and last smoked a pipe sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP0100 = 2, 3, 4) OR ((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND R05\_AP0100 = 2, 3, 4).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Between midnight and 6AM	6	0.0 %
2	2 = After 6AM but before noon	23	0.1 %
3	3 = Between noon and 6PM	27	0.1 %
4	4 = After 6PM but before midnight	17	0.0 %
<b>Total</b>		<b>73</b>	<b>0.2%</b>

This variable has 73 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34233	99.8 %
<b>Total</b>		<b>34,236</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4818-4823 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP0103: Number of bowls filled with pipe tobacco smoked today/yesterday/day before yesterday

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R05\_AP0100]?  
(If less than 1, enter 1.)

\_\_\_ Bowls

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AP1130]

ASK: Adult respondents who are every day established pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP0100 = 1, 2, 3, 4) OR ((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND R05\_AP0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 3 digits.]

This variable has 113 valid cases out of 34,309 total cases.

- Mean: 3.85
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 6.06

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34195	99.7 %	
<b>Total</b>		<b>34,196</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4824-4829 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AP1130: In past 30 days, any of the pipe tobacco smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint,

clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AP1030]

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R05\_CURRENT\_PIPE\_USE = 1 OR  
((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.2 %
2	2 = No	156	0.5 %
3	3 = I don't know	30	0.1 %
<b>Total</b>		<b>265</b>	<b>0.8%</b>

This variable has 265 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34042	99.2 %
<b>Total</b>		<b>34,044</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4830-4835 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1131\_01: In past 30 days, pipe tobacco flavor smoked: Menthol or mint

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP1130 = 1) OR

((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND R05\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.1 %
2	2 = Not Marked	52	0.2 %
	<b>Total</b>	<b>77</b>	<b>0.2%</b>

This variable has 77 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34229	99.8 %	
	<b>Total</b>	<b>34,232</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4836-4841 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AP1131\_02: In past 30 days, pipe tobacco flavor smoked: Clove or spice

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP1130 = 1) OR ((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND R05\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	68	0.2 %
	<b>Total</b>	<b>77</b>	<b>0.2%</b>

This variable has 77 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34229	99.8 %
	<b>Total</b>	<b>34,232</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4842-4847 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1131\_03: In past 30 days, pipe tobacco flavor smoked: Fruit

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP1130 = 1) OR ((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND R05\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.1 %
2	2 = Not Marked	58	0.2 %
	<b>Total</b>	<b>77</b>	<b>0.2%</b>

This variable has 77 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34229	99.8 %
<b>Total</b>		<b>34,232</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4848-4853 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1131\_04: In past 30 days, pipe tobacco flavor smoked: Chocolate

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP1130 = 1) OR ((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND R05\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	12	0.0 %
2	2 = Not Marked	65	0.2 %
<b>Total</b>		<b>77</b>	<b>0.2%</b>

This variable has 77 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34229	99.8 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>34,232</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4854-4859 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1131\_05: In past 30 days, pipe tobacco flavor smoked: An alcoholic drink

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP1130 = 1) OR ((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND R05\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.1 %
2	2 = Not Marked	58	0.2 %
	<b>Total</b>	<b>77</b>	<b>0.2%</b>

This variable has 77 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34229	99.8 %
	<b>Total</b>	<b>34,232</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4860-4865 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1131\_06: In past 30 days, pipe tobacco flavor smoked: Candy or other sweets

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP1130 = 1) OR  
((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND  
R05\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	63	0.2 %
	<b>Total</b>	<b>77</b>	<b>0.2%</b>

This variable has 77 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34229	99.8 %
	<b>Total</b>	<b>34,232</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4866-4871 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1131\_07: In past 30 days, pipe tobacco flavor smoked: Some other flavor

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP1130 = 1) OR ((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND R05\_AP1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	76	0.2 %
	<b>Total</b>	<b>77</b>	<b>0.2%</b>

This variable has 77 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34229	99.8 %
	<b>Total</b>	<b>34,232</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4872-4877 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1133: In past 30 days, flavor of pipe tobacco smoked most often

In the past 30 days, which flavor of pipe tobacco have you smoked most often?

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_PIPE\_USE = 1 AND R05\_AP1130 = 1 AND (R05\_AP1131\_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05\_AP1131\_[01/.../07] = -8, -7)) OR ((R05\_CURRENT\_PIPE\_USE = 2 OR R05\_PIPE\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1022 != 0 AND R05\_AP1130 = 1 AND (R05\_AP1131\_[01/.../07] = 1 FOR

2 OR MORE FLAVORS OR R05\_AP1131\_[01/.../07] = -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	2	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	5	0.0 %
4	4 = Chocolate	4	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	2	0.0 %
6	6 = Candy or other sweets	1	0.0 %
7	7 = Some other flavor	0	0.0 %
<b>Total</b>		<b>14</b>	<b>0.0%</b>

This variable has 14 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34293	100.0 %
<b>Total</b>		<b>34,295</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4878-4883 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1030: How you usually buy your pipe tobacco

The next questions ask about your experience buying pipe tobacco.

How [do/did] you usually buy pipe tobacco for yourself?

[IF From the internet (2), or By telephone (3); GO TO R05\_AP1034 :

IF I do not buy my own pipe tobacco (4), Don't Know (-8), or Refused (-7); GO TO R05\_AP1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	307	0.9 %
2	2 = From the internet	29	0.1 %
3	3 = By telephone	10	0.0 %

Value	Label	Unweighted Frequency	%
4	4 = I do not buy my own pipe tobacco	143	0.4 %
	<b>Total</b>	<b>489</b>	<b>1.4%</b>

This variable has 489 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33809	98.5 %
	<b>Total</b>	<b>33,820</b>	<b>98.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4884-4889 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1032: Geographic area where you usually buy your pipe tobacco

[Do/Did] you usually buy pipe tobacco...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	293	0.9 %
2	2 = In another state	10	0.0 %
3	3 = Outside the US	3	0.0 %
	<b>Total</b>	<b>306</b>	<b>0.9%</b>

This variable has 306 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34001	99.1 %
	<b>Total</b>	<b>34,003</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4890-4895 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AP1033: Retail location where your pipe tobacco is purchased most of the time

Where [do/did] you buy your pipe tobacco most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	110	0.3 %
2	2 = A supermarket, grocery store, or drug store	22	0.1 %
3	3 = A warehouse club, such as Sam's or Costco	3	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	156	0.5 %
5	5 = A duty free shop or military commissary	4	0.0 %
6	6 = A bar, pub, restaurant or casino	1	0.0 %
7	7 = A friend or relative	3	0.0 %
8	8 = A swap meet or flea market	1	0.0 %
9	9 = A liquor store	6	0.0 %
10	10 = Somewhere else	1	0.0 %
<b>Total</b>		<b>307</b>	<b>0.9%</b>

This variable has 307 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34001	99.1 %
<b>Total</b>		<b>34,002</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4896-4901 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AP1034\_D: Amount usually paid for a pouch of pipe tobacco - Dollars

How much [do/did] you usually pay for a pouch of pipe tobacco?

\_\_\_ Dollars

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 338 valid cases out of 34,309 total cases.

- Mean: 12.93
- Median: 7.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 555.00
- Standard Deviation: 35.89

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33962	99.0 %
<b>Total</b>		<b>33,971</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4902-4907 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

---

## R05\_AP1034\_C: Amount usually paid for a pouch of pipe tobacco - Cents

How much [do/did] you usually pay for a pouch of pipe tobacco?

\_\_\_ Cents

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 338 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33970	99.0 %
<b>Total</b>		<b>33,971</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4908-4913 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AP1047: Have a regular brand of pipe tobacco you usually smoke

[Do/Did] you have a regular brand of pipe tobacco that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	172	0.5 %
2	2 = No	543	1.6 %
<b>Total</b>		<b>715</b>	<b>2.1%</b>

This variable has 715 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33589	97.9 %
<b>Total</b>		<b>33,594</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4914-4919 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1050: Regular/last brand of pipe tobacco smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AP1945]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	166	0.5 %
2	2 = No	436	1.3 %
3	3 = I don't know	111	0.3 %
<b>Total</b>		<b>713</b>	<b>2.1%</b>

This variable has 713 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33589	97.9 %	
<b>Total</b>		<b>33,596</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 4920-4925 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AP1012\_01: Pipe tobacco flavor usually/last smoked: Menthol or mint

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	56	0.2 %
2	2 = Not Marked	108	0.3 %
	<b>Total</b>	<b>164</b>	<b>0.5%</b>

This variable has 164 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34142	99.5 %
	<b>Total</b>	<b>34,142</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4926-4931 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1012\_02: Pipe tobacco flavor usually/last smoked: Clove or spice

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.0 %
2	2 = Not Marked	148	0.4 %
	<b>Total</b>	<b>164</b>	<b>0.5%</b>

This variable has 164 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34142	99.5 %
	<b>Total</b>	<b>34,145</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4932-4937 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1012\_03: Pipe tobacco flavor usually/last smoked: Fruit

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	58	0.2 %
2	2 = Not Marked	106	0.3 %
	<b>Total</b>	<b>164</b>	<b>0.5%</b>

This variable has 164 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34142	99.5 %
	<b>Total</b>	<b>34,145</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4938-4943 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AP1012\_04: Pipe tobacco flavor usually/last smoked: Chocolate

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.1 %
2	2 = Not Marked	141	0.4 %
	<b>Total</b>	<b>164</b>	<b>0.5%</b>

This variable has 164 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34142	99.5 %
	<b>Total</b>	<b>34,145</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 4944-4949 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AP1012\_05: Pipe tobacco flavor usually/last smoked: An alcoholic drink

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established,

or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.1 %
2	2 = Not Marked	136	0.4 %
	<b>Total</b>	<b>164</b>	<b>0.5%</b>

This variable has 164 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34142	99.5 %
	<b>Total</b>	<b>34,142</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4950-4955 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1012\_06: Pipe tobacco flavor usually/last smoked: Candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	131	0.4 %
	<b>Total</b>	<b>164</b>	<b>0.5%</b>

This variable has 164 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34142	99.5 %
	<b>Total</b>	<b>34,142</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4956-4961 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1012\_07: Pipe tobacco flavor usually/last smoked: Some other flavor

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	160	0.5 %
	<b>Total</b>	<b>164</b>	<b>0.5%</b>

This variable has 164 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34142	99.5 %	
<b>Total</b>		<b>34,145</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4962-4967 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1945: Know the name of brand of pipe tobacco usually/smoked

Do you know the name of the brand of pipe tobacco you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	193	0.6 %
2	2 = No	518	1.5 %
<b>Total</b>		<b>711</b>	<b>2.1%</b>

This variable has 711 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33589	97.9 %	
<b>Total</b>		<b>33,598</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4968-4973 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1048\_BRAND: Brand of pipe tobacco usually/last smoked

What brand of pipe tobacco [do/did] you [usually/last] smoke?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1945 = 1.

This variable has 191 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34115	99.4 %	
Total		34,118	99.4%	

Percentages for both tables are based on 34,309 total cases.

Location: 4974-4979 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AP1070\_PRODUCT: Sub-brand of pipe tobacco usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1945 = 1 AND R05\_AP1048\_BRAND != 9995, -8, -7.

This variable has 160 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	34146	99.5 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>34,149</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4980-4985 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1051\_NN: How long smoked regular brand of pipe tobacco - Number

About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AP25]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AP1051\_UN = Days;

the value "2" refers to R05\_AP1051\_UN = Months;

the value "3" refers to R05\_AP1051\_UN = Years.

This variable has 169 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	1	0.0 %	
-1	-1 = Inapplicable	34136	99.5 %	
<b>Total</b>		<b>34,140</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 4986-4991 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AP1051\_UN: How long smoked regular brand of pipe tobacco - Unit

About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AP25]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AP1051\_UN = Days;  
the value "2" refers to R05\_AP1051\_UN = Months;  
the value "3" refers to R05\_AP1051\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	33	0.1 %
2	2 = Months	34	0.1 %
3	3 = Years	103	0.3 %
	<b>Total</b>	<b>170</b>	<b>0.5%</b>

This variable has 170 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34138	99.5 %
	<b>Total</b>	<b>34,139</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4992-4997 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AP0104: Brand of very last bowl of pipe tobacco smoked is same as brand regularly/last smoked

You said earlier that you last smoked a pipe [TIME OF LAST USE].

Think about the very last bowl of pipe tobacco you smoked.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and subbrand of pipe tobacco.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_AP0100 = 1, 2, 3, 4 AND

R05\_AP1945 = 1 AND R05\_AP1048\_BRAND != 9995, -8, -7 AND  
R05\_AP1070\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.1 %
2	2 = No	6	0.0 %
	<b>Total</b>	<b>38</b>	<b>0.1%</b>

This variable has 38 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		1	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		0	0.0 %
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		34270	99.9 %
	<b>Total</b>		<b>34,271</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 4998-5003 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1060\_RANDOM\_01: AP1060 series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AP1060 through R05\_AP1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33589	97.9 %
-97777	-	1	0.0 %
R05_AP1060	-	114	0.3 %
R05_AP1062	-	116	0.3 %
R05_AP1063	-	105	0.3 %
R05_AP1064	-	89	0.3 %
R05_AP1075	-	119	0.3 %
R05_AP1077	-	67	0.2 %
R05_AP1085	-	109	0.3 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5004-5013 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AP1060\_RANDOM\_02: AP1060 series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AP1060 through R05\_AP1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33589	97.9 %
-97777	-	1	0.0 %
R05_AP1060	-	123	0.4 %
R05_AP1062	-	117	0.3 %
R05_AP1063	-	123	0.4 %
R05_AP1064	-	57	0.2 %
R05_AP1075	-	114	0.3 %
R05_AP1077	-	54	0.2 %
R05_AP1085	-	131	0.4 %
		Total	34,309
			100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5014-5023 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AP1060\_RANDOM\_03: AP1060 series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AP1060 through R05\_AP1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33589	97.9 %
-97777	-	1	0.0 %
R05_AP1060	-	128	0.4 %
R05_AP1062	-	99	0.3 %

Value	Label	Unweighted Frequency	%
R05_AP1063	-	133	0.4 %
R05_AP1064	-	74	0.2 %
R05_AP1075	-	109	0.3 %
R05_AP1077	-	56	0.2 %
R05_AP1085	-	120	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5024-5033 (width: 10; decimal: 0)

*Variable Type:* character

#### **R05\_AP1060\_RANDOM\_04: AP1060 series random question 4**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AP1060 through R05\_AP1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33589	97.9 %
-97777	-	1	0.0 %
R05_AP1060	-	127	0.4 %
R05_AP1062	-	144	0.4 %
R05_AP1063	-	112	0.3 %
R05_AP1064	-	55	0.2 %
R05_AP1075	-	118	0.3 %
R05_AP1077	-	59	0.2 %
R05_AP1085	-	104	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5034-5043 (width: 10; decimal: 0)

*Variable Type:* character

#### **R05\_AP1060\_RANDOM\_05: AP1060 series random question 5**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AP1060 through R05\_AP1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33589	97.9 %
-97777	-	1	0.0 %
R05_AP1060	-	108	0.3 %
R05_AP1062	-	124	0.4 %
R05_AP1063	-	115	0.3 %
R05_AP1064	-	65	0.2 %
R05_AP1075	-	125	0.4 %
R05_AP1077	-	69	0.2 %
R05_AP1085	-	113	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5044-5053 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AP1060\_RANDOM\_06: AP1060 series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AP1060 through R05\_AP1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33848	98.7 %
-97777	-	1	0.0 %
R05_AP1060	-	51	0.1 %
R05_AP1062	-	62	0.2 %
R05_AP1063	-	67	0.2 %
R05_AP1064	-	64	0.2 %
R05_AP1075	-	65	0.2 %
R05_AP1077	-	76	0.2 %
R05_AP1085	-	75	0.2 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5054-5063 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AP1060\_RANDOM\_07: AP1060 series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AP1060 through R05\_AP1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_APD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33848	98.7 %
-97777	-	1	0.0 %
R05_AP1060	-	68	0.2 %
R05_AP1062	-	57	0.2 %
R05_AP1063	-	64	0.2 %
R05_AP1064	-	56	0.2 %
R05_AP1075	-	69	0.2 %
R05_AP1077	-	79	0.2 %
R05_AP1085	-	67	0.2 %
		Total	34,309 100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5064-5073 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AP1060: Smoke/smoked a pipe filled with tobacco because: It is/was affordable

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It [is/was] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	331	1.0 %
2	2 = No	374	1.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>705</b>	<b>2.1%</b>

This variable has 705 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	33589	97.9 %
	<b>Total</b>	<b>33,604</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5074-5079 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1085: Smoke/smoked a pipe filled with tobacco because: Can/could smoke it in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

I [can/could] smoke pipes at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	108	0.3 %
2	2 = No	598	1.7 %
	<b>Total</b>	<b>706</b>	<b>2.1%</b>

This variable has 706 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	33589	97.9 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,603</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5080-5085 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1062: Smoke/smoked a pipe filled with tobacco because: It might be less harmful than smoking cigarettes

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	204	0.6 %
2	2 = No	503	1.5 %
	<b>Total</b>	<b>707</b>	<b>2.1%</b>

This variable has 707 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33589	97.9 %
	<b>Total</b>	<b>33,602</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5086-5091 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1075: Smoke/smoked a pipe filled with tobacco because: It might be less harmful to people around me than cigarettes.

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to

you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	146	0.4 %
2	2 = No	559	1.6 %
	<b>Total</b>	<b>705</b>	<b>2.1%</b>

This variable has 705 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33589	97.9 %
	<b>Total</b>	<b>33,604</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5092-5097 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AP1063: Smoke/smoked a pipe filled with tobacco because: It comes/came in flavors I like/liked

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

Pipe tobacco [comes/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	337	1.0 %
2	2 = No	371	1.1 %
	<b>Total</b>	<b>708</b>	<b>2.1%</b>

This variable has 708 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33589	97.9 %
	<b>Total</b>	<b>33,601</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5098-5103 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1064: Smoke/smoked a pipe filled with tobacco because: Smoking it helps people to quit smoking cigarettes

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

Smoking a pipe helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	94	0.3 %
2	2 = No	355	1.0 %
	<b>Total</b>	<b>449</b>	<b>1.3%</b>

This variable has 449 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33848	98.7 %	
<b>Total</b>		<b>33,860</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5104-5109 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1077: Smoke/smoked a pipe filled with tobacco because: Smoking it satisfies/satisfied my cravings for cigarettes

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

Smoking a pipe [satisfies/satisfied] my cravings for cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	205	0.6 %
2	2 = No	246	0.7 %
	<b>Total</b>	<b>451</b>	<b>1.3%</b>

This variable has 451 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	33848	98.7 %	
<b>Total</b>		<b>33,858</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5110-5115 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1139: Level of agreement: It is/was easier to talk and get along with other people when smoking a pipe

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a pipe.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	470	1.4 %
2	2 = 2 on a scale of 1 to 4	123	0.4 %
3	3 = 3 on a scale of 1 to 4	85	0.2 %
4	4 = Very true of me	33	0.1 %
	<b>Total</b>	<b>711</b>	<b>2.1%</b>

This variable has 711 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33589	97.9 %
	<b>Total</b>	<b>33,598</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5116-5121 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1140: Level of agreement: Feel/felt more confident with other people while smoking a pipe

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While smoking a pipe, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	480	1.4 %
2	2 = 2 on a scale of 1 to 4	123	0.4 %
3	3 = 3 on a scale of 1 to 4	75	0.2 %
4	4 = Very true of me	32	0.1 %
	<b>Total</b>	<b>710</b>	<b>2.1%</b>

This variable has 710 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33589	97.9 %
	<b>Total</b>	<b>33,599</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5122-5127 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1141: Level of agreement: Smoke/smoked a pipe much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] a pipe much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	452	1.3 %
2	2 = 2 on a scale of 1 to 4	102	0.3 %
3	3 = 3 on a scale of 1 to 4	90	0.3 %
4	4 = Very true of me	68	0.2 %
	<b>Total</b>	<b>712</b>	<b>2.1%</b>

This variable has 712 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33589	97.9 %	
<b>Total</b>		<b>33,597</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5128-5133 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1080: Smoke/smoked a pipe filled with tobacco as a way of cutting down on cigarette smoking

[Do/Did] you smoke pipes filled with tobacco as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	90	0.3 %
2	2 = No	321	0.9 %
<b>Total</b>		<b>411</b>	<b>1.2%</b>

This variable has 411 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33892	98.8 %
<b>Total</b>		<b>33,898</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5134-5139 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1082: Smoke/smoked a pipe filled with tobacco as a way to quit smoking cigarettes

[Are/Did] you [smoking/smoke] pipes filled with tobacco as a way to quit smoking cigarettes?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05\_PIPE\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_PIPE = 1) AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	65	0.2 %
2	2 = No	347	1.0 %
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

This variable has 412 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33892	98.8 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5140-5145 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1090: Own a hookah

The next questions are about smoking tobacco in a hookah, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe.

People smoke shisha or hookah tobacco in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not.

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

Do you own a hookah?

ASK: Adult respondents who have ever smoked hookah.

ASK Specification: IF R05\_EVER\_NEVER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	737	2.1 %
2	2 = No	9766	28.5 %
	<b>Total</b>	<b>10,503</b>	<b>30.6%</b>

This variable has 10,503 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	23794	69.4 %
	<b>Total</b>	<b>23,806</b>	<b>69.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5146-5151 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH9041: Anyone else in home own a hookah

Does anyone else living in your home own a hookah?

ASK: Young adult respondents who have ever smoked hookah.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND

R05\_EVER\_NEVER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	144	0.4 %
2	2 = No	3442	10.0 %
	<b>Total</b>	<b>3,586</b>	<b>10.5%</b>

This variable has 3,586 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30719	89.5 %
	<b>Total</b>	<b>30,723</b>	<b>89.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5152-5157 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1005: Number of times smoked hookah in entire life

How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

ASK: Adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_HOOK = 1 AND  
R04\_NUMLIFE\_HOOK != 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 to 10	7094	20.7 %
2	2 = 11 to 20	1208	3.5 %
3	3 = 21 to 50	749	2.2 %
4	4 = 51 to 99	188	0.5 %
5	5 = 100 or more	113	0.3 %
<b>Total</b>		<b>9,352</b>	<b>27.3%</b>

This variable has 9,352 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	330	1.0 %
-7	-7 = Refused	152	0.4 %
-1	-1 = Inapplicable	24474	71.3 %
<b>Total</b>		<b>24,957</b>	<b>72.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5158-5163 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1100: Ever smoked hookah fairly regularly

Have you ever smoked tobacco in a hookah fairly regularly?

ASK: Adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_HOOK = 1 AND  
R04\_REGUSE\_HOOK != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	269	0.8 %
2	2 = No	8441	24.6 %
	<b>Total</b>	<b>8,710</b>	<b>25.4%</b>

This variable has 8,710 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	25584	74.6 %
	<b>Total</b>	<b>25,599</b>	<b>74.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5164-5169 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05R\_A\_AH1007\_NB: DERIVED - Age group when you first started smoking hookah fairly regularly (6 levels)

Long Description: How old were you when you first started smoking hookah fairly regularly?

```
Algorithm: if (0 <= R05_AH1007_NB < 18) or R05_AH1121_NB = 1 then
R05R_A_AH1007_NB = 1; else if (18 <= R05_AH1007_NB <= 24) or
R05_AH1121_NB = 2 then R05R_A_AH1007_NB = 2; else if
(25 <= R05_AH1007_NB <= 34) or R05_AH1121_NB = 3 then
R05R_A_AH1007_NB = 3; else if (35 <= R05_AH1007_NB <= 44) or
R05_AH1121_NB = 4 then R05R_A_AH1007_NB = 4; else if
(45 <= R05_AH1007_NB <= 54) or R05_AH1121_NB = 5 then
R05R_A_AH1007_NB = 5; else if ( R05_AH1007_NB => 55) or
R05_AH1121_NB = 6 then R05R_A_AH1007_NB = 6; else if
R05_AH1007_NB = -9 or R05_AH1121_NB = -9 then R05R_A_AH1007_NB = -99999;
else if R05_AH1007_NB = -8 or R05_AH1121_NB = -8 then
R05R_A_AH1007_NB = -99988; else if R05_AH1007_NB = -7 or
R05_AH1121_NB = -7 then R05R_A_AH1007_NB = -99977; else if
R05_AH1007_NB = -5 then R05R_A_AH1007_NB = -99955; else if
R05_AH1007_NB = -1 or R05_AH1121_NB = -1 then R05R_A_AH1007_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	10	0.0 %
2	2 = 18 to 24 years old	14	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %

Value	Label	Unweighted Frequency	%
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

This variable has 24 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34283	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>34,285</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5170-5175 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_AH1020\_NB: DERIVED - Age group when you first started smoking hookah every day (6 levels)

Long Description: How old were you when you first started smoking hookah every day?

Algorithm: if (0 <= R05\_AH1020\_NB < 18) or R05\_AH1122\_NB = 1 then  
 R05R\_A\_AH1020\_NB = 1; else if (18 <= R05\_AH1020\_NB <= 24) or  
 R05\_AH1122\_NB = 2 then R05R\_A\_AH1020\_NB = 2; else if  
 (25 <= R05\_AH1020\_NB <= 34) or R05\_AH1122\_NB = 3 then  
 R05R\_A\_AH1020\_NB = 3; else if (35 <= R05\_AH1020\_NB <= 44) or  
 R05\_AH1122\_NB = 4 then R05R\_A\_AH1020\_NB = 4; else if  
 (45 <= R05\_AH1020\_NB <= 54) or R05\_AH1122\_NB = 5 then  
 R05R\_A\_AH1020\_NB = 5; else if (R05\_AH1020\_NB >= 55) or  
 R05\_AH1122\_NB = 6 then R05R\_A\_AH1020\_NB = 6; else if R05\_AH1020\_NB = -9  
 or R05\_AH1122\_NB = -9 then R05R\_A\_AH1020\_NB = -99999; else if  
 R05\_AH1020\_NB = -8 or R05\_AH1122\_NB = -8 then R05R\_A\_AH1020\_NB = -99988;  
 else if R05\_AH1020\_NB = -7 or R05\_AH1122\_NB = -7 then  
 R05R\_A\_AH1020\_NB = -99977; else if R05\_AH1020\_NB = -5 then  
 R05R\_A\_AH1020\_NB = -99955; else if R05\_AH1020\_NB = -1 or  
 R05\_AH1122\_NB = -1 then R05R\_A\_AH1020\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	1	0.0 %
2	2 = 18 to 24 years old	2	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>3</b>	<b>0.0%</b>

This variable has 3 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34304	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>34,306</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5176-5181 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R05\_AH1008: When first started smoking hookah, smoked shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AH9045]

ASK: Adult respondents who initiated hookah smoking since their last completed interview.

ASK Specification: IF R05\_INIT\_HOOK\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	528	1.5 %
2	2 = No	246	0.7 %
3	3 = I don't know	255	0.7 %
	<b>Total</b>	<b>1,029</b>	<b>3.0%</b>

This variable has 1,029 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33275	97.0 %
<b>Total</b>		<b>33,280</b>	<b>97.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5182-5187 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1011\_01: Flavor of hookah tobacco when first started smoking: Menthol or mint

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF R05\_INIT\_HOOK\_ADULT = 1 AND  
R05\_AH1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	130	0.4 %
2	2 = Not Marked	396	1.2 %
<b>Total</b>		<b>526</b>	<b>1.5%</b>

This variable has 526 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33780	98.5 %
<b>Total</b>		<b>33,783</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5188-5193 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1011\_02: Flavor of hookah tobacco when first started smoking: Clove or spice

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF R05\_INIT\_HOOK\_ADULT = 1 AND  
R05\_AH1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.1 %
2	2 = Not Marked	507	1.5 %
	<b>Total</b>	<b>526</b>	<b>1.5%</b>

This variable has 526 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33780	98.5 %
	<b>Total</b>	<b>33,783</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5194-5199 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1011\_03: Flavor of hookah tobacco when first started smoking: Fruit

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Fruit

ASK: Adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF R05\_INIT\_HOOK\_ADULT = 1 AND  
R05\_AH1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	390	1.1 %
2	2 = Not Marked	136	0.4 %
	<b>Total</b>	<b>526</b>	<b>1.5%</b>

This variable has 526 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33780	98.5 %
	<b>Total</b>	<b>33,783</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5200-5205 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1011\_04: Flavor of hookah tobacco when first started smoking: Chocolate

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Chocolate

ASK: Adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF R05\_INIT\_HOOK\_ADULT = 1 AND  
R05\_AH1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.1 %
2	2 = Not Marked	507	1.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>526</b>	<b>1.5%</b>

This variable has 526 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33780	98.5 %
	<b>Total</b>	<b>33,783</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5206-5211 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1011\_05: Flavor of hookah tobacco when first started smoking: An alcoholic drink

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF R05\_INIT\_HOOK\_ADULT = 1 AND  
R05\_AH1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.1 %
2	2 = Not Marked	492	1.4 %
	<b>Total</b>	<b>526</b>	<b>1.5%</b>

This variable has 526 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33780	98.5 %
	<b>Total</b>	<b>33,783</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5212-5217 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1011\_06: Flavor of hookah tobacco when first started smoking: Candy or other sweets

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF R05\_INIT\_HOOK\_ADULT = 1 AND  
R05\_AH1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	139	0.4 %
2	2 = Not Marked	387	1.1 %
	<b>Total</b>	<b>526</b>	<b>1.5%</b>

This variable has 526 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33780	98.5 %
	<b>Total</b>	<b>33,783</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5218-5223 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1011\_07: Flavor of hookah tobacco when first started smoking: Some other flavor

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start smoking? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF R05\_INIT\_HOOK\_ADULT = 1 AND  
R05\_AH1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	517	1.5 %
	<b>Total</b>	<b>526</b>	<b>1.5%</b>

This variable has 526 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33780	98.5 %
	<b>Total</b>	<b>33,783</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5224-5229 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9045: Location when first tried a hookah

Where were you when you first tried a hookah, even one or two puffs?

ASK: Adult respondents who initiated hookah smoking since their last completed interview.

ASK Specification: IF R05\_INIT\_HOOK\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your home	91	0.3 %
2	2 = In someone else's home	296	0.9 %

Value	Label	Unweighted Frequency	%
3	3 = In a hookah bar or café	483	1.4 %
4	4 = In a dance club or lounge	133	0.4 %
5	5 = Somewhere else	18	0.1 %
<b>Total</b>		<b>1,021</b>	<b>3.0%</b>

This variable has 1,021 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33275	97.0 %	
<b>Total</b>		<b>33,288</b>	<b>97.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5230-5235 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9003: How often you usually smoke hookah

Which of the following choices best describes your hookah smoking? Usually I smoke tobacco in a hookah...

ASK: Adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they smoke hookah every day, some days, or not at all.

ASK Specification: IF R05\_EVER\_NEVER\_HOOK = 1 AND (R05\_AH1004 = 1 OR R05\_AH1002\_12M = 1) AND R05\_AH1003 != 1.

[PROGRAM NOTE: DISPLAY RESPONSE OPTION 1 ONLY IF R05\_AH1003 = -8, -7 ]

Value	Label	Unweighted Frequency	%
1	1 = Every day	1	0.0 %
2	2 = Weekly	136	0.4 %
3	3 = Monthly	171	0.5 %
4	4 = Every couple of months	714	2.1 %
5	5 = About once a year	1393	4.1 %
<b>Total</b>		<b>2,415</b>	<b>7.0%</b>

This variable has 2,415 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	50	0.1 %	
-7	-7 = Refused	14	0.0 %	
-1	-1 = Inapplicable	31829	92.8 %	
<b>Total</b>		<b>31,894</b>	<b>93.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5236-5241 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9011\_01: Place where usually smoke/smoked hookah: In your home

Where [do/did] you usually smoke hookah? Choose all that apply.

In your home

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	539	1.6 %
2	2 = Not Marked	1381	4.0 %
	<b>Total</b>	<b>1,920</b>	<b>5.6%</b>

This variable has 1,920 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	16	0.0 %	
-7	-7 = Refused	17	0.0 %	
-1	-1 = Inapplicable	32355	94.3 %	
<b>Total</b>		<b>32,389</b>	<b>94.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5242-5247 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH9011\_02: Place where usually smoke/smoked hookah: In someone else's home

Where [do/did] you usually smoke hookah? Choose all that apply.

In someone else's home

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	700	2.0 %
2	2 = Not Marked	1220	3.6 %
	<b>Total</b>	<b>1,920</b>	<b>5.6%</b>

This variable has 1,920 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,389</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5248-5253 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH9011\_03: Place where usually smoke/smoked hookah: In a hookah bar or café

Where [do/did] you usually smoke hookah? Choose all that apply.

In a hookah bar or hookah café

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1120	3.3 %
2	2 = Not Marked	800	2.3 %
	<b>Total</b>	<b>1,920</b>	<b>5.6%</b>

This variable has 1,920 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,389</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5254-5259 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9011\_04: Place where usually smoke/smoked hookah: In a dance club or lounge

Where [do/did] you usually smoke hookah? Choose all that apply.

In a dance club or lounge

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	471	1.4 %
2	2 = Not Marked	1449	4.2 %
	<b>Total</b>	<b>1,920</b>	<b>5.6%</b>

This variable has 1,920 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	17	0.0 %

Missing Data			
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,389</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5260-5265 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH9011\_05: Place where usually smoke/smoked hookah: Somewhere else

Where [do/did] you usually smoke hookah? Choose all that apply.

Somewhere else (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	35	0.1 %
2	2 = Not Marked	1885	5.5 %
	<b>Total</b>	<b>1,920</b>	<b>5.6%</b>

This variable has 1,920 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,389</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5266-5271 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH9048: How often experience/experienced unpleasant sensations when smoke/smoked hookah

When you [smoke/smoked] a hookah, how often [do/did] you experience unpleasant sensations such as headache, dizziness, nausea, or difficulty breathing?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	131	0.4 %
2	2 = Most of the time	133	0.4 %
3	3 = Some of the time	417	1.2 %
4	4 = Rarely	534	1.6 %
5	5 = Never, someone else always (set/sets) it up for me	726	2.1 %
<b>Total</b>		<b>1,941</b>	<b>5.7%</b>

This variable has 1,941 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
<b>Total</b>		<b>32,368</b>	<b>94.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5272-5277 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9012: Usually share/shared the same hookah with others

[Do/Did] you usually share a hookah with others when you [smoke/smoked]?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AH9014]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1667	4.9 %
2	2 = No	276	0.8 %
<b>Total</b>		<b>1,943</b>	<b>5.7%</b>

This variable has 1,943 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
<b>Total</b>		<b>32,366</b>	<b>94.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5278-5283 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9013: Number of people you usually shared hookah with

How many people [do/did] you usually share a hookah with?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and usually share a hookah with others.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH9012 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 other person	265	0.8 %
2	2 = 2 other people	496	1.4 %
3	3 = 3 other people	457	1.3 %
4	4 = 4 or more other people	444	1.3 %
<b>Total</b>		<b>1,662</b>	<b>4.8%</b>

This variable has 1,662 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32641	95.1 %
<b>Total</b>		<b>32,647</b>	<b>95.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5284-5289 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9014: Average length of one hookah session

On average, how long [is/was] one hookah session for you[ and the people you share/d it with]?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 30 minutes	477	1.4 %
2	2 = More than 30 minutes up to 1 hour	705	2.1 %
3	3 = 1 to 2 hours	578	1.7 %
4	4 = More than 2 hours	166	0.5 %
	<b>Total</b>	<b>1,926</b>	<b>5.6%</b>

This variable has 1,926 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,383</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 5290-5295 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AH9015: Average number of times hookah is refilled with tobacco when smoked/shared

On average, when you [smoke/smoked/share a/shared a] hookah, how many times [is/was] the hookah refilled with tobacco during a session?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = 0 times	598	1.7 %
2	2 = 1 time	699	2.0 %

Value	Label	Unweighted Frequency	%
3	3 = 2 to 3 times	542	1.6 %
4	4 = 4 or more times	92	0.3 %
	<b>Total</b>	<b>1,931</b>	<b>5.6%</b>

This variable has 1,931 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,378</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5296-5301 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9016: How often you personally set up the hookah

How often [do/did] you personally set up the hookah?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	149	0.4 %
2	2 = Most of the time	164	0.5 %
3	3 = Some of the time	275	0.8 %
4	4 = Rarely	346	1.0 %
5	5 = Never, someone else always (set/sets) it up for me	1002	2.9 %
	<b>Total</b>	<b>1,936</b>	<b>5.6%</b>

This variable has 1,936 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	7	0.0 %

Missing Data			
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,373</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5302-5307 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH9043: When smoked hookah whether shisha usually contain tobacco

When you [smoke/smoked] hookah, [does/did] your shisha usually contain tobacco?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	876	2.6 %
2	2 = No	418	1.2 %
3	3 = I don't know	647	1.9 %
	<b>Total</b>	<b>1,941</b>	<b>5.7%</b>

This variable has 1,941 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,368</b>	<b>94.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5308-5313 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH9042: Ever used another liquid besides water in the bowl of the hookah

Have you ever used another liquid besides water in the bowl of the hookah?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR

R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	348	1.0 %
2	2 = No	1590	4.6 %
	<b>Total</b>	<b>1,938</b>	<b>5.6%</b>

This variable has 1,938 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,371</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5314-5319 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AH9004: Average number of times you smoke a hookah in a month

On average, about how many times do you smoke hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

\_\_\_ Times in a month

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AHR25]

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly.

ASK Specification: IF (R05\_AH1004 = 1 OR R05\_AH1002\_12M = 1) AND  
R05\_AH1003 != 1 AND R05\_AH9003 = 3.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 170 valid cases out of 34,309 total cases.

- Mean: 4.19
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 47.00
- Standard Deviation: 6.92

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34137	99.5 %
<b>Total</b>		<b>34,139</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5320-5325 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AH9005: Average number of times you smoke a hookah in a week

On average, about how many times do you smoke hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

\_\_\_ Times in a week

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AHR25]

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly.

ASK Specification: IF (R05\_AH1004 = 1 OR R05\_AH1002\_12M = 1) AND  
R05\_AH1003 != 1 AND R05\_AH9003 = 2.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 133 valid cases out of 34,309 total cases.

- Mean: 4.34
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 6.01

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	34172	99.6 %
<b>Total</b>		<b>34,176</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5326-5331 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AH9006: Average number of times you smoke a hookah in a day

On average, about how many times do you smoke hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

\_\_\_ Times in a day

ASK: Adult respondents who are every day established hookah smokers or smoke hookah every day.

ASK Specification: IF R05\_CURRENT\_HOOK\_USE = 1 OR R05\_AH1003 = 1 OR  
R05\_AH9003 = 1.

[PROGRAM NOTE: Allow 2 digits ]

This variable has 40 valid cases out of 34,309 total cases.

- Mean: 3.30
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 23.00
- Standard Deviation: 4.37

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34266	99.9 %	
<b>Total</b>		<b>34,269</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5332-5337 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AH1022: Number of days smoked hookah in the past 30 days

On how many of the past 30 days did you smoke hookah?

\_\_\_ Days

ASK: Adult respondents who are past 30-day hookah smokers and are not every day established hookah smokers.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_CURRENT\_HOOK\_USE != 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 1,126 valid cases out of 34,309 total cases.

- Mean: 3.11
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.29

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33172	96.7 %
<b>Total</b>		<b>33,183</b>	<b>96.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5338-5343 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AH1024: Time of the day to first puff from hookah after waking on days smoked

[On the days that you smoke hookah, what/What] time of day do you typically take your first puff of tobacco from a hookah?

[IF After 6 AM but before noon (1), Between noon and 6 PM (2), After 6 PM but before midnight (3), or Between midnight and 6 am (4); GO TO BOX R05\_AHR02]

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = After 6 AM but before noon	53	0.2 %
2	2 = Between noon and 6 PM	118	0.3 %
3	3 = After 6 PM but before midnight	998	2.9 %
4	4 = Between midnight and 6 AM	309	0.9 %
<b>Total</b>		<b>1,478</b>	<b>4.3%</b>

This variable has 1,478 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	32794	95.6 %
<b>Total</b>		<b>32,831</b>	<b>95.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5356-5361 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1092: Take first puff from a hookah of the day within 30 minutes after waking

[On the days that you smoke hookah, would/Would] you say you typically take your first puff of tobacco from a hookah within the first 30 minutes after you wake up?

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and did not know or refused to report what time of day they smoke hookah.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1024 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	25	0.1 %
3	3 = It varies	2	0.0 %
<b>Total</b>		<b>27</b>	<b>0.1%</b>

This variable has 27 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	34272	99.9 %
<b>Total</b>		<b>34,282</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5362-5367 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH0100: When last smoked hookah

When did you last smoke tobacco in a hookah?

[IF In the past hour (1); GO TO R05\_AH0103 :  
IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AH1130]

ASK: Adult respondents who are past 30 day hookah smokers.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	29	0.1 %
2	2 = Sometime today, but more than an hour ago	22	0.1 %
3	3 = Yesterday	78	0.2 %
4	4 = Day before yesterday	49	0.1 %
5	5 = Three or more days ago	918	2.7 %
	<b>Total</b>	<b>1,096</b>	<b>3.2%</b>

This variable has 1,096 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	33141	96.6 %
	<b>Total</b>	<b>33,213</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5368-5373 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH0102: Time period of day when you last smoked hookah

When you last smoked tobacco in a hookah [FILL BASED ON R05\_AH0100], was it...

ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND  
R05\_AH0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	26	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = After 6AM but before noon	20	0.1 %
3	3 = Between noon and 6PM	40	0.1 %
4	4 = After 6PM but before midnight	61	0.2 %
<b>Total</b>		<b>147</b>	<b>0.4%</b>

This variable has 147 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34159	99.6 %
<b>Total</b>		<b>34,162</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5374-5379 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH0103: Number of puffs taken from a hookah today/yesterday/day before yesterday

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R05\_AH0100]?

\_\_\_ Puffs

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AH1130]

ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND  
R05\_AH0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 169 valid cases out of 34,309 total cases.

- Mean: 14.20
- Median: 6.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 110.00
- Standard Deviation: 19.56

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	4	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34130	99.5 %	
	<b>Total</b>	<b>34,140</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5380-5385 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AH1130: In past 30 days, any of the shisha or hookah tobacco smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AHR23]

ASK: Adult respondents who are past 30-day hookah smokers.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	638	1.9 %
2	2 = No	336	1.0 %
3	3 = I don't know	186	0.5 %
	<b>Total</b>	<b>1,160</b>	<b>3.4%</b>

This variable has 1,160 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33141	96.6 %	
	<b>Total</b>	<b>33,149</b>	<b>96.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5386-5391 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1131\_01: In past 30 days, hookah tobacco flavor smoked: Menthol or mint

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	268	0.8 %
2	2 = Not Marked	367	1.1 %
	<b>Total</b>	<b>635</b>	<b>1.9%</b>

This variable has 635 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33670	98.1 %
	<b>Total</b>	<b>33,674</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5392-5397 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1131\_02: In past 30 days, hookah tobacco flavor smoked: Clove or spice

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	39	0.1 %
2	2 = Not Marked	596	1.7 %
	<b>Total</b>	<b>635</b>	<b>1.9%</b>

This variable has 635 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33670	98.1 %
	<b>Total</b>	<b>33,674</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5398-5403 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1131\_03: In past 30 days, hookah tobacco flavor smoked: Fruit

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	491	1.4 %
2	2 = Not Marked	144	0.4 %
	<b>Total</b>	<b>635</b>	<b>1.9%</b>

This variable has 635 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33670	98.1 %	
<b>Total</b>		<b>33,674</b>	<b>98.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5404-5409 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1131\_04: In past 30 days, hookah tobacco flavor smoked: Chocolate

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.1 %
2	2 = Not Marked	602	1.8 %
	<b>Total</b>	<b>635</b>	<b>1.9%</b>

This variable has 635 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33670	98.1 %
	<b>Total</b>	<b>33,674</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5410-5415 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1131\_05: In past 30 days, hookah tobacco flavor smoked: An alcoholic drink

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	55	0.2 %
2	2 = Not Marked	580	1.7 %
	<b>Total</b>	<b>635</b>	<b>1.9%</b>

This variable has 635 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33670	98.1 %
	<b>Total</b>	<b>33,674</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5416-5421 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1131\_06: In past 30 days, hookah tobacco flavor smoked: Candy or other sweets

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	146	0.4 %
2	2 = Not Marked	489	1.4 %
	<b>Total</b>	<b>635</b>	<b>1.9%</b>

This variable has 635 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33670	98.1 %
	<b>Total</b>	<b>33,674</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5422-5427 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1131\_07: In past 30 days, hookah tobacco flavor smoked: Some other flavor

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_AH1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	628	1.8 %
	<b>Total</b>	<b>635</b>	<b>1.9%</b>

This variable has 635 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		33670	98.1 %
<b>Total</b>			<b>33,674</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5428-5433 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AH1133: In past 30 days, flavor of hookah tobacco smoked most often

In the past 30 days, which flavor of hookah have you smoked most often?

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_AH1130 = 1  
AND (R05\_AH1131\_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR  
R05\_AH1131\_[01/.../07] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	73	0.2 %
2	2 = Clove or spice	8	0.0 %
3	3 = Fruit	141	0.4 %
4	4 = Chocolate	7	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	9	0.0 %
6	6 = Candy or other sweets	35	0.1 %
7	7 = Some other flavor	1	0.0 %
<b>Total</b>		<b>274</b>	<b>0.8%</b>

This variable has 274 valid cases out of 34,309 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	34027	99.2 %	
<b>Total</b>		<b>34,035</b>	<b>99.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5434-5439 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

---

## R05\_AH1147: How often smoked flavored hookah tobacco on days smoked in past 30 days

On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke flavored shisha or hookah tobacco?

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_AH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	329	1.0 %
2	2 = Most of the time	92	0.3 %
3	3 = Sometimes	68	0.2 %
4	4 = Rarely	83	0.2 %
5	5 = Never	61	0.2 %
<b>Total</b>		<b>633</b>	<b>1.8%</b>

This variable has 633 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33670	98.1 %
<b>Total</b>		<b>33,676</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5440-5445 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1030: How you usually buy your shisha or hookah tobacco

The next questions ask about your experience buying shisha or hookah tobacco.

How do you usually buy shisha or hookah tobacco for yourself?

[IF From the internet (2), By telephone (3), I do not buy my own shisha or hookah tobacco (4), Don't Know (-8), or Refused (-7); GO TO R05\_AH1047]

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = In person (such as at a store or hookah bar)	586	1.7 %
2	2 = From the internet	58	0.2 %
3	3 = By telephone	19	0.1 %
4	4 = I do not buy my own shisha or hookah tobacco	837	2.4 %
	<b>Total</b>	<b>1,500</b>	<b>4.4%</b>

This variable has 1,500 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32794	95.6 %
	<b>Total</b>	<b>32,809</b>	<b>95.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5446-5451 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1032: Geographic area where you usually buy your shisha or hookah tobacco

Do you usually buy shisha or hookah tobacco...?

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1030 = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = In your own state	557	1.6 %
2	2 = In another state	13	0.0 %
3	3 = Outside the US	13	0.0 %
	<b>Total</b>	<b>583</b>	<b>1.7%</b>

This variable has 583 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %

Missing Data			
-1	-1 = Inapplicable	33722	98.3 %
	<b>Total</b>	<b>33,726</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5452-5457 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1033: Retail location where your shisha or hookah tobacco is purchased most of the time

Where do you buy your shisha or hookah tobacco most of the time?

[IF A convenience store or gas station (2), A supermarket, grocery store, or drug store (3), A warehouse club, such as Sam's or Costco (4), A smoke shop, tobacco specialty store, or tobacco outlet store (5), A duty free shop or military commissary (6), A bar, pub, restaurant or casino (7), A friend or relative (8), A swap meet or flea market (9), A liquor store (10), Or from somewhere else (SPECIFY) (11), Don't Know (-8), or Refused (-7); GO TO R05\_AH1047]

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A hookah bar or café	280	0.8 %
2	2 = A convenience store or gas station	82	0.2 %
3	3 = A supermarket, grocery store, or drug store	22	0.1 %
4	4 = A warehouse club, such as Sam's or Costco	4	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	170	0.5 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	11	0.0 %
8	8 = A friend or relative	6	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = A liquor store	7	0.0 %
11	11 = Somewhere else	1	0.0 %
	<b>Total</b>	<b>583</b>	<b>1.7%</b>

This variable has 583 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

Missing Data				
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33722	98.3 %	
<b>Total</b>		<b>33,726</b>	<b>98.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5458-5463 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1037: Number of refills included last time smoked hookah at a hookah bar or café

You reported that the last time you smoked hookah at a hookah bar or café, it cost \$[R05\_AH1035].

How many refills of shisha or hookah tobacco did that include?

\_\_ Refills

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person and buy at a hookah bar or café and reported the cost of a single session the last time they smoked hookah at a hookah bar or café.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2 OR  
 R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1030 = 1 AND R05\_AH1033 = 1 AND  
 R05\_AH1035\_D != -8, -7.

This variable has 264 valid cases out of 34,309 total cases.

- Mean: 2.15
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.35

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34040	99.2 %	
<b>Total</b>		<b>34,045</b>	<b>99.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5476-5481 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AH1047: Have a regular brand of shisha or hookah tobacco you usually smoke

[Do/Did] you have a regular brand of shisha or hookah tobacco that you usually [smoke/smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	256	0.7 %
2	2 = No	1682	4.9 %
	<b>Total</b>	<b>1,938</b>	<b>5.6%</b>

This variable has 1,938 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,371</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 5494-5499 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AH1945: Know the name of brand of shisha or hookah tobacco usually/last smoked

Do you know the name of the brand of shisha or hookah tobacco you [usually smoke/usually smoked/last smoked]?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	255	0.7 %
2	2 = No	1683	4.9 %
	<b>Total</b>	<b>1,938</b>	<b>5.6%</b>

This variable has 1,938 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32355	94.3 %	
<b>Total</b>		<b>32,371</b>	<b>94.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5548-5553 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1048\_BRAND: Brand of shisha or hookah tobacco usually/last smoked

What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1945 = 1.

This variable has 254 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34053	99.3 %	
<b>Total</b>		<b>34,055</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5554-5559 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1070\_PRODUCT: Sub-brand of hookah tobacco usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1945 = 1 AND R05\_AH1048\_BRAND != 9995, -8, -7.

This variable has 242 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34063	99.3 %
<b>Total</b>		<b>34,067</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5560-5565 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9108: Usual/last brand of shisha smoked contains tobacco

Does this brand of shisha contain tobacco?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1945 = 1 AND (R05\_AH1048\_BRAND != 9995, -8, -7 OR (R05\_AH1048\_BRAND = 9995 AND R05\_AH1049 != -1, -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	181	0.5 %
2	2 = No	25	0.1 %
3	3 = I don't know	44	0.1 %
<b>Total</b>		<b>250</b>	<b>0.7%</b>

This variable has 250 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34058	99.3 %	
<b>Total</b>		<b>34,059</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5566-5571 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1050: Regular/last brand of hookah smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AH1945]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1115	3.2 %
2	2 = No	371	1.1 %
3	3 = I don't know	456	1.3 %
<b>Total</b>		<b>1,942</b>	<b>5.7%</b>

This variable has 1,942 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32355	94.3 %	
<b>Total</b>		<b>32,367</b>	<b>94.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5500-5505 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1012\_01: Hookah tobacco flavor usually/last smoked: Menthol or mint

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	426	1.2 %
2	2 = Not Marked	687	2.0 %
	<b>Total</b>	<b>1,113</b>	<b>3.2%</b>

This variable has 1,113 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33193	96.7 %
	<b>Total</b>	<b>33,193</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 5506-5511 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AH1012\_02: Hookah tobacco flavor usually/last smoked: Clove or spice

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	66	0.2 %
2	2 = Not Marked	1047	3.1 %
	<b>Total</b>	<b>1,113</b>	<b>3.2%</b>

This variable has 1,113 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33193	96.7 %	
	<b>Total</b>	<b>33,196</b>	<b>96.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5512-5517 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1012\_03: Hookah tobacco flavor usually/last smoked: Fruit

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	874	2.5 %
2	2 = Not Marked	239	0.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,113</b>	<b>3.2%</b>

This variable has 1,113 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33193	96.7 %
	<b>Total</b>	<b>33,193</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5518-5523 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1012\_04: Hookah tobacco flavor usually/last smoked: Chocolate

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	76	0.2 %
2	2 = Not Marked	1037	3.0 %
	<b>Total</b>	<b>1,113</b>	<b>3.2%</b>

This variable has 1,113 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33193	96.7 %	
<b>Total</b>		<b>33,196</b>	<b>96.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5524-5529 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1012\_05: Hookah tobacco flavor usually/last smoked: An alcoholic drink

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	120	0.3 %
2	2 = Not Marked	993	2.9 %
<b>Total</b>		<b>1,113</b>	<b>3.2%</b>

This variable has 1,113 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33193	96.7 %	
<b>Total</b>		<b>33,196</b>	<b>96.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5530-5535 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AH1012\_06: Hookah tobacco flavor usually/last smoked: Candy or other sweets

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	294	0.9 %
2	2 = Not Marked	819	2.4 %
	<b>Total</b>	<b>1,113</b>	<b>3.2%</b>

This variable has 1,113 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33193	96.7 %
	<b>Total</b>	<b>33,193</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 5536-5541 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AH1012\_07: Hookah tobacco flavor usually/last smoked: Some other flavor

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1050 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.0 %
2	2 = Not Marked	1098	3.2 %
	<b>Total</b>	<b>1,113</b>	<b>3.2%</b>

This variable has 1,113 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33193	96.7 %
	<b>Total</b>	<b>33,196</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5542-5547 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1080: Smoke/smoked hookah as a way of cutting down on cigarette smoking

[Do/Did] you smoke hookah as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	89	0.3 %
2	2 = No	760	2.2 %
	<b>Total</b>	<b>849</b>	<b>2.5%</b>

This variable has 849 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33454	97.5 %	
<b>Total</b>		<b>33,460</b>	<b>97.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5718-5723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH0104: Brand of very last puff of hookah smoked is same as brand regularly/last smoked

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and subbrand of shisha or hookah tobacco.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2 OR  
 R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH0100 = 1, 2, 3, 4 AND  
 R05\_AH1945 = 1 AND R05\_AH1048\_BRAND != 9995, -8, -7 AND  
 R05\_AH1070\_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.2 %
2	2 = No	8	0.0 %
<b>Total</b>		<b>64</b>	<b>0.2%</b>

This variable has 64 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34243	99.8 %
<b>Total</b>		<b>34,245</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5584-5589 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AH1082: Smoke/smoking hookah as a way to quit smoking cigarettes

[Are/Did] you [smoking/smoke] hookah as a way to quit smoking cigarettes?

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	70	0.2 %
2	2 = No	778	2.3 %
	<b>Total</b>	<b>848</b>	<b>2.5%</b>

This variable has 848 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33454	97.5 %	
	<b>Total</b>	<b>33,461</b>	<b>97.5%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 5724-5729 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AH1139: Level of agreement: Easier to talk and get along with other people when smoking hookah

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking hookah.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	979	2.9 %
2	2 = Somewhat untrue of me	404	1.2 %
3	3 = Somewhat true of me	347	1.0 %
4	4 = Very true of me	204	0.6 %
	<b>Total</b>	<b>1,934</b>	<b>5.6%</b>

This variable has 1,934 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,375</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5730-5735 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1140: Level of agreement: Feel/felt more confident with other people while smoking hookah

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

While smoking hookah, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR

R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1135	3.3 %
2	2 = 2 on a scale of 1 to 4	395	1.2 %
3	3 = 3 on a scale of 1 to 4	265	0.8 %
4	4 = Very true of me	142	0.4 %
	<b>Total</b>	<b>1,937</b>	<b>5.6%</b>

This variable has 1,937 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
<b>Total</b>		<b>32,372</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5736-5741 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1141: Level of agreement: Smoke/smoked hookah much more when with other people

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

I [smoke/smoked] hookah much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR

R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	602	1.8 %
2	2 = 2 on a scale of 1 to 4	287	0.8 %
3	3 = 3 on a scale of 1 to 4	378	1.1 %
4	4 = Very true of me	669	1.9 %
<b>Total</b>		<b>1,936</b>	<b>5.6%</b>

This variable has 1,936 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
<b>Total</b>		<b>32,373</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5742-5747 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH9029\_NN: Time since last smoked hookah - Number

About how long has it been since you last smoked hookah?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AHR25]

ASK: Adult respondents who are past 30-day hookah smokers and are not every day established hookah smokers and smoked on 0 days of the past 30 days, or adult respondents who are some day established or current experimental hookah smokers and are not past 30-day hookah smokers.

ASK Specification: IF (R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_CURRENT\_HOOK\_USE != 1 AND R05\_AH1022 = 0) OR ((R05\_CURRENT\_HOOK\_USE = 2 OR R05\_HOOK\_USER\_STATUS = 2) AND R05\_THIRTY\_DAY\_USER\_HOOK != 1).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AH9029\_UN = Days;  
the value "2" refers to R05\_AH9029\_UN = Months;  
the value "3" refers to R05\_AH9029\_UN = Years.

This variable has 715 valid cases out of 34,309 total cases.

- Mean: 5.47
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 8.83

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	61	0.2 %	
-1	-1 = Inapplicable	33529	97.7 %	
<b>Total</b>		<b>33,594</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5344-5349 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AH9029\_UN: Time since last smoked hookah - Unit

About how long has it been since you last smoked hookah?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AHR25]

ASK: Adult respondents who are past 30-day hookah smokers and are not every day established hookah smokers and smoked on 0 days of the past 30 days, or adult respondents who are some day established or current experimental hookah smokers and are not past 30-day hookah smokers.

ASK Specification: IF (R05\_THIRTY\_DAY\_USER\_HOOK = 1 AND R05\_CURRENT\_HOOK\_USE != 1 AND R05\_AH1022 = 0) OR ((R05\_CURRENT\_HOOK\_USE = 2 OR R05\_HOOK\_USER\_STATUS = 2) AND R05\_THIRTY\_DAY\_USER\_HOOK != 1).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AH9029\_UN = Days;  
the value "2" refers to R05\_AH9029\_UN = Months;  
the value "3" refers to R05\_AH9029\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	72	0.2 %
2	2 = Months	487	1.4 %
3	3 = Years	217	0.6 %
<b>Total</b>		<b>776</b>	<b>2.3%</b>

This variable has 776 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33532	97.7 %
<b>Total</b>		<b>33,533</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5350-5355 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1051\_NN: How long smoked regular brand of shisha or hookah tobacco - Number

About how long [did you smoke/have you been smoking] your regular brand of shisha or hookah tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AHR19]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR

R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers R05\_AH1051\_UN = Days;  
the value "2" refers to R05\_AH1051\_UN = Months;  
the value "3" refers to R05\_AH1051\_UN = Years.

This variable has 245 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	34052	99.3 %
<b>Total</b>		<b>34,064</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 5572-5577 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

---

## R05\_AH1051\_UN: How long smoked regular brand of shisha or hookah tobacco - Unit

About how long [did you smoke/have you been smoking] your regular brand of shisha or hookah tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AHR19]

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits. ]

NOTES: The value "1" refers R05\_AH1051\_UN = Days;  
the value "2" refers to R05\_AH1051\_UN = Months;  
the value "3" refers to R05\_AH1051\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	40	0.1 %
2	2 = Months	45	0.1 %
3	3 = Years	161	0.5 %
<b>Total</b>		<b>246</b>	<b>0.7%</b>

This variable has 246 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34062	99.3 %	
<b>Total</b>		<b>34,063</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5578-5583 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1035\_D: Cost of single session last time smoked hookah at a hookah bar or café - Dollars

Think about the last time you smoked hookah at a hookah bar or café. How much did a single session cost?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AH1036]

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person and buy at a hookah bar or café.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1030 = 1 AND  
R05\_AH1033 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 268 valid cases out of 34,309 total cases.

- Mean: 18.39
- Median: 15.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 336.00
- Standard Deviation: 22.28

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34028	99.2 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>34,041</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5464-5469 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AH1035\_C: Cost of single session last time smoked hookah at a hookah bar or café - Cents

Think about the last time you smoked hookah at a hookah bar or café. How much did a single session cost?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AH1036]

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person and buy at a hookah bar or café.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1030 = 1 AND  
R05\_AH1033 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 268 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34040	99.2 %
	<b>Total</b>	<b>34,041</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5470-5475 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AH1036\_D: How much usually pay for a container of shisha or hookah tobacco - Dollars

How much do you usually pay for a container of shisha or hookah tobacco?

\_\_ Dollars

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah

smokers and usually buy their shisha or hookah tobacco in person and buy at a hookah bar or café.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1030 = 1 AND R05\_AH1033 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 240 valid cases out of 34,309 total cases.

- Mean: 11.10
- Median: 10.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 11.46

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	36	0.1 %	
-7	-7 = Refused	4	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34028	99.2 %	
<b>Total</b>		<b>34,069</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5482-5487 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AH1036\_C: How much usually pay for a container of shisha or hookah tobacco - Cents

How much do you usually pay for a container of shisha or hookah tobacco?

\_\_ Cents

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person and buy at a hookah bar or café.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_AH1030 = 1 AND R05\_AH1033 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 240 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	

<b>Missing Data</b>				
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34068	99.3 %	
<b>Total</b>		<b>34,069</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5488-5493 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AH1060\_RANDOM\_01: AH1060 series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AH1060 through R05\_AH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32355	94.3 %
-97777	-	1	0.0 %
R05_AH1060	-	283	0.8 %
R05_AH1062	-	276	0.8 %
R05_AH1063	-	259	0.8 %
R05_AH1064	-	111	0.3 %
R05_AH1073	-	312	0.9 %
R05_AH1075	-	307	0.9 %
R05_AH1077	-	104	0.3 %
R05_AH1085	-	301	0.9 %
<b>Total</b>		<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5590-5599 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AH1060\_RANDOM\_02: AH1060 series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AH1060 through R05\_AH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AHD01 for further information about the randomization of the order

[these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32355	94.3 %
-97777	-	1	0.0 %
R05_AH1060	-	264	0.8 %
R05_AH1062	-	293	0.9 %
R05_AH1063	-	287	0.8 %
R05_AH1064	-	116	0.3 %
R05_AH1073	-	280	0.8 %
R05_AH1075	-	319	0.9 %
R05_AH1077	-	102	0.3 %
R05_AH1085	-	292	0.9 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5600-5609 (width: 10; decimal: 0)

*Variable Type:* character

---

### R05\_AH1060\_RANDOM\_03: AH1060 series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AH1060 through R05\_AH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32355	94.3 %
-97777	-	1	0.0 %
R05_AH1060	-	286	0.8 %
R05_AH1062	-	284	0.8 %
R05_AH1063	-	323	0.9 %
R05_AH1064	-	106	0.3 %
R05_AH1073	-	284	0.8 %
R05_AH1075	-	268	0.8 %
R05_AH1077	-	124	0.4 %
R05_AH1085	-	278	0.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5610-5619 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AH1060\_RANDOM\_04: AH1060 series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AH1060 through R05\_AH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32355	94.3 %
-97777	-	1	0.0 %
R05_AH1060	-	302	0.9 %
R05_AH1062	-	298	0.9 %
R05_AH1063	-	289	0.8 %
R05_AH1064	-	109	0.3 %
R05_AH1073	-	286	0.8 %
R05_AH1075	-	300	0.9 %
R05_AH1077	-	102	0.3 %
R05_AH1085	-	267	0.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5620-5629 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AH1060\_RANDOM\_05: AH1060 series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AH1060 through R05\_AH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32355	94.3 %
-97777	-	1	0.0 %
R05_AH1060	-	318	0.9 %
R05_AH1062	-	295	0.9 %

Value	Label	Unweighted Frequency	%
R05_AH1063	-	293	0.9 %
R05_AH1064	-	91	0.3 %
R05_AH1073	-	283	0.8 %
R05_AH1075	-	265	0.8 %
R05_AH1077	-	107	0.3 %
R05_AH1085	-	301	0.9 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5630-5639 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AH1060\_RANDOM\_06: AH1060 series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AH1060 through R05\_AH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32355	94.3 %
-97777	-	1	0.0 %
R05_AH1060	-	285	0.8 %
R05_AH1062	-	295	0.9 %
R05_AH1063	-	291	0.8 %
R05_AH1064	-	101	0.3 %
R05_AH1073	-	303	0.9 %
R05_AH1075	-	297	0.9 %
R05_AH1077	-	109	0.3 %
R05_AH1085	-	272	0.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5640-5649 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AH1060\_RANDOM\_07: AH1060 series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AH1060 through R05\_AH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33454	97.5 %
-97777	-	1	0.0 %
R05_AH1060	-	102	0.3 %
R05_AH1062	-	99	0.3 %
R05_AH1063	-	100	0.3 %
R05_AH1064	-	110	0.3 %
R05_AH1073	-	103	0.3 %
R05_AH1075	-	104	0.3 %
R05_AH1077	-	101	0.3 %
R05_AH1085	-	135	0.4 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5650-5659 (*width:* 10; *decimal:* 0)

*Variable Type:* character

---

## **R05\_AH1060\_RANDOM\_08: AH1060 series random question 8**

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05\_AH1060 through R05\_AH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33454	97.5 %
-97777	-	1	0.0 %
R05_AH1060	-	113	0.3 %
R05_AH1062	-	113	0.3 %
R05_AH1063	-	111	0.3 %
R05_AH1064	-	110	0.3 %
R05_AH1073	-	102	0.3 %
R05_AH1075	-	93	0.3 %
R05_AH1077	-	105	0.3 %

Value	Label	Unweighted Frequency	%
R05_AH1085	-	107	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 5660-5669 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AH1060: Smoke/smoked hookah because: It is/was affordable

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It [is/was] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	633	1.8 %
2	2 = No	1307	3.8 %
	Total	1,940	5.7%

This variable has 1,940 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	32355	94.3 %	
	Total	32,369	94.3%	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5670-5675 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AH1085: Smoke/smoked hookah because: Can/could smoke it in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to

you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

I [can/could] smoke hookah at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	564	1.6 %
2	2 = No	1379	4.0 %
	<b>Total</b>	<b>1,943</b>	<b>5.7%</b>

This variable has 1,943 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,366</b>	<b>94.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5676-5681 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH1062: Smoke/smoked hookah because: It might be less harmful than smoking cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	648	1.9 %
2	2 = No	1294	3.8 %
	<b>Total</b>	<b>1,942</b>	<b>5.7%</b>

This variable has 1,942 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,367</b>	<b>94.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5682-5687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1075: Smoke/smoked hookah because: It might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	627	1.8 %
2	2 = No	1311	3.8 %
	<b>Total</b>	<b>1,938</b>	<b>5.6%</b>

This variable has 1,938 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %

Missing Data				
-7	-7 = Refused		5	0.0 %
-1	-1 = Inapplicable		32355	94.3 %
<b>Total</b>			<b>32,371</b>	<b>94.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5688-5693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1063: Smoke/smoked hookah because: It comes/came in flavors I like/liked

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

Shisha or hookah tobacco [comes/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR  
R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1233	3.6 %
2	2 = No	708	2.1 %
	<b>Total</b>	<b>1,941</b>	<b>5.7%</b>

This variable has 1,941 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	32355	94.3 %	
	<b>Total</b>	<b>32,368</b>	<b>94.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5694-5699 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AH1064: Smoke/smoked hookah because: Smoking hookah helps people quit smoking cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

Smoking hookah helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	119	0.3 %
2	2 = No	727	2.1 %
	<b>Total</b>	<b>846</b>	<b>2.5%</b>

This variable has 846 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33454	97.5 %
	<b>Total</b>	<b>33,463</b>	<b>97.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5700-5705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1073: Smoke/smoked hookah because: Smoking hookah is part of my cultural tradition

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

Smoking hookah is part of my cultural tradition.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	258	0.8 %
2	2 = No	1682	4.9 %
	<b>Total</b>	<b>1,940</b>	<b>5.7%</b>

This variable has 1,940 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32355	94.3 %
	<b>Total</b>	<b>32,369</b>	<b>94.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5706-5711 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1077: Smoke/smoked hookah because: Smoking hookah satisfies/satisfied my cravings for cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

Smoking hookah [satisfies/satisfied] my cravings for cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_HOOK\_USER\_STATUS = 1, 2, 4 OR R05\_THIRTY\_DAY\_USER\_HOOK = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	228	0.7 %
2	2 = No	617	1.8 %
	<b>Total</b>	<b>845</b>	<b>2.5%</b>

This variable has 845 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33454	97.5 %	
<b>Total</b>		<b>33,464</b>	<b>97.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5712-5717 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1005: Number of times used snus in your entire life

How many times have you used snus in your entire life?

ASK: Adult respondents who have ever used snus and had not used snus 100 or more times as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_SNUS = 1 AND  
R04\_NUMLIFE\_SNUS != 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 to 10	1751	5.1 %
2	2 = 11 to 20	303	0.9 %
3	3 = 21 to 50	204	0.6 %
4	4 = 51 to 99	68	0.2 %
5	5 = 100 or more	126	0.4 %
<b>Total</b>		<b>2,452</b>	<b>7.1%</b>

This variable has 2,452 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	124	0.4 %
-7	-7 = Refused	61	0.2 %
-1	-1 = Inapplicable	31671	92.3 %
<b>Total</b>		<b>31,857</b>	<b>92.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5748-5753 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1100: Ever used snus fairly regularly

Have you ever used snus fairly regularly?

ASK: Adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_SNUS = 1 AND  
R04\_REGUSE\_SNUS != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	183	0.5 %
2	2 = No	2193	6.4 %
	<b>Total</b>	<b>2,376</b>	<b>6.9%</b>

This variable has 2,376 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31928	93.1 %
	<b>Total</b>	<b>31,933</b>	<b>93.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 5754-5759 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05R\_A\_AU1007\_NB: DERIVED - Age group you were in when first started using snus pouches fairly regularly (6 levels)

Long Description: How old were you when you first started using snus pouches fairly regularly?

```
Algorithm: if (0 <= R05_AU1007_NB < 18) or R05_AU1121_NB = 1 then
R05R_A_AU1007_NB = 1; else if (18 <= R05_AU1007_NB <= 24) or
R05_AU1121_NB = 2 then R05R_A_AU1007_NB = 2; else if
(25 <= R05_AU1007_NB <= 34) or R05_AU1121_NB = 3 then
R05R_A_AU1007_NB = 3; else if (35 <= R05_AU1007_NB <= 44) or
R05_AU1121_NB = 4 then R05R_A_AU1007_NB = 4; else if
(45 <= R05_AU1007_NB <= 54) or R05_AU1121_NB = 5 then
R05R_A_AU1007_NB = 5; else if (R05_AU1007_NB >= 55) or
R05_AU1121_NB = 6 then R05R_A_AU1007_NB = 6; else if
R05_AU1007_NB = -9 or R05_AU1121_NB = -9 then R05R_A_AU1007_NB = -99999;
else if R05_AU1007_NB = -8 or R05_AU1121_NB = -8 then
R05R_A_AU1007_NB = -99988; else if R05_AU1007_NB = -7 or
R05_AU1121_NB = -7 then R05R_A_AU1007_NB = -99977; else if
R05_AU1007_NB = -5 then R05R_A_AU1007_NB = -99955; else if
R05_AU1007_NB = -1 or R05_AU1121_NB = -1 then R05R_A_AU1007_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	11	0.0 %
2	2 = 18 to 24 years old	6	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>17</b>	<b>0.0%</b>

This variable has 17 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34290	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>34,292</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5760-5765 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_AU1020\_NB: DERIVED - Age group you were in when first started using snus pouches every day (6 levels)

Long Description: How old were you when you first started using snus pouches every day?

```
Algorithm: if (0 <= R05_AU1020_NB < 18) or R05_AU1122_NB = 1 then
R05R_A_AU1020_NB = 1; else if (18 <= R05_AU1020_NB <= 24) or
R05_AU1122_NB = 2 then R05R_A_AU1020_NB = 2; else if
(25 <= R05_AU1020_NB <= 34) or R05_AU1122_NB = 3 then
R05R_A_AU1020_NB = 3; else if (35 <= R05_AU1020_NB <= 44) or
R05_AU1122_NB = 4 then R05R_A_AU1020_NB = 4; else if
(45 <= R05_AU1020_NB <= 54) or R05_AU1122_NB = 5 then
R05R_A_AU1020_NB = 5; else if (R05_AU1020_NB >= 55) or
R05_AU1122_NB = 6 then R05R_A_AU1020_NB = 6; else if
R05_AU1020_NB = -9 or R05_AU1122_NB = -9 then
R05R_A_AU1020_NB = -99999; else if R05_AU1020_NB = -8 or
R05_AU1122_NB = -8 then R05R_A_AU1020_NB = -99988; else if
R05_AU1020_NB = -7 or R05_AU1122_NB = -7 then
R05R_A_AU1020_NB = -99977; else if R05_AU1020_NB = -5 then
```

R05R\_A\_AU1020\_NB = -99955; else if R05\_AU1020\_NB = -1 or  
 R05\_AU1122\_NB = -1 then R05R\_A\_AU1020\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	2	0.0 %
2	2 = 18 to 24 years old	0	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>2</b>	<b>0.0%</b>

This variable has 2 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34304	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,307</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5766-5771 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05\_AU1008: When first started using snus, used snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AUR09]

ASK: Adult respondents who initiated snus use since their last completed interview.

ASK Specification: IF R05\_INIT\_SNUS\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	212	0.6 %
2	2 = No	166	0.5 %
3	3 = I don't know	89	0.3 %
<b>Total</b>		<b>467</b>	<b>1.4%</b>

This variable has 467 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33841	98.6 %
<b>Total</b>		<b>33,842</b>	<b>98.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5772-5777 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1011\_01: Flavor of snus when first started using: Menthol or mint

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF R05\_INIT\_SNUS\_ADULT = 1 AND R05\_AU1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	108	0.3 %
2	2 = Not Marked	102	0.3 %
<b>Total</b>		<b>210</b>	<b>0.6%</b>

This variable has 210 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,099</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5778-5783 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1011\_02: Flavor of snus when first started using: Wintergreen, spearmint or frost

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: Adult respondents who initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF R05\_INIT\_SNUS\_ADULT = 1 AND R05\_AU1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	118	0.3 %
2	2 = Not Marked	92	0.3 %
	<b>Total</b>	<b>210</b>	<b>0.6%</b>

This variable has 210 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,099</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5784-5789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1011\_03: Flavor of snus when first started using: Clove or spice

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF R05\_INIT\_SNUS\_ADULT = 1 AND R05\_AU1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	201	0.6 %
	<b>Total</b>	<b>210</b>	<b>0.6%</b>

This variable has 210 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,099</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5790-5795 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1011\_04: Flavor of snus when first started using: Fruit

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Fruit

ASK: Adult respondents who initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF R05\_INIT\_SNUS\_ADULT = 1 AND R05\_AU1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.1 %
2	2 = Not Marked	185	0.5 %
	<b>Total</b>	<b>210</b>	<b>0.6%</b>

This variable has 210 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,099</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5796-5801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1011\_05: Flavor of snus when first started using: Chocolate

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Chocolate

ASK: Adult respondents who initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF R05\_INIT\_SNUS\_ADULT = 1 AND R05\_AU1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	206	0.6 %
	<b>Total</b>	<b>210</b>	<b>0.6%</b>

This variable has 210 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34096	99.4 %	
<b>Total</b>		<b>34,099</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5802-5807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1011\_06: Flavor of snus when first started using: An alcoholic drink

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF R05\_INIT\_SNUS\_ADULT = 1 AND R05\_AU1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	4	0.0 %
2	2 = Not Marked	206	0.6 %
<b>Total</b>		<b>210</b>	<b>0.6%</b>

This variable has 210 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34096	99.4 %	
<b>Total</b>		<b>34,099</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5808-5813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1011\_07: Flavor of snus when first started using: Candy or other sweets

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF R05\_INIT\_SNUS\_ADULT = 1 AND R05\_AU1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	202	0.6 %
	<b>Total</b>	<b>210</b>	<b>0.6%</b>

This variable has 210 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34096	99.4 %	
	<b>Total</b>	<b>34,099</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5814-5819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1011\_08: Flavor of snus when first started using: Some other flavor

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF R05\_INIT\_SNUS\_ADULT = 1 AND R05\_AU1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	208	0.6 %
	<b>Total</b>	<b>210</b>	<b>0.6%</b>

This variable has 210 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34096	99.4 %	
	<b>Total</b>	<b>34,099</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5820-5825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1021: Average number of times now use snus each day

On average, about how many times do you now use snus each day?

\_\_ Times each day

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AU1024]

ASK: Adult respondents who are every day established snus users.

ASK Specification: IF R05\_CURRENT\_SNUS\_USE = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 95 valid cases out of 34,309 total cases.

- Mean: 6.96
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 6.40

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34212	99.7 %
<b>Total</b>		<b>34,214</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5826-5831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AU1022: In past 30 days, number of days used snus

On how many of the past 30 days did you use snus?

\_\_ Days

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R05\_CURRENT\_SNUS\_USE = 2 OR  
R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

[PROGRAM NOTE: Range check: 0-30 days. ]

This variable has 446 valid cases out of 34,309 total cases.

- Mean: 3.72
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.10

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33857	98.7 %
<b>Total</b>		<b>33,863</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5832-5837 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AU9029\_NN: How long since you last used snus - Number (Some day or current experimental users)

About how long has it been since you last used snus?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AUR26]

ASK: Adult respondents who are some day established or current experimental snus users and used on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 2 OR  
R05\_SNUS\_USER\_STATUS = 2) AND R05\_AU1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AU9029\_UN = Days;  
the value "2" refers to R05\_AU9029\_UN = Months;  
the value "3" refers to R05\_AU9029\_UN = Years.

This variable has 92 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	22	0.1 %	
-1	-1 = Inapplicable	34190	99.7 %	
<b>Total</b>		<b>34,217</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 5838-5843 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AU9029\_UN: How long since you last used snus - Unit (Some day or current experimental users)

About how long has it been since you last used snus?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AUR26]

ASK: Adult respondents who are some day established or current experimental snus users and used on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 2 OR

R05\_SNUS\_USER\_STATUS = 2) AND R05\_AU1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AU9029\_UN = Days;  
the value "2" refers to R05\_AU9029\_UN = Months;  
the value "3" refers to R05\_AU9029\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	21	0.1 %
2	2 = Months	45	0.1 %
3	3 = Years	48	0.1 %
<b>Total</b>		<b>114</b>	<b>0.3%</b>

This variable has 114 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34194	99.7 %
<b>Total</b>		<b>34,195</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5844-5849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1023: In past 30 days, average number of times per day used snus on days used

---

On average, on those [FILL NUMBER OF DAYS FROM R05\_AU1022 days/days you used], how many times did you usually use snus each day?

\_\_ Times when used

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AUR26]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 2 OR  
R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND  
R05\_AU1022 != 0.

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 232 valid cases out of 34,309 total cases.

- Mean: 4.21
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 8.44

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34072	99.3 %	
<b>Total</b>		<b>34,077</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5850-5855 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AU1024\_NN: Time to first snus product after waking on days used - Number (current users)

[On the days that you use snus, how/How] soon after you wake up do you typically use your first snus product of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AU1092]

ASK: Adult respondents who are current established or current experimental snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers R05\_AU1024\_UN = Minutes after waking;  
the value "2" refers to R05\_AU1024\_UN = Hours after waking.

This variable has 369 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	5	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33925	98.9 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,940</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5856-5861 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

## R05\_AU1024\_UN: Time to first snus product after waking on days used - Unit (current users)

[On the days that you use snus, how/How soon after you wake up do you typically use your first snus product of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AU1092]

ASK: Adult respondents who are current established or current experimental snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers R05\_AU1024\_UN = Minutes after waking;  
the value "2" refers to R05\_AU1024\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	126	0.4 %
2	2 = Hours after waking	243	0.7 %
	<b>Total</b>	<b>369</b>	<b>1.1%</b>

This variable has 369 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33939	98.9 %
	<b>Total</b>	<b>33,940</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5862-5867 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AU1092: Use first snus product of the day within 30 minutes after waking (current smokers)

[On the days that you use snus, would/Would] you say you use your first snus product of the day within the first 30 minutes after you wake up?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_AUR28]

ASK: Adult respondents who are current established or current experimental snus users and did not know or refused to report how soon after waking up they first use snus.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2 AND R05\_AU1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	8	0.0 %
3	3 = It varies	4	0.0 %
<b>Total</b>		<b>12</b>	<b>0.0%</b>

This variable has 12 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34294	100.0 %	
<b>Total</b>		<b>34,297</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 5868-5873 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AU1024\_30D\_NN: Time to first snus product of the day after waking on the days used - Number (non-current users)

On the days that you used snus, how soon after you woke up did you typically use your first snus product of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[If Don't Know (-8), or Refused (-7); GO TO R05\_AU1092\_30D]

ASK: Adult respondents who are non-current 30-day snus users.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers R05\_AU1024\_30D\_UN = Minutes after waking;

the value "2" refers to R05\_AU1024\_30D\_UN = Hours after waking.

This variable has 157 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34144	99.5 %
<b>Total</b>		<b>34,152</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5874-5879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AU1024\_30D\_UN: Time to first snus product of the day after waking on the days used - Unit (non-current users)

On the days that you used snus, how soon after you woke up did you typically use your first snus product of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[If Don't Know (-8), or Refused (-7); GO TO R05\_AU1092\_30D]

ASK: Adult respondents who are non-current 30-day snus users.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers R05\_AU1024\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AU1024\_30D\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	52	0.2 %
2	2 = Hours after waking	105	0.3 %
<b>Total</b>		<b>157</b>	<b>0.5%</b>

This variable has 157 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		34151	99.5 %
<b>Total</b>			<b>34,152</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5880-5885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777, -9, -8, -7, -1

## R05\_AU1092\_30D: Used first snus product of the day within 30 minutes after waking (non-current users)

On the days that you used snus, would you say you used your first snus product of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day snus users and did not know or refused to report how soon after waking up they typically used their first snus of the day.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1 AND  
R05\_AU1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	5	0.0 %
3	3 = It varies	0	0.0 %
<b>Total</b>		<b>5</b>	<b>0.0%</b>

This variable has 5 valid cases out of 34,309 total cases.

Missing Data			
-977777	-977777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34301	100.0 %
<b>Total</b>		<b>34,304</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5886-5891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777, -9, -8, -7, -1

## R05\_AU0100: When last used snus

When did you last use snus?

[IF In the past hour (1); GO TO R05\_AU0103 :  
 IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05\_AU1130]

ASK: Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_SNUS\_USE = 1 OR  
 ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	73	0.2 %
2	2 = Sometime today, but more than an hour ago	34	0.1 %
3	3 = Yesterday	43	0.1 %
4	4 = Day before yesterday	22	0.1 %
5	5 = Three or more days ago	155	0.5 %
<b>Total</b>		<b>327</b>	<b>1.0%</b>

This variable has 327 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33976	99.0 %
<b>Total</b>		<b>33,982</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5892-5897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU0102: Time period of day when you last used snus

When you last used snus [FILL BASED ON R05\_AU0100], was it...

ASK: Adult respondents who are every day established snus users and last used snus sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU0100 = 2, 3, 4) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND R05\_AU0100 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	13	0.0 %
2	2 = After 6AM but before noon	20	0.1 %
3	3 = Between noon and 6PM	38	0.1 %
4	4 = After 6PM but before midnight	28	0.1 %
	<b>Total</b>	<b>99</b>	<b>0.3%</b>

This variable has 99 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34209	99.7 %
	<b>Total</b>	<b>34,210</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5898-5903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU0103: Number of times snus used today/yesterday/day before yesterday

How many times [have/did] you [used/use] snus [FILL BASED ON R05\_AU0100]?

\_\_\_ Times used

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AU1130]

ASK: Adult respondents who are every day established snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU0100 = 1, 2, 3, 4) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND R05\_AU0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 3 digits.]

This variable has 172 valid cases out of 34,309 total cases.

- Mean: 10.12
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00

- Maximum: 888.00
- Standard Deviation: 67.80

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34136	99.5 %
<b>Total</b>		<b>34,137</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5904-5909 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AU1130: In past 30 days, any of the snus used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AU9041]

ASK: Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_SNUS\_USE = 1 OR  
 ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0).

Value	Label	Unweighted Frequency	%
1	1 = Yes	218	0.6 %
2	2 = No	79	0.2 %
3	3 = I don't know	33	0.1 %
<b>Total</b>		<b>330</b>	<b>1.0%</b>

This variable has 330 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %

Missing Data			
-1	-1 = Inapplicable	33976	99.0 %
	<b>Total</b>	<b>33,979</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5910-5915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1131\_01: In past 30 days, snus flavor used: Menthol or mint

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

**ASK:** Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

**ASK Specification:** IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND R05\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	92	0.3 %
2	2 = Not Marked	126	0.4 %
	<b>Total</b>	<b>218</b>	<b>0.6%</b>

This variable has 218 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34090	99.4 %
	<b>Total</b>	<b>34,091</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5916-5921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1131\_02: In past 30 days, snus flavor used: Wintergreen, spearmint or frost

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1) OR  
((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND  
R05\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	136	0.4 %
2	2 = Not Marked	82	0.2 %
	<b>Total</b>	<b>218</b>	<b>0.6%</b>

This variable has 218 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34090	99.4 %
	<b>Total</b>	<b>34,091</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5922-5927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1131\_03: In past 30 days, snus flavor used: Clove or spice

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND R05\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	209	0.6 %
	<b>Total</b>	<b>218</b>	<b>0.6%</b>

This variable has 218 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34090	99.4 %
	<b>Total</b>	<b>34,091</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5928-5933 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1131\_04: In past 30 days, snus flavor used: Fruit

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND R05\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	200	0.6 %
	<b>Total</b>	<b>218</b>	<b>0.6%</b>

This variable has 218 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34090	99.4 %
	<b>Total</b>	<b>34,091</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5934-5939 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1131\_05: In past 30 days, snus flavor used: Chocolate

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND R05\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	217	0.6 %
	<b>Total</b>	<b>218</b>	<b>0.6%</b>

This variable has 218 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34090	99.4 %
<b>Total</b>		<b>34,091</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5940-5945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1131\_06: In past 30 days, snus flavor used: An alcoholic drink

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND R05\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	217	0.6 %
<b>Total</b>		<b>218</b>	<b>0.6%</b>

This variable has 218 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34090	99.4 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>34,091</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5946-5951 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1131\_07: In past 30 days, snus flavor used: Candy or other sweets

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND R05\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	212	0.6 %
	<b>Total</b>	<b>218</b>	<b>0.6%</b>

This variable has 218 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34090	99.4 %
	<b>Total</b>	<b>34,091</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5952-5957 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1131\_08: In past 30 days, snus flavor used: Some other flavor

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1) OR  
((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND  
R05\_AU1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	213	0.6 %
	<b>Total</b>	<b>218</b>	<b>0.6%</b>

This variable has 218 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34090	99.4 %
	<b>Total</b>	<b>34,091</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5958-5963 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1133: In past 30 days, flavor of snus used most often

In the past 30 days, which flavor of snus have you used most often?

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored

snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1 AND (R05\_AU1131\_[01.../08] = 1 FOR 2 OR MORE FLAVORS OR R05\_AU1131\_[01.../08] = -8, -7)) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND R05\_AU1130 = 1 AND (R05\_AU1131\_[01.../08] = 1 FOR 2 OR MORE FLAVORS OR R05\_AU1131\_[01.../08] = -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	14	0.0 %
2	2 = Wintergreen, spearmint, or frost	25	0.1 %
3	3 = Clove or spice	0	0.0 %
4	4 = Fruit	2	0.0 %
5	5 = Chocolate	0	0.0 %
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0 %
7	7 = Candy or other sweets	1	0.0 %
8	8 = Some other flavor	0	0.0 %
<b>Total</b>		<b>42</b>	<b>0.1%</b>

This variable has 42 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34266	99.9 %
<b>Total</b>		<b>34,267</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5964-5969 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1147: How often used flavored snus on days used in past 30 days

On the days you used snus in the past 30 days, how often did you use flavored snus?

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SNUS\_USE = 1 AND R05\_AU1130 = 1) OR ((R05\_CURRENT\_SNUS\_USE = 2 OR R05\_SNUS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1022 != 0 AND

R05\_AU1130 = 1).

Value	Label	Unweighted Frequency	%
1	1 = All of the time	139	0.4 %
2	2 = Most of the time	26	0.1 %
3	3 = Sometimes	20	0.1 %
4	4 = Rarely	26	0.1 %
5	5 = Never	7	0.0 %
	<b>Total</b>	<b>218</b>	<b>0.6%</b>

This variable has 218 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34090	99.4 %	
	<b>Total</b>	<b>34,091</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5970-5975 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU9041: Type of snus used

What type of snus [do you use/have you used]?

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

[IF Snus pouches (1), Loose snus (2), Don't Know (-8), or Refused (-7); GO TO R05\_AU1030]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	344	1.0 %
2	2 = Loose snus	97	0.3 %
3	3 = Both snus pouches and loose snus	65	0.2 %
	<b>Total</b>	<b>506</b>	<b>1.5%</b>

This variable has 506 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	33761	98.4 %
<b>Total</b>		<b>33,803</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5976-5981 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU9042: Type of snus used most often

You mentioned you have used both snus pouches and loose snus. Which type of snus [do/did] you use most often?

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and have used both snus pouches and loose snus.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	31	0.1 %
2	2 = Loose snus	33	0.1 %
<b>Total</b>		<b>64</b>	<b>0.2%</b>

This variable has 64 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34243	99.8 %
<b>Total</b>		<b>34,245</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5982-5987 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1030: How you usually buy your snus

The next questions ask about your experience buying snus. [Please think about the type of snus you use most often when answering these questions.]

How [do/did] you usually buy snus for yourself?

[IF From the internet (2), or By Telephone (3); GO TO R05\_AU1042 ;  
IF I do not buy my own snus (4), Don't Know (-8), or Refused (-7); GO TO R05\_AU1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	399	1.2 %
2	2 = From the internet	18	0.1 %
3	3 = By telephone	7	0.0 %
4	4 = I do not buy my own snus pouches	114	0.3 %
	<b>Total</b>	<b>538</b>	<b>1.6%</b>

This variable has 538 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33761	98.4 %
	<b>Total</b>	<b>33,771</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 5988-5993 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1032: Geographic area where you usually buy your snus

[Do/Did] you usually buy snus...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	384	1.1 %
2	2 = In another state	8	0.0 %
3	3 = Outside the US	5	0.0 %
<b>Total</b>		<b>397</b>	<b>1.2%</b>

This variable has 397 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33909	98.8 %	
<b>Total</b>		<b>33,912</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 5994-5999 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1033: Retail location where your snus is purchased most of the time

Where [do/did] you buy your snus most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	360	1.0 %
2	2 = A supermarket, grocery store, or drug store	13	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	18	0.1 %
5	5 = A duty free shop or military commissary	1	0.0 %
6	6 = A bar, pub, restaurant or casino	1	0.0 %
7	7 = A friend or relative	1	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = A liquor store	3	0.0 %
10	10 = Somewhere else	2	0.0 %
<b>Total</b>		<b>399</b>	<b>1.2%</b>

This variable has 399 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33909	98.8 %
<b>Total</b>		<b>33,910</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6000-6005 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1042\_D: Amount usually paid for a container of snus - Dollars

How much [do you usually/did you] pay for a container of snus?

\_\_\_ Dollars

[IF Don't Know (-8), OR Refused (-7); GO TO BOX R05\_AUR52]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 416 valid cases out of 34,309 total cases.

- Mean: 7.84
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 820.00
- Standard Deviation: 41.82

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33884	98.8 %
<b>Total</b>		<b>33,893</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6006-6011 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AU1042\_C: Amount usually paid for a container of snus - Cents

How much [do you usually/did you] pay for a container of snus?

\_\_ Cents

[IF Don't Know (-8), OR Refused (-7); GO TO BOX R05\_AUR52]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 416 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33892	98.8 %
<b>Total</b>		<b>33,893</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6012-6017 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AU9001: Number of pouches of snus in the container you usually buy/bought

How many pouches [are/were] in the container of snus that you usually [buy/bought]?

\_\_ Pouches

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AU1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1030 = 1, 2, 3 AND

(R05\_AU9041 = 1 OR R05\_AU9042 = 1).

[PROGRAM NOTE: Allow 2 digits. ]

This variable has 289 valid cases out of 34,309 total cases.

- Mean: 15.13
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 5.75

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34008	99.1 %
<b>Total</b>		<b>34,020</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6018-6023 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AU9002: Number of days to use up the container of snus

About how many days [does/did] it take you to use up a container this size?

\_\_\_ Days

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AU1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches and provided the number of snus pouches in the container they usually buy.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1030 = 1, 2, 3 AND  
(R05\_AU9041 = 1 OR R05\_AU9042 = 1) AND R05\_AU9001 != -8, -7.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 289 valid cases out of 34,309 total cases.

- Mean: 14.93
- Median: 5.00
- Mode: 2.00
- Minimum: 0.00

- Maximum: 365.00
- Standard Deviation: 33.85

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34019	99.2 %
<b>Total</b>		<b>34,020</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6024-6029 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AU1047: Have a regular brand of snus you usually use

[Do/Did] you have a regular brand of snus that you usually [use/used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	374	1.1 %
2	2 = No	423	1.2 %
<b>Total</b>		<b>797</b>	<b>2.3%</b>

This variable has 797 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33504	97.7 %
<b>Total</b>		<b>33,512</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6030-6035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1050: Regular/last brand of snus used was flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AU1945]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	450	1.3 %
2	2 = No	220	0.6 %
3	3 = I don't know	128	0.4 %
<b>Total</b>		<b>798</b>	<b>2.3%</b>

This variable has 798 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33504	97.7 %
<b>Total</b>		<b>33,511</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6036-6041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1012\_01: Snus flavor usually/last used: Menthol or mint

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	199	0.6 %
2	2 = Not Marked	247	0.7 %
	<b>Total</b>	<b>446</b>	<b>1.3%</b>

This variable has 446 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33858	98.7 %	
	<b>Total</b>	<b>33,863</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6042-6047 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1012\_02: Snus flavor usually/last used: Wintergreen, spearmint or frost

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	296	0.9 %
2	2 = Not Marked	150	0.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>446</b>	<b>1.3%</b>

This variable has 446 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33858	98.7 %
	<b>Total</b>	<b>33,863</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6048-6053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1012\_03: Snus flavor usually/last used: Clove or spice

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	435	1.3 %
	<b>Total</b>	<b>446</b>	<b>1.3%</b>

This variable has 446 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		33858	98.7 %
<b>Total</b>			<b>33,863</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6054-6059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1012\_04: Snus flavor usually/last used: Fruit

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.1 %
2	2 = Not Marked	422	1.2 %
	<b>Total</b>	<b>446</b>	<b>1.3%</b>

This variable has 446 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33858	98.7 %	
<b>Total</b>		<b>33,863</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6060-6065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1012\_05: Snus flavor usually/last used: Chocolate

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	443	1.3 %
	<b>Total</b>	<b>446</b>	<b>1.3%</b>

This variable has 446 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33858	98.7 %
	<b>Total</b>	<b>33,863</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 6066-6071 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AU1012\_06: Snus flavor usually/last used: An alcoholic drink

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	441	1.3 %
	<b>Total</b>	<b>446</b>	<b>1.3%</b>

This variable has 446 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33858	98.7 %
	<b>Total</b>	<b>33,863</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6072-6077 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1012\_07: Snus flavor usually/last used: Candy or other sweets

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	433	1.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>446</b>	<b>1.3%</b>

This variable has 446 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33858	98.7 %
	<b>Total</b>	<b>33,863</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6078-6083 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1012\_08: Snus flavor usually/last used: Some other flavor

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	441	1.3 %
	<b>Total</b>	<b>446</b>	<b>1.3%</b>

This variable has 446 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

Missing Data				
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33858	98.7 %	
<b>Total</b>		<b>33,863</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6084-6089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1945: Know the name of brand of snus usually/last used

Do you know the name of the brand of snus you [usually use/usually used/last used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-daysnus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	431	1.3 %
2	2 = No	369	1.1 %
<b>Total</b>		<b>800</b>	<b>2.3%</b>

This variable has 800 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33504	97.7 %	
<b>Total</b>		<b>33,509</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6090-6095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1048\_BRAND: Brand of snus usually/last used

What brand of snus [do/did] you [usually/last] use?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-daysnus users and know the name of the brand of snus they usually use or last used.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 420 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33877	98.7 %	
<b>Total</b>		<b>33,889</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6096-6101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1070\_PRODUCT: Sub-brand of snus product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1945 = 1 AND R05\_AU1048\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

This variable has 379 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	2	0.0 %	

Missing Data			
-1	-1 = Inapplicable	33923	98.9 %
	<b>Total</b>	<b>33,930</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6102-6107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1051\_NN: How long used regular brand of snus - Number

About how long [did you use/have you been using] your regular brand of snus?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AUR18]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and have a regular brand of snus.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AU1051\_UN = Days;  
the value "2" refers to R05\_AU1051\_UN = Months;  
the value "3" refers to R05\_AU1051\_UN = Years.

This variable has 364 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	33934	98.9 %
	<b>Total</b>	<b>33,945</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6108-6113 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AU1051\_UN: How long used regular brand of snus - Unit

About how long [did you use/have you been using] your regular brand of snus?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AUR18]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and have a regular brand of snus.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AU1051\_UN = Days;  
the value "2" refers to R05\_AU1051\_UN = Months;  
the value "3" refers to R05\_AU1051\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	42	0.1 %
2	2 = Months	102	0.3 %
3	3 = Years	222	0.6 %
<b>Total</b>		<b>366</b>	<b>1.1%</b>

This variable has 366 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33942	98.9 %
<b>Total</b>		<b>33,943</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 6114-6119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AU0104: Brand of very last snus used is same as brand regularly/last used

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_AU0100 = 1, 2, 3, 4 AND

R05\_AU1945 = 1 AND R05\_AU1048\_BRAND != 9995, -8, -7 AND  
R05\_AU1070\_PRODUCT != 99990, 99995, -8, -7.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	65	0.2 %
2	2 = No	6	0.0 %
	<b>Total</b>	<b>71</b>	<b>0.2%</b>

This variable has 71 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	4	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34233	99.8 %	
	<b>Total</b>	<b>34,238</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6120-6125 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## **R05\_AU1060\_RANDOM\_01: AU1060 series random question 1**

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33504	97.7 %
-97777	-	1	0.0 %
R05_AU1060	-	82	0.2 %
R05_AU1062	-	95	0.3 %
R05_AU1063	-	86	0.3 %
R05_AU1064	-	39	0.1 %
R05_AU1065	-	92	0.3 %
R05_AU1067	-	81	0.2 %
R05_AU1075	-	113	0.3 %

Value	Label	Unweighted Frequency	%
R05_AU1076	-	85	0.2 %
R05_AU1077	-	38	0.1 %
R05_AU1085	-	93	0.3 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6126-6135 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AU1060\_RANDOM\_02: AU1060 series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33504	97.7 %
-97777	-	1	0.0 %
R05_AU1060	-	94	0.3 %
R05_AU1062	-	80	0.2 %
R05_AU1063	-	87	0.3 %
R05_AU1064	-	48	0.1 %
R05_AU1065	-	100	0.3 %
R05_AU1067	-	77	0.2 %
R05_AU1075	-	94	0.3 %
R05_AU1076	-	86	0.3 %
R05_AU1077	-	50	0.1 %
R05_AU1085	-	88	0.3 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6136-6145 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AU1060\_RANDOM\_03: AU1060 series random question 3

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33504	97.7 %
-97777	-	1	0.0 %
R05_AU1060	-	101	0.3 %
R05_AU1062	-	74	0.2 %
R05_AU1063	-	102	0.3 %
R05_AU1064	-	44	0.1 %
R05_AU1065	-	79	0.2 %
R05_AU1067	-	102	0.3 %
R05_AU1075	-	81	0.2 %
R05_AU1076	-	94	0.3 %
R05_AU1077	-	46	0.1 %
R05_AU1085	-	81	0.2 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6146-6155 (width: 10; decimal: 0)

*Variable Type:* character

---

#### **R05\_AU1060\_RANDOM\_04: AU1060 series random question 4**

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33504	97.7 %
-97777	-	1	0.0 %
R05_AU1060	-	79	0.2 %
R05_AU1062	-	91	0.3 %
R05_AU1063	-	76	0.2 %
R05_AU1064	-	41	0.1 %
R05_AU1065	-	95	0.3 %
R05_AU1067	-	90	0.3 %

Value	Label	Unweighted Frequency	%
R05_AU1075	-	96	0.3 %
R05_AU1076	-	93	0.3 %
R05_AU1077	-	57	0.2 %
R05_AU1085	-	86	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6156-6165 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AU1060\_RANDOM\_05: AU1060 series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33504	97.7 %
-97777	-	1	0.0 %
R05_AU1060	-	85	0.2 %
R05_AU1062	-	94	0.3 %
R05_AU1063	-	86	0.3 %
R05_AU1064	-	51	0.1 %
R05_AU1065	-	87	0.3 %
R05_AU1067	-	100	0.3 %
R05_AU1075	-	73	0.2 %
R05_AU1076	-	90	0.3 %
R05_AU1077	-	49	0.1 %
R05_AU1085	-	89	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6166-6175 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AU1060\_RANDOM\_06: AU1060 series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33504	97.7 %
-97777	-	1	0.0 %
R05_AU1060	-	92	0.3 %
R05_AU1062	-	90	0.3 %
R05_AU1063	-	91	0.3 %
R05_AU1064	-	50	0.1 %
R05_AU1065	-	69	0.2 %
R05_AU1067	-	102	0.3 %
R05_AU1075	-	85	0.2 %
R05_AU1076	-	87	0.3 %
R05_AU1077	-	48	0.1 %
R05_AU1085	-	90	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6176-6185 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AU1060\_RANDOM\_07: AU1060 series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33504	97.7 %
-97777	-	1	0.0 %
R05_AU1060	-	96	0.3 %
R05_AU1062	-	92	0.3 %
R05_AU1063	-	104	0.3 %
R05_AU1064	-	58	0.2 %
R05_AU1065	-	86	0.3 %

Value	Label	Unweighted Frequency	%
R05_AU1067	-	82	0.2 %
R05_AU1075	-	83	0.2 %
R05_AU1076	-	89	0.3 %
R05_AU1077	-	35	0.1 %
R05_AU1085	-	79	0.2 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6186-6195 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AU1060\_RANDOM\_08: AU1060 series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33504	97.7 %
-97777	-	1	0.0 %
R05_AU1060	-	88	0.3 %
R05_AU1062	-	81	0.2 %
R05_AU1063	-	92	0.3 %
R05_AU1064	-	44	0.1 %
R05_AU1065	-	97	0.3 %
R05_AU1067	-	82	0.2 %
R05_AU1075	-	75	0.2 %
R05_AU1076	-	91	0.3 %
R05_AU1077	-	53	0.2 %
R05_AU1085	-	101	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6196-6205 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AU1060\_RANDOM\_09: AU1060 series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were

randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33843	98.6 %
-97777	-	1	0.0 %
R05_AU1060	-	42	0.1 %
R05_AU1062	-	46	0.1 %
R05_AU1063	-	43	0.1 %
R05_AU1064	-	53	0.2 %
R05_AU1065	-	64	0.2 %
R05_AU1067	-	41	0.1 %
R05_AU1075	-	45	0.1 %
R05_AU1076	-	40	0.1 %
R05_AU1077	-	47	0.1 %
R05_AU1085	-	44	0.1 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

Location: 6206-6215 (width: 10; decimal: 0)

Variable Type: character

---

## R05\_AU1060\_RANDOM\_10: AU1060 series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05\_AU1060 through R05\_AU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AUD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33843	98.6 %
-97777	-	1	0.0 %
R05_AU1060	-	45	0.1 %
R05_AU1062	-	61	0.2 %
R05_AU1063	-	37	0.1 %
R05_AU1064	-	37	0.1 %
R05_AU1065	-	35	0.1 %

Value	Label	Unweighted Frequency	%
R05_AU1067	-	47	0.1 %
R05_AU1075	-	59	0.2 %
R05_AU1076	-	49	0.1 %
R05_AU1077	-	42	0.1 %
R05_AU1085	-	53	0.2 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6216-6225 (width: 10; decimal: 0)

*Variable Type:* character

## **R05\_AU1060: Use/used snus because: It is/was affordable**

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

It [is/was] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	339	1.0 %
2	2 = No	450	1.3 %
	<b>Total</b>	<b>789</b>	<b>2.3%</b>

This variable has 789 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33504	97.7 %
	<b>Total</b>	<b>33,520</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6226-6231 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1085: Use/used snus because: I can/could use it at times when or in places where smoking cigarettes [isn't/wasn't] allowed

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

I [can/could] use snus at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	527	1.5 %
2	2 = No	263	0.8 %
	<b>Total</b>	<b>790</b>	<b>2.3%</b>

This variable has 790 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33504	97.7 %
	<b>Total</b>	<b>33,519</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6232-6237 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AU1062: Use/used snus because: It might be less harmful to me than smoking cigarettes

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

It might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	294	0.9 %
2	2 = No	499	1.5 %
	<b>Total</b>	<b>793</b>	<b>2.3%</b>

This variable has 793 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33504	97.7 %
	<b>Total</b>	<b>33,516</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6238-6243 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1075: Use/used snus because: It might be less harmful to people around me than cigarettes

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

It might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	430	1.3 %
2	2 = No	361	1.1 %
	<b>Total</b>	<b>791</b>	<b>2.3%</b>

This variable has 791 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	33504	97.7 %	
	<b>Total</b>	<b>33,518</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6244-6249 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1063: Use/used snus because: It comes/came in flavors I like/liked

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

Snus [comes/came] in flavors I [like/liked].

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

**ASK Specification:** IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	458	1.3 %
2	2 = No	332	1.0 %
	<b>Total</b>	<b>790</b>	<b>2.3%</b>

This variable has 790 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	13	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33504	97.7 %	
	<b>Total</b>	<b>33,519</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6250-6255 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1064: Use/used snus because: Using snus help people to quit smoking cigarettes

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

Using snus helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	139	0.4 %
2	2 = No	318	0.9 %
	<b>Total</b>	<b>457</b>	<b>1.3%</b>

This variable has 457 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33843	98.6 %
	<b>Total</b>	<b>33,852</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6256-6261 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1065: Use/used snus because: Snus doesn't smell

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

Snus doesn't smell.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	377	1.1 %
2	2 = No	416	1.2 %
	<b>Total</b>	<b>793</b>	<b>2.3%</b>

This variable has 793 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33504	97.7 %
	<b>Total</b>	<b>33,516</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6262-6267 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1067: Use/used snus because: Snus is/was more acceptable to non-tobacco users

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

Snus [is/was] more acceptable to non-tobacco users.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	336	1.0 %
2	2 = No	454	1.3 %
	<b>Total</b>	<b>790</b>	<b>2.3%</b>

This variable has 790 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	10	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33504	97.7 %	
<b>Total</b>		<b>33,519</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6268-6273 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1076: Use/used snus because: No one can tell when I am using it

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

No one [can/could] tell when I [am/was] using snus.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	410	1.2 %
2	2 = No	386	1.1 %
<b>Total</b>		<b>796</b>	<b>2.3%</b>

This variable has 796 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33504	97.7 %	
<b>Total</b>		<b>33,513</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6274-6279 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1077: Use/used snus because: Satisfies/satisfied my cravings for cigarettes

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

Using snus [satisfies/satisfied] my cravings for cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	240	0.7 %
2	2 = No	219	0.6 %
	<b>Total</b>	<b>459</b>	<b>1.3%</b>

This variable has 459 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33843	98.6 %
	<b>Total</b>	<b>33,850</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6280-6285 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1086: In past 30 days, used snus at times when could not smoke regular cigarettes

In the past 30 days have you used snus at times when or in places where you could not smoke cigarettes?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AU1080]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and are current established or current experimental cigarette smokers.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	129	0.4 %
2	2 = No	148	0.4 %
	<b>Total</b>	<b>277</b>	<b>0.8%</b>

This variable has 277 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34027	99.2 %
	<b>Total</b>	<b>34,032</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6286-6291 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1087: Frequency with which snus is used when could not smoke regular cigarettes

How often [do/did] you use snus at times when or in places where you could not smoke regular cigarettes?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and are current established or current experimental cigarette smokers and used snus at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_CIG\_USER\_STATUS = 1, 2  
AND R05\_AU1086 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	35	0.1 %
2	2 = Some days	63	0.2 %
3	3 = Rarely	31	0.1 %
	<b>Total</b>	<b>129</b>	<b>0.4%</b>

This variable has 129 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	34179	99.6 %
	<b>Total</b>	<b>34,180</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6292-6297 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1080: Use/used snus as a way of cutting down on cigarette smoking

[Do/Did] you use snus as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	127	0.4 %
2	2 = No	282	0.8 %
	<b>Total</b>	<b>409</b>	<b>1.2%</b>

This variable has 409 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33895	98.8 %
	<b>Total</b>	<b>33,900</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6298-6303 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1082: Use/used snus as a way to quit smoking cigarettes

[Are/Did] you [using/use] snus as a way to quit smoking cigarettes?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1) AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	96	0.3 %
2	2 = No	313	0.9 %
	<b>Total</b>	<b>409</b>	<b>1.2%</b>

This variable has 409 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33895	98.8 %
	<b>Total</b>	<b>33,900</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6304-6309 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1139: Level of agreement: Easier to talk and get along with other people when using snus

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using snus.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	491	1.4 %
2	2 = 2 on a scale of 1 to 4	135	0.4 %
3	3 = 3 on a scale of 1 to 4	114	0.3 %
4	4 = Very true of me	51	0.1 %
	<b>Total</b>	<b>791</b>	<b>2.3%</b>

This variable has 791 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	33504	97.7 %
<b>Total</b>		<b>33,518</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6310-6315 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1140: Level of agreement: Feel/felt more confident with other people while using snus

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While using snus, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	528	1.5 %
2	2 = 2 on a scale of 1 to 4	132	0.4 %
3	3 = 3 on a scale of 1 to 4	86	0.3 %
4	4 = Very true of me	46	0.1 %
<b>Total</b>		<b>792</b>	<b>2.3%</b>

This variable has 792 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33504	97.7 %
<b>Total</b>		<b>33,517</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6316-6321 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU1141: Level of agreement: Use/used snus much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I [use/used] snus much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	485	1.4 %
2	2 = 2 on a scale of 1 to 4	137	0.4 %
3	3 = 3 on a scale of 1 to 4	105	0.3 %
4	4 = Very true of me	61	0.2 %
	<b>Total</b>	<b>788</b>	<b>2.3%</b>

This variable has 788 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	33504	97.7 %
	<b>Total</b>	<b>33,521</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6322-6327 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1005: Number of times used smokeless tobacco in entire life

How many times have you used smokeless tobacco in your entire life?

ASK: Adult respondents who have ever used smokeless tobacco and had not used 100 or more times as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_SMKLS = 1 AND  
R04\_NUMLIFE\_SMKLS != 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 to 10	2374	6.9 %
2	2 = 11 to 20	370	1.1 %
3	3 = 21 to 50	307	0.9 %
4	4 = 51 to 99	152	0.4 %
5	5 = 100 or more	163	0.5 %
	<b>Total</b>	<b>3,366</b>	<b>9.8%</b>

This variable has 3,366 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	150	0.4 %
-7	-7 = Refused	69	0.2 %
-1	-1 = Inapplicable	30723	89.5 %
	<b>Total</b>	<b>30,943</b>	<b>90.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6328-6333 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1100: Ever used smokeless tobacco fairly regularly

Have you ever used smokeless tobacco fairly regularly?

ASK: Adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview.

ASK Specification: IF R05\_EVER\_NEVER\_SMKLS = 1 AND  
R04\_REGUSE\_SMKLS != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	241	0.7 %
2	2 = No	2898	8.4 %
	<b>Total</b>	<b>3,139</b>	<b>9.1%</b>

This variable has 3,139 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	4	0.0 %

Missing Data			
-1	-1 = Inapplicable	31157	90.8 %
	<b>Total</b>	<b>31,170</b>	<b>90.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6334-6339 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05R\_A\_AS1007\_NB: DERIVED - Age group you were in when first started using smokeless tobacco fairly regularly (6 levels)

Long Description: How old were you when you first started using smokeless tobacco fairly regularly?

```
Algorithm: if (0 <= R05_AS1007_NB < 18) or R05_AS1121_NB = 1 then
R05R_A_AS1007_NB = 1; else if (18 <= R05_AS1007_NB <= 24) or
R05_AS1121_NB = 2 then R05R_A_AS1007_NB = 2; else if
(25 <= R05_AS1007_NB <= 34) or R05_AS1121_NB = 3 then
R05R_A_AS1007_NB = 3; else if (35 <= R05_AS1007_NB <= 44) or
R05_AS1121_NB = 4 then R05R_A_AS1007_NB = 4; else if
(45 <= R05_AS1007_NB <= 54) or R05_AS1121_NB = 5 then
R05R_A_AS1007_NB = 5; else if ( R05_AS1007_NB => 55) or
R05_AS1121_NB = 6 then R05R_A_AS1007_NB = 6; else if
R05_AS1007_NB = -9 or R05_AS1121_NB = -9 then
R05R_A_AS1007_NB = -99999; else if R05_AS1007_NB = -8 or
R05_AS1121_NB = -8 then R05R_A_AS1007_NB = -99988; else if
R05_AS1007_NB = -7 or R05_AS1121_NB = -7 then R05R_A_AS1007_NB = -99977;
else if R05_AS1007_NB = -5 then R05R_A_AS1007_NB = -99955; else if
R05_AS1007_NB = -1 or R05_AS1121_NB = -1 then R05R_A_AS1007_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	26	0.1 %
2	2 = 18 to 24 years old	19	0.1 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>45</b>	<b>0.1%</b>

This variable has 45 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

Missing Data			
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34263	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,264</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6340-6345 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_AS1020\_NB: DERIVED - Age group you were in when first started using smokeless tobacco every day (6 levels)

Long Description: How old were you when you first started using smokeless tobacco every day?

```
Algorithm: if (0 <= R05_AS1020_NB < 18) or R05_AS1122_NB = 1 then
R05R_A_AS1020_NB = 1; else if (18 <= R05_AS1020_NB <= 24) or
R05_AS1122_NB = 2 then R05R_A_AS1020_NB = 2; else if
(25 <= R05_AS1020_NB <= 34) or R05_AS1122_NB = 3 then R05R_A_AS1020_NB
= 3; else if (35 <= R05_AS1020_NB <= 44) or R05_AS1122_NB = 4 then
R05R_A_AS1020_NB = 4; else if (45 <= R05_AS1020_NB <= 54) or
R05_AS1122_NB = 5 then R05R_A_AS1020_NB = 5; else if
(R05_AS1020_NB => 55) or R05_AS1122_NB = 6 then R05R_A_AS1020_NB = 6;
else if R05_AS1020_NB = -9 or R05_AS1122_NB = -9 then
R05R_A_AS1020_NB = -99999; else if R05_AS1020_NB = -8 or
R05_AS1122_NB = -8 then R05R_A_AS1020_NB = -99988; else if
R05_AS1020_NB = -7 or R05_AS1122_NB = -7 then R05R_A_AS1020_NB = -99977;
else if R05_AS1020_NB = -5 then R05R_A_AS1020_NB = -99955; else if
R05_AS1020_NB = -1 or R05_AS1122_NB = -1 then R05R_A_AS1020_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	16	0.0 %
2	2 = 18 to 24 years old	10	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>26</b>	<b>0.1%</b>

This variable has 26 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34281	99.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,283</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6346-6351 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05\_AS1008: When first started using smokeless tobacco, used smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASR09]

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview.

ASK Specification: IF R05\_INIT\_SMKLS\_ADULT = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	212	0.6 %
2	2 = No	166	0.5 %
3	3 = I don't know	100	0.3 %
<b>Total</b>		<b>478</b>	<b>1.4%</b>

This variable has 478 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33829	98.6 %	
<b>Total</b>		<b>33,831</b>	<b>98.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6352-6357 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1011\_01: Flavor of smokeless tobacco when first started using: Menthol or mint

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Menthol or mint

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF R05\_INIT\_SMKLS\_ADULT = 1 AND R05\_AS1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	97	0.3 %
2	2 = Not Marked	115	0.3 %
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6358-6363 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1011\_02: Flavor of smokeless tobacco when first started using: Wintergreen, spearmint or frost

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF R05\_INIT\_SMKLS\_ADULT = 1 AND R05\_AS1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	137	0.4 %
2	2 = Not Marked	75	0.2 %
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6364-6369 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1011\_03: Flavor of smokeless tobacco when first started using: Clove or spice

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Clove or spice

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF R05\_INIT\_SMKLS\_ADULT = 1 AND R05\_AS1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	208	0.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6370-6375 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1011\_04: Flavor of smokeless tobacco when first started using: Fruit

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Fruit

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF R05\_INIT\_SMKLS\_ADULT = 1 AND R05\_AS1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.1 %
2	2 = Not Marked	190	0.6 %
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6376-6381 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1011\_05: Flavor of smokeless tobacco when first started using: Chocolate

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Chocolate

**ASK:** Adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

**ASK Specification:** IF R05\_INIT\_SMKLS\_ADULT = 1 AND R05\_AS1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	209	0.6 %
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6382-6387 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1011\_06: Flavor of smokeless tobacco when first started using: An alcoholic drink

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF R05\_INIT\_SMKLS\_ADULT = 1 AND R05\_AS1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	207	0.6 %
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6388-6393 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1011\_07: Flavor of smokeless tobacco when first started using: Candy or other sweets

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF R05\_INIT\_SMKLS\_ADULT = 1 AND R05\_AS1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	207	0.6 %
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
	<b>Total</b>	<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6394-6399 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1011\_08: Flavor of smokeless tobacco when first started using: Some other flavor

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor did you first start using? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF R05\_INIT\_SMKLS\_ADULT = 1 AND R05\_AS1008 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	211	0.6 %
	<b>Total</b>	<b>212</b>	<b>0.6%</b>

This variable has 212 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34096	99.4 %
<b>Total</b>		<b>34,097</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6400-6405 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1021: Average number of times smokeless tobacco now used each day

On average, about how many times do you now use smokeless tobacco each day?

\_\_ Times each day

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AS1024]

ASK: Adult respondents who are every day established smokeless tobacco users.

ASK Specification: IF R05\_CURRENT\_SMKLS\_USE = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 648 valid cases out of 34,309 total cases.

- Mean: 7.90
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 7.55

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33658	98.1 %
<b>Total</b>		<b>33,661</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6406-6411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AS1022: In past 30 days, number of days used smokeless tobacco

On how many of the past 30 days did you use smokeless tobacco?

\_\_ Days

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless users.

ASK Specification: IF R05\_CURRENT\_SMKLS\_USE = 2 OR  
R05\_SMKLS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 741 valid cases out of 34,309 total cases.

- Mean: 6.04
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.35

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	7	0.0 %
-1	-1 = Inapplicable	33556	97.8 %
<b>Total</b>		<b>33,568</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6412-6417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AS9029\_NN: Time since last used smokeless tobacco - Number (Some day or current experimental users)

About how long has it been since you last used smokeless tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AS26]

ASK: Adult respondents who are some day established or current experimental smokeless tobacco users and used on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 2 OR  
R05\_SMKLS\_USER\_STATUS = 2) AND R05\_AS1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AS9029\_UN = Days;  
 the value "2" refers to R05\_AS9029\_UN = Months;  
 the value "3" refers to R05\_AS9029\_UN = Years.

This variable has 111 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	28	0.1 %	
-1	-1 = Inapplicable	34166	99.6 %	
	<b>Total</b>	<b>34,198</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6418-6423 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AS9029\_UN: Time since last used smokeless tobacco - Unit (Some day or current experimental users)

About how long has it been since you last used smokeless tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASR26]

ASK: Adult respondents who are some day established or current experimental smokeless tobacco users and used on 0 days of the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 2 OR  
 R05\_SMKLS\_USER\_STATUS = 2) AND R05\_AS1022 = 0.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AS9029\_UN = Days;  
 the value "2" refers to R05\_AS9029\_UN = Months;  
 the value "3" refers to R05\_AS9029\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	23	0.1 %
2	2 = Months	75	0.2 %
3	3 = Years	41	0.1 %
	<b>Total</b>	<b>139</b>	<b>0.4%</b>

This variable has 139 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34169	99.6 %
<b>Total</b>		<b>34,170</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6424-6429 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1023: In past 30 days, average number of times used smokeless tobacco per day on days used

On average, on those [FILL NUMBER OF DAYS FROM R05\_AS1022 days/days you used], how many times did you usually use smokeless tobacco each day?

\_\_ Times when used

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASR26]

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 496 valid cases out of 34,309 total cases.

- Mean: 3.49
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 4.52

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33807	98.5 %
	<b>Total</b>	<b>33,813</b>	<b>98.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6430-6435 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AS1024\_NN: Time to first use of smokeless tobacco after waking on days used - Number (Current users)

[On the days that you use smokeless tobacco, how/How soon after you wake up do you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes /Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AS1092]

ASK: Adult respondents who are current established or current experimental smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers R05\_AS1024\_UN = Minutes after waking;  
the value "2" refers to R05\_AS1024\_UN = Hours after waking.

This variable has 1,178 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	5	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33117	96.5 %	
	<b>Total</b>	<b>33,131</b>	<b>96.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6436-6441 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AS1024\_UN: Time to first use of smokeless tobacco after waking on days used - Unit (Current users)

[On the days that you use smokeless tobacco, how/How soon after you wake up do you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes /Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AS1092]

ASK: Adult respondents who are current established or current experimental smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers R05\_AS1024\_UN = Minutes after waking;  
the value "2" refers to R05\_AS1024\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	430	1.3 %
2	2 = Hours after waking	748	2.2 %
	<b>Total</b>	<b>1,178</b>	<b>3.4%</b>

This variable has 1,178 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33130	96.6 %
	<b>Total</b>	<b>33,131</b>	<b>96.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 6442-6447 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AS1092: Use first smokeless tobacco of the day within 30 minutes after waking (Current users)

[On the days that you use smokeless tobacco, would/Would] you say you use your first smokeless tobacco product of the day within the first 30 minutes after you wake up?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_ASR28]

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and did not know or refused to report how soon after waking up they first use smokeless tobacco.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2 AND R05\_AS1024\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = No	8	0.0 %
3	3 = It varies	2	0.0 %
<b>Total</b>		<b>11</b>	<b>0.0%</b>

This variable has 11 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34295	100.0 %
<b>Total</b>		<b>34,298</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6448-6453 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AS1024\_30D\_NN: Time to first use of smokeless tobacco after waking on days used - Number (non-current users)

On the days that you used smokeless tobacco, how soon after you woke up did you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AS1092\_30D]

ASK: Adult respondents who are non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

NOTES: The value "1" refers R05\_AS1024\_30D\_UN = Minutes after waking; the value "2" refers to R05\_AS1024\_30D\_UN = Hours after waking.

SKIP ERROR: This item was skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) and recent former established smokeless tobacco users (R05\_SMKLS\_USER\_STATUS = 4). This issue was fixed in a field update on 4/11/2019.

This variable has 180 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	12	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	1	0.0 %

Missing Data				
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34097	99.4 %	
<b>Total</b>		<b>34,129</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6454-6459 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AS1024\_30D\_UN: Time to first use of smokeless tobacco after waking on days used - Unit (non-current users)

On the days that you used smokeless tobacco, how soon after you woke up did you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AS1092\_30D]

ASK: Adult respondents who are non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

NOTES: The value "1" refers R05\_AS1024\_30D\_UN = Minutes after waking;  
the value "2" refers to R05\_AS1024\_30D\_UN = Hours after waking.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	48	0.1 %
2	2 = Hours after waking	132	0.4 %
<b>Total</b>		<b>180</b>	<b>0.5%</b>

This variable has 180 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34128	99.5 %
<b>Total</b>		<b>34,129</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6460-6465 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AS1092\_30D: Used first smokeless tobacco of the day within 30 minutes after waking (non-current users)

On the days that you used smokeless tobacco, would you say you used your first smokeless tobacco product of the day within the first 30 minutes after you woke up?

ASK: Adult respondents who are non-current 30-day smokeless tobacco users and did not know or refused to report how soon after waking up they typically used their first smokeless tobacco of the day.

ASK Specification: IF R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1 AND  
R05\_AS1024\_30D\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	14	0.0 %
3	3 = It varies	1	0.0 %
<b>Total</b>		<b>16</b>	<b>0.0%</b>

This variable has 16 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34289	99.9 %
<b>Total</b>		<b>34,293</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6466-6471 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS100: When last used smokeless tobacco

When did you last use smokeless tobacco [not including snus]?

[IF In the past hour (1); GO TO R05\_AS103 :  
IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO R05AS1130]

ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_SMKLS\_USE = 1 OR  
((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0).

NOTES: SKIP ERROR: This item was skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) and recent former established smokeless tobacco users (R05\_SMKLS\_USER\_STATUS = 4). This issue was fixed in a field update on 4/11/2019.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	511	1.5 %
2	2 = Sometime today, but more than an hour ago	158	0.5 %
3	3 = Yesterday	141	0.4 %
4	4 = Day before yesterday	50	0.1 %
5	5 = Three or more days ago	273	0.8 %
	<b>Total</b>	<b>1,133</b>	<b>3.3%</b>

This variable has 1,133 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	9	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33157	96.6 %
	<b>Total</b>	<b>33,176</b>	<b>96.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6472-6477 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS0102: Time period of day when you last used smokeless tobacco

When you last used smokeless tobacco [not including snus] [FILL BASED ON R05\_AS0100], was it...

ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS0100 = 2, 3, 4) OR ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND R05\_AS0100 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	32	0.1 %
2	2 = After 6AM but before noon	96	0.3 %

Value	Label	Unweighted Frequency	%
3	3 = Between noon and 6PM	147	0.4 %
4	4 = After 6PM but before midnight	72	0.2 %
	<b>Total</b>	<b>347</b>	<b>1.0%</b>

This variable has 347 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33959	99.0 %
	<b>Total</b>	<b>33,962</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6478-6483 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS0103: Number of times used smokeless tobacco today/yesterday/day before yesterday

How many times [have/did] you [used/use] smokeless tobacco [not including snus]  
[FILL BASED ON R05\_AS0100]?

\_\_\_\_ Times used

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AS1130]

ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS0100 = 1,  
2, 3, 4) OR ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND  
R05\_AS0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 3 digits.]

This variable has 855 valid cases out of 34,309 total cases.

- Mean: 5.12
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 500.00

- Standard Deviation: 19.34

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33448	97.5 %	
<b>Total</b>		<b>33,454</b>	<b>97.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6484-6489 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AS1130: In past 30 days, any of the smokeless tobacco used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AS9041]

ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05\_CURRENT\_SMKLS\_USE = 1 OR  
 ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0).

NOTES: SKIP ERROR: This item was skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) and recent former established smokeless tobacco users (R05\_SMKLS\_USER\_STATUS = 4). This issue was fixed in a field update on 4/11/2019.

Value	Label	Unweighted Frequency	%
1	1 = Yes	683	2.0 %
2	2 = No	408	1.2 %
3	3 = I don't know	49	0.1 %
<b>Total</b>		<b>1,140</b>	<b>3.3%</b>

This variable has 1,140 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	9	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33157	96.6 %	
<b>Total</b>		<b>33,169</b>	<b>96.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6490-6495 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1131\_01: In past 30 days, smokeless tobacco flavor used: Menthol or mint

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1) OR ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND R05\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	180	0.5 %
2	2 = Not Marked	501	1.5 %
	<b>Total</b>	<b>681</b>	<b>2.0%</b>

This variable has 681 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	

Missing Data			
-1	-1 = Inapplicable	33625	98.0 %
	<b>Total</b>	<b>33,628</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6496-6501 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1131\_02: In past 30 days, smokeless tobacco flavor used: Wintergreen, spearmint or frost

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1) OR  
 ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND  
 R05\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	511	1.5 %
2	2 = Not Marked	170	0.5 %
	<b>Total</b>	<b>681</b>	<b>2.0%</b>

This variable has 681 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33625	98.0 %
	<b>Total</b>	<b>33,628</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6502-6507 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1131\_03: In past 30 days, smokeless tobacco flavor used: Clove or spice

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1) OR  
((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND  
R05\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	675	2.0 %
	<b>Total</b>	<b>681</b>	<b>2.0%</b>

This variable has 681 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33625	98.0 %
	<b>Total</b>	<b>33,628</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6508-6513 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1131\_04: In past 30 days, smokeless tobacco flavor used: Fruit

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint,

wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1) OR ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND R05\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.1 %
2	2 = Not Marked	639	1.9 %
	<b>Total</b>	<b>681</b>	<b>2.0%</b>

This variable has 681 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33625	98.0 %	
	<b>Total</b>	<b>33,628</b>	<b>98.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6514-6519 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1131\_05: In past 30 days, smokeless tobacco flavor used: Chocolate

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored

smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1) OR  
 ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND  
 R05\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	678	2.0 %
	<b>Total</b>	<b>681</b>	<b>2.0%</b>

This variable has 681 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33625	98.0 %
	<b>Total</b>	<b>33,628</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6520-6525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1131\_06: In past 30 days, smokeless tobacco flavor used: An alcoholic drink

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (Such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1) OR  
 ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND  
 R05\_AS1130 = 1).

R05\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	674	2.0 %
	<b>Total</b>	<b>681</b>	<b>2.0%</b>

This variable has 681 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33625	98.0 %
	<b>Total</b>	<b>33,628</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6526-6531 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## **R05\_AS1131\_07: In past 30 days, smokeless tobacco flavor used: Candy or other sweets**

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1) OR ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND R05\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.0 %
2	2 = Not Marked	666	1.9 %
	<b>Total</b>	<b>681</b>	<b>2.0%</b>

This variable has 681 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33625	98.0 %
	<b>Total</b>	<b>33,628</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6532-6537 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1131\_08: In past 30 days, smokeless tobacco flavor used: Some other flavor

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1) OR  
 ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND  
 R05\_AS1130 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	669	1.9 %
	<b>Total</b>	<b>681</b>	<b>2.0%</b>

This variable has 681 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33625	98.0 %
<b>Total</b>		<b>33,628</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6538-6543 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1133: In past 30 days, flavor of smokeless tobacco used most often

In the past 30 days, which flavor of smokeless tobacco have you used most often?

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1  
AND (R05\_AS1131\_[01.../08] = 1 FOR 2 OR MORE FLAVORS OR  
R05\_AS1131\_[01.../08] = -8, -7)) OR ((R05\_CURRENT\_SMKLS\_USE = 2 OR  
R05\_SMKLS\_USER\_STATUS = 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND  
R05\_AS1022 != 0 AND R05\_AS1130 = 1 AND (R05\_AS1131\_[01.../08] = 1 FOR  
2 OR MORE FLAVORS OR R05\_AS1131\_[01.../08] = -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	19	0.1 %
2	2 = Wintergreen, spearmint, or frost	50	0.1 %
3	3 = Clove or spice	0	0.0 %
4	4 = Fruit	8	0.0 %
5	5 = Chocolate	1	0.0 %
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	2	0.0 %
7	7 = Candy or other sweets	0	0.0 %
8	8 = Some other flavor	3	0.0 %
<b>Total</b>		<b>83</b>	<b>0.2%</b>

This variable has 83 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34225	99.8 %
<b>Total</b>		<b>34,226</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6544-6549 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1147: How often used flavored smokeless tobacco on days used in past 30 days

On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05\_CURRENT\_SMKLS\_USE = 1 AND R05\_AS1130 = 1)  
OR ((R05\_CURRENT\_SMKLS\_USE = 2 OR R05\_SMKLS\_USER\_STATUS = 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1022 != 0 AND  
R05\_AS1130 = 1).

NOTES: SKIP ERROR: This item was skipped incorrectly by some respondents who did not know or refused to report on how many of the past 30 days they used smokeless tobacco (R05\_AS1022 = -8, -7) and reported using flavored smokeless tobacco in the past 30 days (R05\_AS1130 = 1). This issue was fixed in a field update on 4/11/2019.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = All of the time	490	1.4 %
2	2 = Most of the time	83	0.2 %
3	3 = Sometimes	55	0.2 %
4	4 = Rarely	44	0.1 %
5	5 = Never	10	0.0 %
<b>Total</b>		<b>682</b>	<b>2.0%</b>

This variable has 682 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33625	98.0 %	
<b>Total</b>		<b>33,627</b>	<b>98.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6550-6555 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS9041: Type of smokeless tobacco used

What type of smokeless tobacco [do you use/have you used]?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

[IF Loose smokeless tobacco ( such as dip, spit, or chewing tobacco) (1), Smokeless tobacco pouches (not including snus) (2), Don't Know (-8), or Refused (-7) ; GO TO R05\_AS1030]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

NOTES: SKIP ERROR: This item was skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) and recent former established smokeless tobacco users (R05\_SMKLS\_USER\_STATUS = 4). This issue was fixed in a field update on 4/11/2019.

Value	Label	Unweighted Frequency	%
1	1 = Loose smokeless tobacco (such as dip, spit or chewing tobacco)	951	2.8 %
2	2 = Smokeless tobacco pouches (not including snus)	216	0.6 %
3	3 = Both loose and pouched smokeless tobacco	175	0.5 %
<b>Total</b>		<b>1,342</b>	<b>3.9%</b>

This variable has 1,342 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	12	0.0 %	
-8	-8 = Don't know	33	0.1 %	
-7	-7 = Refused	15	0.0 %	
-1	-1 = Inapplicable	32906	95.9 %	
<b>Total</b>		<b>32,967</b>	<b>96.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6556-6561 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS9042: Type of smokeless tobacco used most often

You mentioned you have used both loose and pouched smokeless tobacco. Which type of smokeless tobacco [do/did] you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and have used both loose and pouched smokeless tobacco.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Loose smokeless tobacco (such as dip, spit or chewing tobacco)	107	0.3 %
2	2 = Smokeless tobacco pouches (not including snus)	66	0.2 %
	<b>Total</b>	<b>173</b>	<b>0.5%</b>

This variable has 173 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34133	99.5 %
	<b>Total</b>	<b>34,136</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6562-6567 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1030: How you usually buy your smokeless tobacco

The next questions ask about your experience buying smokeless tobacco. [Please think of the type of smokeless tobacco you use most often when answering these questions.]

How [do/did] you usually buy smokeless tobacco for yourself?

[IF From the internet (2), or By telephone (3); GO TO R05\_AS1042 :

IF I do not buy my own smokeless tobacco (4), Don't Know (-8), or Refused (-7); GO TO R05\_AS1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2 OR

R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person	1209	3.5 %
2	2 = From the internet	15	0.0 %
3	3 = By telephone	7	0.0 %
4	4 = I do not buy my own smokeless tobacco	147	0.4 %
	<b>Total</b>	<b>1,378</b>	<b>4.0%</b>

This variable has 1,378 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	12	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32906	95.9 %
	<b>Total</b>	<b>32,931</b>	<b>96.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6568-6573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1032: Geographic area where you usually buy your smokeless tobacco

The next questions ask about your experience buying smokeless tobacco. [Please think of the type of smokeless tobacco you use most often when answering these questions.]

[Do/Did] you usually buy smokeless tobacco...?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	1165	3.4 %
2	2 = In another state	39	0.1 %
3	3 = Outside the US	4	0.0 %
	<b>Total</b>	<b>1,208</b>	<b>3.5%</b>

This variable has 1,208 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33099	96.5 %	
<b>Total</b>		<b>33,101</b>	<b>96.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6574-6579 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1033: Retail location where your smokeless tobacco is purchased most of the time

The next questions ask about your experience buying smokeless tobacco. [Please think of the type of smokeless tobacco you use most often when answering these questions.]

Where [do/did] you buy your smokeless tobacco most of the time?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	1030	3.0 %
2	2 = A supermarket, grocery store, or drug store	61	0.2 %
3	3 = A warehouse club, such as Sam's or Costco	5	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	88	0.3 %
5	5 = A duty free shop or military commissary	5	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	1	0.0 %
8	8 = A swap meet or flea market	1	0.0 %
9	9 = A liquor store	13	0.0 %
10	10 = Somewhere else	3	0.0 %
<b>Total</b>		<b>1,207</b>	<b>3.5%</b>

This variable has 1,207 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	

Missing Data				
-7	-7 = Refused		2	0.0 %
-1	-1 = Inapplicable		33099	96.5 %
<b>Total</b>			<b>33,102</b>	<b>96.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6580-6585 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1042\_D: Amount usually paid for a container of smokeless tobacco - Dollars

How much [do you usually/did you] pay for a container of smokeless tobacco?

\_\_\_ Dollars

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASR52]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 1,222 valid cases out of 34,309 total cases.

- Mean: 5.78
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 350.00
- Standard Deviation: 13.13

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request		1	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		9	0.0 %
-7	-7 = Refused		0	0.0 %
-5	-5 = Improbable response removed		0	0.0 %
-1	-1 = Inapplicable		33077	96.4 %
<b>Total</b>			<b>33,087</b>	<b>96.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6586-6591 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AS1042\_C: Amount usually paid for a container of smokeless tobacco - Cents

How much [do you usually/did you] pay for a container of smokeless tobacco?

\_\_ Cents

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASR52]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1030 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 1,222 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33086	96.4 %
<b>Total</b>		<b>33,087</b>	<b>96.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6592-6597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AS9001: Number of pouches in the container of smokeless tobacco you usually buy

How many pouches [are/were] in the container of smokeless tobacco that you usually [buy/bought]?

\_\_ Pouches

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AS1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1030 = 1, 2, 3 AND (R05\_AS9041 = 2 OR R05\_AS9042 = 2).

[PROGRAM NOTE: Allow 2 digits.]

This variable has 232 valid cases out of 34,309 total cases.

- Mean: 15.67
- Median: 15.50
- Mode: 20.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 7.74

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34069	99.3 %
<b>Total</b>		<b>34,077</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6598-6603 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AS9002: Number of days to use up the container of smokeless tobacco

About how many days [does/did] it take you to use up a container this size?

\_\_\_ Days

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AS1047]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches and provided the number of smokeless tobacco pouches in the container they usually buy.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1030 = 1, 2, 3 AND  
(R05\_AS9041 = 2 OR R05\_AS9042 = 2) AND R05\_AS9001 != -8, -7.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 230 valid cases out of 34,309 total cases.

- Mean: 13.57
- Median: 5.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 36.49

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	34076	99.3 %
<b>Total</b>		<b>34,079</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6604-6609 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AS1047: Have a regular brand of smokeless tobacco you usually use

[Do/Did] you have a regular brand of smokeless tobacco that you usually [use/used]?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1311	3.8 %
2	2 = No	525	1.5 %
<b>Total</b>		<b>1,836</b>	<b>5.4%</b>

This variable has 1,836 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
<b>Total</b>		<b>32,473</b>	<b>94.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6610-6615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AS1050: Regular/last brand of smokeless tobacco used was flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO R05\_AS1945]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1055	3.1 %
2	2 = No	639	1.9 %
3	3 = I don't know	144	0.4 %
<b>Total</b>		<b>1,838</b>	<b>5.4%</b>

This variable has 1,838 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
<b>Total</b>		<b>32,471</b>	<b>94.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6616-6621 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1012\_01: Smokeless tobacco flavor usually/last used: Menthol or mint

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Menthol or mint

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco

used was flavored.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	317	0.9 %
2	2 = Not Marked	735	2.1 %
	<b>Total</b>	<b>1,052</b>	<b>3.1%</b>

This variable has 1,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33253	96.9 %
	<b>Total</b>	<b>33,257</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6622-6627 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1012\_02: Smokeless tobacco flavor usually/last used: Wintergreen, spearmint or frost

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	768	2.2 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	284	0.8 %
	<b>Total</b>	<b>1,052</b>	<b>3.1%</b>

This variable has 1,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33253	96.9 %
	<b>Total</b>	<b>33,253</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6628-6633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1012\_03: Smokeless tobacco flavor usually/last used: Clove or spice

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Clove or spice

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.0 %
2	2 = Not Marked	1037	3.0 %
	<b>Total</b>	<b>1,052</b>	<b>3.1%</b>

This variable has 1,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data			
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33253	96.9 %
<b>Total</b>		<b>33,257</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6634-6639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1012\_04: Smokeless tobacco flavor usually/last used: Fruit

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Fruit

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	66	0.2 %
2	2 = Not Marked	986	2.9 %
<b>Total</b>		<b>1,052</b>	<b>3.1%</b>

This variable has 1,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33253	96.9 %
<b>Total</b>		<b>33,257</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6640-6645 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AS1012\_05: Smokeless tobacco flavor usually/last used: Chocolate

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Chocolate

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	1049	3.1 %
	<b>Total</b>	<b>1,052</b>	<b>3.1%</b>

This variable has 1,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33253	96.9 %
	<b>Total</b>	<b>33,257</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 6646-6651 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AS1012\_06: Smokeless tobacco flavor usually/last used: An alcoholic drink

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	1044	3.0 %
	<b>Total</b>	<b>1,052</b>	<b>3.1%</b>

This variable has 1,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33253	96.9 %
	<b>Total</b>	<b>33,257</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6652-6657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1012\_07: Smokeless tobacco flavor usually/last used: Candy or other sweets

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Candy or other sweets

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.0 %
2	2 = Not Marked	1037	3.0 %
	<b>Total</b>	<b>1,052</b>	<b>3.1%</b>

This variable has 1,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33253	96.9 %
	<b>Total</b>	<b>33,257</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6658-6663 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1012\_08: Smokeless tobacco flavor usually/last used: Some other flavor

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

Which flavor [is/was] it? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1050 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	1044	3.0 %
	<b>Total</b>	<b>1,052</b>	<b>3.1%</b>

This variable has 1,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33253	96.9 %
	<b>Total</b>	<b>33,257</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6664-6669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1945: Know the name of brand of smokeless tobacco usually/last used

Do you know the name of the brand of smokeless tobacco you [usually use/usually used/last used]?

**ASK:** Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

**ASK Specification:** IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1414	4.1 %
2	2 = No	425	1.2 %
	<b>Total</b>	<b>1,839</b>	<b>5.4%</b>

This variable has 1,839 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
	<b>Total</b>	<b>32,470</b>	<b>94.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6670-6675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1048\_BRAND: Brand of smokeless tobacco usually/last used

What brand of smokeless tobacco [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch

the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

#### Brand

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of snus they usually use or last used.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 1,410 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	32894	95.9 %	
<b>Total</b>		<b>32,899</b>	<b>95.9%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 6676-6681 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AS1070\_PRODUCT: Sub-brand of smokeless tobacco product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

#### Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1945 = 1 AND R05\_AS1048\_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

This variable has 1,368 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32936	96.0 %
	<b>Total</b>	<b>32,941</b>	<b>96.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6682-6687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1051\_NN: How long used regular brand of smokeless tobacco - Number

About how long [did you use/have you been using] your regular brand of smokeless tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ASR18]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AS1051\_UN = Days;  
the value "2" refers to R05\_AS1051\_UN = Months;  
the value "3" refers to R05\_AS1051\_UN = Years.

This variable has 1,304 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	32997	96.2 %
	<b>Total</b>	<b>33,005</b>	<b>96.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6688-6693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AS1051\_UN: How long used regular brand of smokeless tobacco - Unit

About how long [did you use/have you been using] your regular brand of smokeless tobacco?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AS18]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AS1051\_UN = Days;  
the value "2" refers to R05\_AS1051\_UN = Months;  
the value "3" refers to R05\_AS1051\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	65	0.2 %
2	2 = Months	177	0.5 %
3	3 = Years	1062	3.1 %
<b>Total</b>		<b>1,304</b>	<b>3.8%</b>

This variable has 1,304 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33004	96.2 %
<b>Total</b>		<b>33,005</b>	<b>96.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 6694-6699 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AS104: Brand of very last smokeless tobacco used is same as brand regularly/last used

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or

last used and selected a brand and subbrand of smokeless tobacco.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR  
 R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_AS0100 = 1, 2, 3, 4 AND  
 R05\_AS1945 = 1 AND R05\_AS1048\_BRAND != 9995, -8, -7 AND  
 R05\_AS1070\_PRODUCT != 99990, 99995, -8, -7.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	689	2.0 %
2	2 = No	34	0.1 %
	<b>Total</b>	<b>723</b>	<b>2.1%</b>

This variable has 723 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33583	97.9 %
	<b>Total</b>	<b>33,586</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6700-6705 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1060\_RANDOM\_01: AS1060 series random question 1

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05\_AS1060 through R05\_AS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32463	94.6 %
-97777	-	1	0.0 %
R05_AS1060	-	216	0.6 %
R05_AS1062	-	221	0.6 %
R05_AS1063	-	243	0.7 %
R05_AS1064	-	102	0.3 %

Value	Label	Unweighted Frequency	%
R05_AS1065	-	251	0.7 %
R05_AS1067	-	233	0.7 %
R05_AS1075	-	251	0.7 %
R05_AS1077	-	88	0.3 %
R05_AS1085	-	240	0.7 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6706-6715 (width: 10; decimal: 0)

*Variable Type:* character

## **R05\_AS1060\_RANDOM\_02: AS1060 series random question 2**

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05\_AS1060 through R05\_AS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32463	94.6 %
-97777	-	1	0.0 %
R05_AS1060	-	254	0.7 %
R05_AS1062	-	241	0.7 %
R05_AS1063	-	221	0.6 %
R05_AS1064	-	89	0.3 %
R05_AS1065	-	218	0.6 %
R05_AS1067	-	268	0.8 %
R05_AS1075	-	234	0.7 %
R05_AS1077	-	91	0.3 %
R05_AS1085	-	229	0.7 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6716-6725 (width: 10; decimal: 0)

*Variable Type:* character

## **R05\_AS1060\_RANDOM\_03: AS1060 series random question 3**

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05\_AS1060 through R05\_AS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32463	94.6 %
-97777	-	1	0.0 %
R05_AS1060	-	221	0.6 %
R05_AS1062	-	265	0.8 %
R05_AS1063	-	265	0.8 %
R05_AS1064	-	83	0.2 %
R05_AS1065	-	225	0.7 %
R05_AS1067	-	231	0.7 %
R05_AS1075	-	253	0.7 %
R05_AS1077	-	103	0.3 %
R05_AS1085	-	199	0.6 %
		Total	34,309 100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6726-6735 (width: 10; decimal: 0)

*Variable Type:* character

---

#### **R05\_AS1060\_RANDOM\_04: AS1060 series random question 4**

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05\_AS1060 through R05\_AS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32463	94.6 %
-97777	-	1	0.0 %
R05_AS1060	-	236	0.7 %
R05_AS1062	-	230	0.7 %
R05_AS1063	-	230	0.7 %
R05_AS1064	-	103	0.3 %
R05_AS1065	-	258	0.8 %
R05_AS1067	-	218	0.6 %

Value	Label	Unweighted Frequency	%
R05_AS1075	-	227	0.7 %
R05_AS1077	-	105	0.3 %
R05_AS1085	-	238	0.7 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6736-6745 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AS1060\_RANDOM\_05: AS1060 series random question 5

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05\_AS1060 through R05\_AS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32463	94.6 %
-97777	-	1	0.0 %
R05_AS1060	-	237	0.7 %
R05_AS1062	-	222	0.6 %
R05_AS1063	-	233	0.7 %
R05_AS1064	-	96	0.3 %
R05_AS1065	-	232	0.7 %
R05_AS1067	-	234	0.7 %
R05_AS1075	-	227	0.7 %
R05_AS1077	-	106	0.3 %
R05_AS1085	-	258	0.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6746-6755 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AS1060\_RANDOM\_06: AS1060 series random question 6

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05\_AS1060 through R05\_AS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32463	94.6 %
-97777	-	1	0.0 %
R05_AS1060	-	233	0.7 %
R05_AS1062	-	223	0.6 %
R05_AS1063	-	229	0.7 %
R05_AS1064	-	108	0.3 %
R05_AS1065	-	240	0.7 %
R05_AS1067	-	244	0.7 %
R05_AS1075	-	244	0.7 %
R05_AS1077	-	97	0.3 %
R05_AS1085	-	227	0.7 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6756-6765 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AS1060\_RANDOM\_07: AS1060 series random question 7

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05\_AS1060 through R05\_AS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32463	94.6 %
-97777	-	1	0.0 %
R05_AS1060	-	241	0.7 %
R05_AS1062	-	248	0.7 %
R05_AS1063	-	221	0.6 %
R05_AS1064	-	99	0.3 %
R05_AS1065	-	230	0.7 %
R05_AS1067	-	240	0.7 %
R05_AS1075	-	220	0.6 %
R05_AS1077	-	91	0.3 %
R05_AS1085	-	255	0.7 %

Value	Label	Unweighted Frequency	%
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6766-6775 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AS1060\_RANDOM\_08: AS1060 series random question 8

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05\_AS1060 through R05\_AS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33433	97.4 %
-97777	-	1	0.0 %
R05_AS1060	-	110	0.3 %
R05_AS1062	-	98	0.3 %
R05_AS1063	-	96	0.3 %
R05_AS1064	-	100	0.3 %
R05_AS1065	-	98	0.3 %
R05_AS1067	-	83	0.2 %
R05_AS1075	-	89	0.3 %
R05_AS1077	-	101	0.3 %
R05_AS1085	-	100	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6776-6785 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AS1060\_RANDOM\_09: AS1060 series random question 9

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05\_AS1060 through R05\_AS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_ASD03 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	33433	97.4 %
-97777	-	1	0.0 %
R05_AS1060	-	97	0.3 %
R05_AS1062	-	97	0.3 %
R05_AS1063	-	107	0.3 %
R05_AS1064	-	95	0.3 %
R05_AS1065	-	93	0.3 %
R05_AS1067	-	94	0.3 %
R05_AS1075	-	100	0.3 %
R05_AS1077	-	93	0.3 %
R05_AS1085	-	99	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 6786-6795 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AS1060: Use/used smokeless tobacco because: It is/was affordable

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It [is/was] affordable.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	771	2.2 %
2	2 = No	1061	3.1 %
	Total	1,832	5.3%

This variable has 1,832 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	5	0.0 %

Missing Data			
-1	-1 = Inapplicable	32462	94.6 %
	<b>Total</b>	<b>32,477</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6796-6801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1085: Use/used smokeless tobacco because: Can/could use it in places where smoking cigarettes is/was not allowed

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

I [can/could] use smokeless tobacco at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1262	3.7 %
2	2 = No	570	1.7 %
	<b>Total</b>	<b>1,832</b>	<b>5.3%</b>

This variable has 1,832 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
	<b>Total</b>	<b>32,477</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6802-6807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AS1062: Use/used smokeless tobacco because: It might be less harmful to me than cigarettes

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It might [be/have been] less harmful to me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	675	2.0 %
2	2 = No	1158	3.4 %
	<b>Total</b>	<b>1,833</b>	<b>5.3%</b>

This variable has 1,833 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
	<b>Total</b>	<b>32,476</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 6808-6813 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AS1075: Use/used smokeless tobacco because: It might be less harmful to people around me than cigarettes

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It might [be/have been] less harmful to people around me than smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established,

or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1095	3.2 %
2	2 = No	737	2.1 %
	<b>Total</b>	<b>1,832</b>	<b>5.3%</b>

This variable has 1,832 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	32462	94.6 %	
	<b>Total</b>	<b>32,477</b>	<b>94.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6814-6819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1063: Use/used smokeless tobacco because: It comes/came in flavors I like/liked

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

Smokeless tobacco [comes/came] in flavors I [like/liked].

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1070	3.1 %
2	2 = No	765	2.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,835</b>	<b>5.3%</b>

This variable has 1,835 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
	<b>Total</b>	<b>32,474</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6820-6825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1064: Use/used smokeless tobacco because: Using it helps people to quit smoking cigarettes

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

Using smokeless tobacco helps people quit smoking cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	257	0.7 %
2	2 = No	609	1.8 %
	<b>Total</b>	<b>866</b>	<b>2.5%</b>

This variable has 866 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %

Missing Data			
-1	-1 = Inapplicable	33433	97.4 %
	<b>Total</b>	<b>33,443</b>	<b>97.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6826-6831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1065: Use/used smokeless tobacco because: It doesn't smell

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

Smokeless tobacco doesn't smell.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	718	2.1 %
2	2 = No	1114	3.2 %
	<b>Total</b>	<b>1,832</b>	<b>5.3%</b>

This variable has 1,832 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
	<b>Total</b>	<b>32,477</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6832-6837 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1067: Use/used smokeless tobacco because: It is/was more acceptable to non-tobacco users

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

Smokeless tobacco [is/was] more acceptable to non-tobacco users.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	680	2.0 %
2	2 = No	1152	3.4 %
	<b>Total</b>	<b>1,832</b>	<b>5.3%</b>

This variable has 1,832 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
	<b>Total</b>	<b>32,477</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 6838-6843 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AS1077: Use/used smokeless tobacco because: It satisfies/satisfied my cravings for cigarettes

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

Using smokeless tobacco [satisfies/satisfied] my cravings for cigarettes.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR

R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_CIG\_USER\_STATUS = 1, 2, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	474	1.4 %
2	2 = No	395	1.2 %
	<b>Total</b>	<b>869</b>	<b>2.5%</b>

This variable has 869 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33433	97.4 %
	<b>Total</b>	<b>33,440</b>	<b>97.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6844-6849 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1086: In past 30 days, used smokeless tobacco at times when could not smoke regular cigarettes

In the past 30 days have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AS1080]

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users, and are current established or current experimental cigarette smokers.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	288	0.8 %
2	2 = No	223	0.6 %
	<b>Total</b>	<b>511</b>	<b>1.5%</b>

This variable has 511 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33793	98.5 %	
<b>Total</b>		<b>33,798</b>	<b>98.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6850-6855 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1087: Frequency with which smokeless tobacco is used when could not smoke regular cigarettes

How often [do/did] you use smokeless tobacco at times when or in places where you could not smoke regular cigarettes?

**ASK:** Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and are current established or current experimental cigarette smokers and used smokeless tobacco at times when or in places where they could not smoke cigarettes in the past 30 days.

**ASK Specification:** IF (R05\_SMKLS\_USER\_STATUS = 1, 2 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_CIG\_USER\_STATUS = 1, 2 AND R05\_AS1086 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	111	0.3 %
2	2 = Some days	123	0.4 %
3	3 = Rarely	54	0.2 %
<b>Total</b>		<b>288</b>	<b>0.8%</b>

This variable has 288 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34020	99.2 %
<b>Total</b>		<b>34,021</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6856-6861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS1080: Use/used smokeless tobacco as a way of cutting down on cigarette smoking

[Do/Did] you use smokeless tobacco as a way of cutting down on your cigarette smoking?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	271	0.8 %
2	2 = No	528	1.5 %
	<b>Total</b>	<b>799</b>	<b>2.3%</b>

This variable has 799 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33508	97.7 %	
	<b>Total</b>	<b>33,510</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 6862-6867 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AS1082: Use/used smokeless tobacco as a way to quit smoking cigarettes

[Are/Did] you [using/use] smokeless tobacco as a way to quit smoking cigarettes?

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1) AND R05\_CIG\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	191	0.6 %
2	2 = No	606	1.8 %
	<b>Total</b>	<b>797</b>	<b>2.3%</b>

This variable has 797 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33508	97.7 %
<b>Total</b>		<b>33,512</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6868-6873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1139: Level of agreement: easier to talk and get along with other people when using smokeless tobacco

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using smokeless tobacco.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1062	3.1 %
2	2 = 2 on a scale of 1 to 4	356	1.0 %
3	3 = 3 on a scale of 1 to 4	239	0.7 %
4	4 = Very true of me	171	0.5 %
<b>Total</b>		<b>1,828</b>	<b>5.3%</b>

This variable has 1,828 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
<b>Total</b>		<b>32,481</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6874-6879 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1140: Level of agreement: Feel/felt more confident with other people while using smokeless tobacco

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While using smokeless tobacco, I [feel/felt] more confident with other people.

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1235	3.6 %
2	2 = 2 on a scale of 1 to 4	308	0.9 %
3	3 = 3 on a scale of 1 to 4	193	0.6 %
4	4 = Very true of me	98	0.3 %
	<b>Total</b>	<b>1,834</b>	<b>5.3%</b>

This variable has 1,834 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
	<b>Total</b>	<b>32,475</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6880-6885 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AS1141: Level of agreement: Use/used smokeless tobacco much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I [use/used] smokeless tobacco much more when I [am/was] with other people.

ASK: Adult respondents who are current established, current experimental, recent former established,

or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 4 OR  
R05\_FORMER\_THIRTYDAY\_USER\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1102	3.2 %
2	2 = 2 on a scale of 1 to 4	344	1.0 %
3	3 = 3 on a scale of 1 to 4	228	0.7 %
4	4 = Very true of me	161	0.5 %
	<b>Total</b>	<b>1,835</b>	<b>5.3%</b>

This variable has 1,835 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32462	94.6 %
	<b>Total</b>	<b>32,474</b>	<b>94.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6886-6891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AY0600: Was first tobacco product used flavored

Some tobacco products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets.

In thinking of the first tobacco product you ever tried, was it flavored?

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R05\_EVER\_NEVER\_TOBACCO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9584	27.9 %
2	2 = No	16684	48.6 %
	<b>Total</b>	<b>26,268</b>	<b>76.6%</b>

This variable has 26,268 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	162	0.5 %	
-7	-7 = Refused	42	0.1 %	
-1	-1 = Inapplicable	7836	22.8 %	
<b>Total</b>		<b>8,041</b>	<b>23.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6892-6897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AY0005: How often use tobacco product

You mentioned that you use [TOBACCO PRODUCT LIST] on some days.

Which of the following best describes how often you use these?

ASK: Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any tobacco products.

ASK Specification: IF R05\_SOME\_DAY\_PRODUCT\_COUNT > 1 AND  
R05\_EVERY\_DAY\_PRODUCT\_COUNT = 0.

Value	Label	Unweighted Frequency	%
1	1 = I use at least one of these every day	111	0.3 %
2	2 = There are some days I don't use either / any of these	477	1.4 %
<b>Total</b>		<b>588</b>	<b>1.7%</b>

This variable has 588 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	33709	98.3 %	
<b>Total</b>		<b>33,721</b>	<b>98.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6898-6903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AY0010\_NN: Time to first use of any tobacco product after waking - Number

You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products?

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AY0015]

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product.

ASK Specification: IF R05\_CURRENT\_TOBACCO\_USE = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT > 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AY0010\_UN = Minutes; the value "2" refers to R05\_AY0010\_UN = Hours.

This variable has 2,052 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	25	0.1 %	
-7	-7 = Refused	8	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32223	93.9 %	
<b>Total</b>		<b>32,257</b>	<b>94.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6904-6909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AY0010\_UN: Time to first use of any tobacco product after waking - Unit

You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products?

\_\_\_ Minutes/Hours after waking

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AY0015]

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product.

ASK Specification: IF R05\_CURRENT\_TOBACCO\_USE = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT > 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AY0010\_UN = Minutes; the value "2" refers to R05\_AY0010\_UN = Hours.

Value	Label	Unweighted Frequency	%
1	1 = Minutes after waking	1302	3.8 %
2	2 = Hours after waking	750	2.2 %
	<b>Total</b>	<b>2,052</b>	<b>6.0%</b>

This variable has 2,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32256	94.0 %
	<b>Total</b>	<b>32,257</b>	<b>94.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6910-6915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AY0015: Has first tobacco product within the first 30 minutes after waking up

Would you say you have your first tobacco product within the first 30 minutes after you wake up?

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product and did not know or refused to report how soon after waking up they first use tobacco.

ASK Specification: IF R05\_CURRENT\_TOBACCO\_USE = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT > 1 AND R05\_AY0010\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.0 %
2	2 = No	7	0.0 %
3	3 = It varies	9	0.0 %
	<b>Total</b>	<b>29</b>	<b>0.1%</b>

This variable has 29 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34275	99.9 %
	<b>Total</b>	<b>34,280</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6916-6921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0306\_01: Considered using product in addition to currently used product(s): Have not considered using additional products

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

I have not considered using additional products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9805	28.6 %
2	2 = Not Marked	1844	5.4 %
<b>Total</b>		<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	22403	65.3 %
<b>Total</b>		<b>22,660</b>	<b>66.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6922-6927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0306\_02: Considered using product in addition to currently used product(s): Cigarettes

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

### Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	180	0.5 %
2	2 = Not Marked	11469	33.4 %
	<b>Total</b>	<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	22403	65.3 %
	<b>Total</b>	<b>22,660</b>	<b>66.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6928-6933 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0306\_03: Considered using product in addition to currently used product(s): E-cigarettes or other electronic nicotine products

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

E-Cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in [USEPROD(1-9)]. If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	967	2.8 %
2	2 = Not Marked	10682	31.1 %
	<b>Total</b>	<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	22403	65.3 %
	<b>Total</b>	<b>22,660</b>	<b>66.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 6934-6939 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0306\_04: Considered using product in addition to currently used product(s): Traditional cigars

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in [USEPROD(1-9)]. If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	255	0.7 %
2	2 = Not Marked	11394	33.2 %
	<b>Total</b>	<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	22403	65.3 %
	<b>Total</b>	<b>22,660</b>	<b>66.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6940-6945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0306\_05: Considered using product in addition to currently used product(s): Cigarillos

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in [USEPROD(1-9)]. If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	277	0.8 %
2	2 = Not Marked	11372	33.1 %
	<b>Total</b>	<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	22403	65.3 %
	<b>Total</b>	<b>22,660</b>	<b>66.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6946-6951 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0306\_06: Considered using product in addition to currently used product(s): Filtered cigars

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in [USEPROD(1-9)]. If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	172	0.5 %
2	2 = Not Marked	11477	33.5 %
	<b>Total</b>	<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	22403	65.3 %
<b>Total</b>		<b>22,660</b>	<b>66.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6952-6957 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0306\_07: Considered using product in addition to currently used product(s): Pipes

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in [USEPROD(1-9)]. If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	197	0.6 %
2	2 = Not Marked	11452	33.4 %
<b>Total</b>		<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	127	0.4 %

Missing Data			
-1	-1 = Inapplicable	22403	65.3 %
	<b>Total</b>	<b>22,660</b>	<b>66.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6958-6963 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0306\_08: Considered using product in addition to currently used product(s): Hookahs

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in [USEPROD(1-9)]. If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	300	0.9 %
2	2 = Not Marked	11349	33.1 %
	<b>Total</b>	<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	22403	65.3 %
	<b>Total</b>	<b>22,660</b>	<b>66.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6964-6969 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0306\_09: Considered using product in addition to currently used product(s): Snus

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	105	0.3 %
2	2 = Not Marked	11544	33.6 %
<b>Total</b>		<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	129	0.4 %	
-7	-7 = Refused	127	0.4 %	
-1	-1 = Inapplicable	22403	65.3 %	
<b>Total</b>		<b>22,660</b>	<b>66.0%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 6970-6975 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0306\_10: Considered using product in addition to currently used product(s): Other smokeless/Smokeless tobacco

Have you considered using any of the following products in addition to [USEPROD(1-9)]? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	162	0.5 %
2	2 = Not Marked	11487	33.5 %
	<b>Total</b>	<b>11,649</b>	<b>34.0%</b>

This variable has 11,649 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	22403	65.3 %
	<b>Total</b>	<b>22,660</b>	<b>66.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 6976-6981 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AX0307C\_01: Have not considered switching from cigarettes to another product

Have you considered switching from Cigarettes to any of the following products?

Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is

selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7270	21.2 %
2	2 = Not Marked	1183	3.4 %
	<b>Total</b>	<b>8,453</b>	<b>24.6%</b>

This variable has 8,453 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	78	0.2 %	
-1	-1 = Inapplicable	25722	75.0 %	
	<b>Total</b>	<b>25,856</b>	<b>75.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 6982-6987 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307C\_03: Considered switching from cigarettes to e-cigarettes or other electronic nicotine products

Have you considered switching from Cigarettes to any of the following products?

Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	928	2.7 %
2	2 = Not Marked	7525	21.9 %
	<b>Total</b>	<b>8,453</b>	<b>24.6%</b>

This variable has 8,453 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	78	0.2 %
-1	-1 = Inapplicable	25722	75.0 %
	<b>Total</b>	<b>25,856</b>	<b>75.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6988-6993 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307C\_04: Considered switching from cigarettes to traditional cigars

Have you considered switching from Cigarettes to any of the following products?

Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	45	0.1 %
2	2 = Not Marked	8408	24.5 %
	<b>Total</b>	<b>8,453</b>	<b>24.6%</b>

This variable has 8,453 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	78	0.2 %
-1	-1 = Inapplicable	25722	75.0 %
	<b>Total</b>	<b>25,856</b>	<b>75.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 6994-6999 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307C\_05: Considered switching from cigarettes to cigarillos

Have you considered switching from Cigarettes to any of the following products?

Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	75	0.2 %
2	2 = Not Marked	8378	24.4 %
	<b>Total</b>	<b>8,453</b>	<b>24.6%</b>

This variable has 8,453 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	78	0.2 %
-1	-1 = Inapplicable	25722	75.0 %
<b>Total</b>		<b>25,856</b>	<b>75.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7000-7005 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307C\_06: Considered switching from cigarettes to filtered cigars

Have you considered switching from Cigarettes to any of the following products?

Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.1 %
2	2 = Not Marked	8404	24.5 %
<b>Total</b>		<b>8,453</b>	<b>24.6%</b>

This variable has 8,453 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	78	0.2 %	
-1	-1 = Inapplicable	25722	75.0 %	
<b>Total</b>		<b>25,856</b>	<b>75.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7006-7011 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307C\_07: Considered switching from cigarettes to pipes

Have you considered switching from Cigarettes to any of the following products?

Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.1 %
2	2 = Not Marked	8402	24.5 %
	<b>Total</b>	<b>8,453</b>	<b>24.6%</b>

This variable has 8,453 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	78	0.2 %	
-1	-1 = Inapplicable	25722	75.0 %	
	<b>Total</b>	<b>25,856</b>	<b>75.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7012-7017 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307C\_08: Considered switching from cigarettes to hookahs

Have you considered switching from Cigarettes to any of the following products?

Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	56	0.2 %
2	2 = Not Marked	8397	24.5 %
	<b>Total</b>	<b>8,453</b>	<b>24.6%</b>

This variable has 8,453 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	78	0.2 %
-1	-1 = Inapplicable	25722	75.0 %
	<b>Total</b>	<b>25,856</b>	<b>75.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7018-7023 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307C\_09: Considered switching from cigarettes to snus

Have you considered switching from Cigarettes to any of the following products?  
Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.1 %
2	2 = Not Marked	8425	24.6 %
	<b>Total</b>	<b>8,453</b>	<b>24.6%</b>

This variable has 8,453 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.2 %
-7	-7 = Refused	78	0.2 %
-1	-1 = Inapplicable	25722	75.0 %
	<b>Total</b>	<b>25,856</b>	<b>75.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7024-7029 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307C\_10: Considered switching from cigarettes to smokeless tobacco

Have you considered switching from Cigarettes to any of the following products?  
Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	76	0.2 %
2	2 = Not Marked	8377	24.4 %
	<b>Total</b>	<b>8,453</b>	<b>24.6%</b>

This variable has 8,453 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	55	0.2 %	
-7	-7 = Refused	78	0.2 %	
-1	-1 = Inapplicable	25722	75.0 %	
	<b>Total</b>	<b>25,856</b>	<b>75.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7030-7035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307E\_01: Have not considered switching from electronic nicotine products to another product

Have you considered switching from E-cigarettes or other electronic nicotine products to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2912	8.5 %
2	2 = Not Marked	120	0.3 %
	<b>Total</b>	<b>3,032</b>	<b>8.8%</b>

This variable has 3,032 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	31248	91.1 %
	<b>Total</b>	<b>31,277</b>	<b>91.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7036-7041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307E\_02: Considered switching from electronic nicotine products to cigarettes

Have you considered switching from E-cigarettes or other electronic nicotine products to any of the following products? Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	45	0.1 %
2	2 = Not Marked	2987	8.7 %
	<b>Total</b>	<b>3,032</b>	<b>8.8%</b>

This variable has 3,032 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	13	0.0 %	
-1	-1 = Inapplicable	31248	91.1 %	
	<b>Total</b>	<b>31,277</b>	<b>91.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7042-7047 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307E\_04: Considered switching from electronic nicotine products to traditional cigars

Have you considered switching from E-cigarettes or other electronic nicotine products to any of the following products? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	3021	8.8 %
	<b>Total</b>	<b>3,032</b>	<b>8.8%</b>

This variable has 3,032 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	31248	91.1 %
	<b>Total</b>	<b>31,277</b>	<b>91.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7048-7053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307E\_05: Considered switching from electronic nicotine products to cigarillos

Have you considered switching from E-cigarettes or other electronic nicotine products to any of the following products? Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.1 %
2	2 = Not Marked	3010	8.8 %
	<b>Total</b>	<b>3,032</b>	<b>8.8%</b>

This variable has 3,032 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	31248	91.1 %
<b>Total</b>		<b>31,277</b>	<b>91.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7054-7059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307E\_06: Considered switching from electronic nicotine products to filtered cigars

Have you considered switching from E-cigarettes or other electronic nicotine products to any of the following products? Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	3019	8.8 %
<b>Total</b>		<b>3,032</b>	<b>8.8%</b>

This variable has 3,032 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	13	0.0 %	
-1	-1 = Inapplicable	31248	91.1 %	
<b>Total</b>		<b>31,277</b>	<b>91.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7060-7065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307E\_07: Considered switching from electronic nicotine products to pipes

Have you considered switching from E-cigarettes or other electronic nicotine products to any of the following products? Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	3023	8.8 %
	<b>Total</b>	<b>3,032</b>	<b>8.8%</b>

This variable has 3,032 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	13	0.0 %	
-1	-1 = Inapplicable	31248	91.1 %	
<b>Total</b>		<b>31,277</b>	<b>91.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7066-7071 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307E\_08: Considered switching from electronic nicotine products to hookahs

Have you considered switching from E-cigarettes or other electronic nicotine products to any of the following products? Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.1 %
2	2 = Not Marked	3010	8.8 %
	<b>Total</b>	<b>3,032</b>	<b>8.8%</b>

This variable has 3,032 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	31248	91.1 %
	<b>Total</b>	<b>31,277</b>	<b>91.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7072-7077 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307E\_09: Considered switching from electronic nicotine products to snus

Have you considered switching from E-cigarettes or other electronic nicotine products to any of the following products? Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	3025	8.8 %
	<b>Total</b>	<b>3,032</b>	<b>8.8%</b>

This variable has 3,032 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	31248	91.1 %
	<b>Total</b>	<b>31,277</b>	<b>91.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7078-7083 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307E\_10: Considered switching from electronic nicotine products to smokeless tobacco

Have you considered switching from E-cigarettes or other electronic nicotine products to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	3014	8.8 %
	<b>Total</b>	<b>3,032</b>	<b>8.8%</b>

This variable has 3,032 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	31248	91.1 %
	<b>Total</b>	<b>31,277</b>	<b>91.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7084-7089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307T\_01: Have not considered switching from traditional cigars to another product

Have you considered switching from Traditional cigars to any of the following products?  
Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	538	1.6 %
2	2 = Not Marked	61	0.2 %
	<b>Total</b>	<b>599</b>	<b>1.7%</b>

This variable has 599 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33700	98.2 %
	<b>Total</b>	<b>33,710</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7090-7095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307T\_02: Considered switching from traditional cigars to cigarettes

Have you considered switching from Traditional cigars to any of the following products?  
Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	590	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.7%</b>

This variable has 599 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33700	98.2 %	
	<b>Total</b>	<b>33,710</b>	<b>98.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7096-7101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AX0307T\_03: Considered switching from traditional cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from Traditional cigars to any of the following products?  
Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	585	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.7%</b>

This variable has 599 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33700	98.2 %
	<b>Total</b>	<b>33,710</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7102-7107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307T\_05: Considered switching from traditional cigars to cigarillos

Have you considered switching from Traditional cigars to any of the following products?

Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	586	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.7%</b>

This variable has 599 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33700	98.2 %
<b>Total</b>		<b>33,710</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7108-7113 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307T\_06: Considered switching from traditional cigars to filtered cigars

Have you considered switching from Traditional cigars to any of the following products?

Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	596	1.7 %
<b>Total</b>		<b>599</b>	<b>1.7%</b>

This variable has 599 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33700	98.2 %	
<b>Total</b>		<b>33,710</b>	<b>98.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7114-7119 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307T\_07: Considered switching from traditional cigars to pipes

Have you considered switching from Traditional cigars to any of the following products?

Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.0 %
2	2 = Not Marked	582	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.7%</b>

This variable has 599 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33700	98.2 %	
<b>Total</b>		<b>33,710</b>	<b>98.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7120-7125 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307T\_08: Considered switching from traditional cigars to hookahs

Have you considered switching from Traditional cigars to any of the following products?

Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.0 %
2	2 = Not Marked	589	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.7%</b>

This variable has 599 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33700	98.2 %
	<b>Total</b>	<b>33,710</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7126-7131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307T\_09: Considered switching from traditional cigars to snus

Have you considered switching from Traditional cigars to any of the following products?  
Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.  
As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	598	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.7%</b>

This variable has 599 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33700	98.2 %
	<b>Total</b>	<b>33,710</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7132-7137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307T\_10: Considered switching from traditional cigars to smokeless tobacco

Have you considered switching from Traditional cigars to any of the following products?  
Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	593	1.7 %
	<b>Total</b>	<b>599</b>	<b>1.7%</b>

This variable has 599 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	33700	98.2 %	
	<b>Total</b>	<b>33,710</b>	<b>98.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7138-7143 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307G\_01: Have not considered switching from cigarillos to another product

Have you considered switching from Cigarillos to any of the following products?  
Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	771	2.2 %
2	2 = Not Marked	122	0.4 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	10	0.0 %	
-1	-1 = Inapplicable	33401	97.4 %	
	<b>Total</b>	<b>33,416</b>	<b>97.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7144-7149 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307G\_02: Considered switching from cigarillos to cigarettes

Have you considered switching from Cigarillos to any of the following products?

Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.0 %
2	2 = Not Marked	877	2.6 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	33401	97.4 %
	<b>Total</b>	<b>33,416</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7150-7155 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307G\_03: Considered switching from cigarillos to e-cigarettes or other electronic nicotine products

Have you considered switching from Cigarillos to any of the following products?

Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	60	0.2 %
2	2 = Not Marked	833	2.4 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	33401	97.4 %
	<b>Total</b>	<b>33,416</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7156-7161 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307G\_04: Considered switching from cigarillos to traditional cigars

Have you considered switching from Cigarillos to any of the following products?

Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	879	2.6 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	33401	97.4 %
<b>Total</b>		<b>33,416</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7162-7167 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307G\_06: Considered switching from cigarillos to filtered cigars

Have you considered switching from Cigarillos to any of the following products?

Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	879	2.6 %
<b>Total</b>		<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know		4	0.0 %
-7	-7 = Refused		10	0.0 %
-1	-1 = Inapplicable		33401	97.4 %
<b>Total</b>			<b>33,416</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7168-7173 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307G\_07: Considered switching from cigarillos to pipes

Have you considered switching from Cigarillos to any of the following products?

Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	875	2.6 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	10	0.0 %	
-1	-1 = Inapplicable	33401	97.4 %	
	<b>Total</b>	<b>33,416</b>	<b>97.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7174-7179 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307G\_08: Considered switching from cigarillos to hookahs

Have you considered switching from Cigarillos to any of the following products?

Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	879	2.6 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	33401	97.4 %
	<b>Total</b>	<b>33,416</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7180-7185 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307G\_09: Considered switching from cigarillos to snus

Have you considered switching from Cigarillos to any of the following products?  
Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	890	2.6 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	33401	97.4 %
	<b>Total</b>	<b>33,416</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7186-7191 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307G\_10: Considered switching from cigarillos to smokeless tobacco

Have you considered switching from Cigarillos to any of the following products?  
Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	889	2.6 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	33401	97.4 %
	<b>Total</b>	<b>33,416</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7192-7197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307F\_01: Have not considered switching from filtered cigars to another product

Have you considered switching from Filtered cigars to any of the following products?  
Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	341	1.0 %
2	2 = Not Marked	84	0.2 %
	<b>Total</b>	<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	33872	98.7 %	
	<b>Total</b>	<b>33,884</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7198-7203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307F\_02: Considered switching from filtered cigars to cigarettes

Have you considered switching from Filtered cigars to any of the following products?

Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	405	1.2 %
	<b>Total</b>	<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	33872	98.7 %
	<b>Total</b>	<b>33,884</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7204-7209 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307F\_03: Considered switching from filtered cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from Filtered cigars to any of the following products?

Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.1 %
2	2 = Not Marked	395	1.2 %
	<b>Total</b>	<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	33872	98.7 %
	<b>Total</b>	<b>33,884</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7210-7215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307F\_04: Considered switching from filtered cigars to traditional cigars

Have you considered switching from Filtered cigars to any of the following products?

Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	413	1.2 %
	<b>Total</b>	<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	33872	98.7 %
<b>Total</b>		<b>33,884</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7216-7221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307F\_05: Considered switching from filtered cigars to cigarillos

Have you considered switching from Filtered cigars to any of the following products?

Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	413	1.2 %
<b>Total</b>		<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	33872	98.7 %	
<b>Total</b>		<b>33,884</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7222-7227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307F\_07: Considered switching from filtered cigars to pipes

Have you considered switching from Filtered cigars to any of the following products?

Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	422	1.2 %
	<b>Total</b>	<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	33872	98.7 %	
<b>Total</b>		<b>33,884</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7228-7233 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307F\_08: Considered switching from filtered cigars to hookahs

Have you considered switching from Filtered cigars to any of the following products?

Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	418	1.2 %
	<b>Total</b>	<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	33872	98.7 %
	<b>Total</b>	<b>33,884</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7234-7239 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307F\_09: Considered switching from filtered cigars to snus

Have you considered switching from Filtered cigars to any of the following products?  
Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	425	1.2 %
	<b>Total</b>	<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	33872	98.7 %
	<b>Total</b>	<b>33,884</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7240-7245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307F\_10: Considered switching from filtered cigars to smokeless tobacco

Have you considered switching from Filtered cigars to any of the following products?  
Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	417	1.2 %
	<b>Total</b>	<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	33872	98.7 %	
	<b>Total</b>	<b>33,884</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7246-7251 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307P\_01: Have not considered switching from pipes to another product

Have you considered switching from Pipes to any of the following products?  
Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	167	0.5 %
2	2 = Not Marked	20	0.1 %
	<b>Total</b>	<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34118	99.4 %	
	<b>Total</b>	<b>34,122</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7252-7257 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307P\_02: Considered switching from pipes to cigarettes

Have you considered switching from Pipes to any of the following products?

Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	183	0.5 %
	<b>Total</b>	<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34118	99.4 %
	<b>Total</b>	<b>34,122</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7258-7263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307P\_03: Considered switching from pipes to e-cigarettes or other electronic nicotine products

Have you considered switching from Pipes to any of the following products?

Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	180	0.5 %
	<b>Total</b>	<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34118	99.4 %
	<b>Total</b>	<b>34,122</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7264-7269 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307P\_04: Considered switching from pipes to traditional cigars

Have you considered switching from Pipes to any of the following products?

Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	182	0.5 %
	<b>Total</b>	<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34118	99.4 %
<b>Total</b>		<b>34,122</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7270-7275 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307P\_05: Considered switching from pipes to cigarillos

Have you considered switching from Pipes to any of the following products?

Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	184	0.5 %
<b>Total</b>		<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>				
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34118	99.4 %	
<b>Total</b>		<b>34,122</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7276-7281 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307P\_06: Considered switching from pipes to filtered cigars

Have you considered switching from Pipes to any of the following products?

Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	1	0.0 %
2	2 = Not Marked	186	0.5 %
	<b>Total</b>	<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34118	99.4 %	
<b>Total</b>		<b>34,122</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7282-7287 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307P\_08: Considered switching from pipes to hookahs

Have you considered switching from Pipes to any of the following products?

Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	186	0.5 %
	<b>Total</b>	<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34118	99.4 %
	<b>Total</b>	<b>34,122</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7288-7293 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307P\_09: Considered switching from pipes to snus

Have you considered switching from Pipes to any of the following products?  
Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	186	0.5 %
	<b>Total</b>	<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34118	99.4 %
	<b>Total</b>	<b>34,122</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7294-7299 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307P\_10: Considered switching from pipes to smokeless tobacco

Have you considered switching from Pipes to any of the following products?  
Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	186	0.5 %
	<b>Total</b>	<b>187</b>	<b>0.5%</b>

This variable has 187 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34118	99.4 %	
	<b>Total</b>	<b>34,122</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7300-7305 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307H\_01: Have not considered switching from hookahs to another product

Have you considered switching from Hookahs to any of the following products?  
Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	371	1.1 %
2	2 = Not Marked	59	0.2 %
	<b>Total</b>	<b>430</b>	<b>1.3%</b>

This variable has 430 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33870	98.7 %	
	<b>Total</b>	<b>33,879</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7306-7311 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307H\_02: Considered switching from hookahs to cigarettes

Have you considered switching from Hookahs to any of the following products?

Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	418	1.2 %
	<b>Total</b>	<b>430</b>	<b>1.3%</b>

This variable has 430 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33870	98.7 %
	<b>Total</b>	<b>33,879</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7312-7317 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307H\_03: Considered switching from hookahs to e-cigarettes or other electronic nicotine products

Have you considered switching from Hookahs to any of the following products?

Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	409	1.2 %
	<b>Total</b>	<b>430</b>	<b>1.3%</b>

This variable has 430 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33870	98.7 %
	<b>Total</b>	<b>33,879</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7318-7323 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307H\_04: Considered switching from hookahs to traditional cigars

Have you considered switching from Hookahs to any of the following products?

Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	425	1.2 %
	<b>Total</b>	<b>430</b>	<b>1.3%</b>

This variable has 430 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33870	98.7 %
<b>Total</b>		<b>33,879</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7324-7329 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307H\_05: Considered switching from hookahs to cigarillos

Have you considered switching from Hookahs to any of the following products?

Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	418	1.2 %
<b>Total</b>		<b>430</b>	<b>1.3%</b>

This variable has 430 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33870	98.7 %	
<b>Total</b>		<b>33,879</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7330-7335 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307H\_06: Considered switching from hookahs to filtered cigars

Have you considered switching from Hookahs to any of the following products?

Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	425	1.2 %
	<b>Total</b>	<b>430</b>	<b>1.3%</b>

This variable has 430 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33870	98.7 %	
	<b>Total</b>	<b>33,879</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7336-7341 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307H\_07: Considered switching from hookahs to pipes

Have you considered switching from Hookahs to any of the following products?

Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.0 %
2	2 = Not Marked	419	1.2 %
	<b>Total</b>	<b>430</b>	<b>1.3%</b>

This variable has 430 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33870	98.7 %
	<b>Total</b>	<b>33,879</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7342-7347 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307H\_09: Considered switching from hookahs to snus

Have you considered switching from Hookahs to any of the following products?  
Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	429	1.3 %
	<b>Total</b>	<b>430</b>	<b>1.3%</b>

This variable has 430 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33870	98.7 %
	<b>Total</b>	<b>33,879</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7348-7353 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307H\_10: Considered switching from hookahs to smokeless tobacco

Have you considered switching from Hookahs to any of the following products?  
Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	428	1.2 %
	<b>Total</b>	<b>430</b>	<b>1.3%</b>

This variable has 430 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33870	98.7 %	
	<b>Total</b>	<b>33,870</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7354-7359 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307U\_01: Have not considered switching from snus to another product

Have you considered switching from Snus to any of the following products?  
Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	205	0.6 %
2	2 = Not Marked	27	0.1 %
	<b>Total</b>	<b>232</b>	<b>0.7%</b>

This variable has 232 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34074	99.3 %	
	<b>Total</b>	<b>34,077</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7360-7365 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307U\_02: Considered switching from snus to cigarettes

Have you considered switching from Snus to any of the following products?

Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	224	0.7 %
	<b>Total</b>	<b>232</b>	<b>0.7%</b>

This variable has 232 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34074	99.3 %
	<b>Total</b>	<b>34,077</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7366-7371 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307U\_03: Considered switching from snus to e-cigarettes or other electronic nicotine products

Have you considered switching from Snus to any of the following products?

Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	223	0.6 %
	<b>Total</b>	<b>232</b>	<b>0.7%</b>

This variable has 232 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34074	99.3 %
	<b>Total</b>	<b>34,077</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7372-7377 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307U\_04: Considered switching from snus to traditional cigars

Have you considered switching from Snus to any of the following products?

Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	229	0.7 %
	<b>Total</b>	<b>232</b>	<b>0.7%</b>

This variable has 232 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34074	99.3 %
<b>Total</b>		<b>34,077</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7378-7383 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307U\_05: Considered switching from snus to cigarillos

Have you considered switching from Snus to any of the following products?

Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	227	0.7 %
<b>Total</b>		<b>232</b>	<b>0.7%</b>

This variable has 232 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34074	99.3 %	
<b>Total</b>		<b>34,077</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7384-7389 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307U\_06: Considered switching from snus to filtered cigars

Have you considered switching from Snus to any of the following products?

Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	231	0.7 %
	<b>Total</b>	<b>232</b>	<b>0.7%</b>

This variable has 232 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34074	99.3 %	
<b>Total</b>		<b>34,077</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7390-7395 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307U\_07: Considered switching from snus to pipes

Have you considered switching from Snus to any of the following products?

Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	229	0.7 %
	<b>Total</b>	<b>232</b>	<b>0.7%</b>

This variable has 232 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34074	99.3 %
	<b>Total</b>	<b>34,077</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7396-7401 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307U\_08: Considered switching from snus to hookahs

Have you considered switching from Snus to any of the following products?  
Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	232	0.7 %
	<b>Total</b>	<b>232</b>	<b>0.7%</b>

This variable has 232 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34074	99.3 %
	<b>Total</b>	<b>34,077</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7402-7407 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307U\_10: Considered switching from snus to smokeless tobacco

Have you considered switching from Snus to any of the following products?  
Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	228	0.7 %
	<b>Total</b>	<b>232</b>	<b>0.7%</b>

This variable has 232 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34074	99.3 %
	<b>Total</b>	<b>34,077</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7408-7413 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307S\_01: Have not considered switching from smokeless tobacco to another product

Have you considered switching from Smokeless tobacco to any of the following products?  
Choose all that apply.

I have not considered switching to another product

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	987	2.9 %
2	2 = Not Marked	55	0.2 %
	<b>Total</b>	<b>1,042</b>	<b>3.0%</b>

This variable has 1,042 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33262	96.9 %	
	<b>Total</b>	<b>33,267</b>	<b>97.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7414-7419 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307S\_02: Considered switching from smokeless tobacco to cigarettes

Have you considered switching from Smokeless tobacco to any of the following products?

Choose all that apply.

Cigarettes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	1034	3.0 %
	<b>Total</b>	<b>1,042</b>	<b>3.0%</b>

This variable has 1,042 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33262	96.9 %
	<b>Total</b>	<b>33,267</b>	<b>97.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7420-7425 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307S\_03: Considered switching from smokeless tobacco to e-cigarettes or other electronic nicotine products

Have you considered switching from Smokeless tobacco to any of the following products?

Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.1 %
2	2 = Not Marked	1020	3.0 %
	<b>Total</b>	<b>1,042</b>	<b>3.0%</b>

This variable has 1,042 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33262	96.9 %
	<b>Total</b>	<b>33,267</b>	<b>97.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7426-7431 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307S\_04: Considered switching from smokeless tobacco to traditional cigars

Have you considered switching from Smokeless tobacco to any of the following products?

Choose all that apply.

Traditional cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	1038	3.0 %
	<b>Total</b>	<b>1,042</b>	<b>3.0%</b>

This variable has 1,042 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33262	96.9 %
<b>Total</b>		<b>33,267</b>	<b>97.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7432-7437 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0307S\_05: Considered switching from smokeless tobacco to cigarillos

Have you considered switching from Smokeless tobacco to any of the following products?

Choose all that apply.

Cigarillos

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	1033	3.0 %
<b>Total</b>		<b>1,042</b>	<b>3.0%</b>

This variable has 1,042 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33262	96.9 %	
<b>Total</b>		<b>33,267</b>	<b>97.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7438-7443 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0307S\_06: Considered switching from smokeless tobacco to filtered cigars

Have you considered switching from Smokeless tobacco to any of the following products?

Choose all that apply.

Filtered cigars

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	1037	3.0 %
	<b>Total</b>	<b>1,042</b>	<b>3.0%</b>

This variable has 1,042 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33262	96.9 %	
	<b>Total</b>	<b>33,267</b>	<b>97.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7444-7449 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307S\_07: Considered switching from smokeless tobacco to pipes

Have you considered switching from Smokeless tobacco to any of the following products?

Choose all that apply.

Pipes

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type.

As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	1036	3.0 %
	<b>Total</b>	<b>1,042</b>	<b>3.0%</b>

This variable has 1,042 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33262	96.9 %
	<b>Total</b>	<b>33,267</b>	<b>97.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7450-7455 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0307S\_08: Considered switching from smokeless tobacco to hookahs

Have you considered switching from Smokeless tobacco to any of the following products?  
Choose all that apply.

Hookahs

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1. ]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	1040	3.0 %
	<b>Total</b>	<b>1,042</b>	<b>3.0%</b>

This variable has 1,042 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33262	96.9 %
	<b>Total</b>	<b>33,267</b>	<b>97.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7456-7461 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0307S\_09: Considered switching from smokeless tobacco to snus

Have you considered switching from Smokeless tobacco to any of the following products?  
Choose all that apply.

Snus

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_CURRENT\_PRODUCT\_COUNT < 9.

[PROGRAM NOTE: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05\_CIG\_USER\_STATUS = 1. Suppress option 3 if R05\_EPROD\_USER\_STATUS = 1. Suppress option 4 if R05\_GTRAD\_USER\_STATUS = 1. Suppress option 5 if R05\_GRILLO\_USER\_STATUS = 1. Suppress option 6 if R05\_GFILTR\_USER\_STATUS = 1. Suppress option 7 if R05\_PIPE\_USER\_STATUS = 1. Suppress option 8 if R05\_HOOK\_USER\_STATUS = 1. Suppress option 9 if R05\_SNUS\_USER\_STATUS = 1. Suppress option 10 if R05\_SMKLS\_USER\_STATUS = 1.]

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05\_AX0307#\_01 through R05\_AX0307#\_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.0 %
2	2 = Not Marked	1025	3.0 %
	<b>Total</b>	<b>1,042</b>	<b>3.0%</b>

This variable has 1,042 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33262	96.9 %	
	<b>Total</b>	<b>33,267</b>	<b>97.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7462-7467 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0010E: Consider yourself to be addicted to electronic nicotine products

Do you consider yourself addicted to electronic nicotine products?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = No, not at all	2592	7.6 %
2	2 = Yes, somewhat addicted	1141	3.3 %
3	3 = Yes, very addicted	391	1.1 %
<b>Total</b>		<b>4,124</b>	<b>12.0%</b>

This variable has 4,124 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	30176	88.0 %	
<b>Total</b>		<b>30,185</b>	<b>88.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7468-7473 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0015E: Has strong cravings to use electronic nicotine products

Do you ever have strong cravings to use electronic nicotine products?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1315	3.8 %
2	2 = No	2807	8.2 %
<b>Total</b>		<b>4,122</b>	<b>12.0%</b>

This variable has 4,122 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	4	0.0 %	

Missing Data			
-1	-1 = Inapplicable	30176	88.0 %
	<b>Total</b>	<b>30,187</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7474-7479 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0020E: Felt like you really needed to use electronic nicotine products

Have you ever felt like you really needed to use electronic nicotine products?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1414	4.1 %
2	2 = No	2708	7.9 %
	<b>Total</b>	<b>4,122</b>	<b>12.0%</b>

This variable has 4,122 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
	<b>Total</b>	<b>30,187</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7480-7485 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0055E: Level of agreement: Finds self reaching for electronic nicotine products without thinking about it

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2043	6.0 %
2	2 = 2 on a scale of 1 to 5	602	1.8 %
3	3 = 3 on a scale of 1 to 5	638	1.9 %
4	4 = 4 on a scale of 1 to 5	400	1.2 %
5	5 = Extremely true of me	434	1.3 %
<b>Total</b>		<b>4,117</b>	<b>12.0%</b>

This variable has 4,117 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
<b>Total</b>		<b>30,192</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7486-7491 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0025E\_RANDOM\_01: AN0025E series random question 1

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN0025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %

Value	Label	Unweighted Frequency	%
R05_AN0025E	-	4132	12.0 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7492-7502 (width: 11; decimal: 0)

*Variable Type:* character

## R05\_AN0025E\_RANDOM\_02: AN0025E series random question 2

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN0025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	327	1.0 %
R05_AN0035E	-	296	0.9 %
R05_AN0045E	-	328	1.0 %
R05_AN0050E	-	301	0.9 %
R05_AN0060E	-	313	0.9 %
R05_AN0065E	-	331	1.0 %
R05_AN0070E	-	301	0.9 %
R05_AN0075E	-	301	0.9 %
R05_AN0080E	-	291	0.8 %
R05_AN0085E	-	318	0.9 %
R05_AN0090E	-	344	1.0 %
R05_AN0095E	-	284	0.8 %
R05_AN0100E	-	301	0.9 %
R05_AN0255E	-	96	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7503-7513 (width: 11; decimal: 0)

*Variable Type:* character

## R05\_AN0025E\_RANDOM\_03: AN0025E series random question 3

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were

randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	304	0.9 %
R05_AN0035E	-	308	0.9 %
R05_AN0045E	-	320	0.9 %
R05_AN0050E	-	285	0.8 %
R05_AN0060E	-	324	0.9 %
R05_AN0065E	-	318	0.9 %
R05_AN0070E	-	322	0.9 %
R05_AN0075E	-	305	0.9 %
R05_AN0080E	-	317	0.9 %
R05_AN0085E	-	308	0.9 %
R05_AN0090E	-	323	0.9 %
R05_AN0095E	-	333	1.0 %
R05_AN0100E	-	273	0.8 %
R05_AN0255E	-	92	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7514-7524 (width: 11; decimal: 0)

*Variable Type:* character

---

## R05\_AN0025E\_RANDOM\_04: AN0025E series random question 4

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	317	0.9 %

Value	Label	Unweighted Frequency	%
R05_AN0035E	-	322	0.9 %
R05_AN0045E	-	312	0.9 %
R05_AN0050E	-	334	1.0 %
R05_AN0060E	-	304	0.9 %
R05_AN0065E	-	306	0.9 %
R05_AN0070E	-	286	0.8 %
R05_AN0075E	-	293	0.9 %
R05_AN0080E	-	294	0.9 %
R05_AN0085E	-	309	0.9 %
R05_AN0090E	-	319	0.9 %
R05_AN0095E	-	329	1.0 %
R05_AN0100E	-	312	0.9 %
R05_AN0255E	-	95	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7525-7535 (width: 11; decimal: 0)

*Variable Type:* character

## R05\_AN0025E\_RANDOM\_05: AN0025E series random question 5

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	323	0.9 %
R05_AN0035E	-	331	1.0 %
R05_AN0045E	-	314	0.9 %
R05_AN0050E	-	328	1.0 %
R05_AN0060E	-	314	0.9 %
R05_AN0065E	-	293	0.9 %
R05_AN0070E	-	312	0.9 %
R05_AN0075E	-	312	0.9 %
R05_AN0080E	-	291	0.8 %

Value	Label	Unweighted Frequency	%
R05_AN0085E	-	308	0.9 %
R05_AN0090E	-	289	0.8 %
R05_AN0095E	-	272	0.8 %
R05_AN0100E	-	345	1.0 %
R05_AN0255E	-	100	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7536-7546 (width: 11; decimal: 0)

*Variable Type:* character

## **R05\_AN0025E\_RANDOM\_06: AN0025E series random question 6**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	310	0.9 %
R05_AN0035E	-	302	0.9 %
R05_AN0045E	-	273	0.8 %
R05_AN0050E	-	325	0.9 %
R05_AN0060E	-	325	0.9 %
R05_AN0065E	-	330	1.0 %
R05_AN0070E	-	316	0.9 %
R05_AN0075E	-	288	0.8 %
R05_AN0080E	-	336	1.0 %
R05_AN0085E	-	323	0.9 %
R05_AN0090E	-	295	0.9 %
R05_AN0095E	-	281	0.8 %
R05_AN0100E	-	317	0.9 %
R05_AN0255E	-	111	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7547-7557 (width: 11; decimal: 0)

*Variable Type:* character

---

## R05\_AN0025E\_RANDOM\_07: AN0025E series random question 7

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	314	0.9 %
R05_AN0035E	-	321	0.9 %
R05_AN0045E	-	309	0.9 %
R05_AN0050E	-	294	0.9 %
R05_AN0060E	-	309	0.9 %
R05_AN0065E	-	315	0.9 %
R05_AN0070E	-	296	0.9 %
R05_AN0075E	-	312	0.9 %
R05_AN0080E	-	303	0.9 %
R05_AN0085E	-	325	0.9 %
R05_AN0090E	-	305	0.9 %
R05_AN0095E	-	308	0.9 %
R05_AN0100E	-	308	0.9 %
R05_AN0255E	-	113	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7558-7568 (width: 11; decimal: 0)

*Variable Type:* character

---

## R05\_AN0025E\_RANDOM\_08: AN0025E series random question 8

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	310	0.9 %
R05_AN0035E	-	301	0.9 %
R05_AN0045E	-	311	0.9 %
R05_AN0050E	-	294	0.9 %
R05_AN0060E	-	307	0.9 %
R05_AN0065E	-	304	0.9 %
R05_AN0070E	-	298	0.9 %
R05_AN0075E	-	345	1.0 %
R05_AN0080E	-	314	0.9 %
R05_AN0085E	-	307	0.9 %
R05_AN0090E	-	327	1.0 %
R05_AN0095E	-	311	0.9 %
R05_AN0100E	-	298	0.9 %
R05_AN0255E	-	105	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7569-7579 (width: 11; decimal: 0)

*Variable Type:* character

## R05\_AN0025E\_RANDOM\_09: AN0025E series random question 9

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	293	0.9 %
R05_AN0035E	-	283	0.8 %
R05_AN0045E	-	298	0.9 %
R05_AN0050E	-	301	0.9 %
R05_AN0060E	-	317	0.9 %
R05_AN0065E	-	299	0.9 %

Value	Label	Unweighted Frequency	%
R05_AN0070E	-	310	0.9 %
R05_AN0075E	-	306	0.9 %
R05_AN0080E	-	345	1.0 %
R05_AN0085E	-	324	0.9 %
R05_AN0090E	-	276	0.8 %
R05_AN0095E	-	355	1.0 %
R05_AN0100E	-	328	1.0 %
R05_AN0255E	-	97	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7580-7590 (width: 11; decimal: 0)

*Variable Type:* character

## **R05\_AN0025E\_RANDOM\_10: AN0025E series random question 10**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN0025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	313	0.9 %
R05_AN0035E	-	306	0.9 %
R05_AN0045E	-	271	0.8 %
R05_AN0050E	-	315	0.9 %
R05_AN0060E	-	299	0.9 %
R05_AN0065E	-	313	0.9 %
R05_AN0070E	-	326	1.0 %
R05_AN0075E	-	344	1.0 %
R05_AN0080E	-	301	0.9 %
R05_AN0085E	-	296	0.9 %
R05_AN0090E	-	315	0.9 %
R05_AN0095E	-	291	0.8 %
R05_AN0100E	-	323	0.9 %
R05_AN0255E	-	119	0.3 %

Value	Label	Unweighted Frequency	%
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7591-7601 (width: 11; decimal: 0)

*Variable Type:* character

## R05\_AN0025E\_RANDOM\_11: AN0025E series random question 11

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 11th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN0025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	328	1.0 %
R05_AN0035E	-	312	0.9 %
R05_AN0045E	-	323	0.9 %
R05_AN0050E	-	284	0.8 %
R05_AN0060E	-	266	0.8 %
R05_AN0065E	-	310	0.9 %
R05_AN0070E	-	345	1.0 %
R05_AN0075E	-	320	0.9 %
R05_AN0080E	-	312	0.9 %
R05_AN0085E	-	289	0.8 %
R05_AN0090E	-	328	1.0 %
R05_AN0095E	-	301	0.9 %
R05_AN0100E	-	316	0.9 %
R05_AN0255E	-	98	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7602-7612 (width: 11; decimal: 0)

*Variable Type:* character

## R05\_AN0025E\_RANDOM\_12: AN0025E series random question 12

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 12th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	310	0.9 %
R05_AN0035E	-	319	0.9 %
R05_AN0045E	-	311	0.9 %
R05_AN0050E	-	316	0.9 %
R05_AN0060E	-	325	0.9 %
R05_AN0065E	-	288	0.8 %
R05_AN0070E	-	286	0.8 %
R05_AN0075E	-	320	0.9 %
R05_AN0080E	-	315	0.9 %
R05_AN0085E	-	322	0.9 %
R05_AN0090E	-	289	0.8 %
R05_AN0095E	-	322	0.9 %
R05_AN0100E	-	298	0.9 %
R05_AN0255E	-	111	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7613-7623 (width: 11; decimal: 0)

*Variable Type:* character

---

## **R05\_AN0025E\_RANDOM\_13: AN0025E series random question 13**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 13th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	301	0.9 %

Value	Label	Unweighted Frequency	%
R05_AN0035E	-	314	0.9 %
R05_AN0045E	-	306	0.9 %
R05_AN0050E	-	330	1.0 %
R05_AN0060E	-	321	0.9 %
R05_AN0065E	-	321	0.9 %
R05_AN0070E	-	308	0.9 %
R05_AN0075E	-	318	0.9 %
R05_AN0080E	-	312	0.9 %
R05_AN0085E	-	290	0.8 %
R05_AN0090E	-	329	1.0 %
R05_AN0095E	-	300	0.9 %
R05_AN0100E	-	281	0.8 %
R05_AN0255E	-	101	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7624-7634 (width: 11; decimal: 0)

*Variable Type:* character

## R05\_AN0025E\_RANDOM\_14: AN0025E series random question 14

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 14th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN025E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	30176	88.0 %
-97777	-	1	0.0 %
R05_AN0030E	-	294	0.9 %
R05_AN0035E	-	326	1.0 %
R05_AN0045E	-	341	1.0 %
R05_AN0050E	-	313	0.9 %
R05_AN0060E	-	316	0.9 %
R05_AN0065E	-	317	0.9 %
R05_AN0070E	-	317	0.9 %
R05_AN0075E	-	265	0.8 %
R05_AN0080E	-	280	0.8 %

Value	Label	Unweighted Frequency	%
R05_AN0085E	-	300	0.9 %
R05_AN0090E	-	298	0.9 %
R05_AN0095E	-	323	0.9 %
R05_AN0100E	-	330	1.0 %
R05_AN0255E	-	112	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7635-7645 (width: 11; decimal: 0)

*Variable Type:* character

## **R05\_AN0025E\_RANDOM\_15: AN0025E series random question 15**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025E through R05\_AN0100E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 15th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32854	95.8 %
-97777	-	1	0.0 %
R05_AN0030E	-	88	0.3 %
R05_AN0035E	-	91	0.3 %
R05_AN0045E	-	115	0.3 %
R05_AN0050E	-	112	0.3 %
R05_AN0060E	-	92	0.3 %
R05_AN0065E	-	87	0.3 %
R05_AN0070E	-	109	0.3 %
R05_AN0075E	-	103	0.3 %
R05_AN0080E	-	121	0.4 %
R05_AN0085E	-	114	0.3 %
R05_AN0090E	-	95	0.3 %
R05_AN0095E	-	122	0.4 %
R05_AN0100E	-	102	0.3 %
R05_AN0255E	-	103	0.3 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 7646-7656 (width: 11; decimal: 0)

*Variable Type:* character

## R05\_AN0025E: Level of agreement: Frequently crave electronic nicotine products

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I frequently crave electronic nicotine products.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

NOTES: This item was always the first question asked in the randomized set.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2118	6.2 %
2	2 = 2 on a scale of 1 to 5	710	2.1 %
3	3 = 3 on a scale of 1 to 5	603	1.8 %
4	4 = 4 on a scale of 1 to 5	364	1.1 %
5	5 = Extremely true of me	322	0.9 %
<b>Total</b>		<b>4,117</b>	<b>12.0%</b>

This variable has 4,117 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
<b>Total</b>		<b>30,192</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7657-7662 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0030E: Level of agreement: Urges keep getting stronger if don't/still have urges to use electronic nicotine products

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[My urges keep getting stronger if I don't/I still have urges to] use electronic nicotine products.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2565	7.5 %
2	2 = 2 on a scale of 1 to 5	613	1.8 %
3	3 = 3 on a scale of 1 to 5	468	1.4 %
4	4 = 4 on a scale of 1 to 5	270	0.8 %
5	5 = Extremely true of me	202	0.6 %
<b>Total</b>		<b>4,118</b>	<b>12.0%</b>

This variable has 4,118 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
<b>Total</b>		<b>30,191</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7663-7668 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0035E: Level of agreement: Electronic nicotine products control me

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

Electronic nicotine products control me.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2

AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	3239	9.4 %
2	2 = 2 on a scale of 1 to 5	412	1.2 %
3	3 = 3 on a scale of 1 to 5	282	0.8 %
4	4 = 4 on a scale of 1 to 5	108	0.3 %
5	5 = Extremely true of me	71	0.2 %
	<b>Total</b>	<b>4,112</b>	<b>12.0%</b>

This variable has 4,112 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
	<b>Total</b>	<b>30,197</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7669-7674 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0045E: Level of agreement: My electronic nicotine product use is out of control/My urge to use electronic nicotine products is out of control

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[My electronic nicotine product use is out of control./My urge to use electronic nicotine products is out of control.]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	3126	9.1 %
2	2 = 2 on a scale of 1 to 5	472	1.4 %

Value	Label	Unweighted Frequency	%
3	3 = 3 on a scale of 1 to 5	296	0.9 %
4	4 = 4 on a scale of 1 to 5	126	0.4 %
5	5 = Extremely true of me	92	0.3 %
<b>Total</b>		<b>4,112</b>	<b>12.0%</b>

This variable has 4,112 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
<b>Total</b>		<b>30,197</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7675-7680 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0060E: Level of agreement: Usually want to use electronic nicotine products right after waking up

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I usually want to use electronic nicotine products right after I wake up.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2472	7.2 %
2	2 = 2 on a scale of 1 to 5	488	1.4 %
3	3 = 3 on a scale of 1 to 5	433	1.3 %
4	4 = 4 on a scale of 1 to 5	325	0.9 %
5	5 = Extremely true of me	400	1.2 %
<b>Total</b>		<b>4,118</b>	<b>12.0%</b>

This variable has 4,118 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
<b>Total</b>		<b>30,191</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7681-7686 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0065E: Level of agreement: Can only go a couple of hours without using electronic nicotine products

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I can only go a couple of hours without [using/wanting to use] electronic nicotine products.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2663	7.8 %
2	2 = 2 on a scale of 1 to 5	429	1.3 %
3	3 = 3 on a scale of 1 to 5	393	1.1 %
4	4 = 4 on a scale of 1 to 5	257	0.7 %
5	5 = Extremely true of me	373	1.1 %
<b>Total</b>		<b>4,115</b>	<b>12.0%</b>

This variable has 4,115 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	9	0.0 %

Missing Data			
-1	-1 = Inapplicable	30176	88.0 %
	<b>Total</b>	<b>30,194</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7687-7692 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0050E: Level of agreement: Frequently use electronic nicotine products without thinking about it

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[I frequently use/I find myself almost using] electronic nicotine products without thinking about it.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2376	6.9 %
2	2 = 2 on a scale of 1 to 5	577	1.7 %
3	3 = 3 on a scale of 1 to 5	550	1.6 %
4	4 = 4 on a scale of 1 to 5	311	0.9 %
5	5 = Extremely true of me	302	0.9 %
	<b>Total</b>	<b>4,116</b>	<b>12.0%</b>

This variable has 4,116 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
	<b>Total</b>	<b>30,193</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7693-7698 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0070E: Level of agreement: Using electronic nicotine products really helps me feel better if feeling down

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

Using electronic nicotine products [really helps/would really help] me feel better if I've been feeling down.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2517	7.3 %
2	2 = 2 on a scale of 1 to 5	595	1.7 %
3	3 = 3 on a scale of 1 to 5	515	1.5 %
4	4 = 4 on a scale of 1 to 5	299	0.9 %
5	5 = Extremely true of me	191	0.6 %
<b>Total</b>		<b>4,117</b>	<b>12.0%</b>

This variable has 4,117 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	30176	88.0 %	
<b>Total</b>		<b>30,192</b>	<b>88.0%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 7699-7704 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0075E: Level of agreement: Using electronic nicotine products helps me think better

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

Using electronic nicotine products helps me think better.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2769	8.1 %
2	2 = 2 on a scale of 1 to 5	547	1.6 %
3	3 = 3 on a scale of 1 to 5	439	1.3 %
4	4 = 4 on a scale of 1 to 5	218	0.6 %
5	5 = Extremely true of me	138	0.4 %
	<b>Total</b>	<b>4,111</b>	<b>12.0%</b>

This variable has 4,111 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
	<b>Total</b>	<b>30,198</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 7705-7710 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AN0255E: Level of agreement: Most people I spend time with are tobacco users (current established, recent former established or current experimental electronic nicotine product users)

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

Most of the people I spend time with use tobacco.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP and are only completing the e-product module in the Nicotine Dependence section.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND  
R05\_NDSKIP = 0) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND

R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_EPRODCOUNT > 1 AND  
R05\_NDSKIP = 0).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	700	2.0 %
2	2 = 2 on a scale of 1 to 5	263	0.8 %
3	3 = 3 on a scale of 1 to 5	248	0.7 %
4	4 = 4 on a scale of 1 to 5	138	0.4 %
5	5 = Extremely true of me	100	0.3 %
	<b>Total</b>	<b>1,449</b>	<b>4.2%</b>

This variable has 1,449 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32855	95.8 %
	<b>Total</b>	<b>32,860</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7711-7716 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0080E: Level of agreement: Would feel alone without my electronic nicotine products

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I [would ]feel alone without my electronic nicotine products.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	3289	9.6 %
2	2 = 2 on a scale of 1 to 5	375	1.1 %
3	3 = 3 on a scale of 1 to 5	248	0.7 %

Value	Label	Unweighted Frequency	%
4	4 = 4 on a scale of 1 to 5	101	0.3 %
5	5 = Extremely true of me	101	0.3 %
<b>Total</b>		<b>4,114</b>	<b>12.0%</b>

This variable has 4,114 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
<b>Total</b>		<b>30,195</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location: 7717-7722 (width: 6; decimal: 0)*

*Variable Type: numeric*

*(Range of Missing Values: -97777 , -9 , -8 , -7 , -1*

## R05\_AN0085E: Level of agreement: Would find it really hard to stop using electronic nicotine products

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[I would find it really hard to stop using/I find it really hard to not use] electronic nicotine products.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2495	7.3 %
2	2 = 2 on a scale of 1 to 5	533	1.6 %
3	3 = 3 on a scale of 1 to 5	490	1.4 %
4	4 = 4 on a scale of 1 to 5	304	0.9 %
5	5 = Extremely true of me	292	0.9 %
<b>Total</b>		<b>4,114</b>	<b>12.0%</b>

This variable has 4,114 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
<b>Total</b>		<b>30,195</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7723-7728 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0090E: Level of agreement: Would find it hard to stop using electronic nicotine products for a week

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[I would find it hard to stop using electronic nicotine products for a week./I would find it hard to not use electronic nicotine products for another week.]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2561	7.5 %
2	2 = 2 on a scale of 1 to 5	441	1.3 %
3	3 = 3 on a scale of 1 to 5	395	1.2 %
4	4 = 4 on a scale of 1 to 5	334	1.0 %
5	5 = Extremely true of me	387	1.1 %
<b>Total</b>		<b>4,118</b>	<b>12.0%</b>

This variable has 4,118 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	10	0.0 %

Missing Data			
-1	-1 = Inapplicable	30176	88.0 %
	<b>Total</b>	<b>30,191</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7729-7734 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0095E: Level of agreement: After not using e-cigarettes for a while, need to use electronic nicotine products in order to feel less restless and irritable

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[After not using electronic nicotine products for a while, I need/I would like] to use electronic nicotine products in order to feel less restless and irritable.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2465	7.2 %
2	2 = 2 on a scale of 1 to 5	580	1.7 %
3	3 = 3 on a scale of 1 to 5	466	1.4 %
4	4 = 4 on a scale of 1 to 5	341	1.0 %
5	5 = Extremely true of me	264	0.8 %
	<b>Total</b>	<b>4,116</b>	<b>12.0%</b>

This variable has 4,116 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
	<b>Total</b>	<b>30,193</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7735-7740 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0100E: Level of agreement: After not using e-cigarettes for a while, need to use electronic nicotine products in order to keep self from experiencing any discomfort

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[After not using electronic nicotine products for a while, I need/I feel like I need] to use electronic nicotine products in order to keep myself from experiencing any discomfort.

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	2714	7.9 %
2	2 = 2 on a scale of 1 to 5	557	1.6 %
3	3 = 3 on a scale of 1 to 5	428	1.2 %
4	4 = 4 on a scale of 1 to 5	244	0.7 %
5	5 = Extremely true of me	172	0.5 %
<b>Total</b>		<b>4,115</b>	<b>12.0%</b>

This variable has 4,115 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
<b>Total</b>		<b>30,194</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 7741-7746 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0110E: Do you believe that electronic nicotine products is causing/caused health problems

Do you believe that using electronic nicotine products [is causing/caused] a health problem or [making/made] it worse?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1221	3.6 %
2	2 = No	2871	8.4 %
	<b>Total</b>	<b>4,092</b>	<b>11.9%</b>

This variable has 4,092 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	32	0.1 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	30176	88.0 %	
	<b>Total</b>	<b>30,217</b>	<b>88.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7747-7752 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0813E: In past 12 months, found it difficult to keep from using electronic nicotine products in places where it was prohibited

In the past 12 months, did you find it difficult to keep from using electronic nicotine products in places where it was not permitted?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	646	1.9 %
2	2 = No	3463	10.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>4,109</b>	<b>12.0%</b>

This variable has 4,109 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	30176	88.0 %
	<b>Total</b>	<b>30,200</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7753-7758 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0812E: In past 12 months, gave up or cut down on activities that were enjoyable or important because electronic nicotine product use was not permitted at activity

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because electronic nicotine product use was not permitted at the activity?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_EPRODCOUNT > 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	179	0.5 %
2	2 = No	3936	11.5 %
	<b>Total</b>	<b>4,115</b>	<b>12.0%</b>

This variable has 4,115 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	30176	88.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>30,194</b>	<b>88.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7759-7764 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0105E: Have you tried to quit electronic nicotine products in the past 12 months

In the past 12 months, have you tried to quit using electronic nicotine products completely?

ASK: Adult respondents who are current established non-marijuana ENP users.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	598	1.7 %
2	2 = No	2351	6.9 %
	<b>Total</b>	<b>2,949</b>	<b>8.6%</b>

This variable has 2,949 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	31353	91.4 %
	<b>Total</b>	<b>31,360</b>	<b>91.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7765-7770 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0334E: In the past 12 months, tried to quit by gradually cutting back on using electronic nicotine products

In the past 12 months, have you tried to quit by gradually cutting back on using electronic nicotine products?

ASK: Adult respondents who are current established non-marijuana ENP users.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	917	2.7 %
2	2 = No	2032	5.9 %
	<b>Total</b>	<b>2,949</b>	<b>8.6%</b>

This variable has 2,949 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31353	91.4 %
	<b>Total</b>	<b>31,360</b>	<b>91.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7771-7776 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0115E: In past 12 months, number of times tried to quit using electronic nicotine products

In total, how many times in the past 12 months have you tried to quit electronic nicotine products completely?

\_\_\_ Times

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR24]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 1,647 valid cases out of 34,309 total cases.

- Mean: 2.40
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 16.50

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	49	0.1 %

Missing Data				
-7	-7 = Refused	30	0.1 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	32582	95.0 %	
<b>Total</b>		<b>32,662</b>	<b>95.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7777-7782 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AN0120E: In past 12 months, stopped using electronic nicotine products for one day or longer because you were trying to quit

In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AN0130E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempts and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR  
R05\_AN0115E = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	474	1.4 %
2	2 = No	47	0.1 %
<b>Total</b>		<b>521</b>	<b>1.5%</b>

This variable has 521 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33783	98.5 %	
<b>Total</b>		<b>33,788</b>	<b>98.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7783-7788 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0125E: In past 12 months, how many times you stopped using electronic nicotine products for one day or longer because you were trying to quit

In the past 12 months, how many times have you stopped using electronic nicotine products for one day or longer because you were trying to quit?

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0256E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using ENPs for one day or longer.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR  
R05\_AN0115E = -8, -7) AND R05\_AN0120E = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 time	170	0.5 %
2	2 = 2 - 3 times	197	0.6 %
3	3 = 4 or more times	103	0.3 %
<b>Total</b>		<b>470</b>	<b>1.4%</b>

This variable has 470 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33834	98.6 %
<b>Total</b>		<b>33,839</b>	<b>98.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 7789-7794 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AN0256E: In past 12 months, stopped using electronic nicotine products more than 3 times for one day or longer because you were trying to quit

Would you say that in the past 12 months it was more than 3 times that you have stopped using electronic nicotine products for one day or longer because you were trying to quit?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using ENPs for one day or longer and did not know or refused to report how many times they stopped using ENPs for one day or longer.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR  
R05\_AN0115E = -8, -7) AND R05\_AN0120E = 1 AND R05\_AN0125E = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	0	0.0 %
<b>Total</b>		<b>1</b>	<b>0.0%</b>

This variable has 1 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34304	100.0 %
<b>Total</b>		<b>34,308</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7795-7800 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0130E\_NN: In past 12 months, length of time you stopped using electronic nicotine products because you were trying to quit - Number

The last time you stopped using electronic nicotine products in the past 12 months because you were trying to quit, how long did you stop for?

\_\_\_ Minutes/Hours/Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0300E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR  
R05\_AN0115E = -8, -7).

[PROGRAM NOTE: Display as a Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AN0130E\_UN = Minutes;  
the value "2" refers to R05\_AN0130E\_UN = Hours;  
the value "3" refers to R05\_AN0130E\_UN = Days;  
the value "4" refers to R05\_AN0130E\_UN = Weeks;

the value "5" refers to R05\_AN0130E\_UN = Months.

This variable has 508 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	5	0.0 %
-1	-1 = Inapplicable	33783	98.5 %
<b>Total</b>		<b>33,801</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7801-7806 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AN0130E\_UN: In past 12 months, length of time you stopped using electronic nicotine products because you were trying to quit - Unit

The last time you stopped using electronic nicotine products in the past 12 months because you were trying to quit, how long did you stop for?

\_\_\_ Minutes/Hours/Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0300E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR  
R05\_AN0115E = -8, -7).

[PROGRAM NOTE: Display as a Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AN0130E\_UN = Minutes;  
the value "2" refers to R05\_AN0130E\_UN = Hours;  
the value "3" refers to R05\_AN0130E\_UN = Days;  
the value "4" refers to R05\_AN0130E\_UN = Weeks;  
the value "5" refers to R05\_AN0130E\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Minutes	13	0.0 %
2	2 = Hours	22	0.1 %
3	3 = Days	141	0.4 %

Value	Label	Unweighted Frequency	%
4	4 = Weeks	115	0.3 %
5	5 = Months	222	0.6 %
	<b>Total</b>	<b>513</b>	<b>1.5%</b>

This variable has 513 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33795	98.5 %
	<b>Total</b>	<b>33,796</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7807-7812 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0300E: In past 12 months, length of time stopped using electronic nicotine products the last time because you were trying to quit - Week measure

Was it more than a week, a week, or less than a week?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR  
R05\_AN0115E = -8, -7) AND R05\_AN0130E\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = More than one week	6	0.0 %
2	2 = One week	0	0.0 %
3	3 = Less than one week	0	0.0 %
	<b>Total</b>	<b>6</b>	<b>0.0%</b>

This variable has 6 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34296	100.0 %	
<b>Total</b>		<b>34,303</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7813-7818 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0135E: Approximate end date of last electronic nicotine product quit attempt

When was the approximate end date of this last quit attempt that lasted [enter duration from R05\_AN0130E]?

\_\_ Month \_\_ Day \_\_ Year

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0135E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempts and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR  
R05\_AN0115E = -8, -7) AND R05\_AN0130E\_NN != -8, -7.

[PROGRAM NOTE: Allow 2 digits for month; allow 2 digits for day; allow 4 digits for year.]

This variable has 458 valid cases out of 34,309 total cases.

		Missing Data		
-		33851	98.7 %	
<b>Total</b>		<b>33,851</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7819-7829 (width: 11; decimal: 0)

*Variable Type:* character

*(Range of) Missing Values:*

## R05\_AN0135E\_VALUE\_INFO: Type of response provided for R05\_AN0135E

Value	Label	Unweighted Frequency	%
1	1 = Date value	458	1.3 %
<b>Total</b>		<b>458</b>	<b>1.3%</b>

This variable has 458 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	5	0.0 %
-5	-5 = Improbable response removed	4	0.0 %
-1	-1 = Inapplicable	33795	98.5 %
<b>Total</b>		<b>33,851</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7830-7835 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AN0140E: In past 12 months, was the duration of last quit attempt reported the longest you went without using electronic nicotine products because you were trying to quit

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without using electronic nicotine products because you were trying to quit?

[IF Yes (1), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR25 :  
IF No (2); GO TO R05\_AN0145E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempts and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR  
R05\_AN0115E = -8, -7) AND R05\_AN0130E\_NN != -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	407	1.2 %
2	2 = No	103	0.3 %
<b>Total</b>		<b>510</b>	<b>1.5%</b>

This variable has 510 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33795	98.5 %
<b>Total</b>		<b>33,799</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7836-7841 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0257E: In past 12 months, time since completely quit using electronic nicotine products is the longest you have gone without using electronic nicotine products

You previously mentioned that you stopped using electronic nicotine products [ENTER LENGTH OF TIME SINCE LAST USE IN R05\_AV1009] ago. Is this the longest you have gone without using electronic nicotine products in the past 12 months?

[IF Yes (1), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR25 :

IF No (2); GO TO R05\_AN0145E]

ASK: Adult respondents who are recent former established non-marijuana ENP users and reported how long it has been since they last took a puff from an ENP and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 4 AND R05\_AV1009\_NN > 0 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	316	0.9 %
2	2 = No	143	0.4 %
	<b>Total</b>	<b>459</b>	<b>1.3%</b>

This variable has 459 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33847	98.7 %
	<b>Total</b>	<b>33,850</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7842-7847 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0145E\_NN: In past 12 months, longest time period for which you stopped using electronic nicotine products because you were trying to quit - Number

In the past 12 months, what was the longest time you stopped using electronic nicotine products because you were trying to quit?

\_\_\_ Minutes/Hours/Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0305E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using ENPs, or  
Adult respondents who are past 12 month ENP quitters or quit attempters and are recent former established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an ENP or reported the time since they last took a puff from an ENP was not the longest they went without using ENPs.

ASK Specification: IF (R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7) AND R05\_AN0130E\_NN != -8, -7 AND R05\_AN0140E = 2)  
OR (R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_ND\_EPROD\_USER\_STATUS = 4 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7) AND (R05\_AV1009\_NN < 1 OR R05\_AN0257E = 2)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AN0145E\_UN = Minutes;  
the value "2" refers to R05\_AN0145E\_UN = Hours;  
the value "3" refers to R05\_AN0145E\_UN = Days;  
the value "4" refers to R05\_AN0145E\_UN = Weeks;  
the value "5" refers to R05\_AN0145E\_UN = Months.

This variable has 278 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.1 %
-7	-7 = Refused	13	0.0 %
-5	-5 = Improbable response removed	33	0.1 %
-1	-1 = Inapplicable	33963	99.0 %
<b>Total</b>		<b>34,031</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 7848-7853 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -5, -1

---

## R05\_AN0145E\_UN: In past 12 months, longest time period for which you stopped using electronic nicotine products because you were trying to quit - Unit

In the past 12 months, what was the longest time you stopped using electronic nicotine products because you were trying to quit?

\_\_\_ Minutes/Hours/Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0305E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using ENPs, or  
 Adult respondents who are past 12 month ENP quitters or quit attempters and are recent former established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an ENP or reported the time since they last took a puff from an ENP was not the longest they went without using ENPs.

ASK Specification: IF (R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7) AND R05\_AN0130E\_NN != -8, -7 AND R05\_AN0140E = 2)  
 OR (R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_ND\_EPROD\_USER\_STATUS = 4 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7) AND (R05\_AV1009\_NN < 1 OR R05\_AN0257E = 2)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AN0145E\_UN = Minutes;  
 the value "2" refers to R05\_AN0145E\_UN = Hours;  
 the value "3" refers to R05\_AN0145E\_UN = Days;  
 the value "4" refers to R05\_AN0145E\_UN = Weeks;  
 the value "5" refers to R05\_AN0145E\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Minutes	16	0.0 %
2	2 = Hours	10	0.0 %
3	3 = Days	37	0.1 %
4	4 = Weeks	29	0.1 %
5	5 = Months	219	0.6 %
<b>Total</b>		<b>311</b>	<b>0.9%</b>

This variable has 311 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33997	99.1 %
<b>Total</b>		<b>33,998</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7854-7859 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0305E: In past 12 months, longest time you stopped using electronic nicotine products because you were trying to quit - Week measure

Was it more than a week, a week, or less than a week?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using ENPs and did not know or refused to report the longest time they stopped using ENPs, or

Adult respondents who are past 12 month ENP quitters or quit attempters and are recent former established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an ENP or reported the time since they last took a puff from an ENP was not the longest they went without using ENPs and did not know or refused to report the longest time they stopped using ENPs.

ASK Specification: IF (R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_ND\_EPROD\_USER\_STATUS = 1 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7) AND R05\_AN0130E\_NN != -8, -7 AND R05\_AN0140E = 2 AND R05\_AN0145E\_NN = -8, -7) OR (R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_ND\_EPROD\_USER\_STATUS = 4 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7) AND (R05\_AV1009\_NN < 1 OR R05\_AN0257E = 2) AND R05\_AN0145E\_NN = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = More than one week	12	0.0 %
2	2 = One week	0	0.0 %
3	3 = Less than one week	2	0.0 %
<b>Total</b>		<b>14</b>	<b>0.0%</b>

This variable has 14 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	34274	99.9 %
<b>Total</b>		<b>34,295</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7860-7865 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0210E: In past 12 months, relied on support of friends and family to help when last tried to quit using electronic nicotine products

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you rely on the support of friends and family to help you?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	207	0.6 %
2	2 = No	860	2.5 %
	<b>Total</b>	<b>1,067</b>	<b>3.1%</b>

This variable has 1,067 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
	<b>Total</b>	<b>33,242</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7866-7871 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AN0215E: In past 12 months, used counseling, telephone help line, books, pamphlets, videos, quit tobacco clinic, class, support group or web-based program to help when last tried to quit using electronic nicotine products

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.2 %
2	2 = No	999	2.9 %
	<b>Total</b>	<b>1,068</b>	<b>3.1%</b>

This variable has 1,068 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
	<b>Total</b>	<b>33,241</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7872-7877 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225E\_01: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Did not use a different tobacco product to help quit

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

I did not use a different tobacco product to help me quit

ASK: Adult respondents who are past 12 month ENP quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
(R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	900	2.6 %
2	2 = Not Marked	147	0.4 %
	<b>Total</b>	<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
<b>Total</b>		<b>33,262</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7878-7883 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0225E\_02: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Cigarettes

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

### Cigarettes

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
(R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	95	0.3 %
2	2 = Not Marked	952	2.8 %
<b>Total</b>		<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
<b>Total</b>		<b>33,262</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7884-7889 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225E\_04: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Traditional cigars

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Traditional cigars

ASK: Adult respondents who are past 12 month ENP quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	1040	3.0 %
	<b>Total</b>	<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
	<b>Total</b>	<b>33,262</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7890-7895 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225E\_05: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Cigarillos

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using

electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

#### Cigarillos

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
(R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	1033	3.0 %
	<b>Total</b>	<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
	<b>Total</b>	<b>33,262</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 7896-7901 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

#### R05\_AN0225E\_06: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Filtered cigars

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

#### Filtered cigars

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
(R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.0 %
2	2 = Not Marked	1031	3.0 %
	<b>Total</b>	<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
	<b>Total</b>	<b>33,262</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7902-7907 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225E\_07: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Pipe tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Pipe tobacco

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
(R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	1040	3.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
	<b>Total</b>	<b>33,262</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7908-7913 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0225E\_08: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Hookah

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Hookah

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
(R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	1043	3.0 %
	<b>Total</b>	<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	23	0.1 %	
-7	-7 = Refused	15	0.0 %	
-1	-1 = Inapplicable	33223	96.8 %	
<b>Total</b>		<b>33,262</b>	<b>96.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7914-7919 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0225E\_09: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Snus

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Snus

ASK: Adult respondents who are past 12 month ENP quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
(R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	1039	3.0 %
<b>Total</b>		<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	23	0.1 %	
-7	-7 = Refused	15	0.0 %	
-1	-1 = Inapplicable	33223	96.8 %	
<b>Total</b>		<b>33,262</b>	<b>96.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7920-7925 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225E\_10: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Smokeless tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Smokeless tobacco, like dip, chew, or snuff

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.1 %
2	2 = Not Marked	1023	3.0 %
	<b>Total</b>	<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	23	0.1 %	
-7	-7 = Refused	15	0.0 %	
-1	-1 = Inapplicable	33223	96.8 %	
	<b>Total</b>	<b>33,262</b>	<b>96.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7926-7931 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225E\_11: Used a different tobacco product to help quit using electronic nicotine products during last quit attempt in past 12 months: Dissolvable tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Dissolvable tobacco

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND (R05\_AN0115E >= 1 OR R05\_AN0115E = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	1043	3.0 %
	<b>Total</b>	<b>1,047</b>	<b>3.1%</b>

This variable has 1,047 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	33223	96.8 %
	<b>Total</b>	<b>33,262</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 7932-7937 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

### R05\_AN0330\_12ME: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray, or lozenge (current established, recent former established or current experimental electronic nicotine product users)

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, or lozenge?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR32]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	271	0.8 %
2	2 = No	4346	12.7 %
	<b>Total</b>	<b>4,617</b>	<b>13.5%</b>

This variable has 4,617 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	29678	86.5 %
	<b>Total</b>	<b>29,692</b>	<b>86.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7938-7943 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0161E\_01: Type of nicotine replacement therapy product used in past 12 months: Nicotine patch (current or recent former established non-marijuana electronic nicotine product users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine patch

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	124	0.4 %
2	2 = Not Marked	139	0.4 %
	<b>Total</b>	<b>263</b>	<b>0.8%</b>

This variable has 263 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	34037	99.2 %	
<b>Total</b>		<b>34,046</b>	<b>99.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7944-7949 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0161E\_02: Type of nicotine replacement therapy product used in past 12 months: Nicotine gum (current or recent former established non-marijuana electronic nicotine product users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine gum

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	139	0.4 %
2	2 = Not Marked	124	0.4 %
<b>Total</b>		<b>263</b>	<b>0.8%</b>

This variable has 263 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	34037	99.2 %	
<b>Total</b>		<b>34,046</b>	<b>99.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 7950-7955 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0161E\_03: Type of nicotine replacement therapy product used in past 12 months: Nicotine inhaler (current or recent former established non-marijuana electronic nicotine product users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine inhaler

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	258	0.8 %
	<b>Total</b>	<b>263</b>	<b>0.8%</b>

This variable has 263 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	34037	99.2 %
	<b>Total</b>	<b>34,046</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7956-7961 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0161E\_04: Type of nicotine replacement therapy product used in past 12 months: Nicotine nasal spray (current or recent former established non-marijuana electronic nicotine product users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine nasal spray

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	262	0.8 %
	<b>Total</b>	<b>263</b>	<b>0.8%</b>

This variable has 263 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	34037	99.2 %
	<b>Total</b>	<b>34,046</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7962-7967 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0161E\_05: Type of nicotine replacement therapy product used in past 12 months: Nicotine lozenge (current or recent former established non-marijuana electronic nicotine product users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine lozenge

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	45	0.1 %
2	2 = Not Marked	218	0.6 %
	<b>Total</b>	<b>263</b>	<b>0.8%</b>

This variable has 263 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	34037	99.2 %
<b>Total</b>		<b>34,046</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7968-7973 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0150E: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray or lozenge the last time tried to quit using electronic nicotine products

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray or lozenge?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR33]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and have used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	107	0.3 %
2	2 = No	49	0.1 %
<b>Total</b>		<b>156</b>	<b>0.5%</b>

This variable has 156 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34152	99.5 %
<b>Total</b>		<b>34,153</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7974-7979 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0155E: Used a nicotine patch, gum, inhaler, nasal spray, or lozenge to quit using electronic nicotine products completely

Did you use the nicotine patch, gum, inhaler, nasal spray, or lozenge to quit using electronic nicotine products completely?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.2 %
2	2 = No	21	0.1 %
	<b>Total</b>	<b>106</b>	<b>0.3%</b>

This variable has 106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34201	99.7 %
	<b>Total</b>	<b>34,201</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 7980-7985 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0811E: Used a nicotine patch, gum, inhaler, nasal spray, or lozenge to relieve or avoid any bad after-effects after stopping/cutting down on electronic nicotine product use

Did you use the nicotine patch, gum, inhaler, nasal spray, or lozenge to relieve or avoid any bad after-effects after you stopped or cut down on your electronic nicotine product use?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them, or adult respondents who are past 12 month ENP reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1) OR (R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 2 AND R05\_AN0330\_12ME = 1) OR

(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_AN0330\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	99	0.3 %
2	2 = No	39	0.1 %
	<b>Total</b>	<b>138</b>	<b>0.4%</b>

This variable has 138 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34169	99.6 %
	<b>Total</b>	<b>34,171</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7986-7991 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0160E\_01: NRT product used last time tried to quit using electronic nicotine products: Nicotine patch

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Nicotine patch

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.1 %
2	2 = Not Marked	65	0.2 %
	<b>Total</b>	<b>106</b>	<b>0.3%</b>

This variable has 106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34201	99.7 %
<b>Total</b>		<b>34,203</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7992-7997 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0160E\_02: NRT product used last time tried to quit using electronic nicotine products: Nicotine gum

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Nicotine gum

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	52	0.2 %
2	2 = Not Marked	54	0.2 %
	<b>Total</b>	<b>106</b>	<b>0.3%</b>

This variable has 106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34201	99.7 %
<b>Total</b>		<b>34,203</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 7998-8003 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0160E\_03: NRT product used last time tried to quit using electronic nicotine products: Nicotine inhaler

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Nicotine inhaler

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	102	0.3 %
	<b>Total</b>	<b>106</b>	<b>0.3%</b>

This variable has 106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34201	99.7 %
	<b>Total</b>	<b>34,203</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8004-8009 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0160E\_04: NRT product used last time tried to quit using electronic nicotine products: Nicotine nasal spray

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine

products]? Choose all that apply.

Nicotine nasal spray

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	106	0.3 %
	<b>Total</b>	<b>106</b>	<b>0.3%</b>

This variable has 106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34201	99.7 %
	<b>Total</b>	<b>34,203</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8010-8015 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0160E\_05: NRT product used last time tried to quit using electronic nicotine products: Nicotine lozenge

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Nicotine lozenge

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	88	0.3 %
	<b>Total</b>	<b>106</b>	<b>0.3%</b>

This variable has 106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34201	99.7 %
	<b>Total</b>	<b>34,203</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8016-8021 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0160E\_06: NRT product used last time tried to quit using electronic nicotine products: None of the above

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

None of the above

[IF None of the above (6); GO TO R05\_AN0170E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected. ]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	99	0.3 %
	<b>Total</b>	<b>106</b>	<b>0.3%</b>

This variable has 106 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34201	99.7 %
<b>Total</b>		<b>34,203</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8022-8027 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0165E\_NN: Length of time used NRT during last electronic nicotine products quit attempt - Number

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, or lozenge?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1 AND R05\_AN0160E\_06 != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0165E\_UN = Days;  
the value "2" refers to R05\_AN0165E\_UN = Weeks;  
the value "3" refers to R05\_AN0165E\_UN = Months.

This variable has 100 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34208	99.7 %
<b>Total</b>		<b>34,209</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8028-8033 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AN0165E\_UN: Length of time used NRT during last electronic nicotine products quit attempt - Unit

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, or lozenge?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0330\_12ME = 1 AND R05\_AN0150E = 1 AND R05\_AN0160E\_06 != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0165E\_UN = Days;  
the value "2" refers to R05\_AN0165E\_UN = Weeks;  
the value "3" refers to R05\_AN0165E\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	44	0.1 %
2	2 = Weeks	27	0.1 %
3	3 = Months	29	0.1 %
<b>Total</b>		<b>100</b>	<b>0.3%</b>

This variable has 100 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34208	99.7 %
<b>Total</b>		<b>34,209</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8034-8039 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0170E: Currently using nicotine patch, gum, inhaler, nasal spray, or lozenge (past 12 month electronic nicotine product quitters or quit attempters)

Are you currently using a nicotine patch, gum, inhaler, nasal spray, or lozenge?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR50]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_AN0330\_12ME = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	50	0.1 %
2	2 = No	106	0.3 %
	<b>Total</b>	<b>156</b>	<b>0.5%</b>

This variable has 156 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34152	99.5 %
	<b>Total</b>	<b>34,153</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8040-8045 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0251E\_NN: How long been using NRT - Number (past 12 month electronic nicotine product quitters or quit attempters)

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, or lozenge?

\_\_ Days/Months/Years

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
R05\_AN0330\_12ME = 1 AND R05\_AN0170E = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0251E\_UN = Days;

the value "2" refers to R05\_AN0251E\_UN = Weeks;  
 the value "3" refers to R05\_AN0251E\_UN = Months.

This variable has 50 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34258	99.9 %	
<b>Total</b>		<b>34,259</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8046-8051 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AN0251E\_UN: How long been using NRT - Unit (past 12 month electronic nicotine product quitters or quit attempters)

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, or lozenge?

\_\_ Days/Months/Years

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND  
 R05\_AN0330\_12ME = 1 AND R05\_AN0170E = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0251E\_UN = Days;

the value "2" refers to R05\_AN0251E\_UN = Weeks;

the value "3" refers to R05\_AN0251E\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	21	0.1 %
2	2 = Months	24	0.1 %
3	3 = Years	5	0.0 %
<b>Total</b>		<b>50</b>	<b>0.1%</b>

This variable has 50 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34258	99.9 %
	<b>Total</b>	<b>34,259</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8052-8057 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0347E: When last removed a nicotine patch (current or recent former established non-marijuana electronic nicotine product users)

When you last used a nicotine patch, when did you remove it?

[IF I am currently wearing a nicotine patch (1), In the past hour (2) or Day before yesterday; GO TO R05\_AN0349E : IF Three or more days ago (6); GO TO R05\_AN0375E : IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR51]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = I am currently wearing a nicotine patch	18	0.1 %
2	2 = In the past hour	3	0.0 %
3	3 = Sometime today, but more than an hour ago	1	0.0 %
4	4 = Yesterday	4	0.0 %
5	5 = Day before yesterday	2	0.0 %
6	6 = Three or more days ago	94	0.3 %
	<b>Total</b>	<b>122</b>	<b>0.4%</b>

This variable has 122 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34184	99.6 %	
<b>Total</b>		<b>34,187</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8058-8063 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0348E: Number of hours since you removed a nicotine patch (current or recent former established non-marijuana electronic nicotine product users)

How many hours has it been since you removed a nicotine patch?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1 AND R05\_AN0347E = 3, 4) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1 AND R05\_AN0347E = 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = 1 to 4 hours	1	0.0 %
2	2 = 5 to 11 hours	1	0.0 %
3	3 = More than 12 hours	2	0.0 %
<b>Total</b>		<b>4</b>	<b>0.0%</b>

This variable has 4 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	34303	100.0 %	
<b>Total</b>		<b>34,305</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8064-8069 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0349E: Strength of nicotine patch last used (current or recent former established non-marijuana electronic nicotine product users)

When you last used a nicotine patch [FILL BASED ON R05\_AN0347E], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_ANR51]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used currently, in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used currently, in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1 AND R05\_AN0347E = 1, 2, 3, 4, 5) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1 AND R05\_AN0347E = 1, 2, 3, 4, 5).

Value	Label	Unweighted Frequency	%
1	1 = 21 mg (Step 1)	16	0.0 %
2	2 = 14 mg (Step 2)	6	0.0 %
3	3 = 7 mg (Step 3)	4	0.0 %
4	4 = Some other strength	0	0.0 %
5	5 = I don't know	2	0.0 %
	<b>Total</b>	<b>28</b>	<b>0.1%</b>

This variable has 28 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34280	99.9 %
	<b>Total</b>	<b>34,281</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8070-8075 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0375E\_NN: How long ago did you stop using the nicotine patch - Number

How long ago did you stop using the nicotine patch?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05-ANR51]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1 AND R05\_AN0347E = 6) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1 AND R05\_AN0347E = 6).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0375E\_UN = Days;  
the value "2" refers to R05\_AN0375E\_UN = Weeks;  
the value "3" refers to R05\_AN0375E\_UN = Months.

This variable has 93 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34214	99.7 %
<b>Total</b>		<b>34,216</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8076-8081 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AN0375E\_UN: How long ago did you stop using the nicotine patch - Unit

How long ago did you stop using the nicotine patch?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05-ANR51]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1 AND R05\_AN0347E = 6) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_01 = 1 AND R05\_AN0347E = 6).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0375E\_UN = Days;  
the value "2" refers to R05\_AN0375E\_UN = Weeks;  
the value "3" refers to R05\_AN0375E\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	23	0.1 %
2	2 = Months	62	0.2 %
3	3 = Years	8	0.0 %
<b>Total</b>		<b>93</b>	<b>0.3%</b>

This variable has 93 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34215	99.7 %	
<b>Total</b>		<b>34,216</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 8082-8087 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0357E: When you last used nicotine gum, inhaler, nasal spray or lozenge (current or recent former established non-marijuana electronic nicotine product users)

When did you last use nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[IF In the past hour (1); GO TO R05\_AN0359E :  
IF Three or more days ago (5); GO TO R05\_AN0385E :  
IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0331\_12ME]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND

R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1) OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2  
AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	17	0.0 %
2	2 = Sometime today, but more than an hour ago	14	0.0 %
3	3 = Yesterday	12	0.0 %
4	4 = Day before yesterday	6	0.0 %
5	5 = Three or more days ago	125	0.4 %
<b>Total</b>		<b>174</b>	<b>0.5%</b>

This variable has 174 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34134	99.5 %	
<b>Total</b>		<b>34,135</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8088-8093 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0358E: Time period of day when you last used nicotine gum, inhaler, nasal spray or lozenge (current or recent former established non-marijuana electronic nicotine product users)

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05\_AN0357E], was it...

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1 AND R05\_AN0357E = 2, 3, 4) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1 AND R05\_AN0357E = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	5	0.0 %
2	2 = After 6AM but before noon	11	0.0 %
3	3 = Between noon and 6PM	9	0.0 %
4	4 = After 6PM but before midnight	6	0.0 %
	<b>Total</b>	<b>31</b>	<b>0.1%</b>

This variable has 31 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34276	99.9 %
	<b>Total</b>	<b>34,278</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8094-8099 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0359E: Number of nicotine gum, inhaler, nasal spray or lozenges used today/yesterday/ the day before yesterday (current or recent former established non-marijuana electronic nicotine product users)

When you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05\_AN0357E], how many did you use?

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0331\_12ME]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1 AND R05\_AN0357E = 1, 2, 3, 4) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1 AND R05\_AN0357E = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 2 digits.]

This variable has 48 valid cases out of 34,309 total cases.

- Mean: 5.02
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 12.05

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34259	99.9 %	
<b>Total</b>		<b>34,261</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8100-8105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AN0385E\_NN: How long ago did you stop using nicotine gum, inhaler, spray, or lozenge - Number

How long ago did you stop using nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0331\_12ME]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1 AND R05\_AN0357E = 5) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1 AND R05\_AN0357E = 5).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0385E\_UN = Days;  
the value "2" refers to R05\_AN0385E\_UN = Weeks;  
the value "3" refers to R05\_AN0385E\_UN = Months.

This variable has 124 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34183	99.6 %
<b>Total</b>		<b>34,185</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8106-8111 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AN0385E\_UN: How long ago did you stop using nicotine gum, inhaler, spray, or lozenge - Unit

How long ago did you stop using nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0331\_12ME]

**ASK:** Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago.

**ASK Specification:** IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1 AND R05\_AN0357E = 5) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0330\_12ME = 1 AND R05\_AN0161E\_[02/03/04/05] = 1 AND R05\_AN0357E = 5).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

**NOTES:** The value "1" refers to R05\_AN0385E\_UN = Days;  
the value "2" refers to R05\_AN0385E\_UN = Weeks;  
the value "3" refers to R05\_AN0385E\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	32	0.1 %
2	2 = Months	84	0.2 %
3	3 = Years	8	0.0 %
<b>Total</b>		<b>124</b>	<b>0.4%</b>

This variable has 124 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34184	99.6 %
<b>Total</b>		<b>34,185</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8112-8117 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AN0331\_12ME: In past 12 months, used prescription drug: Chantix, varenicline, Wellbutrin, Zyban, or bupropion (current established, recent former established or current experimental electronic nicotine product users)

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental ENP.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	195	0.6 %
2	2 = No	4426	12.9 %
<b>Total</b>		<b>4,621</b>	<b>13.5%</b>

This variable has 4,621 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	29678	86.5 %
<b>Total</b>		<b>29,688</b>	<b>86.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8118-8123 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0180E: In past 12 months, used a prescription drug the last time tried to quit using electronic nicotine products

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AN0327E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	64	0.2 %
2	2 = No	37	0.1 %
	<b>Total</b>	<b>101</b>	<b>0.3%</b>

This variable has 101 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34206	99.7 %
	<b>Total</b>	<b>34,208</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8124-8129 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0185E: Used a prescription drug to quit using electronic nicotine products completely

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit using electronic nicotine products completely?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1 AND R05\_AN0180E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.1 %
2	2 = No	25	0.1 %
	<b>Total</b>	<b>64</b>	<b>0.2%</b>

This variable has 64 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34244	99.8 %
	<b>Total</b>	<b>34,244</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8130-8135 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0190E\_01: Prescription drug used the last time tried to quit/when quit using electronic nicotine products: Chantix or varenicline

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Chantix or varenicline

[IF None of the above (3); GO TO R05\_AN0200E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1 AND R05\_AN180E = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.1 %
2	2 = Not Marked	41	0.1 %
	<b>Total</b>	<b>64</b>	<b>0.2%</b>

This variable has 64 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34244	99.8 %
	<b>Total</b>	<b>34,245</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8136-8141 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0190E\_02: Prescription drug used the last time tried to quit/when quit using electronic nicotine products: Wellbutrin, Zyban or bupropion

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

Wellbutrin, Zyban, or bupropion

[IF None of the above (3); GO TO R05\_AN0200E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1 AND R05\_AN0180E = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected. ]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	35	0.1 %
2	2 = Not Marked	29	0.1 %
	<b>Total</b>	<b>64</b>	<b>0.2%</b>

This variable has 64 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34244	99.8 %
	<b>Total</b>	<b>34,245</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8142-8147 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0190E\_03: Prescription drug used the last time tried to quit/when quit using electronic nicotine products: None of the above

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

None of the above

[IF None of the above (3); GO TO R05\_AN0200E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1 AND R05\_AN0180E = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	56	0.2 %
	<b>Total</b>	<b>64</b>	<b>0.2%</b>

This variable has 64 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34244	99.8 %
	<b>Total</b>	<b>34,245</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8148-8153 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0195E\_NN: Length of time used prescription medication during last electronic nicotine products quit attempt - Number

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1 AND R05\_AN0180E = 1 AND R05\_AN0190E\_03 != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0195E\_UN = Days;  
the value "2" refers to R05\_AN0195E\_UN = Weeks;  
the value "3" refers to R05\_AN0195E\_UN = Months.

This variable has 55 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34252	99.8 %	
	<b>Total</b>	<b>34,254</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8154-8159 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AN0195E\_UN: Length of time used prescription medication during last electronic nicotine products quit attempt - Unit

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1 AND R05\_AN0180E = 1 AND R05\_AN0190E\_03 != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0195E\_UN = Days;  
the value "2" refers to R05\_AN0195E\_UN = Weeks;  
the value "3" refers to R05\_AN0195E\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	17	0.0 %
2	2 = Weeks	8	0.0 %
3	3 = Months	30	0.1 %
<b>Total</b>		<b>55</b>	<b>0.2%</b>

This variable has 55 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34253	99.8 %
<b>Total</b>		<b>34,254</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8160-8165 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0200E: Currently using a prescription medication to help quit (past 12 month electronic nicotine product quitters or quit attempters)

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AN0327E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1 AND R05\_AN0180E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.1 %
2	2 = No	30	0.1 %
<b>Total</b>		<b>63</b>	<b>0.2%</b>

This variable has 63 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	34244	99.8 %
	<b>Total</b>	<b>34,246</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8166-8171 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0252E\_NN: How long have you been using a prescription drug - Number (past 12 month electronic nicotine product quitters or quit attempters)

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); R05\_AN0327E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1 AND R05\_AN0180E = 1 AND R05\_AN0200E = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0252E\_UN = Days;  
the value "2" refers to R05\_AN0252E\_UN = Weeks;  
the value "3" refers to R05\_AN0252E\_UN = Months.

This variable has 33 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34275	99.9 %
	<b>Total</b>	<b>34,276</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8172-8177 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AN0252E\_UN: How long have you been using a prescription drug - Unit (past 12 month electronic nicotine product quitters or quit attempters)

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Months/Years

[IF Don't Know (-8), or Refused (-7); R05\_AN0327E]

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1 AND R05\_AN0331\_12ME = 1 AND R05\_AN0180E = 1 AND R05\_AN0200E = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0252E\_UN = Days;  
the value "2" refers to R05\_AN0252E\_UN = Weeks;  
the value "3" refers to R05\_AN0252E\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	9	0.0 %
2	2 = Months	10	0.0 %
3	3 = Years	14	0.0 %
<b>Total</b>		<b>33</b>	<b>0.1%</b>

This variable has 33 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34275	99.9 %
<b>Total</b>		<b>34,276</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8178-8183 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0327E: When did you last use Chantix, varenicline, Wellbutrin, Zyban or bupropion (current or recent former electronic nicotine product users)

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[IF In the past hour (1), or Three or more days ago (5); GO TO R05\_AN0329E :

IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR35]

ASK: Adult respondents who are current established or recent former established non-marijuana ENP

users and used a prescription drug in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0331\_12ME = 1) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0331\_12ME = 1).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	26	0.1 %
2	2 = Sometime today, but more than an hour ago	61	0.2 %
3	3 = Yesterday	26	0.1 %
4	4 = Day before yesterday	4	0.0 %
5	5 = Three or more days ago	76	0.2 %
<b>Total</b>		<b>193</b>	<b>0.6%</b>

This variable has 193 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34113	99.4 %
<b>Total</b>		<b>34,116</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8184-8189 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0328E: Time period of day when you last used Chantix, varenicline, Wellbutrin, Zyban or bupropion (current or recent former electronic nicotine product users)

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05\_AN0327E], was it...

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0331\_12ME = 1 AND R05\_AN0327E = 2, 3, 4) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0331\_12ME = 1 AND R05\_AN0327E = 2, 3, 4).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Between midnight and 6AM	10	0.0 %
2	2 = After 6AM but before noon	60	0.2 %
3	3 = Between noon and 6PM	10	0.0 %
4	4 = After 6PM but before midnight	10	0.0 %
	<b>Total</b>	<b>90</b>	<b>0.3%</b>

This variable has 90 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34217	99.7 %
	<b>Total</b>	<b>34,219</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8190-8195 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0329E: Number of Chantix, varenicline, Wellbutrin, Zyban or bupropion taken today/yesterday/the day before yesterday (current or recent former electronic nicotine product users)

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05\_AN0327E], how many did you take?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday. [PROGRAM NOTE: Allow 2 digits.]

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0331\_12ME = 1 AND R05\_AN0327E = 1, 2, 3, 4) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0331\_12ME = 1 AND R05\_AN0327E = 1, 2, 3, 4). This variable has 115 valid cases out of 34,309 total cases.

- Mean: 2.35
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 5.57

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data			
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34191	99.7 %
<b>Total</b>		<b>34,194</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8196-8201 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AN0205E\_NN: How long ago you stopped using prescription medication - Number (current established, recent former established or current experimental electronic nicotine product users)

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0331\_12ME = 1 AND R05\_AN0327E = 5) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0331\_12ME = 1 AND R05\_AN0327E = 5).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0205E\_UN = Days;  
the value "2" refers to R05\_AN0205E\_UN = Weeks;  
the value "3" refers to R05\_AN0205E\_UN = Months.

This variable has 76 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34232	99.8 %
<b>Total</b>		<b>34,233</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8202-8207 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AN0205E\_UN: How long ago you stopped using prescription medication - Unit (current established, recent former established or current experimental electronic nicotine product users)

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Months/Years

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_ND\_EPROD\_USER\_STATUS = 1, 4 AND R05\_AN0331\_12ME = 1 AND R05\_AN0327E = 5) OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2 AND R05\_AN0331\_12ME = 1 AND R05\_AN0327E = 5).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0205E\_UN = Days;  
the value "2" refers to R05\_AN0205E\_UN = Weeks;  
the value "3" refers to R05\_AN0205E\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	8	0.0 %
2	2 = Months	59	0.2 %
3	3 = Years	9	0.0 %
<b>Total</b>		<b>76</b>	<b>0.2%</b>

This variable has 76 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34232	99.8 %
<b>Total</b>		<b>34,233</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8208-8213 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0804E\_RANDOM\_01: AN0804E series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804E through R05\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32124	93.6 %
-97777	-	1	0.0 %
R05_AN0804E	-	2184	6.4 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8214-8224 (width: 11; decimal: 0)

*Variable Type:* character

---

## **R05\_AN0804E\_RANDOM\_02: AN0804E series random question 2**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804E through R05\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32124	93.6 %
-97777	-	1	0.0 %
R05_AN0805E	-	378	1.1 %
R05_AN0806E	-	362	1.1 %
R05_AN0807E	-	363	1.1 %
R05_AN0808E	-	343	1.0 %
R05_AN0809E	-	383	1.1 %
R05_AN0810E	-	355	1.0 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8225-8235 (width: 11; decimal: 0)

*Variable Type:* character

---

## **R05\_AN0804E\_RANDOM\_03: AN0804E series random question 3**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804E through R05\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32124	93.6 %
-97777	-	1	0.0 %
R05_AN0805E	-	353	1.0 %
R05_AN0806E	-	395	1.2 %
R05_AN0807E	-	343	1.0 %
R05_AN0808E	-	354	1.0 %
R05_AN0809E	-	378	1.1 %
R05_AN0810E	-	361	1.1 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

Location: 8236-8246 (width: 11; decimal: 0)

Variable Type: character

---

#### **R05\_AN0804E\_RANDOM\_04: AN0804E series random question 4**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804E through R05\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32124	93.6 %
-97777	-	1	0.0 %
R05_AN0805E	-	384	1.1 %
R05_AN0806E	-	348	1.0 %
R05_AN0807E	-	373	1.1 %
R05_AN0808E	-	341	1.0 %
R05_AN0809E	-	342	1.0 %
R05_AN0810E	-	396	1.2 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8247-8257 (width: 11; decimal: 0)

*Variable Type:* character

---

## R05\_AN0804E\_RANDOM\_05: AN0804E series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804E through R05\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32124	93.6 %
-97777	-	1	0.0 %
R05_AN0805E	-	344	1.0 %
R05_AN0806E	-	380	1.1 %
R05_AN0807E	-	350	1.0 %
R05_AN0808E	-	387	1.1 %
R05_AN0809E	-	368	1.1 %
R05_AN0810E	-	355	1.0 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8258-8268 (width: 11; decimal: 0)

*Variable Type:* character

---

## R05\_AN0804E\_RANDOM\_06: AN0804E series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804E through R05\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32124	93.6 %
-97777	-	1	0.0 %
R05_AN0805E	-	364	1.1 %
R05_AN0806E	-	325	0.9 %
R05_AN0807E	-	383	1.1 %

Value	Label	Unweighted Frequency	%
R05_AN0808E	-	386	1.1 %
R05_AN0809E	-	373	1.1 %
R05_AN0810E	-	353	1.0 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8269-8279 (width: 11; decimal: 0)

*Variable Type:* character

## **R05\_AN0804E\_RANDOM\_07: AN0804E series random question 7**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804E through R05\_AN0809E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03E and R04\_AND04E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	32124	93.6 %
-97777	-	1	0.0 %
R05_AN0805E	-	361	1.1 %
R05_AN0806E	-	374	1.1 %
R05_AN0807E	-	372	1.1 %
R05_AN0808E	-	373	1.1 %
R05_AN0809E	-	340	1.0 %
R05_AN0810E	-	364	1.1 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8280-8290 (width: 11; decimal: 0)

*Variable Type:* character

## **R05\_AN0804E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Felt depressed**

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel depressed?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

NOTES: This item was always the first question asked in the randomized set.

Value	Label	Unweighted Frequency	%
1	1 = Yes	320	0.9 %
2	2 = No	1844	5.4 %
	<b>Total</b>	<b>2,164</b>	<b>6.3%</b>

This variable has 2,164 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	32124	93.6 %	
	<b>Total</b>	<b>32,145</b>	<b>93.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8291-8296 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0805E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Had difficulty falling asleep or staying asleep

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty falling asleep or staying asleep?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	461	1.3 %
2	2 = No	1709	5.0 %
	<b>Total</b>	<b>2,170</b>	<b>6.3%</b>

This variable has 2,170 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32124	93.6 %
<b>Total</b>		<b>32,139</b>	<b>93.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8297-8302 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0806E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Had difficulty concentrating

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty concentrating?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	456	1.3 %
2	2 = No	1712	5.0 %
<b>Total</b>		<b>2,168</b>	<b>6.3%</b>

This variable has 2,168 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	32124	93.6 %
<b>Total</b>		<b>32,141</b>	<b>93.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8303-8308 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0807E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Ate more than usual or gained weight

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Eat more than usual or gain weight?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	457	1.3 %
2	2 = No	1712	5.0 %
	<b>Total</b>	<b>2,169</b>	<b>6.3%</b>

This variable has 2,169 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	32124	93.6 %	
	<b>Total</b>	<b>32,140</b>	<b>93.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8309-8314 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0808E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Became easily irritated, angry or frustrated

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Become easily irritated, angry, or frustrated?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	685	2.0 %
2	2 = No	1487	4.3 %
	<b>Total</b>	<b>2,172</b>	<b>6.3%</b>

This variable has 2,172 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32124	93.6 %
	<b>Total</b>	<b>32,137</b>	<b>93.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8315-8320 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0809E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Felt anxious or nervous

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel anxious or nervous?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	638	1.9 %
2	2 = No	1533	4.5 %
	<b>Total</b>	<b>2,171</b>	<b>6.3%</b>

This variable has 2,171 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	32124	93.6 %	
<b>Total</b>		<b>32,138</b>	<b>93.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8321-8326 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0810E: In past 12 months, effect of quitting/cutting back electronic nicotine product use: Felt more restless than usual

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel more restless than usual?

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS\_EPROD = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	584	1.7 %
2	2 = No	1586	4.6 %
<b>Total</b>		<b>2,170</b>	<b>6.3%</b>

This variable has 2,170 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	7	0.0 %	
-1	-1 = Inapplicable	32124	93.6 %	
<b>Total</b>		<b>32,139</b>	<b>93.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8327-8332 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AN0230E: Level of interest in quitting using electronic nicotine products on a scale of 1 to 10 (low to high)

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting electronic nicotine product use? Please choose a number from 1 to 10.

ASK: Adult respondents who are current established non-marijuana ENP users.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all interested	742	2.2 %
2	2 = 2 on a scale of 1 to 10	257	0.7 %
3	3 = 3 on a scale of 1 to 10	322	0.9 %
4	4 = 4 on a scale of 1 to 10	255	0.7 %
5	5 = 5 on a scale of 1 to 10	443	1.3 %
6	6 = 6 on a scale of 1 to 10	203	0.6 %
7	7 = 7 on a scale of 1 to 10	187	0.5 %
8	8 = 8 on a scale of 1 to 10	177	0.5 %
9	9 = 9 on a scale of 1 to 10	68	0.2 %
10	10 = Extremely Interested	290	0.8 %
<b>Total</b>		<b>2,944</b>	<b>8.6%</b>

This variable has 2,944 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	31353	91.4 %
<b>Total</b>		<b>31,365</b>	<b>91.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8333-8338 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AN0235E: Plans to quit using electronic nicotine products for good

Do you plan to ever quit using electronic nicotine products for good?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0006E]

ASK: Adult respondents who are current established non-marijuana ENP users.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2011	5.9 %
2	2 = No	923	2.7 %
	<b>Total</b>	<b>2,934</b>	<b>8.6%</b>

This variable has 2,934 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	18	0.1 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	31353	91.4 %	
	<b>Total</b>	<b>31,375</b>	<b>91.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8339-8344 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0240E: Time-frame when planning to quit using electronic nicotine products for good

When do you plan to quit electronic nicotine products for good?

[IF In the next year (4), More than one year from now (5), Don't Know (-8), or Refused (-7); GO TO R05\_AX0006E]

ASK: Adult respondents who are current established non-marijuana ENP users and report planning to quit for good.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1 AND R05\_AN0235E = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the next 7 days	150	0.4 %
2	2 = In the next 30 days	144	0.4 %
3	3 = In the next 6 months	298	0.9 %
4	4 = In the next year	608	1.8 %
5	5 = More than one year from now	764	2.2 %
	<b>Total</b>	<b>1,964</b>	<b>5.7%</b>

This variable has 1,964 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	38	0.1 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	32297	94.1 %
<b>Total</b>		<b>32,345</b>	<b>94.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8345-8350 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0245E: Likeliness of succeeding if tried to quit using electronic nicotine products altogether in next 6 months

If you did try to quit using electronic nicotine products altogether in the next 6 months, how likely do you think you would be to succeed?

ASK: Adult respondents who are current established non-marijuana ENP users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1 AND R05\_AN0235E = 1 AND R05\_AN0240E = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not at all likely	16	0.0 %
2	2 = A little likely	55	0.2 %
3	3 = Somewhat likely	160	0.5 %
4	4 = Very likely	361	1.1 %
<b>Total</b>		<b>592</b>	<b>1.7%</b>

This variable has 592 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33716	98.3 %
<b>Total</b>		<b>33,717</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8351-8356 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0006E: If you had to do it over again, would you have started using electronic nicotine products

If you had to do it over again, would you have ever started using electronic nicotine products?

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or Adult respondents who are not current experimental or recent former established users and are current experimental non-marijuana ENP users, or Adult respondents who are not current established, current experimental, or recent former established non-electronic tobacco product users and are former experimental non-marijuana ENP users.

ASK Specification: IF R05\_ND\_EPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS != 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS = 2)  
OR (R05\_TOBXEPROD\_USER\_STATUS != 1, 2, 4 AND  
R05\_ND\_EPROD\_USER\_STATUS = 3).

Value	Label	Unweighted Frequency	%
1	1 = Definitely would not	2984	8.7 %
2	2 = Probably would not	1934	5.6 %
3	3 = Probably would	2137	6.2 %
4	4 = Definitely would	690	2.0 %
	<b>Total</b>	<b>7,745</b>	<b>22.6%</b>

This variable has 7,745 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	26468	77.1 %
	<b>Total</b>	<b>26,564</b>	<b>77.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8357-8362 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AN0010: Consider yourself to be addicted to tobacco product(s)

Do you consider yourself addicted to [ND FILL2]?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR

(R05\_TOBXPED\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = No, not at all	4714	13.7 %
2	2 = Yes, somewhat addicted	4397	12.8 %
3	3 = Yes, very addicted	3914	11.4 %
<b>Total</b>		<b>13,025</b>	<b>38.0%</b>

This variable has 13,025 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	21257	62.0 %
<b>Total</b>		<b>21,284</b>	<b>62.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8363-8368 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0015: Has strong cravings to smoke/use tobacco product(s)

Do you ever have strong cravings to [ND FILL1]?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXPED\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXPED\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7964	23.2 %
2	2 = No	5071	14.8 %
<b>Total</b>		<b>13,035</b>	<b>38.0%</b>

This variable has 13,035 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %

Missing Data				
-7	-7 = Refused		9	0.0 %
-1	-1 = Inapplicable		21257	62.0 %
<b>Total</b>			<b>21,274</b>	<b>62.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8369-8374 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0020: Felt like you really needed to smoke/use tobacco product(s)

Have you ever felt like you really needed to [ND FILL1]?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEP0D\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEP0D\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	8462	24.7 %
2	2 = No	4563	13.3 %
<b>Total</b>		<b>13,025</b>	<b>38.0%</b>

This variable has 13,025 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	14	0.0 %	
-7	-7 = Refused	12	0.0 %	
-1	-1 = Inapplicable	21257	62.0 %	
<b>Total</b>		<b>21,284</b>	<b>62.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8375-8380 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0055: Level of agreement: Finds self reaching for tobacco product(s) without thinking about it

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for [ND FILL2] without thinking about it.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5174	15.1 %
2	2 = 2 on a scale of 1 to 5	1653	4.8 %
3	3 = 3 on a scale of 1 to 5	2329	6.8 %
4	4 = 4 on a scale of 1 to 5	1601	4.7 %
5	5 = Extremely true of me	2255	6.6 %
<b>Total</b>		<b>13,012</b>	<b>37.9%</b>

This variable has 13,012 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	21257	62.0 %	
<b>Total</b>		<b>21,297</b>	<b>62.1%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 8381-8386 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0025\_RANDOM\_01: AN0025 series random question 1

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0025	-	13051	38.0 %
<b>Total</b>		<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8387-8396 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AN0025\_RANDOM\_02: AN0025 series random question 2

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	960	2.8 %
R05_AN0035	-	909	2.6 %
R05_AN0045	-	932	2.7 %
R05_AN0050	-	942	2.7 %
R05_AN0060	-	900	2.6 %
R05_AN0065	-	946	2.8 %
R05_AN0070	-	936	2.7 %
R05_AN0075	-	887	2.6 %
R05_AN0080	-	954	2.8 %
R05_AN0085	-	937	2.7 %
R05_AN0090	-	933	2.7 %
R05_AN0095	-	960	2.8 %
R05_AN0100	-	956	2.8 %
R05_AN0255	-	899	2.6 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8397-8406 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AN0025\_RANDOM\_03: AN0025 series random question 3

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order

[these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	888	2.6 %
R05_AN0035	-	933	2.7 %
R05_AN0045	-	921	2.7 %
R05_AN0050	-	934	2.7 %
R05_AN0060	-	937	2.7 %
R05_AN0065	-	943	2.7 %
R05_AN0070	-	896	2.6 %
R05_AN0075	-	946	2.8 %
R05_AN0080	-	973	2.8 %
R05_AN0085	-	930	2.7 %
R05_AN0090	-	974	2.8 %
R05_AN0095	-	972	2.8 %
R05_AN0100	-	934	2.7 %
R05_AN0255	-	870	2.5 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8407-8416 (width: 10; decimal: 0)

*Variable Type:* character

---

#### **R05\_AN0025\_RANDOM\_04: AN0025 series random question 4**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	908	2.6 %
R05_AN0035	-	919	2.7 %
R05_AN0045	-	944	2.8 %
R05_AN0050	-	927	2.7 %

Value	Label	Unweighted Frequency	%
R05_AN0060	-	927	2.7 %
R05_AN0065	-	920	2.7 %
R05_AN0070	-	931	2.7 %
R05_AN0075	-	931	2.7 %
R05_AN0080	-	902	2.6 %
R05_AN0085	-	1009	2.9 %
R05_AN0090	-	891	2.6 %
R05_AN0095	-	969	2.8 %
R05_AN0100	-	905	2.6 %
R05_AN0255	-	968	2.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8417-8426 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AN0025\_RANDOM\_05: AN0025 series random question 5

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	936	2.7 %
R05_AN0035	-	923	2.7 %
R05_AN0045	-	886	2.6 %
R05_AN0050	-	957	2.8 %
R05_AN0060	-	955	2.8 %
R05_AN0065	-	909	2.6 %
R05_AN0070	-	940	2.7 %
R05_AN0075	-	966	2.8 %
R05_AN0080	-	933	2.7 %
R05_AN0085	-	935	2.7 %
R05_AN0090	-	909	2.6 %
R05_AN0095	-	907	2.6 %

Value	Label	Unweighted Frequency	%
R05_AN0100	-	926	2.7 %
R05_AN0255	-	969	2.8 %
	Total	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8427-8436 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AN0025\_RANDOM\_06: AN0025 series random question 6

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	937	2.7 %
R05_AN0035	-	938	2.7 %
R05_AN0045	-	919	2.7 %
R05_AN0050	-	892	2.6 %
R05_AN0060	-	962	2.8 %
R05_AN0065	-	911	2.7 %
R05_AN0070	-	935	2.7 %
R05_AN0075	-	941	2.7 %
R05_AN0080	-	948	2.8 %
R05_AN0085	-	947	2.8 %
R05_AN0090	-	927	2.7 %
R05_AN0095	-	919	2.7 %
R05_AN0100	-	974	2.8 %
R05_AN0255	-	901	2.6 %
	Total	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8437-8446 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AN0025\_RANDOM\_07: AN0025 series random question 7

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	900	2.6 %
R05_AN0035	-	939	2.7 %
R05_AN0045	-	954	2.8 %
R05_AN0050	-	967	2.8 %
R05_AN0060	-	929	2.7 %
R05_AN0065	-	929	2.7 %
R05_AN0070	-	928	2.7 %
R05_AN0075	-	935	2.7 %
R05_AN0080	-	914	2.7 %
R05_AN0085	-	939	2.7 %
R05_AN0090	-	962	2.8 %
R05_AN0095	-	908	2.6 %
R05_AN0100	-	948	2.8 %
R05_AN0255	-	899	2.6 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8447-8456 (width: 10; decimal: 0)

*Variable Type:* character

---

## **R05\_AN0025\_RANDOM\_08: AN0025 series random question 8**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %

Value	Label	Unweighted Frequency	%
-97777	-	1	0.0 %
R05_AN0030	-	988	2.9 %
R05_AN0035	-	945	2.8 %
R05_AN0045	-	930	2.7 %
R05_AN0050	-	921	2.7 %
R05_AN0060	-	930	2.7 %
R05_AN0065	-	927	2.7 %
R05_AN0070	-	952	2.8 %
R05_AN0075	-	901	2.6 %
R05_AN0080	-	933	2.7 %
R05_AN0085	-	947	2.8 %
R05_AN0090	-	918	2.7 %
R05_AN0095	-	932	2.7 %
R05_AN0100	-	926	2.7 %
R05_AN0255	-	901	2.6 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8457-8466 (width: 10; decimal: 0)

*Variable Type:* character

## **R05\_AN0025\_RANDOM\_09: AN0025 series random question 9**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	941	2.7 %
R05_AN0035	-	938	2.7 %
R05_AN0045	-	931	2.7 %
R05_AN0050	-	923	2.7 %
R05_AN0060	-	976	2.8 %
R05_AN0065	-	916	2.7 %
R05_AN0070	-	896	2.6 %

Value	Label	Unweighted Frequency	%
R05_AN0075	-	943	2.7 %
R05_AN0080	-	993	2.9 %
R05_AN0085	-	912	2.7 %
R05_AN0090	-	897	2.6 %
R05_AN0095	-	958	2.8 %
R05_AN0100	-	930	2.7 %
R05_AN0255	-	897	2.6 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8467-8476 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AN0025\_RANDOM\_10: AN0025 series random question 10

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN002 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	873	2.5 %
R05_AN0035	-	969	2.8 %
R05_AN0045	-	935	2.7 %
R05_AN0050	-	875	2.6 %
R05_AN0060	-	921	2.7 %
R05_AN0065	-	990	2.9 %
R05_AN0070	-	920	2.7 %
R05_AN0075	-	948	2.8 %
R05_AN0080	-	916	2.7 %
R05_AN0085	-	954	2.8 %
R05_AN0090	-	895	2.6 %
R05_AN0095	-	914	2.7 %
R05_AN0100	-	960	2.8 %
R05_AN0255	-	981	2.9 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8477-8486 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AN0025\_RANDOM\_11: AN0025 series random question 11

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 11th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	954	2.8 %
R05_AN0035	-	918	2.7 %
R05_AN0045	-	929	2.7 %
R05_AN0050	-	955	2.8 %
R05_AN0060	-	925	2.7 %
R05_AN0065	-	937	2.7 %
R05_AN0070	-	903	2.6 %
R05_AN0075	-	990	2.9 %
R05_AN0080	-	903	2.6 %
R05_AN0085	-	906	2.6 %
R05_AN0090	-	962	2.8 %
R05_AN0095	-	914	2.7 %
R05_AN0100	-	886	2.6 %
R05_AN0255	-	969	2.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8487-8496 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AN0025\_RANDOM\_12: AN0025 series random question 12

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 12th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order

[these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	939	2.7 %
R05_AN0035	-	953	2.8 %
R05_AN0045	-	922	2.7 %
R05_AN0050	-	906	2.6 %
R05_AN0060	-	929	2.7 %
R05_AN0065	-	885	2.6 %
R05_AN0070	-	970	2.8 %
R05_AN0075	-	923	2.7 %
R05_AN0080	-	935	2.7 %
R05_AN0085	-	906	2.6 %
R05_AN0090	-	938	2.7 %
R05_AN0095	-	940	2.7 %
R05_AN0100	-	972	2.8 %
R05_AN0255	-	933	2.7 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8497-8506 (width: 10; decimal: 0)

*Variable Type:* character

---

### R05\_AN0025\_RANDOM\_13: AN0025 series random question 13

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 13th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	913	2.7 %
R05_AN0035	-	945	2.8 %
R05_AN0045	-	899	2.6 %
R05_AN0050	-	949	2.8 %

Value	Label	Unweighted Frequency	%
R05_AN0060	-	957	2.8 %
R05_AN0065	-	941	2.7 %
R05_AN0070	-	913	2.7 %
R05_AN0075	-	936	2.7 %
R05_AN0080	-	932	2.7 %
R05_AN0085	-	938	2.7 %
R05_AN0090	-	918	2.7 %
R05_AN0095	-	945	2.8 %
R05_AN0100	-	939	2.7 %
R05_AN0255	-	926	2.7 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8507-8516 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AN0025\_RANDOM\_14: AN0025 series random question 14

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 14th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	924	2.7 %
R05_AN0035	-	936	2.7 %
R05_AN0045	-	945	2.8 %
R05_AN0050	-	940	2.7 %
R05_AN0060	-	916	2.7 %
R05_AN0065	-	942	2.7 %
R05_AN0070	-	1016	3.0 %
R05_AN0075	-	919	2.7 %
R05_AN0080	-	887	2.6 %
R05_AN0085	-	884	2.6 %
R05_AN0090	-	960	2.8 %
R05_AN0095	-	906	2.6 %

Value	Label	Unweighted Frequency	%
R05_AN0100	-	901	2.6 %
R05_AN0255	-	975	2.8 %
	Total	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8517-8526 (width: 10; decimal: 0)

*Variable Type:* character

## **R05\_AN0025\_RANDOM\_15: AN0025 series random question 15**

[ICPSR NOTE: The 15 items that follow in the questionnaire (R05\_AN0025 through R05\_AN0100) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 15th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN002 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	21257	62.0 %
-97777	-	1	0.0 %
R05_AN0030	-	990	2.9 %
R05_AN0035	-	886	2.6 %
R05_AN0045	-	1004	2.9 %
R05_AN0050	-	963	2.8 %
R05_AN0060	-	887	2.6 %
R05_AN0065	-	955	2.8 %
R05_AN0070	-	915	2.7 %
R05_AN0075	-	885	2.6 %
R05_AN0080	-	928	2.7 %
R05_AN0085	-	907	2.6 %
R05_AN0090	-	967	2.8 %
R05_AN0095	-	907	2.6 %
R05_AN0100	-	894	2.6 %
R05_AN0255	-	963	2.8 %
	Total	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 8527-8536 (width: 10; decimal: 0)

*Variable Type:* character

## **R05\_AN0025: Level of agreement: Frequently crave tobacco product(s)**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I frequently crave [ND FILL2].

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	4218	12.3 %
2	2 = 2 on a scale of 1 to 5	2101	6.1 %
3	3 = 3 on a scale of 1 to 5	2797	8.2 %
4	4 = 4 on a scale of 1 to 5	1861	5.4 %
5	5 = Extremely true of me	2040	5.9 %
<b>Total</b>		<b>13,017</b>	<b>37.9%</b>

This variable has 13,017 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.0 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	21257	62.0 %
<b>Total</b>		<b>21,292</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8537-8542 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0030: Level of agreement: Urges keep getting stronger if don't/Still have urges to smoke/use tobacco product(s)

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[My urges keep getting stronger if I don't/I still have urges to] [ND FILL1].

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR

(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5113	14.9 %
2	2 = 2 on a scale of 1 to 5	1985	5.8 %
3	3 = 3 on a scale of 1 to 5	2377	6.9 %
4	4 = 4 on a scale of 1 to 5	1700	5.0 %
5	5 = Extremely true of me	1833	5.3 %
	<b>Total</b>	<b>13,008</b>	<b>37.9%</b>

This variable has 13,008 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
	<b>Total</b>	<b>21,301</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8543-8548 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0035: Level of agreement: Tobacco product(s) control me

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[FILL AS SHOWN BELOW] me.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	7527	21.9 %
2	2 = 2 on a scale of 1 to 5	1682	4.9 %
3	3 = 3 on a scale of 1 to 5	1881	5.5 %
4	4 = 4 on a scale of 1 to 5	992	2.9 %
5	5 = Extremely true of me	929	2.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>13,011</b>	<b>37.9%</b>

This variable has 13,011 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
	<b>Total</b>	<b>21,298</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8549-8554 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0045: Level of agreement: My tobacco product(s) smoking/use is out of control/My urge to smoke/use tobacco product(s) is out of control

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[[My [ND FILL4] is out of control./My urge to [ND FILL1] is out of control.]]

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	6761	19.7 %
2	2 = 2 on a scale of 1 to 5	1863	5.4 %
3	3 = 3 on a scale of 1 to 5	2098	6.1 %
4	4 = 4 on a scale of 1 to 5	1080	3.1 %
5	5 = Extremely true of me	1218	3.6 %
	<b>Total</b>	<b>13,020</b>	<b>37.9%</b>

This variable has 13,020 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data			
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
<b>Total</b>		<b>21,289</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8555-8560 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0060: Level of agreement: Usually want to smoke/use tobacco product(s) right after waking up

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I usually want to [ND FILL1] right after I wake up.

**ASK:** Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

**ASK Specification:** IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5624	16.4 %
2	2 = 2 on a scale of 1 to 5	1387	4.0 %
3	3 = 3 on a scale of 1 to 5	1661	4.8 %
4	4 = 4 on a scale of 1 to 5	1458	4.2 %
5	5 = Extremely true of me	2889	8.4 %
<b>Total</b>		<b>13,019</b>	<b>37.9%</b>

This variable has 13,019 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
<b>Total</b>		<b>21,290</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8561-8566 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AN0065: Level of agreement: Can only go a couple of hours without smoking/using tobacco product(s)

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I can only go a couple of hours without [[ND FILL3]/wanting to [ND FILL1]].

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR (R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	6206	18.1 %
2	2 = 2 on a scale of 1 to 5	1529	4.5 %
3	3 = 3 on a scale of 1 to 5	1941	5.7 %
4	4 = 4 on a scale of 1 to 5	1408	4.1 %
5	5 = Extremely true of me	1934	5.6 %
	<b>Total</b>	<b>13,018</b>	<b>37.9%</b>

This variable has 13,018 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
	<b>Total</b>	<b>21,291</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8567-8572 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AN0050: Level of agreement: Frequently smoke/use tobacco product(s) without thinking about it

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[I frequently [ND FILL1]/I find myself almost [ND FILL3]] without thinking about it.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5845	17.0 %
2	2 = 2 on a scale of 1 to 5	1779	5.2 %
3	3 = 3 on a scale of 1 to 5	2165	6.3 %
4	4 = 4 on a scale of 1 to 5	1425	4.2 %
5	5 = Extremely true of me	1797	5.2 %
<b>Total</b>		<b>13,011</b>	<b>37.9%</b>

This variable has 13,011 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.0 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
<b>Total</b>		<b>21,298</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8573-8578 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0070: Level of agreement: Smoking/using tobacco product(s) really helps me feel better if feeling down

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[ND FILL3] [really helps/would really help] me feel better if I've been feeling down.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

[PROGRAM NOTE: Make ND FILL3 title case. ]

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5462	15.9 %
2	2 = 2 on a scale of 1 to 5	1915	5.6 %
3	3 = 3 on a scale of 1 to 5	2601	7.6 %
4	4 = 4 on a scale of 1 to 5	1516	4.4 %
5	5 = Extremely true of me	1527	4.5 %
	<b>Total</b>	<b>13,021</b>	<b>38.0%</b>

This variable has 13,021 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	21257	62.0 %
	<b>Total</b>	<b>21,288</b>	<b>62.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8579-8584 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0075: Level of agreement: Smoking/using tobacco product(s) helps me think better

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[ND FILL3] helps me think better.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	6759	19.7 %
2	2 = 2 on a scale of 1 to 5	1952	5.7 %
3	3 = 3 on a scale of 1 to 5	2284	6.7 %
4	4 = 4 on a scale of 1 to 5	1107	3.2 %
5	5 = Extremely true of me	909	2.6 %
	<b>Total</b>	<b>13,011</b>	<b>37.9%</b>

This variable has 13,011 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	21257	62.0 %
<b>Total</b>		<b>21,298</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8585-8590 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0255: Level of agreement: Most people I spend time with are tobacco users (current established, recent former established or current experimental non-electronic tobacco users)

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

Most of the people I spend time with use tobacco.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	4591	13.4 %
2	2 = 2 on a scale of 1 to 5	2144	6.2 %
3	3 = 3 on a scale of 1 to 5	2659	7.8 %
4	4 = 4 on a scale of 1 to 5	1760	5.1 %
5	5 = Extremely true of me	1851	5.4 %
<b>Total</b>		<b>13,005</b>	<b>37.9%</b>

This variable has 13,005 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
<b>Total</b>		<b>21,304</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8591-8596 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0080: Level of agreement: Would feel alone without my tobacco product(s)

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I [would] feel alone without my [ND FILL2].

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEP0D\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEP0D\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	8105	23.6 %
2	2 = 2 on a scale of 1 to 5	1622	4.7 %
3	3 = 3 on a scale of 1 to 5	1584	4.6 %
4	4 = 4 on a scale of 1 to 5	758	2.2 %
5	5 = Extremely true of me	937	2.7 %
<b>Total</b>		<b>13,006</b>	<b>37.9%</b>

This variable has 13,006 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	21257	62.0 %	
<b>Total</b>		<b>21,303</b>	<b>62.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8597-8602 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0085: Level of agreement: Would find it really hard to stop smoking/using tobacco product(s)

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[I would find it really hard to stop [ND FILL3]./I find it really hard to not [ND FILL 1].

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	4796	14.0 %
2	2 = 2 on a scale of 1 to 5	1376	4.0 %
3	3 = 3 on a scale of 1 to 5	1965	5.7 %
4	4 = 4 on a scale of 1 to 5	1769	5.2 %
5	5 = Extremely true of me	3107	9.1 %
	<b>Total</b>	<b>13,013</b>	<b>37.9%</b>

This variable has 13,013 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.0 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
	<b>Total</b>	<b>21,296</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8603-8608 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AN0090: Level of agreement: Would find it hard to stop smoking/using tobacco product(s) for a week

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[I would find it hard to stop [ND FILL3] for a week./I would find it hard to not [ND FILL1] for another week.]

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5340	15.6 %
2	2 = 2 on a scale of 1 to 5	1177	3.4 %
3	3 = 3 on a scale of 1 to 5	1683	4.9 %
4	4 = 4 on a scale of 1 to 5	1504	4.4 %
5	5 = Extremely true of me	3321	9.7 %
	<b>Total</b>	<b>13,025</b>	<b>38.0%</b>

This variable has 13,025 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	21257	62.0 %
	<b>Total</b>	<b>21,284</b>	<b>62.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8609-8614 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0095: Level of agreement: After not smoking/using tobacco product(s) for a while, need to smoke/use tobacco product(s) in order to feel less restless and irritable

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[After not [ND FILL3] for a while, I need/I would like] to [ND FILL1] in order to feel less restless and irritable.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	5278	15.4 %
2	2 = 2 on a scale of 1 to 5	1603	4.7 %
3	3 = 3 on a scale of 1 to 5	2261	6.6 %
4	4 = 4 on a scale of 1 to 5	1840	5.4 %
5	5 = Extremely true of me	2033	5.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>13,015</b>	<b>37.9%</b>

This variable has 13,015 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.0 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
	<b>Total</b>	<b>21,294</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8615-8620 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0100: Level of agreement: After not smoking/using tobacco product(s) for a while, need to smoke/use tobacco product(s) in order to keep self from experiencing any discomfort

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

[After not [ND FILL3] for a while, I need/I feel like I need] to [ND FILL1] in order to keep myself from experiencing any discomfort.

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	6184	18.0 %
2	2 = 2 on a scale of 1 to 5	1856	5.4 %
3	3 = 3 on a scale of 1 to 5	2173	6.3 %
4	4 = 4 on a scale of 1 to 5	1342	3.9 %
5	5 = Extremely true of me	1463	4.3 %
	<b>Total</b>	<b>13,018</b>	<b>37.9%</b>

This variable has 13,018 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	21	0.1 %	
-1	-1 = Inapplicable	21257	62.0 %	
<b>Total</b>		<b>21,291</b>	<b>62.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8621-8626 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0110: Do you believe that smoking/using tobacco products is causing/caused a health problem or made it worse

Do you believe that [ND FILL3] [is causing/caused] a health problem or [making/made] it worse?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	7760	22.6 %
2	2 = No	5209	15.2 %
<b>Total</b>		<b>12,969</b>	<b>37.8%</b>

This variable has 12,969 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.2 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	21257	62.0 %
<b>Total</b>		<b>21,340</b>	<b>62.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8627-8632 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0813: In past 12 months, found it difficult to keep from smoking/using tobacco product(s) in places where it was prohibited

In the past 12 months, did you find it difficult to keep from [ND FILL3] in places where it was not

permitted?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2898	8.4 %
2	2 = No	10128	29.5 %
	<b>Total</b>	<b>13,026</b>	<b>38.0%</b>

This variable has 13,026 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	21257	62.0 %
	<b>Total</b>	<b>21,283</b>	<b>62.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8633-8638 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AN0812: In past 12 months, gave up or cut down on activities that were enjoyable or important because tobacco product(s) smoking/use was not permitted at activity

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND FILL4] was not permitted at the activity?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_NDSKIP = 1, 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1436	4.2 %
2	2 = No	11585	33.8 %
	<b>Total</b>	<b>13,021</b>	<b>38.0%</b>

This variable has 13,021 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	21257	62.0 %
<b>Total</b>		<b>21,288</b>	<b>62.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8639-8644 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0105: In the past 12 months have you tried to quit smoking/using tobacco product(s)

In the past 12 months, have you tried to quit [ND FILL3] completely?

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R05\_TOBXEPROM\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3469	10.1 %
2	2 = No	6865	20.0 %
<b>Total</b>		<b>10,334</b>	<b>30.1%</b>

This variable has 10,334 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	23943	69.8 %
<b>Total</b>		<b>23,975</b>	<b>69.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8645-8650 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0334: In the past 12 months, tried to quit by gradually cutting back on using/smoking [tobacco product(s)]

In the past 12 months, have you tried to quit by gradually cutting back on [ND FILL3]?

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4884	14.2 %
2	2 = No	5457	15.9 %
	<b>Total</b>	<b>10,341</b>	<b>30.1%</b>

This variable has 10,341 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	23943	69.8 %
	<b>Total</b>	<b>23,968</b>	<b>69.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8651-8656 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0115: In past 12 months, number of times tried to quit smoking/using tobacco product(s)

In total, how many times in the past 12 months have you tried to quit [ND FILL2] completely?

\_\_\_ Times

[IF Don't Know (-8), or Refused (-7), GO TO BOX R05\_ANR27]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 5,789 valid cases out of 34,309 total cases.

- Mean: 3.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 564.00

- Standard Deviation: 19.70

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	101	0.3 %	
-7	-7 = Refused	52	0.2 %	
-5	-5 = Improbable response removed	7	0.0 %	
-1	-1 = Inapplicable	28359	82.7 %	
<b>Total</b>		<b>28,520</b>	<b>83.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8657-8662 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AN0120: In past 12 months, stopped smoking/using tobacco product(s) for one day or longer because you were trying to quit

In the past 12 months, have you stopped [ND FILL3] for one day or longer because you were trying to quit?

[IF No (2), Don't Know (-8), or Refused (-7), GO TO R05\_AN0130]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2778	8.1 %
2	2 = No	392	1.1 %
<b>Total</b>		<b>3,170</b>	<b>9.2%</b>

This variable has 3,170 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	31135	90.7 %	
<b>Total</b>		<b>31,139</b>	<b>90.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8663-8668 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0125: In past 12 months, how many times you stopped smoking/using tobacco product(s) for one day or longer because you were trying to quit

In the past 12 months, how many times have you stopped [ND FILL3] for one day or longer because you were trying to quit?

[IF Don't Know (-8), or Refused (-7), GO TO R05\_AN0256]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_TOBXEPROM\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7) AND R05\_AN0120 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 time	643	1.9 %
2	2 = 2 - 3 times	1334	3.9 %
3	3 = 4 or more times	787	2.3 %
<b>Total</b>		<b>2,764</b>	<b>8.1%</b>

This variable has 2,764 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31530	91.9 %
<b>Total</b>		<b>31,545</b>	<b>91.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8669-8674 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0256: In past 12 months, stopped smoking/using tobacco product(s) more than 3 times for one day or longer because you were trying to quit

Would you say that in the past 12 months it was more than 3 times that you have stopped [ND FILL3] for one day or longer because you were trying to quit?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer and did not know or refused to report how many times they stopped using tobacco for one day or longer.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
R05\_TOBXEPROD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR  
R05\_AN0115 = -8, -7) AND R05\_AN0120 = 1 AND R05\_AN0125 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	4	0.0 %
	<b>Total</b>	<b>10</b>	<b>0.0%</b>

This variable has 10 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34294	100.0 %
	<b>Total</b>	<b>34,299</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8675-8680 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0130\_NN: In past 12 months, length of time you stopped smoking/using tobacco product(s) because you were trying to quit - Number

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

\_\_\_\_ Minutes/Hours/Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7), GO TO R05\_AN0300]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
R05\_TOBXEPROD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR  
R05\_AN0115 = -8, -7).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AN0130\_UN = Minutes;  
the value "2" refers to R05\_AN0130\_UN = Hours;  
the value "3" refers to R05\_AN0130\_UN = Days;  
the value "4" refers to R05\_AN0130\_UN = Weeks;  
the value "5" refers to R05\_AN0130\_UN = Months.

This variable has 3,096 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	17	0.0 %	
-7	-7 = Refused	14	0.0 %	
-5	-5 = Improbable response removed	46	0.1 %	
-1	-1 = Inapplicable	31135	90.7 %	
	<b>Total</b>	<b>31,213</b>	<b>91.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8681-8686 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AN0130\_UN: In past 12 months, length of time you stopped smoking/using tobacco product(s) because you were trying to quit - Unit

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

\_\_\_\_ Minutes/Hours/Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7), GO TO R05\_AN0300]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
R05\_TOBXEPROD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR  
R05\_AN0115 = -8, -7).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AN0130\_UN = Minutes;  
the value "2" refers to R05\_AN0130\_UN = Hours;  
the value "3" refers to R05\_AN0130\_UN = Days;  
the value "4" refers to R05\_AN0130\_UN = Weeks;  
the value "5" refers to R05\_AN0130\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Minutes	55	0.2 %
2	2 = Hours	309	0.9 %
3	3 = Days	1403	4.1 %
4	4 = Weeks	543	1.6 %
5	5 = Months	832	2.4 %
	<b>Total</b>	<b>3,142</b>	<b>9.2%</b>

This variable has 3,142 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31166	90.8 %
	<b>Total</b>	<b>31,167</b>	<b>90.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8687-8692 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0300: In past 12 months, length of time stopped smoking/using tobacco product(s) the last time because you were trying to quit - Week measure

Was it more than a week, a week, or less than a week?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AN0210]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
R05\_TOBXEPROWD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR  
R05\_AN0115 = -8, -7) AND R05\_AN0130\_NN = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = More than one week	4	0.0 %
2	2 = One week	1	0.0 %
3	3 = Less than one week	7	0.0 %
	<b>Total</b>	<b>12</b>	<b>0.0%</b>

This variable has 12 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	34277	99.9 %	
<b>Total</b>		<b>34,297</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8693-8698 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0135: Approximate end date of last tobacco product(s) quit attempt

When was the approximate end date of this last quit attempt that lasted [enter duration from R05\_AN0130]?

\_\_ Month \_\_ Day \_\_ Year

[IF Don't Know (-8), or Refused (-7), GO TO R05\_AN0140]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
R05\_TOBXEPROD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR  
R05\_AN0115 = -8, -7) AND R05\_AN0130\_NN != -8, -7.

[PROGRAM NOTE: Allow 2 digits for month; allow 2 digits for day; allow 4 digits for year.]

This variable has 2,902 valid cases out of 34,309 total cases.

		Missing Data		
-		31407	91.5 %	
<b>Total</b>		<b>31,407</b>	<b>91.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8699-8709 (width: 11; decimal: 0)

*Variable Type:* character

*(Range of) Missing Values:*

## R05\_AN0135\_VALUE\_INFO: Type of response provided for R05\_AN0135

Long Description: Type of response provided for R05\_AN0135.

Value	Label	Unweighted Frequency	%
1	1 = Date value	2902	8.5 %
	<b>Total</b>	<b>2,902</b>	<b>8.5%</b>

This variable has 2,902 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	170	0.5 %
-7	-7 = Refused	30	0.1 %
-5	-5 = Improbable response removed	40	0.1 %
-1	-1 = Inapplicable	31166	90.8 %
	<b>Total</b>	<b>31,407</b>	<b>91.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8710-8715 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AN0140: In past 12 months, was the duration of last quit attempt reported the longest you went without smoking/using tobacco product(s) because you were trying to quit

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without [ND FILL3] because you were trying to quit?

[IF Yes (1), Don't Know (-8), or Refused (-7), GO TO BOX R05\_ANR28

IF No (2); GO TO R05\_AN0145]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND

R05\_TOBXEPROD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR

R05\_AN0115 = -8, -7) AND R05\_AN0130\_NN != -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2700	7.9 %
2	2 = No	435	1.3 %
	<b>Total</b>	<b>3,135</b>	<b>9.1%</b>

This variable has 3,135 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31166	90.8 %
	<b>Total</b>	<b>31,174</b>	<b>90.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8716-8721 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AN0257: In past 12 months, time since completely quit smoking/using tobacco product(s) is the longest you have gone without smoking/using tobacco product(s)

You previously mentioned that you stopped [ND FILL3] [ENTER LENGTH OF TIME SINCE LAST USE IN R05\_A\*1009] ago. Is this the longest you have gone without [ND FILL3] in the past 12 months?

[IF Yes (1), Don't Know (-8), or Refused (-7), GO TO BOX R05\_ANR28

IF No (2); GO TO R05\_AN0145]

ASK: Adult respondents who are recent former established non-electronic tobacco users and there is at least one non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TOBXEPROM\_USER\_STATUS = 4 AND  
R05\_VALID\_TIME\_LASTUSED = 1 AND (R05\_AN0115 >= 1 OR  
R05\_AN0115 = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	869	2.5 %
2	2 = No	294	0.9 %
	<b>Total</b>	<b>1,163</b>	<b>3.4%</b>

This variable has 1,163 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33143	96.6 %
	<b>Total</b>	<b>33,146</b>	<b>96.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8722-8727 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0145\_NN: In past 12 months, longest time period for which you stopped smoking/using tobacco product(s) because you were trying to quit - Number

In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?

\_\_\_ Minutes/Hours/Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7), GO TO R05\_AN0305]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco, or Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco.

ASK Specification: IF (R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7) AND R05\_AN0130\_NN != -8, -7 AND R05\_AN0140 = 2) OR (R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_TOBXEPROD\_USER\_STATUS = 4 AND (R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7) AND (R05\_VALID\_TIME\_LASTUSED = 2 OR R05\_AN0257 = 2)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AN0145\_UN = Minutes;  
the value "2" refers to R05\_AN0145\_UN = Hours;  
the value "3" refers to R05\_AN0145\_UN = Days;  
the value "4" refers to R05\_AN0145\_UN = Weeks;  
the value "5" refers to R05\_AN0145\_UN = Months.

DATA ERROR: Some respondents have missing data (-9) for this variable.

This variable has 747 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	38	0.1 %
-7	-7 = Refused	24	0.1 %
-5	-5 = Improbable response removed	98	0.3 %
-1	-1 = Inapplicable	33400	97.4 %
<b>Total</b>		<b>33,562</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8728-8733 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AN0145\_UN: In past 12 months, longest time period for which you stopped smoking/using tobacco product(s) because you were trying to quit - Unit

In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?

\_\_\_ Minutes/Hours/Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7), GO TO R05\_AN0305]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco, or Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco.

ASK Specification: IF (R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7) AND R05\_AN0130\_NN != -8, -7 AND R05\_AN0140 = 2) OR (R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_TOBXEPROD\_USER\_STATUS = 4 AND (R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7) AND (R05\_VALID\_TIME\_LASTUSED = 2 OR R05\_AN0257 = 2)).

[PROGRAM NOTE: Display as Quantity/Units. Allow 3 digits.]

NOTES: The value "1" refers to R05\_AN0145\_UN = Minutes;  
the value "2" refers to R05\_AN0145\_UN = Hours;  
the value "3" refers to R05\_AN0145\_UN = Days;  
the value "4" refers to R05\_AN0145\_UN = Weeks;  
the value "5" refers to R05\_AN0145\_UN = Months.

DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Minutes	37	0.1 %
2	2 = Hours	37	0.1 %
3	3 = Days	134	0.4 %
4	4 = Weeks	94	0.3 %
5	5 = Months	543	1.6 %
	<b>Total</b>	<b>845</b>	<b>2.5%</b>

This variable has 845 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33463	97.5 %
<b>Total</b>		<b>33,464</b>	<b>97.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8734-8739 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0305: In past 12 months, longest time you stopped smoking/using tobacco product(s) because you were trying to quit - Week measure

Was it more than a week, a week, or less than a week?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco and did not know or refused to report the longest time they stopped using that product in the past 12 months, or Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco and did not know or refused to report the longest time they stopped using that product in the past 12 months.

ASK Specification: IF (R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1 AND (R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7) AND R05\_AN0130\_NN != -8, -7 AND R05\_AN0140 = 2 AND R05\_AN0145\_NN = -8, -7) OR (R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_TOBXEPROD\_USER\_STATUS = 4 AND (R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7) AND (R05\_VALID\_TIME\_LASTUSED = 2 OR R05\_AN0257 = 2) AND R05\_AN0145\_NN = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = More than one week	19	0.1 %
2	2 = One week	7	0.0 %
3	3 = Less than one week	6	0.0 %
<b>Total</b>		<b>32</b>	<b>0.1%</b>

This variable has 32 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	34246	99.8 %
<b>Total</b>		<b>34,277</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8740-8745 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0210: In past 12 months, relied on support of friends and family to help when last tried to quit smoking/using tobacco product(s)

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]

[ND FILL3] in the past 12 months, did you rely on the support of friends and family to help you?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1319	3.8 %
2	2 = No	3179	9.3 %
<b>Total</b>		<b>4,498</b>	<b>13.1%</b>

This variable has 4,498 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	29791	86.8 %
<b>Total</b>		<b>29,811</b>	<b>86.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8746-8751 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

**R05\_AN0215: In past 12 months, used counseling, telephone help line, books, pamphlets, videos, quit tobacco clinic, class, support group, or web-based program to help when last tried to quit smoking/using tobacco product(s)**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	364	1.1 %
2	2 = No	4138	12.1 %
	<b>Total</b>	<b>4,502</b>	<b>13.1%</b>

This variable has 4,502 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	29791	86.8 %
	<b>Total</b>	<b>29,807</b>	<b>86.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8752-8757 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

**R05\_AN0225\_01: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Did not use a different tobacco product**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

I did not use a different tobacco product to help me quit

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3679	10.7 %
2	2 = Not Marked	738	2.2 %
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	60	0.2 %	
-7	-7 = Refused	40	0.1 %	
-1	-1 = Inapplicable	29791	86.8 %	
	<b>Total</b>	<b>29,892</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8758-8763 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225\_02: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Cigarettes

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]  
[ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

Cigarettes

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	72	0.2 %
2	2 = Not Marked	4345	12.7 %
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	29791	86.8 %
	<b>Total</b>	<b>29,892</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8764-8769 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AN0225\_03: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: E-Cigarettes or other electronic nicotine products

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	528	1.5 %
2	2 = Not Marked	3889	11.3 %
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	29791	86.8 %
<b>Total</b>		<b>29,892</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8770-8775 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0225\_04: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Traditional cigars

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]  
[ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

Traditional cigars

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	4399	12.8 %
<b>Total</b>		<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	29791	86.8 %
<b>Total</b>		<b>29,892</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8776-8781 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225\_05: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Cigarillos

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Cigarillos

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.1 %
2	2 = Not Marked	4366	12.7 %
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	29791	86.8 %
	<b>Total</b>	<b>29,892</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8782-8787 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225\_06: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Filtered cigars

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]

[ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

Filtered cigars

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.1 %
2	2 = Not Marked	4390	12.8 %
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	29791	86.8 %
	<b>Total</b>	<b>29,892</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8788-8793 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0225\_07: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Pipe tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]  
[ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

Pipe tobacco

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.0 %
2	2 = Not Marked	4405	12.8 %
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	29791	86.8 %
	<b>Total</b>	<b>29,892</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8794-8799 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0225\_08: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Hookah

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Hookah

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	4396	12.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	29791	86.8 %
	<b>Total</b>	<b>29,892</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8800-8805 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0225\_09: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Snus

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]  
[IND FILL3] in the past 12 months, did you use a different tobacco product to help you quit?  
Choose all that apply.

Snus

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.1 %
2	2 = Not Marked	4393	12.8 %
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	60	0.2 %	
-7	-7 = Refused	40	0.1 %	
-1	-1 = Inapplicable	29791	86.8 %	
<b>Total</b>		<b>29,892</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8806-8811 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0225\_10: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Smokeless tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Smokeless tobacco, like dip, chew, or snuff

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.1 %
2	2 = Not Marked	4384	12.8 %
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	60	0.2 %	
-7	-7 = Refused	40	0.1 %	
-1	-1 = Inapplicable	29791	86.8 %	
<b>Total</b>		<b>29,892</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8812-8817 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0225\_11: Used a different tobacco product to help quit smoking/using tobacco product(s) during last quit attempt in past 12 months: Dissolvable tobacco

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

Dissolvable tobacco

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0115 >= 1 OR R05\_AN0115 = -8, -7).

[PROGRAM NOTE: For respondents where R05\_CURRENT\_PRODUCT\_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	4396	12.8 %
	<b>Total</b>	<b>4,417</b>	<b>12.9%</b>

This variable has 4,417 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	60	0.2 %	
-7	-7 = Refused	40	0.1 %	
-1	-1 = Inapplicable	29791	86.8 %	
	<b>Total</b>	<b>29,892</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8818-8823 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0330\_12M: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray, or lozenge (current established, recent former established or current experimental non-electronic tobacco users)

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, or lozenge?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR15]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND  
 R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4)  
 OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND  
 R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4).

Value	Label	Unweighted Frequency	%
1	1 = Yes	899	2.6 %
2	2 = No	10456	30.5 %
	<b>Total</b>	<b>11,355</b>	<b>33.1%</b>

This variable has 11,355 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	16	0.0 %	
-1	-1 = Inapplicable	22930	66.8 %	
	<b>Total</b>	<b>22,954</b>	<b>66.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8824-8829 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0161\_01: Type of nicotine replacement therapy product used in past 12 months: Nicotine patch (current or recent former established non-electronic tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine patch

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND  
 R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4

AND R05\_AN0330\_12M = 1) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	608	1.8 %
2	2 = Not Marked	275	0.8 %
	<b>Total</b>	<b>883</b>	<b>2.6%</b>

This variable has 883 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33409	97.4 %
	<b>Total</b>	<b>33,426</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8830-8835 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0161\_02: Type of nicotine replacement therapy product used in past 12 months: Nicotine gum (current or recent former established non-electronic tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine gum

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	327	1.0 %
2	2 = Not Marked	556	1.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>883</b>	<b>2.6%</b>

This variable has 883 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33409	97.4 %
	<b>Total</b>	<b>33,426</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8836-8841 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

### R05\_AN0161\_03: Type of nicotine replacement therapy product used in past 12 months: Nicotine inhaler (current or recent former established non-electronic tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine inhaler

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	862	2.5 %
	<b>Total</b>	<b>883</b>	<b>2.6%</b>

This variable has 883 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	33409	97.4 %	
	<b>Total</b>	<b>33,426</b>	<b>97.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8842-8847 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0161\_04: Type of nicotine replacement therapy product used in past 12 months: Nicotine nasal spray (current or recent former established non-electronic tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine nasal spray

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	869	2.5 %
	<b>Total</b>	<b>883</b>	<b>2.6%</b>

This variable has 883 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33409	97.4 %
	<b>Total</b>	<b>33,426</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8848-8853 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0161\_05: Type of nicotine replacement therapy product used in past 12 months: Nicotine lozenge (current or recent former established non-electronic tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine lozenge

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND  
R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4  
AND R05\_AN0330\_12M = 1) OR (R05\_NDSKIP = 0, 1 AND  
R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4  
AND R05\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	135	0.4 %
2	2 = Not Marked	748	2.2 %
	<b>Total</b>	<b>883</b>	<b>2.6%</b>

This variable has 883 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33409	97.4 %
	<b>Total</b>	<b>33,426</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8854-8859 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0150: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray or lozenge the last time tried to quit smoking/using tobacco product(s)

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray or lozenge?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AN0336]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND (R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	730	2.1 %
2	2 = No	77	0.2 %
	<b>Total</b>	<b>807</b>	<b>2.4%</b>

This variable has 807 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33501	97.6 %	
	<b>Total</b>	<b>33,502</b>	<b>97.6%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 8860-8865 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0155: Used a nicotine patch, gum, inhaler, nasal spray, or lozenge to quit smoking/using tobacco product(s) completely

Did you use the nicotine patch, gum, inhaler, nasal spray, or lozenge to quit [ND FILL3] completely?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND (R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	566	1.6 %
2	2 = No	163	0.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>729</b>	<b>2.1%</b>

This variable has 729 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33578	97.9 %
	<b>Total</b>	<b>33,580</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8866-8871 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0811: Used a nicotine patch, gum, inhaler, nasal spray, or lozenge to relieve or avoid any bad after-effects after stopping/cutting down on smoking/using tobacco product(s)

Did you use the nicotine patch, gum, inhaler, nasal spray, or lozenge to relieve or avoid any bad after-effects after you stopped or cut down on your [ND FILL4]?

ASK: Adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-marijuana ENP users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1) OR  
(R05\_TWELVEMONTHQUIT\_STATUS = 2 AND (R05\_AN0330\_12ME = 1 OR  
R05\_AN0330\_12M = 1)) OR (R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND  
R05\_TOBXEPROD\_USER\_STATUS = 2 AND (R05\_AN0330\_12ME = 1 OR  
R05\_AN0330\_12M = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	667	1.9 %
2	2 = No	226	0.7 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		33414	97.4 %
<b>Total</b>			<b>33,416</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8872-8877 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0336: Main reason you used a nicotine patch, gum, inhaler, nasal spray, or lozenge (current established, current experimental or recent former established non-electronic tobacco users)

What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, or lozenge?

ASK: Adult respondents who are current established, current experimental, or recent former established non-electronic tobacco users or are current established, current experimental, or recent former established non-marijuana ENP users and have used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05\_TOBXEPROD\_USER\_STATUS = 1, 2, 4 OR R05\_ND\_EPROD\_USER\_STATUS = 1, 2, 4) AND ((R05\_NDSKIP = 2, 3 AND R05\_AN0330\_12ME = 1) OR R05\_AN0330\_12M = 1).

Value	Label	Unweighted Frequency	%
1	smoking/using	665	1.9 %
2	smoke/use	202	0.6 %
3	smoke/use	211	0.6 %
4	4 = Some other reason	39	0.1 %
	<b>Total</b>	<b>1,117</b>	<b>3.3%</b>

This variable has 1,117 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	33183	96.7 %	
<b>Total</b>		<b>33,192</b>	<b>96.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8878-8883 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0160\_01: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine patch

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine patch

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	487	1.4 %
2	2 = Not Marked	242	0.7 %
	<b>Total</b>	<b>729</b>	<b>2.1%</b>

This variable has 729 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33578	97.9 %
	<b>Total</b>	<b>33,580</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8884-8889 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AN0160\_02: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine gum

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine gum

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to

help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	253	0.7 %
2	2 = Not Marked	476	1.4 %
	<b>Total</b>	<b>729</b>	<b>2.1%</b>

This variable has 729 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33578	97.9 %
	<b>Total</b>	<b>33,580</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8890-8895 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AN0160\_03: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine inhaler

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine inhaler

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.0 %
2	2 = Not Marked	712	2.1 %
	<b>Total</b>	<b>729</b>	<b>2.1%</b>

This variable has 729 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33578	97.9 %
	<b>Total</b>	<b>33,580</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8896-8901 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0160\_04: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine nasal spray

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine nasal spray

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	722	2.1 %
	<b>Total</b>	<b>729</b>	<b>2.1%</b>

This variable has 729 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>			
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33578	97.9 %
	<b>Total</b>	<b>33,580</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8902-8907 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0160\_05: NRT product used last time tried to quit smoking/using tobacco product(s): Nicotine lozenge

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

Nicotine lozenge

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	101	0.3 %
2	2 = Not Marked	628	1.8 %
	<b>Total</b>	<b>729</b>	<b>2.1%</b>

This variable has 729 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33578	97.9 %
	<b>Total</b>	<b>33,580</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8908-8913 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0160\_06: NRT product used last time tried to quit smoking/using tobacco product(s): None of the above

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]]/when you quit [ND FILL3]]? Choose all that apply.

None of the above

[IF None of the above (6); GO TO BOX R05\_ANR06]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1.

[PROGRAM NOTE: Option 6 cannot be selected if any options 1 through 5 are selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	711	2.1 %
	<b>Total</b>	<b>729</b>	<b>2.1%</b>

This variable has 729 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33578	97.9 %	
	<b>Total</b>	<b>33,580</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8914-8919 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0165\_NN: Length of time used NRT during last tobacco product(s) quit attempt - Number

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, or lozenge?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1 AND  
R05\_AN0160\_06 != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0165\_UN = Days;  
the value "2" refers to R05\_AN0165\_UN = Weeks;  
the value "3" refers to R05\_AN0165\_UN = Months.

This variable has 703 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	3	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33596	97.9 %	
<b>Total</b>		<b>33,606</b>	<b>98.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8920-8925 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AN0165\_UN: Length of time used NRT during last tobacco product(s) quit attempt - Unit

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, or lozenge?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0330\_12ME = 1 OR R05\_AN0330\_12M = 1) AND R05\_AN0150 = 1 AND  
R05\_AN0160\_06 != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0165\_UN = Days;  
 the value "2" refers to R05\_AN0165\_UN = Weeks;  
 the value "3" refers to R05\_AN0165\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	335	1.0 %
2	2 = Weeks	180	0.5 %
3	3 = Months	188	0.5 %
<b>Total</b>		<b>703</b>	<b>2.0%</b>

This variable has 703 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33605	97.9 %
<b>Total</b>		<b>33,606</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8926-8931 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0170: Currently using nicotine patch, gum, inhaler, nasal spray, or lozenge (past 12 month non-electronic tobacco quitters or quit attempters)

Are you currently using a nicotine patch, gum, inhaler, nasal spray, or lozenge?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR52]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05\_NDSKIP = 0, 1 AND

R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_AN0330\_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	120	0.3 %
2	2 = No	522	1.5 %
<b>Total</b>		<b>642</b>	<b>1.9%</b>

This variable has 642 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33666	98.1 %
<b>Total</b>		<b>33,667</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8932-8937 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0251\_NN: How long been using NRT - Number (past 12 month non-electronic tobacco quitters or quit attempters)

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, or lozenge?

\_\_ Days/Months/Years

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R05\_NDSKIP = 0, 1 AND  
R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_AN0330\_12M = 1 AND R05\_AN0170 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0251\_UN = Days;  
the value "2" refers to R05\_AN0251\_UN = Weeks;  
the value "3" refers to R05\_AN0251\_UN = Months.

This variable has 119 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	34188	99.6 %
<b>Total</b>		<b>34,190</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8938-8943 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AN0251\_UN: How long been using NRT - Unit (past 12 month non-electronic tobacco quitters or quit attempters)

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, or lozenge?

\_\_ Days/Months/Years

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R05\_NDSKIP = 0, 1 AND R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_AN0330\_12M = 1 AND R05\_AN0170 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0251\_UN = Days;  
the value "2" refers to R05\_AN0251\_UN = Weeks;  
the value "3" refers to R05\_AN0251\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	51	0.1 %
2	2 = Months	52	0.2 %
3	3 = Years	17	0.0 %
<b>Total</b>		<b>120</b>	<b>0.3%</b>

This variable has 120 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34188	99.6 %
<b>Total</b>		<b>34,189</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8944-8949 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AN0347: When last removed a nicotine patch (current or recent former established non-electronic tobacco users)

When you last used a nicotine patch, when did you remove it?

[IF I am currently wearing a nicotine patch (1), In the past hour (2), or Day before yesterday (3);  
GO TO R05\_AN0349 : IF Three or more days ago (6); GO TO R05\_AN0375 ;  
IF Don't Know (-8), or Refused (-7); GO TO BOXR05\_ANR53]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1).

NOTES: SKIP ERROR: This item was skipped incorrectly by some respondents who were not past 12 month non-electronic tobacco reducers (R05\_TWELVEMONTHQUIT\_STATUS != 1) and used a nicotine patch in the past 12 months (R05\_AN0160\_01 = 1). This issue was fixed in a field update on 1/24/2019.

Value	Label	Unweighted Frequency	%
1	1 = I am currently wearing a nicotine patch	40	0.1 %
2	2 = In the past hour	12	0.0 %
3	3 = Sometime today, but more than an hour ago	12	0.0 %
4	4 = Yesterday	21	0.1 %
5	5 = Day before yesterday	14	0.0 %
6	6 = Three or more days ago	411	1.2 %
<b>Total</b>		<b>510</b>	<b>1.5%</b>

This variable has 510 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	56	0.2 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	33700	98.2 %
<b>Total</b>		<b>33,799</b>	<b>98.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8950-8955 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0348: Number of hours since you removed a nicotine patch (current or recent former established non-electronic tobacco users)

How many hours has it been since you removed a nicotine patch?

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1 AND R05\_AN0347 = 3, 4) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1 AND R05\_AN0347 = 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = 1 to 4 hours	7	0.0 %
2	2 = 5 to 11 hours	7	0.0 %
3	3 = More than 12 hours	19	0.1 %
<b>Total</b>		<b>33</b>	<b>0.1%</b>

This variable has 33 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34275	99.9 %
<b>Total</b>		<b>34,276</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8956-8961 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0349: Strength of nicotine patch last used (current or recent former established non-electronic tobacco users)

When you last used a nicotine patch [FILL BASED ON R05\_AN0347], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_ANR53]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine

replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used currently, in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used currently, in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1 AND R05\_AN0347 = 1, 2, 3, 4, 5) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1 AND R05\_AN0347 = 1, 2, 3, 4, 5).

Value	Label	Unweighted Frequency	%
1	1 = 21 mg (Step 1)	44	0.1 %
2	2 = 14 mg (Step 2)	36	0.1 %
3	3 = 7 mg (Step 3)	9	0.0 %
4	4 = Some other strength	0	0.0 %
5	5 = I don't know	10	0.0 %
	<b>Total</b>	<b>99</b>	<b>0.3%</b>

This variable has 99 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34209	99.7 %
	<b>Total</b>	<b>34,210</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8962-8967 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0375\_NN: How long ago did you stop using the nicotine patch - Number

How long ago did you stop using the nicotine patch?

\_\_ Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR53]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine

replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago, or Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1 AND R05\_AN0347 = 6) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1 AND R05\_AN0347 = 6).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0375\_UN = Days;  
the value "2" refers to R05\_AN0375\_UN = Weeks;  
the value "3" refers to R05\_AN0375\_UN = Months.

This variable has 406 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33897	98.8 %	
<b>Total</b>		<b>33,903</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8968-8973 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AN0375\_UN: How long ago did you stop using the nicotine patch - Unit

How long ago did you stop using the nicotine patch?

\_\_ Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR53]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago, or Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1 AND R05\_AN0347 = 6) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_01 = 1 AND R05\_AN0347 = 6).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0375\_UN = Days;  
the value "2" refers to R05\_AN0375\_UN = Weeks;  
the value "3" refers to R05\_AN0375\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	94	0.3 %
2	2 = Months	284	0.8 %
3	3 = Years	28	0.1 %
<b>Total</b>		<b>406</b>	<b>1.2%</b>

This variable has 406 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33902	98.8 %
<b>Total</b>		<b>33,903</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8974-8979 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0357: When you last used nicotine gum, inhaler, nasal spray or lozenge (current or recent former established non-electronic tobacco users)

When did you last use nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[If In the past hour (1); GO TO R05\_AN0359 : IF Three or more days ago (5); GO TO R05\_AN0385 : IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0331\_12M]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana

ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1).

NOTES: SKIP ERROR: This item was skipped incorrectly by some respondents who were not past 12 month non-electronic tobacco reducers (R05\_TWELVEMONTHQUIT\_STATUS != 1) and used nicotine gum, a nicotine inhaler, nicotine nasal spray, or lozenge in the past 12 months  
(R05\_AN0161\_02 = 1 OR R05\_AN0161\_03 = 1 OR R05\_AN0161\_04 = 1 OR R05\_AN0161\_05 = 1). This issue was fixed in a field update on 6/27/2019.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	34	0.1 %
2	2 = Sometime today, but more than an hour ago	18	0.1 %
3	3 = Yesterday	31	0.1 %
4	4 = Day before yesterday	10	0.0 %
5	5 = Three or more days ago	269	0.8 %
	<b>Total</b>	<b>362</b>	<b>1.1%</b>

This variable has 362 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	51	0.1 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	33877	98.7 %
	<b>Total</b>	<b>33,947</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 8980-8985 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0358: Time period of day when you last used nicotine gum, inhaler, nasal spray or lozenge (current or recent former established non-electronic tobacco users)

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05\_AN0357], was it...

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before

yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1 AND R05\_AN0357 = 2, 3, 4) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1 AND R05\_AN0357 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	2	0.0 %
2	2 = After 6AM but before noon	19	0.1 %
3	3 = Between noon and 6PM	21	0.1 %
4	4 = After 6PM but before midnight	14	0.0 %
	<b>Total</b>	<b>56</b>	<b>0.2%</b>

This variable has 56 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34249	99.8 %
	<b>Total</b>	<b>34,253</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 8986-8991 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0359: Number of nicotine gum, inhaler, nasal spray or lozenges used today/yesterday/the day before yesterday (current or recent former established non-electronic tobacco users)

When you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05\_AN0357], how many did you use?

—  
[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0331\_12M]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and

are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1 AND R05\_AN0357 = 1, 2, 3, 4) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1 AND R05\_AN0357 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 2 digits.]

This variable has 91 valid cases out of 34,309 total cases.

- Mean: 6.34
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 85.00
- Standard Deviation: 13.71

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34215	99.7 %	
<b>Total</b>		<b>34,218</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8992-8997 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AN0385\_NN: How long ago did you stop using nicotine gum, inhaler, spray, or lozenge - Number

How long ago did you stop using nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

\_\_ Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0331\_12M]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago, or Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1 AND R05\_AN0357 = 5) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1 AND R05\_AN0357 = 5).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0385\_UN = Days;  
the value "2" refers to R05\_AN0385\_UN = Weeks;  
the value "3" refers to R05\_AN0385\_UN = Months.

This variable has 262 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	2	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	34039	99.2 %	
<b>Total</b>		<b>34,047</b>	<b>99.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 8998-9003 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AN0385\_UN: How long ago did you stop using nicotine gum, inhaler, spray, or lozenge - Unit

How long ago did you stop using nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

\_\_ Days/Weeks/Months

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0331\_12M]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal

spray or lozenge in the past 12 months and last used three or more days ago, or Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1 AND R05\_AN0357 = 5) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0330\_12M = 1 AND R05\_AN0161\_[02/03/04/05] = 1 AND R05\_AN0357 = 5).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0385\_UN = Days;  
the value "2" refers to R05\_AN0385\_UN = Weeks;  
the value "3" refers to R05\_AN0385\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	55	0.2 %
2	2 = Months	186	0.5 %
3	3 = Years	21	0.1 %
	<b>Total</b>	<b>262</b>	<b>0.8%</b>

This variable has 262 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34046	99.2 %
	<b>Total</b>	<b>34,047</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9004-9009 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AN0331\_12M: In past 12 months, used prescription drug: Chantix, varenicline, Wellbutrin, Zyban, or bupropion (current established, recent former established or current experimental non-electronic tobacco users)

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and

are not current established or recent former established non-marijuana ENP users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4)  
OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4).

Value	Label	Unweighted Frequency	%
1	1 = Yes	611	1.8 %
2	2 = No	10746	31.3 %
	<b>Total</b>	<b>11,357</b>	<b>33.1%</b>

This variable has 11,357 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	22930	66.8 %
	<b>Total</b>	<b>22,952</b>	<b>66.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9010-9015 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0180: In past 12 months, used a prescription drug the last time tried to quit smoking/using tobacco product(s)

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit]  
[ND FILL3] in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR08]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0331\_12ME = 1 OR R05\_AN0331\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	407	1.2 %
2	2 = No	89	0.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>496</b>	<b>1.4%</b>

This variable has 496 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33809	98.5 %
	<b>Total</b>	<b>33,813</b>	<b>98.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9016-9021 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0185: Used a prescription drug to quit smoking/using tobacco product(s) completely

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit [ND FILL3] completely?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0331\_12ME = 1 OR R05\_AN0331\_12M = 1) AND R05\_AN0180 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	320	0.9 %
2	2 = No	87	0.3 %
	<b>Total</b>	<b>407</b>	<b>1.2%</b>

This variable has 407 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33901	98.8 %
	<b>Total</b>	<b>33,902</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9022-9027 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0190\_01: Prescription drug used the last time tried to quit/when quit smoking/using tobacco product(s): Chantix or varenicline

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

Chantix or varenicline

[IF None of the above (3); GO TO BOX R05\_ANR08]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0331\_12ME = 1 OR R05\_AN0331\_12M = 1) AND R05\_AN0180 = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	239	0.7 %
2	2 = Not Marked	167	0.5 %
	<b>Total</b>	<b>406</b>	<b>1.2%</b>

This variable has 406 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33901	98.8 %
	<b>Total</b>	<b>33,903</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 9028-9033 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AN0190\_02: Prescription drug used the last time tried to quit/when quit smoking/using tobacco product(s): Wellbutrin, Zyban, or bupropion

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

Wellbutrin, Zyban, or bupropion

[IF None of the above (3); GO TO BOX R05\_ANR08]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0331\_12ME = 1 OR R05\_AN0331\_12M = 1) AND R05\_AN0180 = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	152	0.4 %
2	2 = Not Marked	254	0.7 %
	<b>Total</b>	<b>406</b>	<b>1.2%</b>

This variable has 406 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33901	98.8 %
	<b>Total</b>	<b>33,903</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9034-9039 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

### R05\_AN0190\_03: Prescription drug used the last time tried to quit/when quit smoking/using tobacco product(s): None of the above

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

None of the above

[IF None of the above (3); GO TO BOX R05\_ANR08]

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0331\_12ME = 1 OR R05\_AN0331\_12M = 1) AND R05\_AN0180 = 1.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.1 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
2	2 = Not Marked	372	1.1 %
	<b>Total</b>	<b>406</b>	<b>1.2%</b>

This variable has 406 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33901	98.8 %
	<b>Total</b>	<b>33,901</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9040-9045 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0195\_NN: Length of time used prescription medication during last tobacco product(s) quit attempt - Number

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0331\_12ME = 1 OR R05\_AN0331\_12M = 1) AND R05\_AN0180 = 1 AND  
R05\_AN0190\_03 != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0195\_UN = Days;  
the value "2" refers to R05\_AN0195\_UN = Weeks;  
the value "3" refers to R05\_AN0195\_UN = Months.

This variable has 371 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

<b>Missing Data</b>			
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33935	98.9 %
<b>Total</b>		<b>33,938</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9046-9051 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AN0195\_UN: Length of time used prescription medication during last tobacco product(s) quit attempt - Unit

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][ completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempts and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1 AND  
(R05\_AN0331\_12ME = 1 OR R05\_AN0331\_12M = 1) AND R05\_AN0180 = 1 AND  
R05\_AN0190\_03 != 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0195\_UN = Days;  
the value "2" refers to R05\_AN0195\_UN = Weeks;  
the value "3" refers to R05\_AN0195\_UN = Months.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Days	84	0.2 %
2	2 = Weeks	94	0.3 %
3	3 = Months	193	0.6 %
<b>Total</b>		<b>371</b>	<b>1.1%</b>

This variable has 371 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33937	98.9 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,938</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9052-9057 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0200: Currently using a prescription medication to help quit (past 12 month non-electronic tobacco quitters or quit attempters)

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AN0327]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05\_NDSKIP = 0, 1 AND

R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_AN0331\_12M = 1 AND

R05\_AN0180 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	112	0.3 %
2	2 = No	220	0.6 %
	<b>Total</b>	<b>332</b>	<b>1.0%</b>

This variable has 332 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33975	99.0 %
	<b>Total</b>	<b>33,977</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9058-9063 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0252\_NN: How long have you been using a prescription drug - Number (past 12 month non-electronic tobacco quitters or quit attempters)

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0327]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R05\_NDSKIP = 0, 1 AND  
R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_AN0331\_12M = 1 AND  
R05\_AN0180 = 1 AND R05\_AN0200 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0252\_UN = Days;  
the value "2" refers to R05\_AN0252\_UN = Weeks;  
the value "3" refers to R05\_AN0252\_UN = Months.

This variable has 111 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	34196	99.7 %
<b>Total</b>		<b>34,198</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9064-9069 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AN0252\_UN: How long have you been using a prescription drug - Unit (past 12 month non-electronic tobacco quitters or quit attempters)

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

  Days/Months/Years

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AN0327]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R05\_NDSKIP = 0, 1 AND  
R05\_TWELVEMONTHQUIT\_STATUS = 1 AND R05\_AN0331\_12M = 1 AND  
R05\_AN0180 = 1 AND R05\_AN0200 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0252\_UN = Days;  
 the value "2" refers to R05\_AN0252\_UN = Weeks;  
 the value "3" refers to R05\_AN0252\_UN = Months.

Value	Label	Unweighted Frequency	%
1	1 = Days	26	0.1 %
2	2 = Months	56	0.2 %
3	3 = Years	30	0.1 %
<b>Total</b>		<b>112</b>	<b>0.3%</b>

This variable has 112 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34196	99.7 %
<b>Total</b>		<b>34,197</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9070-9075 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0327: When did you last use Chantix, varenicline, Wellbutrin, Zyban or bupropion (current or recent former tobacco users)

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[IF In the past hour (1); GO TO R05\_AN0329 :

IF Three of more days ago (5); GO TO R05\_AN0205 :

IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR18]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND  
 R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4  
 AND R05\_AN0331\_12M = 1) OR (R05\_NDSKIP = 0, 1 AND  
 R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4  
 AND R05\_AN0331\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	42	0.1 %
2	2 = Sometime today, but more than an hour ago	153	0.4 %
3	3 = Yesterday	45	0.1 %
4	4 = Day before yesterday	18	0.1 %
5	5 = Three or more days ago	324	0.9 %
	<b>Total</b>	<b>582</b>	<b>1.7%</b>

This variable has 582 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	33697	98.2 %
	<b>Total</b>	<b>33,727</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9076-9081 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0328: Time period of day when you last used Chantix, varenicline, Wellbutrin, Zyban or bupropion (current or recent former tobacco users)

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05\_AN0327], was it...

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0331\_12M = 1 AND R05\_AN0327 = 2, 3, 4) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0331\_12M = 1 AND R05\_AN0327 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	18	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = After 6AM but before noon	150	0.4 %
3	3 = Between noon and 6PM	27	0.1 %
4	4 = After 6PM but before midnight	21	0.1 %
	<b>Total</b>	<b>216</b>	<b>0.6%</b>

This variable has 216 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34092	99.4 %	
	<b>Total</b>	<b>34,093</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9082-9087 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0329: Number of Chantix, varenicline, Wellbutrin, Zyban or bupropion taken today/yesterday/the day before yesterday (current or recent former tobacco users)

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05\_AN0327], how many did you take?

—  
[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR18]

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_AN0331\_12M = 1 AND R05\_AN0327 = 1, 2, 3, 4) OR (R05\_NDSKIP = 0, 1 AND R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND R05\_AN0331\_12M = 1 AND R05\_AN0327 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 2 digits.]

This variable has 257 valid cases out of 34,309 total cases.

- Mean: 2.08
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 6.64

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	34050	99.2 %
	<b>Total</b>	<b>34,052</b>	<b>99.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9088-9093 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

---

## R05\_AN0205\_NN: How long ago you stopped using prescription medication - Number (current established, recent former established or current experimental non-electronic tobacco users)

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND

R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4  
AND R05\_AN0331\_12M = 1 AND R05\_AN0327 = 5) OR (R05\_NDSKIP = 0, 1 AND  
R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4  
AND R05\_AN0331\_12M = 1 AND R05\_AN0327 = 5).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0205\_UN = Days;  
the value "2" refers to R05\_AN0205\_UN = Weeks;  
the value "3" refers to R05\_AN0205\_UN = Months.

This variable has 318 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	33984	99.1 %
<b>Total</b>		<b>33,991</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9094-9099 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AN0205\_UN: How long ago you stopped using prescription medication - Unit (current established, recent former established or current experimental non-electronic tobacco users)

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

\_\_ Days/Weeks/Months

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05\_NDSKIP = 0, 1 AND

R05\_TOBXEPROD\_USER\_STATUS = 1, 4 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 4

AND R05\_AN0331\_12M = 1 AND R05\_AN0327 = 5) OR (R05\_NDSKIP = 0, 1 AND

R05\_TOBXEPROD\_USER\_STATUS = 2 AND R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4

AND R05\_AN0331\_12M = 1 AND R05\_AN0327 = 5).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers to R05\_AN0205\_UN = Days;

the value "2" refers to R05\_AN0205\_UN = Weeks;

the value "3" refers to R05\_AN0205\_UN = Months.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Days	65	0.2 %
2	2 = Months	212	0.6 %
3	3 = Years	42	0.1 %
<b>Total</b>		<b>319</b>	<b>0.9%</b>

This variable has 319 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33989	99.1 %	
<b>Total</b>		<b>33,990</b>	<b>99.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9100-9105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0804\_RANDOM\_01: AN0804 series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804 through R05\_AN0809) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03 and R05\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	26465	77.1 %
-97777	-	1	0.0 %
R05_AN0804	-	7843	22.9 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 9106-9115 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AN0804\_RANDOM\_02: AN0804 series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804 through R05\_AN0810) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03 and R05\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	26465	77.1 %

Value	Label	Unweighted Frequency	%
-97777	-	1	0.0 %
R05_AN0805	-	1250	3.6 %
R05_AN0806	-	1335	3.9 %
R05_AN0807	-	1315	3.8 %
R05_AN0808	-	1274	3.7 %
R05_AN0809	-	1352	3.9 %
R05_AN0810	-	1317	3.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 9116-9125 (width: 10; decimal: 0)

*Variable Type:* character

### **R05\_AN0804\_RANDOM\_03: AN0804 series random question 3**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804 through R05\_AN0810) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03 and R05\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	26465	77.1 %
-97777	-	1	0.0 %
R05_AN0805	-	1405	4.1 %
R05_AN0806	-	1244	3.6 %
R05_AN0807	-	1290	3.8 %
R05_AN0808	-	1285	3.7 %
R05_AN0809	-	1336	3.9 %
R05_AN0810	-	1283	3.7 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 9126-9135 (width: 10; decimal: 0)

*Variable Type:* character

### **R05\_AN0804\_RANDOM\_04: AN0804 series random question 4**

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804 through R05\_AN0810) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN03 and R05\_AN04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	26465	77.1 %
-97777	-	1	0.0 %
R05_AN0805	-	1289	3.8 %
R05_AN0806	-	1278	3.7 %
R05_AN0807	-	1320	3.8 %
R05_AN0808	-	1270	3.7 %
R05_AN0809	-	1315	3.8 %
R05_AN0810	-	1371	4.0 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 9136-9145 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AN0804\_RANDOM\_05: AN0804 series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804 through R05\_AN0810) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AN03 and R05\_AN04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	26465	77.1 %
-97777	-	1	0.0 %
R05_AN0805	-	1247	3.6 %
R05_AN0806	-	1316	3.8 %
R05_AN0807	-	1331	3.9 %
R05_AN0808	-	1305	3.8 %
R05_AN0809	-	1335	3.9 %
R05_AN0810	-	1309	3.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 9146-9155 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AN0804\_RANDOM\_06: AN0804 series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804 through R05\_AN0810) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03 and R05\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	26465	77.1 %
-97777	-	1	0.0 %
R05_AN0805	-	1327	3.9 %
R05_AN0806	-	1240	3.6 %
R05_AN0807	-	1335	3.9 %
R05_AN0808	-	1355	3.9 %
R05_AN0809	-	1284	3.7 %
R05_AN0810	-	1302	3.8 %
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 9156-9165 (width: 10; decimal: 0)

*Variable Type:* character

---

## R05\_AN0804\_RANDOM\_07: AN0804 series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R05\_AN0804 through R05\_AN0810) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05\_AND03 and R05\_AND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	26465	77.1 %
-97777	-	1	0.0 %
R05_AN0805	-	1325	3.9 %
R05_AN0806	-	1430	4.2 %
R05_AN0807	-	1252	3.6 %
R05_AN0808	-	1354	3.9 %
R05_AN0809	-	1221	3.6 %
R05_AN0810	-	1261	3.7 %

Value	Label	Unweighted Frequency	%
	Total	34,309	100.0%

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 9166-9175 (width: 10; decimal: 0)

*Variable Type:* character

## R05\_AN0804: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Felt depressed

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Feel depressed?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1847	5.4 %
2	2 = No	5943	17.3 %
	<b>Total</b>	<b>7,790</b>	<b>22.7%</b>

This variable has 7,790 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.1 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	26465	77.1 %
	<b>Total</b>	<b>26,519</b>	<b>77.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9176-9181 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0805: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Had difficulty falling asleep or staying asleep

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Have difficulty falling asleep or staying asleep?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2387	7.0 %
2	2 = No	5404	15.8 %
	<b>Total</b>	<b>7,791</b>	<b>22.7%</b>

This variable has 7,791 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	30	0.1 %	
-7	-7 = Refused	22	0.1 %	
-1	-1 = Inapplicable	26465	77.1 %	
	<b>Total</b>	<b>26,518</b>	<b>77.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9182-9187 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0806: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Had difficulty concentrating

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Have difficulty concentrating?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2312	6.7 %
2	2 = No	5489	16.0 %
	<b>Total</b>	<b>7,801</b>	<b>22.7%</b>

This variable has 7,801 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	21	0.1 %	
-1	-1 = Inapplicable	26465	77.1 %	
<b>Total</b>		<b>26,508</b>	<b>77.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9188-9193 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0807: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Ate more than usual or gained weight

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Eat more than usual or gain weight?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3126	9.1 %
2	2 = No	4671	13.6 %
<b>Total</b>		<b>7,797</b>	<b>22.7%</b>

This variable has 7,797 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	22	0.1 %	
-7	-7 = Refused	24	0.1 %	
-1	-1 = Inapplicable	26465	77.1 %	
<b>Total</b>		<b>26,512</b>	<b>77.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9194-9199 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

**R05\_AN0808: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Became easily irritated, angry or frustrated**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Become easily irritated, angry, or frustrated?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3766	11.0 %
2	2 = No	4029	11.7 %
	<b>Total</b>	<b>7,795</b>	<b>22.7%</b>

This variable has 7,795 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	26465	77.1 %
	<b>Total</b>	<b>26,514</b>	<b>77.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 9200-9205 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

**R05\_AN0809: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Felt anxious or nervous**

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Feel anxious or nervous?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3449	10.1 %

Value	Label	Unweighted Frequency	%
2	2 = No	4346	12.7 %
	<b>Total</b>	<b>7,795</b>	<b>22.7%</b>

This variable has 7,795 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	26465	77.1 %
	<b>Total</b>	<b>26,514</b>	<b>77.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9206-9211 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0810: In past 12 months, effect of quitting/cutting back tobacco product(s) smoking/usage: Felt more restless than usual

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...

Feel more restless than usual?

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05\_TWELVEMONTHQUIT\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3259	9.5 %
2	2 = No	4539	13.2 %
	<b>Total</b>	<b>7,798</b>	<b>22.7%</b>

This variable has 7,798 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	26465	77.1 %
	<b>Total</b>	<b>26,511</b>	<b>77.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9212-9217 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0230: Level of interest in quitting smoking/using tobacco product(s) on a scale of 1 to 10 (low to high)

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND FILL 4]? Please choose a number from 1 to 10.

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all interested	1523	4.4 %
2	2 = 2 on a scale of 1 to 10	514	1.5 %
3	3 = 3 on a scale of 1 to 10	712	2.1 %
4	4 = 4 on a scale of 1 to 10	619	1.8 %
5	5 = 5 on a scale of 1 to 10	1510	4.4 %
6	6 = 6 on a scale of 1 to 10	714	2.1 %
7	7 = 7 on a scale of 1 to 10	873	2.5 %
8	8 = 8 on a scale of 1 to 10	1015	3.0 %
9	9 = 9 on a scale of 1 to 10	545	1.6 %
10	10 = Extremely Interested	2305	6.7 %
	<b>Total</b>	<b>10,330</b>	<b>30.1%</b>

This variable has 10,330 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	23943	69.8 %
	<b>Total</b>	<b>23,979</b>	<b>69.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9218-9223 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0235: Plans to quit smoking/using tobacco product(s) for good

Do you plan to ever quit [ND FILL3] for good?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0006]

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7540	22.0 %
2	2 = No	2732	8.0 %
	<b>Total</b>	<b>10,272</b>	<b>29.9%</b>

This variable has 10,272 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	67	0.2 %	
-7	-7 = Refused	26	0.1 %	
-1	-1 = Inapplicable	23943	69.8 %	
	<b>Total</b>	<b>24,037</b>	<b>70.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9224-9229 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0240: Time-frame when planning to quit smoking/using tobacco product(s) for good

When do you plan to quit [ND FILL3] for good?

[IF in the next year (4), More than one year from now (5), Don't Know (-8), or Refused (-7); GO TO R05\_AX0006]

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1 AND R05\_AN0235 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the next 7 days	655	1.9 %
2	2 = In the next 30 days	726	2.1 %
3	3 = In the next 6 months	1315	3.8 %
4	4 = In the next year	2385	7.0 %
5	5 = More than one year from now	2254	6.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>7,335</b>	<b>21.4%</b>

This variable has 7,335 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	169	0.5 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	26768	78.0 %
	<b>Total</b>	<b>26,974</b>	<b>78.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9230-9235 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0245: Likeliness of succeeding if tried to quit smoking/using tobacco product(s) altogether in next 6 months

If you did try to quit [ND FILL3] altogether in the next 6 months, how likely do you think you would be to succeed?

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1 AND R05\_AN0235 = 1  
AND R05\_AN0240 = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not at all likely	96	0.3 %
2	2 = A little likely	342	1.0 %
3	3 = Somewhat likely	1132	3.3 %
4	4 = Very likely	1119	3.3 %
	<b>Total</b>	<b>2,689</b>	<b>7.8%</b>

This variable has 2,689 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	31612	92.1 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>31,620</b>	<b>92.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9236-9241 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0006: If you had to do it over again, you would have started using tobacco

If you had to do it over again, would you have ever started using tobacco[ (not including e-cigarettes or electronic nicotine products)]?

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or Adult respondents who are not current established or recent former established non-marijuana ENP users and are current experimental non-electronic tobacco users, or Adult respondents who are not current established, current experimental, or recent former established non-marijuana ENP users and are former experimental non-electronic tobacco users.

ASK Specification: IF R05\_TOBXEPROD\_USER\_STATUS = 1, 4 OR  
(R05\_ND\_EPROD\_USER\_STATUS != 1, 4 AND R05\_TOBXEPROD\_USER\_STATUS = 2)  
OR (R05\_ND\_EPROD\_USER\_STATUS != 1, 2, 4 AND  
R05\_TOBXEPROD\_USER\_STATUS = 3).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Definitely would not	12060	35.2 %
2	2 = Probably would not	4254	12.4 %
3	3 = Probably would	2695	7.9 %
4	4 = Definitely would	733	2.1 %
	<b>Total</b>	<b>19,742</b>	<b>57.5%</b>

This variable has 19,742 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	14440	42.1 %
	<b>Total</b>	<b>14,567</b>	<b>42.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9242-9247 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0141: In past 12 months, how often have you seen a list of the chemicals contained in tobacco products

The next questions ask about things you may have seen or read about tobacco products.

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	14066	41.0 %
2	2 = Rarely	9338	27.2 %
3	3 = Sometimes	6333	18.5 %
4	4 = Often	2576	7.5 %
5	5 = Very often	1896	5.5 %
	<b>Total</b>	<b>34,209</b>	<b>99.7%</b>

This variable has 34,209 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	62	0.2 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>100</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9248-9253 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AR0142: In past 12 months, how often have you thought about the chemicals contained in tobacco products

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	13056	38.1 %
2	2 = Rarely	9243	26.9 %
3	3 = Sometimes	7077	20.6 %
4	4 = Often	2971	8.7 %
5	5 = Very often	1905	5.6 %
	<b>Total</b>	<b>34,252</b>	<b>99.8%</b>

This variable has 34,252 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>57</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9254-9259 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0095: In past 30 days, how often have you noticed health warnings on packages of roll-your-own tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of roll-your-own tobacco?

ASK: Adult respondents who are current established cigarette smokers and smoke roll-your-own cigarettes.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1 AND R05\_AC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Never	253	0.7 %
2	2 = Rarely	210	0.6 %
3	3 = Sometimes	211	0.6 %
4	4 = Often	185	0.5 %
5	5 = Very often	145	0.4 %
<b>Total</b>		<b>1,004</b>	<b>2.9%</b>

This variable has 1,004 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33301	97.1 %
<b>Total</b>		<b>33,305</b>	<b>97.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9260-9265 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AR0005: In past 30 days, how often have you noticed health warnings on cigarette packages

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	14471	42.2 %
2	2 = Rarely	6774	19.7 %
3	3 = Sometimes	5690	16.6 %
4	4 = Often	3911	11.4 %
5	5 = Very often	3391	9.9 %
<b>Total</b>		<b>34,237</b>	<b>99.8%</b>

This variable has 34,237 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>72</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9266-9271 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AR0259: In past 30 days, how often have you talked to anyone about warning labels on cigarette packs

In the past 30 days, how often, if at all, have you talked to anyone about the warning labels on cigarette packs?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	23159	67.5 %
2	2 = Rarely	5572	16.2 %
3	3 = Sometimes	3396	9.9 %

Value	Label	Unweighted Frequency	%
4	4 = Often	1204	3.5 %
5	5 = Very often	922	2.7 %
<b>Total</b>		<b>34,253</b>	<b>99.8%</b>

This variable has 34,253 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.1 %
-7	-7 = Refused	25	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>56</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9272-9277 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AR0202: In past 30 days, how often have you read or looked closely at the health warnings on cigarette packs

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2 AND R05\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	2130	6.2 %
2	2 = Rarely	2557	7.5 %
3	3 = Sometimes	1773	5.2 %
4	4 = Often	626	1.8 %
5	5 = Very often	507	1.5 %
<b>Total</b>		<b>7,593</b>	<b>22.1%</b>

This variable has 7,593 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %

Missing Data				
-7	-7 = Refused		6	0.0 %
-1	-1 = Inapplicable		26702	77.8 %
<b>Total</b>			<b>26,716</b>	<b>77.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9278-9283 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AR0010: In past 30 days, how often have health warnings stopped you from having a cigarette when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2 AND R05\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	4837	14.1 %
2	2 = Rarely	1418	4.1 %
3	3 = Sometimes	909	2.6 %
4	4 = Often	251	0.7 %
5	5 = Very often	180	0.5 %
<b>Total</b>		<b>7,595</b>	<b>22.1%</b>

This variable has 7,595 valid cases out of 34,309 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	8	0.0 %	
-1	-1 = Inapplicable	26702	77.8 %	
<b>Total</b>		<b>26,714</b>	<b>77.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9284-9289 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AR0015: In past 30 days, tried to avoid looking at or thinking about the health warnings on cigarette packs

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2 AND R05\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1194	3.5 %
2	2 = No	6396	18.6 %
	<b>Total</b>	<b>7,590</b>	<b>22.1%</b>

This variable has 7,590 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	9	0.0 %	
-1	-1 = Inapplicable	26702	77.8 %	
	<b>Total</b>	<b>26,719</b>	<b>77.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9290-9295 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0025: Believability of health warnings on cigarette packs

How believable do you consider the health warnings on cigarette packs to be?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2 AND R05\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	177	0.5 %
2	2 = A little believable	434	1.3 %
3	3 = Somewhat believable	1324	3.9 %
4	4 = Very believable	3039	8.9 %
5	5 = Extremely believable	2617	7.6 %
	<b>Total</b>	<b>7,591</b>	<b>22.1%</b>

This variable has 7,591 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	26702	77.8 %
<b>Total</b>		<b>26,718</b>	<b>77.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9296-9301 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0035: Extent to which health warnings on cigarette packs make you think about the health risks of smoking

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2 AND R05\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1420	4.1 %
2	2 = A little	2240	6.5 %
3	3 = Somewhat	2339	6.8 %
4	4 = A lot	1590	4.6 %
<b>Total</b>		<b>7,589</b>	<b>22.1%</b>

This variable has 7,589 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	26702	77.8 %
<b>Total</b>		<b>26,720</b>	<b>77.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9302-9307 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0040: Extent to which health warnings on cigarette packs makes you more likely to quit/stay quit from smoking

To what extent, if at all, do the health warnings on cigarette packs make you [more likely to quit smoking/more likely to not start smoking again]?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AR0110]

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2, 3, 4, 5 AND R05\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	3927	11.4 %
2	2 = A little	3019	8.8 %
3	3 = Somewhat	3344	9.7 %
4	4 = A lot	3432	10.0 %
	<b>Total</b>	<b>13,722</b>	<b>40.0%</b>

This variable has 13,722 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	20543	59.9 %
	<b>Total</b>	<b>20,587</b>	<b>60.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 9308-9313 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AR0055: Extent to which health warnings on cigarette packs made you less likely to start smoking

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

ASK: Adult respondents who have never smoked a cigarette and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05\_EVER\_NEVER\_CIGS = 2 AND R05\_AR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1508	4.4 %
2	2 = A little	550	1.6 %
3	3 = Somewhat	990	2.9 %
4	4 = A lot	2909	8.5 %
	<b>Total</b>	<b>5,957</b>	<b>17.4%</b>

This variable has 5,957 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	28314	82.5 %
	<b>Total</b>	<b>28,352</b>	<b>82.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9314-9319 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0110: In past 30 days, how often noticed health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	24014	70.0 %
2	2 = Rarely	4731	13.8 %
3	3 = Sometimes	2734	8.0 %
4	4 = Often	1451	4.2 %
5	5 = Very often	1245	3.6 %
	<b>Total</b>	<b>34,175</b>	<b>99.6%</b>

This variable has 34,175 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	86	0.3 %	
-7	-7 = Refused	47	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>134</b>	<b>0.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9320-9325 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0222: In past 30 days, how often you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

**ASK:** Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

**ASK Specification:** IF R05\_EPROD\_USER\_STATUS = 1, 2 AND R05\_AR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	505	1.5 %
2	2 = Rarely	808	2.4 %
3	3 = Sometimes	676	2.0 %
4	4 = Often	285	0.8 %
5	5 = Very often	209	0.6 %
<b>Total</b>		<b>2,483</b>	<b>7.2%</b>

This variable has 2,483 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	31818	92.7 %
<b>Total</b>		<b>31,826</b>	<b>92.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9326-9331 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AR0223: In past 30 days, how often have health warnings stopped you from using electronic nicotine products

In the past 30 days, how often, if at all, have the health warnings stopped you from using an e-cigarette, e-liquid, or other electronic nicotine product when you were about to use it?

ASK: Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2 AND R05\_AR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1309	3.8 %
2	2 = Rarely	583	1.7 %
3	3 = Sometimes	385	1.1 %
4	4 = Often	117	0.3 %
5	5 = Very often	93	0.3 %
	<b>Total</b>	<b>2,487</b>	<b>7.2%</b>

This variable has 2,487 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	31818	92.7 %
	<b>Total</b>	<b>31,822</b>	<b>92.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9332-9337 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AR0224: In past 30 days, have you tried to avoid looking at or thinking about health warnings on packages of electronic nicotine products

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products - such as covering them up, keeping them out of sight, using a case, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2 AND R05\_AR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	334	1.0 %
2	2 = No	2151	6.3 %
	<b>Total</b>	<b>2,485</b>	<b>7.2%</b>

This variable has 2,485 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	31818	92.7 %
	<b>Total</b>	<b>31,824</b>	<b>92.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9338-9343 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0263: Believability of health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products

How believable do you consider the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products to be?

ASK: Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2 AND R05\_AR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	69	0.2 %
2	2 = A little believable	250	0.7 %
3	3 = Somewhat believable	619	1.8 %
4	4 = Very believable	954	2.8 %
5	5 = Extremely believable	594	1.7 %
	<b>Total</b>	<b>2,486</b>	<b>7.2%</b>

This variable has 2,486 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

Missing Data				
-7	-7 = Refused		1	0.0 %
-1	-1 = Inapplicable		31818	92.7 %
<b>Total</b>			<b>31,823</b>	<b>92.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9344-9349 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0226: Extent to which health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you think about the health risks of using them?

ASK: Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2 AND R05\_AR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	473	1.4 %
2	2 = A little	788	2.3 %
3	3 = Somewhat	851	2.5 %
4	4 = A lot	373	1.1 %
<b>Total</b>		<b>2,485</b>	<b>7.2%</b>

This variable has 2,485 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	31818	92.7 %	
<b>Total</b>		<b>31,824</b>	<b>92.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9350-9355 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0227: To what extent do health warnings on packages of electronic nicotine products make you more likely to quit/not start using

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you [more likely to quit using/more likely to not start using again]?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AR0115]

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2, 3, 4, 5 AND R05\_AR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1449	4.2 %
2	2 = A little	1298	3.8 %
3	3 = Somewhat	1508	4.4 %
4	4 = A lot	1125	3.3 %
	<b>Total</b>	<b>5,380</b>	<b>15.7%</b>

This variable has 5,380 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	28898	84.2 %
	<b>Total</b>	<b>28,929</b>	<b>84.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9356-9361 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0228: To what extent do health warnings on packages of electronic nicotine products make you less likely to start using

To what extent, if at all, have the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products made you less likely to start using them?

ASK: Adult respondents who have never used ENPs and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05\_EVER\_NEVER\_EPRODS = 2 AND R05\_AR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1280	3.7 %
2	2 = A little	562	1.6 %
3	3 = Somewhat	916	2.7 %
4	4 = A lot	1969	5.7 %
	<b>Total</b>	<b>4,727</b>	<b>13.8%</b>

This variable has 4,727 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	29560	86.2 %
	<b>Total</b>	<b>29,582</b>	<b>86.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9362-9367 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AR0115: In past 30 days, how often noticed health warnings on packages of traditional cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	27510	80.2 %
2	2 = Rarely	3283	9.6 %
3	3 = Sometimes	1709	5.0 %
4	4 = Often	819	2.4 %
5	5 = Very often	838	2.4 %
	<b>Total</b>	<b>34,159</b>	<b>99.6%</b>

This variable has 34,159 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data			
-8	-8 = Don't know	103	0.3 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>150</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9368-9373 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0229: In past 30 days, how often you read or looked closely at the health warnings on packages of traditional cigars

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of traditional cigars?

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05\_GTRAD\_USER\_STATUS = 1, 2 AND R05\_AR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	125	0.4 %
2	2 = Rarely	211	0.6 %
3	3 = Sometimes	151	0.4 %
4	4 = Often	45	0.1 %
5	5 = Very often	30	0.1 %
<b>Total</b>		<b>562</b>	<b>1.6%</b>

This variable has 562 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33746	98.4 %
<b>Total</b>		<b>33,747</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9374-9379 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AR0264: In past 30 days, how often health warnings stopped you from having a traditional cigar when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a traditional cigar when you were about to smoke one?

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05\_GTRAD\_USER\_STATUS = 1, 2 AND R05\_AR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	314	0.9 %
2	2 = Rarely	108	0.3 %
3	3 = Sometimes	82	0.2 %
4	4 = Often	37	0.1 %
5	5 = Very often	20	0.1 %
	<b>Total</b>	<b>561</b>	<b>1.6%</b>

This variable has 561 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33746	98.4 %
	<b>Total</b>	<b>33,748</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 9380-9385 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AR0231: In past 30 days, have you tried to avoid looking at or thinking about health warnings on packages of traditional cigars

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of traditional cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05\_GTRAD\_USER\_STATUS = 1, 2 AND R05\_AR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	67	0.2 %
2	2 = No	493	1.4 %
	<b>Total</b>	<b>560</b>	<b>1.6%</b>

This variable has 560 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33746	98.4 %
	<b>Total</b>	<b>33,749</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9386-9391 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0232: How believable do you consider health warnings on packages of traditional cigars

How believable do you consider the health warnings on packages of traditional cigars to be?

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05\_GTRAD\_USER\_STATUS = 1, 2 AND R05\_AR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	15	0.0 %
2	2 = A little believable	50	0.1 %
3	3 = Somewhat believable	129	0.4 %
4	4 = Very believable	229	0.7 %
5	5 = Extremely believable	136	0.4 %
	<b>Total</b>	<b>559</b>	<b>1.6%</b>

This variable has 559 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33746	98.4 %
	<b>Total</b>	<b>33,750</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9392-9397 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0233: Extent to which health warnings on packages of traditional cigars make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05\_GTRAD\_USER\_STATUS = 1, 2 AND R05\_AR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	97	0.3 %
2	2 = A little	180	0.5 %
3	3 = Somewhat	192	0.6 %
4	4 = A lot	92	0.3 %
	<b>Total</b>	<b>561</b>	<b>1.6%</b>

This variable has 561 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33746	98.4 %
	<b>Total</b>	<b>33,748</b>	<b>98.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9398-9403 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0234: To what extent do health warnings on traditional cigars make you more likely to quit/not start using

To what extent, if at all, do the health warnings on packages of traditional cigars make you [more likely to quit smoking/more likely to not start smoking again]?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AR0120]

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05\_GTRAD\_USER\_STATUS = 1, 2, 3, 4, 5 AND R05\_AR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	550	1.6 %
2	2 = A little	526	1.5 %
3	3 = Somewhat	592	1.7 %
4	4 = A lot	526	1.5 %
	<b>Total</b>	<b>2,194</b>	<b>6.4%</b>

This variable has 2,194 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32105	93.6 %	
	<b>Total</b>	<b>32,115</b>	<b>93.6%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 9404-9409 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AR0235: To what extent do health warnings on traditional cigars make you less likely to start using

To what extent, if at all, have the health warnings on packages of traditional cigars made you less likely to start smoking traditional cigars?

ASK: Adult respondents who have never smoked a traditional cigar and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05\_EVER\_NEVER\_GTRAD = 2 AND R05\_AR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1008	2.9 %
2	2 = A little	547	1.6 %

Value	Label	Unweighted Frequency	%
3	3 = Somewhat	943	2.7 %
4	4 = A lot	1797	5.2 %
	<b>Total</b>	<b>4,295</b>	<b>12.5%</b>

This variable has 4,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	30005	87.5 %
	<b>Total</b>	<b>30,014</b>	<b>87.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9410-9415 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0120: In past 30 days, how often noticed health warnings on packages of cigarillos

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	26938	78.5 %
2	2 = Rarely	3148	9.2 %
3	3 = Sometimes	2041	5.9 %
4	4 = Often	1025	3.0 %
5	5 = Very often	1019	3.0 %
	<b>Total</b>	<b>34,171</b>	<b>99.6%</b>

This variable has 34,171 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	98	0.3 %
-7	-7 = Refused	39	0.1 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>138</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9416-9421 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0236: In past 30 days, how often you read or looked closely at the health warnings on packages of cigarillos

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05\_GRILLO\_USER\_STATUS = 1, 2 AND  
R05\_AR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	158	0.5 %
2	2 = Rarely	276	0.8 %
3	3 = Sometimes	209	0.6 %
4	4 = Often	81	0.2 %
5	5 = Very often	62	0.2 %
	<b>Total</b>	<b>786</b>	<b>2.3%</b>

This variable has 786 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33520	97.7 %
	<b>Total</b>	<b>33,523</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9422-9427 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0237: In past 30 days, how often have health warnings stopped you from having a cigarillo

In the past 30 days, how often, if at all, have the health warnings stopped you from having a

cigarillo when you were about to smoke one?

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05\_GRILLO\_USER\_STATUS = 1, 2 AND  
R05\_AR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	364	1.1 %
2	2 = Rarely	200	0.6 %
3	3 = Sometimes	134	0.4 %
4	4 = Often	54	0.2 %
5	5 = Very often	33	0.1 %
<b>Total</b>		<b>785</b>	<b>2.3%</b>

This variable has 785 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33520	97.7 %	
<b>Total</b>		<b>33,524</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 9428-9433 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AR0238: In past 30 days, have you tried to avoid looking at or thinking about health warnings on packages of cigarillos

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of cigarillos - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05\_GRILLO\_USER\_STATUS = 1, 2 AND  
R05\_AR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	125	0.4 %

Value	Label	Unweighted Frequency	%
2	2 = No	663	1.9 %
	<b>Total</b>	<b>788</b>	<b>2.3%</b>

This variable has 788 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33520	97.7 %
	<b>Total</b>	<b>33,521</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9434-9439 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0239: How believable do you consider health warnings on packages of cigarillos

How believable do you consider the health warnings on packages of cigarillos to be?

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05\_GRILLO\_USER\_STATUS = 1, 2 AND  
R05\_AR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	33	0.1 %
2	2 = A little believable	79	0.2 %
3	3 = Somewhat believable	177	0.5 %
4	4 = Very believable	291	0.8 %
5	5 = Extremely believable	208	0.6 %
	<b>Total</b>	<b>788</b>	<b>2.3%</b>

This variable has 788 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33520	97.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,521</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9440-9445 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0240: Extent to which health warnings on packages of cigarillos make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05\_GRILLO\_USER\_STATUS = 1, 2 AND  
R05\_AR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	147	0.4 %
2	2 = A little	207	0.6 %
3	3 = Somewhat	293	0.9 %
4	4 = A lot	140	0.4 %
	<b>Total</b>	<b>787</b>	<b>2.3%</b>

This variable has 787 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33520	97.7 %
	<b>Total</b>	<b>33,522</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9446-9451 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0241: To what extent do health warnings on cigarillos make you more likely to quit/not start using

To what extent, if at all, do the health warnings on packages of cigarillos make you [more likely to quit smoking/more likely to not start smoking again]?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AR0125]

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05\_GRILLO\_USER\_STATUS = 1, 2, 3, 4, 5 AND R05\_AR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	607	1.8 %
2	2 = A little	566	1.6 %
3	3 = Somewhat	750	2.2 %
4	4 = A lot	627	1.8 %
	<b>Total</b>	<b>2,550</b>	<b>7.4%</b>

This variable has 2,550 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	5	0.0 %	
-1	-1 = Inapplicable	31753	92.6 %	
	<b>Total</b>	<b>31,759</b>	<b>92.6%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 9452-9457 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AR0242: To what extent do health warnings on cigarillos make you less likely to start using

To what extent, if at all, have the health warnings on packages of cigarillos made you less likely to start smoking cigarillos?

ASK: Adult respondents who have never smoked a cigarillo and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05\_EVER\_NEVER\_GRILLO = 2 AND R05\_AR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	854	2.5 %
2	2 = A little	510	1.5 %

Value	Label	Unweighted Frequency	%
3	3 = Somewhat	821	2.4 %
4	4 = A lot	1728	5.0 %
	<b>Total</b>	<b>3,913</b>	<b>11.4%</b>

This variable has 3,913 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	30384	88.6 %
	<b>Total</b>	<b>30,396</b>	<b>88.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9458-9463 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AR0125: In past 30 days, how often noticed health warnings on packages of filtered cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	27719	80.8 %
2	2 = Rarely	2824	8.2 %
3	3 = Sometimes	1808	5.3 %
4	4 = Often	870	2.5 %
5	5 = Very often	947	2.8 %
	<b>Total</b>	<b>34,168</b>	<b>99.6%</b>

This variable has 34,168 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	100	0.3 %
-7	-7 = Refused	40	0.1 %

Missing Data			
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>141</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9464-9469 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0243: In past 30 days, how often you read or looked closely at the health warnings on packages of filtered cigars

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05\_GFILTR\_USER\_STATUS = 1, 2 AND

R05\_AR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	58	0.2 %
2	2 = Rarely	136	0.4 %
3	3 = Sometimes	111	0.3 %
4	4 = Often	49	0.1 %
5	5 = Very often	35	0.1 %
	<b>Total</b>	<b>389</b>	<b>1.1%</b>

This variable has 389 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33919	98.9 %
	<b>Total</b>	<b>33,920</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9470-9475 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0244: In past 30 days, how often have health warnings stopped you from having a filtered cigar

In the past 30 days, how often, if at all, have the health warnings stopped you from having a filtered cigar when you were about to smoke one?

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05\_GFILTR\_USER\_STATUS = 1, 2 AND  
R05\_AR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	153	0.4 %
2	2 = Rarely	105	0.3 %
3	3 = Sometimes	83	0.2 %
4	4 = Often	23	0.1 %
5	5 = Very often	24	0.1 %
<b>Total</b>		<b>388</b>	<b>1.1%</b>

This variable has 388 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33919	98.9 %
<b>Total</b>		<b>33,921</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9476-9481 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AR0245: In past 30 days, have you tried to avoid looking at or thinking about health warnings on packages of filtered cigars

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of filtered cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05\_GFILTR\_USER\_STATUS = 1, 2 AND  
R05\_AR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.2 %
2	2 = No	313	0.9 %
	<b>Total</b>	<b>388</b>	<b>1.1%</b>

This variable has 388 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33919	98.9 %
	<b>Total</b>	<b>33,921</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9482-9487 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0246: How believable do you consider health warnings on packages of filtered cigars

How believable do you consider the health warnings on packages of filtered cigars to be?

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05\_GFILTR\_USER\_STATUS = 1, 2 AND  
R05\_AR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	22	0.1 %
2	2 = A little believable	41	0.1 %
3	3 = Somewhat believable	83	0.2 %
4	4 = Very believable	144	0.4 %
5	5 = Extremely believable	99	0.3 %
	<b>Total</b>	<b>389</b>	<b>1.1%</b>

This variable has 389 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

Missing Data			
-1	-1 = Inapplicable	33919	98.9 %
	<b>Total</b>	<b>33,920</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9488-9493 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0247: Extent to which health warnings on packages of filtered cigars make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05\_GFILTR\_USER\_STATUS = 1, 2 AND

R05\_AR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	61	0.2 %
2	2 = A little	115	0.3 %
3	3 = Somewhat	139	0.4 %
4	4 = A lot	73	0.2 %
	<b>Total</b>	<b>388</b>	<b>1.1%</b>

This variable has 388 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33919	98.9 %
	<b>Total</b>	<b>33,921</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9494-9499 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0248: To what extent do health warnings on filtered cigars make you more likely to quit/not start using

To what extent, if at all, do the health warnings on packages of filtered cigars make you [more

likely to quit smoking/more likely to not start smoking again)?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AR0130]

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05\_GFILTR\_USER\_STATUS = 1, 2, 3, 4, 5 AND R05\_AR0125 > 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	345	1.0 %
2	2 = A little	387	1.1 %
3	3 = Somewhat	457	1.3 %
4	4 = A lot	352	1.0 %
	<b>Total</b>	<b>1,541</b>	<b>4.5%</b>

This variable has 1,541 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32766	95.5 %
	<b>Total</b>	<b>32,768</b>	<b>95.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 9500-9505 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AR0249: To what extent do health warnings on filtered cigars make you less likely to start using

To what extent, if at all, have the health warnings on packages of filtered cigars made you less likely to start smoking filtered cigars?

ASK: Adult respondents who have never smoked a filtered cigar and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05\_EVER\_NEVER\_GFILTR = 2 AND R05\_AR0125 > 1

Value	Label	Unweighted Frequency	%
1	1 = Not at all	1055	3.1 %
2	2 = A little	677	2.0 %
3	3 = Somewhat	1140	3.3 %
4	4 = A lot	1994	5.8 %
	<b>Total</b>	<b>4,866</b>	<b>14.2%</b>

This variable has 4,866 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	29426	85.8 %
	<b>Total</b>	<b>29,443</b>	<b>85.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9506-9511 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0130: In past 30 days, how often noticed health warnings on packages of pipe tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	29448	85.8 %
2	2 = Rarely	2145	6.3 %
3	3 = Sometimes	1236	3.6 %
4	4 = Often	604	1.8 %
5	5 = Very often	717	2.1 %
	<b>Total</b>	<b>34,150</b>	<b>99.5%</b>

This variable has 34,150 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	108	0.3 %

Missing Data				
-7	-7 = Refused		50	0.1 %
-1	-1 = Inapplicable		0	0.0 %
<b>Total</b>			<b>159</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9512-9517 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0135: In past 30 days, how often noticed health warnings on packages of shisha or hookah tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	29986	87.4 %
2	2 = Rarely	2037	5.9 %
3	3 = Sometimes	1015	3.0 %
4	4 = Often	488	1.4 %
5	5 = Very often	637	1.9 %
<b>Total</b>		<b>34,163</b>	<b>99.6%</b>

This variable has 34,163 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	107	0.3 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>146</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9518-9523 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0250: In past 30 days, how often you read or looked closely at the health warnings on packages of shisha or hookah tobacco

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of shisha or hookah tobacco?

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2 AND R05\_AR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	92	0.3 %
2	2 = Rarely	151	0.4 %
3	3 = Sometimes	100	0.3 %
4	4 = Often	38	0.1 %
5	5 = Very often	45	0.1 %
	<b>Total</b>	<b>426</b>	<b>1.2%</b>

This variable has 426 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33880	98.7 %
	<b>Total</b>	<b>33,883</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9524-9529 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0251: In past 30 days, how often have health warnings stopped you from smoking hookah

In the past 30 days, how often, if at all, have the health warnings stopped you from smoking hookah when you were about to?

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2 AND R05\_AR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	139	0.4 %
2	2 = Rarely	115	0.3 %

Value	Label	Unweighted Frequency	%
3	3 = Sometimes	82	0.2 %
4	4 = Often	41	0.1 %
5	5 = Very often	47	0.1 %
<b>Total</b>		<b>424</b>	<b>1.2%</b>

This variable has 424 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33880	98.7 %
<b>Total</b>		<b>33,885</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9530-9535 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AR0252: In past 30 days, have you tried to avoid looking at or thinking about health warnings on packages of hookah tobacco

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of shisha or hookah tobacco - such as covering them up, keeping them out of sight, using a case, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2 AND R05\_AR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	81	0.2 %
2	2 = No	344	1.0 %
<b>Total</b>		<b>425</b>	<b>1.2%</b>

This variable has 425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33880	98.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,884</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9536-9541 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0253: How believable do you consider health warnings on packages of hookah tobacco

How believable do you consider the health warnings on packages of shisha or hookah tobacco to be?

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2 AND R05\_AR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	32	0.1 %
2	2 = A little believable	41	0.1 %
3	3 = Somewhat believable	99	0.3 %
4	4 = Very believable	147	0.4 %
5	5 = Extremely believable	107	0.3 %
	<b>Total</b>	<b>426</b>	<b>1.2%</b>

This variable has 426 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33880	98.7 %
	<b>Total</b>	<b>33,883</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9542-9547 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0254: Extent to which health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking?

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2 AND R05\_AR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	65	0.2 %
2	2 = A little	126	0.4 %
3	3 = Somewhat	140	0.4 %
4	4 = A lot	96	0.3 %
	<b>Total</b>	<b>427</b>	<b>1.2%</b>

This variable has 427 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33880	98.7 %
	<b>Total</b>	<b>33,882</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9548-9553 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0255: To what extent do health warnings on packages of hookah tobacco make you more likely to quit/not start using

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you [more likely to quit smoking/more likely to not start smoking again]?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AR0206]

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05\_HOOK\_USER\_STATUS = 1, 2, 3, 4, 5 AND R05\_AR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	299	0.9 %
2	2 = A little	356	1.0 %
3	3 = Somewhat	466	1.4 %

Value	Label	Unweighted Frequency	%
4	4 = A lot	468	1.4 %
	<b>Total</b>	<b>1,589</b>	<b>4.6%</b>

This variable has 1,589 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32716	95.4 %
	<b>Total</b>	<b>32,720</b>	<b>95.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9554-9559 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0256: To what extent do health warnings on packages of hookah tobacco make you less likely to start using

To what extent, if at all, have the health warnings on packages of shisha or hookah tobacco made you less likely to start smoking hookah?

ASK: Adult respondents who have never smoked hookah and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05\_EVER\_NEVER\_HOOK = 2 AND R05\_AR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	537	1.6 %
2	2 = A little	344	1.0 %
3	3 = Somewhat	593	1.7 %
4	4 = A lot	1103	3.2 %
	<b>Total</b>	<b>2,577</b>	<b>7.5%</b>

This variable has 2,577 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	31724	92.5 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>31,732</b>	<b>92.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9560-9565 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0206: In past 30 days, how often have you noticed health warnings on snus containers

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	29144	84.9 %
2	2 = Rarely	2071	6.0 %
3	3 = Sometimes	1321	3.9 %
4	4 = Often	739	2.2 %
5	5 = Very often	891	2.6 %
	<b>Total</b>	<b>34,166</b>	<b>99.6%</b>

This variable has 34,166 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	110	0.3 %
-7	-7 = Refused	32	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>143</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9566-9571 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0207: In past 30 days, how often have you read or looked closely at health warnings on snus containers

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2 AND R05\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	46	0.1 %
2	2 = Rarely	63	0.2 %
3	3 = Sometimes	51	0.1 %
4	4 = Often	16	0.0 %
5	5 = Very often	25	0.1 %
	<b>Total</b>	<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34107	99.4 %
	<b>Total</b>	<b>34,108</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9572-9577 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AR0208: In past 30 days, how often health warnings stopped you from having a snus product

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus product when you were about to use one?

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2 AND R05\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	106	0.3 %
2	2 = Rarely	45	0.1 %
3	3 = Sometimes	30	0.1 %
4	4 = Often	7	0.0 %
5	5 = Very often	12	0.0 %
	<b>Total</b>	<b>200</b>	<b>0.6%</b>

This variable has 200 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34107	99.4 %
<b>Total</b>		<b>34,109</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9578-9583 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0209: In past 30 days, tried to avoid looking at or thinking about health warnings on snus containers

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2 AND R05\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.1 %
2	2 = No	159	0.5 %
<b>Total</b>		<b>201</b>	<b>0.6%</b>

This variable has 201 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34107	99.4 %
<b>Total</b>		<b>34,108</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9584-9589 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0210: Believability of health warnings on snus containers

How believable do you consider the health warnings on snus containers to be?

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2 AND R05\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	8	0.0 %
2	2 = A little believable	21	0.1 %
3	3 = Somewhat believable	47	0.1 %
4	4 = Very believable	71	0.2 %
5	5 = Extremely believable	52	0.2 %
	<b>Total</b>	<b>199</b>	<b>0.6%</b>

This variable has 199 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34107	99.4 %
	<b>Total</b>	<b>34,110</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9590-9595 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0211: Extent to which health warnings on snus containers make you think about the health risks of snus

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2 AND R05\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	37	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = A little	71	0.2 %
3	3 = Somewhat	69	0.2 %
4	4 = A lot	23	0.1 %
	<b>Total</b>	<b>200</b>	<b>0.6%</b>

This variable has 200 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34107	99.4 %	
	<b>Total</b>	<b>34,109</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9596-9601 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0212: Extent to which health warnings on snus containers makes you more likely to quit/stay quit from using snus

To what extent, if at all, do the health warnings on snus containers make you [more likely to quit using snus/ more likely to not start using snus again]?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AR0060]

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05\_SNUS\_USER\_STATUS = 1, 2, 3, 4, 5 AND R05\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	247	0.7 %
2	2 = A little	177	0.5 %
3	3 = Somewhat	193	0.6 %
4	4 = A lot	170	0.5 %
	<b>Total</b>	<b>787</b>	<b>2.3%</b>

This variable has 787 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33518	97.7 %
<b>Total</b>		<b>33,522</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9602-9607 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0257: To what extent do health warnings on snus containers make you less likely to start using

To what extent, if at all, have the health warnings on snus containers made you less likely to start using snus?

ASK: Adult respondents who have never used snus and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05\_EVER\_NEVER\_SNUS = 2 AND R05\_AR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	829	2.4 %
2	2 = A little	466	1.4 %
3	3 = Somewhat	835	2.4 %
4	4 = A lot	2087	6.1 %
<b>Total</b>		<b>4,217</b>	<b>12.3%</b>

This variable has 4,217 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	30079	87.7 %
<b>Total</b>		<b>30,092</b>	<b>87.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9608-9613 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AR0060: In past 30 days, how often have you noticed health warnings on packages of smokeless tobacco products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit, chew, and moist snuff?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	28337	82.6 %
2	2 = Rarely	2240	6.5 %
3	3 = Sometimes	1603	4.7 %
4	4 = Often	894	2.6 %
5	5 = Very often	1106	3.2 %
<b>Total</b>		<b>34,180</b>	<b>99.6%</b>

This variable has 34,180 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	100	0.3 %
-7	-7 = Refused	28	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>129</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9614-9619 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AR0205: In past 30 days, how often have you read or looked closely at health warnings on smokeless tobacco packages

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2 AND R05\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	143	0.4 %
2	2 = Rarely	247	0.7 %
3	3 = Sometimes	230	0.7 %
4	4 = Often	76	0.2 %
5	5 = Very often	88	0.3 %
	<b>Total</b>	<b>784</b>	<b>2.3%</b>

This variable has 784 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33522	97.7 %
	<b>Total</b>	<b>33,522</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9620-9625 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0065: In past 30 days, how often have health warnings stopped you from having a smokeless tobacco product when about to use one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2 AND R05\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	492	1.4 %
2	2 = Rarely	154	0.4 %
3	3 = Sometimes	83	0.2 %
4	4 = Often	24	0.1 %
5	5 = Very often	31	0.1 %
	<b>Total</b>	<b>784</b>	<b>2.3%</b>

This variable has 784 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33522	97.7 %	
<b>Total</b>		<b>33,525</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9626-9631 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0070: In past 30 days, tried to avoid looking at or thinking about health warnings on packages of smokeless tobacco products

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2 AND R05\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	88	0.3 %
2	2 = No	697	2.0 %
<b>Total</b>		<b>785</b>	<b>2.3%</b>

This variable has 785 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33522	97.7 %
<b>Total</b>		<b>33,524</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9632-9637 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0075: Believability of health warnings on packages of smokeless tobacco products

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2 AND R05\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	21	0.1 %
2	2 = A little believable	71	0.2 %
3	3 = Somewhat believable	190	0.6 %
4	4 = Very believable	300	0.9 %
5	5 = Extremely believable	199	0.6 %
<b>Total</b>		<b>781</b>	<b>2.3%</b>

This variable has 781 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	33522	97.7 %	
<b>Total</b>		<b>33,528</b>	<b>97.7%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 9638-9643 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AR0085: Extent to which health warnings on packages of smokeless tobacco products makes you think about health risks of using smokeless tobacco products

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2 AND R05\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	167	0.5 %
2	2 = A little	255	0.7 %
3	3 = Somewhat	261	0.8 %

Value	Label	Unweighted Frequency	%
4	4 = A lot	102	0.3 %
	<b>Total</b>	<b>785</b>	<b>2.3%</b>

This variable has 785 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33522	97.7 %
	<b>Total</b>	<b>33,522</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9644-9649 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR0090: Extent to which health warnings on packages of smokeless tobacco products makes you more likely to quit/stay quit from using smokeless tobacco products

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you [more likely to quit using smokeless tobacco products/more likely to not start using smokeless tobacco products again]?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_AXT03]

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05\_SMKLS\_USER\_STATUS = 1, 2, 3, 4, 5 AND  
R05\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	443	1.3 %
2	2 = A little	432	1.3 %
3	3 = Somewhat	430	1.3 %
4	4 = A lot	329	1.0 %
	<b>Total</b>	<b>1,634</b>	<b>4.8%</b>

This variable has 1,634 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	32671	95.2 %	
<b>Total</b>		<b>32,675</b>	<b>95.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9650-9655 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR0258: To what extent do health warnings on packages of smokeless tobacco make you less likely to start using

To what extent, if at all, have the health warnings on smokeless tobacco packages made you less likely to start using smokeless tobacco?

ASK: Adult respondents who have never used smokeless tobacco and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05\_EVER\_NEVER\_SMKLS = 2 AND R05\_AR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	731	2.1 %
2	2 = A little	468	1.4 %
3	3 = Somewhat	845	2.5 %
4	4 = A lot	2149	6.3 %
<b>Total</b>		<b>4,193</b>	<b>12.2%</b>

This variable has 4,193 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	7	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	30106	87.7 %	
<b>Total</b>		<b>30,116</b>	<b>87.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9656-9661 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0722: Perception of harmfulness of nicotine to health

The next questions ask about your opinions on using tobacco, including e-cigarettes, and other electronic nicotine products.

How harmful do you think nicotine is to health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	826	2.4 %
2	2 = Slightly harmful	1591	4.6 %
3	3 = Somewhat harmful	5533	16.1 %
4	4 = Very harmful	10764	31.4 %
5	5 = Extremely harmful	15485	45.1 %
<b>Total</b>		<b>34,199</b>	<b>99.7%</b>

This variable has 34,199 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	71	0.2 %	
-7	-7 = Refused	38	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>110</b>	<b>0.3%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 9662-9667 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AN0250: Extent to which you believe nicotine to be the main substance that makes people want to use tobacco products

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	16592	48.4 %
2	2 = Probably yes	13019	37.9 %
3	3 = Probably not	2912	8.5 %
4	4 = Definitely not	1616	4.7 %
<b>Total</b>		<b>34,139</b>	<b>99.5%</b>

This variable has 34,139 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	136	0.4 %
-7	-7 = Refused	33	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>170</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9668-9673 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0723: Perception of harmfulness of an additive-free tobacco product compared to a regular tobacco product

Do you think a tobacco product described as additive-free is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	4205	12.3 %
2	2 = About the same	26171	76.3 %
3	3 = More harmful	3615	10.5 %
<b>Total</b>		<b>33,991</b>	<b>99.1%</b>

This variable has 33,991 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	281	0.8 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>318</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9674-9679 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0724: Perception of harmfulness of an organic tobacco product compared to a regular tobacco product

Do you think a tobacco product described as organic is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	4679	13.6 %
2	2 = About the same	26892	78.4 %
3	3 = More harmful	2454	7.2 %
<b>Total</b>		<b>34,025</b>	<b>99.2%</b>

This variable has 34,025 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	245	0.7 %	
-7	-7 = Refused	38	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>284</b>	<b>0.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9680-9685 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0004: In past 30 days, how often you thought about the harm your tobacco use might be doing to you

In the past 30 days, how often did you think about the harm your tobacco use might be doing to you?

ASK: Adult respondents who are current established or current experimental tobacco users.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Never	2691	7.8 %
2	2 = Rarely	2903	8.5 %
3	3 = Sometimes	4388	12.8 %
4	4 = Often	2122	6.2 %
5	5 = Very often	1481	4.3 %
<b>Total</b>		<b>13,585</b>	<b>39.6%</b>

This variable has 13,585 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	27	0.1 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	20671	60.2 %	
<b>Total</b>		<b>20,724</b>	<b>60.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9686-9691 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9050: General perception: Harmfulness of cigarettes to health

How harmful do you think cigarettes are to health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	471	1.4 %
2	2 = Slightly harmful	748	2.2 %
3	3 = Somewhat harmful	3414	10.0 %
4	4 = Very harmful	9809	28.6 %
5	5 = Extremely harmful	19794	57.7 %
<b>Total</b>		<b>34,236</b>	<b>99.8%</b>

This variable has 34,236 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.1 %
-7	-7 = Refused	30	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>73</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9692-9697 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1149: Harmfulness of nicotine in cigarettes to health

How harmful do you think the nicotine in cigarettes is to health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	657	1.9 %
2	2 = Slightly harmful	1767	5.2 %
3	3 = Somewhat harmful	6169	18.0 %
4	4 = Very harmful	10373	30.2 %
5	5 = Extremely harmful	15241	44.4 %
	<b>Total</b>	<b>34,207</b>	<b>99.7%</b>

This variable has 34,207 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	77	0.2 %
-7	-7 = Refused	24	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>102</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9698-9703 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9046: General perception: Harmfulness of certain types of cigarettes to health

In your opinion, do you think that some types of cigarettes are less harmful to a person's health than other types?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6231	18.2 %
2	2 = No	19567	57.0 %
3	3 = I don't know	8450	24.6 %
	<b>Total</b>	<b>34,248</b>	<b>99.8%</b>

This variable has 34,248 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	34	0.1 %	
-7	-7 = Refused	26	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>61</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9704-9709 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9040\_NB: Flavored cigarettes less harmful, no different or more harmful than regular cigarettes

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	98	0.3 %
2	2 = No different	3483	10.2 %
3	3 = More harmful	832	2.4 %
<b>Total</b>		<b>4,413</b>	<b>12.9%</b>

This variable has 4,413 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	17	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	29875	87.1 %	
<b>Total</b>		<b>29,896</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9710-9715 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9051: General perception: Cigarettes with lower amounts of nicotine are less addictive, about the same, or more addictive than regular cigarettes

In your opinion, do you think that cigarettes with lower amounts of nicotine are less addictive,

about the same, or more addictive than regular cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less addictive	6173	18.0 %
2	2 = About the same	25628	74.7 %
3	3 = More addictive	2282	6.7 %
<b>Total</b>		<b>34,083</b>	<b>99.3%</b>

This variable has 34,083 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	186	0.5 %
-7	-7 = Refused	39	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>226</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9716-9721 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9062: General perception: Cigarettes with lower amounts of nicotine are less harmful or more harmful to health

If someone switched completely to cigarettes with lower amounts of nicotine, but still smoked the same number of cigarettes as before, would it be less harmful, about the same, or more harmful to their health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2983	8.7 %
2	2 = About the same	28723	83.7 %
3	3 = More harmful	2384	6.9 %
<b>Total</b>		<b>34,090</b>	<b>99.4%</b>

This variable has 34,090 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	176	0.5 %	
-7	-7 = Refused	42	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>219</b>	<b>0.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9722-9727 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9055: In past 30 days, stubbed out a cigarette before finishing it because you thought about the harm of smoking

In the past 30 days, have you stubbed out a cigarette before you finished it because you thought about the harm of smoking?

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05\_CIG\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2825	8.2 %
2	2 = No	6565	19.1 %
	<b>Total</b>	<b>9,390</b>	<b>27.4%</b>

This variable has 9,390 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	22	0.1 %	
-1	-1 = Inapplicable	24881	72.5 %	
	<b>Total</b>	<b>24,919</b>	<b>72.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9728-9733 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC1170: General perception: Harmfulness of smoking cigarettes some days but not every day

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	635	1.9 %
2	2 = A little harm	2909	8.5 %
3	3 = Some harm	14615	42.6 %
4	4 = A lot of harm	15977	46.6 %
	<b>Total</b>	<b>34,136</b>	<b>99.5%</b>

This variable has 34,136 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	131	0.4 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>173</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9734-9739 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1110: General perception: Harmfulness of today's cigarettes compared to those of five years ago

How harmful do you think today's cigarettes are compared to those of five years ago?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Much less harmful	465	1.4 %
2	2 = Somewhat less harmful	2080	6.1 %
3	3 = About the same	18926	55.2 %
4	4 = Somewhat more harmful	5126	14.9 %
5	5 = Much more harmful	7376	21.5 %
	<b>Total</b>	<b>33,973</b>	<b>99.0%</b>

This variable has 33,973 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	302	0.9 %	
-7	-7 = Refused	33	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>336</b>	<b>1.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9740-9745 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9120: Extent to which you believe nicotine in cigarettes to be the chemical that causes most of the cancer caused by smoking

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	8170	23.8 %
2	2 = Probably yes	14156	41.3 %
3	3 = Probably not	8972	26.2 %
4	4 = Definitely not	2563	7.5 %
<b>Total</b>		<b>33,861</b>	<b>98.7%</b>

This variable has 33,861 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	397	1.2 %	
-7	-7 = Refused	50	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>448</b>	<b>1.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9746-9751 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AE9050: General perception: Harmfulness of using e-cigarettes or other electronic nicotine products to health

How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	767	2.2 %
2	2 = Slightly harmful	2656	7.7 %
3	3 = Somewhat harmful	8916	26.0 %
4	4 = Very harmful	10494	30.6 %
5	5 = Extremely harmful	11127	32.4 %
	<b>Total</b>	<b>33,960</b>	<b>99.0%</b>

This variable has 33,960 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	286	0.8 %	
-7	-7 = Refused	62	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>349</b>	<b>1.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9752-9757 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1149: Harmfulness of e-cigarettes or other electronic nicotine products to health

How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	810	2.4 %
2	2 = Slightly harmful	2881	8.4 %
3	3 = Somewhat harmful	9290	27.1 %
4	4 = Very harmful	10614	30.9 %
5	5 = Extremely harmful	10452	30.5 %
	<b>Total</b>	<b>34,047</b>	<b>99.2%</b>

This variable has 34,047 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	220	0.6 %	
-7	-7 = Refused	41	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>262</b>	<b>0.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9758-9763 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1170: General perception: How much people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	905	2.6 %
2	2 = A little harm	4608	13.4 %
3	3 = Some harm	15042	43.8 %
4	4 = A lot of harm	13491	39.3 %
<b>Total</b>		<b>34,046</b>	<b>99.2%</b>

This variable has 34,046 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	214	0.6 %
-7	-7 = Refused	48	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>263</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9764-9769 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1669: In past 12 months, seen any e-cigarettes or other electronic nicotine products that claim to be less harmful

In the past 12 months, have you seen any e-cigarettes or other electronic nicotine products that claim to be less harmful?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AE1099]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10042	29.3 %
2	2 = No	24098	70.2 %
	<b>Total</b>	<b>34,140</b>	<b>99.5%</b>

This variable has 34,140 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	0.4 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>169</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9770-9775 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV1670: Likelihood of using e-cigarettes or other electronic nicotine products that claim to be less harmful in the next 30 days

How likely is it that you will use one of these e-cigarettes or other electronic nicotine products that claim to be less harmful in the next 30 days?

ASK: Adult respondents who have seen e-cigarettes or other ENPs that claim to be less harmful in the past 12 months.

ASK Specification: IF R05\_AV1669 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	585	1.7 %
2	2 = Somewhat likely	946	2.8 %
3	3 = Somewhat unlikely	961	2.8 %
4	4 = Very unlikely	7532	22.0 %
	<b>Total</b>	<b>10,024</b>	<b>29.2%</b>

This variable has 10,024 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	24266	70.7 %
<b>Total</b>		<b>24,285</b>	<b>70.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9776-9781 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AE1099: General perception: Harmfulness of using e-cigarettes or other electronic nicotine products compared to smoking cigarettes

Is using e-cigarettes or other electronic nicotine products less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	7001	20.4 %
2	2 = About the same	22477	65.5 %
3	3 = More harmful	4522	13.2 %
<b>Total</b>		<b>34,000</b>	<b>99.1%</b>

This variable has 34,000 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	266	0.8 %
-7	-7 = Refused	42	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>309</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9782-9787 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1148: Harmfulness of using menthol or mint flavored e-cigarettes compared to tobacco-flavored or unflavored e-cigarettes

Some e-cigarettes and other electronic nicotine products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets. Other e-cigarettes or electronic nicotine products are tobacco-flavored or unflavored.

Do you think using menthol or mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1156	3.4 %
2	2 = About the same	27479	80.1 %
3	3 = More harmful	5403	15.7 %
<b>Total</b>		<b>34,038</b>	<b>99.2%</b>

This variable has 34,038 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	220	0.6 %	
-7	-7 = Refused	50	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>271</b>	<b>0.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9788-9793 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV1152: Harmfulness of using flavored e-cigarettes (other than menthol or mint) compared to tobacco-flavored or unflavored e-cigarettes

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1064	3.1 %
2	2 = About the same	28451	82.9 %
3	3 = More harmful	4528	13.2 %
<b>Total</b>		<b>34,043</b>	<b>99.2%</b>

This variable has 34,043 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	212	0.6 %
-7	-7 = Refused	53	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>266</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9794-9799 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG9050: General perception: Harmfulness of traditional cigars to health

How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All adult respondents.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Not at all harmful	495	1.4 %
2	2 = Slightly harmful	1226	3.6 %
3	3 = Somewhat harmful	6646	19.4 %
4	4 = Very harmful	11354	33.1 %
5	5 = Extremely harmful	14347	41.8 %
<b>Total</b>		<b>34,068</b>	<b>99.3%</b>

This variable has 34,068 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	184	0.5 %
-7	-7 = Refused	56	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>241</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9800-9805 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AG9060: General perception: How much people harm themselves when they smoke traditional cigars some days but not every day

How much do you think people harm themselves when they smoke traditional cigars some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	589	1.7 %
2	2 = A little harm	3289	9.6 %
3	3 = Some harm	15130	44.1 %
4	4 = A lot of harm	15086	44.0 %
	<b>Total</b>	<b>34,094</b>	<b>99.4%</b>

This variable has 34,094 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	171	0.5 %
-7	-7 = Refused	43	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>215</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 9806-9811 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AG1099: General perception: Harmfulness of smoking traditional cigars compared to smoking cigarettes

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3592	10.5 %
2	2 = About the same	21592	62.9 %
3	3 = More harmful	8860	25.8 %
	<b>Total</b>	<b>34,044</b>	<b>99.2%</b>

This variable has 34,044 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	223	0.6 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>265</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9812-9817 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG9058: General perception: Flavored tobacco in traditional cigars is more harmful or less harmful than unflavored tobacco in traditional cigars

Some traditional cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in traditional cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in traditional cigars?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	742	2.2 %
2	2 = About the same	27868	81.2 %
3	3 = More harmful	5442	15.9 %
<b>Total</b>		<b>34,052</b>	<b>99.3%</b>

This variable has 34,052 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	215	0.6 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>257</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9818-9823 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG9054: General perception: Harmfulness of cigarillos to health

How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	405	1.2 %
2	2 = Slightly harmful	1010	2.9 %
3	3 = Somewhat harmful	7090	20.7 %
4	4 = Very harmful	12005	35.0 %
5	5 = Extremely harmful	13532	39.4 %
	<b>Total</b>	<b>34,042</b>	<b>99.2%</b>

This variable has 34,042 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	222	0.6 %
-7	-7 = Refused	44	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>267</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9824-9829 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9061: General perception: How much people harm themselves when they smoke cigarillos some days but not every day

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	480	1.4 %
2	2 = A little harm	2756	8.0 %
3	3 = Some harm	16356	47.7 %
4	4 = A lot of harm	14472	42.2 %
	<b>Total</b>	<b>34,064</b>	<b>99.3%</b>

This variable has 34,064 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	202	0.6 %
-7	-7 = Refused	42	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>245</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9830-9835 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1106: General perception: Harmfulness of smoking cigarillos compared to smoking cigarettes

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1965	5.7 %
2	2 = About the same	25836	75.3 %
3	3 = More harmful	6203	18.1 %
<b>Total</b>		<b>34,004</b>	<b>99.1%</b>

This variable has 34,004 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	259	0.8 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>305</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9836-9841 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG9059: General perception: Flavored tobacco in cigarillos is more harmful or less harmful than unflavored tobacco in cigarillos

Some cigarillos come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in cigarillos is less harmful, about the same, or more harmful than smoking unflavored tobacco in cigarillos?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	590	1.7 %
2	2 = About the same	28115	81.9 %
3	3 = More harmful	5343	15.6 %
<b>Total</b>		<b>34,048</b>	<b>99.2%</b>

This variable has 34,048 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	214	0.6 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>261</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9842-9847 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9055: General perception: Harmfulness of filtered cigars to health

How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	376	1.1 %
2	2 = Slightly harmful	1095	3.2 %
3	3 = Somewhat harmful	7414	21.6 %
4	4 = Very harmful	12068	35.2 %
5	5 = Extremely harmful	13083	38.1 %
<b>Total</b>		<b>34,036</b>	<b>99.2%</b>

This variable has 34,036 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	203	0.6 %	
-7	-7 = Refused	69	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>273</b>	<b>0.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9848-9853 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG9062: General perception: How much people harm themselves when they smoke filtered cigars some days but not every day

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	439	1.3 %
2	2 = A little harm	2759	8.0 %
3	3 = Some harm	16719	48.7 %
4	4 = A lot of harm	14156	41.3 %
<b>Total</b>		<b>34,073</b>	<b>99.3%</b>

This variable has 34,073 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	196	0.6 %	
-7	-7 = Refused	39	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>236</b>	<b>0.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9854-9859 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AG1107: General perception: Harmfulness of smoking filtered cigars compared to smoking cigarettes

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2197	6.4 %
2	2 = About the same	26248	76.5 %
3	3 = More harmful	5583	16.3 %
<b>Total</b>		<b>34,028</b>	<b>99.2%</b>

This variable has 34,028 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	235	0.7 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>281</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9860-9865 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AG9960: General perception: Flavored tobacco in filtered cigars is more harmful or less harmful than unflavored tobacco in filtered cigars

Some filtered cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in filtered cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in filtered cigars?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	665	1.9 %
2	2 = About the same	28195	82.2 %
3	3 = More harmful	5196	15.1 %
<b>Total</b>		<b>34,056</b>	<b>99.3%</b>

This variable has 34,056 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	211	0.6 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>253</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9866-9871 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AG1110: General perception: Harmfulness of today's traditional cigars, cigarillos or filtered cigars compared to those of five years ago

How harmful do you think today's traditional cigars, cigarillos, or filtered cigars are compared to those of five years ago?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Much less harmful	299	0.9 %
2	2 = Somewhat less harmful	1388	4.0 %
3	3 = About the same	21356	62.2 %
4	4 = Somewhat more harmful	5129	14.9 %
5	5 = Much more harmful	5736	16.7 %
<b>Total</b>		<b>33,908</b>	<b>98.8%</b>

This variable has 33,908 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	357	1.0 %
-7	-7 = Refused	43	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>401</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9872-9877 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AP1170: General perception: How much people harm themselves when they smoke pipe tobacco some days but not every day

How much do you think people harm themselves when they smoke pipe tobacco some days but not every day?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	536	1.6 %
2	2 = A little harm	2580	7.5 %
3	3 = Some harm	14821	43.2 %
4	4 = A lot of harm	16086	46.9 %
	<b>Total</b>	<b>34,023</b>	<b>99.2%</b>

This variable has 34,023 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	230	0.7 %
-7	-7 = Refused	55	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>286</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9878-9883 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AP1099: General perception: Harmfulness of smoking pipes filled with tobacco compared to smoking cigarettes

Is smoking pipes filled with tobacco less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3054	8.9 %
2	2 = About the same	23501	68.5 %
3	3 = More harmful	7456	21.7 %
	<b>Total</b>	<b>34,011</b>	<b>99.1%</b>

This variable has 34,011 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	252	0.7 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>298</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9884-9889 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH9050: General perception: Harmfulness of shisha or hookah tobacco to health

How harmful do you think shisha or hookah tobacco is to health?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	477	1.4 %
2	2 = Slightly harmful	1991	5.8 %
3	3 = Somewhat harmful	9351	27.3 %
4	4 = Very harmful	10234	29.8 %
5	5 = Extremely harmful	11816	34.4 %
<b>Total</b>		<b>33,869</b>	<b>98.7%</b>

This variable has 33,869 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	395	1.2 %
-7	-7 = Refused	44	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>440</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9890-9895 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AH9044: General perception: How harmful to be around people who are smoking shisha or hookah tobacco

How harmful is it to be around people who are smoking shisha or hookah tobacco?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	1173	3.4 %
2	2 = Slightly harmful	4293	12.5 %
3	3 = Somewhat harmful	11795	34.4 %
4	4 = Very harmful	8511	24.8 %
5	5 = Extremely harmful	8080	23.6 %
<b>Total</b>		<b>33,852</b>	<b>98.7%</b>

This variable has 33,852 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	409	1.2 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>457</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 9896-9901 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AH1170: General perception: How much people harm themselves when they smoke hookah on some days but not every day

How much do you think people harm themselves when they smoke hookah on some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	671	2.0 %
2	2 = A little harm	4534	13.2 %
3	3 = Some harm	16505	48.1 %
4	4 = A lot of harm	12229	35.6 %
<b>Total</b>		<b>33,939</b>	<b>98.9%</b>

This variable has 33,939 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	333	1.0 %
-7	-7 = Refused	36	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>370</b>	<b>1.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9902-9907 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AH1099: General perception: Harmfulness of smoking tobacco in a hookah compared to smoking cigarettes

Is smoking tobacco in a hookah less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	4596	13.4 %
2	2 = About the same	22536	65.7 %
3	3 = More harmful	6716	19.6 %
<b>Total</b>		<b>33,848</b>	<b>98.7%</b>

This variable has 33,848 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	414	1.2 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>461</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9908-9913 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AU9050: General perception: Harmfulness of snus to health

How harmful do you think snus is to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	355	1.0 %
2	2 = Slightly harmful	1075	3.1 %
3	3 = Somewhat harmful	6309	18.4 %
4	4 = Very harmful	10602	30.9 %
5	5 = Extremely harmful	15559	45.3 %
	<b>Total</b>	<b>33,900</b>	<b>98.8%</b>

This variable has 33,900 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	355	1.0 %
-7	-7 = Refused	53	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>409</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 9914-9919 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AU1105: General perception: Harmfulness of using snus compared to smoking cigarettes

Is using snus less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2554	7.4 %
2	2 = About the same	21310	62.1 %
3	3 = More harmful	9976	29.1 %
	<b>Total</b>	<b>33,840</b>	<b>98.6%</b>

This variable has 33,840 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	421	1.2 %	
-7	-7 = Refused	47	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>469</b>	<b>1.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9920-9925 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1170: General perception: How much people harm themselves when they use snus on some days but not every day

How much do you think people harm themselves when they use snus on some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	448	1.3 %
2	2 = A little harm	2893	8.4 %
3	3 = Some harm	15182	44.3 %
4	4 = A lot of harm	15383	44.8 %
<b>Total</b>		<b>33,906</b>	<b>98.8%</b>

This variable has 33,906 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	353	1.0 %	
-7	-7 = Refused	49	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>403</b>	<b>1.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9926-9931 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1669: In past 12 months, seen any snus products that claim to be less harmful

In the past 12 months, have you seen any snus products that claim to be less harmful?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AU9040]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1659	4.8 %
2	2 = No	32425	94.5 %
	<b>Total</b>	<b>34,084</b>	<b>99.3%</b>

This variable has 34,084 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	186	0.5 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>225</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 9932-9937 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AU1670: Likeliness of using snus products that claim to be less harmful in the next 30 days

How likely is it that you will use one of these snus products that claim to be less harmful in the next 30 days?

ASK: Adult respondents who have seen snus products that claim to be less harmful in the past 12 months.

ASK Specification: IF R05\_AU1669 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	159	0.5 %
2	2 = Somewhat likely	241	0.7 %
3	3 = Somewhat unlikely	247	0.7 %
4	4 = Very unlikely	1008	2.9 %
	<b>Total</b>	<b>1,655</b>	<b>4.8%</b>

This variable has 1,655 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	32649	95.2 %	
<b>Total</b>		<b>32,654</b>	<b>95.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9938-9943 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU9040: General perception: Harmfulness of using snus compared to smokeless tobacco products

Is using snus less harmful, about the same, or more harmful than other types of smokeless tobacco products (such as dip, spit, or chew)?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	938	2.7 %
2	2 = About the same	26745	78.0 %
3	3 = More harmful	6025	17.6 %
<b>Total</b>		<b>33,708</b>	<b>98.2%</b>

This variable has 33,708 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	549	1.6 %	
-7	-7 = Refused	51	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>601</b>	<b>1.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9944-9949 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AU1110: General perception: Harmfulness of today's snus compared to those of five years ago

How harmful do you think today's snus products are compared to those of five years ago?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Much less harmful	257	0.7 %
2	2 = Somewhat less harmful	1071	3.1 %
3	3 = About the same	22010	64.2 %
4	4 = Somewhat more harmful	4417	12.9 %
5	5 = Much more harmful	5889	17.2 %
	<b>Total</b>	<b>33,644</b>	<b>98.1%</b>

This variable has 33,644 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	617	1.8 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>665</b>	<b>1.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9950-9955 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AS9050: General perception: Harmfulness of smokeless tobacco products to health

How harmful do you think other smokeless tobacco products (such as dip, spit, or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	332	1.0 %
2	2 = Slightly harmful	1041	3.0 %
3	3 = Somewhat harmful	6729	19.6 %
4	4 = Very harmful	10540	30.7 %
5	5 = Extremely harmful	15351	44.7 %
	<b>Total</b>	<b>33,993</b>	<b>99.1%</b>

This variable has 33,993 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	266	0.8 %
-7	-7 = Refused	49	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>316</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9956-9961 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1170: General perception: How much people harm themselves when they use other smokeless tobacco products on some days but not every day

How much do you think people harm themselves when they use other smokeless tobacco products (such as dip, spit, or chew) on some days but not every day?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	401	1.2 %
2	2 = A little harm	2453	7.1 %
3	3 = Some harm	14817	43.2 %
4	4 = A lot of harm	16345	47.6 %
<b>Total</b>		<b>34,016</b>	<b>99.1%</b>

This variable has 34,016 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	248	0.7 %
-7	-7 = Refused	44	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>293</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9962-9967 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1669: In past 12 months, seen any smokeless tobacco products that claim to be less harmful

In the past 12 months, have you seen any smokeless tobacco products (such as dip, spit, or chew) that claim to be less harmful?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AS1105]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1984	5.8 %
2	2 = No	32141	93.7 %
	<b>Total</b>	<b>34,125</b>	<b>99.5%</b>

This variable has 34,125 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	150	0.4 %
-7	-7 = Refused	33	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>184</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9968-9973 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1670: Likeliness of using smokeless tobacco products that claim to be less harmful in the next 30 days

How likely is it that you will use one of these smokeless tobacco products (such as dip, spit, or chew) that claim to be less harmful in the next 30 days?

ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful in the past 12 months.

ASK Specification: IF R05\_AS1669 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	200	0.6 %
2	2 = Somewhat likely	250	0.7 %
3	3 = Somewhat unlikely	272	0.8 %
4	4 = Very unlikely	1255	3.7 %
	<b>Total</b>	<b>1,977</b>	<b>5.8%</b>

This variable has 1,977 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32324	94.2 %
<b>Total</b>		<b>32,332</b>	<b>94.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9974-9979 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1105: General perception: Harmfulness of using smokeless tobacco compared to smoking cigarettes

Is using smokeless tobacco (such as dip, spit, or chew) less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2385	7.0 %
2	2 = About the same	22929	66.8 %
3	3 = More harmful	8638	25.2 %
<b>Total</b>		<b>33,952</b>	<b>99.0%</b>

This variable has 33,952 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	312	0.9 %
-7	-7 = Refused	44	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>357</b>	<b>1.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9980-9985 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AS1110: General perception: Harmfulness of today's smokeless tobacco products compared to those of five years ago

How harmful do you think today's smokeless tobacco products (such as dip, spit, or chew) are compared to those of five years ago?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Much less harmful	279	0.8 %
2	2 = Somewhat less harmful	995	2.9 %
3	3 = About the same	22039	64.2 %
4	4 = Somewhat more harmful	4476	13.0 %
5	5 = Much more harmful	6024	17.6 %
<b>Total</b>		<b>33,813</b>	<b>98.6%</b>

This variable has 33,813 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	448	1.3 %	
-7	-7 = Refused	47	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>496</b>	<b>1.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 9986-9991 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0759: Harmfulness of nicotine in nicotine replacement products such as nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge

Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge.

How harmful do you think the nicotine in these products is to health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	1164	3.4 %
2	2 = Slightly harmful	5724	16.7 %
3	3 = Somewhat harmful	11752	34.3 %
4	4 = Very harmful	7329	21.4 %
5	5 = Extremely harmful	7961	23.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>33,930</b>	<b>98.9%</b>

This variable has 33,930 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	336	1.0 %
-7	-7 = Refused	42	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>379</b>	<b>1.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9992-9997 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9055: Harmfulness of e-cigarettes and other electronic nicotine products compared to nicotine patch, gum, or lozenge

Do you think using e-cigarettes and other electronic nicotine products is less harmful, about the same, or more harmful than using a nicotine patch, gum, or lozenge?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2738	8.0 %
2	2 = About the same	19994	58.3 %
3	3 = More harmful	11219	32.7 %
	<b>Total</b>	<b>33,951</b>	<b>99.0%</b>

This variable has 33,951 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	314	0.9 %
-7	-7 = Refused	43	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>358</b>	<b>1.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 9998-10003 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AC9060: Level of agreement - based on your belief, smoking can cause: stroke in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

stroke in smokers.

ASK: All adult respondents. (Note - The list of health effects should include the diseases that are featured on the new health warnings if/when they come on cigarette packs, thus these current questions are subject to change based on this future information.)

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	19892	58.0 %
2	2 = Agree	10443	30.4 %
3	3 = Neither agree nor disagree	3246	9.5 %
4	4 = Disagree	371	1.1 %
5	5 = Strongly disagree	199	0.6 %
<b>Total</b>		<b>34,151</b>	<b>99.5%</b>

This variable has 34,151 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	97	0.3 %
-7	-7 = Refused	59	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>158</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10004-10009 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AC9065: Level of agreement - based on your belief, smoking can cause: lung cancer in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

lung cancer in smokers.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	26147	76.2 %
2	2 = Agree	6541	19.1 %
3	3 = Neither agree nor disagree	1102	3.2 %
4	4 = Disagree	153	0.4 %
5	5 = Strongly disagree	159	0.5 %
	<b>Total</b>	<b>34,102</b>	<b>99.4%</b>

This variable has 34,102 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	109	0.3 %
-7	-7 = Refused	95	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>207</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10010-10015 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AC9070: Level of agreement - based on your belief, smoking can cause: heart disease in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

heart disease in smokers.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	22989	67.0 %
2	2 = Agree	8680	25.3 %
3	3 = Neither agree nor disagree	2082	6.1 %
4	4 = Disagree	244	0.7 %

Value	Label	Unweighted Frequency	%
5	5 = Strongly disagree	178	0.5 %
	<b>Total</b>	<b>34,173</b>	<b>99.6%</b>

This variable has 34,173 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	74	0.2 %
-7	-7 = Refused	59	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>136</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10016-10021 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9075: Level of agreement - based on your belief, smoking can cause: blindness in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

blindness in smokers.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	9356	27.3 %
2	2 = Agree	7089	20.7 %
3	3 = Neither agree nor disagree	13197	38.5 %
4	4 = Disagree	3293	9.6 %
5	5 = Strongly disagree	1117	3.3 %
	<b>Total</b>	<b>34,052</b>	<b>99.3%</b>

This variable has 34,052 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	183	0.5 %

Missing Data				
-7	-7 = Refused	70	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>257</b>	<b>0.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10022-10027 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9043: Level of agreement - based on your belief, smoking can cause: diabetes in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

diabetes in smokers.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	9927	28.9 %
2	2 = Agree	7520	21.9 %
3	3 = Neither agree nor disagree	12204	35.6 %
4	4 = Disagree	3348	9.8 %
5	5 = Strongly disagree	1052	3.1 %
<b>Total</b>		<b>34,051</b>	<b>99.2%</b>

This variable has 34,051 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	4	0.0 %	
-8	-8 = Don't know	191	0.6 %	
-7	-7 = Refused	62	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>258</b>	<b>0.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10028-10033 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9080: Level of agreement - based on your belief, smoking can cause: poor circulation in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

poor circulation - also called peripheral artery disease (PAD) or peripheral vascular disease (PWD) in smokers.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	18588	54.2 %
2	2 = Agree	10238	29.8 %
3	3 = Neither agree nor disagree	4467	13.0 %
4	4 = Disagree	553	1.6 %
5	5 = Strongly disagree	255	0.7 %
	<b>Total</b>	<b>34,101</b>	<b>99.4%</b>

This variable has 34,101 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	74	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>208</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10034-10039 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AC9085: Level of agreement - based on your belief, smoking can cause: bladder cancer in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

bladder cancer in smokers.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	11685	34.1 %
2	2 = Agree	8187	23.9 %
3	3 = Neither agree nor disagree	11570	33.7 %
4	4 = Disagree	2062	6.0 %
5	5 = Strongly disagree	560	1.6 %
	<b>Total</b>	<b>34,064</b>	<b>99.3%</b>

This variable has 34,064 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	178	0.5 %
-7	-7 = Refused	60	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>245</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10040-10045 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AC9090: Level of agreement - based on your belief, smoking can cause: mouth cancer in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

mouth cancer in smokers.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	22635	66.0 %
2	2 = Agree	8573	25.0 %
3	3 = Neither agree nor disagree	2358	6.9 %
4	4 = Disagree	376	1.1 %
5	5 = Strongly disagree	193	0.6 %
	<b>Total</b>	<b>34,135</b>	<b>99.5%</b>

This variable has 34,135 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	99	0.3 %
-7	-7 = Refused	68	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>174</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10046-10051 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC9044: Level of agreement - based on your belief, smoking can cause: liver cancer in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

liver cancer in smokers.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	14156	41.3 %
2	2 = Agree	8627	25.1 %
3	3 = Neither agree nor disagree	9106	26.5 %
4	4 = Disagree	1583	4.6 %
5	5 = Strongly disagree	458	1.3 %
<b>Total</b>		<b>33,930</b>	<b>98.9%</b>

This variable has 33,930 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	247	0.7 %
-7	-7 = Refused	125	0.4 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>379</b>	<b>1.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10052-10057 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC9100: Level of agreement - based on your belief, smoking can cause: lung disease in smokers

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

lung disease (such as emphysema) in smokers.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	26287	76.6 %
2	2 = Agree	6397	18.6 %
3	3 = Neither agree nor disagree	1172	3.4 %
4	4 = Disagree	143	0.4 %
5	5 = Strongly disagree	149	0.4 %
	<b>Total</b>	<b>34,148</b>	<b>99.5%</b>

This variable has 34,148 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	10	0.0 %
-8	-8 = Don't know	78	0.2 %
-7	-7 = Refused	72	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>161</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10058-10063 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC9105: Level of agreement - based on your belief, smoking can cause: lung disease in non-smokers from second-hand smoke

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

lung disease in non-smokers from second-hand smoke.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	18092	52.7 %
2	2 = Agree	11062	32.2 %
3	3 = Neither agree nor disagree	3856	11.2 %
4	4 = Disagree	852	2.5 %
5	5 = Strongly disagree	282	0.8 %
	<b>Total</b>	<b>34,144</b>	<b>99.5%</b>

This variable has 34,144 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	13	0.0 %
-8	-8 = Don't know	90	0.3 %
-7	-7 = Refused	61	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>165</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10064-10069 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AC9110: Level of agreement - based on your belief, smoking can cause: heart attack in non-smokers from second-hand smoke

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

heart attack in non-smokers from second-hand smoke.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	13367	39.0 %
2	2 = Agree	10272	29.9 %
3	3 = Neither agree nor disagree	8230	24.0 %

Value	Label	Unweighted Frequency	%
4	4 = Disagree	1847	5.4 %
5	5 = Strongly disagree	412	1.2 %
	<b>Total</b>	<b>34,128</b>	<b>99.5%</b>

This variable has 34,128 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	14	0.0 %
-8	-8 = Don't know	112	0.3 %
-7	-7 = Refused	54	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>181</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10070-10075 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AC9115: Level of agreement - based on your belief, smoking can cause: harm to fetuses during pregnancy from second-hand smoke

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

harm to fetuses (or unborn children) during pregnancy from second-hand smoke.

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	21235	61.9 %
2	2 = Agree	8949	26.1 %
3	3 = Neither agree nor disagree	3125	9.1 %
4	4 = Disagree	549	1.6 %
5	5 = Strongly disagree	241	0.7 %
	<b>Total</b>	<b>34,099</b>	<b>99.4%</b>

This variable has 34,099 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	16	0.0 %

Missing Data			
-8	-8 = Don't know	109	0.3 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>210</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10076-10081 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0494: Amount of time spent watching TV or videos that include commercials on an average weekday

The next questions ask about your TV, radio, internet, and cell phone use.

On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	3397	9.9 %
2	2 = Half hour or less	3946	11.5 %
3	3 = About 1 hour	5293	15.4 %
4	4 = About 2 hours	6693	19.5 %
5	5 = About 3 hours	5108	14.9 %
6	6 = About 4 hours	3682	10.7 %
7	7 = About 5 hours	2080	6.1 %
8	8 = About 6 hours	1236	3.6 %
9	9 = 7 hours or more	2795	8.1 %
<b>Total</b>		<b>34,230</b>	<b>99.8%</b>

This variable has 34,230 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>79</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10082-10087 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0474: Amount of time spent watching television and steaming videos that include commercials on an average weekend day

On an average weekend day, how much time do you spend watching television and streaming videos that include commercials?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	3678	10.7 %
2	2 = Less than 1 hour	5088	14.8 %
3	3 = 1 to 2 hours	8226	24.0 %
4	4 = 3 to 4 hours	8712	25.4 %
5	5 = 5 to 6 hours	4386	12.8 %
6	6 = 7 to 8 hours	2083	6.1 %
7	7 = 9 to 10 hours	886	2.6 %
8	8 = 11 hours or more	1168	3.4 %
<b>Total</b>		<b>34,227</b>	<b>99.8%</b>

This variable has 34,227 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	37	0.1 %	
-7	-7 = Refused	44	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>82</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10088-10093 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0060: Amount of time spent listening to the radio or online radio stations that include commercials on an average weekday

On an average weekday, how much time do you spend listening to the radio or online radio stations that include commercials?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	8164	23.8 %
2	2 = Half hour or less	7564	22.0 %
3	3 = About 1 hour	6661	19.4 %
4	4 = About 2 hours	4448	13.0 %
5	5 = About 3 hours	2572	7.5 %
6	6 = About 4 hours	1622	4.7 %
7	7 = About 5 hours	938	2.7 %
8	8 = About 6 hours	670	2.0 %
9	9 = 7 hours or more	1600	4.7 %
<b>Total</b>		<b>34,239</b>	<b>99.8%</b>

This variable has 34,239 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	35	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>70</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10094-10099 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0061: Amount of time spent listening to the radio or online radio stations that include commercials on an average weekend day

On an average weekend day, how much time do you spend listening to the radio or online radio stations that include commercials?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	9207	26.8 %
2	2 = Less than 1 hour	10315	30.1 %
3	3 = 1 to 2 hours	7657	22.3 %
4	4 = 3 to 4 hours	3718	10.8 %
5	5 = 5 to 6 hours	1592	4.6 %
6	6 = 7 to 8 hours	792	2.3 %
7	7 = 9 to 10 hours	367	1.1 %

Value	Label	Unweighted Frequency	%
8	8 = 11 hours or more	590	1.7 %
	<b>Total</b>	<b>34,238</b>	<b>99.8%</b>

This variable has 34,238 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.1 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>71</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10100-10105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0062: Has a Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat account

Sometimes people use the Internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR12]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	27237	79.4 %
2	2 = No	7009	20.4 %
	<b>Total</b>	<b>34,246</b>	<b>99.8%</b>

This variable has 34,246 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	48	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>63</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10106-10111 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0317: How often visit social media accounts

About how often do you visit your social media accounts?

[IF Never (7); GO TO BOX R05\_AXR12]

ASK: Adult respondents who have a social media account.

ASK Specification: IF R05\_AX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	17042	49.7 %
2	2 = About once a day	5033	14.7 %
3	3 = 3 - 5 days a week	2024	5.9 %
4	4 = 1 - 2 days a week	1309	3.8 %
5	5 = Every few weeks	756	2.2 %
6	6 = Less often	798	2.3 %
7	7 = Never	255	0.7 %
<b>Total</b>		<b>27,217</b>	<b>79.3%</b>

This variable has 27,217 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	7071	20.6 %
<b>Total</b>		<b>7,092</b>	<b>20.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10112-10117 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0686\_00: In past 12 months, liked or followed brand on social media sites: I have not liked or followed any brands

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

I have not liked or followed any brands on social media sites

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24724	72.1 %
2	2 = Not Marked	1571	4.6 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10118-10123 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0686\_01: In past 12 months, liked or followed brand on social media sites: Camel

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Camel

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	297	0.9 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	25998	75.8 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10124-10129 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0686\_02: In past 12 months, liked or followed brand on social media sites: Marlboro

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Marlboro

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	563	1.6 %
2	2 = Not Marked	25732	75.0 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %

Missing Data			
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10130-10135 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0686\_03: In past 12 months, liked or followed brand on social media sites: Newport

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?

Choose all that apply.

Newport

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	507	1.5 %
2	2 = Not Marked	25788	75.2 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10136-10141 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0686\_04: In past 12 months, liked or followed brand on social media sites: American Spirit

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

American Spirit

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	86	0.3 %
2	2 = Not Marked	26209	76.4 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10142-10147 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0686\_05: In past 12 months, liked or followed brand on social media sites: Vuse

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Vuse

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	66	0.2 %
2	2 = Not Marked	26229	76.4 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10148-10153 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0686\_06: In past 12 months, liked or followed brand on social media sites: Blu

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Blu

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	227	0.7 %
2	2 = Not Marked	26068	76.0 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %

Missing Data			
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
<b>Total</b>		<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10154-10159 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0686\_07: In past 12 months, liked or followed brand on social media sites: Logic

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?

Choose all that apply.

Logic

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	40	0.1 %
2	2 = Not Marked	26255	76.5 %
<b>Total</b>		<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
<b>Total</b>		<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10160-10165 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0686\_08: In past 12 months, liked or followed brand on social media sites: MarkTen

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

MarkTen

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	32	0.1 %
2	2 = Not Marked	26263	76.5 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10166-10171 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0686\_09: In past 12 months, liked or followed brand on social media sites: NJOY

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

NJOY

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	46	0.1 %
2	2 = Not Marked	26249	76.5 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10172-10177 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0686\_10: In past 12 months, liked or followed brand on social media sites: eGo

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

eGo

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	40	0.1 %
2	2 = Not Marked	26255	76.5 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %

Missing Data			
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
<b>Total</b>		<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10178-10183 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0686\_11: In past 12 months, liked or followed brand on social media sites: iTaste

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?

Choose all that apply.

iTaste

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	32	0.1 %
2	2 = Not Marked	26263	76.5 %
<b>Total</b>		<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
<b>Total</b>		<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10184-10189 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0686\_12: In past 12 months, liked or followed brand on social media sites: Black & Mild

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Black & Mild

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	322	0.9 %
2	2 = Not Marked	25973	75.7 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10190-10195 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0686\_13: In past 12 months, liked or followed brand on social media sites: Swisher Sweets

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Swisher Sweets

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options

can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	342	1.0 %
2	2 = Not Marked	25953	75.6 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10196-10201 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0686\_14: In past 12 months, liked or followed brand on social media sites: Dutch Masters

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Dutch Masters

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	141	0.4 %
2	2 = Not Marked	26154	76.2 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	457	1.3 %	
-7	-7 = Refused	230	0.7 %	
-1	-1 = Inapplicable	7326	21.4 %	
<b>Total</b>		<b>8,014</b>	<b>23.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10202-10207 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0686\_15: In past 12 months, liked or followed brand on social media sites: Phillies Blunts

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Phillies Blunts

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.1 %
2	2 = Not Marked	26246	76.5 %
<b>Total</b>		<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	457	1.3 %	
-7	-7 = Refused	230	0.7 %	
-1	-1 = Inapplicable	7326	21.4 %	
<b>Total</b>		<b>8,014</b>	<b>23.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10208-10213 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0686\_16: In past 12 months, liked or followed brand on social media sites: Zig Zag

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Zig Zag

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	176	0.5 %
2	2 = Not Marked	26119	76.1 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10214-10219 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0686\_17: In past 12 months, liked or followed brand on social media sites: Skoal

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Skoal

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	63	0.2 %
2	2 = Not Marked	26232	76.5 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10220-10225 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0686\_18: In past 12 months, liked or followed brand on social media sites: Redman

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?

Choose all that apply.

Redman

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.1 %
2	2 = Not Marked	26261	76.5 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
<b>Total</b>		<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10226-10231 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## **R05\_AX0686\_19: In past 12 months, liked or followed brand on social media sites: Grizzly**

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?  
Choose all that apply.

Grizzly

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	137	0.4 %
2	2 = Not Marked	26158	76.2 %
<b>Total</b>		<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
<b>Total</b>		<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10232-10237 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0686\_20: In past 12 months, liked or followed brand on social media sites: Copenhagen

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?

Choose all that apply.

Copenhagen

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	125	0.4 %
2	2 = Not Marked	26170	76.3 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10238-10243 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0686\_21: In past 12 months, liked or followed brand on social media sites: Some other brand

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites?

Choose all that apply.

Some other brand (SPECIFY)

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05\_AX0062 = 1 AND R05\_AX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	104	0.3 %
2	2 = Not Marked	26191	76.3 %
	<b>Total</b>	<b>26,295</b>	<b>76.6%</b>

This variable has 26,295 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	1.3 %
-7	-7 = Refused	230	0.7 %
-1	-1 = Inapplicable	7326	21.4 %
	<b>Total</b>	<b>8,014</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10244-10249 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0505: Ever used an app on a tablet computer or smartphone to help quit using tobacco products, e-cigarettes or other electronic nicotine products

Have you ever used an app on a tablet computer or smartphone to help you quit using tobacco products, e-cigarettes, or other electronic nicotine products?

ASK: Adult respondents who have ever used any tobacco products.

ASK Specification: IF R05\_EVER\_NEVER\_TOBACCO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	844	2.5 %
2	2 = No	25575	74.5 %
	<b>Total</b>	<b>26,419</b>	<b>77.0%</b>

This variable has 26,419 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	29	0.1 %	
-1	-1 = Inapplicable	7836	22.8 %	
<b>Total</b>		<b>7,890</b>	<b>23.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10250-10255 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AM0014: Current employment status

The next questions ask about tobacco use at your workplace and your home.

Which best describes your current job or paid employment status?

[If I don't currently work for pay (4), Don't Know (-8), or Refused (-7);  
GO TO BOX R05\_AXR117]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Work full-time at least 35 hours per week	16273	47.4 %
2	2 = Work part-time 15 to 34 hours per week	4845	14.1 %
3	3 = Work part-time less than 15 hours per week	2092	6.1 %
4	4 = Don't currently work for pay	10894	31.8 %
<b>Total</b>		<b>34,104</b>	<b>99.4%</b>

This variable has 34,104 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	76	0.2 %	
-7	-7 = Refused	128	0.4 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>205</b>	<b>0.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10256-10261 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0064\_01: Work setting: Indoors

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

Indoors

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R05\_AM0014 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19833	57.8 %
2	2 = Not Marked	3329	9.7 %
	<b>Total</b>	<b>23,162</b>	<b>67.5%</b>

This variable has 23,162 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	11098	32.3 %
	<b>Total</b>	<b>11,147</b>	<b>32.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10262-10267 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0064\_02: Work setting: Outdoors

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

Outdoors

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R05\_AM0014 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4891	14.3 %
2	2 = Not Marked	18271	53.3 %
	<b>Total</b>	<b>23,162</b>	<b>67.5%</b>

This variable has 23,162 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	11098	32.3 %
<b>Total</b>		<b>11,147</b>	<b>32.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10268-10273 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0064\_03: Work setting: In a vehicle

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

In a vehicle

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R05\_AM0014 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2429	7.1 %
2	2 = Not Marked	20733	60.4 %
<b>Total</b>		<b>23,162</b>	<b>67.5%</b>

This variable has 23,162 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	11098	32.3 %
<b>Total</b>		<b>11,147</b>	<b>32.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10274-10279 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0747: Time since someone used e-cigarettes or other electronic nicotine products around you while you were at work

How recently did someone use e-cigarettes or other electronic nicotine products around you while you were at work?

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R05\_AM0014 = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Never	14043	40.9 %
2	2 = Today	1704	5.0 %
3	3 = In the past week	3833	11.2 %
4	4 = In the past two weeks	804	2.3 %
5	5 = In the past month	841	2.5 %
6	6 = Longer than a month ago but within the past year	1120	3.3 %
7	7 = More than a year ago	821	2.4 %
<b>Total</b>		<b>23,166</b>	<b>67.5%</b>

This variable has 23,166 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	11098	32.3 %
<b>Total</b>		<b>11,143</b>	<b>32.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10280-10285 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0065: How recently someone smoked around you while at work

How recently did someone smoke around you while you were at work?

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R05\_AM0014 = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Never	12401	36.1 %

Value	Label	Unweighted Frequency	%
2	2 = Today	2439	7.1 %
3	3 = In the past week	4699	13.7 %
4	4 = In the past two weeks	898	2.6 %
5	5 = In the past month	842	2.5 %
6	6 = Longer than a month ago but within the past year	1007	2.9 %
7	7 = More than a year ago	895	2.6 %
<b>Total</b>		<b>23,181</b>	<b>67.6%</b>

This variable has 23,181 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	11098	32.3 %
<b>Total</b>		<b>11,128</b>	<b>32.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10286-10291 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AR0144\_NB: During childhood, lived with a regular smoker who smoked inside your home

In your childhood, did you live with a regular smoker who smoked inside your home? Please think about anyone who smoked cigarettes, cigars, a pipe, or hookah.

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1131	3.3 %
2	2 = No	3293	9.6 %
<b>Total</b>		<b>4,424</b>	<b>12.9%</b>

This variable has 4,424 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

Missing Data				
-7	-7 = Refused		5	0.0 %
-1	-1 = Inapplicable		29875	87.1 %
<b>Total</b>			<b>29,885</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10292-10297 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AX0690: Currently live alone

Do you currently live alone?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4719	13.8 %
2	2 = No	29530	86.1 %
<b>Total</b>		<b>34,249</b>	<b>99.8%</b>

This variable has 34,249 valid cases out of 34,309 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	22	0.1 %	
-7	-7 = Refused	37	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>60</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10298-10303 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05R\_A\_AX0691: DERIVED - Recoded type of living space currently living in (4 levels)

Long Description: In what type of living space do you currently live?

Algorithm: IF R05\_AX0691 = 1 THEN R05R\_A\_AX0691 = 1; ELSE IF R05\_AX0691 IN (2,3,5) THEN R05R\_A\_AX0691 = 2; ELSE IF R05\_AX0691 IN (4,6) THEN R05R\_A\_AX0691 = 3; ELSE IF R05\_AX0691 = 7 THEN R05R\_A\_AX0691 = 4; ELSE IF R05\_AX0691 = -9 THEN R05R\_A\_AX0691 = -99999; ELSE IF R05\_AX0691 = -8 THEN R05R\_A\_AX0691 = -99988; ELSE IF R05\_AX0691 = -7 THEN R05R\_A\_AX0691 = -99977; ELSE IF R05\_AX0691 = -1 THEN R05R\_A\_AX0691 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Single Family Home	14761	43.0 %
2	2 = Duplex, Double or Multi-Family Home or Townhouse	2698	7.9 %
3	3 = Condominium or Apartment Building	4081	11.9 %
4	4 = None of the above	782	2.3 %
	<b>Total</b>	<b>22,322</b>	<b>65.1%</b>

This variable has 22,322 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	46	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11926	34.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>11,987</b>	<b>34.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10304-10309 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05R\_A\_AX0066: DERIVED - Recoded anyone who lives with you now who uses tobacco (4 levels)

**Long Description:** Does anyone who lives with you now do any of the following: Smoke cigarettes, cigars, cigarillos or filtered cigars, pipe tobacco, use e-products exclusively, use other tobacco products, including smokeless, snus and hookah, or no one living in the home uses tobacco

**Algorithm:** IF R05\_AX0066\_01 = 1 OR R05\_AX0066\_05 = 1 OR R05\_AX0066\_07 = 1 THEN R05R\_A\_AX0066 = 1; ELSE IF R05\_AX0066\_03 = 1 OR R05\_AX0066\_04 = 1 OR R05\_AX0066\_06 = 1 OR R05\_AX0066\_08 = 1 THEN R05R\_A\_AX0066 = 3; ELSE IF R05\_AX0066\_02 = 1 THEN R05R\_A\_AX0066 = 2; ELSE IF R05\_AX0066\_09 = 1 THEN R05R\_A\_AX0066 = 4; ELSE IF R05\_AX0066\_01 = -9 OR R05\_AX0066\_02 = -9 OR R05\_AX0066\_03 = -9 OR R05\_AX0066\_04 = -9 OR R05\_AX0066\_05 = -9 OR R05\_AX0066\_06 = -9 OR R05\_AX0066\_07 = -9 OR R05\_AX0066\_08 = -9 OR R05\_AX0066\_09 = -9 THEN R05R\_A\_AX0066 = -99999; ELSE IF R05\_AX0066\_01 = -8 OR R05\_AX0066\_02 = -8 OR R05\_AX0066\_03 = -8 OR R05\_AX0066\_04 = -8 OR R05\_AX0066\_05 = -8 OR R05\_AX0066\_06 = -8 OR R05\_AX0066\_07 = -8 OR R05\_AX0066\_08 = -8 OR R05\_AX0066\_09 = -8 THEN R05R\_A\_AX0066 = -99988; ELSE IF R05\_AX0066\_01 = -7 OR R05\_AX0066\_02 = -7 OR R05\_AX0066\_03 = -7 OR R05\_AX0066\_04 = -7 OR R05\_AX0066\_05 = -7 OR R05\_AX0066\_06 = -7 OR R05\_AX0066\_07 = -7 OR R05\_AX0066\_08 = -7 OR R05\_AX0066\_09 = -7 THEN R05R\_A\_AX0066 = -99977; ELSE IF R05\_AX0066\_01 = -1 OR R05\_AX0066\_02 = -1 OR R05\_AX0066\_03 = -1 OR R05\_AX0066\_04 = -1 OR R05\_AX0066\_05 = -1 OR R05\_AX0066\_06 = -1 OR

R05\_AX0066\_07 = -1 OR R05\_AX0066\_08 = -1 OR R05\_AX0066\_09 = -1 THEN  
R05R\_A\_AX0066 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes, cigars, cigarillos or filtered cigars and pipe tobacco	7913	23.1 %
2	2 = E-products exclusively	1317	3.8 %
3	3 = Other tobacco products, including smokeless, snus and hookah	908	2.6 %
4	4 = No one living in the home uses tobacco	19235	56.1 %
	<b>Total</b>	<b>29,373</b>	<b>85.6%</b>

This variable has 29,373 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	95	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	121	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4719	13.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>4,936</b>	<b>14.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10310-10315 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

---

## R05\_AR1045: Statement that best describes rules about smoking a combustible tobacco product inside your home

These next few questions ask about rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes, or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05\_PARENT\_COMPLETE\_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	27098	79.0 %
2	2 = It is allowed in some places or at some times inside my home	4059	11.8 %

Value	Label	Unweighted Frequency	%
3	3 = It is allowed anywhere and at any time inside my home	3009	8.8 %
	<b>Total</b>	<b>34,166</b>	<b>99.6%</b>

This variable has 34,166 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	62	0.2 %
-7	-7 = Refused	79	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>143</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10316-10321 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AR1051: Statement that best describes rules about using e-cigarettes and other electronic nicotine products inside your home

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05\_PARENT\_COMPLETE\_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	24663	71.9 %
2	2 = It is allowed in some places or at some times inside my home	4963	14.5 %
3	3 = It is allowed anywhere and at any time inside my home	4472	13.0 %
	<b>Total</b>	<b>34,098</b>	<b>99.4%</b>

This variable has 34,098 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	129	0.4 %
-7	-7 = Refused	80	0.2 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>211</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10322-10327 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AR1050: Statement that best describes rules about using non-combustible tobacco products inside your home

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05\_PARENT\_COMPLETE\_LD != 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	24998	72.9 %
2	2 = It is allowed in some places or at some times inside my home	4138	12.1 %
3	3 = It is allowed anywhere and at any time inside my home	4885	14.2 %
<b>Total</b>		<b>34,021</b>	<b>99.2%</b>

This variable has 34,021 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	197	0.6 %
-7	-7 = Refused	89	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>288</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10328-10333 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0068: In past 7 days, number of hours that you were in close contact with others when they were smoking

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at work, or outdoors.

\_\_\_ Number of hours

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AV9066]

ASK: All adult respondents.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 33,852 valid cases out of 34,309 total cases.

- Mean: 5.36
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 15.64

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	314	0.9 %	
-7	-7 = Refused	105	0.3 %	
-5	-5 = Improbable response removed	37	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>457</b>	<b>1.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10334-10339 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AV9066: In past 12 months, did you swallow e-liquid or get it in your mouth, on your skin, or in your eyes

In the past 12 months, did you swallow e-liquid, or get it in your mouth, on your skin, or in your eyes?

(E-liquid is the nicotine fluid in e-cigarettes or other electronic nicotine products.)

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR108]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2127	6.2 %
2	2 = No	32086	93.5 %
<b>Total</b>		<b>34,213</b>	<b>99.7%</b>

This variable has 34,213 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	49	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>96</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10340-10345 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9063: In past 12 months, did you become sick after swallowing e-liquid, getting it on your skin, or in your eyes

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you become sick?

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05\_AV9066 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	320	0.9 %
2	2 = No	1802	5.3 %
<b>Total</b>		<b>2,122</b>	<b>6.2%</b>

This variable has 2,122 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32181	93.8 %
<b>Total</b>		<b>32,187</b>	<b>93.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10346-10351 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV9064: In past 12 months, did you contact a poison control center or health professional after becoming sick after swallowing e-liquid, getting it on your skin, or in your eyes

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you or someone else contact a poison control center or health professional?

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05\_AV9066 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	171	0.5 %
2	2 = No	1949	5.7 %
	<b>Total</b>	<b>2,120</b>	<b>6.2%</b>

This variable has 2,120 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32181	93.8 %
	<b>Total</b>	<b>32,189</b>	<b>93.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10352-10357 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV9065: In past 12 months, did you go to a hospital after swallowing e-liquid, getting it on your skin, or in your eyes

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you go to a hospital?

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05\_AV9066 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	137	0.4 %
2	2 = No	1986	5.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,123</b>	<b>6.2%</b>

This variable has 2,123 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32181	93.8 %
	<b>Total</b>	<b>32,186</b>	<b>93.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10358-10363 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0224: Children under the age of 5 living in the household

Are there any children under the age of 5 living in your household?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0226]

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone.

ASK Specification: IF R05\_AX0690 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5681	16.6 %
2	2 = No	23856	69.5 %
	<b>Total</b>	<b>29,537</b>	<b>86.1%</b>

This variable has 29,537 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	4719	13.8 %
	<b>Total</b>	<b>4,772</b>	<b>13.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10364-10369 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV9067: In past 12 months, did any children under the age of 5 living in your household swallow e-liquid or get it in their mouth, on their skin, or in their eyes

In the past 12 months, have any children under the age of 5 living in your household swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes?

(E-liquid is the nicotine fluid in e-cigarettes or other electronic nicotine products.)

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0226]

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household.

ASK Specification: IF R05\_AX0690 != 1 AND R05\_AX0224 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.2 %
2	2 = No	5604	16.3 %
	<b>Total</b>	<b>5,676</b>	<b>16.5%</b>

This variable has 5,676 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	28627	83.4 %
	<b>Total</b>	<b>28,633</b>	<b>83.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10370-10375 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV9059: In past 12 months, did any children under the age of 5 living in your household become sick after swallowing e-liquid, getting it on their skin, or in their eyes

In the past 12 months, after swallowing e-liquid, or getting it in their mouth, on their skin, or in their eyes, did any children under the age of 5 become sick?

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05\_AX0690 != 1 AND R05\_AX0224 = 1 AND

R05\_AV9067 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	35	0.1 %
2	2 = No	37	0.1 %
	<b>Total</b>	<b>72</b>	<b>0.2%</b>

This variable has 72 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34236	99.8 %
	<b>Total</b>	<b>34,237</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10376-10381 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AV9061: In past 12 months, did you or someone else contact a poison control center or health professional after a child under the age of 5 living in your household became sick after swallowing e-liquid, getting it on their skin, or in their eyes

In the past 12 months, after any child under the age of 5 swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes, did you or someone else contact a poison control center or health professional?

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05\_AX0690 != 1 AND R05\_AX0224 = 1 AND  
R05\_AV9067 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.1 %
2	2 = No	39	0.1 %
	<b>Total</b>	<b>72</b>	<b>0.2%</b>

This variable has 72 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34236	99.8 %	
<b>Total</b>		<b>34,237</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10382-10387 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AV9062: In past 12 months, did any children under the age of 5 living in your household get taken to a hospital after swallowing e-liquid, getting it on their skin, or in their eyes

In the past 12 months, after any child under the age of 5 swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes, were they taken to a hospital?

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05\_AX0690 != 1 AND R05\_AX0224 = 1 AND R05\_AV9067 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	28	0.1 %
2	2 = No	44	0.1 %
<b>Total</b>		<b>72</b>	<b>0.2%</b>

This variable has 72 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34236	99.8 %	
<b>Total</b>		<b>34,237</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10388-10393 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0226: Children ages 5-17 living in the household

Are there any children ages 5 to 17 living in your household?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR111]

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone.

ASK Specification: IF R05\_AX0690 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11359	33.1 %
2	2 = No	18175	53.0 %
	<b>Total</b>	<b>29,534</b>	<b>86.1%</b>

This variable has 29,534 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	44	0.1 %
-1	-1 = Inapplicable	4719	13.8 %
	<b>Total</b>	<b>4,775</b>	<b>13.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10394-10399 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV9077: In past 12 months, did any child age 5-17 living in your household swallow e-liquid or get it in their mouth, on their skin, or in their eyes

In the past 12 months, have any children ages 5 to 17 living in your household swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes?

(E-liquid is the nicotine fluid in e-cigarettes or other electronic nicotine products.)

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR111]

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 17 living in their household.

ASK Specification: IF R05\_AX0690 != 1 AND R05\_AX0226 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	140	0.4 %
2	2 = No	11203	32.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>11,343</b>	<b>33.1%</b>

This variable has 11,343 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	22949	66.9 %
	<b>Total</b>	<b>22,966</b>	<b>66.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10400-10405 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AV9079: In past 12 months, did any child age 5-17 living in your household become sick after swallowing e-liquid, getting it on their skin, or in their eyes

In the past 12 months, after swallowing e-liquid, or getting it in their mouth, on their skin, or in their eyes, did any children ages 5 to 17 become sick?

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05\_AX0690 != 1 AND R05\_AX0226 = 1 AND  
R05\_AV9077 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.1 %
2	2 = No	95	0.3 %
	<b>Total</b>	<b>137</b>	<b>0.4%</b>

This variable has 137 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34168	99.6 %
	<b>Total</b>	<b>34,172</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10406-10411 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV9071: In past 12 months, did anyone contact a poison control center or health professional after a child age 5-17 living in your household became sick after swallowing e-liquid, getting it on their skin, or in their eyes

In the past 12 months, after any child aged 5 to 17 swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes, did you or someone else contact a poison control center or health professional?

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05\_AX0690 != 1 AND R05\_AX0226 = 1 AND R05\_AV9077 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.1 %
2	2 = No	101	0.3 %
	<b>Total</b>	<b>137</b>	<b>0.4%</b>

This variable has 137 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	34168	99.6 %
	<b>Total</b>	<b>34,172</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10412-10417 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AV9072: In past 12 months, did any child age 5-17 living in your household get taken to a hospital after swallowing e-liquid, getting it on their skin, or in their eyes

In the past 12 months, after any child aged 5 to 17 swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes, were they taken to a hospital?

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 17 living in their household and have

children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05\_AX0690 != 1 AND R05\_AX0226 = 1 AND R05\_AV9077 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.1 %
2	2 = No	105	0.3 %
	<b>Total</b>	<b>137</b>	<b>0.4%</b>

This variable has 137 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34168	99.6 %
	<b>Total</b>	<b>34,172</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10418-10423 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AV0217: In past 30 days, how often e-liquid bottles purchased by you or others in household had child-resistant lids or caps

In the past 30 days, how often have the e-liquid bottles purchased by you or others in your household had child-resistant lids or caps?

Child-resistant lids or caps usually have special instructions for opening such as "push down and turn," "squeeze sides while turning," "PUSH," or "line up arrows."

ASK: Adult respondents who are current established or current experimental ENP users, or adult respondents who report living with anyone who now uses e-cigarettes or other ENPs.

ASK Specification: IF R05\_EPROD\_USER\_STATUS = 1, 2 OR R05\_AX0066\_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	2084	6.1 %
2	2 = Rarely	370	1.1 %
3	3 = Sometimes	542	1.6 %
4	4 = Usually	539	1.6 %

Value	Label	Unweighted Frequency	%
5	5 = Always	2220	6.5 %
	<b>Total</b>	<b>5,755</b>	<b>16.8%</b>

This variable has 5,755 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	329	1.0 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	28201	82.2 %
	<b>Total</b>	<b>28,554</b>	<b>83.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10424-10429 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0008: General perception: Thinks most people disapprove of smoking cigarettes

In general, do you think most people disapprove of smoking cigarettes?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	13405	39.1 %
2	2 = Probably yes	15222	44.4 %
3	3 = Probably not	4142	12.1 %
4	4 = Definitely not	1379	4.0 %
	<b>Total</b>	<b>34,148</b>	<b>99.5%</b>

This variable has 34,148 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	119	0.3 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>161</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10430-10435 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0012: General perception: Thinks most people disapprove of using e-cigarettes or other electronic nicotine products

In general, do you think most people disapprove of using e-cigarettes or other electronic nicotine products?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	6363	18.5 %
2	2 = Probably yes	15190	44.3 %
3	3 = Probably not	10465	30.5 %
4	4 = Definitely not	1992	5.8 %
	<b>Total</b>	<b>34,010</b>	<b>99.1%</b>

This variable has 34,010 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	246	0.7 %
-7	-7 = Refused	52	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>299</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10436-10441 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0071: People who are important to you: Their views on using tobacco

Thinking about the people who are important to you, how would you describe their views on using tobacco in general?

ASK: Young adult respondents, or adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 OR  
R05\_TOBACCO\_USER\_STATUS = 1, 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	927	2.7 %
2	2 = Positive	1276	3.7 %

Value	Label	Unweighted Frequency	%
3	3 = Neither positive nor negative	7566	22.1 %
4	4 = Negative	8718	25.4 %
5	5 = Very negative	8333	24.3 %
<b>Total</b>		<b>26,820</b>	<b>78.2%</b>

This variable has 26,820 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	97	0.3 %	
-7	-7 = Refused	49	0.1 %	
-1	-1 = Inapplicable	7342	21.4 %	
<b>Total</b>		<b>7,489</b>	<b>21.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10442-10447 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AC1143: People who are important to you: Their views on smoking cigarettes

Thinking about the people who are important to you, how would you describe their views on....

Smoking cigarettes

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	408	1.2 %
2	2 = Positive	391	1.1 %
3	3 = Neither positive nor negative	2092	6.1 %
4	4 = Negative	3060	8.9 %
5	5 = Very negative	5918	17.2 %
<b>Total</b>		<b>11,869</b>	<b>34.6%</b>

This variable has 11,869 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %

Missing Data				
-7	-7 = Refused	29	0.1 %	
-1	-1 = Inapplicable	22382	65.2 %	
<b>Total</b>		<b>22,440</b>	<b>65.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10448-10453 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AV1143: People who are important to you: Their views on using e-cigarettes or other electronic nicotine products

Thinking about the people who are important to you, how would you describe their views on....

Using e-cigarettes or other electronic nicotine products

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	386	1.1 %
2	2 = Positive	781	2.3 %
3	3 = Neither positive nor negative	3227	9.4 %
4	4 = Negative	3368	9.8 %
5	5 = Very negative	4108	12.0 %
<b>Total</b>		<b>11,870</b>	<b>34.6%</b>

This variable has 11,870 valid cases out of 34,309 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	33	0.1 %	
-7	-7 = Refused	23	0.1 %	
-1	-1 = Inapplicable	22382	65.2 %	
<b>Total</b>		<b>22,439</b>	<b>65.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10454-10459 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AG1143: People who are important to you: Their views on smoking cigars, cigarillos, or filtered cigars

Thinking about the people who are important to you, how would you describe their views on....

Smoking traditional cigars, cigarillos, or filtered cigars

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	308	0.9 %
2	2 = Positive	384	1.1 %
3	3 = Neither positive nor negative	2648	7.7 %
4	4 = Negative	3329	9.7 %
5	5 = Very negative	5193	15.1 %
	<b>Total</b>	<b>11,862</b>	<b>34.6%</b>

This variable has 11,862 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	37	0.1 %
-7	-7 = Refused	27	0.1 %
-1	-1 = Inapplicable	22382	65.2 %
	<b>Total</b>	<b>22,447</b>	<b>65.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10460-10465 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AP1143: People who are important to you: Their views on smoking pipe tobacco

Thinking about the people who are important to you, how would you describe their views on....

Smoking pipe tobacco

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	291	0.8 %
2	2 = Positive	231	0.7 %
3	3 = Neither positive nor negative	2245	6.5 %

Value	Label	Unweighted Frequency	%
4	4 = Negative	3461	10.1 %
5	5 = Very negative	5654	16.5 %
	<b>Total</b>	<b>11,882</b>	<b>34.6%</b>

This variable has 11,882 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	22382	65.2 %
	<b>Total</b>	<b>22,427</b>	<b>65.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10466-10471 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AH1143: People who are important to you: Their views on smoking shisha or hookah tobacco

Thinking about the people who are important to you, how would you describe their views on....

Smoking shisha or hookah tobacco

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	307	0.9 %
2	2 = Positive	407	1.2 %
3	3 = Neither positive nor negative	2585	7.5 %
4	4 = Negative	3308	9.6 %
5	5 = Very negative	5257	15.3 %
	<b>Total</b>	<b>11,864</b>	<b>34.6%</b>

This variable has 11,864 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %

Missing Data				
-7	-7 = Refused		29	0.1 %
-1	-1 = Inapplicable		22382	65.2 %
<b>Total</b>			<b>22,445</b>	<b>65.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10472-10477 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AU1143: People who are important to you: Their views on using snus

Thinking about the people who are important to you, how would you describe their views on....

Using snus

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	282	0.8 %
2	2 = Positive	181	0.5 %
3	3 = Neither positive nor negative	1835	5.3 %
4	4 = Negative	3206	9.3 %
5	5 = Very negative	6368	18.6 %
<b>Total</b>		<b>11,872</b>	<b>34.6%</b>

This variable has 11,872 valid cases out of 34,309 total cases.

Missing Data				
-977777	-977777 = Missing due to data removed per respondent request		1	0.0 %
-9	-9 = Missing - Not ascertained		0	0.0 %
-8	-8 = Don't know		33	0.1 %
-7	-7 = Refused		21	0.1 %
-1	-1 = Inapplicable		22382	65.2 %
<b>Total</b>			<b>22,437</b>	<b>65.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10478-10483 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -977777 , -9 , -8 , -7 , -1

## R05\_AS1143: People who are important to you: Their views on using other types of smokeless tobacco

Thinking about the people who are important to you, how would you describe their views on....

Using other types of smokeless tobacco (such as dip, spit, or chew)

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	307	0.9 %
2	2 = Positive	243	0.7 %
3	3 = Neither positive nor negative	1913	5.6 %
4	4 = Negative	3087	9.0 %
5	5 = Very negative	6323	18.4 %
	<b>Total</b>	<b>11,873</b>	<b>34.6%</b>

This variable has 11,873 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.1 %
-7	-7 = Refused	17	0.0 %
-1	-1 = Inapplicable	22382	65.2 %
	<b>Total</b>	<b>22,436</b>	<b>65.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10484-10489 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AX0741\_01: People who are important to you use the following products: Cigarettes

Thinking about the people who are important to you, do any of them use any of the following products?

Choose all that apply.

Cigarettes

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14008	40.8 %
2	2 = Not Marked	20067	58.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10490-10495 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0741\_02: People who are important to you use the following products: E-cigarettes or other electronic nicotine products

Thinking about the people who are important to you, do any of them use any of the following products?

Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7329	21.4 %
2	2 = Not Marked	26746	78.0 %
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10496-10501 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0741\_03: People who are important to you use the following products: Traditional cigars

Thinking about the people who are important to you, do any of them use any of the following products?  
Choose all that apply.

Traditional cigars

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1899	5.5 %
2	2 = Not Marked	32176	93.8 %
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10502-10507 (width: 6; decimal: 0)  
*Variable Type:* numeric  
*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0741\_04: People who are important to you use the following products: Cigarillos

Thinking about the people who are important to you, do any of them use any of the following products?  
Choose all that apply.

Cigarillos

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1661	4.8 %
2	2 = Not Marked	32414	94.5 %
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10508-10513 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0741\_05: People who are important to you use the following products: Filtered cigars

Thinking about the people who are important to you, do any of them use any of the following products?  
Choose all that apply.

Filtered cigars

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	844	2.5 %
2	2 = Not Marked	33231	96.9 %
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10514-10519 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0741\_06: People who are important to you use the following products: Pipe tobacco

Thinking about the people who are important to you, do any of them use any of the following products?  
Choose all that apply.

Pipe tobacco

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	608	1.8 %
2	2 = Not Marked	33467	97.5 %
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10520-10525 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0741\_07: People who are important to you use the following products: Shisha or hookah tobacco

Thinking about the people who are important to you, do any of them use any of the following products?  
Choose all that apply.

Shisha or hookah tobacco

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1179	3.4 %
2	2 = Not Marked	32896	95.9 %
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10526-10531 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0741\_08: People who are important to you use the following products: Snus

Thinking about the people who are important to you, do any of them use any of the following products?  
Choose all that apply.

Snus

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	593	1.7 %
2	2 = Not Marked	33482	97.6 %
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10532-10537 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0741\_09: People who are important to you use the following products: Other types of smokeless tobacco

Thinking about the people who are important to you, do any of them use any of the following products?

Choose all that apply.

Other types of smokeless tobacco (such as dip, spit, or chew)

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2794	8.1 %
2	2 = Not Marked	31281	91.2 %
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10538-10543 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0741\_10: People who are important to you use the following products: None of the above

Thinking about the people who are important to you, do any of them use any of the following products?

Choose all that apply.

None of the above

ASK: All adult respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15748	45.9 %
2	2 = Not Marked	18327	53.4 %
	<b>Total</b>	<b>34,075</b>	<b>99.3%</b>

This variable has 34,075 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.4 %
-7	-7 = Refused	105	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>234</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10544-10549 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0742: In past 12 months, extent to which disapproval of close friends and family led you to think about quitting

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about quitting?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_AXT01]

ASK: Adult respondents who are current established or recent former established tobacco users.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 4.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	6970	20.3 %
2	2 = Somewhat	4867	14.2 %
3	3 = Very much	2302	6.7 %
	<b>Total</b>	<b>14,139</b>	<b>41.2%</b>

This variable has 14,139 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	84	0.2 %
-7	-7 = Refused	55	0.2 %
-1	-1 = Inapplicable	20030	58.4 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>20,170</b>	<b>58.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10550-10555 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0743: In past 12 months, extent to which disapproval of close friends and family led you to think about not using

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about not using?

ASK: Adult respondents who are current experimental or former experimental tobacco users.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	4387	12.8 %
2	2 = Somewhat	1620	4.7 %
3	3 = Very much	1921	5.6 %
<b>Total</b>		<b>7,928</b>	<b>23.1%</b>

This variable has 7,928 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	144	0.4 %
-7	-7 = Refused	44	0.1 %
-1	-1 = Inapplicable	26192	76.3 %
<b>Total</b>		<b>26,381</b>	<b>76.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10556-10561 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0090: Self perception of physical health

The next questions ask about some basic medical information that is important for the study.

In general, how would you rate your...

physical health?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	7430	21.7 %
2	2 = Very good	11050	32.2 %
3	3 = Good	10803	31.5 %
4	4 = Fair	4052	11.8 %
5	5 = Poor	869	2.5 %
	<b>Total</b>	<b>34,204</b>	<b>99.7%</b>

This variable has 34,204 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	44	0.1 %
-7	-7 = Refused	60	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>105</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10562-10567 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0091: Self perception of mental health

In general, how would you rate your...

mental health, which includes stress, depression, and problems with emotions?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	7925	23.1 %
2	2 = Very good	9841	28.7 %
3	3 = Good	9390	27.4 %
4	4 = Fair	5330	15.5 %
5	5 = Poor	1710	5.0 %
	<b>Total</b>	<b>34,196</b>	<b>99.7%</b>

This variable has 34,196 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	66	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>113</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10568-10573 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0088: Self perception of overall health

In general, how would you rate your...

overall health?

ASK: All adult respondents.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Excellent	7390	21.5 %
2	2 = Very good	11292	32.9 %
3	3 = Good	11166	32.5 %
4	4 = Fair	3754	10.9 %
5	5 = Poor	611	1.8 %
<b>Total</b>		<b>34,213</b>	<b>99.7%</b>

This variable has 34,213 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.1 %
-7	-7 = Refused	53	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>96</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10574-10579 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0090\_12M: Self perception of physical health now compared with 12 months ago

Compared with 12 months ago, would you say...

your physical health is now...

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Better	12292	35.8 %
2	2 = Worse	4013	11.7 %
3	3 = About the same	17932	52.3 %
<b>Total</b>		<b>34,237</b>	<b>99.8%</b>

This variable has 34,237 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>72</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10580-10585 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0091\_12M: Self perception of mental health now compared with 12 months ago

Compared with 12 months ago, would you say...

your mental health is now...

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Better	12857	37.5 %
2	2 = Worse	3311	9.7 %
3	3 = About the same	18039	52.6 %
<b>Total</b>		<b>34,207</b>	<b>99.7%</b>

This variable has 34,207 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	37	0.1 %
-7	-7 = Refused	62	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>102</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10586-10591 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0088\_12M: Self perception of overall health now compared with 12 months ago

Compared with 12 months ago, would you say...

your overall health is now...

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Better	12636	36.8 %
2	2 = Worse	2660	7.8 %
3	3 = About the same	18901	55.1 %
<b>Total</b>		<b>34,197</b>	<b>99.7%</b>

This variable has 34,197 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	45	0.1 %
-7	-7 = Refused	64	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>112</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10592-10597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0185: Self perception of quality of life

In general, would you say your quality of life is...

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	7882	23.0 %
2	2 = Very good	13070	38.1 %
3	3 = Good	9849	28.7 %
4	4 = Fair	3027	8.8 %
5	5 = Poor	420	1.2 %
	<b>Total</b>	<b>34,248</b>	<b>99.8%</b>

This variable has 34,248 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.1 %
-7	-7 = Refused	33	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>61</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10598-10603 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0185\_12M: Self perception of quality of life now compared with 12 months ago

Compared with 12 months ago, would you say your quality of life is now...

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	14569	42.5 %
2	2 = Worse	1996	5.8 %
3	3 = About the same	17674	51.5 %
	<b>Total</b>	<b>34,239</b>	<b>99.8%</b>

This variable has 34,239 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	28	0.1 %	
-7	-7 = Refused	41	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>70</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10604-10609 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0092: Level of satisfaction with social activities and relationships

In general, how satisfied are you with your social activities and relationships?

ASK: All adult respondents.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Extremely satisfied	7970	23.2 %
2	2 = Very satisfied	12939	37.7 %
3	3 = Moderately satisfied	9200	26.8 %
4	4 = A little satisfied	2755	8.0 %
5	5 = Not at all satisfied	1338	3.9 %
<b>Total</b>		<b>34,202</b>	<b>99.7%</b>

This variable has 34,202 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	45	0.1 %	
-7	-7 = Refused	61	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>107</b>	<b>0.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10610-10615 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0092\_12M: Level of satisfaction with social activities and relationships now compared with 12 months ago

Compared with 12 months ago, would you say your social activities and relationships are now...

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	13144	38.3 %
2	2 = Worse	2555	7.4 %
3	3 = About the same	18517	54.0 %
<b>Total</b>		<b>34,216</b>	<b>99.7%</b>

This variable has 34,216 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	52	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>93</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10616-10621 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_BMI: DERIVED - Body Mass Index

Long Description: Body mass index (BMI)

Algorithm: [STEP 1: Create R05R\_A\_HTINCH] IF (R05\_AX0313 IN (1, -7, -8) AND (R05\_AX0679\_FT >= 0 and R05\_AX0679\_IN >= 0)) THEN R05R\_A\_HTINCH = (R05\_AX0679\_FT \* 12) + R05\_AX0679\_IN; ELSE IF (R05\_AX0313 IN (1, -7, -8) AND (R05\_AX0679\_FT >= 0 AND R05\_AX0679\_IN < 0)) THEN R05R\_A\_HTINCH = R05\_AX0679\_FT \* 12; ELSE IF (R05\_AX0313 IN (1, -7, -8) AND R05\_AX0679\_FT < 0 AND R05\_AX0679\_IN >= 0) THEN R05R\_A\_HTINCH = R05\_AX0679\_IN ; ELSE IF (R05\_AX0313 = 2 AND R05\_AX0316 >= 0) THEN R05R\_A\_HTINCH = R05\_AX0316\*39.3701 ; ELSE IF ((R05\_AX0313 =-9 AND R05\_AX0679\_FT=-1 AND R05\_AX0679\_IN= -1) OR R05\_AX0316=-9 OR R05\_AX0679\_IN = -9 OR R05\_AX0679\_FT=-9) THEN R05R\_A\_HTINCH = -99999; ELSE IF (R05\_AX0316=-8 OR R05\_AX0679\_IN=-8 OR R05\_AX0679\_FT=-8) THEN R05R\_A\_HTINCH = -99988; ELSE IF (R05\_AX0316=-7 OR R05\_AX0679\_IN=-7 OR R05\_AX0679\_FT=-7) THEN R05R\_A\_HTINCH = -99977; ELSE IF (R05\_AX0316=-5 OR R05\_AX0679\_IN=-5 OR R05\_AX0679\_FT=-5) THEN R05R\_A\_HTINCH = -99955; ELSE IF (R05\_AX0316=-1 OR R05\_AX0679\_IN= -1 OR R05\_AX0679\_FT=-1) THEN R05R\_A\_HTINCH = -99911; [STEP 2: Create R05R\_A\_WTPNDS]IF R05\_AX0313 in (1,-7,-8) AND R05\_AX0109>= 0 THEN R05R\_A\_WTPNDS=R05\_AX0109; ELSE IF R05\_AX0313=2 AND R05\_AX0312>=0 THEN R05R\_A\_WTPNDS=R05\_AX0312\*2.20462; ELSE IF (R05\_AX0313=-9 AND R05\_AX0109=-1) OR R05\_AX0312= -9 OR R05\_AX0109=-9 THEN R05R\_A\_WTPNDS=-99999; ELSE IF R05\_AX0312=-8 OR

```

R05_AX0109=-8 THEN R05R_A_WTPNDS=-99988; ELSE IF R05_AX0312=-7 OR
R05_AX0109=-7 THEN R05R_A_WTPNDS=-99977; ELSE IF R05_AX0312=-5 OR
R05_AX0109=-5 THEN R05R_A_WTPNDS=-99955; ELSE IF R05_AX0312=-1 OR
R05_AX0109=-1 THEN R05R_A_WTPNDS=-99911; [STEP 3: Create R05R_A_BMI] IF
R05R_A_HTINCH>=0 AND R05R_A_WTPNDS>=0 THEN R05R_A_BMI =
703 x (R05R_A_WTPNDS / (R05R_A_HTINCH x R05R_A_HTINCH) ); ELSE IF
R05R_A_HTINCH = -99999 OR R05R_A_WTPNDS = -99999 THEN R05R_A_BMI = -99999;
ELSE IF R05R_A_HTINCH = -99988 OR R05R_A_WTPNDS = -99988 THEN
R05R_A_BMI = -99988; ELSE IF R05R_A_HTINCH = -99977 OR
R05R_A_WTPNDS = -99977 THEN R05R_A_BMI = -99977; ELSE IF
R05R_A_HTINCH = -99955 OR R05R_A_WTPNDS = -99955 THEN R05R_A_BMI =
-99955; ELSE IF R05R_A_HTINCH = -99911 OR R05R_A_WTPNDS = -99911 THEN
R05R_A_BMI = -99911; IF R05R_A_BMI > 85 THEN R05R_A_BMI = 85;

```

This variable has 33,622 valid cases out of 34,309 total cases.

- Mean: 28.12593144
- Median: 26.75780000
- Mode: 25.06000000
- Minimum: 13.04267161
- Maximum: 85.00000000
- Standard Deviation: 6.92641662

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	199	0.6 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	316	0.9 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	171	0.5 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>687</b>	<b>2.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13088-13102 (width: 15; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05\_AX0241: How many days in typical week you do any physical activity or exercise of at least moderate intensity

In a typical week, how many days do you do any physical activity or exercise of at least moderate intensity, such as brisk walking, bicycling, or swimming at a regular pace?

[IF None (0), Don't Know (-8), or Refused (-7); GO TO R05\_AX0243]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
0	0 = None	6549	19.1 %
1	1 = 1 day per week	3999	11.7 %
2	2 = 2 days per week	4539	13.2 %
3	3 = 3 days per week	5848	17.0 %
4	4 = 4 days per week	3583	10.4 %
5	5 = 5 days per week	4797	14.0 %
6	6 = 6 days per week	1702	5.0 %
7	7 = 7 days per week	3190	9.3 %
<b>Total</b>		<b>34,207</b>	<b>99.7%</b>

This variable has 34,207 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	61	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>102</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10622-10627 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0242\_NN: On days when you do physical activity or exercise of at least moderate intensity, how long do you do these activities - Number

On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?

\_\_ Hours/Minutes

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AX0243]

ASK: Adult respondents who do any physical activity of moderate intensity at least 1 day per week.

ASK Specification: IF R05\_AX0241 > 0.

[PROGRAM NOTE: Display as Quantity/Units. Range check: <= 24 hours.]

This variable has 27,360 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	87	0.3 %	
-7	-7 = Refused	55	0.2 %	
-5	-5 = Improbable response removed	156	0.5 %	
-1	-1 = Inapplicable	6650	19.4 %	
	<b>Total</b>	<b>6,949</b>	<b>20.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10628-10633 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AX0242\_UN: On days when you do physical activity or exercise of at least moderate intensity, how long do you do these activities - Unit

On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?

\_\_ Hours/Minutes

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AX0243]

ASK: Adult respondents who do any physical activity of moderate intensity at least 1 day per week.

ASK Specification: IF R05\_AX0241 > 0.

[PROGRAM NOTE: Display as Quantity/Units. Range check: <= 24 hours.]

Value	Label	Unweighted Frequency	%
1	1 = Hours	18887	55.0 %
2	2 = Minutes	8629	25.2 %
	<b>Total</b>	<b>27,516</b>	<b>80.2%</b>

This variable has 27,516 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	6792	19.8 %	
	<b>Total</b>	<b>6,793</b>	<b>19.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10634-10639 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0243: How many days in a typical week you do physical activities specifically designed to strengthen your muscles

In a typical week, outside of your job or work around the house, how many days do you do physical activities specifically designed to strengthen your muscles such as lifting weights or circuit training? Do not include cardio exercise such as walking, biking, or swimming.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
0	0 = None	16305	47.5 %
1	1 = 1 day per week	3987	11.6 %
2	2 = 2 days per week	4006	11.7 %
3	3 = 3 days per week	4164	12.1 %
4	4 = 4 days per week	1951	5.7 %
5	5 = 5 days per week	2023	5.9 %
6	6 = 6 days per week	626	1.8 %
7	7 = 7 days per week	1092	3.2 %
	<b>Total</b>	<b>34,154</b>	<b>99.5%</b>

This variable has 34,154 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	61	0.2 %
-7	-7 = Refused	93	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>155</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10640-10645 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0100: In past 7 days, level of pain, on average on a scale of 0 to 10 (low to high)

In the past 7 days, how would you rate your pain on average on a scale from 0 to 10 where 0 is no pain and 10 is the worst pain imaginable?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
0	0 = No pain	11124	32.4 %

Value	Label	Unweighted Frequency	%
1	1 = 1 on a scale of 0 to 10	4751	13.8 %
2	2 = 2 on a scale of 0 to 10	4445	13.0 %
3	3 = 3 on a scale of 0 to 10	3835	11.2 %
4	4 = 4 on a scale of 0 to 10	2263	6.6 %
5	5 = 5 on a scale of 0 to 10	2957	8.6 %
6	6 = 6 on a scale of 0 to 10	1533	4.5 %
7	7 = 7 on a scale of 0 to 10	1495	4.4 %
8	8 = 8 on a scale of 0 to 10	987	2.9 %
9	9 = 9 on a scale of 0 to 10	324	0.9 %
10	10 = Worst pain imaginable	412	1.2 %
<b>Total</b>		<b>34,126</b>	<b>99.5%</b>

This variable has 34,126 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	87	0.3 %
-7	-7 = Refused	95	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>183</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10646-10651 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0101: In past 7 days, rating of fatigue on average

In the past 7 days, how would you rate your fatigue on average? By fatigue, we mean feeling unrested or overly tired during the day, no matter how many hours of sleep you've had.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	7561	22.0 %
2	2 = Mild	13390	39.0 %
3	3 = Moderate	10201	29.7 %
4	4 = Severe	2372	6.9 %
5	5 = Very severe	674	2.0 %
<b>Total</b>		<b>34,198</b>	<b>99.7%</b>

This variable has 34,198 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	49	0.1 %
-7	-7 = Refused	61	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>111</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10652-10657 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0103: In past 7 days, how often you have been bothered by emotional problems

In the past 7 days, how often have you been bothered by emotional problems such as feeling anxious, depressed, or irritable?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9875	28.8 %
2	2 = Rarely	9938	29.0 %
3	3 = Sometimes	9068	26.4 %
4	4 = Often	3460	10.1 %
5	5 = Very often	1856	5.4 %
<b>Total</b>		<b>34,197</b>	<b>99.7%</b>

This variable has 34,197 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.1 %
-7	-7 = Refused	75	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>112</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10658-10663 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0102: In past 7 days, rating of how well you carried out your usual social activities and roles

In general, please rate how well you carry out your usual social activities and roles. This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	8001	23.3 %
2	2 = Very good	13273	38.7 %
3	3 = Good	9638	28.1 %
4	4 = Fair	2763	8.1 %
5	5 = Poor	522	1.5 %
<b>Total</b>		<b>34,197</b>	<b>99.7%</b>

This variable has 34,197 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	70	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>112</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10664-10669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0001: In past 12 months, saw a medical doctor

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a medical doctor, nurse, or other health professional?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	24330	70.9 %
2	2 = No	9871	28.8 %
<b>Total</b>		<b>34,201</b>	<b>99.7%</b>

This variable has 34,201 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.1 %
-7	-7 = Refused	62	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>108</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10670-10675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0002: In past 12 months, saw a dentist

In the past 12 months, have you seen a dentist?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19338	56.4 %
2	2 = No	14897	43.4 %
<b>Total</b>		<b>34,235</b>	<b>99.8%</b>

This variable has 34,235 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	49	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>74</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10676-10681 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0302: In past 12 months, visited an emergency room or urgent care center for a health problem of your own

In the past 12 months, have you visited an emergency room or urgent care center for a health problem of your own?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9557	27.9 %
2	2 = No	24686	72.0 %
	<b>Total</b>	<b>34,243</b>	<b>99.8%</b>

This variable has 34,243 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	42	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>66</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10682-10687 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0155: In past 12 months, number of times you visited an emergency room or urgent care center for a health problem of your own

In the past 12 months, how many times have you visited an emergency room or urgent care center for a health problem of your own?

\_\_\_\_ Times

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR19]

ASK: Adult respondents who visited an emergency room or urgent care center for their own health problem in the past 12 months.

ASK Specification: IF R05\_AX0302 = 1.

[PROGRAM NOTE: Allow 4 digits.]

This variable has 9,520 valid cases out of 34,309 total cases.

- Mean: 2.14
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 448.00
- Standard Deviation: 6.46

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.1 %
-7	-7 = Refused	10	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	24751	72.1 %
<b>Total</b>		<b>24,789</b>	<b>72.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10688-10693 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AX0003: In past 12 months, any medical doctor, dentist or other healthcare professional advise you to stop using tobacco/e-cigarettes

In the past 12 months, did any medical doctor, dentist, or other health professional advise you to stop using tobacco[, including e-cigarettes or other electronic nicotine products]?

ASK: Adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users and have seen a medical doctor, nurse, other health professional or dentist in the past 12 months.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2, 3, 4 AND  
(R05\_AX0001 != 2 OR R05\_AX0002 != 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4539	13.2 %
2	2 = No	13170	38.4 %
<b>Total</b>		<b>17,709</b>	<b>51.6%</b>

This variable has 17,709 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	47	0.1 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	16507	48.1 %
<b>Total</b>		<b>16,600</b>	<b>48.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10694-10699 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0104: Extent to which using/past use of tobacco products damaged your health

To what extent, if at all, has [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] damaged your health?

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R05\_EVER\_NEVER\_TOBACCO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	13804	40.2 %
2	2 = A little	5818	17.0 %
3	3 = Somewhat	4761	13.9 %
4	4 = A lot	1761	5.1 %
	<b>Total</b>	<b>26,144</b>	<b>76.2%</b>

This variable has 26,144 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	246	0.7 %	
-7	-7 = Refused	82	0.2 %	
-1	-1 = Inapplicable	7836	22.8 %	
	<b>Total</b>	<b>8,165</b>	<b>23.8%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 10700-10705 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0105: Extent to which you are worried that using/your past use of tobacco products will damage your health in the future

To what extent, if at all, are you worried that [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] will damage your health in the future?

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R05\_EVER\_NEVER\_TOBACCO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all worried	12015	35.0 %
2	2 = A little worried	7577	22.1 %
3	3 = Moderately worried	3981	11.6 %

Value	Label	Unweighted Frequency	%
4	4 = Very worried	2697	7.9 %
	<b>Total</b>	<b>26,270</b>	<b>76.6%</b>

This variable has 26,270 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	119	0.3 %
-7	-7 = Refused	83	0.2 %
-1	-1 = Inapplicable	7836	22.8 %
	<b>Total</b>	<b>8,039</b>	<b>23.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10706-10711 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0186\_NB: Has serious difficulty walking or climbing stairs

The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or] broken limbs[, or pregnancy].

Do you have serious difficulty walking or climbing stairs?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0094]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	149	0.4 %
2	2 = No	4275	12.5 %
	<b>Total</b>	<b>4,424</b>	<b>12.9%</b>

This variable has 4,424 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	29875	87.1 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>29,885</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10712-10717 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05R\_A\_AX0093: DERIVED - Extent to which you are able to carry out your everyday physical activities (2 levels)

**Long Description:** To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?

**Algorithm:** IF R05\_AX0093 IN (1,2) THEN R05R\_A\_AX0093 = 1; ELSE IF R05\_AX0093 IN (3,4,5) THEN R05R\_A\_AX0093 = 2; ELSE IF R05\_AX0093 = -9 THEN R05R\_A\_AX0093 = -99999; ELSE IF R05\_AX0093 = -8 THEN R05R\_A\_AX0093 = -99988; ELSE IF R05\_AX0093 = -7 THEN R05R\_A\_AX0093 = -99977; ELSE IF R05\_AX0093 = -1 THEN R05R\_A\_AX0093 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Completely or mostly	23979	69.9 %
2	2 = Moderately, a little, or not at all	5938	17.3 %
	<b>Total</b>	<b>29,917</b>	<b>87.2%</b>

This variable has 29,917 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	38	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	69	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4284	12.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>4,392</b>	<b>12.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10718-10723 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05\_AX0094: Extent to which you are able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry or going shopping

To what extent are you able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Completely	26033	75.9 %
2	2 = Mostly	3494	10.2 %
3	3 = Moderately	2694	7.9 %
4	4 = A little	1089	3.2 %
5	5 = Not at all	885	2.6 %
	<b>Total</b>	<b>34,195</b>	<b>99.7%</b>

This variable has 34,195 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	49	0.1 %	
-7	-7 = Refused	64	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>114</b>	<b>0.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10724-10729 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0188\_NB: Has difficulty dressing or bathing

Do you have difficulty dressing or bathing?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0097]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	62	0.2 %
2	2 = No	4367	12.7 %
	<b>Total</b>	<b>4,429</b>	<b>12.9%</b>

This variable has 4,429 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
<b>Total</b>		<b>29,880</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10730-10735 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0095: Extent to which you are able to carry out your everyday activities such as bathing, dressing or getting around the house

To what extent are you able to carry out your everyday activities such as bathing, dressing, or getting around the house?

**ASK:** Continuing adult respondents, or new baseline adult respondents who have difficulty dressing or bathing.

**ASK Specification:** IF R05\_ADULTTYPE = 1 OR (R05\_ADULTTYPE = 2 AND R05\_AX0188\_NB = 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Completely	25095	73.1 %
2	2 = Mostly	1972	5.7 %
3	3 = Moderately	1626	4.7 %
4	4 = A little	629	1.8 %
5	5 = Not at all	544	1.6 %
<b>Total</b>		<b>29,866</b>	<b>87.1%</b>

This variable has 29,866 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	48	0.1 %
-1	-1 = Inapplicable	4371	12.7 %
<b>Total</b>		<b>4,443</b>	<b>12.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10736-10741 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0097\_01: Your health limits you in: Lifting 10 pounds

Does your health limit you in any of the following activities? Choose all that apply.

Lifting 10 pounds

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2541	7.4 %
2	2 = Not Marked	31578	92.0 %
	<b>Total</b>	<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	80	0.2 %	
-7	-7 = Refused	109	0.3 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>190</b>	<b>0.6%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 10742-10747 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0097\_02: Your health limits you in: Walking up 10 steps

Does your health limit you in any of the following activities? Choose all that apply.

Walking up 10 steps

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2089	6.1 %
2	2 = Not Marked	32030	93.4 %
	<b>Total</b>	<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	80	0.2 %
-7	-7 = Refused	109	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>190</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10748-10753 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0097\_03: Your health limits you in: Walking 3 blocks

Does your health limit you in any of the following activities? Choose all that apply.

Walking 3 blocks

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2624	7.6 %
2	2 = Not Marked	31495	91.8 %
<b>Total</b>		<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	80	0.2 %
-7	-7 = Refused	109	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>190</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10754-10759 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0097\_04: Your health limits you in: Walking 1 mile

Does your health limit you in any of the following activities? Choose all that apply.

Walking 1 mile

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3744	10.9 %
2	2 = Not Marked	30375	88.5 %
	<b>Total</b>	<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	80	0.2 %
-7	-7 = Refused	109	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>190</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10760-10765 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0097\_05: Your health limits you in: Standing 20 minutes

Does your health limit you in any of the following activities? Choose all that apply.

Standing 20 minutes

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2921	8.5 %
2	2 = Not Marked	31198	90.9 %
	<b>Total</b>	<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	80	0.2 %
-7	-7 = Refused	109	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>190</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10766-10771 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0097\_06: Your health limits you in: Bending or stooping

Does your health limit you in any of the following activities? Choose all that apply.

Bending or stooping

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	3398	9.9 %
2	2 = Not Marked	30721	89.5 %
<b>Total</b>		<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	80	0.2 %
-7	-7 = Refused	109	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>190</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10772-10777 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0097\_07: Your health limits you in: Reaching overhead

Does your health limit you in any of the following activities? Choose all that apply.

Reaching overhead

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1994	5.8 %
2	2 = Not Marked	32125	93.6 %
	<b>Total</b>	<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	80	0.2 %
-7	-7 = Refused	109	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>190</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10778-10783 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0097\_08: Your health limits you in: Using fingers to grasp

Does your health limit you in any of the following activities? Choose all that apply.

Using fingers to grasp

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1659	4.8 %
2	2 = Not Marked	32460	94.6 %
	<b>Total</b>	<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	80	0.2 %	
-7	-7 = Refused	109	0.3 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>190</b>	<b>0.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10784-10789 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0097\_09: Your health limits you in: None of the above

Does your health limit you in any of the following activities? Choose all that apply.

None of the above

ASK: All adult respondents.

[PROGRAM NOTE: Option 9 cannot be selected if any options 1 through 8 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27141	79.1 %
2	2 = Not Marked	6978	20.3 %
	<b>Total</b>	<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	80	0.2 %	
-7	-7 = Refused	109	0.3 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>190</b>	<b>0.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10790-10795 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0187\_NB: Has difficulty doing errands alone because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	317	0.9 %
2	2 = No	4105	12.0 %
	<b>Total</b>	<b>4,422</b>	<b>12.9%</b>

This variable has 4,422 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,887</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10796-10801 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0189\_NB: Has serious difficulty concentrating, remembering or making decisions because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	762	2.2 %
2	2 = No	3660	10.7 %
	<b>Total</b>	<b>4,422</b>	<b>12.9%</b>

This variable has 4,422 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,887</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10802-10807 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0275: Ever had chest pain, chest tightness, or angina

Have you ever had any chest pain, chest tightness, or angina?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR103]

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R05R\_A\_AGE >= 40.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3189	9.3 %
2	2 = No	9378	27.3 %
	<b>Total</b>	<b>12,567</b>	<b>36.6%</b>

This variable has 12,567 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	21717	63.3 %
	<b>Total</b>	<b>21,742</b>	<b>63.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10808-10813 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0276: In past 30 days, frequency of chest pain, chest tightness, or angina

In the past 30 days, on average, how many times have you had chest pain, chest tightness, or angina?

[IF None over the past 30 days (6), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR103]

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina.

ASK Specification: IF R05R\_A\_AGE >= 40 AND R05\_AX0275 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 4 or more times per day	80	0.2 %
2	2 = 1 to 3 times per day	159	0.5 %
3	3 = 3 or more times per week but not every day	208	0.6 %
4	4 = 1 to 2 times per week	384	1.1 %
5	5 = Less than once a week	798	2.3 %
6	6 = None over the past 30 days	1548	4.5 %
<b>Total</b>		<b>3,177</b>	<b>9.3%</b>

This variable has 3,177 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	31119	90.7 %	
<b>Total</b>		<b>31,132</b>	<b>90.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10814-10819 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0284: In past 30 days, limitation due to chest pain, chest tightness, or angina during walking indoors on level ground

In the past 30 days, how much limitation have you had due to chest pain, chest tightness, or angina while doing any of the following activities...

Walking indoors on level ground.

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R\_A\_AGE >= 40 AND R05\_AX0275 = 1 AND R05\_AX0276 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Extremely limited	108	0.3 %
2	2 = Quite a bit limited	78	0.2 %
3	3 = Moderately limited	203	0.6 %
4	4 = Slightly limited	330	1.0 %

Value	Label	Unweighted Frequency	%
5	5 = Not at all limited	766	2.2 %
6	6 = Limited for other reasons	94	0.3 %
7	7 = Did not do the activity	42	0.1 %
<b>Total</b>		<b>1,621</b>	<b>4.7%</b>

This variable has 1,621 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	5	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	32679	95.2 %	
<b>Total</b>		<b>32,688</b>	<b>95.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10820-10825 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0285: In past 30 days, limitation due to chest pain, chest tightness, or angina during gardening, vacuuming, or carrying groceries

In the past 30 days, how much limitation have you had due to chest pain, chest tightness, or angina while doing any of the following activities...

Gardening, vacuuming, or carrying groceries.

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R\_A\_AGE >= 40 AND R05\_AX0275 = 1 AND R05\_AX0276 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Extremely limited	135	0.4 %
2	2 = Quite a bit limited	134	0.4 %
3	3 = Moderately limited	227	0.7 %
4	4 = Slightly limited	302	0.9 %
5	5 = Not at all limited	638	1.9 %
6	6 = Limited for other reasons	88	0.3 %
7	7 = Did not do the activity	91	0.3 %
<b>Total</b>		<b>1,615</b>	<b>4.7%</b>

This variable has 1,615 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	32679	95.2 %
<b>Total</b>		<b>32,694</b>	<b>95.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10826-10831 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0286: In past 30 days, limitation due to chest pain, chest tightness, or angina during lifting or moving heavy objects

In the past 30 days, how much limitation have you had due to chest pain, chest tightness, or angina while doing any of the following activities...

Lifting or moving heavy objects.

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R\_A\_AGE >= 40 AND R05\_AX0275 = 1 AND R05\_AX0276 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Extremely limited	294	0.9 %
2	2 = Quite a bit limited	158	0.5 %
3	3 = Moderately limited	194	0.6 %
4	4 = Slightly limited	293	0.9 %
5	5 = Not at all limited	459	1.3 %
6	6 = Limited for other reasons	125	0.4 %
7	7 = Did not do the activity	96	0.3 %
<b>Total</b>		<b>1,619</b>	<b>4.7%</b>

This variable has 1,619 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	7	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	32679	95.2 %
	<b>Total</b>	<b>32,690</b>	<b>95.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10832-10837 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0277: In past 30 days, average number of times taken nitroglycerin for chest pain, chest tightness, or angina

In the past 30 days, on average, how many times have you taken nitroglycerin for your chest pain, chest tightness, or angina?

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R\_A\_AGE >= 40 AND R05\_AX0275 = 1 AND

R05\_AX0276 = 1, 2, 3, 4, 5.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = 4 or more times per day	18	0.1 %
2	2 = 1 to 3 times per day	26	0.1 %
3	3 = 3 or more times per week but not every day	28	0.1 %
4	4 = 1 to 2 times per week	44	0.1 %
5	5 = Less than once a week	85	0.2 %
6	6 = None over the past 30 days	1395	4.1 %
	<b>Total</b>	<b>1,596</b>	<b>4.7%</b>

This variable has 1,596 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	32679	95.2 %
	<b>Total</b>	<b>32,713</b>	<b>95.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10838-10843 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0278: In past 30 days, limitation of enjoyment of life due to chest pain, chest tightness, or angina

In the past 30 days, how much has your chest pain, chest tightness, or angina limited your enjoyment of life?

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R\_A\_AGE >= 40 AND R05\_AX0275 = 1 AND R05\_AX0276 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = It has extremely limited my enjoyment of life	72	0.2 %
2	2 = It has limited my enjoyment of life quite a bit	101	0.3 %
3	3 = It has moderately limited my enjoyment of life	176	0.5 %
4	4 = It has slightly limited my enjoyment of life	433	1.3 %
5	5 = It has not limited my enjoyment of life at all	834	2.4 %
	<b>Total</b>	<b>1,616</b>	<b>4.7%</b>

This variable has 1,616 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	32679	95.2 %
	<b>Total</b>	<b>32,693</b>	<b>95.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 10844-10849 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AX0279: How would you feel about living the rest of your life with chest pain, chest tightness, or angina

If you had to spend the rest of your life with your chest pain, chest tightness, or angina the way it is right now, how would you feel about this?

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R\_A\_AGE >= 40 AND R05\_AX0275 = 1 AND R05\_AX0276 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Not satisfied at all	590	1.7 %
2	2 = Mostly dissatisfied	243	0.7 %
3	3 = Somewhat dissatisfied	381	1.1 %
4	4 = Mostly satisfied	257	0.7 %
5	5 = Completely satisfied	146	0.4 %
	<b>Total</b>	<b>1,617</b>	<b>4.7%</b>

This variable has 1,617 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	32679	95.2 %
	<b>Total</b>	<b>32,692</b>	<b>95.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10850-10855 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0111\_NB\_01: Doctor, nurse or other health professional said you had: High blood pressure

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

High blood pressure

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	161	0.5 %
2	2 = Not Marked	4241	12.4 %
	<b>Total</b>	<b>4,402</b>	<b>12.8%</b>

This variable has 4,402 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	16	0.0 %	
-1	-1 = Inapplicable	29875	87.1 %	
	<b>Total</b>	<b>29,907</b>	<b>87.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10856-10861 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0111\_NB\_02: Doctor, nurse or other health professional said you had: High cholesterol

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

High Cholesterol

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	123	0.4 %
2	2 = Not Marked	4279	12.5 %
	<b>Total</b>	<b>4,402</b>	<b>12.8%</b>

This variable has 4,402 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	15	0.0 %	
-7	-7 = Refused	16	0.0 %	
-1	-1 = Inapplicable	29875	87.1 %	
	<b>Total</b>	<b>29,907</b>	<b>87.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10862-10867 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0111\_NB\_03: Doctor, nurse or other health professional said you had: Congestive heart failure

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

Congestive heart failure

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.0 %
2	2 = Not Marked	4393	12.8 %
	<b>Total</b>	<b>4,402</b>	<b>12.8%</b>

This variable has 4,402 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,907</b>	<b>87.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10868-10873 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0111\_NB\_04: Doctor, nurse or other health professional said you had: A stroke

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

A stroke

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.0 %
2	2 = Not Marked	4389	12.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>4,402</b>	<b>12.8%</b>

This variable has 4,402 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,907</b>	<b>87.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10874-10879 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0111\_NB\_05: Doctor, nurse or other health professional said you had: A heart attack (also called myocardial infarction) or needed bypass surgery

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

A heart attack (also called myocardial infarction) or needed bypass surgery

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.0 %
2	2 = Not Marked	4388	12.8 %
	<b>Total</b>	<b>4,402</b>	<b>12.8%</b>

This variable has 4,402 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,907</b>	<b>87.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10880-10885 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0111\_NB\_06: Doctor, nurse or other health professional said you had: Some other heart condition

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

Some other heart condition

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	85	0.2 %
2	2 = Not Marked	4317	12.6 %
	<b>Total</b>	<b>4,402</b>	<b>12.8%</b>

This variable has 4,402 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,907</b>	<b>87.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10886-10891 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0111\_NB\_07: Doctor, nurse or other health professional said you had: None of the above

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

None of the above

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4036	11.8 %
2	2 = Not Marked	366	1.1 %
	<b>Total</b>	<b>4,402</b>	<b>12.8%</b>

This variable has 4,402 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,907</b>	<b>87.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10892-10897 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0111\_12M\_01: In past 12 months, doctor, nurse or other health professional said you had: High blood pressure

In the past 12 months, has a doctor, nurse, or other health professional told you that you had any of the following heart conditions? Choose all that apply.

High blood pressure

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R05R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4923	14.3 %
2	2 = Not Marked	16316	47.6 %
	<b>Total</b>	<b>21,239</b>	<b>61.9%</b>

This variable has 21,239 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	40	0.1 %	
-7	-7 = Refused	68	0.2 %	
-1	-1 = Inapplicable	12961	37.8 %	
<b>Total</b>		<b>13,070</b>	<b>38.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10898-10903 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0111\_12M\_02: In past 12 months, doctor, nurse or other health professional said you had: High cholesterol

In the past 12 months, has a doctor, nurse, or other health professional told you that you had any of the following heart conditions? Choose all that apply.

High Cholesterol

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R05R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3320	9.7 %
2	2 = Not Marked	17919	52.2 %
<b>Total</b>		<b>21,239</b>	<b>61.9%</b>

This variable has 21,239 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	40	0.1 %	
-7	-7 = Refused	68	0.2 %	
-1	-1 = Inapplicable	12961	37.8 %	
<b>Total</b>		<b>13,070</b>	<b>38.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10904-10909 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0111\_12M\_03: In past 12 months, doctor, nurse or other health professional said you had: Congestive heart failure

In the past 12 months, has a doctor, nurse, or other health professional told you that you had any of the following heart conditions? Choose all that apply.

Congestive heart failure

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R05R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	348	1.0 %
2	2 = Not Marked	20891	60.9 %
	<b>Total</b>	<b>21,239</b>	<b>61.9%</b>

This variable has 21,239 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	68	0.2 %
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,070</b>	<b>38.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10910-10915 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0111\_12M\_04: In past 12 months, doctor, nurse or other health professional said you had: A stroke

In the past 12 months, has a doctor, nurse, or other health professional told you that you had any of the following heart conditions? Choose all that apply.

A stroke

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor,

nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.  
Suppress options 3, 4, and 5 if 18 <= R05R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	226	0.7 %
2	2 = Not Marked	21013	61.2 %
	<b>Total</b>	<b>21,239</b>	<b>61.9%</b>

This variable has 21,239 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	68	0.2 %
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,070</b>	<b>38.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10916-10921 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0111\_12M\_05: In past 12 months, doctor, nurse or other health professional said you had: A heart attack (also called myocardial infarction) or needed bypass surgery

In the past 12 months, has a doctor, nurse, or other health professional told you that you had any of the following heart conditions? Choose all that apply.

A heart attack (also called myocardial infarction) or needed bypass surgery

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.  
Suppress options 3, 4, and 5 if 18 <= R05R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	191	0.6 %
2	2 = Not Marked	21048	61.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>21,239</b>	<b>61.9%</b>

This variable has 21,239 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	68	0.2 %
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,070</b>	<b>38.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10922-10927 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0111\_12M\_06: In past 12 months, doctor, nurse or other health professional said you had: Some other heart condition

In the past 12 months, has a doctor, nurse, or other health professional told you that you had any of the following heart conditions? Choose all that apply.

Some other heart condition

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R05R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	939	2.7 %
2	2 = Not Marked	20300	59.2 %
	<b>Total</b>	<b>21,239</b>	<b>61.9%</b>

This variable has 21,239 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	68	0.2 %

Missing Data			
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,070</b>	<b>38.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10928-10933 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0111\_12M\_07: In past 12 months, doctor, nurse or other health professional said you had: None of the above

In the past 12 months, has a doctor, nurse, or other health professional told you that you had any of the following heart conditions? Choose all that apply.

None of the above

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R05R\_A\_AGE < 40. ]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14545	42.4 %
2	2 = Not Marked	6694	19.5 %
	<b>Total</b>	<b>21,239</b>	<b>61.9%</b>

This variable has 21,239 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	68	0.2 %
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,070</b>	<b>38.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10934-10939 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05R\_A\_AX0114\_NB: DERIVED - Age range you were in when you were first told you had high blood pressure (6 levels)

Long Description: How old were you when you were first told you had high blood pressure?

Algorithm: IF (0 <= R05\_AX0114\_NB < 18) OR R05\_AX0253\_NB = 1 THEN  
 R05R\_A\_AX0114\_NB = 1; ELSE IF (18 <= R05\_AX0114\_NB <= 24) OR  
 R05\_AX0253\_NB = 2 THEN R05R\_A\_AX0114\_NB = 2; ELSE IF  
 (25 <= R05\_AX0114\_NB <= 34) OR R05\_AX0253\_NB = 3 THEN  
 R05R\_A\_AX0114\_NB = 3; ELSE IF (35 <= R05\_AX0114\_NB <= 44) OR  
 R05\_AX0253\_NB = 4 THEN R05R\_A\_AX0114\_NB = 4; ELSE IF  
 (45 <= R05\_AX0114\_NB <= 54) OR R05\_AX0253\_NB = 5 THEN  
 R05R\_A\_AX0114\_NB = 5; ELSE IF (R05\_AX0114\_NB >= 55) OR  
 R05\_AX0253\_NB = 6 THEN R05R\_A\_AX0114\_NB = 6; ELSE IF R05\_AX0114\_NB = -9  
 OR R05\_AX0253\_NB = -9 THEN R05R\_A\_AX0114\_NB = -99999; ELSE IF  
 R05\_AX0114\_NB = -8 OR R05\_AX0253\_NB = -8 THEN R05R\_A\_AX0114\_NB = -99988;  
 ELSE IF R05\_AX0114\_NB = -7 OR R05\_AX0253\_NB = -7 THEN  
 R05R\_A\_AX0114\_NB = -99977; ELSE IF R05\_AX0114\_NB = -5 THEN  
 R05R\_A\_AX0114\_NB = -99955; ELSE IF R05\_AX0114\_NB = -1 OR  
 R05\_AX0253\_NB = -1 THEN R05R\_A\_AX0114\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	121	0.4 %
2	2 = 18 to 24 years old	40	0.1 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>161</b>	<b>0.5%</b>

This variable has 161 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34147	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,148</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10940-10945 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05\_AX0744: High blood pressure has been under control in the past 12 months

[In the past, you told us you had high blood pressure.]

In the past 12 months, has your high blood pressure been under control?

ASK: Adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or new baseline adult respondents who have ever been told they had high blood pressure, or continuing adult respondents who have been told they had high blood pressure in the past 12 months.

ASK Specification: IF R04\_HIGH\_BLOOD\_PRESSURE = 1 OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB\_01 = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0111\_12M\_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	6837	19.9 %
2	2 = No	941	2.7 %
3	3 = Never had high blood pressure	270	0.8 %
<b>Total</b>		<b>8,048</b>	<b>23.5%</b>

This variable has 8,048 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	26212	76.4 %
<b>Total</b>		<b>26,261</b>	<b>76.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10946-10951 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05R\_A\_AX0115\_NB: DERIVED - Age range you were in when you were first told you had high cholesterol (6 levels)

Long Description: How old were you when you were first told you had high cholesterol?

Algorithm: IF (0 <= R05\_AX0115\_NB < 18) OR R05\_AX0254\_NB = 1 THEN  
R05R\_A\_AX0115\_NB = 1; ELSE IF (18 <= R05\_AX0115\_NB <= 24) OR  
R05\_AX0254\_NB = 2 THEN R05R\_A\_AX0115\_NB = 2; ELSE IF  
(25 <= R05\_AX0115\_NB <= 34) OR R05\_AX0254\_NB = 3 THEN  
R05R\_A\_AX0115\_NB = 3; ELSE IF (35 <= R05\_AX0115\_NB <= 44) OR  
R05\_AX0254\_NB = 4 THEN R05R\_A\_AX0115\_NB = 4; ELSE IF  
(45 <= R05\_AX0115\_NB <= 54) OR R05\_AX0254\_NB = 5 THEN  
R05R\_A\_AX0115\_NB = 5; ELSE IF (R05\_AX0115\_NB >= 55) OR

R05\_AX0254\_NB = 6 THEN R05R\_A\_AX0115\_NB = 6; ELSE IF R05\_AX0115\_NB = -9  
 OR R05\_AX0254\_NB = -9 THEN R05R\_A\_AX0115\_NB = -99999; ELSE IF  
 R05\_AX0115\_NB = -8 OR R05\_AX0254\_NB = -8 THEN R05R\_A\_AX0115\_NB = -99988;  
 ELSE IF R05\_AX0115\_NB = -7 OR R05\_AX0254\_NB = -7 THEN  
 R05R\_A\_AX0115\_NB = -99977; ELSE IF R05\_AX0115\_NB = -5 THEN  
 R05R\_A\_AX0115\_NB = -99955; ELSE IF R05\_AX0115\_NB = -1 OR  
 R05\_AX0254\_NB = -1 THEN R05R\_A\_AX0115\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	101	0.3 %
2	2 = 18 to 24 years old	20	0.1 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>121</b>	<b>0.4%</b>

This variable has 121 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34185	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,188</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10952-10957 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05\_AX0160\_NB: Ever taken any medications to reduce cholesterol

Have you ever taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AX0115NB]

ASK: New baseline adult respondents who have ever been told they had high cholesterol.

ASK Specification: IF R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB\_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.0 %
2	2 = No	107	0.3 %
	<b>Total</b>	<b>121</b>	<b>0.4%</b>

This variable has 121 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34185	99.6 %
	<b>Total</b>	<b>34,188</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10958-10963 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0160\_12M: In past 12 months, taken any medications to reduce cholesterol

[In the past, you told us you had high cholesterol.]

In the past 12 months, have you taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

[IF I have never had high cholesterol (3), GO TO BOX R05\_AXR26]

ASK: Continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview.

ASK Specification: IF R05\_ADULTTYPE = 1 AND (R05\_AX0111\_12M\_02 = 1 OR R04\_HIGH\_CHOLESTEROL = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3479	10.1 %
2	2 = No	2737	8.0 %
3	3 = I have never had high cholesterol	236	0.7 %
	<b>Total</b>	<b>6,452</b>	<b>18.8%</b>

This variable has 6,452 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %

Missing Data				
-7	-7 = Refused		7	0.0 %
-1	-1 = Inapplicable		27834	81.1 %
<b>Total</b>			<b>27,857</b>	<b>81.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10964-10969 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0746: High cholesterol has been under control in the past 12 months

[In the past, you told us you had high cholesterol.]

In the past 12 months, has your high cholesterol been under control?

ASK: Adult respondents who have ever been told they have high cholesterol.

ASK Specification: IF (R04\_HIGH\_CHOLESTEROL = 1 OR  
R05\_AX0111\_NB\_02 = 1 OR R05\_AX0111\_12M\_02 = 1) AND  
R05\_AX0160\_12M != 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5450	15.9 %
2	2 = No	811	2.4 %
<b>Total</b>		<b>6,261</b>	<b>18.2%</b>

This variable has 6,261 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	89	0.3 %	
-7	-7 = Refused	11	0.0 %	
-1	-1 = Inapplicable	27947	81.5 %	
<b>Total</b>		<b>28,048</b>	<b>81.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10970-10975 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_A\_AX0116\_NB: DERIVED - Age range you were in when you were first told you had congestive heart failure (6 levels)

Long Description: How old were you when you were first told you Had congestive heart failure?

Algorithm: IF (0 <= R05\_AX0116\_NB < 18) OR R05\_AX0255\_NB = 1 THEN

```

R05R_A_AX0116_NB = 1; ELSE IF (18 <= R05_AX0116_NB <= 24) OR
R05_AX0255_NB = 2 THEN R05R_A_AX0116_NB = 2; ELSE IF
(25 <= R05_AX0116_NB <= 34) OR R05_AX0255_NB = 3 THEN
R05R_A_AX0116_NB = 3; ELSE IF (35 <= R05_AX0116_NB <= 44) OR
R05_AX0255_NB = 4 THEN R05R_A_AX0116_NB = 4; ELSE IF
(45 <= R05_AX0116_NB <= 54) OR R05_AX0255_NB = 5 THEN
R05R_A_AX0116_NB = 5; ELSE IF (R05_AX0116_NB >= 55) OR
R05_AX0255_NB = 6 THEN R05R_A_AX0116_NB = 6; ELSE IF
R05_AX0116_NB = -9 OR R05_AX0255_NB = -9 THEN R05R_A_AX0116_NB = -99999;
ELSE IF R05_AX0116_NB = -8 OR R05_AX0255_NB = -8 THEN
R05R_A_AX0116_NB = -99988; ELSE IF R05_AX0116_NB = -7 OR
R05_AX0255_NB = -7 THEN R05R_A_AX0116_NB = -99977; ELSE IF
R05_AX0116_NB = -5 THEN R05R_A_AX0116_NB = -99955; ELSE IF
R05_AX0116_NB = -1 OR R05_AX0255_NB = -1 THEN R05R_A_AX0116_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	7	0.0 %
2	2 = 18 to 24 years old	0	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>7</b>	<b>0.0%</b>

This variable has 7 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34299	100.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,302</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 10976-10981 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_AX0117\_NB: DERIVED - Age range you were in when you were first told you had a stroke (6 levels)

Long Description: How old were you when you were first told you: Had a stroke?

Algorithm: IF (0 <= R05\_AX0117\_NB < 18) OR R05\_AX0256\_NB = 1 THEN  
R05R\_A\_AX0117\_NB = 1; ELSE IF (18 <= R05\_AX0117\_NB <= 24) OR  
R05\_AX0256\_NB = 2 THEN R05R\_A\_AX0117\_NB = 2; ELSE IF  
(25 <= R05\_AX0117\_NB <= 34) OR R05\_AX0256\_NB = 3 THEN  
R05R\_A\_AX0117\_NB = 3; ELSE IF (35 <= R05\_AX0117\_NB <= 44) OR  
R05\_AX0256\_NB = 4 THEN R05R\_A\_AX0117\_NB = 4; ELSE IF  
(45 <= R05\_AX0117\_NB <= 54) OR R05\_AX0256\_NB = 5 THEN  
R05R\_A\_AX0117\_NB = 5; ELSE IF (R05\_AX0117\_NB >= 55) OR R05\_AX0256\_NB = 6  
THEN R05R\_A\_AX0117\_NB = 6; ELSE IF R05\_AX0117\_NB = -9 OR  
R05\_AX0256\_NB = -9 THEN R05R\_A\_AX0117\_NB = -99999; ELSE IF  
R05\_AX0117\_NB = -8 OR R05\_AX0256\_NB = -8 THEN R05R\_A\_AX0117\_NB = -99988;  
ELSE IF R05\_AX0117\_NB = -7 OR R05\_AX0256\_NB = -7 THEN  
R05R\_A\_AX0117\_NB = -99977; ELSE IF R05\_AX0117\_NB = -5 THEN  
R05R\_A\_AX0117\_NB = -99955; ELSE IF R05\_AX0117\_NB = -1 OR  
R05\_AX0256\_NB = -1 THEN R05R\_A\_AX0117\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	13	0.0 %
2	2 = 18 to 24 years old	0	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>13</b>	<b>0.0%</b>

This variable has 13 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34295	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,296</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10982-10987 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05\_AX0745: Has a permanent disability as a result of stroke

[In the past, you told us you had a stroke.]

Do you have any permanent disability as a result of the stroke?

ASK: Adult respondents who reported having had a stroke as of their last completed interview, or new baseline adult respondents who have ever been told they had a stroke, or continuing adult respondents who have been told they had a stroke in the past 12 months.

ASK Specification: IF R04\_STROKE = 1 OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB\_04 = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0111\_12M\_04 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	223	0.6 %
2	2 = No	399	1.2 %
3	3 = Never had a stroke	26	0.1 %
<b>Total</b>		<b>648</b>	<b>1.9%</b>

This variable has 648 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33656	98.1 %
<b>Total</b>		<b>33,661</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10988-10993 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05R\_A\_AX0112\_NB: DERIVED - Age range you were in when you were first told you had a heart attack (6 levels)

Long Description: How old were you when you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery?

Algorithm: IF (0 <= R05\_AX0112\_NB < 18) OR R05\_AX0252\_NB = 1 THEN  
R05R\_A\_AX0112\_NB = 1; ELSE IF (18 <= R05\_AX0112\_NB <= 24) OR  
R05\_AX0252\_NB = 2 THEN R05R\_A\_AX0112\_NB = 2; ELSE IF  
(25 <= R05\_AX0112\_NB <= 34) OR R05\_AX0252\_NB = 3 THEN  
R05R\_A\_AX0112\_NB = 3; ELSE IF (35 <= R05\_AX0112\_NB <= 44) OR  
R05\_AX0252\_NB = 4 THEN R05R\_A\_AX0112\_NB = 4; ELSE IF  
(45 <= R05\_AX0112\_NB <= 54) OR R05\_AX0252\_NB = 5 THEN  
R05R\_A\_AX0112\_NB = 5; ELSE IF (R05\_AX0112\_NB >= 55) OR  
R05\_AX0252\_NB = 6 THEN R05R\_A\_AX0112\_NB = 6; ELSE IF R05\_AX0112\_NB = -9  
OR R05\_AX0252\_NB = -9 THEN R05R\_A\_AX0112\_NB = -99999; ELSE IF

R05\_AX0112\_NB = -8 OR R05\_AX0252\_NB = -8 THEN R05R\_A\_AX0112\_NB = -99988;  
ELSE IF R05\_AX0112\_NB = -7 OR R05\_AX0252\_NB = -7 THEN  
R05R\_A\_AX0112\_NB = -99977; ELSE IF R05\_AX0112\_NB = -5 THEN  
R05R\_A\_AX0112\_NB = -99955; ELSE IF R05\_AX0112\_NB = -1 OR  
R05\_AX0252\_NB = -1 THEN R05R\_A\_AX0112\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	12	0.0 %
2	2 = 18 to 24 years old	0	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>12</b>	<b>0.0%</b>

This variable has 12 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34294	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,297</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 10994-10999 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## **R05\_AX0219: In past 12 months, take any heart or blood pressure medications regularly**

In the past 12 months, did you take any [other] heart or blood pressure medications regularly? (Taken regularly means according to a health care provider's instructions.)

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR59]

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months.

ASK Specification: IF R04\_ANY\_HEART\_CONDITION = 1 OR

(R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1) OR  
(R05\_ADULTTYPE = 1 AND R05\_AX0111\_12M[01/02/03/04/05/06] = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	5440	15.9 %
2	2 = No	6698	19.5 %
	<b>Total</b>	<b>12,138</b>	<b>35.4%</b>

This variable has 12,138 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	21	0.1 %	
-7	-7 = Refused	29	0.1 %	
-1	-1 = Inapplicable	22120	64.5 %	
	<b>Total</b>	<b>22,171</b>	<b>64.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11000-11005 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0159\_01: Type of heart or blood pressure medication taken regularly: Calcium Channel Blocker

What type of heart or blood pressure medications do you regularly take?

1 Calcium Channel Blocker - for example: nifedipine (Procardia, Adalat), diltiazem (Cardizem), amlodipine (Norvasc), verapamil (Calan), nisoldipine (Sular)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R04\_ANY\_HEART\_CONDITION = 1 AND R05\_AX0219 = 1)  
OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1  
AND R05\_AX0219 = 1) OR (R05\_ADULTTYPE = 1 AND  
R05\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R05\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1604	4.7 %
2	2 = No	3667	10.7 %
	<b>Total</b>	<b>5,271</b>	<b>15.4%</b>

This variable has 5,271 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	138	0.4 %
-7	-7 = Refused	31	0.1 %
-1	-1 = Inapplicable	28868	84.1 %
<b>Total</b>		<b>29,038</b>	<b>84.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11006-11011 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0159\_02: Type of heart or blood pressure medication taken regularly: Beta Blocker

What type of heart or blood pressure medications do you regularly take?

Beta Blocker - for example: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)

**ASK:** Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

**ASK Specification:** IF (R04\_ANY\_HEART\_CONDITION = 1 AND R05\_AX0219 = 1)

OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1

AND R05\_AX0219 = 1) OR (R05\_ADULTTYPE = 1 AND

R05\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R05\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1633	4.8 %
2	2 = No	3594	10.5 %
<b>Total</b>		<b>5,227</b>	<b>15.2%</b>

This variable has 5,227 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	155	0.5 %
-7	-7 = Refused	58	0.2 %
-1	-1 = Inapplicable	28868	84.1 %
<b>Total</b>		<b>29,082</b>	<b>84.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11012-11017 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0159\_03: Type of heart or blood pressure medication taken regularly: Angiotensin Receptor Blocker

What type of heart or blood pressure medications do you regularly take?

Angiotensin Receptor Blocker - for example: losartan (Cozaar), irbesartan (Avapro), valsartan (Diovan), candesartan (Atacand), telmisartan (Micardis), olmesartan (Benicar)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R04\_ANY\_HEART\_CONDITION = 1 AND R05\_AX0219 = 1)  
OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1  
AND R05\_AX0219 = 1) OR (R05\_ADULTTYPE = 1 AND  
R05\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R05\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1046	3.0 %
2	2 = No	4237	12.3 %
	<b>Total</b>	<b>5,283</b>	<b>15.4%</b>

This variable has 5,283 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.4 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28868	84.1 %
	<b>Total</b>	<b>29,026</b>	<b>84.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11018-11023 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0159\_04: Type of heart or blood pressure medication taken regularly: Ace Inhibitor

What type of heart or blood pressure medications do you regularly take?

Ace Inhibitor - for example: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R04\_ANY\_HEART\_CONDITION = 1 AND R05\_AX0219 = 1)  
OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1  
AND R05\_AX0219 = 1) OR (R05\_ADULTTYPE = 1 AND  
R05\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R05\_AX0219 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1765	5.1 %
2	2 = No	3545	10.3 %
	<b>Total</b>	<b>5,310</b>	<b>15.5%</b>

This variable has 5,310 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	95	0.3 %
-7	-7 = Refused	35	0.1 %
-1	-1 = Inapplicable	28868	84.1 %
	<b>Total</b>	<b>28,999</b>	<b>84.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11024-11029 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0159\_05: Type of heart or blood pressure medication taken regularly: Diuretic

What type of heart or blood pressure medications do you regularly take?

Diuretic - for example: furosemide (Lasix), indapamide (Lozol), triamterene (Dyrenium), thiazides (HCTZ), triamterene/HCTZ (Dyazide)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R04\_ANY\_HEART\_CONDITION = 1 AND R05\_AX0219 = 1)  
OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1

AND R05\_AX0219 = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R05\_AX0219 = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1230	3.6 %
2	2 = No	4099	11.9 %
	<b>Total</b>	<b>5,329</b>	<b>15.5%</b>

This variable has 5,329 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	84	0.2 %
-7	-7 = Refused	26	0.1 %
-1	-1 = Inapplicable	28868	84.1 %
	<b>Total</b>	<b>28,980</b>	<b>84.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11030-11035 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0159\_06: Type of heart or blood pressure medication taken regularly: Digoxin (Lanoxin)

What type of heart or blood pressure medications do you regularly take?

Digoxin (Lanoxin)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R04\_ANY\_HEART\_CONDITION = 1 AND R05\_AX0219 = 1)  
OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1  
AND R05\_AX0219 = 1) OR (R05\_ADULTTYPE = 1 AND  
R05\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R05\_AX0219 = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	191	0.6 %

Value	Label	Unweighted Frequency	%
2	2 = No	5137	15.0 %
	<b>Total</b>	<b>5,328</b>	<b>15.5%</b>

This variable has 5,328 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	81	0.2 %
-7	-7 = Refused	30	0.1 %
-1	-1 = Inapplicable	28868	84.1 %
	<b>Total</b>	<b>28,981</b>	<b>84.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11036-11041 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0159\_07: Type of heart or blood pressure medication taken regularly: Methyldopa (Aldomet) or Hydralazine (Apresoline)

What type of heart or blood pressure medications do you regularly take?

Methyldopa (Aldomet) or Hydralazine (Apresoline)

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R04\_ANY\_HEART\_CONDITION = 1 AND R05\_AX0219 = 1)  
OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1  
AND R05\_AX0219 = 1) OR (R05\_ADULTTYPE = 1 AND  
R05\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R05\_AX0219 = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	219	0.6 %
2	2 = No	5114	14.9 %
	<b>Total</b>	<b>5,333</b>	<b>15.5%</b>

This variable has 5,333 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	83	0.2 %
-7	-7 = Refused	23	0.1 %
-1	-1 = Inapplicable	28868	84.1 %
<b>Total</b>		<b>28,976</b>	<b>84.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11042-11047 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0159\_08: Type of heart or blood pressure medication taken regularly: Other antiarrhythmics

What type of heart or blood pressure medications do you regularly take?

Other antiarrhythmics

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R04\_ANY\_HEART\_CONDITION = 1 AND R05\_AX0219 = 1)  
OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1  
AND R05\_AX0219 = 1) OR (R05\_ADULTTYPE = 1 AND  
R05\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R05\_AX0219 = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	306	0.9 %
2	2 = No	5008	14.6 %
<b>Total</b>		<b>5,314</b>	<b>15.5%</b>

This variable has 5,314 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	91	0.3 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28868	84.1 %
<b>Total</b>		<b>28,995</b>	<b>84.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11048-11053 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0159\_09: Type of heart or blood pressure medication taken regularly: Some other medication

What type of heart or blood pressure medications do you regularly take?

Some other heart or blood pressure medication

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R04\_ANY\_HEART\_CONDITION = 1 AND R05\_AX0219 = 1)

OR (R05\_ADULTTYPE = 2 AND R05\_AX0111\_NB[01/02/03/04/05/06] = 1

AND R05\_AX0219 = 1) OR (R05\_ADULTTYPE = 1 AND

R05\_AX0111\_12M[01/02/03/04/05/06] = 1 AND R05\_AX0219 = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1548	4.5 %
2	2 = No	3787	11.0 %
	<b>Total</b>	<b>5,335</b>	<b>15.5%</b>

This variable has 5,335 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	70	0.2 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	28868	84.1 %
	<b>Total</b>	<b>28,974</b>	<b>84.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11054-11059 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0413: Have heaviness in lower legs, thighs, buttocks, or feet that gets worse with exercise and better with rest

Do you have pain or heaviness in your lower legs, thighs, buttocks or feet that gets worse with walking or other exercise, and gets better with rest?

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R05R\_A\_AGE >= 40.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2997	8.7 %
2	2 = No	9553	27.8 %
	<b>Total</b>	<b>12,550</b>	<b>36.6%</b>

This variable has 12,550 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	21717	63.3 %
	<b>Total</b>	<b>21,759</b>	<b>63.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11060-11065 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0410: Ever been told by a doctor, nurse, or health practitioner that you have poor circulation or blood flow in your legs (PAD or PVD)

Has a doctor, nurse, or other health professional ever told you that you had poor circulation or blood flow in your legs, sometimes called peripheral artery disease (PAD) or peripheral vascular disease (PVD)?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR115]

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R05R\_A\_AGE >= 40.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1103	3.2 %
2	2 = No	11440	33.3 %
	<b>Total</b>	<b>12,543</b>	<b>36.6%</b>

This variable has 12,543 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	23	0.1 %	
-7	-7 = Refused	25	0.1 %	
-1	-1 = Inapplicable	21717	63.3 %	
<b>Total</b>		<b>21,766</b>	<b>63.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11066-11071 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AX0411: DERIVED - Age group when you were first told you have poor circulation (PAD or PVD) (6 levels)

Long Description: How old were you when you were first told you had PAD or PVD?

```
Algorithm: IF (0 <= R05_AX0411 < 18) OR R05_AX0412 = 1 THEN
R05R_A_AX0411 = 1; ELSE IF (18 <= R05_AX0411 <= 24) OR
R05_AX0412 = 2 THEN R05R_A_AX0411 = 2; ELSE IF
(25 <= R05_AX0411 <= 34) OR R05_AX0412 = 3 THEN R05R_A_AX0411 = 3; ELSE
IF (35 <= R05_AX0411 <= 44) OR R05_AX0412 = 4 THEN R05R_A_AX0411 = 4;
ELSE IF (45 <= R05_AX0411 <= 54) OR R05_AX0412 = 5 THEN
R05R_A_AX0411 = 5; ELSE IF (R05_AX0411 >= 55) OR R05_AX0412 = 6 THEN
R05R_A_AX0411 = 6; ELSE IF R05_AX0411 = -9 OR R05_AX0412 = -9 THEN
R05R_A_AX0411 = -99999; ELSE IF R05_AX0411 = -8 OR R05_AX0412 = -8 THEN
R05R_A_AX0411 = -99988; ELSE IF R05_AX0411 = -7 OR R05_AX0412 = -7 THEN
R05R_A_AX0411 = -99977; ELSE IF R05_AX0411 = -5 THEN
R05R_A_AX0411 = -99955; ELSE IF R05_AX0411 = -1 OR R05_AX0412 = -1 THEN
R05R_A_AX0411 = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	69	0.2 %
2	2 = 18 to 24 years old	19	0.1 %
3	3 = 25 to 34 years old	71	0.2 %
4	4 = 35 to 44 years old	151	0.4 %
5	5 = 45 to 54 years old	277	0.8 %
6	6 = 55 years old or older	466	1.4 %
<b>Total</b>		<b>1,053</b>	<b>3.1%</b>

This variable has 1,053 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.1 %	

<b>Missing Data</b>				
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	20	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33205	96.8 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>33,256</b>	<b>96.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11072-11077 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05\_AX0046\_NB: Ever had wheezing or whistling in the chest

Have you ever had wheezing or whistling in the chest at any time in the past?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AX0052]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	892	2.6 %
2	2 = No	3534	10.3 %
	<b>Total</b>	<b>4,426</b>	<b>12.9%</b>

This variable has 4,426 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	29875	87.1 %	
	<b>Total</b>	<b>29,883</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11078-11083 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0047\_12M: In past 12 months, had wheezing or whistling in the chest

Have you had wheezing or whistling in the chest in the past 12 months?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AX0052]

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past, or continuing adult respondents.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_AX0046\_NB = 1) OR R05\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5322	15.5 %
2	2 = No	25374	74.0 %
	<b>Total</b>	<b>30,696</b>	<b>89.5%</b>

This variable has 30,696 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.1 %
-7	-7 = Refused	41	0.1 %
-1	-1 = Inapplicable	3541	10.3 %
	<b>Total</b>	<b>3,613</b>	<b>10.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11084-11089 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0048: In past 12 months, number of wheezing attacks

How many attacks of wheezing have you had in the past 12 months?

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_AX0046\_NB = 1 AND R05\_AX0047\_12M = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0047\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = None	607	1.8 %
2	2 = 1 to 3	2926	8.5 %
3	3 = 4 to 12	963	2.8 %
4	4 = More than 12	803	2.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>5,299</b>	<b>15.4%</b>

This variable has 5,299 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	28986	84.5 %
	<b>Total</b>	<b>29,010</b>	<b>84.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11090-11095 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0049: In past 12 months, how often had sleep disturbed due to wheezing

In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_AX0046\_NB = 1 AND R05\_AX0047\_12M = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0047\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Never woken with wheezing	3232	9.4 %
2	2 = Less than one night per week	1290	3.8 %
3	3 = One or more nights per week	782	2.3 %
	<b>Total</b>	<b>5,304</b>	<b>15.5%</b>

This variable has 5,304 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	28986	84.5 %
	<b>Total</b>	<b>29,005</b>	<b>84.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11096-11101 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0050: In past 12 months, had speech limited to only one or two words between breaths due to wheezing

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_AX0046\_NB = 1 AND R05\_AX0047\_12M = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0047\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	893	2.6 %
2	2 = No	4422	12.9 %
	<b>Total</b>	<b>5,315</b>	<b>15.5%</b>

This variable has 5,315 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	4	0.0 %	
-1	-1 = Inapplicable	28986	84.5 %	
	<b>Total</b>	<b>28,994</b>	<b>84.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11102-11107 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0052: In past 12 months, chest has sounded wheezy during or after exercise

In the past 12 months, has your chest sounded wheezy during or after exercise?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4001	11.7 %
2	2 = No	30209	88.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>34,210</b>	<b>99.7%</b>

This variable has 34,210 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	53	0.2 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>99</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11108-11113 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0053: In past 12 months, had a dry cough at night not associated with a cold or chest infection

A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6513	19.0 %
2	2 = No	27695	80.7 %
	<b>Total</b>	<b>34,208</b>	<b>99.7%</b>

This variable has 34,208 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	48	0.1 %
-7	-7 = Refused	52	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>101</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11114-11119 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0119\_NB\_01: Doctor, nurse or other health professional said you had a lung or respiratory condition: COPD

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

COPD

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	4409	12.9 %
	<b>Total</b>	<b>4,412</b>	<b>12.9%</b>

This variable has 4,412 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,897</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11120-11125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0119\_NB\_02: Doctor, nurse or other health professional said you had a lung or respiratory condition: Chronic bronchitis

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Chronic bronchitis

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.1 %
2	2 = Not Marked	4379	12.8 %
	<b>Total</b>	<b>4,412</b>	<b>12.9%</b>

This variable has 4,412 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	10	0.0 %	
-1	-1 = Inapplicable	29875	87.1 %	
	<b>Total</b>	<b>29,897</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11126-11131 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0119\_NB\_03: Doctor, nurse or other health professional said you had a lung or respiratory condition: Emphysema

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Emphysema

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	4406	12.8 %
	<b>Total</b>	<b>4,412</b>	<b>12.9%</b>

This variable has 4,412 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	10	0.0 %	
-1	-1 = Inapplicable	29875	87.1 %	
<b>Total</b>		<b>29,897</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11132-11137 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0119\_NB\_04: Doctor, nurse or other health professional said you had a lung or respiratory condition: Asthma

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Asthma

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	698	2.0 %
2	2 = Not Marked	3714	10.8 %
<b>Total</b>		<b>4,412</b>	<b>12.9%</b>

This variable has 4,412 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	10	0.0 %	
-1	-1 = Inapplicable	29875	87.1 %	
<b>Total</b>		<b>29,897</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11138-11143 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0119\_NB\_05: Doctor, nurse or other health professional said you had a lung or respiratory condition: Some other lung or respiratory condition

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Some other lung or respiratory condition

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	39	0.1 %
2	2 = Not Marked	4373	12.7 %
	<b>Total</b>	<b>4,412</b>	<b>12.9%</b>

This variable has 4,412 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,897</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11144-11149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0119\_NB\_06: Doctor, nurse or other health professional said you had a lung or respiratory condition: None of the above

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

None of the above

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3666	10.7 %
2	2 = Not Marked	746	2.2 %
	<b>Total</b>	<b>4,412</b>	<b>12.9%</b>

This variable has 4,412 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,897</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11150-11155 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0119\_12M\_01: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: COPD

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

COPD

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1056	3.1 %
2	2 = Not Marked	20192	58.9 %
	<b>Total</b>	<b>21,248</b>	<b>61.9%</b>

This variable has 21,248 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	49	0.1 %
-1	-1 = Inapplicable	12961	37.8 %
<b>Total</b>		<b>13,061</b>	<b>38.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11156-11161 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0119\_12M\_02: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: Chronic bronchitis

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Chronic bronchitis

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	647	1.9 %
2	2 = Not Marked	20601	60.0 %
<b>Total</b>		<b>21,248</b>	<b>61.9%</b>

This variable has 21,248 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	49	0.1 %
-1	-1 = Inapplicable	12961	37.8 %
<b>Total</b>		<b>13,061</b>	<b>38.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11162-11167 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0119\_12M\_03: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: Emphysema

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Emphysema

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	319	0.9 %
2	2 = Not Marked	20929	61.0 %
	<b>Total</b>	<b>21,248</b>	<b>61.9%</b>

This variable has 21,248 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	49	0.1 %
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,061</b>	<b>38.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11168-11173 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0119\_12M\_04: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: Asthma

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

## Asthma

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1821	5.3 %
2	2 = Not Marked	19427	56.6 %
	<b>Total</b>	<b>21,248</b>	<b>61.9%</b>

This variable has 21,248 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	50	0.1 %	
-7	-7 = Refused	49	0.1 %	
-1	-1 = Inapplicable	12961	37.8 %	
	<b>Total</b>	<b>13,061</b>	<b>38.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11174-11179 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0119\_12M\_05: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: Some other lung or respiratory condition

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

Some other lung or respiratory condition

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	534	1.6 %
2	2 = Not Marked	20714	60.4 %
	<b>Total</b>	<b>21,248</b>	<b>61.9%</b>

This variable has 21,248 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	49	0.1 %
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,061</b>	<b>38.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11180-11185 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0119\_12M\_06: In past 12 months, doctor, nurse or other health professional said you had a lung or respiratory condition: None of the above

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

None of the above

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

[PROGRAM NOTE: Option 6 cannot be selected if any option 1 through 5 is selected.]

[ICPSR Note: Option 6 indicates "none of the above" for categories represented in Options 1 through 5.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	17999	52.5 %
2	2 = Not Marked	3249	9.5 %
	<b>Total</b>	<b>21,248</b>	<b>61.9%</b>

This variable has 21,248 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	50	0.1 %	
-7	-7 = Refused	49	0.1 %	
-1	-1 = Inapplicable	12961	37.8 %	
	<b>Total</b>	<b>13,061</b>	<b>38.1%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 11186-11191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05R\_A\_AX0120\_NB: DERIVED - Age range you were in when you were first told you had COPD (6 levels)

Long Description: How old were you when you were first told you: Had COPD?

```
Algorithm: IF (0 <= R05_AX0120_NB < 18) OR R05_AX0257_NB = 1 THEN
R05R_A_AX0120_NB = 1; ELSE IF (18 <= R05_AX0120_NB <= 24) OR
R05_AX0257_NB = 2 THEN R05R_A_AX0120_NB = 2; ELSE IF
(25 <= R05_AX0120_NB <= 34) OR R05_AX0257_NB = 3 THEN
R05R_A_AX0120_NB = 3; ELSE IF (35 <= R05_AX0120_NB <= 44) OR
R05_AX0257_NB = 4 THEN R05R_A_AX0120_NB = 4; ELSE IF
(45 <= R05_AX0120_NB <= 54) OR R05_AX0257_NB = 5 THEN
R05R_A_AX0120_NB = 5; ELSE IF (R05_AX0120_NB >= 55) OR
R05_AX0257_NB = 6 THEN R05R_A_AX0120_NB = 6; ELSE IF R05_AX0120_NB = -9
OR R05_AX0257_NB = -9 THEN R05R_A_AX0120_NB = -99999; ELSE IF
R05_AX0120_NB = -8 OR R05_AX0257_NB = -8 THEN R05R_A_AX0120_NB = -99988;
ELSE IF R05_AX0120_NB = -7 OR R05_AX0257_NB = -7 THEN
R05R_A_AX0120_NB = -99977; ELSE IF R05_AX0120_NB = -5 THEN
R05R_A_AX0120_NB = -99955; ELSE IF R05_AX0120_NB = -1 OR
R05_AX0257_NB = -1 THEN R05R_A_AX0120_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	2	0.0 %
2	2 = 18 to 24 years old	1	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>3</b>	<b>0.0%</b>

This variable has 3 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34305	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,306</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11192-11197 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_AX0121\_NB: DERIVED - Age range you were in when you were first told you had chronic bronchitis (6 levels)

Long Description: How old were you when you were first told you: Had chronic bronchitis?

```
Algorithm: IF (0 <= R05_AX0121_NB < 18) OR R05_AX0258_NB = 1 THEN
R05R_A_AX0121_NB = 1; ELSE IF (18 <= R05_AX0121_NB <= 24) OR
R05_AX0258_NB = 2 THEN R05R_A_AX0121_NB = 2; ELSE IF
(25 <= R05_AX0121_NB <= 34) OR R05_AX0258_NB = 3 THEN
R05R_A_AX0121_NB = 3; ELSE IF (35 <= R05_AX0121_NB <= 44) OR
R05_AX0258_NB = 4 THEN R05R_A_AX0121_NB = 4; ELSE IF
(45 <= R05_AX0121_NB <= 54) OR R05_AX0258_NB = 5 THEN
R05R_A_AX0121_NB = 5; ELSE IF (R05_AX0121_NB >= 55) OR
R05_AX0258_NB = 6 THEN R05R_A_AX0121_NB = 6; ELSE IF R05_AX0121_NB = -9
OR R05_AX0258_NB = -9 THEN R05R_A_AX0121_NB = -99999; ELSE IF
R05_AX0121_NB = -8 OR R05_AX0258_NB = -8 THEN R05R_A_AX0121_NB = -99988;
ELSE IF R05_AX0121_NB = -7 OR R05_AX0258_NB = -7 THEN
R05R_A_AX0121_NB = -99977; ELSE IF R05_AX0121_NB = -5 THEN
R05R_A_AX0121_NB = -99955; ELSE IF R05_AX0121_NB = -1 OR
R05_AX0258_NB = -1 THEN R05R_A_AX0121_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	28	0.1 %
2	2 = 18 to 24 years old	5	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>33</b>	<b>0.1%</b>

This variable has 33 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34275	99.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>34,276</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11198-11203 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_AX0123\_NB: DERIVED - Age range you were in when you were first told you had emphysema (6 levels)

Long Description: How old were you when you were first told you: Had emphysema?

Algorithm: IF (0 <= R05\_AX0123\_NB < 18) OR R05\_AX0259\_NB = 1 THEN  
 R05R\_A\_AX0123\_NB = 1; ELSE IF (18 <= R05\_AX0123\_NB <= 24) OR  
 R05\_AX0259\_NB = 2 THEN R05R\_A\_AX0123\_NB = 2; ELSE IF  
 (25 <= R05\_AX0123\_NB <= 34) OR R05\_AX0259\_NB = 3 THEN  
 R05R\_A\_AX0123\_NB = 3; ELSE IF (35 <= R05\_AX0123\_NB <= 44) OR  
 R05\_AX0259\_NB = 4 THEN R05R\_A\_AX0123\_NB = 4; ELSE IF  
 (45 <= R05\_AX0123\_NB <= 54) OR R05\_AX0259\_NB = 5 THEN  
 R05R\_A\_AX0123\_NB = 5; ELSE IF (R05\_AX0123\_NB >= 55) OR  
 R05\_AX0259\_NB = 6 THEN R05R\_A\_AX0123\_NB = 6; ELSE IF R05\_AX0123\_NB = -9  
 OR R05\_AX0259\_NB = -9 THEN R05R\_A\_AX0123\_NB = -99999; ELSE IF  
 R05\_AX0123\_NB = -8 OR R05\_AX0259\_NB = -8 THEN R05R\_A\_AX0123\_NB = -99988;  
 ELSE IF R05\_AX0123\_NB = -7 OR R05\_AX0259\_NB = -7 THEN  
 R05R\_A\_AX0123\_NB = -99977; ELSE IF R05\_AX0123\_NB = -5 THEN  
 R05R\_A\_AX0123\_NB = -99955; ELSE IF R05\_AX0123\_NB = -1 OR  
 R05\_AX0259\_NB = -1 THEN R05R\_A\_AX0123\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	5	0.0 %
2	2 = 18 to 24 years old	0	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>5</b>	<b>0.0%</b>

This variable has 5 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34302	100.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,304</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11204-11209 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05\_AX0733: Troubled by shortness of breath when hurrying on level ground or walking up a slight hill due to COPD, chronic bronchitis, or emphysema

[In the past, you told us you had COPD, chronic bronchitis, or emphysema.]

Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?

[IF No (2), I have never had COPD, chronic bronchitis, or emphysema (3),  
Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXV09]

ASK: Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema, or continuing adult respondents who have been told they had COPD, chronic bronchitis, or emphysema in the past 12 months.

ASK Specification: IF R04\_LUNGCOND = 1 OR (R05\_ADULTTYPE = 2 AND  
(R05\_AX0119\_NB\_01 = 1 OR R05\_AX0119\_NB\_02 = 1 OR  
R05\_AX0119\_NB\_03 = 1)) OR (R05\_ADULTTYPE = 1 AND  
(R05\_AX0119\_12M\_01 = 1 OR R05\_AX0119\_12M\_02 = 1 OR  
R05\_AX0119\_12M\_03 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1652	4.8 %
2	2 = No	1165	3.4 %
3	3 = I have never had COPD, chronic bronchitis, or emphysema	286	0.8 %
<b>Total</b>		<b>3,103</b>	<b>9.0%</b>

This variable has 3,103 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	31186	90.9 %
<b>Total</b>		<b>31,206</b>	<b>91.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11210-11215 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0734\_01: Ever have to walk slower than people your age on level ground because of breathlessness due to COPD, chronic bronchitis, or emphysema

Do you ever...

have to walk slower than people your age on level ground because of breathlessness?

ASK: Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema and have shortness of breath, or continuing adult respondents who have been told they have COPD, chronic bronchitis, or emphysema in the past 12 months and have shortness of breath.

ASK Specification: IF (R04\_LUNGCOND = 1 AND R05\_AX0733 = 1) OR  
(R05\_ADULTTYPE = 2 AND (R05\_AX0119\_NB\_01 = 1 OR R05\_AX0119\_NB\_02 = 1  
OR R05\_AX0119\_NB\_03 = 1) AND R05\_AX0733 = 1) OR (R05\_ADULTTYPE = 1 AND  
(R05\_AX0119\_12M\_01 = 1 OR R05\_AX0119\_12M\_02 = 1 OR  
R05\_AX0119\_12M\_03 = 1) AND R05\_AX0733 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1129	3.3 %
2	2 = No	519	1.5 %
<b>Total</b>		<b>1,648</b>	<b>4.8%</b>

This variable has 1,648 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	32656	95.2 %
<b>Total</b>		<b>32,661</b>	<b>95.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11216-11221 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0734\_02: Ever have to stop for breath when walking at your own pace on level ground due to COPD, chronic bronchitis, or emphysema

Do you ever...

have to stop for breath when walking at your own pace on level ground?

ASK: Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema and have shortness of breath, or continuing adult respondents who have been told they have COPD, chronic bronchitis, or emphysema in the past 12 months and have shortness of breath.

ASK Specification: IF (R04\_LUNGCOND = 1 AND R05\_AX0733 = 1) OR  
(R05\_ADULTTYPE = 2 AND (R05\_AX0119\_NB\_01 = 1 OR R05\_AX0119\_NB\_02 = 1  
OR R05\_AX0119\_NB\_03 = 1) AND R05\_AX0733 = 1) OR (R05\_ADULTTYPE = 1 AND  
(R05\_AX0119\_12M\_01 = 1 OR R05\_AX0119\_12M\_02 = 1 OR  
R05\_AX0119\_12M\_03 = 1) AND R05\_AX0733 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	988	2.9 %
2	2 = No	642	1.9 %
	<b>Total</b>	<b>1,630</b>	<b>4.8%</b>

This variable has 1,630 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	32656	95.2 %
	<b>Total</b>	<b>32,679</b>	<b>95.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11222-11227 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0734\_03: Ever have to stop for breath after walking about 100 yards on level ground due to COPD, chronic bronchitis, or emphysema

Do you ever...

have to stop for breath after walking bout 100 yards (or after a few minutes) on level ground?

ASK: Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema and have shortness of breath, or continuing adult respondents who have been told they have COPD, chronic bronchitis, or emphysema in the past 12 months and have shortness of breath.

ASK Specification: IF (R04\_LUNCOND = 1 AND R05\_AX0733 = 1) OR  
(R05\_ADULTTYPE = 2 AND (R05\_AX0119\_NB\_01 = 1 OR R05\_AX0119\_NB\_02 = 1  
OR R05\_AX0119\_NB\_03 = 1) AND R05\_AX0733 = 1) OR (R05\_ADULTTYPE = 1 AND  
(R05\_AX0119\_12M\_01 = 1 OR R05\_AX0119\_12M\_02 = 1 OR  
R05\_AX0119\_12M\_03 = 1) AND R05\_AX0733 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	956	2.8 %
2	2 = No	690	2.0 %
	<b>Total</b>	<b>1,646</b>	<b>4.8%</b>

This variable has 1,646 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	4	0.0 %	
-7	-7 = Refused	2	0.0 %	
-1	-1 = Inapplicable	32656	95.2 %	
	<b>Total</b>	<b>32,663</b>	<b>95.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11228-11233 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

#### R05\_AX0734\_04: Ever get too breathless to leave the house or breathless on dressing or undressing due to COPD, chronic bronchitis, or emphysema

Do you ever...

get too breathless to leave the house or breathless on dressing or undressing?

ASK: Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema and have shortness of breath, or continuing adult respondents who have been told they have COPD, chronic bronchitis, or emphysema in the past 12 months and have shortness of breath.

ASK Specification: IF (R04\_LUNCOND = 1 AND R05\_AX0733 = 1) OR  
(R05\_ADULTTYPE = 2 AND (R05\_AX0119\_NB\_01 = 1 OR R05\_AX0119\_NB\_02 = 1  
OR R05\_AX0119\_NB\_03 = 1) AND R05\_AX0733 = 1) OR (R05\_ADULTTYPE = 1 AND  
(R05\_AX0119\_12M\_01 = 1 OR R05\_AX0119\_12M\_02 = 1 OR

R05\_AX0119\_12M\_03 = 1) AND R05\_AX0733 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	484	1.4 %
2	2 = No	1160	3.4 %
	<b>Total</b>	<b>1,644</b>	<b>4.8%</b>

This variable has 1,644 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32656	95.2 %
	<b>Total</b>	<b>32,665</b>	<b>95.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11234-11239 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AX0735: In past 2 weeks, number of days or nights you have been troubled by shortness of breath due to COPD, chronic bronchitis, or emphysema

In the past 2 weeks, on how many days or nights have you been troubled by shortness of breath?

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05\_ADULT\_LUNGCOND = 1.

Value	Label	Unweighted Frequency	%
1	1 = None	1553	4.5 %
2	2 = 1 to 2 days or nights	697	2.0 %
3	3 = 3 to 6 days or nights	254	0.7 %
4	4 = 7 to 13 days or nights	101	0.3 %
5	5 = Every day or night	209	0.6 %
	<b>Total</b>	<b>2,814</b>	<b>8.2%</b>

This variable has 2,814 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %

Missing Data				
-7	-7 = Refused		12	0.0 %
-1	-1 = Inapplicable		31472	91.7 %
<b>Total</b>			<b>31,495</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11240-11245 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0736: Admitted to a hospital, emergency room or urgent case center due to COPD, chronic bronchitis, or emphysema in the past 5 years

In the past 5 years, have you been admitted to a hospital, emergency room, or urgent care center due to COPD, chronic bronchitis, or emphysema?

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05\_ADULT\_LUNCOND = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	687	2.0 %
2	2 = No	2140	6.2 %
<b>Total</b>		<b>2,827</b>	<b>8.2%</b>

This variable has 2,827 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	31472	91.7 %	
<b>Total</b>		<b>31,482</b>	<b>91.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11246-11251 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0737: Intubated because of your COPD in the past 5 years

In the past 5 years, have you been intubated (had a tube inserted to assist with breathing) because of your COPD, chronic bronchitis, or emphysema?

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05\_ADULT\_LUNGCND = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	146	0.4 %
2	2 = No	2681	7.8 %
	<b>Total</b>	<b>2,827</b>	<b>8.2%</b>

This variable has 2,827 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	31472	91.7 %
	<b>Total</b>	<b>31,482</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11252-11257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05R\_A\_AX0124\_NB: DERIVED - Age range you were in when you were first told you had asthma (6 levels)

Long Description: How old were you when you were first told you: Had asthma?

Algorithm: IF (0 <= R05\_AX0124\_NB < 18) OR R05\_AX0260\_NB = 1 THEN  
 R05R\_A\_AX0124\_NB = 1; ELSE IF (18 <= R05\_AX0124\_NB <= 24) OR  
 R05\_AX0260\_NB = 2 THEN R05R\_A\_AX0124\_NB = 2; ELSE IF  
 (25 <= R05\_AX0124\_NB <= 34) OR R05\_AX0260\_NB = 3 THEN  
 R05R\_A\_AX0124\_NB = 3; ELSE IF (35 <= R05\_AX0124\_NB <= 44) OR  
 R05\_AX0260\_NB = 4 THEN R05R\_A\_AX0124\_NB = 4; ELSE IF  
 (45 <= R05\_AX0124\_NB <= 54) OR R05\_AX0260\_NB = 5 THEN  
 R05R\_A\_AX0124\_NB = 5; ELSE IF (R05\_AX0124\_NB >= 55) OR  
 R05\_AX0260\_NB = 6 THEN R05R\_A\_AX0124\_NB = 6; ELSE IF  
 R05\_AX0124\_NB = -9 OR R05\_AX0260\_NB = -9 THEN R05R\_A\_AX0124\_NB = -99999;  
 ELSE IF R05\_AX0124\_NB = -8 OR R05\_AX0260\_NB = -8 THEN  
 R05R\_A\_AX0124\_NB = -99988; ELSE IF R05\_AX0124\_NB = -7 OR  
 R05\_AX0260\_NB = -7 THEN R05R\_A\_AX0124\_NB = -99977; ELSE IF  
 R05\_AX0124\_NB = -5 THEN R05R\_A\_AX0124\_NB = -99955; ELSE IF  
 R05\_AX0124\_NB = -1 OR R05\_AX0260\_NB = -1 THEN R05R\_A\_AX0124\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	678	2.0 %
2	2 = 18 to 24 years old	18	0.1 %
3	3 = 25 to 34 years old	0	0.0 %

Value	Label	Unweighted Frequency	%
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>696</b>	<b>2.0%</b>

This variable has 696 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33610	98.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,613</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11258-11263 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777)

---

## R05\_AX0227: In past 30 days, how much time your asthma kept you from getting as much done at work, school, or home

[In the past, you told us you had asthma.]

In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school, or at home?

ASK: Adult respondents who reported being diagnosed with asthma as of their last completed interview, or new baseline adult respondents who have ever been told they had asthma, or continuing adult respondents who have been told they have asthma in the past 12 months.

ASK Specification: IF R04\_ASTHMA = 1 OR (R05\_ADULTTYPE = 2 AND R05\_AX0119\_NB\_04 = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0119\_12M\_04 = 1).

Value	Label	Unweighted Frequency	%
1	1 = All of the time	100	0.3 %
2	2 = Most of the time	115	0.3 %
3	3 = Some of the time	481	1.4 %

Value	Label	Unweighted Frequency	%
4	4 = A little of the time	932	2.7 %
5	5 = None of the time	3855	11.2 %
6	6 = I have never had asthma	446	1.3 %
	<b>Total</b>	<b>5,929</b>	<b>17.3%</b>

This variable has 5,929 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	9	0.0 %	
-7	-7 = Refused	16	0.0 %	
-1	-1 = Inapplicable	28354	82.6 %	
	<b>Total</b>	<b>28,380</b>	<b>82.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11264-11269 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0228: In past 30 days, how often had shortness of breath

In the past 30 days, how often have you had shortness of breath?

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	300	0.9 %
2	2 = Once a day	336	1.0 %
3	3 = 3 - 6 times a week	316	0.9 %
4	4 = Once or twice a week	1410	4.1 %
5	5 = None at all	3130	9.1 %
	<b>Total</b>	<b>5,492</b>	<b>16.0%</b>

This variable has 5,492 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	10	0.0 %	

Missing Data			
-1	-1 = Inapplicable	28800	83.9 %
	<b>Total</b>	<b>28,817</b>	<b>84.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11270-11275 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0229: In past 30 days, how often asthma symptoms woke you up at night or earlier than usual in the morning

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness, or pain) wake you up at night or earlier than usual in the morning?

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 4 or more nights a week	164	0.5 %
2	2 = 2 or 3 nights	290	0.8 %
3	3 = Once a week	237	0.7 %
4	4 = Once or twice	794	2.3 %
5	5 = None at all	4006	11.7 %
	<b>Total</b>	<b>5,491</b>	<b>16.0%</b>

This variable has 5,491 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	11	0.0 %
-1	-1 = Inapplicable	28800	83.9 %
	<b>Total</b>	<b>28,818</b>	<b>84.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11276-11281 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0283: In past 12 months, took medication regularly for COPD, chronic bronchitis, emphysema, or asthma

In the past 12 months, did you take any medications regularly for COPD, chronic bronchitis,

emphysema, or asthma? (Taken regularly means according to a health care provider's instructions.)

ASK: Adult respondents who have ever had asthma or have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1 OR R05\_ADULT\_LUNGCOND = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2038	5.9 %
2	2 = No	5258	15.3 %
	<b>Total</b>	<b>7,296</b>	<b>21.3%</b>

This variable has 7,296 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	6	0.0 %	
-7	-7 = Refused	14	0.0 %	
-1	-1 = Inapplicable	26992	78.7 %	
	<b>Total</b>	<b>27,013</b>	<b>78.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11282-11287 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0128\_01: In past 12 months, medication taken regularly for asthma: Quick-relief inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

ASK: Adult respondents who have ever had asthma and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1 AND R05\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1305	3.8 %
2	2 = No	173	0.5 %
	<b>Total</b>	<b>1,478</b>	<b>4.3%</b>

This variable has 1,478 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	32828	95.7 %	
<b>Total</b>		<b>32,831</b>	<b>95.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11288-11293 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0128\_02: In past 12 months, medication taken regularly for asthma: Controller or long-acting inhaler including steroid inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Controller or long-acting inhaler including steroid inhaler - for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

ASK: Adult respondents who have ever had asthma and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1 AND R05\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	812	2.4 %
2	2 = No	662	1.9 %
<b>Total</b>		<b>1,474</b>	<b>4.3%</b>

This variable has 1,474 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	3	0.0 %	
-1	-1 = Inapplicable	32828	95.7 %	
<b>Total</b>		<b>32,835</b>	<b>95.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11294-11299 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0128\_03: In past 12 months, medication taken regularly for asthma: Other controlling medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Other controlling medication - for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)

ASK: Adult respondents who have ever had asthma and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1 AND R05\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	436	1.3 %
2	2 = No	1041	3.0 %
	<b>Total</b>	<b>1,477</b>	<b>4.3%</b>

This variable has 1,477 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32828	95.7 %
	<b>Total</b>	<b>32,832</b>	<b>95.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11300-11305 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0128\_05: In past 12 months, medication taken regularly for asthma: Oxygen therapy

In the past 12 months, which of the following medications did you regularly take for asthma?

Oxygen therapy

ASK: Adult respondents who have ever had asthma and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1 AND R05\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	201	0.6 %

Value	Label	Unweighted Frequency	%
2	2 = No	1277	3.7 %
	<b>Total</b>	<b>1,478</b>	<b>4.3%</b>

This variable has 1,478 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32828	95.7 %
	<b>Total</b>	<b>32,831</b>	<b>95.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11306-11311 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0128\_06: In past 12 months, medication taken regularly for asthma: Some other asthma medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Some other asthma medication

ASK: Adult respondents who have ever had asthma and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1 AND R05\_AX0283 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	343	1.0 %
2	2 = No	1134	3.3 %
	<b>Total</b>	<b>1,477</b>	<b>4.3%</b>

This variable has 1,477 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32828	95.7 %
	<b>Total</b>	<b>32,832</b>	<b>95.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11312-11317 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0125: In past 12 months, had an episode of asthma or an asthma attack that required the use of an oral or injected steroid

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0127]

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	483	1.4 %
2	2 = No	5010	14.6 %
	<b>Total</b>	<b>5,493</b>	<b>16.0%</b>

This variable has 5,493 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	28800	83.9 %
	<b>Total</b>	<b>28,816</b>	<b>84.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11318-11323 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0126: In past 12 months, number of asthma attacks you have had that required the use of an oral or injected steroid

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

[IF Don't Know (-8), or Refused (-8); GO TO R05\_AX0127]

ASK: Adult respondents who have ever had asthma and had an asthma attack in the past 12 months that

required use of an oral or injected steroid medication.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1 AND R05\_AX0125 = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 472 valid cases out of 34,309 total cases.

- Mean: 3.60
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 6.14

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	10	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33825	98.6 %	
<b>Total</b>		<b>33,837</b>	<b>98.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11324-11329 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AX0127: In past 12 months, had to visit an emergency room or urgent care because of asthma

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0230]

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	388	1.1 %
2	2 = No	5111	14.9 %
<b>Total</b>		<b>5,499</b>	<b>16.0%</b>

This variable has 5,499 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	28800	83.9 %
<b>Total</b>		<b>28,810</b>	<b>84.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11330-11335 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0282: In past 12 months, number of times you visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

\_\_ Times

[IF Don't Know (-8), or Refused (-7); GO TO R05\_AX0230]

ASK: Adult respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1 AND R05\_AX0127 = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 385 valid cases out of 34,309 total cases.

- Mean: 2.46
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.60

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	33920	98.9 %
<b>Total</b>		<b>33,924</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11336-11341 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AX0230: In past 30 days, how often used a rescue inhaler, nebulizer treatment, or other controlling medication

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 3 or more times per day	180	0.5 %
2	2 = 1 or 2 times per day	384	1.1 %
3	3 = 2 or 3 times per week	345	1.0 %
4	4 = Once a week or less	990	2.9 %
5	5 = Not at all	3600	10.5 %
<b>Total</b>		<b>5,499</b>	<b>16.0%</b>

This variable has 5,499 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	28800	83.9 %
<b>Total</b>		<b>28,810</b>	<b>84.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11342-11347 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0231: In past 30 days, how would you rate your asthma control

How would you rate your asthma control over the past 30 days?

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05\_ADULT\_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not controlled at all	83	0.2 %
2	2 = Poorly controlled	115	0.3 %
3	3 = Somewhat controlled	573	1.7 %
4	4 = Well controlled	1581	4.6 %
5	5 = Completely controlled	3139	9.1 %
	<b>Total</b>	<b>5,491</b>	<b>16.0%</b>

This variable has 5,491 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	28800	83.9 %
	<b>Total</b>	<b>28,818</b>	<b>84.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11348-11353 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0749\_01: Medications taken regularly for COPD, chronic bronchitis, or emphysema in the past 2 weeks: Quick relief inhaler

In the past 2 weeks, which of the following medications did you regularly take for COPD, chronic bronchitis, or emphysema? Choose all that apply.

Quick relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_LUNCOND = 1 AND R05\_AX0283 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	798	2.3 %
2	2 = Not Marked	255	0.7 %
	<b>Total</b>	<b>1,053</b>	<b>3.1%</b>

This variable has 1,053 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	33191	96.7 %
<b>Total</b>		<b>33,256</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11354-11359 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0749\_02: Medications taken regularly for COPD, chronic bronchitis, or emphysema in the past 2 weeks: Long-acting inhaler

In the past 2 weeks, which of the following medications did you regularly take for COPD, chronic bronchitis, or emphysema? Choose all that apply.

Long-acting inhaler - for example: salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_LUNGCOND = 1 AND R05\_AX0283 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	427	1.2 %
2	2 = Not Marked	626	1.8 %
<b>Total</b>		<b>1,053</b>	<b>3.1%</b>

This variable has 1,053 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	33191	96.7 %
<b>Total</b>		<b>33,256</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11360-11365 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0749\_03: Medications taken regularly for COPD, chronic bronchitis, or emphysema in the past 2 weeks: Inhaled corticosteroid

In the past 2 weeks, which of the following medications did you regularly take for COPD, chronic bronchitis, or emphysema? Choose all that apply.

Inhaled corticosteroid - for example: beclomethasone (Qvar), fluticasone (Flovent), budesonide (Pulmicort), or mometasone (Asmanex)

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_LUNGCND = 1 AND R05\_AX0283 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	163	0.5 %
2	2 = Not Marked	890	2.6 %
	<b>Total</b>	<b>1,053</b>	<b>3.1%</b>

This variable has 1,053 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	33191	96.7 %
	<b>Total</b>	<b>33,256</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11366-11371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0749\_04: Medications taken regularly for COPD, chronic bronchitis, or emphysema in the past 2 weeks: Some other COPD medication

In the past 2 weeks, which of the following medications did you regularly take for COPD, chronic bronchitis, or emphysema? Choose all that apply.

Some other COPD, chronic bronchitis, or emphysema medication

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05\_ADULT\_LUNGCND = 1 AND R05\_AX0283 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	261	0.8 %
2	2 = Not Marked	792	2.3 %
	<b>Total</b>	<b>1,053</b>	<b>3.1%</b>

This variable has 1,053 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	33191	96.7 %
	<b>Total</b>	<b>33,256</b>	<b>96.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11372-11377 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0751: Currently using home oxygen therapy (day or night) for your COPD, chronic bronchitis, or emphysema

Are you currently using home oxygen therapy (day or night) for your COPD, chronic bronchitis, or emphysema?

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05\_ADULT\_LUNGCOND = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	273	0.8 %
2	2 = No	2555	7.4 %
	<b>Total</b>	<b>2,828</b>	<b>8.2%</b>

This variable has 2,828 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %

Missing Data			
-1	-1 = Inapplicable	31472	91.7 %
	<b>Total</b>	<b>31,481</b>	<b>91.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11378-11383 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0750: Number of times you have been on antibiotics for lung-related infection in the past 12 months

In the past 12 months, how many times have you been on antibiotics for a lung-related infection such as bronchitis or pneumonia?

\_\_\_ Times

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR116]

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05\_ADULT\_LUNGCOND = 1.

[PROGRAM NOTE: Allow 3 digits. ]

This variable has 2,791 valid cases out of 34,309 total cases.

- Mean: 1.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 9.42

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	19	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	31472	91.7 %
	<b>Total</b>	<b>31,518</b>	<b>91.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11384-11389 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AX0414: In past 12 months, took medications regularly for wheezing

In the past 12 months, did you take any medications regularly for wheezing? (Taken regularly means according to a health care provider's instructions.)

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0726]

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths.

ASK Specification: IF R05\_ADULT\_ASTHMA = 2 AND R05\_ADULT\_LUNGCND = 2  
AND (R05\_AX0049 = 3 OR R05\_AX0050 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	109	0.3 %
2	2 = No	317	0.9 %
	<b>Total</b>	<b>426</b>	<b>1.2%</b>

This variable has 426 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33882	98.8 %
	<b>Total</b>	<b>33,883</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11390-11395 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0415\_01: In past 12 months, took following medications for wheezing: Quick-relief inhaler

In the past 12 months, which of the following medications did you regularly take for wheezing?

Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths and have take any medications regularly for wheezing.

ASK Specification: IF R05\_ADULT\_ASTHMA = 2 AND R05\_ADULT\_LUNGCND = 2  
AND (R05\_AX0049 = 3 OR R05\_AX0050 = 1) AND R05\_AX0414 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	71	0.2 %
2	2 = Not Marked	38	0.1 %
	<b>Total</b>	<b>109</b>	<b>0.3%</b>

This variable has 109 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34199	99.7 %
	<b>Total</b>	<b>34,200</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11396-11401 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0415\_02: In past 12 months, took following medications for wheezing: Controller or long-acting inhaler including steroid inhaler

In the past 12 months, which of the following medications did you regularly take for wheezing?

Controller or long-acting inhaler including steroid inhaler - for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths and have take any medications regularly for wheezing.

ASK Specification: IF R05\_ADULT\_ASTHMA = 2 AND R05\_ADULT\_LUNGCOND = 2  
AND (R05\_AX0049 = 3 OR R05\_AX0050 = 1) AND R05\_AX0414 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	37	0.1 %
2	2 = Not Marked	70	0.2 %
	<b>Total</b>	<b>107</b>	<b>0.3%</b>

This variable has 107 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34199	99.7 %	
<b>Total</b>		<b>34,202</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11402-11407 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0415\_03: In past 12 months, took following medications for wheezing: Other controlling medication

In the past 12 months, which of the following medications did you regularly take for wheezing?

Other controlling medication - for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths and have take any medications regularly for wheezing.

ASK Specification: IF R05\_ADULT\_ASTHMA = 2 AND R05\_ADULT\_LUNCOND = 2  
AND (R05\_AX0049 = 3 OR R05\_AX0050 = 1) AND R05\_AX0414 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.1 %
2	2 = Not Marked	86	0.3 %
<b>Total</b>		<b>109</b>	<b>0.3%</b>

This variable has 109 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34199	99.7 %	
<b>Total</b>		<b>34,200</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11408-11413 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0415\_04: In past 12 months, took following medications for wheezing: Oxygen therapy

In the past 12 months, which of the following medications did you regularly take for wheezing?

Oxygen therapy

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths and have take any medications regularly for wheezing.

ASK Specification: IF R05\_ADULT\_ASTHMA = 2 AND R05\_ADULT\_LUNGCOND = 2  
AND (R05\_AX0049 = 3 OR R05\_AX0050 = 1) AND R05\_AX0414 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	89	0.3 %
	<b>Total</b>	<b>109</b>	<b>0.3%</b>

This variable has 109 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34199	99.7 %
	<b>Total</b>	<b>34,200</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11414-11419 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0415\_05: In past 12 months, took following medications for wheezing: Some other wheezing medication

In the past 12 months, which of the following medications did you regularly take for wheezing?

Some other wheezing medication

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths and have take any medications regularly for wheezing.

ASK Specification: IF R05\_ADULT\_ASTHMA = 2 AND R05\_ADULT\_LUNGCOND = 2  
AND (R05\_AX0049 = 3 OR R05\_AX0050 = 1) AND R05\_AX0414 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.1 %
2	2 = Not Marked	76	0.2 %
	<b>Total</b>	<b>109</b>	<b>0.3%</b>

This variable has 109 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34199	99.7 %
	<b>Total</b>	<b>34,200</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11420-11425 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0726: Self perception of teeth and gum health

Overall, how would you rate the health of your teeth and gums?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	6243	18.2 %
2	2 = Very good	9894	28.8 %
3	3 = Good	10502	30.6 %
4	4 = Fair	5078	14.8 %
5	5 = Poor	2453	7.1 %
	<b>Total</b>	<b>34,170</b>	<b>99.6%</b>

This variable has 34,170 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	65	0.2 %
-7	-7 = Refused	73	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>139</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11426-11431 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0760\_NB: Ever had your teeth cleaned by a dentist, hygienist or other health professional

Have you ever had your teeth cleaned by a dentist, hygienist, or other health professional?

[IF Yes (1); GO TO R05\_AX0729 : IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR98]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4022	11.7 %
2	2 = No	401	1.2 %
	<b>Total</b>	<b>4,423</b>	<b>12.9%</b>

This variable has 4,423 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,886</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11432-11437 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0760\_12M: In past 12 months, had your teeth cleaned by a dentist, hygienist or other health professional

In the past 12 months, have you had your teeth cleaned by a dentist, hygienist, or other health professional?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR98]

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0002 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14649	42.7 %
2	2 = No	1622	4.7 %
	<b>Total</b>	<b>16,271</b>	<b>47.4%</b>

This variable has 16,271 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	17988	52.4 %
	<b>Total</b>	<b>18,038</b>	<b>52.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11438-11443 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0729\_NN: Time since you had your teeth cleaned by a dentist, hygienist, or other health professional - Number

How long has it been since you had your teeth cleaned by a dentist, hygienist, or other health professional? (If it was earlier today, enter 1 day)

\_\_ Days/Months/Years

ASK: New baseline adult respondents who have ever had their teeth cleaned, or continuing adult respondents who have had their teeth cleaned in the past 12 months.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_AX0760\_NB = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0760\_12M = 1).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AX0729\_UN = Days;  
the value "2" refers to R05\_AX0729\_UN = Months;  
the value "3" refers to R05\_AX0729\_UN = Years.

This variable has 18,446 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	152	0.4 %
-7	-7 = Refused	34	0.1 %
-5	-5 = Improbable response removed	39	0.1 %

Missing Data			
-1	-1 = Inapplicable	15637	45.6 %
	<b>Total</b>	<b>15,863</b>	<b>46.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11444-11449 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AX0729\_UN: Time since you had your teeth cleaned by a dentist, hygienist, or other health professional - Unit

How long has it been since you had your teeth cleaned by a dentist, hygienist, or other health professional? (If it was earlier today, enter 1 day)

\_\_ Days/Months/Years

ASK: New baseline adult respondents who have ever had their teeth cleaned, or continuing adult respondents who have had their teeth cleaned in the past 12 months.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_AX0760\_NB = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0760\_12M = 1).

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AX0729\_UN = Days;  
the value "2" refers to R05\_AX0729\_UN = Months;  
the value "3" refers to R05\_AX0729\_UN = Years.

Value	Label	Unweighted Frequency	%
1	1 = Days	1832	5.3 %
2	2 = Months	15175	44.2 %
3	3 = Years	1478	4.3 %
<b>Total</b>		<b>18,485</b>	<b>53.9%</b>

This variable has 18,485 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	15823	46.1 %
<b>Total</b>		<b>15,824</b>	<b>46.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11450-11455 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0693\_NB: Ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth

Have you ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AX0695\_NB]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1748	5.1 %
2	2 = No	2675	7.8 %
	<b>Total</b>	<b>4,423</b>	<b>12.9%</b>

This variable has 4,423 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,886</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11456-11461 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0693\_12M: In past 12 months, observed any bleeding after brushing or flossing, or due to other conditions in your mouth

In the past 12 months, have you observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AX0695\_12M]

ASK: Continuing adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8428	24.6 %

Value	Label	Unweighted Frequency	%
2	2 = No	21344	62.2 %
	<b>Total</b>	<b>29,772</b>	<b>86.8%</b>

This variable has 29,772 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.1 %
-7	-7 = Refused	61	0.2 %
-1	-1 = Inapplicable	4433	12.9 %
	<b>Total</b>	<b>4,537</b>	<b>13.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11462-11467 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0695\_NB: Number of permanent teeth removed because of tooth decay or gum disease

How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics.

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AX0694\_NB]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

This variable has 4,419 valid cases out of 34,309 total cases.

- Minimum: 1.00
- Maximum: 4.00

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,890</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11468-11473 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0695\_12M: In past 12 months, number of permanent teeth removed because of tooth decay or gum disease

In the past 12 months, how many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics.

[IF All (4); GO TO R05\_AX0752 :  
IF None (1), 1 TO 5 (2), 6 or more but not all (3), Don't Know (-8), or Refused (-7);  
GO TO R05\_AX0694\_12M]

ASK: Continuing adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 1.

This variable has 29,738 valid cases out of 34,309 total cases.

- Minimum: 1.00
- Maximum: 4.00

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	54	0.2 %	
-7	-7 = Refused	83	0.2 %	
-1	-1 = Inapplicable	4433	12.9 %	
Total		4,571	13.3%	

Percentages for both tables are based on 34,309 total cases.

Location: 11474-11479 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0694\_NB: Ever had any teeth become loose on their own without an injury

Have you ever had any teeth become loose on their own, without an injury?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AX0752]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	467	1.4 %
2	2 = No	3955	11.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>4,422</b>	<b>12.9%</b>

This variable has 4,422 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,887</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11480-11485 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0694\_12M: In past 12 months, any teeth became loose on their own without an injury

In the past 12 months, have you had any teeth become loose on their own, without an injury?

ASK: Continuing adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05\_ADULTTYPE = 1 AND  
R05\_AX0695\_12M = 1, 2, 3, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1754	5.1 %
2	2 = No	27264	79.5 %
	<b>Total</b>	<b>29,018</b>	<b>84.6%</b>

This variable has 29,018 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	53	0.2 %
-1	-1 = Inapplicable	5208	15.2 %
	<b>Total</b>	<b>5,291</b>	<b>15.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11486-11491 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0752: In past 12 months, how often had pain in your mouth

In the past 12 months, how often have you had pain anywhere in your mouth?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	19135	55.8 %
2	2 = Rarely	9686	28.2 %
3	3 = Sometimes	4088	11.9 %
4	4 = Often	879	2.6 %
5	5 = Very often	434	1.3 %
<b>Total</b>		<b>34,222</b>	<b>99.7%</b>

This variable has 34,222 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	30	0.1 %	
-7	-7 = Refused	56	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>87</b>	<b>0.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11492-11497 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0754: In past 12 months, noticed sores inside your mouth

In the past 12 months, have you noticed sores inside your mouth?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3299	9.6 %
2	2 = No	30937	90.2 %
<b>Total</b>		<b>34,236</b>	<b>99.8%</b>

This variable has 34,236 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	28	0.1 %	
-7	-7 = Refused	44	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>73</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11498-11503 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0753: In past 12 months, noticed dark spots on your teeth

In the past 12 months, have you noticed dark spots on your teeth?

ASK: Adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05\_AX0695\_NB = 1, 2, 3, -8, -7 OR

R05\_AX0695\_12M = 1, 2, 3, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1792	5.2 %
2	2 = No	31590	92.1 %
<b>Total</b>		<b>33,382</b>	<b>97.3%</b>

This variable has 33,382 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	41	0.1 %	
-7	-7 = Refused	59	0.2 %	
-1	-1 = Inapplicable	826	2.4 %	
<b>Total</b>		<b>927</b>	<b>2.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11504-11509 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0755: In past 12 months, been told by a dentist, hygienist or other health professional that you have a cavity

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you have a cavity?

ASK: Adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months and whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05\_AX0002 != 2 AND  
(R05\_AX0695\_NB = 1, 2, 3, -8, -7 OR R05\_AX0695\_12M = 1, 2, 3, -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Yes	5366	15.6 %
2	2 = No	13720	40.0 %
	<b>Total</b>	<b>19,086</b>	<b>55.6%</b>

This variable has 19,086 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	37	0.1 %
-1	-1 = Inapplicable	15162	44.2 %
	<b>Total</b>	<b>15,223</b>	<b>44.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11510-11515 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0725: Number of times you brush your teeth in one day

How many times do you brush your teeth in one day?

\_\_ Times

ASK: Adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05\_AX0695\_NB = 1, 2, 3, -8, -7 OR  
R05\_AX0695\_12M = 1, 2, 3, -8, -7.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 31,801 valid cases out of 34,309 total cases.

- Mean: 2.01
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 1.92

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	30	0.1 %	
-7	-7 = Refused	68	0.2 %	
-5	-5 = Improbable response removed	1	0.0 %	
-2	-2 = I do not brush my teeth every day	1582	4.6 %	
-1	-1 = Inapplicable	826	2.4 %	
<b>Total</b>		<b>2,508</b>	<b>7.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11516-11521 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -5, -2, -1

## R05\_AX0696: In the last seven days, number of times used dental floss or any other device to clean between teeth

Aside from brushing your teeth with a toothbrush, in the last seven days, how many times did you use dental floss or any other device to clean between your teeth?

\_\_ Times

ASK: Adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05\_AX0695\_NB = 1, 2, 3, -8, -7 OR  
R05\_AX0695\_12M = 1, 2, 3, -8, -7.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 33,250 valid cases out of 34,309 total cases.

- Mean: 3.36
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 5.28

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	

Missing Data				
-8	-8 = Don't know	112	0.3 %	
-7	-7 = Refused	116	0.3 %	
-5	-5 = Improbable response removed	4	0.0 %	
-1	-1 = Inapplicable	826	2.4 %	
	<b>Total</b>	<b>1,059</b>	<b>3.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11522-11527 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -5 , -1

## R05\_AX0727\_NB: Ever been told by a dentist, hygienist or other health professional that you lost bone around your teeth

Have you ever been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	80	0.2 %
2	2 = No	4339	12.6 %
	<b>Total</b>	<b>4,419</b>	<b>12.9%</b>

This variable has 4,419 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	6	0.0 %	
-1	-1 = Inapplicable	29875	87.1 %	
	<b>Total</b>	<b>29,890</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11528-11533 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0129\_NB: Dentist, hygienist, or other health professional ever told you that you have gum disease

Have you ever been told by a dentist, hygienist, or other health professional that you have gum

disease?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0130\_NB]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	74	0.2 %
2	2 = No	4350	12.7 %
	<b>Total</b>	<b>4,424</b>	<b>12.9%</b>

This variable has 4,424 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,885</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11534-11539 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AX0131\_NB: DERIVED - Age range you were in when you were first told you had gum disease (6 levels)

Long Description: How old were you when you were first told you had gum disease?

Algorithm: IF (0 <= R05\_AX0131\_NB < 18) OR R05\_AX0261\_NB = 1 THEN  
R05R\_A\_AX0131\_NB = 1; ELSE IF (18 <= R05\_AX0131\_NB <= 24) OR  
R05\_AX0261\_NB = 2 THEN R05R\_A\_AX0131\_NB = 2; ELSE IF  
(25 <= R05\_AX0131\_NB <= 34) OR R05\_AX0261\_NB = 3 THEN  
R05R\_A\_AX0131\_NB = 3; ELSE IF (35 <= R05\_AX0131\_NB <= 44) OR  
R05\_AX0261\_NB = 4 THEN R05R\_A\_AX0131\_NB = 4; ELSE IF  
(45 <= R05\_AX0131\_NB <= 54) OR R05\_AX0261\_NB = 5 THEN  
R05R\_A\_AX0131\_NB = 5; ELSE IF (R05\_AX0131\_NB >= 55) OR  
R05\_AX0261\_NB = 6 THEN R05R\_A\_AX0131\_NB = 6; ELSE IF R05\_AX0131\_NB = -9  
OR R05\_AX0261\_NB = -9 THEN R05R\_A\_AX0131\_NB = -99999; ELSE IF  
R05\_AX0131\_NB = -8 OR R05\_AX0261\_NB = -8 THEN R05R\_A\_AX0131\_NB = -99988;  
ELSE IF R05\_AX0131\_NB = -7 OR R05\_AX0261\_NB = -7 THEN  
R05R\_A\_AX0131\_NB = -99977; ELSE IF R05\_AX0131\_NB = -5 THEN  
R05R\_A\_AX0131\_NB = -99955; ELSE IF R05\_AX0131\_NB = -1 OR  
R05\_AX0261\_NB = -1 THEN R05R\_A\_AX0131\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	59	0.2 %
2	2 = 18 to 24 years old	14	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>73</b>	<b>0.2%</b>

This variable has 73 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34234	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>34,236</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11540-11545 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05\_AX0130\_NB: Ever had treatment for gum disease, such as scaling and root planing, sometimes called deep cleaning

Have you ever had treatment for [gum disease/your gums] such as scaling and root planing, sometimes called deep cleaning?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	250	0.7 %
2	2 = No	4165	12.1 %
	<b>Total</b>	<b>4,415</b>	<b>12.9%</b>

This variable has 4,415 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
<b>Total</b>		<b>29,894</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11546-11551 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0132\_NB: Doctor, dentist or health care professional ever told you that you have pre-cancerous oral lesions

Have you ever been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR25]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.1 %
2	2 = No	4403	12.8 %
<b>Total</b>		<b>4,425</b>	<b>12.9%</b>

This variable has 4,425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
<b>Total</b>		<b>29,884</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11552-11557 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AX0133\_NB: DERIVED - Age range you were in when you were first told you had pre-cancerous oral lesions (6 levels)

Long Description: How old were you when you were first told you: Had pre-cancerous oral lesions?

```
Algorithm: IF (0 <= R05_AX0133_NB < 18) OR R05_AX0262_NB = 1 THEN
R05R_A_AX0133_NB = 1; ELSE IF (18 <= R05_AX0133_NB <= 24) OR
R05_AX0262_NB = 2 THEN R05R_A_AX0133_NB = 2; ELSE IF
(25 <= R05_AX0133_NB <= 34) OR R05_AX0262_NB = 3 THEN
R05R_A_AX0133_NB = 3; ELSE IF (35 <= R05_AX0133_NB <= 44) OR
R05_AX0262_NB = 4 THEN R05R_A_AX0133_NB = 4; ELSE IF
(45 <= R05_AX0133_NB <= 54) OR R05_AX0262_NB = 5 THEN
R05R_A_AX0133_NB = 5; ELSE IF (R05_AX0133_NB >= 55) OR
R05_AX0262_NB = 6 THEN R05R_A_AX0133_NB = 6; ELSE IF
R05_AX0133_NB = -9 OR R05_AX0262_NB = -9 THEN
R05R_A_AX0133_NB = -99999; ELSE IF R05_AX0133_NB = -8 OR
R05_AX0262_NB = -8 THEN R05R_A_AX0133_NB = -99988; ELSE IF
R05_AX0133_NB = -7 OR R05_AX0262_NB = -7 THEN R05R_A_AX0133_NB = -99977;
ELSE IF R05_AX0133_NB = -5 THEN R05R_A_AX0133_NB = -99955; ELSE IF
R05_AX0133_NB = -1 OR R05_AX0262_NB = -1 THEN R05R_A_AX0133_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	18	0.1 %
2	2 = 18 to 24 years old	2	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>20</b>	<b>0.1%</b>

This variable has 20 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34286	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,289</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11558-11563 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R05\_AX0727\_12M: In past 12 months, been told by a dentist, hygienist or other health professional that you lost bone around your teeth

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0002 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1337	3.9 %
2	2 = No	14913	43.5 %
	<b>Total</b>	<b>16,250</b>	<b>47.4%</b>

This variable has 16,250 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.1 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	17988	52.4 %
	<b>Total</b>	<b>18,059</b>	<b>52.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11564-11569 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0129\_12M: In past 12 months, dentist, hygienist, or other health professional told you that you have gum disease

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you have gum disease?

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0002 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1087	3.2 %

Value	Label	Unweighted Frequency	%
2	2 = No	15180	44.2 %
	<b>Total</b>	<b>16,267</b>	<b>47.4%</b>

This variable has 16,267 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	17988	52.4 %
	<b>Total</b>	<b>18,042</b>	<b>52.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11570-11575 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0130\_12M: In past 12 months, had treatment for gum disease, such as scaling and root planing, sometimes called deep cleaning

In the past 12 months, have you had treatment for [gum disease/your gums] such as scaling and root planing, sometimes called deep cleaning?

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0002 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1826	5.3 %
2	2 = No	14423	42.0 %
	<b>Total</b>	<b>16,249</b>	<b>47.4%</b>

This variable has 16,249 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	17988	52.4 %
	<b>Total</b>	<b>18,060</b>	<b>52.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11576-11581 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0132\_12M: In past 12 months, doctor, dentist or other health professional told you that you have pre-cancerous oral lesions

In the past 12 months, have you been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR25]

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0002 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	117	0.3 %
2	2 = No	16152	47.1 %
	<b>Total</b>	<b>16,269</b>	<b>47.4%</b>

This variable has 16,269 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.0 %
-7	-7 = Refused	38	0.1 %
-1	-1 = Inapplicable	17988	52.4 %
	<b>Total</b>	<b>18,040</b>	<b>52.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11582-11587 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0719: Oral lesion requires treatment

Does your oral lesion require treatment?

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions, or continuing adult respondents who have been told they had pre-cancerous oral lesions in the past 12 months.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_AX0132\_NB = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0132\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.2 %
2	2 = No	59	0.2 %
	<b>Total</b>	<b>138</b>	<b>0.4%</b>

This variable has 138 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34169	99.6 %
	<b>Total</b>	<b>34,171</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11588-11593 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0281\_NB: Doctor, nurse or health professional ever told you that you have diabetes, sugar diabetes, high blood sugar or borderline diabetes

Have you ever been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[Do not include gestational diabetes or diabetes that was only present during pregnancy.]

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR83]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	77	0.2 %
2	2 = No	4348	12.7 %
	<b>Total</b>	<b>4,425</b>	<b>12.9%</b>

This variable has 4,425 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	29875	87.1 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>29,884</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11594-11599 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05R\_A\_AX0280\_NB: DERIVED - Age range you were in when you were first told you had diabetes, sugar diabetes, high blood sugar or borderline diabetes (6 levels)

Long Description: How old were you when you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

Algorithm: IF (0 <= R05\_AX0280\_NB < 18) OR R05\_AX0263\_NB = 1 THEN  
 R05R\_A\_AX0280\_NB = 1; ELSE IF (18 <= R05\_AX0280\_NB <= 24) OR  
 R05\_AX0263\_NB = 2 THEN R05R\_A\_AX0280\_NB = 2; ELSE IF  
 (25 <= R05\_AX0280\_NB <= 34) OR R05\_AX0263\_NB = 3 THEN  
 R05R\_A\_AX0280\_NB = 3; ELSE IF (35 <= R05\_AX0280\_NB <= 44) OR  
 R05\_AX0263\_NB = 4 THEN R05R\_A\_AX0280\_NB = 4; ELSE IF  
 (45 <= R05\_AX0280\_NB <= 54) OR R05\_AX0263\_NB = 5 THEN  
 R05R\_A\_AX0280\_NB = 5; ELSE IF (R05\_AX0280\_NB >= 55) OR R05\_AX0263\_NB = 6  
 THEN R05R\_A\_AX0280\_NB = 6; ELSE IF R05\_AX0280\_NB = -9 OR  
 R05\_AX0263\_NB = -9 THEN R05R\_A\_AX0280\_NB = -99999; ELSE IF  
 R05\_AX0280\_NB = -8 OR R05\_AX0263\_NB = -8 THEN R05R\_A\_AX0280\_NB = -99988;  
 ELSE IF R05\_AX0280\_NB = -7 OR R05\_AX0263\_NB = -7 THEN  
 R05R\_A\_AX0280\_NB = -99977; ELSE IF R05\_AX0280\_NB = -5 THEN  
 R05R\_A\_AX0280\_NB = -99955; ELSE IF R05\_AX0280\_NB = -1 OR  
 R05\_AX0263\_NB = -1 THEN R05R\_A\_AX0280\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	67	0.2 %
2	2 = 18 to 24 years old	8	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>75</b>	<b>0.2%</b>

This variable has 75 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

Missing Data			
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34231	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,234</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11600-11605 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05\_AX0281\_12M: In past 12 months, doctor, nurse or health professional told you that you have diabetes, sugar diabetes, high blood sugar or borderline diabetes

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[Do not include gestational diabetes or diabetes that was only present during pregnancy.]

ASK: Continuing adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2586	7.5 %
2	2 = No	27199	79.3 %
<b>Total</b>		<b>29,785</b>	<b>86.8%</b>

This variable has 29,785 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	56	0.2 %
-1	-1 = Inapplicable	4433	12.9 %
<b>Total</b>		<b>4,524</b>	<b>13.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11606-11611 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0721: Type of diabetes you have

[In the past, you told us you had diabetes.]

What type of diabetes do you have?

[IF I have never had diabetes (4); GO TO BOX R05\_AXR27]

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF R04\_DIABETES = 1 OR (R05\_ADULTTYPE = 2 AND R05\_AX0281\_NB = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0281\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Type 1	388	1.1 %
2	2 = Type 2	1972	5.7 %
3	3 = I don't know	1051	3.1 %
4	4 = Never had diabetes	617	1.8 %
	<b>Total</b>	<b>4,028</b>	<b>11.7%</b>

This variable has 4,028 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	30231	88.1 %
	<b>Total</b>	<b>30,281</b>	<b>88.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11612-11617 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AX0697\_01: Currently taking the following medication to lower blood sugar: Insulin

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

Insulin

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R04\_DIABETES = 1 AND R05\_AX0721 != 4) OR  
(R05\_ADULTTYPE = 2 AND R05\_AX0281\_NB = 1) OR (R05\_ADULTTYPE = 1 AND  
R05\_AX0281\_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 3 is selected, options 1 and 2 may not be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	794	2.3 %
2	2 = Not Marked	2644	7.7 %
	<b>Total</b>	<b>3,438</b>	<b>10.0%</b>

This variable has 3,438 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	14	0.0 %	
-1	-1 = Inapplicable	30848	89.9 %	
	<b>Total</b>	<b>30,871</b>	<b>90.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11618-11623 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0697\_02: Currently taking the following medication to lower blood sugar: Diabetic pills

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

Diabetic pills

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R04\_DIABETES = 1 AND R05\_AX0721 != 4) OR  
(R05\_ADULTTYPE = 2 AND R05\_AX0281\_NB = 1) OR (R05\_ADULTTYPE = 1 AND  
R05\_AX0281\_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 3 is selected, options 1 and 2 may not be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1657	4.8 %
2	2 = Not Marked	1781	5.2 %
	<b>Total</b>	<b>3,438</b>	<b>10.0%</b>

This variable has 3,438 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	30848	89.9 %
	<b>Total</b>	<b>30,871</b>	<b>90.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11624-11629 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0697\_03: Currently taking the following medication to lower blood sugar: None of the above

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

None of the above

**ASK:** Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

**ASK Specification:** IF (R04\_DIABETES = 1 AND R05\_AX0721 != 4) OR (R05\_ADULTTYPE = 2 AND R05\_AX0281\_NB = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0281\_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 3 is selected, options 1 and 2 may not be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1329	3.9 %
2	2 = Not Marked	2109	6.1 %
	<b>Total</b>	<b>3,438</b>	<b>10.0%</b>

This variable has 3,438 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	8	0.0 %	
-7	-7 = Refused	14	0.0 %	
-1	-1 = Inapplicable	30848	89.9 %	
<b>Total</b>		<b>30,871</b>	<b>90.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11630-11635 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0141\_NB: Doctor, nurse or other health professional ever told you that you had an ulcer

Have you ever been told by a doctor, nurse, or other health professional that you had...

An ulcer? Include stomach, duodenal, or peptic ulcers.

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	86	0.3 %
2	2 = No	4334	12.6 %
<b>Total</b>		<b>4,420</b>	<b>12.9%</b>

This variable has 4,420 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	3	0.0 %	
-7	-7 = Refused	10	0.0 %	
-1	-1 = Inapplicable	29875	87.1 %	
<b>Total</b>		<b>29,889</b>	<b>87.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11636-11641 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0147\_NB: Doctor, nurse or other health professional ever told you that you had stomach or gastro-intestinal bleeding

Have you ever been told by a doctor, nurse, or other health professional that you had...

Stomach or other gastro-intestinal bleeding?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.1 %
2	2 = No	4390	12.8 %
	<b>Total</b>	<b>4,421</b>	<b>12.9%</b>

This variable has 4,421 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,888</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11642-11647 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0151\_NB: Doctor, nurse or other health professional ever told you that you have a cataract or glaucoma

Have you ever been told by a doctor, nurse, or other health professional that you had...

A cataract or glaucoma?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.1 %
2	2 = No	4397	12.8 %
	<b>Total</b>	<b>4,428</b>	<b>12.9%</b>

This variable has 4,428 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
<b>Total</b>		<b>29,881</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11648-11653 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0144\_NB: Doctor, nurse or other health professional ever told you that you had cancer

Have you ever been told by a doctor, nurse, or other health professional that you had...

Cancer?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.1 %
2	2 = No	4403	12.8 %
<b>Total</b>		<b>4,426</b>	<b>12.9%</b>

This variable has 4,426 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
<b>Total</b>		<b>29,883</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11654-11659 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0141\_12M: In past 12 months, doctor, nurse or other health professional told you that you had an ulcer

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had...

An ulcer? Include stomach, duodenal, or peptic ulcers.

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	525	1.5 %
2	2 = No	20764	60.5 %
	<b>Total</b>	<b>21,289</b>	<b>62.1%</b>

This variable has 21,289 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	33	0.1 %
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,020</b>	<b>37.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11660-11665 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0147\_12M: In past 12 months, doctor, nurse or other health professional told you that you had stomach or gastro-intestinal bleeding

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had...

Stomach or other gastro-intestinal bleeding?

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	327	1.0 %

Value	Label	Unweighted Frequency	%
2	2 = No	20878	60.9 %
	<b>Total</b>	<b>21,205</b>	<b>61.8%</b>

This variable has 21,205 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.2 %
-7	-7 = Refused	82	0.2 %
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,104</b>	<b>38.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11666-11671 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0151\_12M: In past 12 months, doctor, nurse or other health professional told you that you have a cataract or glaucoma

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had...

A cataract or glaucoma?

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1259	3.7 %
2	2 = No	20040	58.4 %
	<b>Total</b>	<b>21,299</b>	<b>62.1%</b>

This variable has 21,299 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	33	0.1 %
-1	-1 = Inapplicable	12961	37.8 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>13,010</b>	<b>37.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11672-11677 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0144\_12M: In past 12 months, doctor, nurse or other health professional told you that you had cancer

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had...

Cancer?

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	411	1.2 %
2	2 = No	20874	60.8 %
	<b>Total</b>	<b>21,285</b>	<b>62.0%</b>

This variable has 21,285 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	39	0.1 %
-1	-1 = Inapplicable	12961	37.8 %
	<b>Total</b>	<b>13,024</b>	<b>38.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11678-11683 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AX0143\_NB: DERIVED - Age range you were in when you were first told you had an ulcer (6 levels)

Long Description: How old were you when you were first told you had an ulcer?

Algorithm: IF (0 <= R05\_AX0143\_NB < 18) OR R05\_AX0264\_NB = 1 THEN

```

R05R_A_AX0143_NB = 1; ELSE IF (18 <= R05_AX0143_NB <= 24) OR
R05_AX0264_NB = 2 THEN R05R_A_AX0143_NB = 2; ELSE IF
(25 <= R05_AX0143_NB <= 34) OR R05_AX0264_NB = 3 THEN
R05R_A_AX0143_NB = 3; ELSE IF (35 <= R05_AX0143_NB <= 44) OR
R05_AX0264_NB = 4 THEN R05R_A_AX0143_NB = 4; ELSE IF
(45 <= R05_AX0143_NB <= 54) OR R05_AX0264_NB = 5 THEN
R05R_A_AX0143_NB = 5; ELSE IF ( R05_AX0143_NB >= 55) OR
R05_AX0264_NB = 6 THEN R05R_A_AX0143_NB = 6; ELSE IF
R05_AX0143_NB = -9 OR R05_AX0264_NB = -9 THEN
R05R_A_AX0143_NB = -99999; ELSE IF R05_AX0143_NB = -8 OR
R05_AX0264_NB = -8 THEN R05R_A_AX0143_NB = -99988; ELSE IF
R05_AX0143_NB = -7 OR R05_AX0264_NB = -7 THEN
R05R_A_AX0143_NB = -99977; ELSE IF R05_AX0143_NB = -5 THEN
R05R_A_AX0143_NB = -99955; ELSE IF R05_AX0143_NB = -1 OR
R05_AX0264_NB = -1 THEN R05R_A_AX0143_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	66	0.2 %
2	2 = 18 to 24 years old	18	0.1 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>84</b>	<b>0.2%</b>

This variable has 84 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34222	99.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,225</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11684-11689 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05\_AX0698: In the past 30 days, taken any medication for an ulcer

[In the past, you told us you had an ulcer.]

Have you taken any medication for an ulcer in the past 30 days?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0699 :]

IF I have never had an ulcer (3); GO TO BOX R05\_AXR34]

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they have an ulcer in the past 12 months.

ASK Specification: IF R04\_ULCER = 1 OR (R05\_ADULTTYPE = 2 AND R05\_AX0141\_NB = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0141\_12M = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	461	1.3 %
2	2 = No	1872	5.5 %
3	3 = I have never had an ulcer	215	0.6 %
<b>Total</b>		<b>2,548</b>	<b>7.4%</b>

This variable has 2,548 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31751	92.5 %
<b>Total</b>		<b>31,761</b>	<b>92.6%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11690-11695 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AX0738\_01: Type of medication taken for an ulcer in the past 30 days: Over the counter antacids

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

Over the counter antacids

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days.

ASK Specification: IF (R04\_ULCER = 1 AND R05\_AX0698 = 1) OR

(R05\_ADULTTYPE = 2 AND R05\_AX0141\_NB = 1 AND R05\_AX0698 = 1) OR  
(R05\_ADULTTYPE = 1 AND R05\_AX0141\_12M = 1 AND R05\_AX0698 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	162	0.5 %
2	2 = Not Marked	298	0.9 %
	<b>Total</b>	<b>460</b>	<b>1.3%</b>

This variable has 460 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33847	98.7 %
	<b>Total</b>	<b>33,849</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11696-11701 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0738\_02: Type of medication taken for an ulcer in the past 30 days: Prescription medications

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

Prescription medications

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days.

ASK Specification: IF (R04\_ULCER = 1 AND R05\_AX0698 = 1) OR  
(R05\_ADULTTYPE = 2 AND R05\_AX0141\_NB = 1 AND R05\_AX0698 = 1) OR  
(R05\_ADULTTYPE = 1 AND R05\_AX0141\_12M = 1 AND R05\_AX0698 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	331	1.0 %
2	2 = Not Marked	129	0.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>460</b>	<b>1.3%</b>

This variable has 460 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33847	98.7 %
	<b>Total</b>	<b>33,849</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11702-11707 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0738\_03: Type of medication taken for an ulcer in the past 30 days: Something else

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

Something else

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days.

ASK Specification: IF (R04\_ULCER = 1 AND R05\_AX0698 = 1) OR  
(R05\_ADULTTYPE = 2 AND R05\_AX0141\_NB = 1 AND R05\_AX0698 = 1) OR  
(R05\_ADULTTYPE = 1 AND R05\_AX0141\_12M = 1 AND R05\_AX0698 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.1 %
2	2 = Not Marked	436	1.3 %
	<b>Total</b>	<b>460</b>	<b>1.3%</b>

This variable has 460 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	33847	98.7 %	
<b>Total</b>		<b>33,849</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11708-11713 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0699: Tested for H. Pylori bacterial infection in stomach

Have you been tested for a bacterial infection, called H. Pylori, in your stomach?

[IF No (2), I don't know (3), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR34]

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they had an ulcer in the past 12 months.

ASK Specification: IF (R04\_ULCER = 1 AND R05\_AX0698 != 3) OR  
(R05\_ADULTTYPE = 2 AND R05\_AX0141\_NB = 1) OR (R05\_ADULTTYPE = 1 AND  
R05\_AX0141\_12M = 1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	418	1.2 %
2	2 = No	1550	4.5 %
3	3 = I don't know	366	1.1 %
<b>Total</b>		<b>2,334</b>	<b>6.8%</b>

This variable has 2,334 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	31966	93.2 %
<b>Total</b>		<b>31,975</b>	<b>93.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11714-11719 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0739: Tested positive for H. Pylori

Did you test positive for H. Pylori?

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer and have been tested for H. Pylori, or new baseline adult respondents who have ever been told they had an ulcer and have been tested for H. Pylori, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have been tested for H. Pylori.

ASK Specification: IF (R04\_ULCER = 1 AND R05\_AX0698 != 3 AND R05\_AX0699 = 1) OR (R05\_ADULTTYPE = 2 AND R05\_AX0141\_NB = 1 AND R05\_AX0699 = 1) OR (R05\_ADULTTYPE = 1 AND R05\_AX0141\_12M = 1 AND R05\_AX0699 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	156	0.5 %
2	2 = No	232	0.7 %
3	3 = I don't know	29	0.1 %
	<b>Total</b>	<b>417</b>	<b>1.2%</b>

This variable has 417 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33890	98.8 %
	<b>Total</b>	<b>33,892</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11720-11725 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05R\_A\_AX0148\_NB: DERIVED - Age range you were in when you were first told you had stomach or gastro-intestinal bleeding (6 levels)

Long Description: How old were you when you were first told you had stomach or other gastrointestinal bleeding?

Algorithm: IF (0 <= R05\_AX0148\_NB < 18) OR R05\_AX0266\_NB = 1 THEN  
R05R\_A\_AX0148\_NB = 1; ELSE IF (18 <= R05\_AX0148\_NB <= 24) OR  
R05\_AX0266\_NB = 2 THEN R05R\_A\_AX0148\_NB = 2; ELSE IF  
(25 <= R05\_AX0148\_NB <= 34) OR R05\_AX0266\_NB = 3 THEN  
R05R\_A\_AX0148\_NB = 3; ELSE IF (35 <= R05\_AX0148\_NB <= 44) OR  
R05\_AX0266\_NB = 4 THEN R05R\_A\_AX0148\_NB = 4; ELSE IF  
(45 <= R05\_AX0148\_NB <= 54) OR R05\_AX0266\_NB = 5 THEN

R05R\_A\_AX0148\_NB = 5; ELSE IF (R05\_AX0148\_NB >= 55) OR R05\_AX0266\_NB  
 = 6 THEN R05R\_A\_AX0148\_NB = 6; ELSE IF R05\_AX0148\_NB = -9 OR  
 R05\_AX0266\_NB = -9 THEN R05R\_A\_AX0148\_NB = -99999; ELSE IF  
 R05\_AX0148\_NB = -8 OR R05\_AX0266\_NB = -8 THEN R05R\_A\_AX0148\_NB = -99988;  
 ELSE IF R05\_AX0148\_NB = -7 OR R05\_AX0266\_NB = -7 THEN  
 R05R\_A\_AX0148\_NB = -99977; ELSE IF R05\_AX0148\_NB = -5 THEN  
 R05R\_A\_AX0148\_NB = -99955; ELSE IF R05\_AX0148\_NB = -1 OR  
 R05\_AX0266\_NB = -1 THEN R05R\_A\_AX0148\_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	23	0.1 %
2	2 = 18 to 24 years old	6	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>29</b>	<b>0.1%</b>

This variable has 29 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34277	99.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,280</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11726-11731 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_AX0152\_NB: DERIVED - Age range you were in when you were first told you had cataract or glaucoma (6 levels)

Long Description: How old were you when you were first told you had a cataract or glaucoma?

Algorithm: IF (0 <= R05\_AX0152\_NB < 18) OR R05\_AX0269\_NB = 1 THEN  
 R05R\_A\_AX0152\_NB = 1; ELSE IF (18 <= R05\_AX0152\_NB <= 24) OR  
 R05\_AX0269\_NB = 2 THEN R05R\_A\_AX0152\_NB = 2; ELSE IF  
 (25 <= R05\_AX0152\_NB <= 34) OR R05\_AX0269\_NB = 3 THEN  
 R05R\_A\_AX0152\_NB = 3; ELSE IF (35 <= R05\_AX0152\_NB <= 44) OR

```

R05_AX0269_NB = 4 THEN R05R_A_AX0152_NB = 4; ELSE IF
(45 <= R05_AX0152_NB <= 54) OR R05_AX0269_NB = 5 THEN
R05R_A_AX0152_NB = 5; ELSE IF (R05_AX0152_NB >= 55) OR R05_AX0269_NB
= 6 THEN R05R_A_AX0152_NB = 6; ELSE IF R05_AX0152_NB = -9 OR
R05_AX0269_NB = -9 THEN R05R_A_AX0152_NB = -99999; ELSE IF
R05_AX0152_NB = -8 OR R05_AX0269_NB = -8 THEN R05R_A_AX0152_NB = -99988;
ELSE IF R05_AX0152_NB = -7 OR R05_AX0269_NB = -7 THEN
R05R_A_AX0152_NB = -99977; ELSE IF R05_AX0152_NB = -5 THEN
R05R_A_AX0152_NB = -99955; ELSE IF R05_AX0152_NB = -1 OR
R05_AX0269_NB = -1 THEN R05R_A_AX0152_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	24	0.1 %
2	2 = 18 to 24 years old	5	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>29</b>	<b>0.1%</b>

This variable has 29 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34277	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,280</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11732-11737 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_AX0145\_TOB: DERIVED - Type of cancer is a tobacco related cancer (2 levels)

*Long Description:* What kind of cancer: Tobacco related (bladder, cervix, colon, esophagus, kidney, larynx, liver, lung, mouth, pancreas, rectum, stomach, and throat)?

*Algorithm:* IF R05\_AX0145\_01 = 1 OR R05\_AX0145\_06 = 1 OR  
R05\_AX0145\_07 = 1 OR R05\_AX0145\_08 = 1 OR R05\_AX0145\_10 = 1 OR  
R05\_AX0145\_11 = 1 OR R05\_AX0145\_13 = 1 OR R05\_AX0145\_14 = 1 OR

```

R05_AX0145_17 = 1 OR R05_AX0145_20 = 1 OR R05_AX0145_22 = 1 OR
R05_AX0145_26 = 1 OR R05_AX0145_28 = 1 THEN R05R_A_AX0145_TOB = 1;
ELSE IF R05_AX0145_01 = 2 AND R05_AX0145_06 = 2 AND
R05_AX0145_07 = 2 AND R05_AX0145_08 = 2 AND R05_AX0145_10 = 2 AND
R05_AX0145_11 = 2 AND R05_AX0145_13 = 2 AND R05_AX0145_14 = 2 AND
R05_AX0145_17 = 2 AND R05_AX0145_20 = 2 AND R05_AX0145_22 = 2 AND
R05_AX0145_26 = 2 AND R05_AX0145_28 = 2 THEN R05R_A_AX0145_TOB = 2;
ELSE IF R05_AX0145_01 = -9 THEN R05R_A_AX0145_TOB = -99999; ELSE IF
R05_AX0145_01 = -8 THEN R05R_A_AX0145_TOB = -99988; ELSE IF
R05_AX0145_01 = -7 THEN R05R_A_AX0145_TOB = -99977; ELSE IF
R05_AX0145_01 = -1 THEN R05R_A_AX0145_TOB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	146	0.4 %
2	2 = No	276	0.8 %
<b>Total</b>		<b>422</b>	<b>1.2%</b>

This variable has 422 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33874	98.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,887</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11738-11743 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05R\_A\_AX0146\_TOB: DERIVED - Age range when first tobacco-related cancer was diagnosed (6 levels)

Long Description: At what age were you diagnosed with tobacco related cancer?

```

Algorithm: IF R05R_A_AX0145_TOB = 1 AND R05_ADULTTYPE = 2 THEN DO;
IF (0 <= R05_AX0146_NB_01 < 18) OR R05_AX0265_NB_01 = 1 OR
(0 <= R05_AX0146_NB_06 < 18) OR R05_AX0265_NB_06 = 1 OR
(0 <= R05_AX0146_NB_07 < 18) OR R05_AX0265_NB_07 = 1 OR
(0 <= R05_AX0146_NB_08 < 18) OR R05_AX0265_NB_08 = 1 OR
(0 <= R05_AX0146_NB_10 < 18) OR R05_AX0265_NB_10 = 1 OR
(0 <= R05_AX0146_NB_11 < 18) OR R05_AX0265_NB_11 = 1 OR
(0 <= R05_AX0146_NB_13 < 18) OR R05_AX0265_NB_13 = 1 OR
(0 <= R05_AX0146_NB_14 < 18) OR R05_AX0265_NB_14 = 1 OR
(0 <= R05_AX0146_NB_17 < 18) OR R05_AX0265_NB_17 = 1 OR

```



R05\_AX0265\_NB\_01 = 6 OR(R05\_AX0146\_NB\_06 >= 55) OR  
 R05\_AX0265\_NB\_06 = 6 OR(R05\_AX0146\_NB\_07 >= 55) OR  
 R05\_AX0265\_NB\_07 = 6 OR(R05\_AX0146\_NB\_08 >= 55) OR  
 R05\_AX0265\_NB\_08 = 6 OR(R05\_AX0146\_NB\_10 >= 55) OR  
 R05\_AX0265\_NB\_10 = 6 OR(R05\_AX0146\_NB\_11 >= 55) OR  
 R05\_AX0265\_NB\_11 = 6 OR(R05\_AX0146\_NB\_13 >= 55) OR  
 R05\_AX0265\_NB\_13 = 6 OR(R05\_AX0146\_NB\_14 >= 55) OR  
 R05\_AX0265\_NB\_14 = 6 OR(R05\_AX0146\_NB\_17 >= 55) OR  
 R05\_AX0265\_NB\_17 = 6 OR(R05\_AX0146\_NB\_20 >= 55) OR  
 R05\_AX0265\_NB\_20 = 6 OR(R05\_AX0146\_NB\_22 >= 55) OR  
 R05\_AX0265\_NB\_22 = 6 OR(R05\_AX0146\_NB\_26 >= 55) OR  
 R05\_AX0265\_NB\_26 = 6 OR(R05\_AX0146\_NB\_28 >= 55) OR  
 R05\_AX0265\_NB\_28 = 6 THEN R05R\_A\_AX0146\_TOB = 6; ELSE IF  
 R05\_AX0146\_NB\_01 = -9 OR R05\_AX0265\_NB\_01 = -9 OR  
 R05\_AX0146\_NB\_06 = -9 OR R05\_AX0265\_NB\_06 = -9 OR  
 R05\_AX0146\_NB\_07 = -9 OR R05\_AX0265\_NB\_07 = -9 OR  
 R05\_AX0146\_NB\_08 = -9 OR R05\_AX0265\_NB\_08 = -9 OR  
 R05\_AX0146\_NB\_10 = -9 OR R05\_AX0265\_NB\_10 = -9 OR  
 R05\_AX0146\_NB\_11 = -9 OR R05\_AX0265\_NB\_11 = -9 OR  
 R05\_AX0146\_NB\_13 = -9 OR R05\_AX0265\_NB\_13 = -9 OR  
 R05\_AX0146\_NB\_14 = -9 OR R05\_AX0265\_NB\_14 = -9 OR  
 R05\_AX0146\_NB\_17 = -9 OR R05\_AX0265\_NB\_17 = -9 OR  
 R05\_AX0146\_NB\_20 = -9 OR R05\_AX0265\_NB\_20 = -9 OR  
 R05\_AX0146\_NB\_22 = -9 OR R05\_AX0265\_NB\_22 = -9 OR  
 R05\_AX0146\_NB\_26 = -9 OR R05\_AX0265\_NB\_26 = -9 OR  
 R05\_AX0146\_NB\_28 = -9 OR R05\_AX0265\_NB\_28 = -9 THEN  
 R05R\_A\_AX0146\_TOB = -99999; ELSE IF R05\_AX0146\_NB\_01 = -8 OR  
 R05\_AX0265\_NB\_01 = -8 OR R05\_AX0146\_NB\_06 = -8 OR  
 R05\_AX0265\_NB\_06 = -8 OR R05\_AX0146\_NB\_07 = -8 OR  
 R05\_AX0265\_NB\_07 = -8 OR R05\_AX0146\_NB\_08 = -8 OR  
 R05\_AX0265\_NB\_08 = -8 OR R05\_AX0146\_NB\_10 = -8 OR  
 R05\_AX0265\_NB\_10 = -8 OR R05\_AX0146\_NB\_11 = -8 OR  
 R05\_AX0265\_NB\_11 = -8 OR R05\_AX0146\_NB\_13 = -8 OR  
 R05\_AX0265\_NB\_13 = -8 OR R05\_AX0146\_NB\_14 = -8 OR  
 R05\_AX0265\_NB\_14 = -8 OR R05\_AX0146\_NB\_17 = -8 OR  
 R05\_AX0265\_NB\_17 = -8 OR R05\_AX0146\_NB\_20 = -8 OR  
 R05\_AX0265\_NB\_20 = -8 OR R05\_AX0146\_NB\_22 = -8 OR  
 R05\_AX0265\_NB\_22 = -8 OR R05\_AX0146\_NB\_26 = -8 OR  
 R05\_AX0265\_NB\_26 = -8 OR R05\_AX0146\_NB\_28 = -8 OR  
 R05\_AX0265\_NB\_28 = -8 THEN R05R\_A\_AX0146\_TOB = -99988; ELSE IF  
 R05\_AX0146\_NB\_01 = -7 OR R05\_AX0265\_NB\_01 = -7 OR  
 R05\_AX0146\_NB\_06 = -7 OR R05\_AX0265\_NB\_06 = -7 OR  
 R05\_AX0146\_NB\_07 = -7 OR R05\_AX0265\_NB\_07 = -7 OR  
 R05\_AX0146\_NB\_08 = -7 OR R05\_AX0265\_NB\_08 = -7 OR  
 R05\_AX0146\_NB\_10 = -7 OR R05\_AX0265\_NB\_10 = -7 OR  
 R05\_AX0146\_NB\_11 = -7 OR R05\_AX0265\_NB\_11 = -7 OR  
 R05\_AX0146\_NB\_13 = -7 OR R05\_AX0265\_NB\_13 = -7 OR  
 R05\_AX0146\_NB\_14 = -7 OR R05\_AX0265\_NB\_14 = -7 OR  
 R05\_AX0146\_NB\_17 = -7 OR R05\_AX0265\_NB\_17 = -7 OR  
 R05\_AX0146\_NB\_20 = -7 OR R05\_AX0265\_NB\_20 = -7 OR  
 R05\_AX0146\_NB\_22 = -7 OR R05\_AX0265\_NB\_22 = -7 OR  
 R05\_AX0146\_NB\_26 = -7 OR R05\_AX0265\_NB\_26 = -7 OR  
 R05\_AX0146\_NB\_28 = -7 OR R05\_AX0265\_NB\_28 = -7 THEN  
 R05R\_A\_AX0146\_TOB = -99977; ELSE IF R05\_AX0146\_NB\_01 = -5 OR  
 R05\_AX0146\_NB\_06 = -5 OR R05\_AX0146\_NB\_07 = -5 OR  
 R05\_AX0146\_NB\_08 = -5 OR R05\_AX0146\_NB\_10 = -5 OR  
 R05\_AX0146\_NB\_11 = -5 OR R05\_AX0146\_NB\_13 = -5 OR  
 R05\_AX0146\_NB\_14 = -5 OR R05\_AX0146\_NB\_17 = -5 OR  
 R05\_AX0146\_NB\_20 = -5 OR R05\_AX0146\_NB\_22 = -5 OR

```

R05_AX0146_NB_26 = -5 OR R05_AX0146_NB_28 = -5 THEN
R05R_A_AX0146_TOB = -99955; END; ELSE IF R05R_A_AX0145_TOB = 1 AND
R05_ADULTTYPE = 1 THEN DO; IF 1 <= R05R_A_AGECA6 <= 4 THEN
R05R_A_AX0146_TOB = R05R_A_AGECA6 + 1; ELSE IF 5 <= R05R_A_AGECA6 <= 6
THEN R05R_A_AX0146_TOB = 6; ELSE IF R05R_A_AGECA6 IN
(-99999, -99988, -99977) THEN R05R_A_AX0146_TOB = R05R_A_AGECA6;
END; ELSE IF R05R_A_AX0145_TOB = -99999 THEN R05R_A_AX0146_TOB = -99999;
ELSE IF R05R_A_AX0145_TOB = -99988 THEN R05R_A_AX0146_TOB = -99988;
ELSE IF R05R_A_AX0145_TOB = -99977 THEN R05R_A_AX0146_TOB = -99977;
ELSE IF R05R_A_AX0145_TOB = -99911 OR R05R_A_AX0145_TOB = 2 THEN
R05R_A_AX0146_TOB = -99911;

```

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Less than 18 years old	1	0.0 %
2	2 = 18 to 24 years old	6	0.0 %
3	3 = 25 to 34 years old	10	0.0 %
4	4 = 35 to 44 years old	15	0.0 %
5	5 = 45 to 54 years old	15	0.0 %
6	6 = 55 years old or older	99	0.3 %
<b>Total</b>		<b>146</b>	<b>0.4%</b>

This variable has 146 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34150	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,163</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11744-11749 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_AX0145\_NONTOB: DERIVED - Type of cancer is a non-tobacco related cancer (2 levels)

**Long Description:** What kind of cancer: Non-tobacco related (blood, bone, brain, breast, gallbladder, leukemia, lymphoma, melanoma, nervous system, ovarian, prostate, non-melanoma, unknown skin, soft tissue, testicular, thyroid, uterine, or other)?

Algorithm: IF R05\_AX0145\_02 = 1 OR R05\_AX0145\_03 = 1 OR  
R05\_AX0145\_04 = 1 OR R05\_AX0145\_05 = 1 OR R05\_AX0145\_09 = 1 OR  
R05\_AX0145\_12 = 1 OR R05\_AX0145\_15 = 1 OR R05\_AX0145\_16 = 1 OR  
R05\_AX0145\_18 = 1 OR R05\_AX0145\_19 = 1 OR R05\_AX0145\_21 = 1 OR  
R05\_AX0145\_23 = 1 OR R05\_AX0145\_24 = 1 OR R05\_AX0145\_25 = 1 OR  
R05\_AX0145\_27 = 1 OR R05\_AX0145\_29 = 1 OR R05\_AX0145\_30 = 1 OR  
R05\_AX0145\_31 = 1 THEN R05R\_A\_AX0145\_NONTOB = 1; ELSE IF  
R05\_AX0145\_02 = 2 AND R05\_AX0145\_03 = 2 AND R05\_AX0145\_04 = 2 AND  
R05\_AX0145\_05 = 2 AND R05\_AX0145\_09 = 2 AND R05\_AX0145\_12 = 2 AND  
R05\_AX0145\_15 = 2 AND R05\_AX0145\_16 = 2 AND R05\_AX0145\_18 = 2 AND  
R05\_AX0145\_19 = 2 AND R05\_AX0145\_21 = 2 AND R05\_AX0145\_23 = 2 AND  
R05\_AX0145\_24 = 2 AND R05\_AX0145\_25 = 2 AND R05\_AX0145\_27 = 2 AND  
R05\_AX0145\_29 = 2 AND R05\_AX0145\_30 = 2 AND R05\_AX0145\_31 = 2 THEN  
R05R\_A\_AX0145\_NONTOB = 2; ELSE IF R05\_AX0145\_01 = -9 THEN  
R05R\_A\_AX0145\_NONTOB = -99999; ELSE IF R05\_AX0145\_01 = -8 THEN  
R05R\_A\_AX0145\_NONTOB = -99988; ELSE IF R05\_AX0145\_01 = -7 THEN  
R05R\_A\_AX0145\_NONTOB = -99977; ELSE IF R05\_AX0145\_01 = -1 THEN  
R05R\_A\_AX0145\_NONTOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	316	0.9 %
2	2 = No	106	0.3 %
<b>Total</b>		<b>422</b>	<b>1.2%</b>

This variable has 422 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33874	98.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,887</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11750-11755 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99911, -97777

## R05R\_A\_AX0146\_NONTOB: DERIVED - Age range when first non tobacco-related cancer was diagnosed (6 levels)

Long Description: At what age were you diagnosed with tobacco related cancer?

Algorithm: IF R05R\_A\_AX0145\_TOB = 1 AND R05\_ADULTTYPE = 2 THEN DO;  
IF (0 <= R05\_AX0146\_NB\_01 < 18) OR R05\_AX0265\_NB\_01 = 1 OR  
(0 <= R05\_AX0146\_NB\_06 < 18) OR R05\_AX0265\_NB\_06 = 1 OR



(45 <= R05\_AX0146\_NB\_14 <= 54) OR R05\_AX0265\_NB\_14 = 5 OR  
 (45 <= R05\_AX0146\_NB\_17 <= 54) OR R05\_AX0265\_NB\_17 = 5 OR  
 (45 <= R05\_AX0146\_NB\_20 <= 54) OR R05\_AX0265\_NB\_20 = 5 OR  
 (45 <= R05\_AX0146\_NB\_22 <= 54) OR R05\_AX0265\_NB\_22 = 5 OR  
 (45 <= R05\_AX0146\_NB\_26 <= 54) OR R05\_AX0265\_NB\_26 = 5 OR  
 (45 <= R05\_AX0146\_NB\_28 <= 54) OR R05\_AX0265\_NB\_28 = 5 THEN  
 R05R\_A\_AX0146\_TOB = 5; ELSE IF (R05\_AX0146\_NB\_01 >= 55) OR  
 R05\_AX0265\_NB\_01 = 6 OR(R05\_AX0146\_NB\_06 >= 55) OR  
 R05\_AX0265\_NB\_06 = 6 OR(R05\_AX0146\_NB\_07 >= 55) OR  
 R05\_AX0265\_NB\_07 = 6 OR(R05\_AX0146\_NB\_08 >= 55) OR  
 R05\_AX0265\_NB\_08 = 6 OR(R05\_AX0146\_NB\_10 >= 55) OR  
 R05\_AX0265\_NB\_10 = 6 OR(R05\_AX0146\_NB\_11 >= 55) OR  
 R05\_AX0265\_NB\_11 = 6 OR(R05\_AX0146\_NB\_13 >= 55) OR  
 R05\_AX0265\_NB\_13 = 6 OR(R05\_AX0146\_NB\_14 >= 55) OR  
 R05\_AX0265\_NB\_14 = 6 OR(R05\_AX0146\_NB\_17 >= 55) OR  
 R05\_AX0265\_NB\_17 = 6 OR(R05\_AX0146\_NB\_20 >= 55) OR  
 R05\_AX0265\_NB\_20 = 6 OR(R05\_AX0146\_NB\_22 >= 55) OR  
 R05\_AX0265\_NB\_22 = 6 OR(R05\_AX0146\_NB\_26 >= 55) OR  
 R05\_AX0265\_NB\_26 = 6 OR(R05\_AX0146\_NB\_28 >= 55) OR  
 R05\_AX0265\_NB\_28 = 6 THEN R05R\_A\_AX0146\_TOB = 6; ELSE IF  
 R05\_AX0146\_NB\_01 = -9 OR R05\_AX0265\_NB\_01 = -9 OR  
 R05\_AX0146\_NB\_06 = -9 OR R05\_AX0265\_NB\_06 = -9 OR  
 R05\_AX0146\_NB\_07 = -9 OR R05\_AX0265\_NB\_07 = -9 OR  
 R05\_AX0146\_NB\_08 = -9 OR R05\_AX0265\_NB\_08 = -9 OR  
 R05\_AX0146\_NB\_10 = -9 OR R05\_AX0265\_NB\_10 = -9 OR  
 R05\_AX0146\_NB\_11 = -9 OR R05\_AX0265\_NB\_11 = -9 OR  
 R05\_AX0146\_NB\_13 = -9 OR R05\_AX0265\_NB\_13 = -9 OR  
 R05\_AX0146\_NB\_14 = -9 OR R05\_AX0265\_NB\_14 = -9 OR  
 R05\_AX0146\_NB\_17 = -9 OR R05\_AX0265\_NB\_17 = -9 OR  
 R05\_AX0146\_NB\_20 = -9 OR R05\_AX0265\_NB\_20 = -9 OR  
 R05\_AX0146\_NB\_22 = -9 OR R05\_AX0265\_NB\_22 = -9 OR  
 R05\_AX0146\_NB\_26 = -9 OR R05\_AX0265\_NB\_26 = -9 OR  
 R05\_AX0146\_NB\_28 = -9 OR R05\_AX0265\_NB\_28 = -9 THEN  
 R05R\_A\_AX0146\_TOB = -99999; ELSE IF R05\_AX0146\_NB\_01 = -8 OR  
 R05\_AX0265\_NB\_01 = -8 OR R05\_AX0146\_NB\_06 = -8 OR  
 R05\_AX0265\_NB\_06 = -8 OR R05\_AX0146\_NB\_07 = -8 OR  
 R05\_AX0265\_NB\_07 = -8 OR R05\_AX0146\_NB\_08 = -8 OR  
 R05\_AX0265\_NB\_08 = -8 OR R05\_AX0146\_NB\_10 = -8 OR  
 R05\_AX0265\_NB\_10 = -8 OR R05\_AX0146\_NB\_11 = -8 OR  
 R05\_AX0265\_NB\_11 = -8 OR R05\_AX0146\_NB\_13 = -8 OR  
 R05\_AX0265\_NB\_13 = -8 OR R05\_AX0146\_NB\_14 = -8 OR  
 R05\_AX0265\_NB\_14 = -8 OR R05\_AX0146\_NB\_17 = -8 OR  
 R05\_AX0265\_NB\_17 = -8 OR R05\_AX0146\_NB\_20 = -8 OR  
 R05\_AX0265\_NB\_20 = -8 OR R05\_AX0146\_NB\_22 = -8 OR  
 R05\_AX0265\_NB\_22 = -8 OR R05\_AX0146\_NB\_26 = -8 OR  
 R05\_AX0265\_NB\_26 = -8 OR R05\_AX0146\_NB\_28 = -8 OR  
 R05\_AX0265\_NB\_28 = -8 THEN R05R\_A\_AX0146\_TOB = -99988; ELSE IF  
 R05\_AX0146\_NB\_01 = -7 OR R05\_AX0265\_NB\_01 = -7 OR  
 R05\_AX0146\_NB\_06 = -7 OR R05\_AX0265\_NB\_06 = -7 OR  
 R05\_AX0146\_NB\_07 = -7 OR R05\_AX0265\_NB\_07 = -7 OR  
 R05\_AX0146\_NB\_08 = -7 OR R05\_AX0265\_NB\_08 = -7 OR  
 R05\_AX0146\_NB\_10 = -7 OR R05\_AX0265\_NB\_10 = -7 OR  
 R05\_AX0146\_NB\_11 = -7 OR R05\_AX0265\_NB\_11 = -7 OR  
 R05\_AX0146\_NB\_13 = -7 OR R05\_AX0265\_NB\_13 = -7 OR  
 R05\_AX0146\_NB\_14 = -7 OR R05\_AX0265\_NB\_14 = -7 OR  
 R05\_AX0146\_NB\_17 = -7 OR R05\_AX0265\_NB\_17 = -7 OR  
 R05\_AX0146\_NB\_20 = -7 OR R05\_AX0265\_NB\_20 = -7 OR  
 R05\_AX0146\_NB\_22 = -7 OR R05\_AX0265\_NB\_22 = -7 OR  
 R05\_AX0146\_NB\_26 = -7 OR R05\_AX0265\_NB\_26 = -7 OR

```

R05_AX0146_NB_28 = -7 OR R05_AX0265_NB_28 = -7 THEN
R05R_A_AX0146_TOB = -99977; ELSE IF R05_AX0146_NB_01 = -5 OR
R05_AX0146_NB_06 = -5 OR R05_AX0146_NB_07 = -5 OR
R05_AX0146_NB_08 = -5 OR R05_AX0146_NB_10 = -5 OR
R05_AX0146_NB_11 = -5 OR R05_AX0146_NB_13 = -5 OR
R05_AX0146_NB_14 = -5 OR R05_AX0146_NB_17 = -5 OR
R05_AX0146_NB_20 = -5 OR R05_AX0146_NB_22 = -5 OR
R05_AX0146_NB_26 = -5 OR R05_AX0146_NB_28 = -5 THEN
R05R_A_AX0146_TOB = -99955; END; ELSE IF R05R_A_AX0145_TOB = 1 AND
R05_ADULTTYPE = 1 THEN DO; IF 1 <= R05R_A_AGECL6 <= 4 THEN
R05R_A_AX0146_TOB = R05R_A_AGECL6 + 1; ELSE IF
5 <= R05R_A_AGECL6 <= 6 THEN R05R_A_AX0146_TOB = 6; ELSE
IF R05R_A_AGECL6 IN (-99999, -99988, -99977) THEN
R05R_A_AX0146_TOB = R05R_A_AGECL6; END; ELSE IF
R05R_A_AX0145_TOB = -99999 THEN R05R_A_AX0146_TOB = -99999; ELSE IF
R05R_A_AX0145_TOB = -99988 THEN R05R_A_AX0146_TOB = -99988; ELSE IF
R05R_A_AX0145_TOB = -99977 THEN R05R_A_AX0146_TOB = -99977; ELSE IF
R05R_A_AX0145_TOB = -99911 OR R05R_A_AX0145_TOB = 2 THEN
R05R_A_AX0146_TOB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	18	0.1 %
2	2 = 18 to 24 years old	20	0.1 %
3	3 = 25 to 34 years old	22	0.1 %
4	4 = 35 to 44 years old	24	0.1 %
5	5 = 45 to 54 years old	32	0.1 %
6	6 = 55 years old or older	200	0.6 %
<b>Total</b>		<b>316</b>	<b>0.9%</b>

This variable has 316 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33980	99.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,993</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11756-11761 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R05\_AX0705: In remission for cancer

In the past, you told us you had cancer.

Are you in remission for cancer?

[IF I have never had cancer (3); GO TO BOX R05\_AXR40]

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R04\_CANCER = 1 AND R05\_AX0144\_12M != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	890	2.6 %
2	2 = No	212	0.6 %
3	3 = Never had cancer	102	0.3 %
<b>Total</b>		<b>1,204</b>	<b>3.5%</b>

This variable has 1,204 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	33087	96.4 %
<b>Total</b>		<b>33,105</b>	<b>96.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11762-11767 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0748: Had a recurrence of cancer

In the past, you told us you had cancer.

Have you had a recurrence of cancer?

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months and did not report never having cancer.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R04\_CANCER = 1 AND R05\_AX0144\_12M != 1 AND R05\_AX0705 != 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.2 %
2	2 = No	1052	3.1 %
	<b>Total</b>	<b>1,109</b>	<b>3.2%</b>

This variable has 1,109 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	33189	96.7 %
	<b>Total</b>	<b>33,200</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11768-11773 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0149\_NB: Doctor, nurse or other health professional ever told you that you have osteoporosis

Have you ever been told by a doctor, nurse, or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.0 %
2	2 = No	4402	12.8 %
	<b>Total</b>	<b>4,419</b>	<b>12.9%</b>

This variable has 4,419 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,890</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11774-11779 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0196\_NB: Doctor, nurse or health professional ever told you that you had a bone fracture because you have fragile bones

Have you ever been told by a doctor, nurse, or other health professional that you have...

Had a bone fracture because you have fragile bones?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.1 %
2	2 = No	4387	12.8 %
	<b>Total</b>	<b>4,421</b>	<b>12.9%</b>

This variable has 4,421 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	12	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,888</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11780-11785 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0400\_NB: Doctor, nurse, or other health professional ever told you that you have rapid vision loss not due to aging

Have you ever been told by a doctor, nurse, or other health professional that you have...

Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	48	0.1 %
2	2 = No	4378	12.8 %
	<b>Total</b>	<b>4,426</b>	<b>12.9%</b>

This variable has 4,426 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,883</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11786-11791 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0149\_12M: In past 12 months, doctor, nurse or other health professional told you that you have osteoporosis

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05R\_A\_AGE >= 40 AND R05\_AX0001 != 2.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	781	2.3 %
2	2 = No	9379	27.3 %
	<b>Total</b>	<b>10,160</b>	<b>29.6%</b>

This variable has 10,160 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %

Missing Data				
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	19	0.1 %	
-1	-1 = Inapplicable	24116	70.3 %	
<b>Total</b>		<b>24,149</b>	<b>70.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11792-11797 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0196\_12M: In past 12 months, doctor, nurse or health professional told you that you had a bone fracture because you have fragile bones

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you have...

Had a bone fracture because you have fragile bones?

**ASK:** Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

**ASK Specification:** IF R05\_ADULTTYPE = 1 AND R05R\_A\_AGE >= 40 AND R05\_AX0001 != 2.

**NOTES: DATA ERROR:** Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	231	0.7 %
2	2 = No	9910	28.9 %
	<b>Total</b>	<b>10,141</b>	<b>29.6%</b>

This variable has 10,141 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	23	0.1 %	
-7	-7 = Refused	27	0.1 %	
-1	-1 = Inapplicable	24116	70.3 %	
<b>Total</b>		<b>24,168</b>	<b>70.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11798-11803 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0400\_12M: In past 12 months, doctor, nurse, or other health professional told you that you have rapid vision loss not due to aging

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you have...

Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND R05R\_A\_AGE >= 40 AND R05\_AX0001 != 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	444	1.3 %
2	2 = No	9722	28.3 %
	<b>Total</b>	<b>10,166</b>	<b>29.6%</b>

This variable has 10,166 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	10	0.0 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	24116	70.3 %
	<b>Total</b>	<b>24,143</b>	<b>70.4%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11804-11809 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05R\_A\_AX0150\_NB: DERIVED - Age range you were in when you were first told you had osteoporosis (6 levels)

Long Description: How old were you when you were first told you had osteoporosis, sometimes called thin or brittle bones?

Algorithm: IF (0 <= R05\_AX0150\_NB < 18) OR R05\_AX0267\_NB = 1 THEN  
R05R\_A\_AX0150\_NB = 1; ELSE IF (18 <= R05\_AX0150\_NB <= 24) OR  
R05\_AX0267\_NB = 2 THEN R05R\_A\_AX0150\_NB = 2; ELSE IF  
(25 <= R05\_AX0150\_NB <= 34) OR R05\_AX0267\_NB = 3 THEN  
R05R\_A\_AX0150\_NB = 3; ELSE IF (35 <= R05\_AX0150\_NB <= 44) OR  
R05\_AX0267\_NB = 4 THEN R05R\_A\_AX0150\_NB = 4; ELSE IF  
(45 <= R05\_AX0150\_NB <= 54) OR R05\_AX0267\_NB = 5 THEN

```

R05R_A_AX0150_NB = 5; ELSE IF (R05_AX0150_NB >= 55) OR R05_AX0267_NB
= 6 THEN R05R_A_AX0150_NB = 6; ELSE IF R05_AX0150_NB = -9 OR
R05_AX0267_NB = -9 THEN R05R_A_AX0150_NB = -99999; ELSE IF
R05_AX0150_NB = -8 OR R05_AX0267_NB = -8 THEN
R05R_A_AX0150_NB = -99988; ELSE IF R05_AX0150_NB = -7 OR
R05_AX0267_NB = -7 THEN R05R_A_AX0150_NB = -99977; ELSE IF
R05_AX0150_NB = -5 THEN R05R_A_AX0150_NB = -99955; ELSE IF
R05_AX0150_NB = -1 OR R05_AX0267_NB = -1 THEN
R05R_A_AX0150_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	13	0.0 %
2	2 = 18 to 24 years old	1	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>14</b>	<b>0.0%</b>

This variable has 14 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34291	99.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,295</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11810-11815 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_AX0198\_NB: DERIVED - Age range when you were first told you had a bone fracture because you have fragile bones (6 levels)

Long Description: How old were you when you were first told you had a bone fracture because you have fragile bones?

```

Algorithm: IF (0 <= R05_AX0198_NB < 18) OR R05_AX0268_NB = 1 THEN
R05R_A_AX0198_NB = 1; ELSE IF (18 <= R05_AX0198_NB <= 24) OR
R05_AX0268_NB = 2 THEN R05R_A_AX0198_NB = 2; ELSE IF

```

```

(25 <= R05_AX0198_NB <= 34) OR R05_AX0268_NB = 3 THEN
R05R_A_AX0198_NB = 3; ELSE IF (35 <= R05_AX0198_NB <= 44) OR
R05_AX0268_NB = 4 THEN R05R_A_AX0198_NB = 4; ELSE IF
(45 <= R05_AX0198_NB <= 54) OR R05_AX0268_NB = 5 THEN
R05R_A_AX0198_NB = 5; ELSE IF (R05_AX0198_NB >= 55) OR R05_AX0268_NB
= 6 THEN R05R_A_AX0198_NB = 6; ELSE IF R05_AX0198_NB = -9 OR
R05_AX0268_NB = -9 THEN R05R_A_AX0198_NB = -99999; ELSE IF
R05_AX0198_NB = -8 OR R05_AX0268_NB = -8 THEN R05R_A_AX0198_NB = -99988;
ELSE IF R05_AX0198_NB = -7 OR R05_AX0268_NB = -7 THEN
R05R_A_AX0198_NB = -99977; ELSE IF R05_AX0198_NB = -5 THEN
R05R_A_AX0198_NB = -99955; ELSE IF R05_AX0198_NB = -1 OR
R05_AX0268_NB = -1 THEN R05R_A_AX0198_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	29	0.1 %
2	2 = 18 to 24 years old	2	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>31</b>	<b>0.1%</b>

This variable has 31 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34274	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,278</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11816-11821 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05\_AX0701: In the past 12 months, been told by a doctor, nurse, or other health professional that healing time for a fracture was longer than expected

In the past 12 months, have you been told by a doctor, nurse, or other health professional that the healing time for a fracture was longer than expected?

ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had a bone fracture because they had fragile bones in the past 12 months.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_AX0196\_NB = 1) OR (R05\_ADULTTYPE = 1 AND R05R\_A\_AGE >= 40 AND R05\_AX0001 != 2 AND R05\_AX0196\_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	93	0.3 %
2	2 = No	171	0.5 %
	<b>Total</b>	<b>264</b>	<b>0.8%</b>

This variable has 264 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34043	99.2 %
	<b>Total</b>	<b>34,045</b>	<b>99.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11822-11827 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0700: Ever taken any prednisone or cortisone pills nearly every day for a month or longer

Have you ever taken any prednisone or cortisone pills nearly every day for a month or longer?  
Prednisone and cortisone are types of steroids.

ASK: New baseline adult respondents who have ever been told they had osteoporosis or had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had osteoporosis or had a bone fracture because they had fragile bones in the past 12 months.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND (R05\_AX0149\_NB = 1 OR R05\_AX0196\_NB = 1)) OR (R05\_ADULTTYPE = 1 AND R05R\_A\_AGE >= 40 AND R05\_AX0001 != 2 AND (R05\_AX0149\_12M = 1 OR R05\_AX0196\_12M = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	195	0.6 %
2	2 = No	698	2.0 %
	<b>Total</b>	<b>893</b>	<b>2.6%</b>

This variable has 893 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33413	97.4 %
	<b>Total</b>	<b>33,416</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11828-11833 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0702: Ever been told by a doctor, nurse, or other health professional that you have macular degeneration

Have you ever been told by a doctor, nurse, or other health professional that you have macular degeneration?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR109]

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R05R\_A\_AGE >= 40.

Value	Label	Unweighted Frequency	%
1	1 = Yes	422	1.2 %
2	2 = No	12129	35.4 %
	<b>Total</b>	<b>12,551</b>	<b>36.6%</b>

This variable has 12,551 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.1 %
-7	-7 = Refused	16	0.0 %
-1	-1 = Inapplicable	21717	63.3 %
	<b>Total</b>	<b>21,758</b>	<b>63.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11834-11839 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AX0703: DERIVED - Age range when you were first told you had macular degeneration (6 levels)

Long Description: How old were you when you were first told you had macular degeneration?

Algorithm: IF (0 <= R05\_AX0703 < 18) OR R05\_AX0704 = 1 THEN  
R05R\_A\_AX0703 = 1; ELSE IF (18 <= R05\_AX0703 <= 24) OR R05\_AX0704 = 2  
THEN R05R\_A\_AX0703 = 2; ELSE IF (25 <= R05\_AX0703 <= 34) OR  
R05\_AX0704 = 3 THEN R05R\_A\_AX0703 = 3; ELSE IF (35 <= R05\_AX0703 <= 44)  
OR R05\_AX0704 = 4 THEN R05R\_A\_AX0703 = 4; ELSE IF  
(45 <= R05\_AX0703 <= 54) OR R05\_AX0704 = 5 THEN R05R\_A\_AX0703 = 5;  
ELSE IF (R05\_AX0703 >= 55) OR R05\_AX0704 = 6 THEN R05R\_A\_AX0703 = 6;  
ELSE IF R05\_AX0703 = -9 OR R05\_AX0704 = -9 THEN R05R\_A\_AX0703 = -99999;  
ELSE IF R05\_AX0703 = -8 OR R05\_AX0704 = -8 THEN R05R\_A\_AX0703 = -99988;  
ELSE IF R05\_AX0703 = -7 OR R05\_AX0704 = -7 THEN R05R\_A\_AX0703 = -99977;  
ELSE IF R05\_AX0703 = -5 THEN R05R\_A\_AX0703 = -99955;  
ELSE IF R05\_AX0703 = -1 OR R05\_AX0704 = -1 THEN R05R\_A\_AX0703 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	25	0.1 %
2	2 = 18 to 24 years old	7	0.0 %
3	3 = 25 to 34 years old	22	0.1 %
4	4 = 35 to 44 years old	50	0.1 %
5	5 = 45 to 54 years old	75	0.2 %
6	6 = 55 years old or older	239	0.7 %
<b>Total</b>		<b>418</b>	<b>1.2%</b>

This variable has 418 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33886	98.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,891</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11840-11845 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R05\_AX0756\_12M: In past 12 months, been told by a doctor, therapist, or mental health professional that you have schizophrenia, schizoaffective disorder, or psychosis

In the past 12 months, have you been told by a doctor, therapist, or other mental health professional that you have schizophrenia, schizoaffective disorder, or psychosis?

[IF Yes (1); GO TO BOX R05\_AXR14 :

IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0671\_12M]

ASK: Continuing adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	385	1.1 %
2	2 = No	29417	85.7 %
	<b>Total</b>	<b>29,802</b>	<b>86.9%</b>

This variable has 29,802 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	4433	12.9 %
	<b>Total</b>	<b>4,507</b>	<b>13.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11846-11851 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0756\_NB: Ever been told by a doctor, therapist, or mental health professional that you have schizophrenia, schizoaffective disorder, or psychosis

Has a doctor, therapist, or other mental health professional ever told you that you have schizophrenia, schizoaffective disorder, or psychosis?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0761\_NB]

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.1 %
2	2 = No	4374	12.7 %
	<b>Total</b>	<b>4,420</b>	<b>12.9%</b>

This variable has 4,420 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,889</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 11852-11857 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

### R05R\_A\_AX0757\_NB: DERIVED - Age range when you were first told you had schizophrenia, schizoaffective disorder or psychosis (6 levels)

Long Description: How old were you when you were first told you had schizophrenia, schizoaffective disorder or psychosis?

```
Algorithm: IF (0 <= R05_AX0757_NB < 18) OR R05_AX0758_NB = 1 THEN
R05R_A_AX0757_NB = 1; ELSE IF (18 <= R05_AX0757_NB <= 24) OR
R05_AX0758_NB = 2 THEN R05R_A_AX0757_NB = 2; ELSE IF
(25 <= R05_AX0757_NB <= 34) OR R05_AX0758_NB = 3 THEN
R05R_A_AX0757_NB = 3; ELSE IF (35 <= R05_AX0757_NB <= 44) OR
R05_AX0758_NB = 4 THEN R05R_A_AX0757_NB = 4; ELSE IF
(45 <= R05_AX0757_NB <= 54) OR R05_AX0758_NB = 5 THEN
R05R_A_AX0757_NB = 5; ELSE IF (R05_AX0757_NB >= 55) OR
R05_AX0758_NB = 6 THEN R05R_A_AX0757_NB = 6; ELSE IF
R05_AX0757_NB = -9 OR R05_AX0758_NB = -9 THEN R05R_A_AX0757_NB = -99999;
ELSE IF R05_AX0757_NB = -8 OR R05_AX0758_NB = -8 THEN
R05R_A_AX0757_NB = -99988; ELSE IF R05_AX0757_NB = -7 OR
R05_AX0758_NB = -7 THEN R05R_A_AX0757_NB = -99977; ELSE IF
R05_AX0757_NB = -5 THEN R05R_A_AX0757_NB = -99955; ELSE IF
R05_AX0757_NB = -1 OR R05_AX0758_NB = -1 THEN R05R_A_AX0757_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	37	0.1 %
2	2 = 18 to 24 years old	8	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
	<b>Total</b>	<b>45</b>	<b>0.1%</b>

This variable has 45 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34262	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>34,264</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11858-11863 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R05\_AX0761\_12M: In past 12 months, been told by a doctor, therapist, or mental health professional that you had a psychotic illness or episode

In the past 12 months, have you been told by a doctor, therapist, or other mental health professional that you had a psychotic illness or episode?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05\_AXR14]

ASK: Continuing adult respondents who have not been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report whether they have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months.

ASK Specification: IF R05\_ADULTTYPE = 1 AND  
R05\_AX0756\_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	309	0.9 %
2	2 = No	29104	84.8 %
	<b>Total</b>	<b>29,413</b>	<b>85.7%</b>

This variable has 29,413 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	4818	14.0 %
<b>Total</b>		<b>4,896</b>	<b>14.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11864-11869 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0761\_NB: Ever been told by a doctor, therapist, or mental health professional that you had a psychotic illness or episode

Has a doctor, therapist, or other mental health professional ever told you that you had a psychotic illness or episode?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX AXR14]

ASK: New baseline adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder, or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R05\_ADULTTYPE = 2 AND R05\_AX0756\_NB = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.1 %
2	2 = No	4340	12.6 %
<b>Total</b>		<b>4,379</b>	<b>12.8%</b>

This variable has 4,379 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	29921	87.2 %
<b>Total</b>		<b>29,930</b>	<b>87.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11870-11875 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AX0762\_NB: DERIVED - Age range when you were first told you had a psychotic illness or episode (6 levels)

Long Description: How old were you when you were first told you had a psychotic illness or episode?

```
Algorithm: IF (0 <= R05_AX0762_NB < 18) OR R05_AX0772_NB = 1 THEN
R05R_A_AX0762_NB = 1; ELSE IF (18 <= R05_AX0762_NB <= 24) OR
R05_AX0772_NB = 2 THEN R05R_A_AX0762_NB = 2; ELSE IF
(25 <= R05_AX0762_NB <= 34) OR R05_AX0772_NB = 3 THEN
R05R_A_AX0762_NB = 3; ELSE IF (35 <= R05_AX0762_NB <= 44) OR
R05_AX0772_NB = 4 THEN R05R_A_AX0762_NB = 4; ELSE IF
(45 <= R05_AX0762_NB <= 54) OR R05_AX0772_NB = 5 THEN
R05R_A_AX0762_NB = 5; ELSE IF (R05_AX0762_NB >= 55) OR
R05_AX0772_NB = 6 THEN R05R_A_AX0762_NB = 6; ELSE IF
R05_AX0762_NB = -9 OR R05_AX0772_NB = -9 THEN
R05R_A_AX0762_NB = -99999; ELSE IF R05_AX0762_NB = -8 OR
R05_AX0772_NB = -8 THEN R05R_A_AX0762_NB = -99988; ELSE IF
R05_AX0762_NB = -7 OR R05_AX0772_NB = -7 THEN
R05R_A_AX0762_NB = -99977; ELSE IF R05_AX0762_NB = -5 THEN
R05R_A_AX0762_NB = -99955; ELSE IF R05_AX0762_NB = -1 OR
R05_AX0772_NB = -1 THEN R05R_A_AX0762_NB = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than 18 years old	33	0.1 %
2	2 = 18 to 24 years old	6	0.0 %
3	3 = 25 to 34 years old	0	0.0 %
4	4 = 35 to 44 years old	0	0.0 %
5	5 = 45 to 54 years old	0	0.0 %
6	6 = 55 years old or older	0	0.0 %
<b>Total</b>		<b>39</b>	<b>0.1%</b>

This variable has 39 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34269	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,270</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11876-11881 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R05\_AX0730: Ability to get and keep an erection adequate for satisfactory intercourse

Many men experience problems with sexual intercourse. How would you describe your ability to get and keep an erection adequate for satisfactory intercourse? Would you say that you are...

ASK: Adult male respondents who are 20 years old or older.

ASK Specification: IF R05R\_A\_SEX = 1 AND R05R\_A AGE >= 20.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Always able or almost always able to get and keep an erection	9358	27.3 %
2	2 = Usually able to get and keep an erection	2564	7.5 %
3	3 = Sometimes able to get and keep an erection	1361	4.0 %
4	4 = Never able to get and keep an erection	803	2.3 %
	<b>Total</b>	<b>14,086</b>	<b>41.1%</b>

This variable has 14,086 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	16	0.0 %
-8	-8 = Don't know	121	0.4 %
-7	-7 = Refused	333	1.0 %
-1	-1 = Inapplicable	19752	57.6 %
	<b>Total</b>	<b>20,223</b>	<b>58.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11882-11887 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0158\_01: Takes anti-inflammatory or pain medication: Aspirin

In the past 12 months, did you take any of the following medications, even once?

Aspirin

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14813	43.2 %
2	2 = No	19426	56.6 %
	<b>Total</b>	<b>34,239</b>	<b>99.8%</b>

This variable has 34,239 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>70</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11888-11893 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0158\_02: Takes anti-inflammatory or pain medication: Tylenol (Acetaminophen)

In the past 12 months, did you take any of the following medications, even once?

Tylenol (acetaminophen)

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21213	61.8 %
2	2 = No	12978	37.8 %
	<b>Total</b>	<b>34,191</b>	<b>99.7%</b>

This variable has 34,191 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	76	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>118</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11894-11899 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0158\_03: Takes anti-inflammatory or pain medication: Cox-2 inhibitors

In the past 12 months, did you take any of the following medications, even once?

Cox-2 inhibitors, for example: Celebrex

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	567	1.7 %
2	2 = No	33673	98.1 %
	<b>Total</b>	<b>34,240</b>	<b>99.8%</b>

This variable has 34,240 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	35	0.1 %	
-7	-7 = Refused	33	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>69</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11900-11905 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0158\_04: Takes anti-inflammatory or pain medication: Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve

In the past 12 months, did you take any of the following medications, even once?

Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22384	65.2 %
2	2 = No	11851	34.5 %
	<b>Total</b>	<b>34,235</b>	<b>99.8%</b>

This variable has 34,235 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.1 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>74</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11906-11911 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0156: In past 12 months, frequency with which aspirin was taken, on average

On average, in the past 12 months, how frequently did you take aspirin? Please do not count other pain relievers such as ibuprofen and Tylenol.

ASK: Adult respondents who have taken aspirin in the past 12 months.

ASK Specification: IF R05\_AX0158\_01 = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Never	799	2.3 %
2	2 = Less than once a month	7982	23.3 %
3	3 = 1 - 3 days per month	2410	7.0 %
4	4 = Weekly	868	2.5 %
5	5 = Daily	2717	7.9 %
<b>Total</b>		<b>14,776</b>	<b>43.1%</b>

This variable has 14,776 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	19495	56.8 %
<b>Total</b>		<b>19,533</b>	<b>56.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11912-11917 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0157: Type of aspirin usually taken

What type of aspirin do you usually take?

ASK: Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily.

ASK Specification: IF R05\_AX0158\_01 = 1 AND R05\_AX0156 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Baby aspirin (162 mg or less)	4007	11.7 %
2	2 = Regular or extra strength aspirin	9921	28.9 %
	<b>Total</b>	<b>13,928</b>	<b>40.6%</b>

This variable has 13,928 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.1 %
-7	-7 = Refused	13	0.0 %
-1	-1 = Inapplicable	20331	59.3 %
	<b>Total</b>	<b>20,381</b>	<b>59.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11918-11923 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0330\_12MH: In past 12 months, used a nicotine patch, gum, inhaler, nasal spray, or lozenge (not current established, current experimental, or recent former established tobacco users)

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, or lozenge?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR102]

ASK: Adult respondents who are former experimental or long-term former established tobacco users.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	99	0.3 %
2	2 = No	10203	29.7 %
	<b>Total</b>	<b>10,302</b>	<b>30.0%</b>

This variable has 10,302 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	23990	69.9 %
<b>Total</b>		<b>24,007</b>	<b>70.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11924-11929 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0161H\_01: Type of nicotine replacement therapy product used in past 12 months: Nicotine patch (former experimental or long-term former established tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine patch

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND  
R05\_AN0330\_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	53	0.2 %
<b>Total</b>		<b>61</b>	<b>0.2%</b>

This variable has 61 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	34209	99.7 %
<b>Total</b>		<b>34,248</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11930-11935 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0161H\_02: Type of nicotine replacement therapy product used in past 12 months: Nicotine gum (former experimental or long-term former established tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine gum

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND  
R05\_AN0330\_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.1 %
2	2 = Not Marked	37	0.1 %
	<b>Total</b>	<b>61</b>	<b>0.2%</b>

This variable has 61 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	34209	99.7 %
	<b>Total</b>	<b>34,248</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11936-11941 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0161H\_03: Type of nicotine replacement therapy product used in past 12 months: Nicotine inhaler (former experimental or long-term former established tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine inhaler

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND  
R05\_AN0330\_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.0 %
2	2 = Not Marked	53	0.2 %
	<b>Total</b>	<b>61</b>	<b>0.2%</b>

This variable has 61 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	34209	99.7 %
	<b>Total</b>	<b>34,248</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11942-11947 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0161H\_04: Type of nicotine replacement therapy product used in past 12 months: Nicotine nasal spray (former experimental or long-term former established tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine nasal spray

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND R05\_AN0330\_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	43	0.1 %
	<b>Total</b>	<b>61</b>	<b>0.2%</b>

This variable has 61 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	34209	99.7 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>34,248</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11948-11953 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0161H\_05: Type of nicotine replacement therapy product used in past 12 months: Nicotine lozenge (former experimental or long-term former established tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine lozenge

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND  
R05\_AN0330\_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	54	0.2 %
	<b>Total</b>	<b>61</b>	<b>0.2%</b>

This variable has 61 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	10	0.0 %
-1	-1 = Inapplicable	34209	99.7 %
	<b>Total</b>	<b>34,248</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11954-11959 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AN0347H: When last removed a nicotine patch (former experimental or long-term former established tobacco users)

When you last used a nicotine patch, when did you remove it?

[IF I am currently wearing a nicotine patch (1), In the past hour (2),  
or Day before yesterday (3); GO TO R05\_AN0349H :

IF Three or more days ago (6), Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR54]

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND R05\_AN0330\_12MH = 1 AND R05\_AN0161H\_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = I am currently wearing a nicotine patch	2	0.0 %
2	2 = In the past hour	0	0.0 %
3	3 = Sometime today, but more than an hour ago	0	0.0 %
4	4 = Yesterday	0	0.0 %
5	5 = Day before yesterday	0	0.0 %
6	6 = Three or more days ago	6	0.0 %
<b>Total</b>		<b>8</b>	<b>0.0%</b>

This variable has 8 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34300	100.0 %	
<b>Total</b>		<b>34,301</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11960-11965 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0348H: Number of hours since you removed a nicotine patch (former experimental or long-term former established tobacco users)

How many hours has it been since you removed a nicotine patch?

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND R05\_AN0330\_12MH = 1 AND R05\_AN0161H\_01 = 1 AND R05\_AN0347H = 3, 4.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = 1 to 4 hours	0	0.0 %
2	2 = 5 to 11 hours	0	0.0 %
3	3 = More than 12 hours	0	0.0 %
<b>Total</b>		<b>0</b>	<b>0.0%</b>

This variable has 0 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34308	100.0 %	
<b>Total</b>		<b>34,309</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11966-11971 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0349H: Strength of nicotine patch last used (former experimental or long-term former established tobacco users)

When you last used a nicotine patch [FILL BASED ON R05\_AN0347H], what strength did you use?

(If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_ANR54]

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and are currently using a nicotine patch or last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND

R05\_AN0330\_12MH = 1 AND R05\_AN0161H\_01 = 1 AND

R05\_AN0347H = 1, 2, 3, 4, 5.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = 21 mg (Step 1)	1	0.0 %
2	2 = 14 mg (Step 2)	0	0.0 %
3	3 = 7 mg (Step 3)	0	0.0 %
4	4 = Some other strength	0	0.0 %
5	5 = I don't know	1	0.0 %
<b>Total</b>		<b>2</b>	<b>0.0%</b>

This variable has 2 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34306	100.0 %
<b>Total</b>		<b>34,307</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11972-11977 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AN0357H: When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (former experimental or long-term former established tobacco users)

When did you last use nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[IF In the past hour (1); GO TO R05\_AN0359H :

IF Three or more days ago (5), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR102]

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND

R05\_AN0330\_12MH = 1 AND R05\_AN0161H\_[02/03/04/05] = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	15	0.0 %
2	2 = Sometime today, but more than an hour ago	4	0.0 %
3	3 = Yesterday	5	0.0 %
4	4 = Day before yesterday	3	0.0 %
5	5 = Three or more days ago	25	0.1 %
<b>Total</b>		<b>52</b>	<b>0.2%</b>

This variable has 52 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34254	99.8 %
<b>Total</b>		<b>34,257</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11978-11983 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0358H: Time period of day when you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (former experimental or long-term former established tobacco users)

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05\_AN0357H], was it...

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND R05\_AN0330\_12MH = 1 AND R05\_AN0161H\_[02/03/04/05] = 1 AND R05\_AN0357H = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0 %
2	2 = After 6AM but before noon	5	0.0 %
3	3 = Between noon and 6PM	7	0.0 %
4	4 = After 6PM but before midnight	0	0.0 %
<b>Total</b>		<b>12</b>	<b>0.0%</b>

This variable has 12 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34296	100.0 %
<b>Total</b>		<b>34,297</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11984-11989 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AN0359H: Number of nicotine gum, inhaler, nasal spray or lozenges used today/yesterday/the day before yesterday (former experimental or long-term former established tobacco users)

When you used nicotine gum, a nicotine inhaler, nicotine nasal spray or

lozenge [FILL BASED ON R05\_AN0357H], how many did you use?

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 5 AND  
R05\_AN0330\_12MH = 1 AND R05\_AN0161H\_[02/03/04/05] = 1 AND  
R05\_AN0357H = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 26 valid cases out of 34,309 total cases.

- Mean: 3.46
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 22.00
- Standard Deviation: 4.42

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	1	0.0 %	
-1	-1 = Inapplicable	34281	99.9 %	
<b>Total</b>		<b>34,283</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 11990-11995 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AX0134\_12M: In past 12 months, been pregnant

The next questions are about your pregnancy history.

In the past 12 months, have you been pregnant? Please include a current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies, and stillbirths.

ASK: Adult female respondents who are less than 50 years old.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A\_AGE < 50.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1465	4.3 %
2	2 = No	11530	33.6 %
	<b>Total</b>	<b>12,995</b>	<b>37.9%</b>

This variable has 12,995 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	8	0.0 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	21286	62.0 %
	<b>Total</b>	<b>21,314</b>	<b>62.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 11996-12001 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0136: Currently pregnant

Are you pregnant now?

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND R05\_AX0134\_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	442	1.3 %
2	2 = No	1021	3.0 %
	<b>Total</b>	<b>1,463</b>	<b>4.3%</b>

This variable has 1,463 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32843	95.7 %
	<b>Total</b>	<b>32,846</b>	<b>95.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12002-12007 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0137\_NN: Weeks/Months pregnant - Number

How many months or weeks pregnant are you? Please enter the number of months or weeks.

\_\_ Months/Weeks

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR119]

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are currently pregnant.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND R05\_AX0134\_12M = 1 AND R05\_AX0136 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AX0137\_UN = Months;  
the value "2" refers to R05\_AX0137\_UN = Weeks.

This variable has 439 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	33866	98.7 %	
<b>Total</b>		<b>33,870</b>	<b>98.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12008-12013 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AX0137\_UN: Weeks/Months pregnant - Unit

How many months or weeks pregnant are you? Please enter the number of months or weeks.

\_\_ Months/Weeks

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR119]

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are currently pregnant.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND  
R05\_AX0134\_12M = 1 AND R05\_AX0136 = 1.

[PROGRAM NOTE: Display as Quantity/Units. Allow 2 digits.]

NOTES: The value "1" refers R05\_AX0137\_UN = Months;  
the value "2" refers to R05\_AX0137\_UN = Weeks.

Value	Label	Unweighted Frequency	%
1	1 = Months	102	0.3 %
2	2 = Weeks	337	1.0 %
	<b>Total</b>	<b>439</b>	<b>1.3%</b>

This variable has 439 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33869	98.7 %
	<b>Total</b>	<b>33,870</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12014-12019 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AX0135\_12M: DERIVED - Indicator for adverse pregnancy outcomes resulting in no birth (2 levels)

Long Description: Was the outcome of your last pregnancy a miscarriage, abortion, ectopic or tubal pregnancy, or stillbirth?

Algorithm: Algorithm: IF R05\_AX0135\_12M = 1 THEN R05R\_A\_AX0135\_12M = 2;  
ELSE IF R05\_AX0135\_12M IN (2,3,4,5,6) THEN R05R\_A\_AX0135\_12M = 1;  
ELSE IF R05\_AX0135\_12M = -9 THEN R05R\_A\_AX0135\_12M = -99999; ELSE IF  
R05\_AX0135\_12M = -8 THEN R05R\_A\_AX0135\_12M = -99988; ELSE IF  
R05\_AX0135\_12M = -7 THEN R05R\_A\_AX0135\_12M = -99977; ELSE IF  
R05\_AX0135\_12M = -1 THEN R05R\_A\_AX0135\_12M = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	343	1.0 %
2	2 = No	951	2.8 %
	<b>Total</b>	<b>1,294</b>	<b>3.8%</b>

This variable has 1,294 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33011	96.2 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,015</b>	<b>96.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12020-12025 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_A\_AX0300\_12M: DERIVED - Indicator for adverse pregnancy outcomes resulting in risky birth (2 levels)

Long Description: For your last pregnancy, did any of the following occur: Preterm birth, Baby with low birth weight, Baby with birth defects, Placenta Previa, Placenta Abruptio, Pre-eclampsia, Cleft lip or palate?

Algorithm: IF R05\_AX0300\_12M\_01 = 1 OR R05\_AX0300\_12M\_02 = 1 OR  
 R05\_AX0300\_12M\_03 = 1 OR R05\_AX0300\_12M\_04 = 1 OR R05\_AX0300\_12M\_05 = 1  
 OR R05\_AX0300\_12M\_06 = 1 OR R05\_AX0706 = 1 THEN R05R\_A\_AX0300\_12M = 1;  
 ELSE IF R05\_AX0300\_12M\_01 = 2 AND R05\_AX0300\_12M\_02 = 2 AND  
 R05\_AX0300\_12M\_03 = 2 AND R05\_AX0300\_12M\_04 = 2 AND R05\_AX0300\_12M\_05 = 2  
 AND R05\_AX0300\_12M\_06 = 2 AND R05\_AX0300\_12M\_07 = 1 THEN  
 R05R\_A\_AX0300\_12M = 2; ELSE IF R05\_AX0300\_12M\_01 = -9 OR  
 R05\_AX0300\_12M\_02 = -9 OR R05\_AX0300\_12M\_03 = -9 OR  
 R05\_AX0300\_12M\_04 = -9 OR R05\_AX0300\_12M\_05 = -9 OR  
 R05\_AX0300\_12M\_06 = -9 OR R05\_AX0300\_12M\_07 = -9 THEN  
 R05R\_A\_AX0300\_12M = -99999; ELSE IF R05\_AX0300\_12M\_01 = -8 OR  
 R05\_AX0300\_12M\_02 = -8 OR R05\_AX0300\_12M\_03 = -8 OR  
 R05\_AX0300\_12M\_04 = -8 OR R05\_AX0300\_12M\_05 = -8 OR  
 R05\_AX0300\_12M\_06 = -8 OR R05\_AX0300\_12M\_07 = -8 THEN  
 R05R\_A\_AX0300\_12M = -99988; ELSE IF R05\_AX0300\_12M\_01 = -7 OR  
 R05\_AX0300\_12M\_02 = -7 OR R05\_AX0300\_12M\_03 = -7 OR  
 R05\_AX0300\_12M\_04 = -7 OR R05\_AX0300\_12M\_05 = -7 OR  
 R05\_AX0300\_12M\_06 = -7 OR R05\_AX0300\_12M\_07 = -7 THEN  
 R05R\_A\_AX0300\_12M = -99977; ELSE IF R05\_AX0300\_12M\_01 = -1 OR  
 R05\_AX0300\_12M\_02 = -1 OR R05\_AX0300\_12M\_03 = -1 OR  
 R05\_AX0300\_12M\_04 = -1 OR R05\_AX0300\_12M\_05 = -1 OR  
 R05\_AX0300\_12M\_06 = -1 OR R05\_AX0300\_12M\_07 = -1 THEN  
 R05R\_A\_AX0300\_12M = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	187	0.5 %
2	2 = No	764	2.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>951</b>	<b>2.8%</b>

This variable has 951 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33357	97.2 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>33,358</b>	<b>97.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12026-12031 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05\_AX0299: Child have any developmental delays

Does your child have any developmental delays?

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND ((R05\_AX0134\_12M = 1 AND R05\_AX0136 = 2) OR (R05\_AX0134\_12M != 1 AND R04\_PREGNANT = 1)) AND R05\_AX0135\_12M = 1 AND (R05\_AX0300\_12M\_01 = 1 OR R05\_AX0300\_12M\_02 = 1 OR R05\_AX0300\_12M\_03 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.0 %
2	2 = No	129	0.4 %
	<b>Total</b>	<b>142</b>	<b>0.4%</b>

This variable has 142 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

Missing Data				
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34166	99.6 %	
<b>Total</b>		<b>34,167</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12032-12037 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -977777 , -9 , -8 , -7 , -1

## R05\_AX0340: During the 3 months before your pregnancy, number of alcoholic drinks you had in an average week

During the 3 months before your [most recent / current] pregnancy, how many alcoholic drinks did you have in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor, or a mixed drink or cocktail.

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1).

Value	Label	Unweighted Frequency	%
1	1 = 14 drinks or more a week	30	0.1 %
2	2 = 7 to 13 drinks a week	50	0.1 %
3	3 = 4 to 6 drinks a week	107	0.3 %
4	4 = 1 to 3 drinks a week	215	0.6 %
5	5 = Less than 1 drink a week	351	1.0 %
6	6 = I didn't drink then	983	2.9 %
<b>Total</b>		<b>1,736</b>	<b>5.1%</b>

This variable has 1,736 valid cases out of 34,309 total cases.

Missing Data			
-977777	-977777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32567	94.9 %
<b>Total</b>		<b>32,573</b>	<b>94.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12038-12043 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0341: During the last 3 months of your pregnancy, number of alcoholic drinks you had in an average week

During the last 3 months of your [most recent / current] pregnancy, how many alcoholic drinks [did you have/have you had] in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor, or a mixed drink or cocktail.

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1).

[PROGRAM NOTE: Suppress option 7 if R05\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = 14 drinks or more a week	13	0.0 %
2	2 = 7 to 13 drinks a week	12	0.0 %
3	3 = 4 to 6 drinks a week	25	0.1 %
4	4 = 1 to 3 drinks a week	65	0.2 %
5	5 = Less than 1 drink a week	153	0.4 %
6	6 = Didn't drink then	1345	3.9 %
7	7 = Have not yet reached the last 3 months of pregnancy	122	0.4 %
	<b>Total</b>	<b>1,735</b>	<b>5.1%</b>

This variable has 1,735 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	32567	94.9 %
	<b>Total</b>	<b>32,574</b>	<b>94.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12044-12049 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0342: During the 3 months before your pregnancy, number of cigarettes you smoked on an average day

During the 3 months before your [most recent /current] pregnancy, how many cigarettes did you smoke on an average day? A pack usually has 20 cigarettes in it.

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarettes, excluding continuing adult respondents who have not smoked cigarettes in the past 30 days or in the past 12 months and were long-term former cigarette smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarette	59	0.2 %
2	2 = 1 to 5 cigarettes	120	0.3 %
3	3 = 6 to 10 cigarettes	120	0.3 %
4	4 = 11 to 20 cigarettes	109	0.3 %
5	5 = 21 to 40 cigarettes	27	0.1 %
6	6 = 41 cigarettes or more	7	0.0 %
7	7 = None (0 cigarettes)	549	1.6 %
<b>Total</b>		<b>991</b>	<b>2.9%</b>

This variable has 991 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33315	97.1 %
<b>Total</b>		<b>33,318</b>	<b>97.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12050-12055 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0343: During the last 3 months of your pregnancy, number of cigarettes you smoked on an average day

During the last 3 months of your [most recent / current] pregnancy, how many cigarettes [did you smoke/have you smoked] on an average day?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarettes, excluding continuing adult respondents who have not smoked cigarettes in the past 30 days or in the past 12 months and were long-term former cigarette smokers as of their last

completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND  
(R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND  
R05\_PASTUSE\_CIGS = 1.

[PROGRAM NOTE: Suppress option 8 if R05\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarette	56	0.2 %
2	2 = 1 to 5 cigarettes	110	0.3 %
3	3 = 6 to 10 cigarettes	79	0.2 %
4	4 = 11 to 20 cigarettes	41	0.1 %
5	5 = 21 to 40 cigarettes	13	0.0 %
6	6 = 41 cigarettes or more	3	0.0 %
7	7 = None (0 cigarettes)	629	1.8 %
8	8 = Have not yet reached the last 3 months of pregnancy	59	0.2 %
<b>Total</b>		<b>990</b>	<b>2.9%</b>

This variable has 990 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33315	97.1 %
<b>Total</b>		<b>33,319</b>	<b>97.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12056-12061 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0344: During the 3 months before your pregnancy, how often used e-cigarettes or other electronic nicotine products

During the 3 months before your [most recent / current] pregnancy, how often did you use e-cigarettes or other electronic nicotine products?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used ENPs, excluding continuing adult respondents who have not used ENPs in the past 30 days or in the past 12 months and were long-term former ENP users as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A\_AGE < 50 AND  
(R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND

R05\_PASTUSE\_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	48	0.1 %
2	2 = A few days a week	29	0.1 %
3	3 = Once a week	14	0.0 %
4	4 = Two or three days a month	14	0.0 %
5	5 = Once a month or less	30	0.1 %
6	6 = Did not use electronic nicotine products then	690	2.0 %
	<b>Total</b>	<b>825</b>	<b>2.4%</b>

This variable has 825 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33479	97.6 %
	<b>Total</b>	<b>33,484</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12062-12067 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0345: During the last 3 months of your pregnancy, how often used e-cigarettes or other electronic nicotine product

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] e-cigarettes or other electronic nicotine products?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used ENPs, excluding continuing adult respondents who have not used ENPs in the past 30 days or in the past 12 months and were long-term former ENP users as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_EPRODS = 1.

[PROGRAM NOTE: Suppress option 7 if R05\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	31	0.1 %
2	2 = A few days a week	16	0.0 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
3	3 = Once a week	4	0.0 %
4	4 = Two or three days a month	9	0.0 %
5	5 = Once a month or less	14	0.0 %
6	6 = Did not use electronic nicotine products then	685	2.0 %
7	7 = Have not yet reached the last 3 months of pregnancy	64	0.2 %
	<b>Total</b>	<b>823</b>	<b>2.4%</b>

This variable has 823 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	33479	97.6 %
	<b>Total</b>	<b>33,486</b>	<b>97.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12068-12073 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0346: During the 3 months before your pregnancy, how often smoked traditional cigars

During the 3 months before your [most recent / current] pregnancy, how often did you smoke traditional cigars?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_GTRAD = 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Every day	10	0.0 %
2	2 = A few days a week	7	0.0 %
3	3 = Once a week	3	0.0 %
4	4 = Two or three days a month	6	0.0 %
5	5 = Once a month or less	20	0.1 %

Value	Label	Unweighted Frequency	%
6	6 = Did not smoke traditional cigars then	294	0.9 %
	<b>Total</b>	<b>340</b>	<b>1.0%</b>

This variable has 340 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33967	99.0 %
	<b>Total</b>	<b>33,969</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12074-12079 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0347: During the last 3 months of your pregnancy, how often smoked traditional cigars

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] traditional cigars?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_GTRAD = 1.

[PROGRAM NOTE: Suppress option 7 if R05\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	8	0.0 %
2	2 = A few days a week	1	0.0 %
3	3 = Once a week	4	0.0 %
4	4 = Two or three days a month	6	0.0 %
5	5 = Once a month or less	4	0.0 %
6	6 = Did not smoke traditional cigars then	288	0.8 %
7	7 = Have not yet reached the last 3 months of pregnancy	29	0.1 %
	<b>Total</b>	<b>340</b>	<b>1.0%</b>

This variable has 340 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33967	99.0 %
<b>Total</b>		<b>33,969</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12080-12085 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0348: During the 3 months before your pregnancy, how often smoked cigarillos

During the 3 months before your [most recent / current] pregnancy, how often did you smoke cigarillos?

**ASK:** Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview.

**ASK Specification:** IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A\_AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_GRILLO = 1.

**NOTES:** DATA ERROR: Some respondents have missing data (-9) for this variable.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Every day	31	0.1 %
2	2 = A few days a week	26	0.1 %
3	3 = Once a week	13	0.0 %
4	4 = Two or three days a month	18	0.1 %
5	5 = Once a month or less	23	0.1 %
6	6 = Did not smoke cigarillos then	476	1.4 %
<b>Total</b>		<b>587</b>	<b>1.7%</b>

This variable has 587 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2	0.0 %

Missing Data				
-7	-7 = Refused		0	0.0 %
-1	-1 = Inapplicable		33718	98.3 %
<b>Total</b>			<b>33,722</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12086-12091 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0349: During the last 3 months of your pregnancy, how often smoked cigarillos

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] cigarillos?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_GRILLO = 1.

[PROGRAM NOTE: Suppress option 7 if R05\_AX0136 != 1.]

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Every day	13	0.0 %
2	2 = A few days a week	15	0.0 %
3	3 = Once a week	8	0.0 %
4	4 = Two or three days a month	12	0.0 %
5	5 = Once a month or less	9	0.0 %
6	6 = Did not smoke cigarillos then	472	1.4 %
7	7 = Have not yet reached the last 3 months of pregnancy	57	0.2 %
<b>Total</b>		<b>586</b>	<b>1.7%</b>

This variable has 586 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	33718	98.3 %	

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,723</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12092-12097 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0350: During the 3 months before your pregnancy, how often smoked filtered cigars

During the 3 months before your [most recent / current] pregnancy, how often did you smoke filtered cigars?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND  
(R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND  
R05\_PASTUSE\_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	9	0.0 %
2	2 = A few days a week	8	0.0 %
3	3 = Once a week	6	0.0 %
4	4 = Two or three days a month	4	0.0 %
5	5 = Once a month or less	10	0.0 %
6	6 = Did not smoke filtered cigars then	258	0.8 %
	<b>Total</b>	<b>295</b>	<b>0.9%</b>

This variable has 295 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34012	99.1 %
	<b>Total</b>	<b>34,014</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12098-12103 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0351: During the last 3 months of your pregnancy, how often smoked filtered cigars

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] filtered cigars?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_GFILTR = 1.

[PROGRAM NOTE: Suppress option 7 if R05\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	6	0.0 %
2	2 = A few days a week	5	0.0 %
3	3 = Once a week	3	0.0 %
4	4 = Two or three days a month	3	0.0 %
5	5 = Once a month or less	7	0.0 %
6	6 = Did not smoke filtered cigars then	246	0.7 %
7	7 = Have not yet reached the last 3 months of pregnancy	25	0.1 %
<b>Total</b>		<b>295</b>	<b>0.9%</b>

This variable has 295 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34012	99.1 %
<b>Total</b>		<b>34,014</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12104-12109 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0352: During the 3 months before your pregnancy, how often smoked pipe filled with tobacco

During the 3 months before your [most recent / current] pregnancy, how often did you smoke a pipe filled with tobacco?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND  
(R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND  
R05\_PASTUSE\_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	3	0.0 %
2	2 = A few days a week	1	0.0 %
3	3 = Once a week	1	0.0 %
4	4 = Two or three days a month	3	0.0 %
5	5 = Once a month or less	5	0.0 %
6	6 = Did not smoke a pipe then	115	0.3 %
	<b>Total</b>	<b>128</b>	<b>0.4%</b>

This variable has 128 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34180	99.6 %	
	<b>Total</b>	<b>34,181</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 12110-12115 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AX0353: During the last 3 months of your pregnancy, how often smoked pipe filled with tobacco

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] a pipe filled with tobacco?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND  
(R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND

R05\_PASTUSE\_PIPE = 1.

[PROGRAM NOTE: Suppress option 7 if R05\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	2	0.0 %
2	2 = A few days a week	2	0.0 %
3	3 = Once a week	2	0.0 %
4	4 = Two or three days a month	1	0.0 %
5	5 = Once a month or less	1	0.0 %
6	6 = Did not smoke a pipe then	106	0.3 %
7	7 = Have not yet reached the last 3 months of pregnancy	13	0.0 %
<b>Total</b>		<b>127</b>	<b>0.4%</b>

This variable has 127 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	34180	99.6 %
<b>Total</b>		<b>34,182</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12116-12121 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0354: During the 3 months before your pregnancy, how often smoked hookah

During the 3 months before your [most recent / current] pregnancy, how often did you smoke hookah?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND  
(R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND  
R05\_PASTUSE\_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	4	0.0 %
2	2 = A few days a week	3	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = Once a week	7	0.0 %
4	4 = Two or three days a month	6	0.0 %
5	5 = Once a month or less	38	0.1 %
6	6 = Did not smoke hookah then	659	1.9 %
	<b>Total</b>	<b>717</b>	<b>2.1%</b>

This variable has 717 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33590	97.9 %
	<b>Total</b>	<b>33,592</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12122-12127 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0355: During the last 3 months of your pregnancy, how often smoked hookah

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] hookah?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_HOOK = 1.

[PROGRAM NOTE: Suppress option 7 if R05\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	2	0.0 %
2	2 = A few days a week	1	0.0 %
3	3 = Once a week	3	0.0 %
4	4 = Two or three days a month	3	0.0 %
5	5 = Once a month or less	11	0.0 %
6	6 = Did not smoke hookah then	629	1.8 %

Value	Label	Unweighted Frequency	%
7	7 = Have not yet reached the last 3 months of pregnancy	67	0.2 %
	<b>Total</b>	<b>716</b>	<b>2.1%</b>

This variable has 716 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33590	97.9 %
	<b>Total</b>	<b>33,593</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12128-12133 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0356: During the 3 months before your pregnancy, how often used snus

During the 3 months before your [most recent / current] pregnancy, how often did you use snus?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND  
(R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND  
R05\_PASTUSE\_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	1	0.0 %
2	2 = A few days a week	3	0.0 %
3	3 = Once a week	1	0.0 %
4	4 = Two or three days a month	3	0.0 %
5	5 = Once a month or less	1	0.0 %
6	6 = Did not use snus pouches then	92	0.3 %
	<b>Total</b>	<b>101</b>	<b>0.3%</b>

This variable has 101 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34206	99.7 %	
<b>Total</b>		<b>34,208</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12134-12139 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0357: During the last 3 months of your pregnancy, how often used snus

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] snus?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A\_AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_SNUS = 1.

[PROGRAM NOTE: Suppress option 7 if R05\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	0	0.0 %
2	2 = A few days a week	3	0.0 %
3	3 = Once a week	0	0.0 %
4	4 = Two or three days a month	3	0.0 %
5	5 = Once a month or less	0	0.0 %
6	6 = Did not use snus pouches then	89	0.3 %
7	7 = Have not yet reached the last 3 months of pregnancy	6	0.0 %
<b>Total</b>		<b>101</b>	<b>0.3%</b>

This variable has 101 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34206	99.7 %	
<b>Total</b>		<b>34,208</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12140-12145 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0358: During the 3 months before your pregnancy, how often used smokeless tobacco

During the 3 months before your [most recent / current] pregnancy, how often did you use [other types of ]smokeless tobacco (such as dip, spit, or chew)?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND  
(R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND  
R05\_PASTUSE\_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every day	3	0.0 %
2	2 = A few days a week	3	0.0 %
3	3 = Once a week	1	0.0 %
4	4 = Two or three days a month	1	0.0 %
5	5 = Once a month or less	7	0.0 %
6	6 = Did not use smokeless tobacco then	113	0.3 %
	<b>Total</b>	<b>128</b>	<b>0.4%</b>

This variable has 128 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34179	99.6 %
	<b>Total</b>	<b>34,181</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12146-12151 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0359: During the last 3 months of your pregnancy, how often used smokeless tobacco

During the last 3 months of your [most recent/current] pregnancy, how often

[did you use/have you used] smokeless tobacco?

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview.

ASK Specification: IF R05R\_A\_SEX = 2 AND 18 <= R05R\_A AGE < 50 AND (R05\_AX0136 = 1 OR R05\_AX0134\_12M = 1 OR R04\_PREGNANT = 1) AND R05\_PASTUSE\_SMKLS = 1.

[PROGRAM NOTE: Suppress option 7 if R05\_AX0136 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = Every day	2	0.0 %
2	2 = A few days a week	2	0.0 %
3	3 = Once a week	1	0.0 %
4	4 = Two or three days a month	2	0.0 %
5	5 = Once a month or less	3	0.0 %
6	6 = Did not use smokeless tobacco then	114	0.3 %
7	7 = Have not yet reached the last 3 months of pregnancy	5	0.0 %
<b>Total</b>		<b>129</b>	<b>0.4%</b>

This variable has 129 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34179	99.6 %
<b>Total</b>		<b>34,180</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12152-12157 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0161: Last time you had significant problems with: Feeling very trapped, lonely, sad, blue, depressed or hopeless about the future

When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	6642	19.4 %
2	2 = 2 to 12 months ago	5330	15.5 %
3	3 = Over a year ago	6000	17.5 %
4	4 = Never	16158	47.1 %
	<b>Total</b>	<b>34,130</b>	<b>99.5%</b>

This variable has 34,130 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	41	0.1 %
-7	-7 = Refused	134	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>179</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12158-12163 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0162: Last time you had significant problems with: Sleep trouble - such as bad dreams, sleeping restlessly or falling asleep during the day

When was the last time that you had significant problems with...

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	9786	28.5 %
2	2 = 2 to 12 months ago	5547	16.2 %
3	3 = Over a year ago	3881	11.3 %
4	4 = Never	14863	43.3 %
	<b>Total</b>	<b>34,077</b>	<b>99.3%</b>

This variable has 34,077 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	64	0.2 %
-7	-7 = Refused	163	0.5 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>232</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12164-12169 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0163: Last time you had significant problems with: Feeling very anxious, nervous, tense, scared, panicked or like something bad was going to happen

When was the last time that you had significant problems with...

feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	7519	21.9 %
2	2 = 2 to 12 months ago	5559	16.2 %
3	3 = Over a year ago	4610	13.4 %
4	4 = Never	16431	47.9 %
<b>Total</b>		<b>34,119</b>	<b>99.4%</b>

This variable has 34,119 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	47	0.1 %
-7	-7 = Refused	137	0.4 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>190</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12170-12175 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0164: Last time you had significant problems with: Becoming very distressed and upset when something reminded you of the past

When was the last time that you had significant problems with...

becoming very distressed and upset when something reminded you of the past?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	6169	18.0 %
2	2 = 2 to 12 months ago	4957	14.4 %
3	3 = Over a year ago	5069	14.8 %
4	4 = Never	17802	51.9 %
	<b>Total</b>	<b>33,997</b>	<b>99.1%</b>

This variable has 33,997 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	102	0.3 %
-7	-7 = Refused	204	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>312</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12176-12181 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0165: Last time you did the following two or more times: Lied or conned to get things you wanted or to avoid having to do something

When was the last time that you did any of the following things two or more times...

lied or conned to get things you wanted or to avoid having to do something?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3407	9.9 %

Value	Label	Unweighted Frequency	%
2	2 = 2 to 12 months ago	3977	11.6 %
3	3 = Over a year ago	5533	16.1 %
4	4 = Never	21188	61.8 %
	<b>Total</b>	<b>34,105</b>	<b>99.4%</b>

This variable has 34,105 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	6	0.0 %	
-8	-8 = Don't know	57	0.2 %	
-7	-7 = Refused	140	0.4 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>204</b>	<b>0.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12182-12187 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0166: Last time you did the following two or more times: Had a hard time paying attention at school, work or home

When was the last time that you did any of the following things two or more times...

had a hard time paying attention at school, work, or home?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	6767	19.7 %
2	2 = 2 to 12 months ago	5126	14.9 %
3	3 = Over a year ago	4869	14.2 %
4	4 = Never	17314	50.5 %
	<b>Total</b>	<b>34,076</b>	<b>99.3%</b>

This variable has 34,076 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	8	0.0 %	
-8	-8 = Don't know	83	0.2 %	

Missing Data				
-7	-7 = Refused		141	0.4 %
-1	-1 = Inapplicable		0	0.0 %
<b>Total</b>			<b>233</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12188-12193 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0167: Last time you did the following two or more times: Had a hard time listening to instructions at school, work or home

When was the last time that you did any of the following things two or more times...

had a hard time listening to instructions at school, work, or home?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4724	13.8 %
2	2 = 2 to 12 months ago	4189	12.2 %
3	3 = Over a year ago	5017	14.6 %
4	4 = Never	20188	58.8 %
<b>Total</b>		<b>34,118</b>	<b>99.4%</b>

This variable has 34,118 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	7	0.0 %	
-8	-8 = Don't know	54	0.2 %	
-7	-7 = Refused	129	0.4 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>191</b>	<b>0.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12194-12199 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0168: Last time you did the following two or more times: Were a bully or threatened other people

When was the last time that you did any of the following things two or more times...

were a bully or threatened other people?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	744	2.2 %
2	2 = 2 to 12 months ago	876	2.6 %
3	3 = Over a year ago	3220	9.4 %
4	4 = Never	29291	85.4 %
	<b>Total</b>	<b>34,131</b>	<b>99.5%</b>

This variable has 34,131 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	8	0.0 %
-8	-8 = Don't know	50	0.1 %
-7	-7 = Refused	119	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>178</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12200-12205 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0169: Last time you did the following two or more times: Started physical fights with other people

When was the last time that you did any of the following things two or more times...

started physical fights with other people?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	458	1.3 %
2	2 = 2 to 12 months ago	659	1.9 %
3	3 = Over a year ago	2963	8.6 %

Value	Label	Unweighted Frequency	%
4	4 = Never	30016	87.5 %
	<b>Total</b>	<b>34,096</b>	<b>99.4%</b>

This variable has 34,096 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	7	0.0 %
-8	-8 = Don't know	70	0.2 %
-7	-7 = Refused	135	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>213</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12206-12211 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0250: Last time you did the following two or more times: Felt restless or the need to run around or climb on things

When was the last time that you did any of the following things two or more times...

...felt restless or the need to run around or climb on things?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	2951	8.6 %
2	2 = 2 to 12 months ago	2547	7.4 %
3	3 = Over a year ago	2962	8.6 %
4	4 = Never	25623	74.7 %
	<b>Total</b>	<b>34,083</b>	<b>99.3%</b>

This variable has 34,083 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	14	0.0 %
-8	-8 = Don't know	65	0.2 %
-7	-7 = Refused	146	0.4 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>226</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12212-12217 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0251: Last time you did the following two or more times: Gave answers before the other person finished asking the question

When was the last time that you did any of the following things two or more times...

gave answers before the other person finished asking the question?

ASK: All adult respondents.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	9275	27.0 %
2	2 = 2 to 12 months ago	4669	13.6 %
3	3 = Over a year ago	2989	8.7 %
4	4 = Never	16964	49.4 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	17	0.0 %
-8	-8 = Don't know	169	0.5 %
-7	-7 = Refused	225	0.7 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12218-12223 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0084\_12M: In past 12 months, used alcohol, including small tastes or sips

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

In the past 12 months, have you used any alcohol, including small tastes or sips?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR49]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21967	64.0 %
2	2 = No	12227	35.6 %
	<b>Total</b>	<b>34,194</b>	<b>99.7%</b>

This variable has 34,194 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.1 %
-7	-7 = Refused	87	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>115</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12224-12229 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0673: In past 30 days, used alcohol

Have you used alcohol within the past 30 days?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR49]

ASK: Adult respondents who have used alcohol in the past 12 months.

ASK Specification: IF R05\_AX0084\_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17964	52.4 %
2	2 = No	3993	11.6 %
	<b>Total</b>	<b>21,957</b>	<b>64.0%</b>

This variable has 21,957 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %

<b>Missing Data</b>			
-1	-1 = Inapplicable	12341	36.0 %
	<b>Total</b>	<b>12,352</b>	<b>36.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12230-12235 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0075: In past 30 days, number of days drank one or more drinks of an alcoholic beverage

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor, or a mixed drink or cocktail.

\_\_ Days

ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF R05\_AX0084\_12M = 1 AND R05\_AX0673 = 1.

[PROGRAM NOTE: Range check: 0-30.]

This variable has 17,918 valid cases out of 34,309 total cases.

- Mean: 7.86
- Median: 5.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 8.14

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	12	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	16344	47.6 %
	<b>Total</b>	<b>16,391</b>	<b>47.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12236-12241 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AX0076: In past 30 days, number of alcoholic drinks usually consumed each day on days drank

On average, on those [days that you drank in the past 30 days / NUMBER OF DAYS FROM R05\_AX0075 days], how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor, or a mixed drink or cocktail.

\_\_ Drinks

[IF Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR49]

ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks.

ASK Specification: IF R05\_AX0084\_12M = 1 AND R05\_AX0673 = 1 AND  
(R05\_AX0075 > 0 OR R05\_AX0075 = -8, -7).

[PROGRAM NOTE: Range check: 1-90.]

This variable has 17,626 valid cases out of 34,309 total cases.

- Mean: 2.97
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 3.50

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	54	0.2 %
-7	-7 = Refused	34	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	16594	48.4 %
<b>Total</b>		<b>16,683</b>	<b>48.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12242-12247 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

---

## R05\_AX0085\_12M: In past 12 months, used marijuana, hash, THC, grass, pot or weed

In the past 12 months, have you used marijuana, hash, THC, grass, pot, or weed?

ASK: Adult respondents who have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report

whether they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R05\_AG9107 = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4464	13.0 %
2	2 = No	24049	70.1 %
	<b>Total</b>	<b>28,513</b>	<b>83.1%</b>

This variable has 28,513 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	67	0.2 %
-1	-1 = Inapplicable	5709	16.6 %
	<b>Total</b>	<b>5,796</b>	<b>16.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12248-12253 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0675: In past 30 days, used marijuana, hash, THC, grass, pot or weed

Have you used marijuana, hash, THC, grass, pot, or weed within the past 30 days?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXD07]

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or have used marijuana, hash, THC, grass, pot, or weed in the past 12 months.

ASK Specification: IF R05\_AG9107 = 1 OR R05\_AX0085\_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7334	21.4 %
2	2 = No	2820	8.2 %
	<b>Total</b>	<b>10,154</b>	<b>29.6%</b>

This variable has 10,154 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	2	0.0 %	
-7	-7 = Refused	17	0.0 %	
-1	-1 = Inapplicable	24135	70.3 %	
<b>Total</b>		<b>24,155</b>	<b>70.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12254-12259 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0089\_12M\_01: In past 12 months, used prescription drugs not prescribed to you: Ritalin® or Adderall®

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Ritalin® or Adderall®

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	880	2.6 %
2	2 = No	33349	97.2 %
<b>Total</b>		<b>34,229</b>	<b>99.8%</b>

This variable has 34,229 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	24	0.1 %	
-7	-7 = Refused	55	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>80</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12260-12265 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0676\_01: In past 30 days, used: Ritalin® or Adderall®

Have you used Ritalin® or Adderall® within the past 30 days?

ASK: Adult respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the

past 12 months.

ASK Specification: FOR R05\_AX0676\_01: IF R05\_AX0089\_12M\_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	399	1.2 %
2	2 = No	478	1.4 %
	<b>Total</b>	<b>877</b>	<b>2.6%</b>

This variable has 877 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	33428	97.4 %
	<b>Total</b>	<b>33,432</b>	<b>97.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12266-12271 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0089\_12M\_02: In past 12 months, used prescription drugs not prescribed to you: Painkillers, sedatives or tranquilizers

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2168	6.3 %
2	2 = No	31993	93.2 %
	<b>Total</b>	<b>34,161</b>	<b>99.6%</b>

This variable has 34,161 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	61	0.2 %
-7	-7 = Refused	86	0.3 %

Missing Data			
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>148</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12272-12277 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0676\_02: In past 30 days, used: Painkillers, sedatives or tranquilizers

Have you used painkillers, sedatives, or tranquilizers within the past 30 days?

ASK: Adult respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: FOR R05\_AX0676\_02: IF R05\_AX0089\_12M\_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1400	4.1 %
2	2 = No	764	2.2 %
	<b>Total</b>	<b>2,164</b>	<b>6.3%</b>

This variable has 2,164 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32140	93.7 %
	<b>Total</b>	<b>32,145</b>	<b>93.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12278-12283 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0220\_12M\_01: In past 12 months, used substance: Cocaine or crack

In the past 12 months, have you used any of the following substances?

Cocaine or crack

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	980	2.9 %
2	2 = No	33247	96.9 %
	<b>Total</b>	<b>34,227</b>	<b>99.8%</b>

This variable has 34,227 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.1 %
-7	-7 = Refused	58	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>82</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12284-12289 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0676\_03: In past 30 days, used: Cocaine or crack

Have you used cocaine or crack within the past 30 days?

ASK: Adult respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: FOR R05\_AX0676\_03: IF R05\_AX0220\_12M\_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	459	1.3 %
2	2 = No	519	1.5 %
	<b>Total</b>	<b>978</b>	<b>2.9%</b>

This variable has 978 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33328	97.1 %
	<b>Total</b>	<b>33,331</b>	<b>97.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12290-12295 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0220\_12M\_02: In past 12 months, used substance: Stimulants like methamphetamine or speed

In the past 12 months, have you used any of the following substances?

Stimulants like methamphetamine or speed

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	486	1.4 %
2	2 = No	33690	98.2 %
	<b>Total</b>	<b>34,176</b>	<b>99.6%</b>

This variable has 34,176 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.1 %
-7	-7 = Refused	89	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>133</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12296-12301 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0676\_04: In past 30 days, used Stimulants like methamphetamine or speed

Have you used stimulants like methamphetamine or speed within the past 30 days?

ASK: Adult respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: FOR R05\_AX0676\_04: IF R05\_AX0220\_12M\_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	287	0.8 %

Value	Label	Unweighted Frequency	%
2	2 = No	198	0.6 %
	<b>Total</b>	<b>485</b>	<b>1.4%</b>

This variable has 485 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33822	98.6 %
	<b>Total</b>	<b>33,824</b>	<b>98.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12302-12307 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

### R05\_AX0220\_12M\_03: In past 12 months, used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

In the past 12 months, have you used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	753	2.2 %
2	2 = No	33485	97.6 %
	<b>Total</b>	<b>34,238</b>	<b>99.8%</b>

This variable has 34,238 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	52	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>71</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12308-12313 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0676\_05: In past 30 days, used: Any other drugs like heroin, inhalants, solvents or hallucinogens

Have you used other drugs like heroin, inhalants, solvents, or hallucinogens within the past 30 days?

ASK: Adult respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: FOR R05\_AX0676\_05: IF R05\_AX0220\_12M\_03 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	296	0.9 %
2	2 = No	455	1.3 %
	<b>Total</b>	<b>751</b>	<b>2.2%</b>

This variable has 751 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33555	97.8 %
	<b>Total</b>	<b>33,558</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12314-12319 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0170: Last time that you used alcohol or other drugs weekly or more often

When was the last time that...

You used alcohol or other drugs weekly or more often?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	9739	28.4 %

Value	Label	Unweighted Frequency	%
2	2 = 2 to 12 months ago	3393	9.9 %
3	3 = Over a year ago	4707	13.7 %
4	4 = Never	13246	38.6 %
	<b>Total</b>	<b>31,085</b>	<b>90.6%</b>

This variable has 31,085 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	76	0.2 %	
-7	-7 = Refused	98	0.3 %	
-1	-1 = Inapplicable	3049	8.9 %	
	<b>Total</b>	<b>3,224</b>	<b>9.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12320-12325 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0175\_01: Substance used weekly or more often: Alcohol

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R05\_AX0170 = 1, 2, 3 AND  
R05\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

```
IF R05_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.
IF R05_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.
IF R05_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.
IF R05_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.
IF R05_EVER_USER_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.
IF R05_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.
IF R05_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]
```

Value	Label	Unweighted Frequency	%
1	1 = Marked	10996	32.0 %
2	2 = Not Marked	3110	9.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>14,106</b>	<b>41.1%</b>

This variable has 14,106 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	89	0.3 %
-7	-7 = Refused	102	0.3 %
-1	-1 = Inapplicable	20011	58.3 %
	<b>Total</b>	<b>20,203</b>	<b>58.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12326-12331 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0175\_02: Substance used weekly or more often: Marijuana, hash, THC or grass, pot or weed

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, or grass, pot, weed

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R05\_AX0170 = 1, 2, 3 AND  
R05\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

IF R05\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R05\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R05\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R05\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R05\_EVER\_USER\_CO = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R05\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R05\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5904	17.2 %
2	2 = Not Marked	8202	23.9 %
	<b>Total</b>	<b>14,106</b>	<b>41.1%</b>

This variable has 14,106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	89	0.3 %
-7	-7 = Refused	102	0.3 %
-1	-1 = Inapplicable	20011	58.3 %
<b>Total</b>		<b>20,203</b>	<b>58.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12332-12337 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0175\_03: Substance used weekly or more often: Ritalin® or Adderall®

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R05\_AX0170 = 1, 2, 3 AND  
R05\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

```
IF R05_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R05_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R05_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R05_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R05_EVER_USER_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R05_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R05_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]
```

Value	Label	Unweighted Frequency	%
1	1 = Marked	205	0.6 %
2	2 = Not Marked	13901	40.5 %
<b>Total</b>		<b>14,106</b>	<b>41.1%</b>

This variable has 14,106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	89	0.3 %	
-7	-7 = Refused	102	0.3 %	
-1	-1 = Inapplicable	20011	58.3 %	
<b>Total</b>		<b>20,203</b>	<b>58.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12338-12343 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0175\_04: Substance used weekly or more often: Painkillers, sedatives or tranquilizers

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you.

Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R05\_AX0170 = 1, 2, 3 AND  
R05\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

IF R05\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R05\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R05\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R05\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R05\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R05\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R05\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	787	2.3 %
2	2 = Not Marked	13319	38.8 %
	<b>Total</b>	<b>14,106</b>	<b>41.1%</b>

This variable has 14,106 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	89	0.3 %	
-7	-7 = Refused	102	0.3 %	
-1	-1 = Inapplicable	20011	58.3 %	
	<b>Total</b>	<b>20,203</b>	<b>58.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12344-12349 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0175\_05: Substance used weekly or more often: Cocaine or crack

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you.

Choose all that apply.

Cocaine or crack

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R05\_AX0170 = 1, 2, 3 AND  
R05\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

IF R05\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R05\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R05\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R05\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R05\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R05\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R05\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	452	1.3 %
2	2 = Not Marked	13654	39.8 %
	<b>Total</b>	<b>14,106</b>	<b>41.1%</b>

This variable has 14,106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	89	0.3 %
-7	-7 = Refused	102	0.3 %
-1	-1 = Inapplicable	20011	58.3 %
	<b>Total</b>	<b>20,203</b>	<b>58.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12350-12355 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0175\_06: Substance used weekly or more often: Stimulants like methamphetamine or speed

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamines or speed

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R05\_AX0170 = 1, 2, 3 AND  
R05\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF R05\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R05\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R05\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R05\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R05\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R05\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R05\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	380	1.1 %
2	2 = Not Marked	13726	40.0 %
<b>Total</b>		<b>14,106</b>	<b>41.1%</b>

This variable has 14,106 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	89	0.3 %
-7	-7 = Refused	102	0.3 %
-1	-1 = Inapplicable	20011	58.3 %
<b>Total</b>		<b>20,203</b>	<b>58.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12356-12361 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AX0175\_07: Substance used weekly or more often: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances

did you use weekly or more often? Please do not include drugs that were prescribed for you.  
Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R05\_AX0170 = 1, 2, 3 AND  
R05\_SUBSTANCE\_COUNT >= 2.

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

IF R05\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R05\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R05\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R05\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R05\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R05\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R05\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	277	0.8 %
2	2 = Not Marked	13829	40.3 %
	<b>Total</b>	<b>14,106</b>	<b>41.1%</b>

This variable has 14,106 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	89	0.3 %	
-7	-7 = Refused	102	0.3 %	
-1	-1 = Inapplicable	20011	58.3 %	
	<b>Total</b>	<b>20,203</b>	<b>58.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12362-12367 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0171: Last time that you spent a lot of time getting alcohol or other drugs

When was the last time that...

You spent a lot of time getting alcohol or other drugs?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3606	10.5 %
2	2 = 2 to 12 months ago	2206	6.4 %
3	3 = Over a year ago	3933	11.5 %
4	4 = Never	21323	62.1 %
	<b>Total</b>	<b>31,068</b>	<b>90.6%</b>

This variable has 31,068 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	85	0.2 %
-7	-7 = Refused	106	0.3 %
-1	-1 = Inapplicable	3049	8.9 %
	<b>Total</b>	<b>3,241</b>	<b>9.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12368-12373 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0172: Last time that you kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	991	2.9 %
2	2 = 2 to 12 months ago	922	2.7 %
3	3 = Over a year ago	2843	8.3 %
4	4 = Never	26377	76.9 %
	<b>Total</b>	<b>31,133</b>	<b>90.7%</b>

This variable has 31,133 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know		31	0.1 %
-7	-7 = Refused		95	0.3 %
-1	-1 = Inapplicable		3049	8.9 %
<b>Total</b>			<b>3,176</b>	<b>9.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12374-12379 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0173: Last time that your use of alcohol or other drugs reduced your involvement in activities at work, school, home or social events

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	921	2.7 %
2	2 = 2 to 12 months ago	951	2.8 %
3	3 = Over a year ago	2601	7.6 %
4	4 = Never	26662	77.7 %
<b>Total</b>		<b>31,135</b>	<b>90.7%</b>

This variable has 31,135 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	40	0.1 %	
-7	-7 = Refused	84	0.2 %	
-1	-1 = Inapplicable	3049	8.9 %	
<b>Total</b>		<b>3,174</b>	<b>9.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12380-12385 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0193: Last time you spent a lot of time using or recovering from alcohol or other drugs

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	1173	3.4 %
2	2 = 2 to 12 months ago	1105	3.2 %
3	3 = Over a year ago	3032	8.8 %
4	4 = Never	25823	75.3 %
	<b>Total</b>	<b>31,133</b>	<b>90.7%</b>

This variable has 31,133 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.1 %
-7	-7 = Refused	86	0.3 %
-1	-1 = Inapplicable	3049	8.9 %
	<b>Total</b>	<b>3,176</b>	<b>9.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12386-12391 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0174: Last time that you had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	929	2.7 %
2	2 = 2 to 12 months ago	827	2.4 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
3	3 = Over a year ago	1940	5.7 %
4	4 = Never	27467	80.1 %
	<b>Total</b>	<b>31,163</b>	<b>90.8%</b>

This variable has 31,163 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.1 %
-7	-7 = Refused	63	0.2 %
-1	-1 = Inapplicable	3049	8.9 %
	<b>Total</b>	<b>3,146</b>	<b>9.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12392-12397 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0194: Last time you used any alcohol or other drugs to stop being sick or avoid withdrawal problems

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 1.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Past month	682	2.0 %
2	2 = 2 to 12 months ago	510	1.5 %
3	3 = Over a year ago	1415	4.1 %
4	4 = Never	28543	83.2 %
	<b>Total</b>	<b>31,150</b>	<b>90.8%</b>

This variable has 31,150 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.1 %
-7	-7 = Refused	81	0.2 %

Missing Data			
-1	-1 = Inapplicable	3049	8.9 %
	<b>Total</b>	<b>3,159</b>	<b>9.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12398-12403 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0176\_01: Substance that caused some problems for you: Alcohol

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 2 AND  
(R05\_AX0193 = 1, 2, 3 OR R05\_AX0172 = 1, 2, 3 OR R05\_AX0173 = 1, 2, 3  
OR R05\_AX0174 = 1, 2, 3 OR R05\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

```
IF R05_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.
IF R05_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.
IF R05_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.
IF R05_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.
IF R05_EVER_USER_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.
IF R05_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.
IF R05_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]
```

Value	Label	Unweighted Frequency	%
1	1 = Marked	5024	14.6 %
2	2 = Not Marked	1671	4.9 %
	<b>Total</b>	<b>6,695</b>	<b>19.5%</b>

This variable has 6,695 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	238	0.7 %

Missing Data				
-7	-7 = Refused		199	0.6 %
-1	-1 = Inapplicable		27176	79.2 %
<b>Total</b>			<b>27,614</b>	<b>80.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12404-12409 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0176\_02: Substance that caused some problems for you: Marijuana, hash, THC or grass, pot or weed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 2 AND  
(R05\_AX0193 = 1, 2, 3 OR R05\_AX0172 = 1, 2, 3 OR R05\_AX0173 = 1, 2, 3  
OR R05\_AX0174 = 1, 2, 3 OR R05\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

```
IF R05_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  

IF R05_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  

IF R05_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  

IF R05_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  

IF R05_EVER_USER_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  

IF R05_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  

IF R05_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]
```

Value	Label	Unweighted Frequency	%
1	1 = Marked	1443	4.2 %
2	2 = Not Marked	5252	15.3 %
	<b>Total</b>	<b>6,695</b>	<b>19.5%</b>

This variable has 6,695 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	

Missing Data				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	238	0.7 %	
-7	-7 = Refused	199	0.6 %	
-1	-1 = Inapplicable	27176	79.2 %	
	<b>Total</b>	<b>27,614</b>	<b>80.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12410-12415 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0176\_03: Substance that caused some problems for you: Ritalin® or Adderall®

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Aderall®

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 2 AND  
(R05\_AX0193 = 1, 2, 3 OR R05\_AX0172 = 1, 2, 3 OR R05\_AX0173 = 1, 2, 3  
OR R05\_AX0174 = 1, 2, 3 OR R05\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

IF R05\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R05\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R05\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R05\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R05\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R05\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R05\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	136	0.4 %
2	2 = Not Marked	6559	19.1 %
	<b>Total</b>	<b>6,695</b>	<b>19.5%</b>

This variable has 6,695 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	238	0.7 %	
-7	-7 = Refused	199	0.6 %	
-1	-1 = Inapplicable	27176	79.2 %	
<b>Total</b>		<b>27,614</b>	<b>80.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12416-12421 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0176\_04: Substance that caused some problems for you: Painkillers, sedatives or tranquilizers

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 2 AND  
(R05\_AX0193 = 1, 2, 3 OR R05\_AX0172 = 1, 2, 3 OR R05\_AX0173 = 1, 2, 3  
OR R05\_AX0174 = 1, 2, 3 OR R05\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

```
IF R05_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.
IF R05_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.
IF R05_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.
IF R05_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.
IF R05_EVER_USER_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.
IF R05_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.
IF R05_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]
```

Value	Label	Unweighted Frequency	%
1	1 = Marked	501	1.5 %
2	2 = Not Marked	6194	18.1 %
<b>Total</b>		<b>6,695</b>	<b>19.5%</b>

This variable has 6,695 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	238	0.7 %
-7	-7 = Refused	199	0.6 %
-1	-1 = Inapplicable	27176	79.2 %
<b>Total</b>		<b>27,614</b>	<b>80.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12422-12427 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0176\_05: Substance that caused some problems for you: Cocaine or crack

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 2 AND  
 (R05\_AX0193 = 1, 2, 3 OR R05\_AX0172 = 1, 2, 3 OR R05\_AX0173 = 1, 2, 3  
 OR R05\_AX0174 = 1, 2, 3 OR R05\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.

Allow respondent to choose all that apply.

```
IF R05_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  

IF R05_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  

IF R05_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  

IF R05_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  

IF R05_EVER_USER_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  

IF R05_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  

IF R05_EVER_USER_OTHER = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]
```

Value	Label	Unweighted Frequency	%
1	1 = Marked	529	1.5 %
2	2 = Not Marked	6166	18.0 %
<b>Total</b>		<b>6,695</b>	<b>19.5%</b>

This variable has 6,695 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	238	0.7 %
-7	-7 = Refused	199	0.6 %
-1	-1 = Inapplicable	27176	79.2 %
<b>Total</b>		<b>27,614</b>	<b>80.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12428-12433 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0176\_06: Substance that caused some problems for you: Stimulants like methamphetamine or speed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 2 AND  
(R05\_AX0193 = 1, 2, 3 OR R05\_AX0172 = 1, 2, 3 OR R05\_AX0173 = 1, 2, 3  
OR R05\_AX0174 = 1, 2, 3 OR R05\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

IF R05\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R05\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R05\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R05\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R05\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R05\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R05\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	432	1.3 %
2	2 = Not Marked	6263	18.3 %
<b>Total</b>		<b>6,695</b>	<b>19.5%</b>

This variable has 6,695 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	238	0.7 %
-7	-7 = Refused	199	0.6 %
-1	-1 = Inapplicable	27176	79.2 %
<b>Total</b>		<b>27,614</b>	<b>80.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12434-12439 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0176\_07: Substance that caused some problems for you: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05\_SUBSTANCE\_COUNT >= 2 AND  
(R05\_AX0193 = 1, 2, 3 OR R05\_AX0172 = 1, 2, 3 OR R05\_AX0173 = 1, 2, 3  
OR R05\_AX0174 = 1, 2, 3 OR R05\_AX0194 = 1, 2, 3).

[PROGRAM NOTE: List only those substances a respondent previously indicated he/she has ever used.  
Allow respondent to choose all that apply.

IF R05\_EVER\_USER\_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.  
IF R05\_EVER\_USER\_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.  
IF R05\_EVER\_USER\_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.  
IF R05\_EVER\_USER\_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.  
IF R05\_EVER\_USER\_COCAINE = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.  
IF R05\_EVER\_USER\_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.  
IF R05\_EVER\_USER\_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	300	0.9 %
2	2 = Not Marked	6395	18.6 %
<b>Total</b>		<b>6,695</b>	<b>19.5%</b>

This variable has 6,695 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	238	0.7 %
-7	-7 = Refused	199	0.6 %
-1	-1 = Inapplicable	27176	79.2 %
<b>Total</b>		<b>27,614</b>	<b>80.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12440-12445 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0689\_NB\_01: Close biological or blood relative(s) ever told by a health professional that they had: Asthma

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

Asthma

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1285	3.7 %
2	2 = No	3118	9.1 %
<b>Total</b>		<b>4,403</b>	<b>12.8%</b>

This variable has 4,403 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.1 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
<b>Total</b>		<b>29,906</b>	<b>87.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12446-12451 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0689\_NB\_02: Close biological or blood relative(s) ever told by a health professional that they had: High blood pressure

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

High blood pressure

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1996	5.8 %
2	2 = No	2405	7.0 %
	<b>Total</b>	<b>4,401</b>	<b>12.8%</b>

This variable has 4,401 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,908</b>	<b>87.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12452-12457 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0689\_NB\_03: Close biological or blood relative(s) ever told by a health professional that they had: High cholesterol

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

High cholesterol

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1381	4.0 %

Value	Label	Unweighted Frequency	%
2	2 = No	3021	8.8 %
	<b>Total</b>	<b>4,402</b>	<b>12.8%</b>

This variable has 4,402 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,907</b>	<b>87.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12458-12463 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0689\_NB\_04: Close biological or blood relative(s) ever told by a health professional that they had: A heart attack or needed bypass surgery

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

A heart attack or needed bypass surgery

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	706	2.1 %
2	2 = No	3704	10.8 %
	<b>Total</b>	<b>4,410</b>	<b>12.9%</b>

This variable has 4,410 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	29875	87.1 %
	<b>Total</b>	<b>29,899</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12464-12469 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0689\_12M\_01: In past 12 months, close biological or blood relative(s) told by a health professional that they had: Asthma

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

Asthma

ASK: Continuing adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3980	11.6 %
2	2 = No	25646	74.8 %
	<b>Total</b>	<b>29,626</b>	<b>86.4%</b>

This variable has 29,626 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	160	0.5 %
-7	-7 = Refused	84	0.2 %
-1	-1 = Inapplicable	4433	12.9 %
	<b>Total</b>	<b>4,683</b>	<b>13.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12470-12475 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0689\_12M\_02: In past 12 months, close biological or blood relative(s) told by a health professional that they had: High blood pressure

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

High blood pressure

ASK: Continuing adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10311	30.1 %
2	2 = No	19303	56.3 %
	<b>Total</b>	<b>29,614</b>	<b>86.3%</b>

This variable has 29,614 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	186	0.5 %
-7	-7 = Refused	69	0.2 %
-1	-1 = Inapplicable	4433	12.9 %
	<b>Total</b>	<b>4,695</b>	<b>13.7%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12476-12481 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

### R05\_AX0689\_12M\_03: In past 12 months, close biological or blood relative(s) told by a health professional that they had: High cholesterol

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

High cholesterol

ASK: Continuing adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7723	22.5 %
2	2 = No	21897	63.8 %
	<b>Total</b>	<b>29,620</b>	<b>86.3%</b>

This variable has 29,620 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	6	0.0 %	
-8	-8 = Don't know	188	0.5 %	
-7	-7 = Refused	61	0.2 %	
-1	-1 = Inapplicable	4433	12.9 %	
	<b>Total</b>	<b>4,689</b>	<b>13.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12482-12487 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0689\_12M\_04: In past 12 months, close biological or blood relative(s) told by a health professional that they had: A heart attack or needed bypass surgery

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

A heart attack or needed bypass surgery

ASK: Continuing adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 1.

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2677	7.8 %
2	2 = No	26992	78.7 %
	<b>Total</b>	<b>29,669</b>	<b>86.5%</b>

This variable has 29,669 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	6	0.0 %	
-8	-8 = Don't know	134	0.4 %	
-7	-7 = Refused	66	0.2 %	
-1	-1 = Inapplicable	4433	12.9 %	
	<b>Total</b>	<b>4,640</b>	<b>13.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12488-12493 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0195: Any close biological (blood) relatives (living or deceased) were told they had a heart attack or needed bypass surgery before the age of 50

Were they told they had a heart attack or needed bypass surgery before the age of 50?

ASK: New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, or continuing adult respondents whose close biological or blood relatives were told they had a heart attack or needed bypass surgery in the past 12 months.

ASK Specification: IF (R05\_ADULTTYPE = 2 AND R05\_AX0689\_NB\_04 = 1) OR  
(R05\_ADULTTYPE = 1 AND R05\_AX0689\_12M\_04 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	999	2.9 %
2	2 = No	2358	6.9 %
	<b>Total</b>	<b>3,357</b>	<b>9.8%</b>

This variable has 3,357 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	30925	90.1 %
	<b>Total</b>	<b>30,952</b>	<b>90.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12494-12499 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

## R05\_AX0707: Close biological or blood relatives have used any tobacco products

Have any of your close biological or blood relatives used any tobacco products? By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus or other types of smokeless tobacco (such as dip, spit, or chew), and dissolvable tobacco.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17485	51.0 %
2	2 = No	16535	48.2 %
	<b>Total</b>	<b>34,020</b>	<b>99.2%</b>

This variable has 34,020 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	186	0.5 %
-7	-7 = Refused	102	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>289</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12500-12505 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0731: Close biological or blood relatives ever been an alcoholic or problem drinker

Have any of your close biological or blood relatives ever been an alcoholic or problem drinker? By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11129	32.4 %
2	2 = No	22944	66.9 %
	<b>Total</b>	<b>34,073</b>	<b>99.3%</b>

This variable has 34,073 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	145	0.4 %
-7	-7 = Refused	90	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>236</b>	<b>0.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12506-12511 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0732: Close biological or blood relatives ever had problems with drugs

Have any of your close biological or blood relatives ever had problems with drugs? By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7710	22.5 %
2	2 = No	26312	76.7 %
	<b>Total</b>	<b>34,022</b>	<b>99.2%</b>

This variable has 34,022 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	171	0.5 %
-7	-7 = Refused	115	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>287</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12512-12517 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0401\_NB: Your mother used tobacco while she was pregnant with you

Did your mother use tobacco while she was pregnant with you?

ASK: New baseline adult respondents.

ASK Specification: IF R05\_ADULTTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = I don't know	421	1.2 %
2	2 = Yes	144	0.4 %
3	3 = No	3859	11.2 %
	<b>Total</b>	<b>4,424</b>	<b>12.9%</b>

This variable has 4,424 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	29875	87.1 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>29,885</b>	<b>87.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12518-12523 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0708\_01: In the past 12 months, received discounts or coupons for any of the following products: Cigarettes

The next questions ask about tobacco advertising that you may have seen or received.

In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

Cigarettes

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5374	15.7 %
2	2 = Not Marked	28721	83.7 %
	<b>Total</b>	<b>34,095</b>	<b>99.4%</b>

This variable has 34,095 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>214</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12524-12529 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0708\_02: In the past 12 months, received discounts or coupons for any of the following products: E-cigarettes or other electronic nicotine products (including e-liquid)

In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

E-cigarettes or other electronic nicotine products (including e-liquid)

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1409	4.1 %
2	2 = Not Marked	32686	95.3 %
	<b>Total</b>	<b>34,095</b>	<b>99.4%</b>

This variable has 34,095 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>214</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12530-12535 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AX0708\_03: In the past 12 months, received discounts or coupons for any of the following products: Cigars

In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

Cigars

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	359	1.0 %
2	2 = Not Marked	33736	98.3 %
	<b>Total</b>	<b>34,095</b>	<b>99.4%</b>

This variable has 34,095 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>214</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12536-12541 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0708\_04: In the past 12 months, received discounts or coupons for any of the following products: Shisha or hookah tobacco

In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

Shisha or hookah tobacco

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	123	0.4 %
2	2 = Not Marked	33972	99.0 %
<b>Total</b>		<b>34,095</b>	<b>99.4%</b>

This variable has 34,095 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>214</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12542-12547 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0708\_05: In the past 12 months, received discounts or coupons for any of the following products: Snus

In the past 12 months, have you received discounts or coupons for any of the following products?  
Choose all that apply.

Snus

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	297	0.9 %
2	2 = Not Marked	33798	98.5 %
	<b>Total</b>	<b>34,095</b>	<b>99.4%</b>

This variable has 34,095 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>214</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12548-12553 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0708\_06: In the past 12 months, received discounts or coupons for any of the following products: Other types of smokeless tobacco

In the past 12 months, have you received discounts or coupons for any of the following products?  
Choose all that apply.

Other types of smokeless tobacco (such as dip, spit, or chew)

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	623	1.8 %
2	2 = Not Marked	33472	97.6 %
	<b>Total</b>	<b>34,095</b>	<b>99.4%</b>

This variable has 34,095 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>214</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12554-12559 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0708\_07: In the past 12 months, received discounts or coupons for any of the following products: Some other type of tobacco product

In the past 12 months, have you received discounts or coupons for any of the following products?  
Choose all that apply.

Some other type of tobacco product

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	159	0.5 %
2	2 = Not Marked	33936	98.9 %
	<b>Total</b>	<b>34,095</b>	<b>99.4%</b>

This variable has 34,095 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>214</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12560-12565 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

### R05\_AX0708\_08: In the past 12 months, received discounts or coupons for any of the following products: None of the above

In the past 12 months, have you received discounts or coupons for any of the following products?

Choose all that apply.

None of the above

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27595	80.4 %
2	2 = Not Marked	6500	18.9 %
	<b>Total</b>	<b>34,095</b>	<b>99.4%</b>

This variable has 34,095 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.3 %
-7	-7 = Refused	127	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>214</b>	<b>0.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12566-12571 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

### R05\_AX0178: In past 30 days, noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold

In the past 30 days, have you noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14236	41.5 %
2	2 = No	19962	58.2 %
	<b>Total</b>	<b>34,198</b>	<b>99.7%</b>

This variable has 34,198 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.1 %
-7	-7 = Refused	59	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>111</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12572-12577 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0715: In past 30 days, bought a brand of tobacco product other than your usual brand

In the past 30 days, have you bought a brand of tobacco product other than your usual brand?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR67]

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_REGULAR\_BRAND = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1360	4.0 %
2	2 = No	9211	26.8 %
	<b>Total</b>	<b>10,571</b>	<b>30.8%</b>

This variable has 10,571 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.0 %
-7	-7 = Refused	23	0.1 %

Missing Data			
-1	-1 = Inapplicable	23699	69.1 %
	<b>Total</b>	<b>23,738</b>	<b>69.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12578-12583 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0716: How many times you bought a brand of tobacco product other than your usual brand in the past 30 days

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_REGULAR\_BRAND = 1 AND R05\_AX0715 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Once or twice	732	2.1 %
2	2 = A few times	504	1.5 %
3	3 = Quite regularly	118	0.3 %
<b>Total</b>		<b>1,354</b>	<b>3.9%</b>

This variable has 1,354 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	32948	96.0 %
<b>Total</b>		<b>32,955</b>	<b>96.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12584-12589 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0210: In past 30 days, bought a brand other than usual brand because you noticed it displayed in the store or on signs

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because you noticed it displayed in the store or on signs?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0717]

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_REGULAR\_BRAND = 1 AND R05\_AX0715 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	372	1.1 %
2	2 = No	985	2.9 %
	<b>Total</b>	<b>1,357</b>	<b>4.0%</b>

This variable has 1,357 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	32948	96.0 %
	<b>Total</b>	<b>32,952</b>	<b>96.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12590-12595 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0211: In past 30 days, how many times you have bought a brand other than your usual brand because you noticed it displayed in the store or on signs

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because they noticed it displayed in the store or on signs.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_REGULAR\_BRAND = 1 AND R05\_AX0715 = 1 AND R05\_AX0210 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Once or twice	209	0.6 %
2	2 = A few times	141	0.4 %
3	3 = Quite regularly	20	0.1 %
	<b>Total</b>	<b>370</b>	<b>1.1%</b>

This variable has 370 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33936	98.9 %
<b>Total</b>		<b>33,939</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12596-12601 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0717: In the past 30 days, bought a brand of tobacco product other than your usual brand because it was on sale or there was deal

In the past 30 days, when you were in a store that sells tobacco, did you buy a brand of tobacco product other than your usual brand because you noticed it was on sale or there was a deal like 2-for-1?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO BOX R05\_AXR67]

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND  
R05\_REGULAR\_BRAND = 1 AND R05\_AX0715 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	621	1.8 %
2	2 = No	735	2.1 %
<b>Total</b>		<b>1,356</b>	<b>4.0%</b>

This variable has 1,356 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	32948	96.0 %
<b>Total</b>		<b>32,953</b>	<b>96.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12602-12607 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0718: How many times you bought a brand of tobacco product other than your usual brand because it was on sale or there was a deal in the past 30 days

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because it was on sale or there was a deal.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1 AND R05\_REGULAR\_BRAND = 1 AND R05\_AX0715 = 1 AND R05\_AX0717 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Once or twice	336	1.0 %
2	2 = A few times	233	0.7 %
3	3 = Quite regularly	49	0.1 %
<b>Total</b>		<b>618</b>	<b>1.8%</b>

This variable has 618 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	33687	98.2 %
<b>Total</b>		<b>33,691</b>	<b>98.2%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12608-12613 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

## R05\_AX0209: In past 30 days, bought a brand of tobacco product because you noticed a promotion for it

In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AX0678]

ASK: Young adult respondents who are current established or current experimental tobacco users and use a product for which they do not have a regular brand.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_NO\_REGULAR\_BRAND = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	81	0.2 %
2	2 = No	2363	6.9 %
	<b>Total</b>	<b>2,444</b>	<b>7.1%</b>

This variable has 2,444 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	31850	92.8 %
	<b>Total</b>	<b>31,865</b>	<b>92.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12614-12619 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0212: Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs where tobacco is sold, has given you an urge to buy tobacco

Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs that tobacco is sold there, has given you an urge to buy tobacco?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AX0678]

ASK: Adult respondents who are former experimental, recent former established, or long-term former established tobacco users.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	603	1.8 %
2	2 = No	11996	35.0 %
	<b>Total</b>	<b>12,599</b>	<b>36.7%</b>

This variable has 12,599 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.2 %
-7	-7 = Refused	34	0.1 %
-1	-1 = Inapplicable	21619	63.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>21,710</b>	<b>63.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12620-12625 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0213: In past 30 days, how many times since you quit using tobacco have you had an urge to buy tobacco when you saw a tobacco product display or other signs where tobacco is sold

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

ASK: Adult respondents who are former experimental, recent former established, or long-term former established tobacco users and had the urge to buy tobacco when seeing a tobacco product display since quitting using tobacco.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 3, 4, 5 AND  
R05\_AX0212 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Once or twice	379	1.1 %
2	2 = A few times	153	0.4 %
3	3 = Quite regularly	45	0.1 %
<b>Total</b>		<b>577</b>	<b>1.7%</b>

This variable has 577 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.0 %
-7	-7 = Refused	9	0.0 %
-1	-1 = Inapplicable	33705	98.2 %
<b>Total</b>		<b>33,732</b>	<b>98.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12626-12631 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0678: In past 30 days, got a free sample of an e-cigarette or other electronic nicotine product

In the past 30 days, have you gotten a free sample of an e-cigarette or other electronic nicotine product (including e-liquid)?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	476	1.4 %
2	2 = No	33745	98.4 %
	<b>Total</b>	<b>34,221</b>	<b>99.7%</b>

This variable has 34,221 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	58	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>88</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12632-12637 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AX0203\_01: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Have not seen any advertisements

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

I have not seen any advertisements in the past 30 days

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16724	48.7 %
2	2 = Not Marked	17156	50.0 %
	<b>Total</b>	<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %

Missing Data			
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12638-12643 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0203\_02: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At gas stations, convenience stores, or other retail stores

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13189	38.4 %
2	2 = Not Marked	20691	60.3 %
<b>Total</b>		<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12644-12649 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0203\_03: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On billboards

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being

advertised in any of the following places? Choose all that apply.

On billboards

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3303	9.6 %
2	2 = Not Marked	30577	89.1 %
	<b>Total</b>	<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12650-12655 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

---

#### R05\_AX0203\_04: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: In newspapers or magazines

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2647	7.7 %
2	2 = Not Marked	31233	91.0 %
	<b>Total</b>	<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12656-12661 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0203\_05: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On radio

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On radio

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2461	7.2 %
2	2 = Not Marked	31419	91.6 %
<b>Total</b>		<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12662-12667 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0203\_06: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On television

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On television

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4054	11.8 %
2	2 = Not Marked	29826	86.9 %
	<b>Total</b>	<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12668-12673 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0203\_07: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At events like fairs, festivals, or sporting events

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At events like fairs, festivals, or sporting events

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1052	3.1 %
2	2 = Not Marked	32828	95.7 %
	<b>Total</b>	<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12674-12679 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0203\_08: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1507	4.4 %
2	2 = Not Marked	32373	94.4 %
	<b>Total</b>	<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12680-12685 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0203\_09: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On websites or social media sites

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3987	11.6 %
2	2 = Not Marked	29893	87.1 %
	<b>Total</b>	<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12686-12691 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0203\_10: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Somewhere else

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

Somewhere else (SPECIFY)

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	261	0.8 %
2	2 = Not Marked	33619	98.0 %
	<b>Total</b>	<b>33,880</b>	<b>98.7%</b>

This variable has 33,880 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	239	0.7 %
-7	-7 = Refused	189	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>429</b>	<b>1.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12692-12697 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0709: Has a favorite e-cigarette or electronic nicotine product advertisement

Do you have a favorite e-cigarette or electronic nicotine product advertisement? ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	401	1.2 %
2	2 = No	33811	98.5 %
	<b>Total</b>	<b>34,212</b>	<b>99.7%</b>

This variable has 34,212 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.1 %
-7	-7 = Refused	65	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>97</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12698-12703 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0677\_01: In past 30 days, noticed cigarettes or other tobacco products being advertised: Have not seen any advertisements

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places?  
Choose all that apply.

I haven't seen any advertisements in the past 30 days

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17643	51.4 %
2	2 = Not Marked	16254	47.4 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12704-12709 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0677\_02: In past 30 days, noticed cigarettes or other tobacco products being advertised: At gas stations, convenience stores, or other retail stores

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places?  
Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option

can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13777	40.2 %
2	2 = Not Marked	20120	58.6 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12710-12715 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

### R05\_AX0677\_03: In past 30 days, noticed cigarettes or other tobacco products being advertised: On billboards

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2392	7.0 %
2	2 = Not Marked	31505	91.8 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

<b>Missing Data</b>			
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12716-12721 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0677\_04: In past 30 days, noticed cigarettes or other tobacco products being advertised: In newspapers or magazines

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places?  
Choose all that apply.

In newspapers or magazines

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Marked	2101	6.1 %
2	2 = Not Marked	31796	92.7 %
<b>Total</b>		<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12722-12727 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0677\_05: In past 30 days, noticed cigarettes or other tobacco products being advertised: On radio

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On radio

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1255	3.7 %
2	2 = Not Marked	32642	95.1 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12728-12733 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0677\_06: In past 30 days, noticed cigarettes or other tobacco products being advertised: On television

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On television

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2603	7.6 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	31294	91.2 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12734-12739 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0677\_07: In past 30 days, noticed cigarettes or other tobacco products being advertised: At events like fairs, festivals, or sporting events

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places?  
Choose all that apply.

At events like fairs, festivals, or sporting events

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	832	2.4 %
2	2 = Not Marked	33065	96.4 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12740-12745 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0677\_08: In past 30 days, noticed cigarettes or other tobacco products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1183	3.4 %
2	2 = Not Marked	32714	95.4 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12746-12751 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0677\_09: In past 30 days, noticed cigarettes or other tobacco products being advertised: On websites or social media sites

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2116	6.2 %
2	2 = Not Marked	31781	92.6 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12752-12757 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0677\_10: In past 30 days, noticed cigarettes or other tobacco products being advertised: Somewhere else

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places?  
Choose all that apply.

Somewhere else (SPECIFY)

ASK: All adult respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	149	0.4 %
2	2 = Not Marked	33748	98.4 %
	<b>Total</b>	<b>33,897</b>	<b>98.8%</b>

This variable has 33,897 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	0.6 %
-7	-7 = Refused	201	0.6 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>412</b>	<b>1.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12758-12763 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0710: Has a favorite tobacco advertisement

Do you have a favorite tobacco advertisement?

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = Yes	111	0.3 %
2	2 = No	11785	34.3 %
<b>Total</b>		<b>11,896</b>	<b>34.7%</b>

This variable has 11,896 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.0 %
-7	-7 = Refused	14	0.0 %
-1	-1 = Inapplicable	22382	65.2 %
<b>Total</b>		<b>22,413</b>	<b>65.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12764-12769 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

## R05\_AX0234: In past 12 months, how often seen or heard ads on television, the internet, or radio with the following slogan or theme: A Tip From a Former Smoker

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	17294	50.4 %
2	2 = Rarely	5445	15.9 %
3	3 = Sometimes	6933	20.2 %
4	4 = Often	2986	8.7 %
5	5 = Very often	1551	4.5 %
<b>Total</b>		<b>34,209</b>	<b>99.7%</b>

This variable has 34,209 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	46	0.1 %	
-7	-7 = Refused	53	0.2 %	
-1	-1 = Inapplicable	0	0.0 %	
<b>Total</b>		<b>100</b>	<b>0.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12770-12775 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0235: In past 12 months, how often seen or heard ads on television, the internet, or radio with the following slogan or theme: Truth campaign

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Truth"

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	14915	43.5 %

Value	Label	Unweighted Frequency	%
2	2 = Rarely	5400	15.7 %
3	3 = Sometimes	7208	21.0 %
4	4 = Often	4036	11.8 %
5	5 = Very often	2664	7.8 %
	<b>Total</b>	<b>34,223</b>	<b>99.7%</b>

This variable has 34,223 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.1 %
-7	-7 = Refused	43	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>86</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12776-12781 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0728: In past 12 months, how often seen or heard ads on television, the internet, or radio with the following slogan or theme: Know the real cost

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Know the real cost."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	17349	50.6 %
2	2 = Rarely	5366	15.6 %
3	3 = Sometimes	5904	17.2 %
4	4 = Often	3343	9.7 %
5	5 = Very often	2267	6.6 %
	<b>Total</b>	<b>34,229</b>	<b>99.8%</b>

This variable has 34,229 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

<b>Missing Data</b>				
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	40	0.1 %	
-7	-7 = Refused	39	0.1 %	
-1	-1 = Inapplicable	0	0.0 %	
	<b>Total</b>	<b>80</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12782-12787 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0713: In past 12 months, how often seen or heard ads on television, the internet, or radio with the following slogan or theme: Keep it Fresh. Live Tobacco Free.

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Keep it Fresh. Live Tobacco-Free."

[DISPLAY IMAGE OF FRESH EMPIRE LOGO]

ASK: All adult respondents.

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Never	28346	82.6 %
2	2 = Rarely	2733	8.0 %
3	3 = Sometimes	1602	4.7 %
4	4 = Often	807	2.4 %
5	5 = Very often	746	2.2 %
	<b>Total</b>	<b>34,234</b>	<b>99.8%</b>

This variable has 34,234 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.1 %
-7	-7 = Refused	40	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>75</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12788-12793 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

---

**R05\_AX0764: In past 12 months, how often seen or heard ads on television, the internet, or radio with the following slogan or theme: This is Free Life. Freedom to be. Tobacco-Free.**

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"This Free Life. Freedom To Be. Tobacco-Free."

[DISPLAY IMAGE OF THIS FREE LIFE/LGBT CAMPAIGN LOGO]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	29880	87.1 %
2	2 = Rarely	2384	6.9 %
3	3 = Sometimes	1101	3.2 %
4	4 = Often	462	1.3 %
5	5 = Very often	400	1.2 %
<b>Total</b>		<b>34,227</b>	<b>99.8%</b>

This variable has 34,227 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	37	0.1 %
-7	-7 = Refused	44	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>82</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12794-12799 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

**R05\_AX0765: In past 12 months, how often seen or heard ads on television, the internet, or radio with the following slogan or theme: Smokeless doesn't mean harmless.**

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Smokeless doesn't mean harmless."

[DISPLAY IMAGE OF REAL COST SMOKELESS TOBACCO LOGO]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	20079	58.5 %
2	2 = Rarely	4947	14.4 %
3	3 = Sometimes	4863	14.2 %
4	4 = Often	2479	7.2 %
5	5 = Very often	1839	5.4 %
	<b>Total</b>	<b>34,207</b>	<b>99.7%</b>

This variable has 34,207 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.2 %
-7	-7 = Refused	49	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	<b>Total</b>	<b>102</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12800-12805 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0766: In past 12 months, seen or heard ads on television, the internet, or radio with the following slogan or theme: Every Try Counts.

In the past 12 months, how often have you seen or heard of any ads in a store, on the internet or radio with the following slogan or theme?

"Every Try Counts"

[DISPLAY IMAGE OF EVERY TRY COUNTS LOGO]

[IF Never (1); Don't Know (-8), or Refused (-7); GO TO BOX R05\_AMT01]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	26058	76.0 %
2	2 = Rarely	4010	11.7 %
3	3 = Sometimes	2556	7.4 %
4	4 = Often	888	2.6 %
5	5 = Very often	704	2.1 %
	<b>Total</b>	<b>34,216</b>	<b>99.7%</b>

This variable has 34,216 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.1 %
-7	-7 = Refused	46	0.1 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>93</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12806-12811 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0767: Seen this slogan or theme at a store where you planned to purchase a tobacco product: Every Try Counts.

Have you seen this slogan or theme at a store where you planned to purchase a tobacco product?

"Every Try Counts"

[DISPLAY IMAGE OF EVERY TRY COUNTS LOGO]

[IF No (2); Don't Know (-8), or Refused (-7); GO TO BOX R05\_AMT01]

ASK: Adult respondents who have seen or heard of "Every Try Counts" campaign rarely, sometimes, often, or very often.

ASK Specification: IF R05\_AX0766 = 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1312	3.8 %
2	2 = No	6805	19.8 %
<b>Total</b>		<b>8,117</b>	<b>23.7%</b>

This variable has 8,117 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.1 %
-7	-7 = Refused	15	0.0 %
-1	-1 = Inapplicable	26150	76.2 %
<b>Total</b>		<b>26,192</b>	<b>76.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12812-12817 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0768: Changed your mind about purchasing a tobacco product after seeing this slogan: Every Try Counts.

Did you change your mind about purchasing a tobacco product after seeing this slogan or theme?

"Every Try Counts"

[DISPLAY IMAGE OF EVERY TRY COUNTS LOGO]

ASK: Adult respondents who have seen or heard of "Every Try Counts" campaign rarely, sometimes, often, or very often and have seen this slogan or theme at a store where they planned to purchase a tobacco product.

ASK Specification: IF R05\_AX0766 = 2, 3, 4, 5 AND R05\_AX0767 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	668	1.9 %
2	2 = No	601	1.8 %
	<b>Total</b>	<b>1,269</b>	<b>3.7%</b>

This variable has 1,269 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.1 %
-7	-7 = Refused	8	0.0 %
-1	-1 = Inapplicable	32996	96.2 %
	<b>Total</b>	<b>33,040</b>	<b>96.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12818-12823 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05R\_A\_AM0017: DERIVED - Recoded reason for not working for pay (5 levels)

Long Description: Are you currently. . .

Algorithm: IF R05\_AM0017 = 1 THEN R05R\_A\_AM0017 = 1; ELSE IF R05\_AM0017 IN (2,3) THEN R05R\_A\_AM0017 = 2; ELSE IF R05\_AM0017 = 4 THEN R05R\_A\_AM0017 = 3; ELSE IF R05\_AM0017 IN (5,6) THEN R05R\_A\_AM0017 = 4; ELSE IF R05\_AM0017 = 7 THEN R05R\_A\_AM0017 = 5; ELSE IF R05\_AM0017 = -9 THEN R05R\_A\_AM0017 = -99999; ELSE IF R05\_AM0017 = -8 THEN R05R\_A\_AM0017 = -99988; ELSE IF R05\_AM0017 = -7 THEN R05R\_A\_AM0017 = -99977; ELSE IF

R05\_AM0017 = -1 THEN R05R\_A\_AM0017 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Looking for paid work	2388	7.0 %
2	2 = A student, homemaker, or caregiver not looking for paid work	2324	6.8 %
3	3 = Retired	2749	8.0 %
4	4 = Unable to work for physical, mental health, or other reasons	1964	5.7 %
5	5 = None of the above	1432	4.2 %
	<b>Total</b>	<b>10,857</b>	<b>31.6%</b>

This variable has 10,857 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	29	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	23414	68.2 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>23,452</b>	<b>68.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12824-12829 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05R\_A\_AM0018\_V2: DERIVED - Recoded education level (5 levels)

Long Description: What is the highest grade or level of school you completed?

Algorithm: IF R05\_AM0018 IN (1,2) THEN R05R\_A\_AM0018\_V2 = 1; ELSE IF R05\_AM0018 = 3 THEN R05R\_A\_AM0018\_V2 = 2; ELSE IF R05\_AM0018 = 4 THEN R05R\_A\_AM0018\_V2 = 3; ELSE IF R05\_AM0018 IN (5,6,7) THEN R05R\_A\_AM0018\_V2 = 4; ELSE IF R05\_AM0018 IN (8,9,10,11) THEN R05R\_A\_AM0018\_V2 = 5; ELSE IF R05\_AM0018 = -9 THEN R05R\_A\_AM0018\_V2 = -99999; ELSE IF R05\_AM0018 = -8 THEN R05R\_A\_AM0018\_V2 = -99988; ELSE IF R05\_AM0018 = -7 THEN R05R\_A\_AM0018\_V2 = -99977; ELSE IF R05\_AM0018 = -1 THEN R05R\_A\_AM0018\_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than high school	4090	11.9 %
2	2 = GED	2056	6.0 %

Value	Label	Unweighted Frequency	%
3	3 = High school graduate	8514	24.8 %
4	4 = Some college (no degree) or associates degree	12068	35.2 %
5	5 = Bachelor's degree or advanced degree	7435	21.7 %
<b>Total</b>		<b>34,163</b>	<b>99.6%</b>

This variable has 34,163 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	45	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	99	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>146</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12830-12835 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05\_AM0019: Currently enrolled in a degree program

Are you [also] currently enrolled in a degree program?

[IF No (2), Don't Know (-8), or Refused (-7); GO TO R05\_AM0015]

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6060	17.7 %
2	2 = No	28172	82.1 %
<b>Total</b>		<b>34,232</b>	<b>99.8%</b>

This variable has 34,232 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.1 %
-7	-7 = Refused	47	0.1 %
-1	-1 = Inapplicable	0	0.0 %

	<b>Missing Data</b>			
	<b>Total</b>		<b>77</b>	<b>0.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12836-12841 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AM0020: Type of degree program currently enrolled in

Which type of degree program are you currently enrolled in?

ASK: Adult respondents who are currently enrolled in a degree program.

ASK Specification: IF R05\_AM0019 = 1

Value	Label	Unweighted Frequency	%
1	1 = Technical / vocational program	279	0.8 %
2	2 = 2-year degree program	1327	3.9 %
3	3 = 4-year degree program	3608	10.5 %
4	4 = Graduate / professional program	743	2.2 %
5	5 = Other type of degree program	81	0.2 %
	<b>Total</b>	<b>6,038</b>	<b>17.6%</b>

This variable has 6,038 valid cases out of 34,309 total cases.

	<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	12	0.0 %	
-7	-7 = Refused	10	0.0 %	
-1	-1 = Inapplicable	28248	82.3 %	
	<b>Total</b>	<b>28,271</b>	<b>82.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12842-12847 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AM0015: In past 30 days, because of shortage of money were you unable to pay important bills on time

In the past 30 days, because of a shortage of money, were you unable to pay any important bills on time, such as rent, electricity, or telephone bills?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5272	15.4 %
2	2 = No	25950	75.6 %
7	7 = Not applicable	2972	8.7 %
<b>Total</b>		<b>34,194</b>	<b>99.7%</b>

This variable has 34,194 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-8	-8 = Don't know	32	0.1 %
-7	-7 = Refused	82	0.2 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>115</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12848-12853 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -8 , -7 , -1

---

## R05\_AM0039: In past 12 months, received assistance or income from federal, state or local programs

In the past 12 months, have you received assistance or income from any federal, state, or local programs, such as food stamps, welfare, cash aid, unemployment benefits, housing assistance, child care, or Medicaid?

ASK: All adult respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6082	17.7 %
2	2 = No	28066	81.8 %
<b>Total</b>		<b>34,148</b>	<b>99.5%</b>

This variable has 34,148 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	49	0.1 %
-7	-7 = Refused	111	0.3 %
-1	-1 = Inapplicable	0	0.0 %
<b>Total</b>		<b>161</b>	<b>0.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12854-12859 (width: 6; decimal: 0)  
 Variable Type: numeric  
 (Range of) Missing Values: -97777, -9, -8, -7, -1

## R05R\_A\_AM0030: DERIVED - Recoded total household income in the past 12 months (5 levels)

Long Description: Which of the following categories best describes your total household income in the past 12 months?

Algorithm: IF R05\_AM0030 = 1 THEN R05R\_A\_AM0030 = 1; ELSE IF  
 R05\_AM0030 IN (2,3) THEN R05R\_A\_AM0030 = 2; ELSE IF R05\_AM0030 IN (4,5)  
 THEN R05R\_A\_AM0030 = 3; ELSE IF R05\_AM0030 IN (6,7) THEN  
 R05R\_A\_AM0030 = 4; ELSE IF R05\_AM0030 IN (8,9,10) THEN  
 R05R\_A\_AM0030 = 5; ELSE IF R05\_AM0030 = -9 THEN R05R\_A\_AM0030 = -99999;  
 ELSE IF R05\_AM0030 = -8 THEN R05R\_A\_AM0030 = -99988; ELSE IF  
 R05\_AM0030 = -7 THEN R05R\_A\_AM0030 = -99977; ELSE IF R05\_AM0030 = -1  
 THEN R05R\_A\_AM0030 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10,000	5284	15.4 %
2	2 = \$10,000 to \$24,999	6355	18.5 %
3	3 = \$25,000 to \$49,999	7303	21.3 %
4	4 = \$50,000 to \$99,999	7501	21.9 %
5	5 = \$100,000 or more	5718	16.7 %
<b>Total</b>		<b>32,161</b>	<b>93.7%</b>

This variable has 32,161 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1087	3.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1059	3.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>2,148</b>	<b>6.3%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 12860-12865 (width: 6; decimal: 0)  
 Variable Type: numeric  
 (Range of) Missing Values: -99999, -99988, -99977, -99911, -97777

## R05\_AM0031: Nonresponse follow-up probe: During past 12 months, total household income above or below \$50,000

Is your total household income during the past 12 months above or below \$50,000?

ASK: Adult respondents who did not already complete a parent interview and did not know or refused to report their household income.

ASK Specification: IF R05\_PARENT\_COMPLETE\_LD != 1 AND  
R05\_AM0030 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Above \$50,000	396	1.2 %
2	2 = Below \$50,000	367	1.1 %
	<b>Total</b>	<b>763</b>	<b>2.2%</b>

This variable has 763 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	678	2.0 %
-7	-7 = Refused	705	2.1 %
-1	-1 = Inapplicable	32162	93.7 %
	<b>Total</b>	<b>33,546</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12866-12871 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05R\_A\_AL0040: DERIVED - Indicator of home ownership (2 levels)

Long Description: Do you own or rent your home? (Ownership includes having a mortgage or loan.)

Algorithm: IF R05\_AL0040 = 1 THEN R05R\_A\_AL0040 = 1; ELSE IF R05\_AL0040 IN (2,3) THEN R05R\_A\_AL0040 = 2; ELSE IF R05\_AL0040 = -9 THEN R05R\_A\_AL0040 = -99999; ELSE IF R05\_AL0040 = -8 THEN R05R\_A\_AL0040 = -99988; ELSE IF R05\_AL0040 = -7 THEN R05R\_A\_AL0040 = -99977; ELSE IF R05\_AL0040 = -1 THEN R05R\_A\_AL0040 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Owned	13638	39.8 %
2	2 = Not Owned	20267	59.1 %
	<b>Total</b>	<b>33,905</b>	<b>98.8%</b>

This variable has 33,905 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	162	0.5 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	240	0.7 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>404</b>	<b>1.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12872-12877 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_A\_AM0042: DERIVED - Recoded where you currently live (3 levels)

Long Description: Where do you currently live? If you live in more than one place throughout the year, please answer for where you are currently staying.

```
Algorithm: IF R05_AM0042 = 1 THEN R05R_A_AM0042 = 1; ELSE IF
R05_AM0042 IN (2,3) THEN R05R_A_AM0042 = 2; ELSE IF R05_AM0042 = 4
THEN R05R_A_AM0042 = 3; ELSE IF R05_AM0042 = -9 THEN
R05R_A_AM0042 = -99999; ELSE IF R05_AM0042 = -8 THEN
R05R_A_AM0042 = -99988; ELSE IF R05_AM0042 = -7 THEN
R05R_A_AM0042 = -99977; ELSE IF R05_AM0042 = -1 THEN
R05R_A_AM0042 = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Apartment, condo or house	9595	28.0 %
2	2 = Campus housing, fraternity or sorority house	939	2.7 %
3	3 = Someplace else	1293	3.8 %
<b>Total</b>		<b>11,827</b>	<b>34.5%</b>

This variable has 11,827 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	37	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	62	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	22382	65.2 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>22,482</b>	<b>65.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12878-12883 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05\_AM0041\_01: Who you currently live with: Parents or guardians

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

Parents or guardians

ASK: Young adult respondents who currently live in an apartment, condo, or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND

R05\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6225	18.1 %
2	2 = Not Marked	3413	9.9 %
	<b>Total</b>	<b>9,638</b>	<b>28.1%</b>

This variable has 9,638 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	24614	71.7 %
	<b>Total</b>	<b>24,671</b>	<b>71.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12884-12889 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AM0041\_02: Who you currently live with: Friends or other roommates

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

Friends or other roommates

ASK: Young adult respondents who currently live in an apartment, condo, or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1233	3.6 %
2	2 = Not Marked	8405	24.5 %
	<b>Total</b>	<b>9,638</b>	<b>28.1%</b>

This variable has 9,638 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	24614	71.7 %
	<b>Total</b>	<b>24,671</b>	<b>71.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12890-12895 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777, -9, -8, -7, -1

## R05\_AM0041\_03: Who you currently live with: A spouse or romantic partner

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

A spouse or romantic partner

ASK: Young adult respondents who currently live in an apartment, condo, or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1536	4.5 %
2	2 = Not Marked	8102	23.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>9,638</b>	<b>28.1%</b>

This variable has 9,638 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	24614	71.7 %
	<b>Total</b>	<b>24,671</b>	<b>71.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12896-12901 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AM0041\_04: Who you currently live with: My children

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

My children

ASK: Young adult respondents who currently live in an apartment, condo, or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	589	1.7 %
2	2 = Not Marked	9049	26.4 %
	<b>Total</b>	<b>9,638</b>	<b>28.1%</b>

This variable has 9,638 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	24614	71.7 %
	<b>Total</b>	<b>24,671</b>	<b>71.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12902-12907 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AM0041\_05: Who you currently live with: Another relative or family friend

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

Another relative or family friend

ASK: Young adult respondents who currently live in an apartment, condo, or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	795	2.3 %
2	2 = Not Marked	8843	25.8 %
	<b>Total</b>	<b>9,638</b>	<b>28.1%</b>

This variable has 9,638 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.0 %
-7	-7 = Refused	45	0.1 %
-1	-1 = Inapplicable	24614	71.7 %
	<b>Total</b>	<b>24,671</b>	<b>71.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12908-12913 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AM0041\_06: Who you currently live with: On your own

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

On my own

ASK: Young adult respondents who currently live in an apartment, condo, or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND  
R05\_AM0042 = 1, -8, -7.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	640	1.9 %
2	2 = Not Marked	8998	26.2 %
	<b>Total</b>	<b>9,638</b>	<b>28.1%</b>

This variable has 9,638 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	0	0.0 %	
-8	-8 = Don't know	11	0.0 %	
-7	-7 = Refused	45	0.1 %	
-1	-1 = Inapplicable	24614	71.7 %	
	<b>Total</b>	<b>24,671</b>	<b>71.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12914-12919 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AM0040: Self-perception of place on social ladder relative to other people in the United States

Think of this ladder as representing where people stand in the United States.

At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs.

At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job.

Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.

[SHOW IMAGE OF LADDER]

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25.

Value	Label	Unweighted Frequency	%
1	1 = 10	421	1.2 %
2	2 = 9	227	0.7 %

Value	Label	Unweighted Frequency	%
3	3 = 8	897	2.6 %
4	4 = 7	1698	4.9 %
5	5 = 6	1931	5.6 %
6	6 = 5	2397	7.0 %
7	7 = 4	1783	5.2 %
8	8 = 3	1388	4.0 %
9	9 = 2	604	1.8 %
10	10 = 1	392	1.1 %
<b>Total</b>		<b>11,738</b>	<b>34.2%</b>

This variable has 11,738 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	92	0.3 %
-7	-7 = Refused	96	0.3 %
-1	-1 = Inapplicable	22382	65.2 %
<b>Total</b>		<b>22,571</b>	<b>65.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12920-12925 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AM0033\_V2: DERIVED - Recoded education level of mother (5 levels)

Long Description: What is the highest grade or year of school that your mother, step-mother, or mother-figure completed?

Algorithm: IF R05\_AM0033 IN (1,2) THEN R05R\_A\_AM0033\_V2 = 1; ELSE IF R05\_AM0033 = 3 THEN R05R\_A\_AM0033\_V2 = 2; ELSE IF R05\_AM0033 = 4 THEN R05R\_A\_AM0033\_V2 = 3; ELSE IF R05\_AM0033 IN (5,6,7) THEN R05R\_A\_AM0033\_V2 = 4; ELSE IF R05\_AM0033 IN (8,9,10,11) THEN R05R\_A\_AM0033\_V2 = 5; ELSE IF R05\_AM0033 = -9 THEN R05R\_A\_AM0033\_V2 = -99999; ELSE IF R05\_AM0033 = -8 THEN R05R\_A\_AM0033\_V2 = -99988; ELSE IF R05\_AM0033 = -7 THEN R05R\_A\_AM0033\_V2 = -99977; ELSE IF R05\_AM0033 = -1 THEN R05R\_A\_AM0033\_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than high school	2141	6.2 %
2	2 = GED	620	1.8 %
3	3 = High school graduate	2585	7.5 %

Value	Label	Unweighted Frequency	%
4	4 = Some college (no degree) or associates degree	2810	8.2 %
5	5 = Bachelor's degree or advanced degree	3488	10.2 %
	<b>Total</b>	<b>11,644</b>	<b>33.9%</b>

This variable has 11,644 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	194	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	88	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	22382	65.2 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>22,665</b>	<b>66.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12926-12931 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05R\_A\_AM0034\_V2: DERIVED - Recoded education level of father (5 levels)

Long Description: What is the highest grade or year of school that your father, step-father or father-figure completed?

```
Algorithm: IF R05_AM0034 IN (1,2) THEN R05R_A_AM0034_V2 = 1; ELSE IF
R05_AM0034 = 3 THEN R05R_A_AM0034_V2 = 2; ELSE IF R05_AM0034 = 4 THEN
R05R_A_AM0034_V2 = 3; ELSE IF R05_AM0034 IN (5,6,7) THEN
R05R_A_AM0034_V2 = 4; ELSE IF R05_AM0034 IN (8,9,10,11) THEN
R05R_A_AM0034_V2 = 5; ELSE IF R05_AM0034 = -9 THEN
R05R_A_AM0034_V2 = -99999; ELSE IF R05_AM0034 = -8 THEN
R05R_A_AM0034_V2 = -99988; ELSE IF R05_AM0034 = -7 THEN
R05R_A_AM0034_V2 = -99977; ELSE IF R05_AM0034 = -1 THEN
R05R_A_AM0034_V2 = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than high school	2627	7.7 %
2	2 = GED	661	1.9 %
3	3 = High school graduate	2835	8.3 %
4	4 = Some college (no degree) or associates degree	2265	6.6 %
5	5 = Bachelor's degree or advanced degree	3072	9.0 %
	<b>Total</b>	<b>11,460</b>	<b>33.4%</b>

This variable has 11,460 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	361	1.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	105	0.3 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	22382	65.2 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>22,849</b>	<b>66.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12932-12937 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_A\_AM0036: DERIVED - Recoded parents' total household income in the past 12 months (5 levels)

Long Description: Which of the following categories best describes your parents' total household income in the past 12 months?

```
Algorithm: IF R05_AM0036 = 1 THEN R05R_A_AM0036 = 1; ELSE IF
R05_AM0036 IN (2,3) THEN R05R_A_AM0036 = 2; ELSE IF R05_AM0036 IN
(4,5) THEN R05R_A_AM0036 = 3; ELSE IF R05_AM0036 IN (6,7) THEN
R05R_A_AM0036 = 4; ELSE IF R05_AM0036 IN (8,9,10) THEN
R05R_A_AM0036 = 5; ELSE IF R05_AM0036 = -9 THEN R05R_A_AM0036 = -99999;
ELSE IF R05_AM0036 = -8 THEN R05R_A_AM0036 = -99988; ELSE IF
R05_AM0036 = -7 THEN R05R_A_AM0036 = -99977; ELSE IF R05_AM0036 = -1
THEN R05R_A_AM0036 = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10,000	742	2.2 %
2	2 = \$10,000 to \$24,999	770	2.2 %
3	3 = \$25,000 to \$49,999	1020	3.0 %
4	4 = \$50,000 to \$99,999	1263	3.7 %
5	5 = \$100,000 or more	1295	3.8 %
<b>Total</b>		<b>5,090</b>	<b>14.8%</b>

This variable has 5,090 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	473	1.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	138	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	28607	83.4 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>29,219</b>	<b>85.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12938-12943 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05\_AM0037: Nonresponse follow-up probe: During past 12 months, parents' total household income above or below \$50,000

Is your parents' total household income during the past 12 months above or below \$50,000?

ASK: Young adult respondents who do not live with their parents and did not know or refused to report their parents' total household income.

ASK Specification: IF 18 <= R05R\_A\_AGE < 25 AND R05\_AM0041\_01 != 1 AND R05\_AM0036 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Above \$50,000	121	0.4 %
2	2 = Below \$50,000	82	0.2 %
<b>Total</b>		<b>203</b>	<b>0.6%</b>

This variable has 203 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	308	0.9 %
-7	-7 = Refused	100	0.3 %
-1	-1 = Inapplicable	33697	98.2 %
<b>Total</b>		<b>34,106</b>	<b>99.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12944-12949 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_A\_AM0026\_V2: DERIVED - Indicator of health insurance (2 levels)

Long Description: Are you currently covered by any of the following types of health insurance or health coverage plans: Insurance through a current or former employer or union, Insurance purchased directly from an insurance company, Medicare, Medicaid, Medical Assistance, or any kind of government assistance plan for those with low incomes or disability, TRICARE or other military health care, VA, Indian Health Service, Any other type of plan?

Algorithm: IF R05\_AM0026\_01 = 1 OR R05\_AM0026\_02 = 1 OR R05\_AM0026\_03 = 1  
 OR R05\_AM0026\_04 = 1 OR R05\_AM0026\_05 = 1 OR R05\_AM0026\_06 = 1 OR  
 R05\_AM0026\_07 = 1 OR R05\_AM0026\_08 = 1 THEN R05R\_A\_AM0026\_V2 = 1; ELSE IF  
 R05\_AM0026\_01 = 2 AND R05\_AM0026\_02 = 2 AND R05\_AM0026\_03 = 2 AND  
 R05\_AM0026\_04 = 2 AND R05\_AM0026\_05 = 2 AND R05\_AM0026\_06 = 2 AND  
 R05\_AM0026\_07 = 2 AND R05\_AM0026\_08 = 2 THEN R05R\_A\_AM0026\_V2 = 2; ELSE IF  
 R05\_AM0026\_01 = -9 OR R05\_AM0026\_02 = -9 OR R05\_AM0026\_03 = -9 OR  
 R05\_AM0026\_04 = -9 OR R05\_AM0026\_05 = -9 OR R05\_AM0026\_06 = -9 OR  
 R05\_AM0026\_07 = -9 OR R05\_AM0026\_08 = -9 THEN R05R\_A\_AM0026\_V2 = -99999;  
 ELSE IF R05\_AM0026\_01 = -8 OR R05\_AM0026\_02 = -8 OR R05\_AM0026\_03 = -8 OR  
 R05\_AM0026\_04 = -8 OR R05\_AM0026\_05 = -8 OR R05\_AM0026\_06 = -8 OR  
 R05\_AM0026\_07 = -8 OR R05\_AM0026\_08 = -8 THEN R05R\_A\_AM0026\_V2 = -99988;  
 ELSE IF R05\_AM0026\_01 = -7 OR R05\_AM0026\_02 = -7 OR R05\_AM0026\_03 = -7 OR  
 R05\_AM0026\_04 = -7 OR R05\_AM0026\_05 = -7 OR R05\_AM0026\_06 = -7 OR  
 R05\_AM0026\_07 = -7 OR R05\_AM0026\_08 = -7 THEN R05R\_A\_AM0026\_V2 = -99977;  
 ELSE IF R05\_AM0026\_01 = -1 OR R05\_AM0026\_02 = -1 OR R05\_AM0026\_03 = -1 OR  
 R05\_AM0026\_04 = -1 OR R05\_AM0026\_05 = -1 OR R05\_AM0026\_06 = -1 OR  
 R05\_AM0026\_07 = -1 OR R05\_AM0026\_08 = -1 THEN R05R\_A\_AM0026\_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	28031	81.7 %
2	2 = No	5932	17.3 %
<b>Total</b>		<b>33,963</b>	<b>99.0%</b>

This variable has 33,963 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	195	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	149	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>346</b>	<b>1.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 12950-12955 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_A\_SEXORIENT2: DERIVED - Recoded sexual orientation (2 levels)

Long Description: 2 category recode of sexual orientation.

Algorithm: IF R05\_AM0063 = 1 THEN R05R\_A\_SEXORIENT2 = 2; ELSE IF R05\_AM0063 IN (2,3,4) THEN R05R\_A\_SEXORIENT2 = 1; ELSE IF R05\_AM0063 = -9 THEN R05R\_A\_SEXORIENT2 = -99999; ELSE IF R05\_AM0063 = -8 THEN R05R\_A\_SEXORIENT2 = -99988; ELSE IF R05\_AM0063 = -7 THEN R05R\_A\_SEXORIENT2 = -99977; ELSE IF R05\_AM0063 = -1 THEN R05R\_A\_SEXORIENT2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Lesbian, Gay, Bisexual, Something else	3572	10.4 %
2	2 = Straight	30365	88.5 %
<b>Total</b>		<b>33,937</b>	<b>98.9%</b>

This variable has 33,937 valid cases out of 34,309 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	61	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	310	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>372</b>	<b>1.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12956-12961 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

---

## R05\_AX0214: OK to scan tobacco products

Finally, we would like to scan the barcode on any tobacco products that you have right now for your own use[, including your [EPRODFILL2]]. Researchers will use this information to learn about the different types of products that people are using.

We are only interested in the products that you have used or intend to use soon.

Our interviewer will do the scanning for you. The interviewer will also ask you a couple of questions about the products we are scanning. Other people in your home might see the products as you hand them to the interviewer or hear the questions we ask you about the products.

Is it OK to scan your tobacco products now?

[IF No (2), or Refused (-7); GO TO R05\_AL3000]

ASK: Adult respondents who are current established or current experimental tobacco users.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7350	21.4 %
2	2 = No	6209	18.1 %
	<b>Total</b>	<b>13,559</b>	<b>39.5%</b>

This variable has 13,559 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	78	0.2 %
-1	-1 = Inapplicable	20671	60.2 %
	<b>Total</b>	<b>20,750</b>	<b>60.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12962-12967 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0218: Number of tobacco products given by respondent to scan

HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN?

ENTER A NUMBER BETWEEN 0 AND 10.

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND  
R05\_AX0214 = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 7,350 valid cases out of 34,309 total cases.

- Mean: 1.06
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.63

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

Missing Data				
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-5	-5 = Improbable response removed	0	0.0 %	
-1	-1 = Inapplicable	26958	78.6 %	
	<b>Total</b>	<b>26,959</b>	<b>78.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12968-12973 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -5, -1

## R05\_AX0233\_01: First bar code scan: Last time used this type of tobacco it was from this specific package or container

Think about the very last time you used this type of product. Was it from this specific package or container?

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose first product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1 AND R05\_AX0218 >= 1 AND (R05\_AX0217\_1A != -1 OR R05\_AX0217\_1B != -1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5947	17.3 %
2	2 = No	653	1.9 %
	<b>Total</b>	<b>6,600</b>	<b>19.2%</b>

This variable has 6,600 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	76	0.2 %	
-8	-8 = Don't know	1	0.0 %	
-7	-7 = Refused	1	0.0 %	
-1	-1 = Inapplicable	27630	80.5 %	
	<b>Total</b>	<b>27,709</b>	<b>80.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 12974-12979 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0233\_02: Second bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose second product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1  
AND R05\_AX0218 >= 1 AND (R05\_AX0217\_2A != -1 OR R05\_AX0217\_2B != -1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	595	1.7 %
2	2 = No	134	0.4 %
	<b>Total</b>	<b>729</b>	<b>2.1%</b>

This variable has 729 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	44	0.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	33535	97.7 %
	<b>Total</b>	<b>33,580</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12980-12985 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0233\_03: Third bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

ASK: Adult respondents who are current established or current experimental current tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose third product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1  
AND R05\_AX0218 >= 1 AND (R05\_AX0217\_3A != -1 OR R05\_AX0217\_3B != -1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	118	0.3 %
2	2 = No	39	0.1 %
	<b>Total</b>	<b>157</b>	<b>0.5%</b>

This variable has 157 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	10	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34141	99.5 %
	<b>Total</b>	<b>34,152</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12986-12991 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0233\_04: Fourth bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose fourth product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1 AND R05\_AX0218 >= 1 AND (R05\_AX0217\_4A != -1 OR R05\_AX0217\_4B != -1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	51	0.1 %
2	2 = No	18	0.1 %
	<b>Total</b>	<b>69</b>	<b>0.2%</b>

This variable has 69 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34236	99.8 %
	<b>Total</b>	<b>34,240</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12992-12997 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0233\_05: Fifth bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose fifth product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1 AND R05\_AX0218 >= 1 AND (R05\_AX0217\_5A != -1 OR R05\_AX0217\_5B != -1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.1 %
2	2 = No	8	0.0 %
	<b>Total</b>	<b>37</b>	<b>0.1%</b>

This variable has 37 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34270	99.9 %
	<b>Total</b>	<b>34,272</b>	<b>99.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 12998-13003 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0233\_06: Sixth bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose sixth product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1

AND R05\_AX0218 >= 1 AND (R05\_AX0217\_6A != -1 OR R05\_AX0217\_6B != -1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.0 %
2	2 = No	3	0.0 %
	<b>Total</b>	<b>15</b>	<b>0.0%</b>

This variable has 15 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34291	99.9 %
	<b>Total</b>	<b>34,294</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13004-13009 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05\_AX0233\_07: Seventh bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose seventh product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1  
AND R05\_AX0218 >= 1 AND (R05\_AX0217\_7A != -1 OR R05\_AX0217\_7B != -1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	3	0.0 %
	<b>Total</b>	<b>7</b>	<b>0.0%</b>

This variable has 7 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

Missing Data				
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34300	100.0 %	
	<b>Total</b>	<b>34,302</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13010-13015 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0233\_08: Eighth bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose eighth product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1  
AND R05\_AX0218 >= 1 AND (R05\_AX0217\_8A != -1 OR R05\_AX0217\_8B != -1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	2	0.0 %
	<b>Total</b>	<b>4</b>	<b>0.0%</b>

This variable has 4 valid cases out of 34,309 total cases.

Missing Data				
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
-9	-9 = Missing - Not ascertained	1	0.0 %	
-8	-8 = Don't know	0	0.0 %	
-7	-7 = Refused	0	0.0 %	
-1	-1 = Inapplicable	34303	100.0 %	
	<b>Total</b>	<b>34,305</b>	<b>100.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13016-13021 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777 , -9 , -8 , -7 , -1

## R05\_AX0233\_09: Ninth bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose ninth product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1  
AND R05\_AX0218 >= 1 AND (R05\_AX0217\_9A != -1 OR R05\_AX0217\_9B != -1).

NOTES: DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	2	0.0 %
	<b>Total</b>	<b>4</b>	<b>0.0%</b>

This variable has 4 valid cases out of 34,309 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34304	100.0 %
	<b>Total</b>	<b>34,305</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13022-13027 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

---

## R05\_AX0233\_10: Tenth bar code scan: Last time used this type of tobacco it was from this specific package or container

The last time you used this type of product, was it from this specific package or container?

[IF ANY ANSWER IS PROVIDED; GO TO R05\_AX0232]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose tenth product was scanned or noted.

ASK Specification: IF R05\_TOBACCO\_USER\_STATUS = 1, 2 AND R05\_AX0214 = 1  
AND R05\_AX0218 >= 1 AND (R05\_AX0217\_10A != -1 OR R05\_AX0217\_10B != -1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = No	0	0.0 %
	<b>Total</b>	<b>2</b>	<b>0.0%</b>

This variable has 2 valid cases out of 34,309 total cases.

Missing Data			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	34306	100.0 %
	<b>Total</b>	<b>34,307</b>	<b>100.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13028-13033 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -97777, -9, -8, -7, -1

## R05R\_AV9035\_01: DERIVED - Respondent reported using e-cigarettes in other-specify text response

Long Description: Respondent reported using e-cigarettes in other-specify text response for R05\_AV9035.

Algorithm: IF (R05\_AV9035\_05 = 1 AND R05\_AV9035\_OS TEXT ANSWER INDICATES E-CIGARETTE USE) THEN R05R\_AV9035\_01 = 1; ELSE IF (R05\_AV9035\_05 = 1 AND R05\_AV9035\_OS TEXT ANSWER DOES NOT INDICATE E-CIGARETTE USE) THEN R05R\_AV9035\_01 = 2; ELSE R05R\_AV9035\_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	135	0.4 %
	<b>Total</b>	<b>135</b>	<b>0.4%</b>

This variable has 135 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34173	99.6 %

<b>Missing Data</b>			
		1	0.0 %
	<b>Total</b>	<b>34,174</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13034-13039 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_AV9035\_02: DERIVED - Respondent reported using e-cigarettes in other-specify text response

Long Description: Respondent reported using e-cigarettes in other-specify text response for R05\_AV9035.

Algorithm: IF (R05\_AV9035\_05 = 1 AND R05\_AV9035\_OS TEXT ANSWER INDICATES E-PIPE USE) THEN R05R\_AV9035\_03 = 1; ELSE IF (R05\_AV9035\_05 = 1 AND R05\_AV9035\_OS TEXT ANSWER DOES NOT INDICATE E-PIPE USE) THEN R05R\_AV9035\_03 = 2; ELSE R05R\_AV9035\_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	135	0.4 %
	<b>Total</b>	<b>135</b>	<b>0.4%</b>

This variable has 135 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
		0	0.0 %
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34173	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>34,174</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13040-13045 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_AV9035\_03: DERIVED - Respondent reported using e-cigarettes in other-specify text response

Long Description: Respondent reported using e-cigarettes in other-specify text response for R05\_AV9035.

Algorithm: IF (R05\_AV9035\_05 = 1 AND R05\_AV9035\_OS TEXT ANSWER INDICATES E-PIPE USE) THEN R05R\_AV9035\_03 = 1; ELSE IF (R05\_AV9035\_05 = 1 AND R05\_AV9035\_OS TEXT ANSWER DOES NOT INDICATE E-PIPE USE) THEN R05R\_AV9035\_03 = 2; ELSE R05R\_AV9035\_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	135	0.4 %
<b>Total</b>		<b>135</b>	<b>0.4%</b>

This variable has 135 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34173	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,174</b>	<b>99.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13046-13051 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05R\_AV9035\_04: DERIVED - Respondent reported using e-hookah in other-specify text response

Long Description: Respondent reported using e-hookah in other-specify text response for R05\_AV9035.

Algorithm: IF (R05\_AV9035\_05 = 1 AND R05\_AV9035\_OS TEXT ANSWER INDICATES E-HOOKAH USE) THEN R05R\_AV9035\_04 = 1; ELSE IF (R05\_AV9035\_05 = 1 AND R05\_AV9035\_OS TEXT ANSWER DOES NOT INDICATE E-HOOKAH USE) THEN R05R\_AV9035\_04 = 2; ELSE R05R\_AV9035\_04 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	135	0.4 %
<b>Total</b>		<b>135</b>	<b>0.4%</b>

This variable has 135 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34173	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,174</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13052-13057 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_A\_AGE\_CHECK: DERIVED - Adult respondent's age (in years) at Wave 5 is within the expected range

Long Description: Adult respondent's age (in years) at the time of the Wave 5 interview is within the expected range.

Algorithm: STEP 1 - DECLARE A TEMPORARY VARIABLE W54321\_DIFF TO CALCULATE DIFFERENCE BETWEEN WAVE 5 AGE (R05R\_A\_AGE) AND AGE FROM LAST COMPLETED WAVE; SETP 2 - CALCULATE R05R\_A\_AGE\_CHECK: IF (WAVE4P5\_INTERVIEW = 2 AND X04R\_Y\_AGE >= 0) THEN DO; IF (R05R\_A\_AGE >= 0) THEN DO; W54321\_DIFF = R05R\_A\_AGE - X04R\_Y\_AGE ; IF (0 le W54321\_DIFF le 2) THEN R05R\_A\_AGE\_CHECK = 1; ELSE R05R\_A\_AGE\_CHECK = 2; END; END; ELSE IF (WAVE4\_INTERVIEW = 1 AND R04R\_A\_AGE >= 0) THEN DO; IF (R05R\_A\_AGE >= 0) THEN DO; W54321\_DIFF = R05R\_A\_AGE - R04R\_A\_AGE ; IF (1 le W54321\_DIFF le 3) THEN R05R\_A\_AGE\_CHECK = 1; ELSE R05R\_A\_AGE\_CHECK = 2; END; END; ELSE IF (WAVE4\_INTERVIEW = 2 AND R04R\_Y\_AGE >= 0) THEN DO; IF (R05R\_A\_AGE >= 0) THEN DO; W54321\_DIFF = R05R\_A\_AGE - R04R\_Y\_AGE ; IF (1 le W54321\_DIFF le 3) THEN R05R\_A\_AGE\_CHECK = 1; ELSE R05R\_A\_AGE\_CHECK = 2; END; END; ELSE IF (WAVE3\_INTERVIEW = 1 AND R03R\_A\_AGE >= 0) THEN DO; IF (R05R\_A\_AGE >= 0) THEN DO; W54321\_DIFF = R05R\_A\_AGE - R03R\_A\_AGE ; IF (2 le W54321\_DIFF le 5) THEN R05R\_A\_AGE\_CHECK = 1; ELSE R05R\_A\_AGE\_CHECK = 2; END; ELSE IF (WAVE3\_INTERVIEW = 2 AND R03R\_Y\_AGE >= 0) THEN DO; IF (R05R\_A\_AGE >= 0) THEN DO; W54321\_DIFF = R05R\_A\_AGE - R03R\_Y\_AGE; IF (2 le W54321\_DIFF le 5) THEN R05R\_A\_AGE\_CHECK = 1; ELSE R05R\_A\_AGE\_CHECK = 2; END; ELSE IF (WAVE2\_INTERVIEW = 1 AND R02R\_A\_AGE >= 0) THEN DO; IF (R05R\_A\_AGE >= 0) THEN DO; W54321\_DIFF = R05R\_A\_AGE - R02R\_A\_AGE; IF (3 le W54321\_DIFF le 7) THEN R05R\_A\_AGE\_CHECK = 1; ELSE R05R\_A\_AGE\_CHECK = 2; END; ELSE IF (WAVE2\_INTERVIEW = 2 AND R02R\_Y\_AGE >= 0) THEN DO; IF (R05R\_A\_AGE >= 0) THEN DO; W54321\_DIFF = R05R\_A\_AGE - R02R\_Y\_AGE; IF (3 le W54321\_DIFF le 7) THEN R05R\_A\_AGE\_CHECK = 1; ELSE R05R\_A\_AGE\_CHECK = 2; END; ELSE IF (WAVE1\_INTERVIEW = 1 AND R01R\_A\_AGE >= 0) THEN DO; IF (R05R\_A\_AGE >= 0) THEN DO; W54321\_DIFF = R05R\_A\_AGE - R01R\_A\_AGE; IF (5 le W54321\_DIFF le 9) THEN R05R\_A\_AGE\_CHECK = 1; ELSE R05R\_A\_AGE\_CHECK = 2; END; ELSE IF (WAVE1\_INTERVIEW = 2 AND R01R\_Y\_AGE >= 0) THEN DO; IF (R05R\_A\_AGE >= 0)

```

THEN DO; W54321_DIFF = R05R_A_AGE - R01R_Y_AGE; IF (5 le W54321_DIFF
le 9) THEN R05R_A_AGE_CHECK = 1; ELSE R05R_A_AGE_CHECK = 2; END; END;
ELSE IF (WAVE1_INTERVIEW = 3 OR WAVE4_INTERVIEW = 3) THEN DO ;
R05R_A_AGE_CHECK = 2; W54321_DIFF = -999 ; END ; STEP 3 - ASSIGN
MISSING VALUES: IF (R05R_A_AGE_CHECK = .) THEN DO; IF (R05R_A_AGE =
-99999 OR X04R_Y_AGE = -99999 OR R04R_A_AGE = -99999 OR R04R_Y_AGE =
-99999 OR R03R_A_AGE = -99999 OR R03R_Y_AGE = -99999 OR R02R_A_AGE =
-99999 OR R02R_Y_AGE = -99999 OR R01R_A_AGE = -99999 OR R01R_Y_AGE =
-99999) THEN R05R_A_AGE_CHECK = -99999; ELSE IF (R05R_A_AGE = -99988
OR X04R_Y_AGE = -99988 OR R04R_A_AGE = -99988 OR R04R_Y_AGE = -99988
OR R03R_A_AGE = -99988 OR R03R_Y_AGE = -99988 OR R02R_A_AGE = -99988
OR R02R_Y_AGE = -99988 OR R01R_A_AGE = -99988 OR R01R_Y_AGE = -99988)
THEN R05R_A_AGE_CHECK = -99988; ELSE IF (R05R_A_AGE = -99977 OR
X04R_Y_AGE = -99977 OR R04R_A_AGE = -99977 OR R04R_Y_AGE = -99977 OR
R03R_A_AGE = -99977 OR R03R_Y_AGE = -99977 OR R02R_A_AGE = -99977 OR
R02R_Y_AGE = -99977 OR R01R_A_AGE = -99977 OR R01R_Y_AGE = -99977) THEN
R05R_A_AGE_CHECK = -99977; END;

```

Value	Label	Unweighted Frequency	%
1	1 = Age is within expected range	34256	99.8 %
2	2 = Age is not within expected range	51	0.1 %
	<b>Total</b>	<b>34,307</b>	<b>100.0%</b>

This variable has 34,307 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>2</b>	<b>0.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13064-13069 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -97777

## R05R\_A\_SEX: DERIVED - Wave 5 Adult Gender

Long Description: Wave 5 adult gender from the interview.

```

Algorithm: IF WAVE1_INTERVIEW = 1 THEN DO; R05R_A_SEX = R01R_A_SEX; IF
R01_AM0004=-9 THEN R05R_A_SEX=-99999; ELSE IF R01_AM0004=-8 THEN
R05R_A_SEX=-99988; ELSE IF R01_AM0004=-7 THEN R05R_A_SEX=-99977; END;
ELSE IF WAVE1_INTERVIEW = 2 THEN DO; R05R_A_SEX = R01R_Y_SEX; IF
R01_YM0004=-9 THEN R05R_A_SEX=-99999; ELSE IF R01_YM0004=-8 THEN
R05R_A_SEX=-99988; ELSE IF R01_YM0004=-7 THEN R05R_A_SEX=-99977; END;
ELSE IF WAVE1_INTERVIEW = 3 AND WAVE4_INTERVIEW = 2 THEN R05R_A_SEX =

```

```

R04R_Y_SEX; ELSE IF WAVE1_INTERVIEW = 3 AND WAVE3_INTERVIEW = 1 THEN
R05R_A_SEX=-99999; ELSE IF RECRUITMENT_WAVE = 4 AND WAVE4_INTERVIEW =
1 THEN DO; R05R_A_SEX = R04R_A_SEX; IF R04_AM0004_RS=-9 THEN
R05R_A_SEX=-99999; ELSE IF R04_AM0004_RS=-8 THEN R05R_A_SEX=-99988;
ELSE IF R04_AM0004_RS=-7 THEN R05R_A_SEX=-99977; END; ELSE IF
RECRUITMENT_WAVE = 4 AND WAVE4_INTERVIEW = 2 THEN DO; R05R_A_SEX =
R04R_Y_SEX; IF R04_YM0004_NB=-9 THEN R05R_A_SEX=-99999; ELSE IF
R04_YM0004_NB=-8 THEN R05R_A_SEX=-99988; ELSE IF R04_YM0004_NB=-7 THEN
R05R_A_SEX=-99977; END; ELSE IF WAVE4_INTERVIEW = 3 AND
WAVE5_INTERVIEW = 1 THEN R05R_A_SEX = -99999;

```

Value	Label	Unweighted Frequency	%
1	1 = Male	16762	48.9 %
2	2 = Female	17502	51.0 %
	<b>Total</b>	<b>34,264</b>	<b>99.9%</b>

This variable has 34,264 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	30	0.1 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>45</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13070-13075 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -97777

## R05R\_A\_HISP: DERIVED - Wave 5 Adult Hispanic Origin (2 levels)

Long Description: Wave 5 adult Hispanic origin from the interview (2 levels).

```

Algorithm: IF WAVE1_INTERVIEW = 1 THEN R05R_A_HISP = R01R_A_HISP; ELSE
IF WAVE1_INTERVIEW = 2 THEN R05R_A_HISP = R01R_Y_HISP; ELSE IF
WAVE4_INTERVIEW = 1 AND R04_ADULTTYPE = 3 THEN R05R_A_HISP =
R04R_A_HISP; ELSE IF WAVE4_INTERVIEW = 2 AND R04_YOUTHTYPE = 3 THEN
R05R_A_HISP = R04R_Y_HISP; ELSE R05R_A_HISP = -99999;

```

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	7264	21.2 %
2	2 = Not Hispanic	26544	77.4 %
	<b>Total</b>	<b>33,808</b>	<b>98.5%</b>

This variable has 33,808 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	268	0.8 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	228	0.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>501</b>	<b>1.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13076-13081 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -97777

## R05R\_A\_RACECAT3: DERIVED - Recoded race (3 levels)

Long Description: Race (3 levels).

```
Algorithm: IF WAVE1_INTERVIEW = 1 THEN R05R_A_RACECAT3 =
R01R_A_RACECAT3; ELSE IF WAVE1_INTERVIEW = 2 THEN
R05R_A_RACECAT3 = R01R_Y_RACECAT3; ELSE IF WAVE1_INTERVIEW = 3
THEN R05R_A_RACECAT3 = -99999; ELSE IF WAVE3_INTERVIEW !=
IN (1,2,3,9) THEN DO (Replenishment sample); IF R05R_A_RACE = 1
THEN R05R_A_RACECAT3 = 1; ELSE IF R05R_A_RACE = 2 THEN
R05R_A_RACECAT3 = 2; ELSE IF R05R_A_RACE IN (3,4) THEN
R05R_A_RACECAT3 = 3; ELSE R05R_A_RACE = -99999 THEN
R05R_A_RACECAT3 = -99999; ELSE R05R_A_RACE = -99988 THEN
R05R_A_RACECAT3 = -99988; ELSE R05R_A_RACE = -99977 THEN
R05R_A_RACECAT3 = -99977;
```

Value	Label	Unweighted Frequency	%
1	1 = White alone	23530	68.6 %
2	2 = Black alone	5658	16.5 %
3	3 = Other	3942	11.5 %
	<b>Total</b>	<b>33,130</b>	<b>96.6%</b>

This variable has 33,130 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	754	2.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	420	1.2 %

Missing Data			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,179</b>	<b>3.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13082-13087 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_A\_BIocollect\_Urine: DERIVED - Urine Specimen Collected

Long Description: Urine specimen was collected from respondent.

Algorithm: IF Urine specimen was collected THEN

R05R\_A\_BIocollect\_Urine = 1; ELSE R05R\_A\_BIocollect\_Urine = 2;

Value	Label	Unweighted Frequency	%
1	1 = Yes	12102	35.3 %
2	2 = No	22207	64.7 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 13103-13103 (width: 1; decimal: 0)

*Variable Type:* numeric

## R05R\_A\_BIocollect\_Blood: DERIVED - Blood Specimen Collected

Long Description: Blood specimen was collected from respondent.

Algorithm: IF Blood specimen was collected THEN

R05R\_A\_BIocollect\_Blood = 1; ELSE R05R\_A\_BIocollect\_Blood = 2;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2040	5.9 %
2	2 = No	32269	94.1 %
	<b>Total</b>	<b>34,309</b>	<b>100.0%</b>

This variable has 34,309 valid cases out of 34,309 total cases.

*Location:* 13104-13104 (width: 1; decimal: 0)

*Variable Type:* numeric

## R05R\_A\_EVR\_CIGS: DERIVED - Wave 5 Adult Ever Cigarette Smoker

Long Description: Wave 5 adult respondents who have ever smoked a cigarette.

Algorithm: IF X04M\_EVR\_CIGS = 1 OR R05\_AC1002 = 1 OR R05\_AC1004 = 1 OR R05\_AC1002\_12M = 1 THEN R05R\_A\_EVR\_CIGS = 1; ELSE IF (X04M\_EVR\_CIGS = 2 AND R05\_AC1002\_12M = 2 AND X04M\_SKIPPED\_WAVE = 2) OR R05\_AC1002 = 2 THEN R05R\_A\_EVR\_CIGS = 2; ELSE IF (R05\_AC1004 = -9 AND R05\_AC1002\_12M = -1) OR R05\_AC1002\_12M = -9 OR R05\_AC1002 = -9 THEN R05R\_A\_EVR\_CIGS = -99999; ELSE IF R05\_AC1002\_12M = -8 OR R05\_AC1002 = -8 THEN R05R\_A\_EVR\_CIGS = -99988; ELSE IF R05\_AC1002\_12M = -7 OR R05\_AC1002 = -7 THEN R05R\_A\_EVR\_CIGS = -99977; ELSE IF X04M\_EVR\_CIGS IN (-99933, -99999, -99988, -99977, -99966, -99911) OR X04M\_SKIPPED\_WAVE = 1 THEN R05R\_A\_EVR\_CIGS = -99966; ELSE IF R05\_AC1002\_12M = -1 OR R05\_AC1002 = -1 THEN R05R\_A\_EVR\_CIGS = -99911;

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before smoked cigarettes and who had never skipped a wave were asked about cigarette use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before smoked cigarettes and who had never skipped a wave who did not smoke a cigarette in the past 12 months at Wave 5 are considered never cigarette smokers in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23289	67.9 %
2	2 = No	10990	32.0 %
	<b>Total</b>	<b>34,279</b>	<b>99.9%</b>

This variable has 34,279 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	26	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>30</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13105-13110 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EVR\_THRSH\_CIGS: DERIVED - Wave 5 Adult Cigarette Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have smoked 100 or more cigarettes in their lifetime.

Algorithm: IF R05R\_A\_EVR\_CIGS = 1 AND (X04M\_EVR\_THRSH\_CIGS = 1 OR R05\_AC1005 = 6) THEN R05R\_A\_EVR\_THRSH\_CIGS = 1; ELSE IF R05R\_A\_EVR\_CIGS = 2 OR (R05R\_A\_EVR\_CIGS = 1 AND R05\_AC1005 IN (1,2,3,4,5)) THEN R05R\_A\_EVR\_THRSH\_CIGS = 2; ELSE IF R05R\_A\_EVR\_CIGS = -99999 OR R05\_AC1005 = -9 THEN R05R\_A\_EVR\_THRSH\_CIGS = -99999; ELSE IF R05R\_A\_EVR\_CIGS = -99988 OR R05\_AC1005 = -8 THEN R05R\_A\_EVR\_THRSH\_CIGS = -99988; ELSE IF R05R\_A\_EVR\_CIGS = -99977 OR R05\_AC1005 = -7 THEN R05R\_A\_EVR\_THRSH\_CIGS = -99977; ELSE IF R05R\_A\_EVR\_CIGS = -99966 THEN R05R\_A\_EVR\_THRSH\_CIGS = -99966; ELSE IF R05R\_A\_EVR\_CIGS = -99911 OR R05\_AC1005 = -1 THEN R05R\_A\_EVR\_THRSH\_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	15121	44.1 %
2	2 = No	17491	51.0 %
	<b>Total</b>	<b>32,612</b>	<b>95.1%</b>

This variable has 32,612 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	130	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	69	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	26	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1471	4.3 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,697</b>	<b>4.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13111-13116 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_ESTD\_CIGS: DERIVED - Wave 5 Adult Current Established Cigarette Smoker

Long Description: Wave 5 adult respondents who have smoked at least 100 cigarettes in their lifetime, and currently smoke every day or some days.

Algorithm: IF R05R\_A\_EVR\_THRSH\_CIGS = 1 AND R05\_AC1003 IN (1,2) THEN R05R\_A\_CUR\_ESTD\_CIGS = 1; ELSE IF R05R\_A\_EVR\_THRSH\_CIGS = 2 OR R05\_AC1003 = 3 OR R05\_AC1002\_12M = 2 OR R05\_AC1002 = 2 THEN R05R\_A\_CUR\_ESTD\_CIGS = 2; ELSE IF R05R\_A\_EVR\_THRSH\_CIGS = -99999 OR R05\_AC1003 = -9 OR R05\_AC1002\_12M = -9 OR

```

R05_AC1002 = -9 THEN R05R_A_CUR_ESTD_CIGS = -99999; ELSE IF
R05R_A_EVR_THRSH_CIGS = -99988 OR R05_AC1003 = -8 OR
R05_AC1002_12M = -8 OR R05_AC1002 = -8 THEN
R05R_A_CUR_ESTD_CIGS = -99988; ELSE IF R05R_A_EVR_THRSH_CIGS
= -99977 OR R05_AC1003 = -7 OR R05_AC1002_12M = -7 OR
R05_AC1002 = -7 THEN R05R_A_CUR_ESTD_CIGS = -99977; ELSE IF
R05R_A_EVR_THRSH_CIGS = -99966 THEN R05R_A_CUR_ESTD_CIGS =
-99966; ELSE IF R05R_A_EVR_THRSH_CIGS = -99911 OR R05_AC1003 =
-1 OR R05_AC1002_12M = -1 OR R05_AC1002 = -1 THEN
R05R_A_CUR_ESTD_CIGS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	8590	25.0 %
2	2 = No	25693	74.9 %
	<b>Total</b>	<b>34,283</b>	<b>99.9%</b>

This variable has 34,283 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>26</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13117-13122 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EDSD\_CIGS: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Cigarette Smoker

*Long Description:* Wave 5 adult respondents who have ever smoked a cigarette and currently smoke every day or some days.

```

Algorithm: IF R05R_A_EVR_CIGS = 1 AND R05_AC1003 IN (1,2) THEN
R05R_A_CUR_EDSD_CIGS = 1; ELSE IF R05R_A_EVR_CIGS = 2 OR
R05_AC1002 = 2 OR R05_AC1003 = 3 OR R05_AC1002_12M = 2 THEN
R05R_A_CUR_EDSD_CIGS = 2; ELSE IF R05R_A_EVR_CIGS = -99999 OR
R05_AC1002 = -9 OR R05_AC1003 = -9 OR R05_AC1002_12M = -9
THEN R05R_A_CUR_EDSD_CIGS = -99999; ELSE IF R05R_A_EVR_CIGS =
-99988 OR R05_AC1002 = -8 OR R05_AC1003 = -8 OR

```

```

R05_AC1002_12M = -8 THEN R05R_A_CUR_EDSD_CIGS = -99988; ELSE
IF R05R_A_EVR_CIGS = -99977 OR R05_AC1002 = -7 OR R05_AC1003 =
-7 OR R05_AC1002_12M = -7 THEN R05R_A_CUR_EDSD_CIGS = -
99977; ELSE IF R05R_A_EVR_CIGS = -99966 THEN
R05R_A_CUR_EDSD_CIGS = -99966; ELSE IF R05R_A_EVR_CIGS = -
99911 OR R05_AC1002 = -1 OR R05_AC1003 = -1 OR
R05_AC1002_12M = -1 THEN R05R_A_CUR_EDSD_CIGS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	9427	27.5 %
2	2 = No	24869	72.5 %
	<b>Total</b>	<b>34,296</b>	<b>100.0%</b>

This variable has 34,296 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>13</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13123-13128 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EDY\_CIGS: DERIVED - Wave 5 Adult Current Every Day Cigarette Smoker

*Long Description:* Wave 5 adult respondents who have ever smoked a cigarette, have smoked at least 100 cigarettes in their lifetime, and currently smoke every day.

```

Algorithm: IF R05R_A_EVR_THRSH_CIGS = 1 AND R05_AC1003 = 1 THEN
R05R_A_EDY_CIGS = 1; ELSE IF R05R_A_EVR_THRSH_CIGS = 2 OR
R05_AC1003 IN (2,3) OR R05_AC1002_12M = 2 OR R05_AC1002 = 2
THEN R05R_A_EDY_CIGS = 2; ELSE IF R05R_A_EVR_THRSH_CIGS = -
99999 OR R05_AC1003 = -9 OR R05_AC1002_12M = -9 OR
R05_AC1002 = -9 THEN R05R_A_EDY_CIGS = -99999; ELSE IF
R05R_A_EVR_THRSH_CIGS = -99988 OR R05_AC1003 = -8 OR
R05_AC1002_12M = -8 OR R05_AC1002 = -8 THEN R05R_A_EDY_CIGS
= -99988; ELSE IF R05R_A_EVR_THRSH_CIGS = -99977 OR R05_AC1003
= -7 OR R05_AC1002_12M = -7 OR R05_AC1002 = -7 THEN
R05R_A_EDY_CIGS = -99977; ELSE IF R05R_A_EVR_THRSH_CIGS = -
99966 THEN R05R_A_EDY_CIGS = -99966; ELSE IF

```

R05R\_A\_EVR\_THRS\_CIGS = -99911 OR R05\_AC1003 = -1 OR  
 R05\_AC1002\_12M = -1 OR R05\_AC1002 = -1 THEN R05R\_A\_EDY\_CIGS  
 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6457	18.8 %
2	2 = No	27836	81.1 %
<b>Total</b>		<b>34,293</b>	<b>100.0%</b>

This variable has 34,293 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>16</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13129-13134 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_SDY\_CIGS: DERIVED - Wave 5 Adult Current Some Day Cigarette Smoker

Long Description: Wave 5 adult respondents who have smoked at least 100 cigarettes in their lifetime, and currently smoke some days.

Algorithm: IF R05R\_A\_EVR\_THRS\_CIGS = 1 AND R05\_AC1003 = 2 THEN  
 R05R\_A\_SDY\_CIGS = 1; ELSE IF R05R\_A\_EVR\_THRS\_CIGS = 2 OR  
 R05\_AC1003 IN (1, 3) OR R05\_AC1002\_12M = 2 OR R05\_AC1002 = 2  
 THEN R05R\_A\_SDY\_CIGS = 2; ELSE IF R05R\_A\_EVR\_THRS\_CIGS = -  
 99999 OR R05\_AC1003 = -9 OR R05\_AC1002\_12M = -9 OR  
 R05\_AC1002 = -9 THEN R05R\_A\_SDY\_CIGS = -99999; ELSE IF  
 R05R\_A\_EVR\_THRS\_CIGS = -99988 OR R05\_AC1003 = -8 OR  
 R05\_AC1002\_12M = -8 OR R05\_AC1002 = -8 THEN R05R\_A\_SDY\_CIGS  
 = -99988; ELSE IF R05R\_A\_EVR\_THRS\_CIGS = -99977 OR R05\_AC1003  
 = -7 OR R05\_AC1002\_12M = -7 OR R05\_AC1002 = -7 THEN  
 R05R\_A\_SDY\_CIGS = -99977; ELSE IF R05R\_A\_EVR\_THRS\_CIGS = -  
 99966 THEN R05R\_A\_SDY\_CIGS = -99966; ELSE IF  
 R05R\_A\_EVR\_THRS\_CIGS = -99911 OR R05\_AC1003 = -1 OR  
 R05\_AC1002\_12M = -1 OR R05\_AC1002 = -1 THEN R05R\_A\_SDY\_CIGS  
 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2133	6.2 %
2	2 = No	32154	93.7 %
	<b>Total</b>	<b>34,287</b>	<b>99.9%</b>

This variable has 34,287 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>22</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13135-13140 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P30D\_CIGS: DERIVED - Wave 5 Adult Past 30 Day Cigarette Smoker

Long Description: Wave 5 adult respondents who have smoked a cigarette within the past 30 days.

Algorithm: IF R05R\_A\_EVR\_CIGS = 1 AND (R05\_AC1004 = 1 OR R05\_AC0100RY IN (1,2,3,4) OR R05\_AC0100MC IN (1,2,3,4) OR (1 <= R05\_AC1009\_NN <= 30 AND R05\_AC1009\_UN = 1) OR (R05\_AC1009\_NN = 1 AND R05\_AC1009\_UN = 2) OR R05\_AC1022 > 0) THEN R05R\_A\_P30D\_CIGS = 1; ELSE IF R05R\_A\_EVR\_CIGS = 2 OR R05\_AC1002 = 2 OR R05\_AC1004 = 2 OR (R05\_AC1009\_NN > 30 AND R05\_AC1009\_UN = 1) OR (R05\_AC1009\_NN > 1 AND R05\_AC1009\_UN = 2) OR R05\_AC1009\_UN = 3 OR R05\_AC1022 = 0 THEN R05R\_A\_P30D\_CIGS = 2; ELSE IF R05R\_A\_EVR\_CIGS = -99999 OR R05\_AC1002 = -9 OR R05\_AC1004 = -9 OR R05\_AC0100RY = -9 OR R05\_AC0100MC = -9 OR R05\_AC1009\_NN = -9 OR R05\_AC1022 = -9 THEN R05R\_A\_P30D\_CIGS = -99999; ELSE IF R05R\_A\_EVR\_CIGS = -99988 OR R05\_AC1002 = -8 OR R05\_AC1004 = -8 OR R05\_AC0100RY = -8 OR R05\_AC0100MC = -8 OR R05\_AC1009\_NN = -8 OR R05\_AC1022 = -8 THEN R05R\_A\_P30D\_CIGS = -99988; ELSE IF R05R\_A\_EVR\_CIGS = -99977 OR R05\_AC1002 = -7 OR R05\_AC1004 = -7 OR R05\_AC0100RY = -7 OR R05\_AC0100MC = -7 OR R05\_AC1009\_NN = -7 OR R05\_AC1022 = -7 THEN R05R\_A\_P30D\_CIGS = -99977; ELSE IF R05\_AC1009\_NN = -5 THEN R05R\_A\_P30D\_CIGS = -99955; ELSE IF R05R\_A\_EVR\_CIGS = -99966 THEN R05R\_A\_P30D\_CIGS = -99966; ELSE IF R05R\_A\_EVR\_CIGS = -99911 OR R05\_AC1002 = -1 OR R05\_AC1004 = -1 OR R05\_AC0100RY = -1 OR R05\_AC0100MC = -1 OR

R05\_AC1009\_NN = -1 OR R05\_AC1022 = -1 THEN R05R\_A\_P30D\_CIGS  
= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10472	30.5 %
2	2 = No	23831	69.5 %
<b>Total</b>		<b>34,303</b>	<b>100.0%</b>

This variable has 34,303 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>6</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13141-13146 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## **R05R\_A\_NEW\_CIGS: DERIVED - Wave 5 Adult Never to Ever Cigarette Smoker**

**Long Description:** Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started smoking cigarettes between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started smoking cigarettes between Waves 4.5 and 5.

**Algorithm:** IF X04M\_EVR\_CIGS = 2 AND R05R\_A\_EVR\_CIGS = 1 AND  
(WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_CIGS = 1; ELSE IF  
(X04M\_EVR\_CIGS = 1 OR R05R\_A\_EVR\_CIGS = 2) AND (WAVE4\_INTERVIEW = 1  
OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND  
(WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_CIGS = 2; ELSE IF  
R05R\_A\_EVR\_CIGS = -99999 THEN R05R\_A\_NEW\_CIGS = -99999; ELSE IF  
R05R\_A\_EVR\_CIGS = -99988 THEN R05R\_A\_NEW\_CIGS = -99988; ELSE IF  
R05R\_A\_EVR\_CIGS = -99977 THEN R05R\_A\_NEW\_CIGS = -99977; ELSE IF  
X04M\_EVR\_CIGS IN (-99933, -99999, -99988, -99977, -99966, -99911) OR

R05R\_A\_EVR\_CIGS = -99966 OR WAVE4P5\_INTERVIEW = 9 OR  
 (WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW = 9) THEN R05R\_A\_NEW\_CIGS =  
 -99966; ELSE IF R05R\_A\_EVR\_CIGS = -99911 THEN R05R\_A\_NEW\_CIGS = -99911;

Notes: Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	715	2.1 %
2	2 = No	31935	93.1 %
	<b>Total</b>	<b>32,650</b>	<b>95.2%</b>

This variable has 32,650 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1655	4.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,659</b>	<b>4.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13147-13152 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## **R05R\_A\_CUR\_EXPR\_CIGS: DERIVED - Wave 5 Adult Current Experimental Cigarette Smoker**

Long Description: Wave 5 adult respondents who have not smoked at least 100 cigarettes in their lifetime, and currently smoke every day or some days.

Algorithm: IF R05R\_A\_EVR\_CIGS = 1 AND R05R\_A\_EVR\_THRSH\_CIGS = 2 AND R05\_AC1003 IN (1,2) THEN R05R\_A\_CUR\_EXPR\_CIGS = 1; ELSE IF R05R\_A\_EVR\_THRSH\_CIGS = 1 OR R05\_AC1003 = 3 OR R05\_AC1002\_12M = 2 OR R05\_AC1002 = 2 OR R05R\_A\_EVR\_CIGS = 2 THEN R05R\_A\_CUR\_EXPR\_CIGS = 2; ELSE IF R05R\_A\_EVR\_THRSH\_CIGS = -99999 OR R05\_AC1003 = -9 OR R05\_AC1002\_12M = -9 OR R05\_AC1002 = -9 OR R05R\_A\_EVR\_CIGS = -99999 THEN R05R\_A\_CUR\_EXPR\_CIGS = -99999; ELSE IF R05R\_A\_EVR\_THRSH\_CIGS = -99988 OR R05\_AC1003 = -8 OR R05\_AC1002\_12M = -8 OR R05\_AC1002 = -8 OR R05R\_A\_EVR\_CIGS = -99988 THEN R05R\_A\_CUR\_EXPR\_CIGS = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_CIGS = -99977 OR R05\_AC1003 = -7 OR R05\_AC1002\_12M = -7 OR

```

R05_AC1002 = -7 OR R05R_A_EVR_CIGS = -99977 THEN
R05R_A_CUR_EXPR_CIGS = -99977; ELSE IF R05R_A_EVR_THRSH_CIGS
= -99966 OR R05R_A_EVR_CIGS = -99966 THEN
R05R_A_CUR_EXPR_CIGS = -99966; ELSE IF R05R_A_EVR_THRSH_CIGS
= -99911 OR R05_AC1003 = -1 OR R05_AC1002_12M = -1 OR
R05_AC1002 = -1 OR R05R_A_EVR_CIGS = -99911 THEN
R05R_A_CUR_EXPR_CIGS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	823	2.4 %
2	2 = No	33466	97.5 %
	<b>Total</b>	<b>34,289</b>	<b>99.9%</b>

This variable has 34,289 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>20</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13153-13158 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_ESTD\_CIGS: DERIVED - Wave 5 Adult Former Established Cigarette Smoker

**Long Description:** Wave 5 adult respondents who have smoked at least 100 cigarettes in their lifetime, and have not smoked them within the past 12 months or currently smoke them not at all. Recanters are excluded from the derivation.

**Algorithm:** IF (R05R\_A\_EVR\_THRSH\_CIGS = 1 AND (R05\_AC1003 = 3 OR R05\_AC1002\_12M = 2 OR R05\_AC1002 = 2)) AND R05\_AC1010 != 3  
 THEN R05R\_A\_FMR\_ESTD\_CIGS = 1; ELSE IF  
 (R05R\_A\_EVR\_THRSH\_CIGS = 2 OR R05\_AC1003 IN (1, 2)) AND  
 R05\_AC1010 != 3 THEN R05R\_A\_FMR\_ESTD\_CIGS = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_CIGS = -99999 OR R05\_AC1003 = -9 OR  
 R05\_AC1002\_12M = -9 OR R05\_AC1002 = -9 OR R05\_AC1010 = -9  
 THEN R05R\_A\_FMR\_ESTD\_CIGS = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_CIGS = -99988 OR R05\_AC1003 = -8 OR  
 R05\_AC1002\_12M = -8 OR R05\_AC1002 = -8 OR R05\_AC1010 = -8  
 THEN R05R\_A\_FMR\_ESTD\_CIGS = -99988; ELSE IF

R05R\_A\_EVR\_THRSH\_CIGS = -99977 OR R05\_AC1003 = -7 OR  
 R05\_AC1002\_12M = -7 OR R05\_AC1002 = -7 OR R05\_AC1010 = -7  
 THEN R05R\_A\_FMR\_ESTD\_CIGS = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_CIGS = -99966 THEN R05R\_A\_FMR\_ESTD\_CIGS =  
 -99966; ELSE IF R05R\_A\_EVR\_THRSH\_CIGS = -99911 OR R05\_AC1003 =  
 -1 OR R05\_AC1002\_12M = -1 OR R05\_AC1002 = -1 OR R05\_AC1010 IN  
 (-1,3) T HEN R05R\_A\_FMR\_ESTD\_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6449	18.8 %
2	2 = No	26095	76.1 %
<b>Total</b>		<b>32,544</b>	<b>94.9%</b>

This variable has 32,544 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	122	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	70	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	26	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1546	4.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>1,765</b>	<b>5.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13159-13164 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_EXPR\_CIGS: DERIVED - Wave 5 Adult Former Experimental Cigarette Smoker

**Long Description:** Wave 5 adult respondents who have not smoked at least 100 cigarettes in their lifetime, and did not smoke them within the past 12 months or currently smoke not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R05R\_A\_EVR\_CIGS = 1 AND R05R\_A\_EVR\_THRSH\_CIGS = 2 AND  
 (R05\_AC1003 = 3 OR R05\_AC1002\_12M = 2 OR R05\_AC1002 = 2) AND  
 R05\_AC1010!= 3 THEN R05R\_A\_FMR\_EXPR\_CIGS = 1; ELSE IF  
 (R05R\_A\_EVR\_THRSH\_CIGS = 1 OR R05\_AC1003 IN (1,2) OR  
 R05R\_A\_EVR\_CIGS = 2) AND R05\_AC1010!= 3 THEN  
 R05R\_A\_FMR\_EXPR\_CIGS = 2; ELSE IF R05R\_A\_EVR\_THRSH\_CIGS = -  
 99999 OR R05R\_A\_EVR\_CIGS = -99999 OR R05\_AC1003 = -9 OR  
 R05\_AC1002\_12M = -9 OR R05\_AC1002 = -9 OR R05\_AC1010 = -9  
 THEN R05R\_A\_FMR\_EXPR\_CIGS = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_CIGS = -99988 OR R05R\_A\_EVR\_CIGS = -99988  
 OR R05\_AC1003 = -8 OR R05\_AC1002\_12M = -8 OR R05\_AC1002 = -8

OR R05\_AC1010 = -8 THEN R05R\_A\_FMR\_EXPR\_CIGS = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_CIGS = -99977 OR R05R\_A\_EVR\_CIGS = -99977  
 OR R05\_AC1003 = -7 OR R05\_AC1002\_12M = -7 OR R05\_AC1002 = -7  
 OR R05\_AC1010 = -7 THEN R05R\_A\_FMR\_EXPR\_CIGS = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_CIGS = -99966 OR R05R\_A\_EVR\_CIGS = -99966  
 THEN R05R\_A\_FMR\_EXPR\_CIGS = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_CIGS = -99911 OR R05R\_A\_EVR\_CIGS = -99911  
 OR R05\_AC1003 = -1 OR R05\_AC1002\_12M = -1 OR R05\_AC1002 = -1  
 OR R05\_AC1010 IN (-1,3) THEN R05R\_A\_FMR\_EXPR\_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	5677	16.5 %
2	2 = No	26873	78.3 %
	<b>Total</b>	<b>32,550</b>	<b>94.9%</b>

This variable has 32,550 valid cases out of 34,309 total cases.

Value	Missing Data	Unweighted Frequency	%
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	120	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	66	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	26	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1546	4.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,759</b>	<b>5.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13165-13170 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P12M\_CIGS: DERIVED - Wave 5 Adult Past 12 Month Cigarette Smokers

Long Description: Wave 5 adult respondents who have smoked a cigarette within the past 12 months.

Algorithm: IF R05R\_A\_EVR\_CIGS = 1 AND (R05\_AC1004 = 1 OR R05\_AC1002\_12M = 1 OR (R05\_AC1009\_UN = 1 AND 0 < R05\_AC1009\_NN <= 365) OR (R05\_AC1009\_UN = 2 AND 0 < R05\_AC1009\_NN <= 12) OR (R05\_AC1009\_UN = 3 AND R05\_AC1009\_NN = 1) OR R05\_AC0100MC in (1,2,3,4) OR R05\_AC0100RY in (1,2,3,4) OR R05\_AC1022>0) THEN R05R\_A\_P12M\_CIGS = 1; ELSE IF R05R\_A\_EVR\_CIGS = 2 OR R05\_AC1002 = 2 OR R05\_AC1002\_12M = 2 OR (R05\_AC1009\_UN = 1 AND R05\_AC1009\_NN > 365) OR (R05\_AC1009\_UN = 2 AND R05\_AC1009\_NN > 12) OR (R05\_AC1009\_UN = 3 AND R05\_AC1009\_NN > 1) THEN R05R\_A\_P12M\_CIGS = 2; ELSE IF R05R\_A\_EVR\_CIGS = -99999 OR R05\_AC1002 = -9 OR (R05\_AC1004 = -9 AND

R05\_AC1002\_12M = -1) OR R05\_AC1002\_12M = -9 OR  
 R05\_AC1009\_NN = -9 OR R05\_AC0100MC = -9 OR R05\_AC0100RY = -9  
 OR R05\_AC1022 = -9 THEN R05R\_A\_P12M\_CIGS = -99999; ELSE IF  
 R05R\_A\_EVR\_CIGS = -99988 OR R05\_AC1002 = -8 OR  
 R05\_AC1002\_12M = -8 OR R05\_AC1009\_NN = -8 OR R05\_AC0100MC =  
 -8 OR R05\_AC0100RY = -8 OR R05\_AC1022 = -8 THEN  
 R05R\_A\_P12M\_CIGS = -99988; ELSE IF R05R\_A\_EVR\_CIGS = -99977 OR  
 R05\_AC1002 = -7 OR R05\_AC1002\_12M = -7 OR R05\_AC1009\_NN = -7  
 OR R05\_AC0100MC = -7 OR R05\_AC0100RY = -7 OR R05\_AC1022 = -7  
 THEN R05R\_A\_P12M\_CIGS = -99977; ELSE IF R05\_AC1009\_NN in (0,-5)  
 THEN R05R\_A\_P12M\_CIGS = -99955; ELSE IF R05R\_A\_EVR\_CIGS = -  
 99966 THEN R05R\_A\_P12M\_CIGS = -99966; ELSE IF  
 R05R\_A\_EVR\_CIGS = -99911 OR R05\_AC1002 = -1 OR  
 R05\_AC1002\_12M = -1 OR R05\_AC1009\_NN = -1 OR R05\_AC0100MC  
 in (5,-1) OR R05\_AC0100RY in (5,-1) OR R05\_AC1022 = -1 THEN  
 R05R\_A\_P12M\_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	12841	37.4 %
2	2 = No	21460	62.5 %
	<b>Total</b>	<b>34,301</b>	<b>100.0%</b>

This variable has 34,301 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>8</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13171-13176 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_PERDAY\_EDY\_CIGS: DERIVED - Wave 5 Adult Average Number of Cigarettes Smoked Per Day, Among Everyday Established Smokers

Long Description: Wave 5 adult recode of average number of cigarettes smoked per day, among everyday established smokers, into single cigarettes.

```

Algorithm: IF R05_AC1021_UN = 1 AND R05_AC1021_NN >= 0 THEN
R05R_A_PERDAY_EDY_CIGS = R05_AC1021_NN; ELSE IF R05_AC1021_UN = 2 AND
R05_AC1021_NN >= 0 THEN R05R_A_PERDAY_EDY_CIGS = R05_AC1021_NN * 20;
ELSE IF R05_AC1021_NN = -9 THEN R05R_A_PERDAY_EDY_CIGS = -99999; ELSE
IF R05_AC1021_NN = -8 THEN R05R_A_PERDAY_EDY_CIGS = -99988; ELSE IF
R05_AC1021_NN = -7 THEN R05R_A_PERDAY_EDY_CIGS = -99977; ELSE IF
R05_AC1021_NN = -5 THEN R05R_A_PERDAY_EDY_CIGS = -99955; ELSE IF
R05_AC1021_NN = -1 THEN R05R_A_PERDAY_EDY_CIGS = -99911;

```

This variable has 6,447 valid cases out of 34,309 total cases.

- Mean: 17.14
- Median: 13.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 6500.00
- Standard Deviation: 86.86

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	27852	81.2 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>27,862</b>	<b>81.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13177-13182 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777)

## R05R\_A\_PERDAY\_P30D\_CIGS: DERIVED - Wave 5 Adult Average Number of Cigarettes Smoked Per Day on Days Smoked, Among Someday, Experimental, and Non-Current 30-Day Smokers

*Long Description:* Wave 5 adult recode of average number of cigarettes smoked per day on days smoked, among someday and experimental smokers who smoked at least one day in the past 30 days, or did not provide the number of days smoked in past 30 days, into single cigarettes.

```

Algorithm: IF R05_AC1023_UN = 1 AND R05_AC1023_NN>=0 THEN
R05R_A_PERDAY_P30D_CIGS = R05_AC1023_NN; ELSE IF R05_AC1023_UN = 2 AND
R05_AC1023_NN>=0 THEN R05R_A_PERDAY_P30D_CIGS = R05_AC1023_NN * 20;
ELSE IF R05_AC1023_NN=-9 THEN R05R_A_PERDAY_P30D_CIGS = -99999; ELSE
IF R05_AC1023_NN=-8 THEN R05R_A_PERDAY_P30D_CIGS = -99988; ELSE IF
R05_AC1023_NN=-7 THEN R05R_A_PERDAY_P30D_CIGS = -99977; ELSE IF

```

R05\_AC1023\_NN=-5 THEN R05R\_A\_PERDAY\_P30D\_CIGS = -99955; ELSE IF  
 R05\_AC1023\_NN=-1 THEN R05R\_A\_PERDAY\_P30D\_CIGS = -99911;

This variable has 3,449 valid cases out of 34,309 total cases.

- Mean: 9.32
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6620.00
- Standard Deviation: 125.85

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	30840	89.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>30,860</b>	<b>89.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13183-13188 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_PERDAY\_PAST\_CIGS: DERIVED - Wave 5 Adult Average Number of Cigarettes Smoked Per Day While Smoking Fairly Regularly in the Past

---

**Long Description:** Wave 5 adult recode of average number of cigarettes smoked per day while smoking fairly regularly in the past, among new baseline adult respondents who are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, or adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, into single cigarettes.

**Algorithm:** IF R05\_AC9005\_UN = 1 AND R05\_AC9005\_NN >= 0 THEN  
 R05R\_A\_PERDAY\_PAST\_CIGS = R05\_AC9005\_NN; ELSE IF R05\_AC9005\_UN = 2 AND  
 R05\_AC9005\_NN >= 0 THEN R05R\_A\_PERDAY\_PAST\_CIGS = R05\_AC9005\_NN \* 20;  
 ELSE IF R05\_AC9005\_NN = -9 THEN R05R\_A\_PERDAY\_PAST\_CIGS = -99999; ELSE  
 IF R05\_AC9005\_NN = -8 THEN R05R\_A\_PERDAY\_PAST\_CIGS = -99988; ELSE IF

R05\_AC9005\_NN = -7 THEN R05R\_A\_PERDAY\_PAST\_CIGS = -99977; ELSE IF  
 R05\_AC9005\_NN = -5 THEN R05R\_A\_PERDAY\_PAST\_CIGS = -99955; ELSE IF  
 R05\_AC9005\_NN = -1 THEN R05R\_A\_PERDAY\_PAST\_CIGS = -99911;

This variable has 60 valid cases out of 34,309 total cases.

- Mean: 8.45
- Median: 5.00
- Minimum: 0.00
- Maximum: 42.00
- Standard Deviation: 9.55

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34248	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,249</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13189-13194 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_PERDAY\_FMR\_CIGS: DERIVED - Wave 5 Adult Average Number of Cigarettes Smoked Per Day, Among Former Established Smokers, While Smoking Fairly Regularly

**Long Description:** Wave 5 adult recode of average number of cigarettes smoked per day, among new former established cigarette smokers who had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, into single cigarettes.

**Algorithm:** IF R05\_AC9003\_UN = 1 AND R05\_AC9003\_NN >= 0 THEN  
 R05R\_A\_PERDAY\_FMR\_CIGS = R05\_AC9003\_NN; ELSE IF R05\_AC9003\_UN = 2 AND  
 R05\_AC9003\_NN >= 0 THEN R05R\_A\_PERDAY\_FMR\_CIGS = R05\_AC9003\_NN \* 20;  
 ELSE IF R05\_AC9003\_NN = -9 THEN R05R\_A\_PERDAY\_FMR\_CIGS = -99999; ELSE  
 IF R05\_AC9003\_NN = -8 THEN R05R\_A\_PERDAY\_FMR\_CIGS = -99988; ELSE IF  
 R05\_AC9003\_NN = -7 THEN R05R\_A\_PERDAY\_FMR\_CIGS = -99977; ELSE IF  
 R05\_AC9003\_NN = -5 THEN R05R\_A\_PERDAY\_FMR\_CIGS = -99955; ELSE IF  
 R05\_AC9003\_NN = -1 THEN R05R\_A\_PERDAY\_FMR\_CIGS = -99911;

This variable has 192 valid cases out of 34,309 total cases.

- Mean: 13.78

- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 400.00
- Standard Deviation: 34.72

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34114	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,117</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13195-13200 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R05R\_A\_MNTHSMK\_CIGS: DERIVED - Wave 5 Adult Number of Months Smoked Cigarettes Fairly Regularly

Long Description: Wave 5 Adult - Recode of length of time smoked cigarettes fairly regularly into months.

```
Algorithm: IF R05_AC9002_UN =1 AND R05_AC9002_NN >= 0 THEN
R05R_A_MNTHSMK_CIGS = R05_AC9002_NN; ELSE IF R05_AC9002_UN =2 AND
R05_AC9002_NN >= 0 THEN R05R_A_MNTHSMK_CIGS = R05_AC9002_NN * 12; ELSE
IF R05_AC9002_NN =-9 THEN R05R_A_MNTHSMK_CIGS =-99999; ELSE IF
R05_AC9002_NN =-8 THEN R05R_A_MNTHSMK_CIGS =-99988; ELSE IF
R05_AC9002_NN =-7 THEN R05R_A_MNTHSMK_CIGS =-99977; ELSE IF
R05_AC9002_NN =-5 THEN R05R_A_MNTHSMK_CIGS =-99955; ELSE IF
R05_AC9002_NN =-1 THEN R05R_A_MNTHSMK_CIGS =-99911;
```

This variable has 667 valid cases out of 34,309 total cases.

- Mean: 75.69
- Median: 24.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 792.00
- Standard Deviation: 132.35

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33635	98.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,642</b>	<b>98.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13201-13206 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_MINFIRST\_CIGS: DERIVED - Wave 5 Adult Number of Minutes From Waking Up to Smoking First Cigarette

Long Description: Wave 5 Adult current established cigarette smokers - Recode of length of time from waking up to smoking first cigarette into minutes

```
Algorithm: IF R05_AC1024_UN = 1 AND R05_AC1024_NN >= 0 THEN
R05R_A_MINFIRST_CIGS = R05_AC1024_NN; ELSE IF R05_AC1024_UN = 2 AND
R05_AC1024_NN >= 0 THEN R05R_A_MINFIRST_CIGS = R05_AC1024_NN * 60;
ELSE IF R05_AC1024_NN = -9 THEN R05R_A_MINFIRST_CIGS = -99999; ELSE
IF R05_AC1024_NN = -8 THEN R05R_A_MINFIRST_CIGS = -99988; ELSE IF
R05_AC1024_NN = -7 THEN R05R_A_MINFIRST_CIGS = -99977; ELSE IF
R05_AC1024_NN = -5 THEN R05R_A_MINFIRST_CIGS = -99955; ELSE IF
R05_AC1024_NN = -1 THEN R05R_A_MINFIRST_CIGS = -99911;
```

This variable has 9,340 valid cases out of 34,309 total cases.

- Mean: 107.06
- Median: 30.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 187.69

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	60	0.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.1 %	

<b>Missing Data</b>			
-99955	-99955 = Missing due to an improbable response on one or more component variables	6	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	24881	72.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>24,969</b>	<b>72.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13207-13212 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_MINFIRST\_30D\_CIGS: DERIVED - Wave 5 Adult Former Past 30 Day Cigarette Smoker - Number of Minutes From Waking Up to Smoking First Cigarette

Long Description: Wave 5 Adult former cigarette smokers who have smoked in the past 30 days - Recode of length of time from waking up to smoking first cigarette into minutes.

```
Algorithm: IF R05_AC1024_30D_UN = 1 AND R05_AC1024_30D_NN >= 0 THEN
R05R_A_MINFIRST_30D_CIGS = R05_AC1024_30D_NN; ELSE IF
R05_AC1024_30D_UN = 2 AND R05_AC1024_30D_NN >= 0 THEN
R05R_A_MINFIRST_30D_CIGS = R05_AC1024_30D_NN 60; ELSE IF
R05_AC1024_30D_NN = -9 THEN R05R_A_MINFIRST_30D_CIGS = -99999; ELSE IF
R05_AC1024_30D_NN = -8 THEN R05R_A_MINFIRST_30D_CIGS = -99988; ELSE IF
R05_AC1024_30D_NN = -7 THEN R05R_A_MINFIRST_30D_CIGS = -99977; ELSE IF
R05_AC1024_30D_NN = -5 THEN R05R_A_MINFIRST_30D_CIGS = -99955; ELSE IF
R05_AC1024_30D_NN = -1 THEN R05R_A_MINFIRST_30D_CIGS = -99911;
```

This variable has 1,084 valid cases out of 34,309 total cases.

- Mean: 314.50
- Median: 180.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 337.36

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	63	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33143	96.6 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>33,225</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13213-13218 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSQUIT\_CIGS: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Cigarette (Non-Current Smokers)

Long Description: Wave 5 adult recode of length of time since last smoked a cigarette into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

```
Algorithm: IF R05_AC1009_UN = 1 AND R05_AC1009_NN >= 0 THEN
R05R_A_DAYSQUIT_CIGS = R05_AC1009_NN; ELSE IF R05_AC1009_UN = 2 AND
R05_AC1009_NN >= 0 THEN R05R_A_DAYSQUIT_CIGS = R05_AC1009_NN * 30.4375;
ELSE IF R05_AC1009_UN = 3 AND R05_AC1009_NN >= 0 THEN R05R_A_DAYSQUIT_CIGS =
R05_AC1009_NN * 365.25; ELSE IF R05_AC1009_NN = -9 THEN
R05R_A_DAYSQUIT_CIGS = -99999; ELSE IF R05_AC1009_NN = -8 THEN
R05R_A_DAYSQUIT_CIGS = -99988; ELSE IF R05_AC1009_NN = -7 THEN
R05R_A_DAYSQUIT_CIGS = -99977; ELSE IF R05_AC1009_NN = -5 THEN
R05R_A_DAYSQUIT_CIGS = -99955; ELSE IF R05_AC1009_NN = -1 THEN
R05R_A_DAYSQUIT_CIGS = -99911;
```

This variable has 4,234 valid cases out of 34,309 total cases.

- Mean: 764.3899
- Median: 182.6250
- Mode: 365.2500
- Minimum: 1.0000
- Maximum: 23741.2500
- Standard Deviation: 2107.9262

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	50	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	25	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	191	0.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	29808	86.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>30,075</b>	<b>87.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13219-13229 (width: 11; decimal: 4)

*Variable Type:* numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSLASTUSED\_CIGS: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Cigarette (Some Day or Current Experimental Smokers)

Long Description: Wave 5 adult some day, current experimental, or former 30 day cigarette smokers who have not used in the past 30 days - Recode of length of time since last smoked cigarettes into days.

Algorithm: IF R05\_AC9029\_UN = 1 AND R05\_AC9029\_NN >= 0 THEN  
R05R\_A\_DAYSLASTUSED\_CIGS = R05\_AC9029\_NN; ELSE IF R05\_AC9029\_UN = 2  
AND R05\_AC9029\_NN >= 0 THEN R05R\_A\_DAYSLASTUSED\_CIGS =  
R05\_AC9029\_NN \* 30.4375; ELSE IF R05\_AC9029\_UN = 3 AND R05\_AC9029\_NN >=  
0 THEN R05R\_A\_DAYSLASTUSED\_CIGS = R05\_AC9029\_NN \* 365.25; ELSE IF  
R05\_AC9029\_NN = -9 THEN R05R\_A\_DAYSLASTUSED\_CIGS = -99999; ELSE IF  
R05\_AC9029\_NN = -8 THEN R05R\_A\_DAYSLASTUSED\_CIGS = -99988; ELSE IF  
R05\_AC9029\_NN = -7 THEN R05R\_A\_DAYSLASTUSED\_CIGS = -99977; ELSE IF  
R05\_AC9029\_NN = -5 THEN R05R\_A\_DAYSLASTUSED\_CIGS = -99955; ELSE IF  
R05\_AC9029\_NN = -1 THEN R05R\_A\_DAYSLASTUSED\_CIGS = -99911;

This variable has 198 valid cases out of 34,309 total cases.

- Mean: 480.3283
- Median: 91.3125
- Mode: 60.8750
- Minimum: 30.0000
- Maximum: 11322.7500
- Standard Deviation: 1281.2756

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	39	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34068	99.3 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,111</b>	<b>99.4%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 13230-13240 (width: 11; decimal: 4)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSBRAND\_CIGSMFG: DERIVED - Wave 5 Adult Number of Days Smoking Regular Brand of Manufactured Cigarettes

Long Description: Wave 5 Adult current, experimental current, past 30 day or new former cigarette smokers who have a regular brand - Recode of length of time smoking regular brand of manufactured cigarettes into days.

```
Algorithm: IF R05_AC1051MC_UN = 1 AND R05_AC1051MC_NN >= 0 THEN
R05R_A_DAYSBRAND_CIGSMFG = R05_AC1051MC_NN; ELSE IF R05_AC1051MC_UN = 2
AND R05_AC1051MC_NN >= 0 THEN R05R_A_DAYSBRAND_CIGSMFG =
R05_AC1051MC_NN * 30.4375; ELSE IF R05_AC1051MC_UN = 3 AND
R05_AC1051MC_NN >= 0 THEN R05R_A_DAYSBRAND_CIGSMFG =
R05_AC1051MC_NN * 365.25; ELSE IF R05_AC1051MC_NN = -9 THEN
R05R_A_DAYSBRAND_CIGSMFG = -99999; ELSE IF R05_AC1051MC_NN = -8 THEN
R05R_A_DAYSBRAND_CIGSMFG = -99988; ELSE IF R05_AC1051MC_NN = -7 THEN
R05R_A_DAYSBRAND_CIGSMFG = -99977; ELSE IF R05_AC1051MC_NN = -5 THEN
R05R_A_DAYSBRAND_CIGSMFG = -99955; ELSE IF R05_AC1051MC_NN = -1 THEN
R05R_A_DAYSBRAND_CIGSMFG = -99911;
```

This variable has 9,364 valid cases out of 34,309 total cases.

- Mean: 3671.8373
- Median: 2191.5000
- Mode: 1826.2500
- Minimum: 0.0000
- Maximum: 27393.7500
- Standard Deviation: 4026.5707

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	53	0.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	9	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	24875	72.5 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>24,945</b>	<b>72.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13241-13251 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSBRAND\_CIGSRYO: DERIVED - Wave 5 Adult Number of Days Smoking Regular Brand of Roll-Your-Own Cigarette Tobacco

Long Description: Wave 5 Adult current, experimental current, past 30 day or new former cigarette smokers who have a regular brand - Recode of length of time smoking regular brand of roll-your-own cigarette tobacco into days.

```

Algorithm: IF R05_AC1051RY_UN = 1 AND R05_AC1051RY_NN >= 0 THEN
R05R_A_DAYSBRAND_CIGSRYO = R05_AC1051RY_NN; ELSE IF R05_AC1051RY_UN = 2
AND R05_AC1051RY_NN >= 0 THEN R05R_A_DAYSBRAND_CIGSRYO =
R05_AC1051RY_NN * 30.4375; ELSE IF R05_AC1051RY_UN = 3 AND
R05_AC1051RY_NN >= 0 THEN R05R_A_DAYSBRAND_CIGSRYO =
R05_AC1051RY_NN * 365.25; ELSE IF R05_AC1051RY_NN = -9 THEN
R05R_A_DAYSBRAND_CIGSRYO = -99999; ELSE IF R05_AC1051RY_NN = -8 THEN
R05R_A_DAYSBRAND_CIGSRYO = -99988; ELSE IF R05_AC1051RY_NN = -7 THEN
R05R_A_DAYSBRAND_CIGSRYO = -99977; ELSE IF R05_AC1051RY_NN = -5 THEN
R05R_A_DAYSBRAND_CIGSRYO = -99955; ELSE IF R05_AC1051RY_NN = -1 THEN
R05R_A_DAYSBRAND_CIGSRYO = -99911;

```

This variable has 710 valid cases out of 34,309 total cases.

- Mean: 1914.9940
- Median: 1095.7500
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 19723.5000
- Standard Deviation: 2256.3912

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33592	97.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,599</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13252-13262 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_NUMDAYS\_CIGS: DERIVED - Wave 5 Adult Past 30 Day Cigarette Smoking Frequency

Long Description: Wave 5 adult number of days smoked cigarettes within the past 30 days.

```

Algorithm: IF R05_AC1003 = 1 THEN R05R_A_NUMDAYS_CIGS = 30; ELSE IF
R05_AC1022 ! IN (-1, -5, -7, -8, -9, 0) THEN R05R_A_NUMDAYS_CIGS =
R05_AC1022; ELSE IF R05_AC1003 = -9 OR R05_AC1022 = -9 THEN
R05R_A_NUMDAYS_CIGS = -99999; ELSE IF R05_AC1003 = -8 OR R05_AC1022 =
-8 THEN R05R_A_NUMDAYS_CIGS = -99988; ELSE IF R05_AC1003 = -7 OR
R05_AC1022 = -7 THEN R05R_A_NUMDAYS_CIGS = -99977; ELSE IF R05_AC1022
IN (0,-5) THEN R05R_A_NUMDAYS_CIGS = -99955; ELSE IF R05_AC1003 = -1
OR R05_AC1022 = -1 THEN R05R_A_NUMDAYS_CIGS = -99911;

```

This variable has 9,914 valid cases out of 34,309 total cases.

- Mean: 23.26
- Median: 30.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.00

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	659	1.9 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	23707	69.1 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>24,395</b>	<b>71.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13263-13268 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_EVR\_EPRODS: DERIVED - Wave 5 Adult Ever Electronic Nicotine Product User

Long Description: Wave 5 adult respondents who have ever used any electronic nicotine products.

Algorithm: IF X04M\_EVR\_EPRODS = 1 OR R05\_AV1002 = 1 OR R05\_AV1004 = 1  
 OR R05\_AV1002\_12M = 1 THEN R05R\_A\_EVR\_EPRODS = 1; ELSE IF  
 (X04M\_EVR\_EPRODS = 2 AND R05\_AV1002\_12M = 2 AND X04M\_SKIPPED\_WAVE = 2)  
 OR R05\_AV1002 = 2 THEN R05R\_A\_EVR\_EPRODS = 2; ELSE IF (R05\_AV1004 = -9  
 AND R05\_AV1002\_12M = -1) OR R05\_AV1002\_12M = -9 OR R05\_AV1002 = -9  
 THEN R05R\_A\_EVR\_EPRODS = -99999; ELSE IF R05\_AV1002\_12M = -8 OR  
 R05\_AV1002 = -8 THEN R05R\_A\_EVR\_EPRODS = -99988; ELSE IF  
 R05\_AV1002\_12M = -7 OR R05\_AV1002 = -7 THEN R05R\_A\_EVR\_EPRODS = -99977;  
 ELSE IF X04M\_EVR\_EPRODS IN (-99933,-99999,-99988,-99977,-99966,  
 -99911) OR X04M\_SKIPPED\_WAVE = 1 THEN R05R\_A\_EVR\_EPRODS = -99966;  
 ELSE IF R05\_AV1002\_12M = -1 OR R05\_AV1002 = -1 THEN  
 R05R\_A\_EVR\_EPRODS = -99911;

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before used electronic nicotine products and who had never skipped a wave were asked about electronic nicotine product use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before used electronic nicotine products and who had never skipped a wave who did not use electronic nicotine products in the past 12 months at Wave 5 are considered never electronic nicotine product users in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17495	51.0 %
2	2 = No	16719	48.7 %
	<b>Total</b>	<b>34,214</b>	<b>99.7%</b>

This variable has 34,214 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	85	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>95</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13269-13274 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EVR\_THRSH\_EPRODS: DERIVED - Wave 5 Adult Electronic Nicotine Product Lifetime Threshold of Use- Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have ever used any electronic nicotine product fairly regularly.

Algorithm: IF R05R\_A\_EVR\_EPRODS = 1 AND (X04M\_EVR\_THRSH\_EPRODS = 1 OR R05\_AV1100 = 1) THEN R05R\_A\_EVR\_THRSH\_EPRODS = 1; ELSE IF R05R\_A\_EVR\_EPRODS = 2 OR (R05R\_A\_EVR\_EPRODS = 1 AND R05\_AV1100 = 2) THEN R05R\_A\_EVR\_THRSH\_EPRODS = 2; ELSE IF R05R\_A\_EVR\_EPRODS = -99999 OR R05\_AV1100 = -9 THEN R05R\_A\_EVR\_THRSH\_EPRODS = -99999; ELSE IF R05R\_A\_EVR\_EPRODS = -99988 OR R05\_AV1100 = -8 THEN R05R\_A\_EVR\_THRSH\_EPRODS = -99988; ELSE IF R05R\_A\_EVR\_EPRODS = -99977 OR R05\_AV1100 = -7 THEN R05R\_A\_EVR\_THRSH\_EPRODS = -99977; ELSE IF R05R\_A\_EVR\_EPRODS = -99966 THEN R05R\_A\_EVR\_THRSH\_EPRODS = -99966; ELSE IF R05R\_A\_EVR\_EPRODS = -99911 OR R05\_AV1100 = -1 THEN R05R\_A\_EVR\_THRSH\_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6512	19.0 %
2	2 = No	25769	75.1 %
	<b>Total</b>	<b>32,281</b>	<b>94.1%</b>

This variable has 32,281 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	85	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1920	5.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>2,028</b>	<b>5.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13275-13280 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_ESTD\_EPRODS: DERIVED - Wave 5 Adult Current Established Electronic Nicotine Product User

**Long Description:** Wave 5 adult respondents who have ever used any electronic nicotine products, have ever used them fairly regularly, and currently use every day or some days.

```
Algorithm: IF R05R_A_EVR_THRSH_EPRODS = 1 AND R05_AV1003 IN (1,2) THEN
R05R_A_CUR_ESTD_EPRODS = 1; ELSE IF
R05R_A_EVR_THRSH_EPRODS = 2 OR R05_AV1003 = 3 OR
R05_AV1002_12M = 2 OR R05_AV1002 = 2 THEN
R05R_A_CUR_ESTD_EPRODS = 2; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99999 OR R05_AV1003 = -9 OR
R05_AV1002_12M = -9 OR R05_AV1002 = -9 THEN
R05R_A_CUR_ESTD_EPRODS = -99999; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99988 OR R05_AV1003 = -8 OR
R05_AV1002_12M = -8 OR R05_AV1002 = -8 THEN
R05R_A_CUR_ESTD_EPRODS = -99988; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99977 OR R05_AV1003 = -7 OR
R05_AV1002_12M = -7 OR R05_AV1002 = -7 THEN
R05R_A_CUR_ESTD_EPRODS = -99977; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99966 THEN
R05R_A_CUR_ESTD_EPRODS = -99966; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99911 OR R05_AV1003 = -1 OR
R05_AV1002_12M = -1 OR R05_AV1002 = -1 THEN
R05R_A_CUR_ESTD_EPRODS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	3172	9.2 %
2	2 = No	31119	90.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>34,291</b>	<b>99.9%</b>

This variable has 34,291 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>18</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13281-13286 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

---

## R05R\_A\_CUR\_EDSD\_EPRODS: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Electronic Nicotine Product User

Long Description: Wave 5 adult respondents who have ever used any electronic nicotine products and currently use every day or some days.

Algorithm: IF R05R\_A\_EVR\_EPRODS = 1 AND R05\_AV1003 IN (1,2) THEN  
 R05R\_A\_CUR\_EDSD\_EPRODS = 1; ELSE IF R05R\_A\_EVR\_EPRODS = 2 OR  
 R05\_AV1003 = 3 OR R05\_AV1002\_12M = 2 OR R05\_AV1002 = 2 THEN  
 R05R\_A\_CUR\_EDSD\_EPRODS = 2; ELSE IF R05R\_A\_EVR\_EPRODS = -  
 99999 OR R05\_AV1003 = -9 OR R05\_AV1002\_12M = -9 OR  
 R05\_AV1002 = -9 THEN R05R\_A\_CUR\_EDSD\_EPRODS = -99999; ELSE IF  
 R05R\_A\_EVR\_EPRODS = -99988 OR R05\_AV1003 = -8 OR  
 R05\_AV1002\_12M = -8 OR R05\_AV1002 = -8 THEN  
 R05R\_A\_CUR\_EDSD\_EPRODS = -99988; ELSE IF R05R\_A\_EVR\_EPRODS  
 = -99977 OR R05\_AV1003 = -7 OR R05\_AV1002\_12M = -7 OR  
 R05\_AV1002 = -7 THEN R05R\_A\_CUR\_EDSD\_EPRODS = -99977; ELSE IF  
 R05R\_A\_EVR\_EPRODS = -99966 THEN R05R\_A\_CUR\_EDSD\_EPRODS = -  
 99966; ELSE IF R05R\_A\_EVR\_EPRODS = -99911 OR R05\_AV1003 = -1  
 OR R05\_AV1002\_12M = -1 OR R05\_AV1002 = -1 THEN  
 R05R\_A\_CUR\_EDSD\_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4483	13.1 %
2	2 = No	29811	86.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>34,294</b>	<b>100.0%</b>

This variable has 34,294 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>15</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13287-13292 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

---

## R05R\_A\_EDY\_EPRODS: DERIVED - Wave 5 Adult Current Every Day Electronic Nicotine Product User

**Long Description:** Wave 5 adult respondents who have ever used any electronic nicotine products, have ever used them fairly regularly, and currently use every day.

**Algorithm:** IF R05R\_A\_EVR\_THRSH\_EPRODS = 1 AND R05\_AV1003 = 1 THEN  
 R05R\_A\_EDY\_EPRODS = 1; ELSE IF R05R\_A\_EVR\_THRSH\_EPRODS = 2  
 OR R05\_AV1003 IN (2,3) OR R05\_AV1002\_12M = 2 OR R05\_AV1002 =  
 2 THEN R05R\_A\_EDY\_EPRODS = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99999 OR R05\_AV1003 = -9 OR  
 R05\_AV1002\_12M = -9 OR R05\_AV1002 = -9 THEN  
 R05R\_A\_EDY\_EPRODS = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99988 OR R05\_AV1003 = -8 OR  
 R05\_AV1002\_12M = -8 OR R05\_AV1002 = -8 THEN  
 R05R\_A\_EDY\_EPRODS = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99977 OR R05\_AV1003 = -7 OR  
 R05\_AV1002\_12M = -7 OR R05\_AV1002 = -7 THEN  
 R05R\_A\_EDY\_EPRODS = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99966 THEN R05R\_A\_EDY\_EPRODS =  
 -99966; ELSE IF R05R\_A\_EVR\_THRSH\_EPRODS = -99911 OR  
 R05\_AV1003 = -1 OR R05\_AV1002\_12M = -1 OR R05\_AV1002 = -1  
 THEN R05R\_A\_EDY\_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1617	4.7 %
2	2 = No	32677	95.2 %
	<b>Total</b>	<b>34,294</b>	<b>100.0%</b>

This variable has 34,294 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>15</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13293-13298 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

---

## R05R\_A\_SDY\_EPRODS: DERIVED - Wave 5 Adult Current Some Day Electronic Nicotine Product User

**Long Description:** Wave 5 adult respondents who have ever used any electronic nicotine products, have ever used them fairly regularly, and currently use some days.

**Algorithm:** IF R05R\_A\_EVR\_THRSH\_EPRODS = 1 AND R05\_AV1003 = 2 THEN  
 R05R\_A\_SDY\_EPRODS = 1; ELSE IF R05R\_A\_EVR\_THRSH\_EPRODS = 2  
 OR R05\_AV1003 IN (1, 3) OR R05\_AV1002\_12M = 2 OR R05\_AV1002 =  
 2 THEN R05R\_A\_SDY\_EPRODS = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99999 OR R05\_AV1003 = -9 OR  
 R05\_AV1002\_12M = -9 OR R05\_AV1002 = -9 THEN  
 R05R\_A\_SDY\_EPRODS = -99999; ELSE IF R05R\_A\_EVR\_THRSH\_EPRODS  
 = -99988 OR R05\_AV1003 = -8 OR R05\_AV1002\_12M = -8 OR  
 R05\_AV1002 = -8 THEN R05R\_A\_SDY\_EPRODS = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99977 OR R05\_AV1003 = -7 OR  
 R05\_AV1002\_12M = -7 OR R05\_AV1002 = -7 THEN  
 R05R\_A\_SDY\_EPRODS = -99977; ELSE IF R05R\_A\_EVR\_THRSH\_EPRODS  
 = -99966 THEN R05R\_A\_SDY\_EPRODS = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99911 OR R05\_AV1003 = -1 OR  
 R05\_AV1002\_12M = -1 OR R05\_AV1002 = -1 THEN  
 R05R\_A\_SDY\_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1555	4.5 %
2	2 = No	32737	95.4 %
	<b>Total</b>	<b>34,292</b>	<b>100.0%</b>

This variable has 34,292 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>17</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13299-13304 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P30D\_EPRODS: DERIVED - Wave 5 Adult Past 30 Day Electronic Nicotine Product User

Long Description: Wave 5 adult respondents who have used an electronic nicotine product within the past 30 days.

Algorithm: IF R05R\_A\_EVR\_EPRODS = 1 AND (R05\_AV1004 = 1 OR R05\_AV0100 IN (1,2,3,4) OR (1 <= R05\_AV1009\_NN <= 30 AND R05\_AV1009\_UN = 1) OR (R05\_AV1009\_NN = 1 AND R05\_AV1009\_UN = 2) OR R05\_AV1022 > 0) THEN R05R\_A\_P30D\_EPRODS = 1; ELSE IF R05R\_A\_EVR\_EPRODS = 2 OR R05\_AV1002 = 2 OR R05\_AV1004 = 2 OR (R05\_AV1009\_NN > 30 AND R05\_AV1009\_UN = 1) OR (R05\_AV1009\_NN > 1 AND R05\_AV1009\_UN = 2) OR R05\_AV1009\_UN = 3 OR R05\_AV1022 = 0 THEN R05R\_A\_P30D\_EPRODS = 2; ELSE IF R05R\_A\_EVR\_EPRODS = -99999 OR R05\_AV1002 = -9 OR R05\_AV1004 = -9 OR R05\_AV0100 = -9 OR R05\_AV1009\_NN = -9 OR R05\_AV1022 = -9 THEN R05R\_A\_P30D\_EPRODS = -99999; ELSE IF R05R\_A\_EVR\_EPRODS = -99988 OR R05\_AV1002 = -8 OR R05\_AV1004 = -8 OR R05\_AV0100 = -8 OR R05\_AV1009\_NN = -8 OR R05\_AV1022 = -8 THEN R05R\_A\_P30D\_EPRODS = -99988; ELSE IF R05R\_A\_EVR\_EPRODS = -99977 OR R05\_AV1002 = -7 OR R05\_AV1004 = -7 OR R05\_AV0100 = -7 OR R05\_AV1009\_NN = -7 OR R05\_AV1022 = -7 THEN R05R\_A\_P30D\_EPRODS = -99977; ELSE IF R05\_AV1009\_NN = -5 THEN R05R\_A\_P30D\_EPRODS = -99955; ELSE IF R05R\_A\_EVR\_EPRODS = -99966 THEN R05R\_A\_P30D\_EPRODS = -99966; ELSE IF

R05R\_A\_EVR\_EPRODS = -99911 OR R05\_AV1002 = -1 OR R05\_AV1004  
= -1 OR R05\_AV100 = -1 OR R05\_AV1009\_NN = -1 OR R05\_AV1022 = -1  
THEN R05R\_A\_P30D\_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6125	17.9 %
2	2 = No	28163	82.1 %
	<b>Total</b>	<b>34,288</b>	<b>99.9%</b>

This variable has 34,288 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>21</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13305-13310 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_NEW\_EPRODS: DERIVED - Wave 5 Adult Never to Ever Electronic Nicotine Product User

**Long Description:** Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started using electronic nicotine products between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started using electronic nicotine products between Waves 4.5 and 5.

**Algorithm:** IF X04M\_EVR\_EPRODS = 2 AND R05R\_A\_EVR\_EPRODS = 1 AND (WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_EPRODS = 1; ELSE IF (X04M\_EVR\_EPRODS = 1 OR R05R\_A\_EVR\_EPRODS = 2) AND (WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_EPRODS = 2; ELSE IF R05R\_A\_EVR\_EPRODS = -99999 THEN R05R\_A\_NEW\_EPRODS = -99999; ELSE IF R05R\_A\_EVR\_EPRODS = -99988 THEN R05R\_A\_NEW\_EPRODS = -99988; ELSE IF

```

R05R_A_EVR_EPRODS = -99977 THEN R05R_A_NEW_EPRODS = -99977; ELSE IF
X04M_EVR_EPRODS IN (-99933, -99999, -99988, -99977, -99966, -99911)
OR R05R_A_EVR_EPRODS = -99966 OR WAVE4P5_INTERVIEW = 9 OR
(WAVE4P5_INTERVIEW = 0 AND WAVE4_INTERVIEW = 9) THEN
R05R_A_NEW_EPRODS = -99966; ELSE IF R05R_A_EVR_EPRODS = -99911 THEN
R05R_A_NEW_EPRODS = -99911;

```

Notes: Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1589	4.6 %
2	2 = No	30920	90.1 %
	<b>Total</b>	<b>32,509</b>	<b>94.8%</b>

This variable has 32,509 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1790	5.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,800</b>	<b>5.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13311-13316 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EXPR\_EPRODS: DERIVED - Wave 5 Adult Current Experimental Electronic Nicotine Product User

Long Description: Wave 5 adult respondents who have never used any electronic nicotine products fairly regularly, and currently use every day or some days.

```

Algorithm: IF R05R_A_EVR_EPRODS = 1 AND R05R_A_EVR_THRSH_EPRODS = 2
AND R05_AV1003 IN (1,2) THEN R05R_A_CUR_EXPR_EPRODS = 1;
ELSE IF R05R_A_EVR_THRSH_EPRODS = 1 OR R05_AV1003 = 3 OR
R05_AV1002_12M = 2 OR R05_AV1002 = 2 OR R05R_A_EVR_EPRODS
= 2 THEN R05R_A_CUR_EXPR_EPRODS = 2; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99999 OR R05_AV1003 = -9 OR
R05_AV1002_12M = -9 OR R05_AV1002 = -9 OR R05R_A_EVR_EPRODS

```

```

= -99999 THEN R05R_A_CUR_EXPR_EPRODS = -99999; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99988 OR R05_AV1003 = -8 OR
R05_AV1002_12M = -8 OR R05_AV1002 = -8 OR R05R_A_EVR_EPRODS
= -99988 THEN R05R_A_CUR_EXPR_EPRODS = -99988; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99977 OR R05_AV1003 = -7 OR
R05_AV1002_12M = -7 OR R05_AV1002 = -7 OR R05R_A_EVR_EPRODS
= -99977 THEN R05R_A_CUR_EXPR_EPRODS = -99977; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99966 OR R05R_A_EVR_EPRODS = -
99966 THEN R05R_A_CUR_EXPR_EPRODS = -99966; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99911 OR R05_AV1003 = -1 OR
R05_AV1002_12M = -1 OR R05_AV1002 = -1 OR R05R_A_EVR_EPRODS
= -99911 THEN R05R_A_CUR_EXPR_EPRODS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1307	3.8 %
2	2 = No	32984	96.1 %
	<b>Total</b>	<b>34,291</b>	<b>99.9%</b>

This variable has 34,291 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>18</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13317-13322 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_ESTD\_EPRODS: DERIVED - Wave 5 Adult Former Established Electronic Nicotine Product User

**Long Description:** Wave 5 adult respondents who have ever used any electronic nicotine products fairly regularly, have not used them within the past 12 months or currently use them not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R05R\_A\_EVR\_THRSH\_EPRODS = 1 AND (R05\_AV1003 = 3 OR R05\_AV1002\_12M = 2 OR R05\_AV1002 = 2) AND R05\_AV1010 != 3  
 THEN R05R\_A\_FMR\_ESTD\_EPRODS = 1; ELSE IF  
 (R05R\_A\_EVR\_THRSH\_EPRODS = 2 OR R05\_AV1003 IN (1,2)) AND

```

R05_AV1010 != 3 THEN R05R_A_FMR_ESTD_EPRODS = 2; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99999 OR R05_AV1003 = -9 OR
R05_AV1002_12M = -9 OR R05_AV1002 = -9 OR R05_AV1010 = -9
THEN R05R_A_FMR_ESTD_EPRODS = -99999; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99988 OR R05_AV1003 = -8 OR
R05_AV1002_12M = -8 OR R05_AV1002 = -8 OR R05_AV1010 = -8
THEN R05R_A_FMR_ESTD_EPRODS = -99988; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99977 OR R05_AV1003 = -7 OR
R05_AV1002_12M = -7 OR R05_AV1002 = -7 OR R05_AV1010 = -7
THEN R05R_A_FMR_ESTD_EPRODS = -99977; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99966 THEN
R05R_A_FMR_ESTD_EPRODS = -99966; ELSE IF
R05R_A_EVR_THRSH_EPRODS = -99911 OR R05_AV1003 = -1 OR
R05_AV1002_12M = -1 OR R05_AV1002 = -1 OR R05_AV1010 IN (-1,3)
THEN R05R_A_FMR_ESTD_EPRODS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	3154	9.2 %
2	2 = No	28945	84.4 %
	<b>Total</b>	<b>32,099</b>	<b>93.6%</b>

This variable has 32,099 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	85	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2102	6.1 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>2,210</b>	<b>6.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13323-13328 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_EXPR\_EPRODS: DERIVED - Wave 5 Adult Former Experimental Electronic Nicotine Product User

**Long Description:** Wave 5 adult respondents who have never used any electronic nicotine products fairly regularly, have not used them within the past 12 months or currently use not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R05R\_A\_EVR\_EPRODS = 1 AND R05R\_A\_EVR\_THRSH\_EPRODS = 2

AND (R05\_AV1003 = 3 OR R05\_AV1002\_12M = 2 OR R05\_AV1002 = 2)  
 AND R05\_AV1010 != 3 THEN R05R\_A\_FMR\_EXPR\_EPRODS = 1; ELSE IF  
 (R05R\_A\_EVR\_THRSH\_EPRODS = 1 OR R05\_AV1003 IN (1,2) OR  
 R05R\_A\_EVR\_EPRODS = 2) AND R05\_AV1010 != 3 THEN  
 R05R\_A\_FMR\_EXPR\_EPRODS = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99999 OR R05R\_A\_EVR\_EPRODS = -  
 99999 OR R05\_AV1003 = -9 OR R05\_AV1002\_12M = -9 OR  
 R05\_AV1002 = -9 OR R05\_AV1010 = -9 THEN  
 R05R\_A\_FMR\_EXPR\_EPRODS = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99988 OR R05R\_A\_EVR\_EPRODS = -  
 99988 OR R05\_AV1003 = -8 OR R05\_AV1002\_12M = -8 OR  
 R05\_AV1002 = -8 OR R05\_AV1010 = -8 THEN  
 R05R\_A\_FMR\_EXPR\_EPRODS = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99977 OR R05R\_A\_EVR\_EPRODS = -  
 99977 OR R05\_AV1003 = -7 OR R05\_AV1002\_12M = -7 OR  
 R05\_AV1002 = -7 OR R05\_AV1010 = -7 THEN  
 R05R\_A\_FMR\_EXPR\_EPRODS = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99966 OR R05R\_A\_EVR\_EPRODS = -  
 99966 THEN R05R\_A\_FMR\_EXPR\_EPRODS = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_EPRODS = -99911 OR R05R\_A\_EVR\_EPRODS = -  
 99911 OR R05\_AV1003 = -1 OR R05\_AV1002\_12M = -1 OR  
 R05\_AV1002 = -1 OR R05\_AV1010 IN (-1,3) THEN  
 R05R\_A\_FMR\_EXPR\_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7742	22.6 %
2	2 = No	24357	71.0 %
	<b>Total</b>	<b>32,099</b>	<b>93.6%</b>

This variable has 32,099 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	85	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2102	6.1 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>2,210</b>	<b>6.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13329-13334 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_P12M\_EPRODS: DERIVED - Wave 5 Adult Past 12 Month E-Product Users

Long Description: Wave 5 adult respondents who have used an electronic nicotine product within the past 12 months, including: e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.

```

Algorithm: IF R05R_A_EVR_EPRODS = 1 AND (R05_AV1004 = 1 OR
R05_AV1002_12M = 1 OR (R05_AV1009_UN = 1 AND 0 <
R05_AV1009_NN <= 365) OR (R05_AV1009_UN = 2 AND 0 <
R05_AV1009_NN <= 12) OR (R05_AV1009_UN = 3 AND
R05_AV1009_NN = 1) OR R05_AV1022>0) THEN
R05R_A_P12M_EPRODS = 1; ELSE IF R05R_A_EVR_EPRODS = 2 OR
R05_AV1002_12M = 2 OR R05_AV1002 = 2 OR (R05_AV1009_UN = 1
AND R05_AV1009_NN > 365) OR (R05_AV1009_UN = 2 AND
R05_AV1009_NN > 12) OR (R05_AV1009_UN = 3 AND
R05_AV1009_NN >1) THEN R05R_A_P12M_EPRODS = 2; ELSE IF
R05R_A_EVR_EPRODS = -99999 OR R05_AV1004 = -9 OR
R05_AV1002_12M = -9 OR R05_AV1002 = -9 OR R05_AV1009_NN = -9
OR R05_AV1022 = -9 THEN R05R_A_P12M_EPRODS = -99999; ELSE IF
R05R_A_EVR_EPRODS = -99988 OR R05_AV1004 = -8 OR
R05_AV1002_12M = -8 OR R05_AV1002 = -8 OR R05_AV1009_NN = -8
OR R05_AV1022 = -8 THEN R05R_A_P12M_EPRODS = -99988; ELSE IF
R05R_A_EVR_EPRODS = -99977 OR R05_AV1004 = -7 OR
R05_AV1002_12M = -7 OR R05_AV1002 = -7 OR R05_AV1009_NN = -7
OR R05_AV1022 = -7 THEN R05R_A_P12M_EPRODS = -99977; ELSE IF
R05_AV1009_NN in (0,-5) THEN R05R_A_P12M_EPRODS = -99955;
ELSE IF R05R_A_EVR_EPRODS = -99966 THEN R05R_A_P12M_EPRODS
= -99966; ELSE IF R05R_A_EVR_EPRODS = -99911 OR R05_AV1004 = -
1 OR R05_AV1002_12M = -1 OR R05_AV1002 = -1 OR
R05_AV1009_NN = -1 OR R05_AV1022 = -1 THEN
R05R_A_P12M_EPRODS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	8380	24.4 %
2	2 = No	25914	75.5 %
	<b>Total</b>	<b>34,294</b>	<b>100.0%</b>

This variable has 34,294 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>			
	<b>Total</b>		<b>15</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13335-13340 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_MINFIRST\_EPRODS: DERIVED - Wave 5 Adult Number of Minutes From Waking Up to Using First E-product

Long Description: Wave 5 adult current or experimental current e-product users - Recode of amount of time from waking up to using first e-product into minutes.

```
Algorithm: IF R05_AV1024_UN = 1 AND R05_AV1024_NN >= 0 THEN
R05R_A_MINFIRST_EPRODS = R05_AV1024_NN; ELSE IF R05_AV1024_UN = 2 AND
R05_AV1024_NN >= 0 THEN R05R_A_MINFIRST_EPRODS = R05_AV1024_NN * 60;
ELSE IF R05_AV1024_NN = -9 THEN R05R_A_MINFIRST_EPRODS = -99999; ELSE
IF R05_AV1024_NN = -8 THEN R05R_A_MINFIRST_EPRODS = -99988; ELSE IF
R05_AV1024_NN = -7 THEN R05R_A_MINFIRST_EPRODS = -99977; ELSE IF
R05_AV1024_NN = -5 THEN R05R_A_MINFIRST_EPRODS = -99955; ELSE IF
R05_AV1024_NN = -1 THEN R05R_A_MINFIRST_EPRODS = -99911;
```

This variable has 4,353 valid cases out of 34,309 total cases.

- Mean: 171.39
- Median: 60.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 227.76

	<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	97	0.3 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	27	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	6	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	29825	86.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>29,956</b>	<b>87.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13341-13346 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_MINFIRST\_30D\_EPRODS: DERIVED - Wave 5 Adult Former Past 30 Day E-product Users - Number of Minutes From Waking Up to Using First E-product

Long Description: Wave 5 adult former e-product users who have used in the past 30 days - Recode of amount of time from waking up to using first e-product into minutes for past 30 day users.

Algorithm: IF R05\_AV1024\_30D\_UN = 1 AND R05\_AV1024\_30D\_NN >= 0 THEN  
R05R\_A\_MINFIRST\_30D\_EPRODS = R05\_AV1024\_30D\_NN; ELSE IF  
R05\_AV1024\_30D\_UN = 2 AND R05\_AV1024\_30D\_NN >= 0 THEN  
R05R\_A\_MINFIRST\_30D\_EPRODS = R05\_AV1024\_30D\_NN \* 60; ELSE IF  
R05\_AV1024\_30D\_NN = -9 THEN R05R\_A\_MINFIRST\_30D\_EPRODS = -99999; ELSE  
IF R05\_AV1024\_30D\_NN = -8 THEN R05R\_A\_MINFIRST\_30D\_EPRODS = -99988;  
ELSE IF R05\_AV1024\_30D\_NN = -7 THEN R05R\_A\_MINFIRST\_30D\_EPRODS =  
-99977; ELSE IF R05\_AV1024\_30D\_NN = -5 THEN  
R05R\_A\_MINFIRST\_30D\_EPRODS = -99955; ELSE IF R05\_AV1024\_30D\_NN = -1  
THEN R05R\_A\_MINFIRST\_30D\_EPRODS = -99911;

This variable has 1,659 valid cases out of 34,309 total cases.

- Mean: 266.73
- Median: 180.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 298.05

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	119	0.3 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	29	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	4	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32497	94.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>32,650</b>	<b>95.2%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 13347-13352 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSQUIT\_EPRODS: DERIVED - Wave 5 Adult Number of Days Since Last Used an E-product (Non-Current Users)

Long Description: Wave 5 adult recode of length of time since last used an e-product into days for users who do not currently use at all or did not use in the past 12 months.

```

Algorithm: IF R05_AV1009_UN = 1 AND R05_AV1009_NN >= 0 THEN
R05R_A_DAYSQUIT_EPRODS = R05_AV1009_NN; ELSE IF R05_AV1009_UN = 2 AND
R05_AV1009_NN >= 0 THEN R05R_A_DAYSQUIT_EPRODS = R05_AV1009_NN *
30.4375; ELSE IF R05_AV1009_UN = 3 AND R05_AV1009_NN >= 0 THEN
R05R_A_DAYSQUIT_EPRODS = R05_AV1009_NN * 365.25; ELSE IF R05_AV1009_NN =
-9 THEN R05R_A_DAYSQUIT_EPRODS = -99999; ELSE IF R05_AV1009_NN = -8
THEN R05R_A_DAYSQUIT_EPRODS = -99988; ELSE IF R05_AV1009_NN = -7 THEN
R05R_A_DAYSQUIT_EPRODS = -99977; ELSE IF R05_AV1009_NN = -5 THEN
R05R_A_DAYSQUIT_EPRODS = -99955; ELSE IF R05_AV1009_NN = -1 THEN
R05R_A_DAYSQUIT_EPRODS = -99911;

```

This variable has 4,348 valid cases out of 34,309 total cases.

- Mean: 442.6400
- Median: 121.7500
- Mode: 365.2500
- Minimum: 1.0000
- Maximum: 29220.0000
- Standard Deviation: 1364.9409

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	120	0.3 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	26	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	412	1.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	29402	85.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>29,961</b>	<b>87.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13353-13363 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSLASTUSED\_EPRODS: DERIVED - Wave 5 Adult Number of Days Since Last Used Primary E-product (Some Day or Current Experimental Users)

Long Description: Wave 5 adult some day, current experimental, or former 30 day e-product users who have not used in the past 30 days - Recode of length of time since last used primary electronic nicotine product into days.

```

Algorithm: IF R05_AV9029_UN = 1 AND R05_AV9029_NN >= 0 THEN
R05R_A_DAYSLASTUSED_EPRODS = R05_AV9029_NN; ELSE IF R05_AV9029_UN = 2
AND R05_AV9029_NN >= 0 THEN R05R_A_DAYSLASTUSED_EPRODS =
R05_AV9029_NN * 30.4375; ELSE IF R05_AV9029_UN = 3 AND
R05_AV9029_NN >= 0 THEN R05R_A_DAYSLASTUSED_EPRODS =
R05_AV9029_NN * 365.25; ELSE IF R05_AV9029_NN = -9 THEN

```

```

R05R_A_DAYSLASTUSED_EPRODS = -99999; ELSE IF R05_AV9029_NN = -8 THEN
R05R_A_DAYSLASTUSED_EPRODS = -99988; ELSE IF R05_AV9029_NN = -7 THEN
R05R_A_DAYSLASTUSED_EPRODS = -99977; ELSE IF R05_AV9029_NN = -5 THEN
R05R_A_DAYSLASTUSED_EPRODS = -99955; ELSE IF R05_AV9029_NN = -1 THEN
R05R_A_DAYSLASTUSED_EPRODS = -99911;

```

This variable has 425 valid cases out of 34,309 total cases.

- Mean: 280.7669
- Median: 91.3125
- Mode: 60.8750
- Minimum: 30.0000
- Maximum: 9131.2500
- Standard Deviation: 769.9629

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	93	0.3 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33783	98.5 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,884</b>	<b>98.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13364-13374 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSBRAND\_EPRODS: DERIVED - Wave 5 Adult Number of Days Using Regular Brand of E-Products

**Long Description:** Wave 5 Adult current, experimental current, past 30 day or new former e-product users who have a regular brand - Recode of length of time using regular brand of e-products into days.

```

Algorithm: IF R05_AV1051_UN = 1 AND R05_AV1051_NN >= 0 THEN
R05R_A_DAYSBRAND_EPRODS = R05_AV1051_NN; ELSE IF R05_AV1051_UN = 2 AND
R05_AV1051_NN >= 0 THEN R05R_A_DAYSBRAND_EPRODS =
R05_AV1051_NN * 30.4375; ELSE IF R05_AV1051_UN = 3 AND
R05_AV1051_NN >= 0 THEN R05R_A_DAYSBRAND_EPRODS = R05_AV1051_NN * 365.25;
ELSE IF R05_AV1051_NN = -9 THEN R05R_A_DAYSBRAND_EPRODS = -99999; ELSE
IF R05_AV1051_NN = -8 THEN R05R_A_DAYSBRAND_EPRODS = -99988; ELSE IF
R05_AV1051_NN = -7 THEN R05R_A_DAYSBRAND_EPRODS = -99977; ELSE IF
R05_AV1051_NN = -5 THEN R05R_A_DAYSBRAND_EPRODS = -99955; ELSE IF
R05_AV1051_NN = -1 THEN R05R_A_DAYSBRAND_EPRODS = -99911;

```

This variable has 2,295 valid cases out of 34,309 total cases.

- Mean: 435.5617
- Median: 273.9375
- Mode: 365.2500
- Minimum: 0.0000
- Maximum: 8035.5000
- Standard Deviation: 541.6570

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31983	93.2 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>32,014</b>	<b>93.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13375-13385 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_NUMDAYS\_EPRODS: DERIVED - Wave 5 Adult Past 30 Day E-Product Use Frequency

Long Description: Wave 5 adult number of days used e-products in past 30 days.

Algorithm: IF R05\_AV1003 = 1 THEN R05R\_A\_NUMDAYS\_EPRODS = 30; ELSE IF R05\_AV1022 ! IN (-1, -5, -7, -8, -9, 0) THEN R05R\_A\_NUMDAYS\_EPRODS = R05\_AV1022; ELSE IF R05\_AV1022 = -9 OR R05\_AV1003 = -9 THEN R05R\_A\_NUMDAYS\_EPRODS = -99999; ELSE IF R05\_AV1022 = -8 OR R05\_AV1003 = -8 THEN R05R\_A\_NUMDAYS\_EPRODS = -99988; ELSE IF R05\_AV1022 = -7 OR R05\_AV1003 = -7 THEN R05R\_A\_NUMDAYS\_EPRODS = -99977; ELSE IF R05\_AV1022 IN (0, -5) THEN R05R\_A\_NUMDAYS\_EPRODS = -99955; ELSE IF R05\_AV1022 = -1 OR R05\_AV1003 = -1 THEN R05R\_A\_NUMDAYS\_EPRODS = -99911;

This variable has 4,909 valid cases out of 34,309 total cases.

- Mean: 15.32
- Median: 10.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 12.54

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	22	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1354	3.9 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	28012	81.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>29,400</b>	<b>85.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13386-13391 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_BLUNTONLY: DERIVED - Wave 5 Adult Blunt Only User

Long Description: Wave 5 adult respondents who have only used cigars as blunts in the past 12 months.

Algorithm: IF (R05\_AG9106\_01 = 1 OR R05\_AG9106\_02 = 1 OR R05\_AG9106\_03 = 1) AND (R05\_AG9106\_01 IN (-1,1) AND R05\_AG9106\_02 IN (-1,1) AND R05\_AG9106\_03 IN (-1,1)) THEN R05R\_A\_BLUNTONLY = 1; ELSE IF R05\_AG9106\_01 IN (2,3,4,5) OR R05\_AG9106\_02 IN (2,3,4,5) OR R05\_AG9106\_03 IN (2,3,4,5) OR R05\_AG9107 = 2 THEN R05R\_A\_BLUNTONLY = 2; ELSE IF R05\_AG9106\_01 = -9 OR R05\_AG9106\_02 = -9 OR R05\_AG9106\_03 = -9 OR R05\_AG9107 = -9 OR R05\_AG1095\_01 = -9 OR R05\_AG1095\_02 = -9 OR R05\_AG1095\_03 = -9 THEN R05R\_A\_BLUNTONLY = -99999; ELSE IF R05\_AG9106\_01 = -8 OR R05\_AG9106\_02 = -8 OR R05\_AG9106\_03 = -8 OR R05\_AG9107 = -8 OR R05\_AG1095\_01 = -8 OR R05\_AG1095\_02 = -8 OR R05\_AG1095\_03 = -8 THEN R05R\_A\_BLUNTONLY = -99988; ELSE IF R05\_AG9106\_01 = -7 OR R05\_AG9106\_02 = -7 OR R05\_AG9106\_03 = -7 OR R05\_AG9107 = -7 OR R05\_AG1095\_01 = -7 OR R05\_AG1095\_02 = -7 OR R05\_AG1095\_03 = -7 THEN R05R\_A\_BLUNTONLY = -99977; ELSE IF R05\_AG9106\_01 = -1 OR R05\_AG9106\_02 = -1 OR R05\_AG9106\_03 = -1 OR R05\_AG9107 = -1 OR R05\_AG1095\_01 = -1 OR R05\_AG1095\_02 = -1 OR R05\_AG1095\_03 = -1 THEN R05R\_A\_BLUNTONLY = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2997	8.7 %
2	2 = No	31199	90.9 %
	<b>Total</b>	<b>34,196</b>	<b>99.7%</b>

This variable has 34,196 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	64	0.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	48	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>113</b>	<b>0.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13392-13397 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_A\_CUR\_BLUNONLY: DERIVED - Wave 5 Adult Current Blunt Only User of Any Cigar Product

Long Description: Wave 5 adult respondents who smoke any type of cigar only as blunts every day or some days. Respondents may be current non-blunt users of other types of cigars.

```
Algorithm: IF R05R_A_CUR_BTRAD=1 OR R05R_A_CUR_BRILLO=1 OR
R05R_A_CUR_BFILTR=1 THEN R05R_A_CUR_BLUNONLY=1; ELSE IF
R05R_A_CUR_BTRAD=2 AND R05R_A_CUR_BRILLO=2 AND R05R_A_CUR_BFILTR=2 THEN
R05R_A_CUR_BLUNONLY=2; ELSE IF R05R_A_CUR_BTRAD=-99999 OR
R05R_A_CUR_BRILLO=-99999 OR R05R_A_CUR_BFILTR=-99999 THEN
R05R_A_CUR_BLUNONLY=-99999; ELSE IF R05R_A_CUR_BTRAD=-99988 OR
R05R_A_CUR_BRILLO=-99988 OR R05R_A_CUR_BFILTR=-99988 THEN
R05R_A_CUR_BLUNONLY=-99988; ELSE IF R05R_A_CUR_BTRAD=-99977 OR
R05R_A_CUR_BRILLO=-99977 OR R05R_A_CUR_BFILTR=-99977 THEN
R05R_A_CUR_BLUNONLY=-99977; ELSE IF R05R_A_CUR_BTRAD=-99911 OR
R05R_A_CUR_BRILLO=-99911 OR R05R_A_CUR_BFILTR=-99911 THEN
R05R_A_CUR_BLUNONLY=-99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	2220	6.5 %
2	2 = No	31970	93.2 %
<b>Total</b>		<b>34,190</b>	<b>99.7%</b>

This variable has 34,190 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	68	0.2 %	

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	50	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>119</b>	<b>0.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13398-13403 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05R\_A\_FMR\_BLUNONLY: DERIVED - Wave 5 Adult Former Blunt Only User

Long Description: Wave 5 adult respondents who have only used cigars as blunts in the past 12 months, and currently use them not at all.

```
Algorithm: IF R05R_A_BLUNONLY=1 AND R05_AG1003TJ in (-1,3) AND
R05_AG1003GJ in (-1,3) AND R05_AG1003FJ in (-1,3) THEN
R05R_A_FMR_BLUNONLY=1; ELSE IF R05R_A_BLUNONLY=2 OR R05_AG1003TJ in
(1,2) OR R05_AG1003GJ in (1,2) OR R05_AG1003FJ in (1,2) THEN
R05R_A_FMR_BLUNONLY=2; ELSE IF R05R_A_BLUNONLY= -99999 OR
R05_AG1003TJ = -9 OR R05_AG1003GJ = -9 OR R05_AG1003FJ = -9 THEN
R05R_A_FMR_BLUNONLY= -99999; ELSE IF R05R_A_BLUNONLY= -99988 OR
R05_AG1003TJ = -8 OR R05_AG1003GJ = -8 OR R05_AG1003FJ = -8 THEN
R05R_A_FMR_BLUNONLY= -99988; ELSE IF R05R_A_BLUNONLY= -99977 OR
R05_AG1003TJ = -7 OR R05_AG1003GJ = -7 OR R05_AG1003FJ = -7 THEN
R05R_A_FMR_BLUNONLY= -99977; ELSE IF R05R_A_BLUNONLY= -99911 OR
R05_AG1003TJ = -1 OR R05_AG1003GJ = -1 OR R05_AG1003FJ = -1 THEN
R05R_A_FMR_BLUNONLY= -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	828	2.4 %
2	2 = No	33363	97.2 %
<b>Total</b>		<b>34,191</b>	<b>99.7%</b>

This variable has 34,191 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	68	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	49	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>118</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13404-13409 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05R\_A\_NEW\_BLUNONLY: DERIVED - Wave 5 Adult Never to Ever Blunt Only User

**Long Description:** Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started smoking cigars only as blunts between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started smoking cigars only as blunts between Waves 4.5 and 5.

**Algorithm:** IF X04M\_EVR\_BLUNONLY = 2 AND R05R\_A\_BLUNONLY = 1 AND  
(WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_BLUNONLY = 1; ELSE IF  
(X04M\_EVR\_BLUNONLY = 1 OR R05R\_A\_BLUNONLY = 2) AND  
(WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_BLUNONLY = 2; ELSE IF  
R05R\_A\_BLUNONLY = -99999 THEN R05R\_A\_NEW\_BLUNONLY = -99999; ELSE IF  
R05R\_A\_BLUNONLY = -99988 THEN R05R\_A\_NEW\_BLUNONLY = -99988; ELSE IF  
R05R\_A\_BLUNONLY = -99977 THEN R05R\_A\_NEW\_BLUNONLY = -99977; ELSE IF  
X04M\_EVR\_BLUNONLY IN (-99933, -99999, -99988, -99977, -99966, -99911) OR  
WAVE4P5\_INTERVIEW = 9 OR (WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW = 9)  
THEN R05R\_A\_NEW\_BLUNONLY = -99966; ELSE IF R05R\_A\_BLUNONLY = -99911  
THEN R05R\_A\_NEW\_BLUNONLY = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2427	7.1 %
2	2 = No	30215	88.1 %
	<b>Total</b>	<b>32,642</b>	<b>95.1%</b>

This variable has 32,642 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	59	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	46	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1561	4.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>1,667</b>	<b>4.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13410-13415 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_BTRAD: DERIVED - Wave 5 Adult Current Traditional Cigar as Blunt Only User

Long Description: Wave 5 adult respondents who only used traditional cigars as blunts within the past 12 months and currently smoke blunts every day or some days.

Algorithm: IF R05\_AG9106\_01 = 1 AND R05\_AG1003TJ IN (1,2) THEN  
 R05R\_A\_CUR\_BTRAD = 1; ELSE IF R05\_AG9107 = 2 OR R05\_AG1095\_01 = 2 OR  
 R05\_AG9106\_01 IN (2,3,4,5) OR R05\_AG1003TJ = 3 THEN R05R\_A\_CUR\_BTRAD =  
 2; ELSE IF R05\_AG1095\_01 = -9 OR R05\_AG9106\_01 = -9 OR R05\_AG1003TJ =  
 -9 OR R05\_AG9107 = -9 THEN R05R\_A\_CUR\_BTRAD = -99999; ELSE IF  
 R05\_AG1095\_01 = -8 OR R05\_AG9106\_01 = -8 OR R05\_AG1003TJ = -8 OR  
 R05\_AG9107 = -8 THEN R05R\_A\_CUR\_BTRAD = -99988; ELSE IF R05\_AG1095\_01 =  
 -7 OR R05\_AG9106\_01 = -7 OR R05\_AG1003TJ = -7 OR R05\_AG9107 = -7 THEN  
 R05R\_A\_CUR\_BTRAD = -99977; ELSE IF R05\_AG1095\_01 = -1 OR  
 R05\_AG9106\_01 = -1 OR R05\_AG1003TJ = -1 OR R05\_AG9107 = -1 THEN  
 R05R\_A\_CUR\_BTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	394	1.1 %
2	2 = No	33807	98.5 %
<b>Total</b>		<b>34,201</b>	<b>99.7%</b>

This variable has 34,201 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	59	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	48	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>108</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13416-13421 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05R\_A\_DAYSQUIT\_BTRAD: DERIVED - Wave 5 Adult Number of Days Since Last Smoked Traditional Cigars as Blunts (Non-Current Smokers)

Long Description: Wave 5 adult recode of length of time since last smoked traditional cigars as blunts into days for past 12 month smokers who currently do not smoke at all..

```
Algorithm: IF R05_AG1009TJ_UN = 1 AND R05_AG1009TJ_NN >= 0 THEN
R05R_A_DAYSQUIT_BTRAD = R05_AG1009TJ_NN; ELSE IF R05_AG1009TJ_UN = 2
AND R05_AG1009TJ_NN >= 0 THEN R05R_A_DAYSQUIT_BTRAD =
R05_AG1009TJ_NN * 30.4375; ELSE IF R05_AG1009TJ_UN = 3 AND
R05_AG1009TJ_NN >= 0 THEN R05R_A_DAYSQUIT_BTRAD =
R05_AG1009TJ_NN * 365.25; ELSE IF R05_AG1009TJ_NN = -9 THEN
R05R_A_DAYSQUIT_BTRAD = -99999; ELSE IF R05_AG1009TJ_NN = -8 THEN
R05R_A_DAYSQUIT_BTRAD = -99988; ELSE IF R05_AG1009TJ_NN = -7 THEN
R05R_A_DAYSQUIT_BTRAD = -99977; ELSE IF R05_AG1009TJ_NN = -5 THEN
R05R_A_DAYSQUIT_BTRAD = -99955; ELSE IF R05_AG1009TJ_NN = -1 THEN
R05R_A_DAYSQUIT_BTRAD = -99911;
```

This variable has 122 valid cases out of 34,309 total cases.

- Mean: 270.8668
- Median: 152.1875
- Minimum: 1.0000
- Maximum: 6574.5000
- Standard Deviation: 712.9099

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	4	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34180	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,187</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13422-13432 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSLASTUSED\_BTRAD: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Traditional Cigar as a Blunt (Not Past 30 Day Smokers)

Long Description: Wave 5 adult blunt smokers who have not smoked a traditional cigar in past 30 days - Recode of length of time since last smoked a traditional cigar as a blunt into days.

```

Algorithm: IF R05_AJ9029TC_UN = 1 AND R05_AJ9029TC_NN >= 0 THEN
R05R_A_DAYSLASTUSED_BTRAD = R05_AJ9029TC_NN; ELSE IF R05_AJ9029TC_UN =
2 AND R05_AJ9029TC_NN >= 0 THEN R05R_A_DAYSLASTUSED_BTRAD =
R05_AJ9029TC_NN * 30.4375; ELSE IF R05_AJ9029TC_UN = 3 AND
R05_AJ9029TC_NN >= 0 THEN R05R_A_DAYSLASTUSED_BTRAD =
R05_AJ9029TC_NN * 365.25; ELSE IF R05_AJ9029TC_NN = -9
THEN R05R_A_DAYSLASTUSED_BTRAD = -99999;
ELSE IF R05_AJ9029TC_NN = -8 THEN R05R_A_DAYSLASTUSED_BTRAD =
-99988; ELSE IF R05_AJ9029TC_NN = -7 THEN R05R_A_DAYSLASTUSED_BTRAD =
-99977; ELSE IF R05_AJ9029TC_NN = -5 THEN R05R_A_DAYSLASTUSED_BTRAD =
-99955; ELSE IF R05_AJ9029TC_NN = -1 THEN R05R_A_DAYSLASTUSED_BTRAD =
-99911;

```

This variable has 160 valid cases out of 34,309 total cases.

- Mean: 464.2477
- Median: 182.6250
- Mode: 182.6250
- Minimum: 30.0000
- Maximum: 24106.5000
- Standard Deviation: 2030.8042

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	27	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34114	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,149</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13433-13443 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_CUR\_BRILLO: DERIVED - Wave 5 Adult Current Cigarillo as Blunt Only User

**Long Description:** Wave 5 adult respondents who only used cigarillos as blunts within the past 12 months and currently smoke blunts every day or some days.

```

Algorithm: IF R05_AG9106_02 = 1 AND R05_AG1003GJ IN (1,2) THEN
R05R_A_CUR_BRILLO = 1; ELSE IF R05_AG9107 = 2 OR R05_AG1095_02 = 2 OR
R05_AG9106_02 IN (2,3,4,5) OR R05_AG1003GJ = 3 THEN R05R_A_CUR_BRILLO =
2; ELSE IF R05_AG1095_02 = -9 OR R05_AG9106_02 = -9 OR R05_AG1003GJ =
-9 OR R05_AG9107 = -9 THEN R05R_A_CUR_BRILLO = -99999; ELSE IF
R05_AG1095_02 = -8 OR R05_AG9106_02 = -8 OR R05_AG1003GJ = -8 OR
R05_AG9107 = -8 THEN R05R_A_CUR_BRILLO = -99988; ELSE IF

```

R05\_AG1095\_02 = -7 OR R05\_AG9106\_02 = -7 OR R05\_AG1003GJ = -7 OR  
R05\_AG9107 = -7 THEN R05R\_A\_CUR\_BRILLO = -99977; ELSE IF  
R05\_AG1095\_02 = -1 OR R05\_AG9106\_02 = -1 OR R05\_AG1003GJ = -1 OR  
R05\_AG9107 = -1 THEN R05R\_A\_CUR\_BRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1872	5.5 %
2	2 = No	32321	94.2 %
	<b>Total</b>	<b>34,193</b>	<b>99.7%</b>

This variable has 34,193 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	66	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	49	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>116</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13444-13449 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99911, -97777

## R05R\_A\_DAYSQUIT\_BRILLO: DERIVED - Wave 5 Adult Number of Days Since Last Smoked Cigarillos as Blunts (Non-Current Smokers)

Long Description: Wave 5 adult recode of length of time since last smoked cigarillos as blunts into days for past 12 month smokers who currently do not smoke at all.

Algorithm: IF R05\_AG1009GJ\_UN = 1 AND R05\_AG1009GJ\_NN >= 0 THEN  
R05R\_A\_DAYSQUIT\_BRILLO = R05\_AG1009GJ\_NN; ELSE IF R05\_AG1009GJ\_UN = 2  
AND R05\_AG1009GJ\_NN >= 0 THEN R05R\_A\_DAYSQUIT\_BRILLO =  
R05\_AG1009GJ\_NN \* 30.4375; ELSE IF R05\_AG1009GJ\_UN = 3 AND  
R05\_AG1009GJ\_NN >= 0 THEN R05R\_A\_DAYSQUIT\_BRILLO =  
R05\_AG1009GJ\_NN \* 365.25; ELSE IF R05\_AG1009GJ\_NN = -9 THEN  
R05R\_A\_DAYSQUIT\_BRILLO = -99999; ELSE IF R05\_AG1009GJ\_NN = -8 THEN  
R05R\_A\_DAYSQUIT\_BRILLO = -99988; ELSE IF R05\_AG1009GJ\_NN = -7 THEN  
R05R\_A\_DAYSQUIT\_BRILLO = -99977; ELSE IF R05\_AG1009GJ\_NN = -5 THEN  
R05R\_A\_DAYSQUIT\_BRILLO = -99955; ELSE IF R05\_AG1009GJ\_NN = -1 THEN  
R05R\_A\_DAYSQUIT\_BRILLO = -99911;

This variable has 664 valid cases out of 34,309 total cases.

- Mean: 198.1408
- Median: 121.7500
- Mode: 182.6250
- Minimum: 1.0000
- Maximum: 8400.7500
- Standard Deviation: 544.4388

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	16	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33621	98.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,645</b>	<b>98.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13450-13460 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777)

## R05R\_A\_DAYSLASTUSED\_BRILLO: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Cigarillo as a Blunt (Not Past 30 Day Smokers)

Long Description: Wave 5 adult blunt smokers who have not smoked a cigarillo in past 30 days - Recode of length of time since last smoked a cigarillo as a blunt into days.

```
Algorithm: IF R05_AJ9029CG_UN = 1 AND R05_AJ9029CG_NN >= 0 THEN
R05R_A_DAYSLASTUSED_BRILLO = R05_AJ9029CG_NN; ELSE IF R05_AJ9029CG_UN =
2 AND R05_AJ9029CG_NN >= 0 THEN R05R_A_DAYSLASTUSED_BRILLO =
R05_AJ9029CG_NN * 30.4375; ELSE IF R05_AJ9029CG_UN = 3 AND
R05_AJ9029CG_NN >= 0 THEN R05R_A_DAYSLASTUSED_BRILLO =
R05_AJ9029CG_NN * 365.25; ELSE IF R05_AJ9029CG_NN = -9 THEN
R05R_A_DAYSLASTUSED_BRILLO = -99999; ELSE IF R05_AJ9029CG_NN = -8 THEN
R05R_A_DAYSLASTUSED_BRILLO = -99988; ELSE IF R05_AJ9029CG_NN = -7 THEN
R05R_A_DAYSLASTUSED_BRILLO = -99977; ELSE IF R05_AJ9029CG_NN = -5 THEN
R05R_A_DAYSLASTUSED_BRILLO = -99955; ELSE IF R05_AJ9029CG_NN = -1 THEN
R05R_A_DAYSLASTUSED_BRILLO = -99911;
```

This variable has 937 valid cases out of 34,309 total cases.

- Mean: 216.0310
- Median: 121.7500
- Mode: 60.8750
- Minimum: 30.0000
- Maximum: 7305.0000

- Standard Deviation: 469.2567

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	73	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33285	97.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,372</b>	<b>97.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13461-13471 (*width:* 11; *decimal:* 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_CUR\_BFILTR: DERIVED - Wave 5 Adult Current Filtered Cigar as Blunt Only User

Long Description: Wave 5 adult respondents who only used filtered cigars as blunts within the past 12 months and currently smoke blunts every day or some days.

Algorithm: IF R05\_AG9106\_03 = 1 AND R05\_AG1003FJ IN (1,2) THEN  
 R05R\_A\_CUR\_BFILTR = 1; ELSE IF R05\_AG9107 = 2 OR R05\_AG1095\_03 = 2 OR  
 R05\_AG9106\_03 IN (2,3,4,5) OR R05\_AG1003FJ = 3 THEN R05R\_A\_CUR\_BFILTR =  
 2; ELSE IF R05\_AG1095\_03 = -9 OR R05\_AG9106\_03 = -9 OR R05\_AG1003FJ =  
 -9 OR R05\_AG9107 = -9 THEN R05R\_A\_CUR\_BFILTR = -99999; ELSE IF  
 R05\_AG1095\_03 = -8 OR R05\_AG9106\_03 = -8 OR R05\_AG1003FJ = -8 OR  
 R05\_AG9107 = -8 THEN R05R\_A\_CUR\_BFILTR = -99988; ELSE IF  
 R05\_AG1095\_03 = -7 OR R05\_AG9106\_03 = -7 OR R05\_AG1003FJ = -7 OR  
 R05\_AG9107 = -7 THEN R05R\_A\_CUR\_BFILTR = -99977; ELSE IF  
 R05\_AG1095\_03 = -1 OR R05\_AG9106\_03 = -1 OR R05\_AG1003FJ = -1 OR  
 R05\_AG9107 = -1 THEN R05R\_A\_CUR\_BFILTR = -99911;

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	78	0.2 %
2	2 = No	34120	99.4 %
<b>Total</b>		<b>34,198</b>	<b>99.7%</b>

This variable has 34,198 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	61	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	49	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>111</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13472-13477 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99911 , -97777

## R05R\_A\_DAYSQUIT\_BFILTR: DERIVED - Wave 5 Adult Number of Days Since Last Smoked Filtered Cigars as Blunts (Non-Current Smokers)

Long Description: Wave 5 adult recode of length of time since last smoked filtered cigars as blunts into days for past 12 month smokers who currently do not smoke at all.

```
Algorithm: IF R05_AG1009FJ_UN = 1 AND R05_AG1009FJ_NN >= 0 THEN
R05R_A_DAYSQUIT_BFILTR = R05_AG1009FJ_NN; ELSE IF R05_AG1009FJ_UN = 2
AND R05_AG1009FJ_NN >= 0 THEN R05R_A_DAYSQUIT_BFILTR =
R05_AG1009FJ_NN * 30.4375; ELSE IF R05_AG1009FJ_UN = 3 AND
R05_AG1009FJ_NN >= 0 THEN R05R_A_DAYSQUIT_BFILTR =
R05_AG1009FJ_NN * 365.25; ELSE IF R05_AG1009FJ_NN = -9 THEN
R05R_A_DAYSQUIT_BFILTR = -99999; ELSE IF R05_AG1009FJ_NN = -8 THEN
R05R_A_DAYSQUIT_BFILTR = -99988; ELSE IF R05_AG1009FJ_NN = -7 THEN
R05R_A_DAYSQUIT_BFILTR = -99977; ELSE IF R05_AG1009FJ_NN = -5 THEN
R05R_A_DAYSQUIT_BFILTR = -99955; ELSE IF R05_AG1009FJ_NN = -1 THEN
R05R_A_DAYSQUIT_BFILTR = -99911;
```

This variable has 87 valid cases out of 34,309 total cases.

- Mean: 431.6221
- Median: 152.1875
- Mode: 182.6250
- Minimum: 1.0000
- Maximum: 7305.0000
- Standard Deviation: 1195.9985

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	10	0.0 %

Missing Data			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34208	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,222</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13478-13488 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSLASTUSED\_BFILTR: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Filtered Cigar as a Blunt (Not Past 30 Day Smokers)

Long Description: Wave 5 adult blunt smokers who have not smoked a filtered cigar in past 30 days - Recode of length of time since last smoked a filtered cigar as a blunt into days.

```
Algorithm: IF R05_AJ9029FC_UN = 1 AND R05_AJ9029FC_NN >= 0 THEN
R05R_A_DAYSLASTUSED_BFILTR = R05_AJ9029FC_NN; ELSE IF R05_AJ9029FC_UN =
2 AND R05_AJ9029FC_NN >= 0 THEN R05R_A_DAYSLASTUSED_BFILTR =
R05_AJ9029FC_NN * 30.4375; ELSE IF R05_AJ9029FC_UN = 3 AND
R05_AJ9029FC_NN >= 0 THEN R05R_A_DAYSLASTUSED_BFILTR =
R05_AJ9029FC_NN * 365.25; ELSE IF R05_AJ9029FC_NN = -9 THEN
R05R_A_DAYSLASTUSED_BFILTR = -99999; ELSE IF R05_AJ9029FC_NN = -8 THEN
R05R_A_DAYSLASTUSED_BFILTR = -99988; ELSE IF R05_AJ9029FC_NN = -7 THEN
R05R_A_DAYSLASTUSED_BFILTR = -99977; ELSE IF R05_AJ9029FC_NN = -5 THEN
R05R_A_DAYSLASTUSED_BFILTR = -99955; ELSE IF R05_AJ9029FC_NN = -1 THEN
R05R_A_DAYSLASTUSED_BFILTR = -99911;
```

This variable has 107 valid cases out of 34,309 total cases.

- Mean: 648.5158
- Median: 152.1875
- Minimum: 30.4375
- Maximum: 17166.7500
- Standard Deviation: 2120.3709

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	18	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34177	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,202</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13489-13499 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_EVR\_GTRAD: DERIVED - Wave 5 Adult Ever Traditional Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked a traditional cigar.

Algorithm: IF X04M\_EVR\_GTRAD = 1 OR R05\_AG9003 = 1 OR R05\_AG9030 = 1  
OR R05\_AG9003\_12M = 1 THEN R05R\_A\_EVR\_GTRAD = 1; ELSE IF R05\_AG9003 =  
2 OR (X04M\_EVR\_GTRAD = 2 AND R05\_AG9003\_12M = 2 AND X04M\_SKIPPED\_WAVE =  
2) THEN R05R\_A\_EVR\_GTRAD = 2; ELSE IF (R05\_AG9030 = -9 AND  
R05\_AG9003\_12M = -1) OR R05\_AG9003 = -9 OR R05\_AG9003\_12M = -9 THEN  
R05R\_A\_EVR\_GTRAD = -99999; ELSE IF R05\_AG9003 = -8 OR R05\_AG9003\_12M =  
-8 THEN R05R\_A\_EVR\_GTRAD = -99988; ELSE IF R05\_AG9003 = -7 OR  
R05\_AG9003\_12M = -7 THEN R05R\_A\_EVR\_GTRAD = -99977; ELSE IF  
X04M\_EVR\_GTRAD IN (-99933, -99999, -99988, -99977, -99966, -99911) OR  
X04M\_SKIPPED\_WAVE = 1 THEN R05R\_A\_EVR\_GTRAD = -99966; ELSE IF  
R05\_AG9003 = -1 OR R05\_AG9003\_12M = -1 THEN R05R\_A\_EVR\_GTRAD = -99911;

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before smoked traditional cigars and who had never skipped a wave were asked about traditional cigar use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before smoked traditional cigars and who had never skipped a wave who did not smoke a traditional cigar in the past 12 months at Wave 5 are considered never traditional cigar smokers in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12007	35.0 %
2	2 = No	21988	64.1 %
	<b>Total</b>	<b>33,995</b>	<b>99.1%</b>

This variable has 33,995 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	305	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>314</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13500-13505 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

---

## R05R\_A\_EVR\_THRSH\_GTRAD: DERIVED - Wave 5 Adult Traditional Cigar Lifetime Threshold of Use- Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have ever smoked traditional cigars fairly regularly.

Algorithm: IF R05R\_A\_EVR\_GTRAD = 1 AND (X04M\_EVR\_THRSH\_GTRAD = 1 OR R05\_AG1100TC = 1) THEN R05R\_A\_EVR\_THRSH\_GTRAD = 1; ELSE IF R05R\_A\_EVR\_GTRAD = 2 OR (R05R\_A\_EVR\_GTRAD = 1 AND R05\_AG1100TC = 2) THEN R05R\_A\_EVR\_THRSH\_GTRAD = 2; ELSE IF R05R\_A\_EVR\_GTRAD = -99999 OR R05\_AG1100TC = -9 THEN R05R\_A\_EVR\_THRSH\_GTRAD = -99999; ELSE IF R05R\_A\_EVR\_GTRAD = -99988 OR R05\_AG1100TC = -8 THEN R05R\_A\_EVR\_THRSH\_GTRAD = -99988; ELSE IF R05R\_A\_EVR\_GTRAD = -99977 OR R05\_AG1100TC = -7 THEN R05R\_A\_EVR\_THRSH\_GTRAD = -99977; ELSE IF R05R\_A\_EVR\_GTRAD = -99966 THEN R05R\_A\_EVR\_THRSH\_GTRAD = -99966; ELSE IF R05R\_A\_EVR\_GTRAD = -99911 OR R05\_AG1100TC = -1 THEN R05R\_A\_EVR\_THRSH\_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2258	6.6 %
2	2 = No	30348	88.5 %
	<b>Total</b>	<b>32,606</b>	<b>95.0%</b>

This variable has 32,606 valid cases out of 34,309 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	305	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1381	4.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,703</b>	<b>5.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13506-13511 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_ESTD\_GTRAD: DERIVED - Wave 5 Adult Current Established Traditional Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked a traditional cigar, have ever smoked them fairly regularly, and currently smoke every day or some days.

```
Algorithm: IF R05R_A_EVR_THRSH_GTRAD = 1 AND R05_AG1003TC IN (1,2) THEN
R05R_A_CUR_ESTD_GTRAD = 1; ELSE IF R05R_A_EVR_THRSH_GTRAD
= 2 OR R05R_A_EVR_GTRAD = 2 OR R05_AG1003TC = 3 OR
R05_AG9003_12M = 2 OR R05_AG9003 = 2 OR R05_AG9106_01 = 1
THEN R05R_A_CUR_ESTD_GTRAD = 2; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99999 OR R05_AG1003TC = -9 OR
R05_AG9003_12M = -9 OR R05_AG9003 = -9 OR R05R_A_EVR_GTRAD
= -99999 THEN R05R_A_CUR_ESTD_GTRAD = -99999; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99988 OR R05_AG1003TC = -8 OR
R05_AG9003_12M = -8 OR R05_AG9003 = -8 OR R05R_A_EVR_GTRAD
= -99988 THEN R05R_A_CUR_ESTD_GTRAD = -99988; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99977 OR R05_AG1003TC = -7 OR
R05_AG9003_12M = -7 OR R05_AG9003 = -7 OR R05R_A_EVR_GTRAD
= -99977 THEN R05R_A_CUR_ESTD_GTRAD = -99977; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99966 OR R05R_A_EVR_GTRAD = -
99966 THEN R05R_A_CUR_ESTD_GTRAD = -99966; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99911 OR R05_AG1003TC = -1 OR
R05_AG9003_12M = -1 OR R05_AG9003 = -1 OR R05R_A_EVR_GTRAD
= -99911 THEN R05R_A_CUR_ESTD_GTRAD = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	620	1.8 %
2	2 = No	33678	98.2 %
<b>Total</b>		<b>34,298</b>	<b>100.0%</b>

This variable has 34,298 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>11</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 13512-13517 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_EDSD\_GTRAD: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Traditional Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked a traditional cigar and currently smoke every day or some days.

Algorithm: IF R05R\_A\_EVR\_GTRAD = 1 AND R05\_AG1003TC IN (1,2) THEN  
R05R\_A\_CUR\_EDSD\_GTRAD = 1; ELSE IF R05R\_A\_EVR\_GTRAD = 2 OR  
R05\_AG1003TC = 3 OR R05\_AG9003\_12M = 2 OR R05\_AG9003 = 2 OR  
R05\_AG9106\_01 = 1 THEN R05R\_A\_CUR\_EDSD\_GTRAD = 2; ELSE IF  
R05R\_A\_EVR\_GTRAD = -99999 OR R05\_AG1003TC = -9 OR  
R05\_AG9003\_12M = -9 OR R05\_AG9003 = -9 THEN  
R05R\_A\_CUR\_EDSD\_GTRAD = -99999; ELSE IF R05R\_A\_EVR\_GTRAD =  
-99988 OR R05\_AG1003TC = -8 OR R05\_AG9003\_12M = -8 OR  
R05\_AG9003 = -8 THEN R05R\_A\_CUR\_EDSD\_GTRAD = -99988; ELSE IF  
R05R\_A\_EVR\_GTRAD = -99977 OR R05\_AG1003TC = -7 OR  
R05\_AG9003\_12M = -7 OR R05\_AG9003 = -7 THEN  
R05R\_A\_CUR\_EDSD\_GTRAD = -99977; ELSE IF R05R\_A\_EVR\_GTRAD =  
-99966 THEN R05R\_A\_CUR\_EDSD\_GTRAD = -99966; ELSE IF  
R05R\_A\_EVR\_GTRAD = -99911 OR R05\_AG1003TC = -1 OR  
R05\_AG9003\_12M = -1 OR R05\_AG9003 = -1 THEN  
R05R\_A\_CUR\_EDSD\_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1472	4.3 %
2	2 = No	32826	95.7 %
	<b>Total</b>	<b>34,298</b>	<b>100.0%</b>

This variable has 34,298 valid cases out of 34,309 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>11</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 13518-13523 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_EDY\_GTRAD: DERIVED - Wave 5 Adult Current Every Day Traditional Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked a traditional cigar, have ever smoked them fairly regularly, and currently smoke every day.

```
Algorithm: IF R05R_A_EVR_THRSH_GTRAD = 1 AND R05_AG1003TC = 1 THEN
R05R_A_EDY_GTRAD = 1; ELSE IF R05R_A_EVR_THRSH_GTRAD = 2
OR R05_AG1003TC IN (2,3) OR R05_AG9003_12M = 2 OR R05_AG9003
= 2 OR R05_AG9106_01 = 1 THEN R05R_A_EDY_GTRAD = 2; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99999 OR R05_AG1003TC = -9 OR
R05_AG9003_12M = -9 OR R05_AG9003 = -9 THEN
R05R_A_EDY_GTRAD = -99999; ELSE IF R05R_A_EVR_THRSH_GTRAD =
-99988 OR R05_AG1003TC = -8 OR R05_AG9003_12M = -8 OR
R05_AG9003 = -8 THEN R05R_A_EDY_GTRAD = -99988; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99977 OR R05_AG1003TC = -7 OR
R05_AG9003_12M = -7 OR R05_AG9003 = -7 THEN
R05R_A_EDY_GTRAD = -99977; ELSE IF R05R_A_EVR_THRSH_GTRAD =
-99966 THEN R05R_A_EDY_GTRAD = -99966; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99911 OR R05_AG1003TC = -1 OR
R05_AG9003_12M = -1 OR R05_AG9003 = -1 THEN
R05R_A_EDY_GTRAD = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	63	0.2 %
2	2 = No	34235	99.8 %
<b>Total</b>		<b>34,298</b>	<b>100.0%</b>

This variable has 34,298 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>11</b>	<b>0.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13524-13529 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_SDY\_GTRAD: DERIVED - Wave 5 Adult Current Some Day Traditional Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked a traditional cigar, have ever smoked them fairly regularly, and currently smoke some days.

```
Algorithm: IF R05R_A_EVR_THRSH_GTRAD = 1 AND R05_AG1003TC = 2 THEN
R05R_A_SDY_GTRAD = 1; ELSE IF R05R_A_EVR_THRSH_GTRAD = 2 OR
R05_AG1003TC IN (1, 3) OR R05_AG9003_12M = 2 OR R05_AG9003 =
2 OR R05_AG9106_01 = 1 THEN R05R_A_SDY_GTRAD = 2; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99999 OR R05_AG1003TC = -9 OR
R05_AG9003_12M = -9 OR R05_AG9003 = -9 THEN
R05R_A_SDY_GTRAD = -99999; ELSE IF R05R_A_EVR_THRSH_GTRAD =
-99988 OR R05_AG1003TC = -8 OR R05_AG9003_12M = -8 OR
R05_AG9003 = -8 THEN R05R_A_SDY_GTRAD = -99988; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99977 OR R05_AG1003TC = -7 OR
R05_AG9003_12M = -7 OR R05_AG9003 = -7 THEN
R05R_A_SDY_GTRAD = -99977; ELSE IF R05R_A_EVR_THRSH_GTRAD =
-99966 THEN R05R_A_SDY_GTRAD = -99966; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99911 OR R05_AG1003TC = -1 OR
R05_AG9003_12M = -1 OR R05_AG9003 = -1 THEN
R05R_A_SDY_GTRAD = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	557	1.6 %
2	2 = No	33741	98.3 %
	<b>Total</b>	<b>34,298</b>	<b>100.0%</b>

This variable has 34,298 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>11</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13530-13535 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P30D\_GTRAD: DERIVED - Wave 5 Adult Past 30 Day Traditional Cigar Smoker

Long Description: Wave 5 Adult respondents who have ever smoked a traditional cigar and have smoked at least once in the past 30 days. Includes some respondents who smoked traditional cigars only as blunts.

Algorithm: IF R05R\_A\_EVR\_GTRAD = 1 AND (R05\_AG9030 = 1 OR R05\_AG0100TC IN (1,2,3,4) OR (1 <= R05\_AG1009TC\_NN <= 30 AND R05\_AG1009TC\_UN = 1) OR (R05\_AG1009TC\_NN = 1 AND R05\_AG1009TC\_UN = 2) OR R05\_AG1022TC > 0) THEN R05R\_A\_P30D\_GTRAD = 1; ELSE IF R05R\_A\_EVR\_GTRAD = 2 OR R05\_AG9003 = 2 OR R05\_AG9030 = 2 OR (R05\_AG1009TC\_NN > 30 AND R05\_AG1009TC\_UN = 1) OR (R05\_AG1009TC\_NN > 1 AND R05\_AG1009TC\_UN = 2) OR R05\_AG1009TC\_UN = 3 OR R05\_AG1022TC = 0 THEN R05R\_A\_P30D\_GTRAD = 2; ELSE IF R05R\_A\_EVR\_GTRAD = -99999 OR R05\_AG9003 = -9 OR R05\_AG9030 = -9 OR R05\_AG0100TC = -9 OR R05\_AG1009TC\_NN = -9 OR R05\_AG1022TC = -9 THEN R05R\_A\_P30D\_GTRAD = -99999; ELSE IF R05R\_A\_EVR\_GTRAD = -99988 OR R05\_AG9003 = -8 OR R05\_AG9030 = -8 OR R05\_AG0100TC = -8 OR R05\_AG1009TC\_NN = -8 OR R05\_AG1022TC = -8 THEN R05R\_A\_P30D\_GTRAD = -99988; ELSE IF R05R\_A\_EVR\_GTRAD = -99977 OR R05\_AG9003 = -7 OR R05\_AG9030 = -7 OR R05\_AG0100TC = -7 OR R05\_AG1009TC\_NN = -7 OR R05\_AG1022TC = -7 THEN R05R\_A\_P30D\_GTRAD = -99977; ELSE IF R05\_AG1009TC\_NN = -5 THEN R05R\_A\_P30D\_GTRAD = -99955; ELSE IF R05R\_A\_EVR\_GTRAD = -99966 THEN R05R\_A\_P30D\_GTRAD = -99966; ELSE IF R05R\_A\_EVR\_GTRAD = -99911 OR R05\_AG9003 = -1 OR R05\_AG9030 = -1 OR R05\_AG0100TC = -1 OR R05\_AG1009TC\_NN = -1 OR R05\_AG1022TC = -1 THEN R05R\_A\_P30D\_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1901	5.5 %
2	2 = No	32397	94.4 %
	<b>Total</b>	<b>34,298</b>	<b>100.0%</b>

This variable has 34,298 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>11</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 13536-13541 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99955 , -99911 , -97777

## R05R\_A\_NEW\_GTRAD: DERIVED - Wave 5 Adult Never to Ever Traditional Cigar Smoker

Long Description: Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started smoking traditional cigars between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started smoking traditional cigars between Waves 4.5 and 5.

Algorithm: IF X04M\_EVR\_GTRAD = 2 AND R05R\_A\_EVR\_GTRAD = 1 AND  
(WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_GTRAD = 1; ELSE IF  
(X04M\_EVR\_GTRAD = 1 OR R05R\_A\_EVR\_GTRAD = 2) AND (WAVE4\_INTERVIEW = 1  
OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND  
(WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_GTRAD = 2; ELSE IF  
R05R\_A\_EVR\_GTRAD = -99999 THEN R05R\_A\_NEW\_GTRAD = -99999; ELSE IF  
R05R\_A\_EVR\_GTRAD = -99988 THEN R05R\_A\_NEW\_GTRAD = -99988; ELSE IF  
R05R\_A\_EVR\_GTRAD = -99977 THEN R05R\_A\_NEW\_GTRAD = -99977; ELSE IF  
X04M\_EVR\_GTRAD IN (-99933, -99999, -99988, -99977, -99966, -99911)  
OR R05R\_A\_EVR\_GTRAD = -99966 OR WAVE4P5\_INTERVIEW = 9 OR  
(WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW = 9) THEN  
R05R\_A\_NEW\_GTRAD = -99966; ELSE IF R05R\_A\_EVR\_GTRAD = -99911 THEN  
R05R\_A\_NEW\_GTRAD = -99911;

Notes: Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	898	2.6 %
2	2 = No	31355	91.4 %
<b>Total</b>		<b>32,253</b>	<b>94.0%</b>

This variable has 32,253 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2047	6.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>2,056</b>	<b>6.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13542-13547 (width: 6; decimal: 0)

**Variable Type:** numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_EXPR\_GTRAD: DERIVED - Wave 5 Adult Current Experimental Traditional Cigar Smoker

Long Description: Wave 5 adult respondents who have never smoked traditional cigars fairly regularly, and currently smoke every day or some days.

```

Algorithm: IF R05R_A_EVR_GTRAD = 1 AND R05R_A_EVR_THRSH_GTRAD = 2 AND
R05_AG1003TC IN (1,2) THEN R05R_A_CUR_EXPR_GTRAD = 1; ELSE
IF R05R_A_EVR_THRSH_GTRAD = 1 OR R05R_A_EVR_GTRAD = 2 OR
R05_AG1003TC = 3 OR R05_AG9003_12M = 2 OR R05_AG9003 = 2 OR
R05_AG9106_01 = 1 THEN R05R_A_CUR_EXPR_GTRAD = 2; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99999 OR R05_AG1003TC = -9 OR
R05_AG9003_12M = -9 OR R05_AG9003 = -9 OR R05R_A_EVR_GTRAD
= -99999 THEN R05R_A_CUR_EXPR_GTRAD = -99999; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99988 OR R05_AG1003TC = -8 OR
R05_AG9003_12M = -8 OR R05_AG9003 = -8 OR R05R_A_EVR_GTRAD
= -99988 THEN R05R_A_CUR_EXPR_GTRAD = -99988; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99977 OR R05_AG1003TC = -7 OR
R05_AG9003_12M = -7 OR R05_AG9003 = -7 OR R05R_A_EVR_GTRAD
= -99977 THEN R05R_A_CUR_EXPR_GTRAD = -99977; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99966 OR R05R_A_EVR_GTRAD = -
99966 THEN R05R_A_CUR_EXPR_GTRAD = -99966; ELSE IF
R05R_A_EVR_THRSH_GTRAD = -99911 OR R05_AG1003TC = -1 OR
R05_AG9003_12M = -1 OR R05_AG9003 = -1 OR R05R_A_EVR_GTRAD
= -99911 THEN R05R_A_CUR_EXPR_GTRAD = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	852	2.5 %
2	2 = No	33447	97.5 %
	<b>Total</b>	<b>34,299</b>	<b>100.0%</b>

This variable has 34,299 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>10</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13548-13553 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_FMR\_ESTD\_GTRAD: DERIVED - Wave 5 Adult Former Established Traditional Cigar Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked traditional cigars fairly regularly, and have not smoked them within the past 12 months or currently smoke them not at all. Recanters and blunt-only users who have ever smoked a traditional cigar are excluded from the derivation.

```
Algorithm: IF R05R_A_EVR_THRSH_GTRAD = 1 AND (R05_AG1003TC = 3 OR
R05_AG9003_12M = 2 OR R05_AG9003 = 2) AND R05_AG9106_01 != 1
AND R05_AG1010TC != 3 THEN R05R_A_FMR_ESTD_GTRAD = 1; ELSE
IF ((R05R_A_EVR_THRSH_GTRAD = 2 OR R05_AG1003TC IN (1,2)) AND
R05_AG1010TC != 3) OR R05R_A_EVR_GTRAD = 2 THEN
R05R_A_FMR_ESTD_GTRAD = 2; ELSE IF R05R_A_EVR_THRSH_GTRAD
= -99999 OR R05R_A_EVR_GTRAD = -99999 OR R05_AG1003TC = -9
OR R05_AG9003_12M = -9 OR R05_AG9003 = -9 OR R05_AG9106_01 =
-9 OR R05_AG1010TC = -9 THEN R05R_A_FMR_ESTD_GTRAD = -99999;
ELSE IF R05R_A_EVR_THRSH_GTRAD = -99988 OR
R05R_A_EVR_GTRAD = -99988 OR R05_AG1003TC = -8 OR
R05_AG9003_12M = -8 OR R05_AG9003 = -8 OR R05_AG9106_01 = -8
OR R05_AG1010TC = -8 THEN R05R_A_FMR_ESTD_GTRAD = -99988;
ELSE IF R05R_A_EVR_THRSH_GTRAD = -99977 OR
R05R_A_EVR_GTRAD = -99977 OR R05_AG1003TC = -7 OR
R05_AG9003_12M = -7 OR R05_AG9003 = -7 OR R05_AG9106_01 = -7
OR R05_AG1010TC = -7 THEN R05R_A_FMR_ESTD_GTRAD = -99977;
ELSE IF R05R_A_EVR_THRSH_GTRAD = -99966 OR
R05R_A_EVR_GTRAD = -99966 THEN R05R_A_FMR_ESTD_GTRAD = -
99966; ELSE IF R05R_A_EVR_THRSH_GTRAD = -99911 OR
R05R_A_EVR_GTRAD = -99911 OR R05_AG1003TC = -1 OR
R05_AG9003_12M = -1 OR R05_AG9003 = -1 OR R05_AG9106_01 IN (-
1,1) OR R05_AG1010TC IN (-1,3) THEN R05R_A_FMR_ESTD_GTRAD = -
99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1478	4.3 %
2	2 = No	30968	90.3 %
	<b>Total</b>	<b>32,446</b>	<b>94.6%</b>

This variable has 32,446 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %

Missing Data			
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	305	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1539	4.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,863</b>	<b>5.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13554-13559 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -99999, -99988, -99977, -99966, -99911, -97777

R05R\_A\_FMR\_EXPR\_GTRAD: DERIVED - Wave 5 Adult Former Experimental Traditional Cigar Smoker

**Long Description:** Wave 5 adult respondents who have never smoked traditional cigars fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters and blunt-only users who have ever smoked a traditional cigar are excluded from the derivation.

Algorithm: IF R05R\_A\_EVR\_GTRAD = 1 AND R05R\_A\_EVR\_THRSH\_GTRAD = 2 AND  
 (R05\_AG1003TC = 3 OR R05\_AG9003\_12M = 2 OR R05\_AG9003 = 2)  
 AND R05\_AG1010TC != 3 AND R05\_AG9106\_01 != 1 THEN  
 R05R\_A\_FMR\_EXPR\_GTRAD = 1; ELSE IF  
 ((R05R\_A\_EVR\_THRSH\_GTRAD = 1 OR R05\_AG1003TC IN (1,2)) AND  
 R05\_AG1010TC != 3 AND R05\_AG9106\_01 != 1) OR  
 R05R\_A\_EVR\_GTRAD = 2 THEN R05R\_A\_FMR\_EXPR\_GTRAD = 2; ELSE  
 IF R05R\_A\_EVR\_THRSH\_GTRAD = -99999 OR R05R\_A\_EVR\_GTRAD = -  
 99999 OR R05\_AG1003TC = -9 OR R05\_AG9003\_12M = -9 OR  
 R05\_AG9003 = -9 OR R05\_AG9106\_01 = -9 OR R05\_AG1010TC = -9  
 THEN R05R\_A\_FMR\_EXPR\_GTRAD = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GTRAD = -99988 OR R05R\_A\_EVR\_GTRAD = -  
 99988 OR R05\_AG1003TC = -8 OR R05\_AG9003\_12M = -8 OR  
 R05\_AG9003 = -8 OR R05\_AG9106\_01 = -8 OR R05\_AG1010TC = -8  
 THEN R05R\_A\_FMR\_EXPR\_GTRAD = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GTRAD = -99977 OR R05R\_A\_EVR\_GTRAD = -  
 99977 OR R05\_AG1003TC = -7 OR R05\_AG9003\_12M = -7 OR  
 R05\_AG9003 = -7 OR R05\_AG9106\_01 = -7 OR R05\_AG1010TC = -7  
 THEN R05R\_A\_FMR\_EXPR\_GTRAD = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GTRAD = -99966 OR R05R\_A\_EVR\_GTRAD = -  
 99966 THEN R05R\_A\_FMR\_EXPR\_GTRAD = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GTRAD = -99911 OR R05R\_A\_EVR\_GTRAD = -  
 99911 OR R05\_AG1003TC = -1 OR R05\_AG9003\_12M = -1 OR  
 R05\_AG9003 = -1 OR R05\_AG1010TC IN (-1,3) OR R05\_AG9106\_01 IN  
 (-1,1) THEN R05R\_A\_FMR\_EXPR\_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7508	21.9 %
2	2 = No	24939	72.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>32,447</b>	<b>94.6%</b>

This variable has 32,447 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	305	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1539	4.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,862</b>	<b>5.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13560-13565 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_P12M\_GTRAD: DERIVED - Wave 5 Adult Past 12 Month Traditional Cigar Smokers

Long Description: Wave 5 adult respondents who have smoked a traditional cigar within the past 12 months.

Algorithm: IF R05R\_A\_EVR\_GTRAD = 1 AND (R05\_AG9030 = 1 OR R05\_AG9003\_12M = 1 OR (R05\_AG1009TC\_UN = 1 AND 0 < R05\_AG1009TC\_NN <= 365) OR (R05\_AG1009TC\_UN = 2 AND 0 < R05\_AG1009TC\_NN <= 12) OR (R05\_AG1009TC\_UN = 3 AND R05\_AG1009TC\_NN = 1) OR R05\_AG0100TC IN (1,2,3,4) OR R05\_AG1022TC > 0) THEN R05R\_A\_P12M\_GTRAD = 1; ELSE IF R05R\_A\_EVR\_GTRAD = 2 OR R05\_AG9003\_12M = 2 OR R05\_AG9003 = 2 OR (R05\_AG1009TC\_UN = 1 AND R05\_AG1009TC\_NN > 365) OR (R05\_AG1009TC\_UN = 2 AND R05\_AG1009TC\_NN > 12) OR (R05\_AG1009TC\_UN = 3 AND R05\_AG1009TC\_NN > 1) THEN R05R\_A\_P12M\_GTRAD = 2; ELSE IF R05R\_A\_EVR\_GTRAD = -99999 OR (R05\_AG9030 = -9 AND R05\_AG9003\_12M = -1) OR R05\_AG1009TC\_NN = -9 OR R05\_AG9003\_12M = -9 OR R05\_AG9003 = -9 OR R05\_AG0100TC = -9 OR R05\_AG1022TC = -9 THEN R05R\_A\_P12M\_GTRAD = -99999; ELSE IF R05R\_A\_EVR\_GTRAD = -99988 OR R05\_AG9003\_12M = -8 OR R05\_AG9003 = -8 OR R05\_AG1009TC\_NN = -8 OR R05\_AG0100TC = -8 OR R05\_AG1022TC = -8 THEN R05R\_A\_P12M\_GTRAD = -99988; ELSE IF R05R\_A\_EVR\_GTRAD = -99977 OR R05\_AG9003\_12M = -7 OR R05\_AG9003 = -7 OR R05\_AG1009TC\_NN = -7 OR R05\_AG0100TC = -7 OR R05\_AG1022TC = -7 THEN R05R\_A\_P12M\_GTRAD = -99977; ELSE IF R05\_AG1009TC\_NN IN (0,-5) THEN R05R\_A\_P12M\_GTRAD = -99955; ELSE IF R05R\_A\_EVR\_GTRAD = -99966 THEN R05R\_A\_P12M\_GTRAD =

-99966; ELSE IF R05R\_A\_EVR\_GTRAD = -99911 OR R05\_AG9003\_12M  
= -1 OR R05\_AG9003 = -1 OR R05\_AG1009TC\_NN = -1 OR  
R05\_AG0100TC IN (5,-1) OR R05\_AG1022TC = -1 THEN  
R05R\_A\_P12M\_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3707	10.8 %
2	2 = No	30591	89.2 %
<b>Total</b>		<b>34,298</b>	<b>100.0%</b>

This variable has 34,298 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>11</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13566-13571 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_MINFIRST\_GTRAD: DERIVED - Wave 5 Adult Number of Minutes from Waking Up to Smoking First Traditional Cigar

*Long Description:* Wave 5 Adult - Recode of length of time from waking up to smoking first traditional cigar into minutes.

*Algorithm:* IF R05\_AG1024TC\_UN = 1 AND R05\_AG1024TC\_NN >= 0 THEN  
R05R\_A\_MINFIRST\_GTRAD = R05\_AG1024TC\_NN; ELSE IF R05\_AG1024TC\_UN = 2  
AND R05\_AG1024TC\_NN >= 0 THEN R05R\_A\_MINFIRST\_GTRAD =  
R05\_AG1024TC\_NN \* 60; ELSE IF R05\_AG1024TC\_NN = -9 THEN  
R05R\_A\_MINFIRST\_GTRAD = -99999; ELSE IF R05\_AG1024TC\_NN = -8 THEN  
R05R\_A\_MINFIRST\_GTRAD = -99988; ELSE IF R05\_AG1024TC\_NN = -7 THEN  
R05R\_A\_MINFIRST\_GTRAD = -99977; ELSE IF R05\_AG1024TC\_NN = -5 THEN  
R05R\_A\_MINFIRST\_GTRAD = -99955; ELSE IF R05\_AG1024TC\_NN = -1 THEN  
R05R\_A\_MINFIRST\_GTRAD = -99911;

This variable has 1,401 valid cases out of 34,309 total cases.

- Mean: 443.11
- Median: 480.00
- Mode: 720.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 301.16

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	49	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	6	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32836	95.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>32,908</b>	<b>95.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13572-13577 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_MINFIRST\_30D\_GTRAD: DERIVED - Wave 5 Adult Former Past 30 Day Traditional Cigar Smoker - Number of Minutes From Waking Up to Smoking First Traditional Cigar

Long Description: Wave 5 Adult former traditional cigar smokers who have smoked in the past 30 days - Recode of length of time from waking up to smoking first traditional cigar into minutes.

```
Algorithm: IF R05_AG1024TC_30D_UN = 1 AND R05_AG1024TC_30D_NN >= 0 THEN
R05R_A_MINFIRST_30D_GTRAD = R05_AG1024TC_30D_NN; ELSE IF
R05_AG1024TC_30D_UN = 2 AND R05_AG1024TC_30D_NN >= 0 THEN
R05R_A_MINFIRST_30D_GTRAD = R05_AG1024TC_30D_NN * 60; ELSE IF
R05_AG1024TC_30D_NN = -9 THEN R05R_A_MINFIRST_30D_GTRAD = -99999; ELSE
IF R05_AG1024TC_30D_NN = -8 THEN R05R_A_MINFIRST_30D_GTRAD = -99988;
ELSE IF R05_AG1024TC_30D_NN = -7 THEN R05R_A_MINFIRST_30D_GTRAD =
-99977; ELSE IF R05_AG1024TC_30D_NN = -5 THEN
R05R_A_MINFIRST_30D_GTRAD = -99955; ELSE IF R05_AG1024TC_30D_NN = -1
THEN R05R_A_MINFIRST_30D_GTRAD = -99911;
```

This variable has 700 valid cases out of 34,309 total cases.

- Mean: 290.34
- Median: 120.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 1440.00
- Standard Deviation: 335.83

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	38	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33550	97.8 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,609</b>	<b>98.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13578-13583 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSQUIT\_GTRAD: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Traditional Cigar (Non-Current Smokers)

Long Description: Wave 5 adult recode of length of time since last smoked a traditional cigar into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

```
Algorithm: IF R05_AG1009TC_UN = 1 AND R05_AG1009TC_NN >= 0 THEN
R05R_A_DAYSQUIT_GTRAD = R05_AG1009TC_NN; ELSE IF R05_AG1009TC_UN = 2
AND R05_AG1009TC_NN >= 0 THEN R05R_A_DAYSQUIT_GTRAD =
R05_AG1009TC_NN * 30.4375; ELSE IF R05_AG1009TC_UN = 3 AND
R05_AG1009TC_NN >= 0 THEN R05R_A_DAYSQUIT_GTRAD =
R05_AG1009TC_NN * 365.25; ELSE IF R05_AG1009TC_NN = -9 THEN
R05R_A_DAYSQUIT_GTRAD = -99999; ELSE IF R05_AG1009TC_NN = -8 THEN
R05R_A_DAYSQUIT_GTRAD = -99988; ELSE IF R05_AG1009TC_NN = -7 THEN
R05R_A_DAYSQUIT_GTRAD = -99977; ELSE IF R05_AG1009TC_NN = -5 THEN
R05R_A_DAYSQUIT_GTRAD = -99955; ELSE IF R05_AG1009TC_NN = -1 THEN
R05R_A_DAYSQUIT_GTRAD = -99911;
```

This variable has 2,592 valid cases out of 34,309 total cases.

- Mean: 1043.6310
- Median: 304.3750
- Mode: 365.2500
- Minimum: 1.0000
- Maximum: 28854.7500
- Standard Deviation: 2440.3444

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>				
-99988	-99988 = Missing due to a don't know response on one or more component variables	46	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	212	0.6 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31451	91.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>31,717</b>	<b>92.4%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13584-13594 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSLASTUSED\_GTRAD: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Traditional Cigar (Some Day or Current Experimental Smokers)

Long Description: Wave 5 adult some day, current experimental, or former 30 day traditional cigar smokers who have not smoked in the past 30 days -Recode of length of time since last smoked a traditional cigar into days.

```
Algorithm: IF R05_AG9029TC_UN = 1 AND R05_AG9029TC_NN >= 0 THEN
R05R_A_DAYSLASTUSED_GTRAD = R05_AG9029TC_NN; ELSE IF R05_AG9029TC_UN =
2 AND R05_AG9029TC_NN >= 0 THEN
R05R_A_DAYSLASTUSED_GTRAD=R05_AG9029TC_NN * 30.4375; ELSE IF
R05_AG9029TC_UN = 3 AND R05_AG9029TC_NN >= 0 THEN
R05R_A_DAYSLASTUSED_GTRAD=R05_AG9029TC_NN * 365.25; ELSE IF
R05_AG9029TC_NN = -9 THEN R05R_A_DAYSLASTUSED_GTRAD = -99999; ELSE IF
R05_AG9029TC_NN = -8 THEN R05R_A_DAYSLASTUSED_GTRAD = -99988; ELSE IF
R05_AG9029TC_NN = -7 THEN R05R_A_DAYSLASTUSED_GTRAD = -99977; ELSE IF
R05_AG9029TC_NN = -5 THEN R05R_A_DAYSLASTUSED_GTRAD = -99955; ELSE IF
R05_AG9029TC_NN = -1 THEN R05R_A_DAYSLASTUSED_GTRAD = -99911;
```

This variable has 599 valid cases out of 34,309 total cases.

- Mean: 316.8911
- Median: 152.1875
- Mode: 182.6250
- Minimum: 30.0000
- Maximum: 10957.5000
- Standard Deviation: 794.9924

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	43	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33665	98.1 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>33,710</b>	<b>98.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13595-13605 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSBRAND\_GTRAD: DERIVED - Wave 5 Adult Number of Days Smoking Regular Brand of Traditional Cigars

Long Description: Wave 5 Adult current, experimental current, new former or former 30 day traditional cigar smokers who have a regular brand - Recode of length of time smoking regular brand of traditional cigar into days.

```
Algorithm: IF R05_AG1051TC_UN = 1 AND R05_AG1051TC_NN >= 0 THEN
R05R_A_DAYSBRAND_GTRAD = R05_AG1051TC_NN; ELSE IF R05_AG1051TC_UN= 2
AND R05_AG1051TC_NN >= 0 THEN R05R_A_DAYSBRAND_GTRAD =
R05_AG1051TC_NN * 30.4375; ELSE IF R05_AG1051TC_UN= 3 AND
R05_AG1051TC_NN >= 0 THEN R05R_A_DAYSBRAND_GTRAD =
R05_AG1051TC_NN * 365.25; ELSE IF R05_AG1051TC_NN = -9 THEN
R05R_A_DAYSBRAND_GTRAD = -99999; ELSE IF R05_AG1051TC_NN = -8 THEN
R05R_A_DAYSBRAND_GTRAD = -99988; ELSE IF R05_AG1051TC_NN = -7 THEN
R05R_A_DAYSBRAND_GTRAD = -99977; ELSE IF R05_AG1051TC_NN = -5 THEN
R05R_A_DAYSBRAND_GTRAD = -99955; ELSE IF R05_AG1051TC_NN = -1 THEN
R05R_A_DAYSBRAND_GTRAD = -99911;
```

This variable has 789 valid cases out of 34,309 total cases.

- Mean: 2050.1997
- Median: 1095.7500
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 20088.7500
- Standard Deviation: 2857.2670

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	

<b>Missing Data</b>			
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33511	97.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,520</b>	<b>97.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13606-13616 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_NUMDAYS\_GTRAD: DERIVED - Wave 5 Adult Past 30 Day Traditional Cigar Smoking Frequency

Long Description: Wave 5 adult number of days smoked traditional cigars within the past 30 days.

Algorithm: IF R05\_AG1003TC =1 THEN R05R\_A\_NUMDAYS\_GTRAD =30; ELSE IF R05\_AG1022TC NOT in (-1, -5, -7, -8, -9, 0) THEN R05R\_A\_NUMDAYS\_GTRAD = R05\_AG1022TC; ELSE IF R05\_AG1003TC =-9 OR R05\_AG1022TC =-9 THEN R05R\_A\_NUMDAYS\_GTRAD =-99999; ELSE IF R05\_AG1003TC =-8 OR R05\_AG1022TC =-8 THEN R05R\_A\_NUMDAYS\_GTRAD =-99988; ELSE IF R05\_AG1003TC =-7 OR R05\_AG1022TC =-7 THEN R05R\_A\_NUMDAYS\_GTRAD =-99977; ELSE IF R05\_AG1022TC in (0,-5) THEN R05R\_A\_NUMDAYS\_GTRAD =-99955; ELSE IF R05\_AG1003TC =-1 OR R05\_AG1022TC =-1 THEN R05R\_A\_NUMDAYS\_GTRAD =-99911;

This variable has 1,111 valid cases out of 34,309 total cases.

- Mean: 6.03
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 9.01

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1111	3.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32076	93.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,198</b>	<b>96.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13617-13622 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_EVR\_GRILLO: DERIVED - Wave 5 Adult Ever Cigarillo Smoker

Long Description: Wave 5 adult respondents who have ever smoked a cigarillo.

Algorithm: IF X04M\_EVR\_GRILLO = 1 OR R05\_AG9049\_01 = 1 OR  
R05\_AG9049\_03 = 1 OR R05\_AG9051 = 1 OR R05\_AG9053 = 1 OR  
R05\_AG9009\_12M\_01 = 1 OR R05\_AG9009\_12M\_03 = 1 OR R05\_AG9009\_01 = 1 OR  
R05\_AG9009\_03 = 1 THEN R05R\_A\_EVR\_GRILLO = 1; ELSE IF R05\_AG9004 = 2  
OR (R05\_AG9009\_01 = 2 AND R05\_AG9009\_03 = 2 AND R05\_AG9009\_12M\_01 ! IN  
(-7, -8, -9) AND R05\_AG9009\_12M\_03 ! IN (-7, -8, -9) AND  
R05\_AG9004\_12M ! IN (-7, -8, -9)) OR (X04M\_EVR\_GRILLO = 2 AND  
((R05\_AG9051 = 2 AND R05\_AG9053 = 2) OR (R05\_AG9004\_12M = 2 OR  
(R05\_AG9009\_12M\_01 = 2 AND R05\_AG9009\_12M\_03 = 2))) AND  
X04M\_SKIPPED\_WAVE = 2) THEN R05R\_A\_EVR\_GRILLO = 2; ELSE IF  
(R05\_AG9049\_01 = -9 AND R05\_AG9051 = -1) OR (R05\_AG9049\_03 = -9 AND  
R05\_AG9053 = -1) OR R05\_AG9009\_01 = -9 OR R05\_AG9009\_03 = -9 OR  
R05\_AG9004 = -9 OR R05\_AG9051 = -9 OR R05\_AG9053 = -9 OR  
R05\_AG9004\_12M = -9 OR R05\_AG9009\_12M\_01 = -9 OR R05\_AG9009\_12M\_03 =  
-9 THEN R05R\_A\_EVR\_GRILLO = -99999; ELSE IF R05\_AG9009\_01 = -8 OR  
R05\_AG9009\_03 = -8 OR R05\_AG9004 = -8 OR R05\_AG9051 = -8 OR  
R05\_AG9053 = -8 OR R05\_AG9004\_12M = -8 OR R05\_AG9009\_12M\_01 = -8 OR  
R05\_AG9009\_12M\_03 = -8 THEN R05R\_A\_EVR\_GRILLO = -99988; ELSE IF  
R05\_AG9009\_01 = -7 OR R05\_AG9009\_03 = -7 OR R05\_AG9004 = -7 OR  
R05\_AG9051 = -7 OR R05\_AG9053 = -7 OR R05\_AG9004\_12M = -7 OR  
R05\_AG9009\_12M\_01 = -7 OR R05\_AG9009\_12M\_03 = -7 THEN  
R05R\_A\_EVR\_GRILLO = -99977; ELSE IF X04M\_EVR\_GRILLO IN (-99933, -99999,  
-99988, -99977, -99966, -99911) OR X04M\_SKIPPED\_WAVE = 1 THEN  
R05R\_A\_EVR\_GRILLO = -99966; ELSE IF R05\_AG9009\_01 = -1 OR  
R05\_AG9009\_03 = -1 OR R05\_AG9004 = -1 OR R05\_AG9051 = -1 OR R05\_AG9053 =  
-1 OR R05\_AG9004\_12M = -1 OR R05\_AG9009\_12M\_01 = -1 OR  
R05\_AG9009\_12M\_03 = -1 THEN R05R\_A\_EVR\_GRILLO = -99911;

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before smoked cigarillos and who had never skipped a wave were asked about cigarillo use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before smoked cigarillos and who had never skipped a wave who did not smoke a cigarillo in the past 12 months at Wave 5 are considered never cigarillo smokers in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14248	41.5 %
2	2 = No	19419	56.6 %
	<b>Total</b>	<b>33,667</b>	<b>98.1%</b>

This variable has 33,667 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	633	1.8 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>642</b>	<b>1.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13623-13628 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_EVR\_THRSH\_GRILLO: DERIVED - Wave 5 Adult Cigarillo Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have ever smoked cigarillos fairly regularly.

Algorithm: IF R05R\_A\_EVR\_GRILLO = 1 AND (X04M\_EVR\_THRSH\_GRILLO = 1 OR R05\_AG1100CG = 1) THEN R05R\_A\_EVR\_THRSH\_GRILLO = 1; ELSE IF R05R\_A\_EVR\_GRILLO = 2 OR (R05R\_A\_EVR\_GRILLO = 1 AND R05\_AG1100CG = 2) THEN R05R\_A\_EVR\_THRSH\_GRILLO = 2; ELSE IF R05R\_A\_EVR\_GRILLO = -99999 OR R05\_AG1100CG = -9 THEN R05R\_A\_EVR\_THRSH\_GRILLO = -99999; ELSE IF R05R\_A\_EVR\_GRILLO = -99988 OR R05\_AG1100CG = -8 THEN R05R\_A\_EVR\_THRSH\_GRILLO = -99988; ELSE IF R05R\_A\_EVR\_GRILLO = -99977 OR R05\_AG1100CG = -7 THEN R05R\_A\_EVR\_THRSH\_GRILLO = -99977; ELSE IF R05R\_A\_EVR\_GRILLO = -99966 THEN R05R\_A\_EVR\_THRSH\_GRILLO = -99966; ELSE IF R05R\_A\_EVR\_GRILLO = -99911 OR R05\_AG1100CG = -1 THEN R05R\_A\_EVR\_THRSH\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3900	11.4 %
2	2 = No	26645	77.7 %
<b>Total</b>		<b>30,545</b>	<b>89.0%</b>

This variable has 30,545 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	12	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	633	1.8 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3094	9.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>3,764</b>	<b>11.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13629-13634 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_ESTD\_GRILLO: DERIVED - Wave 5 Adult Current Established Cigarillo Smoker

Long Description: Wave 5 adult respondents who have ever smoked a cigarillo, have ever smoked them fairly regularly, and currently smoke every day or some days.

Algorithm: IF R05R\_A\_EVR\_THRSH\_GRILLO = 1 AND R05\_AG1003CG IN (1,2) THEN  
 R05R\_A\_CUR\_ESTD\_GRILLO = 1; ELSE IF R05R\_A\_EVR\_THRSH\_GRILLO  
 = 2 OR R05R\_A\_EVR\_GRILLO = 2 OR R05\_AG1003CG = 3 OR  
 R05\_AG9106\_02 = 1 OR (R05\_AG9051 = 2 AND R05\_AG9053 = 2) OR  
 R05\_AG9004\_12M = 2 OR (R05\_AG9009\_12M\_01 = 2 AND  
 R05\_AG9009\_12M\_03 = 2) OR R05\_AG9004 = 2 THEN  
 R05R\_A\_CUR\_ESTD\_GRILLO = 2; ELSE IF R05R\_A\_EVR\_THRSH\_GRILLO  
 = -99999 OR R05\_AG1003CG = -9 OR R05\_AG9051 = -9 OR  
 R05\_AG9053 = -9 OR R05\_AG9004\_12M = -9 OR  
 R05\_AG9009\_12M\_01 = -9 OR R05\_AG9009\_12M\_03 = -9 OR  
 R05\_AG9004 = -9 OR R05R\_A\_EVR\_GRILLO = -99999 THEN  
 R05R\_A\_CUR\_ESTD\_GRILLO = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GRILLO = -99988 OR R05\_AG1003CG = -8 OR  
 R05\_AG9051 = -8 OR R05\_AG9053 = -8 OR R05\_AG9004\_12M = -8 OR  
 R05\_AG9009\_12M\_01 = -8 OR R05\_AG9009\_12M\_03 = -8 OR  
 R05\_AG9004 = -8 OR R05R\_A\_EVR\_GRILLO = -99988 THEN  
 R05R\_A\_CUR\_ESTD\_GRILLO = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GRILLO = -99977 OR R05\_AG1003CG = -7 OR  
 R05\_AG9051 = -7 OR R05\_AG9053 = -7 OR R05\_AG9004\_12M = -7 OR  
 R05\_AG9009\_12M\_01 = -7 OR R05\_AG9009\_12M\_03 = -7 OR  
 R05\_AG9004 = -7 OR R05R\_A\_EVR\_GRILLO = -99977 THEN  
 R05R\_A\_CUR\_ESTD\_GRILLO = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GRILLO = -99966 OR R05R\_A\_EVR\_GRILLO = -  
 99966 THEN R05R\_A\_CUR\_ESTD\_GRILLO = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GRILLO = -99911 OR R05\_AG1003CG = -1 OR  
 R05\_AG9051 = -1 OR R05\_AG9053 = -1 OR R05\_AG9004\_12M = -1 OR  
 R05\_AG9009\_12M\_01 = -1 OR R05\_AG9009\_12M\_03 = -1 OR  
 R05\_AG9004 = -1 OR R05R\_A\_EVR\_GRILLO = -99911 THEN  
 R05R\_A\_CUR\_ESTD\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	918	2.7 %

Value	Label	Unweighted Frequency	%
2	2 = No	33365	97.2 %
	<b>Total</b>	<b>34,283</b>	<b>99.9%</b>

This variable has 34,283 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	12	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>26</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13635-13640 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EDSD\_GRILLO: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Cigarillo Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked a cigarillo, have ever smoked them fairly regularly, and currently smoke every day or some days.

**Algorithm:** IF R05R\_A\_EVR\_GRILLO = 1 AND R05\_AG1003CG IN (1,2) THEN  
 R05R\_A\_CUR\_EDSD\_GRILLO = 1; ELSE IF R05R\_A\_EVR\_GRILLO = 2 OR  
 R05\_AG1003CG = 3 OR R05\_AG9106\_02 = 1 OR (R05\_AG9051 = 2 AND  
 R05\_AG9053 = 2) OR R05\_AG9004\_12M = 2 OR  
 (R05\_AG9009\_12M\_01 = 2 AND R05\_AG9009\_12M\_03 = 2) OR  
 R05\_AG9004 = 2 THEN R05R\_A\_CUR\_EDSD\_GRILLO = 2; ELSE IF  
 R05R\_A\_EVR\_GRILLO = -99999 OR R05\_AG1003CG = -9 OR  
 R05\_AG9051 = -9 OR R05\_AG9053 = -9 OR R05\_AG9004\_12M = -9 OR  
 R05\_AG9009\_12M\_01 = -9 OR R05\_AG9009\_12M\_03 = -9 OR  
 R05\_AG9004 = -9 THEN R05R\_A\_CUR\_EDSD\_GRILLO = -99999; ELSE IF  
 R05R\_A\_EVR\_GRILLO = -99988 OR R05\_AG1003CG = -8 OR  
 R05\_AG9051 = -8 OR R05\_AG9053 = -8 OR R05\_AG9004\_12M = -8 OR  
 R05\_AG9009\_12M\_01 = -8 OR R05\_AG9009\_12M\_03 = -8 OR  
 R05\_AG9004 = -8 THEN R05R\_A\_CUR\_EDSD\_GRILLO = -99988; ELSE IF  
 R05R\_A\_EVR\_GRILLO = -99977 OR R05\_AG1003CG = -7 OR  
 R05\_AG9051 = -7 OR R05\_AG9053 = -7 OR R05\_AG9004\_12M = -7 OR  
 R05\_AG9009\_12M\_01 = -7 OR R05\_AG9009\_12M\_03 = -7 OR  
 R05\_AG9004 = -7 THEN R05R\_A\_CUR\_EDSD\_GRILLO = -99977; ELSE IF  
 R05R\_A\_EVR\_GRILLO = -99966 THEN R05R\_A\_CUR\_EDSD\_GRILLO = -99966;  
 ELSE IF R05R\_A\_EVR\_GRILLO = -99911 OR R05\_AG1003CG = -1  
 OR R05\_AG9051 = -1 OR R05\_AG9053 = -1 OR R05\_AG9004\_12M = -1

OR R05\_AG9009\_12M\_01 = -1 OR R05\_AG9009\_12M\_03 = -1 OR  
R05\_AG9004 = -1 THEN R05R\_A\_CUR\_EDSD\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1522	4.4 %
2	2 = No	32758	95.5 %
<b>Total</b>		<b>34,280</b>	<b>99.9%</b>

This variable has 34,280 valid cases out of 34,309 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	14	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>29</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13641-13646 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EDY\_GRILLO: DERIVED - Wave 5 Adult Current Every Day Cigarillo Smoker

*Long Description:* Wave 5 adult respondents who have ever smoked a cigarillo, have ever smoked them fairly regularly, and currently smoke every day.

*Algorithm:* IF R05R\_A\_EVR\_THRSH\_GRILLO = 1 AND R05\_AG1003CG = 1 THEN  
R05R\_A\_EDY\_GRILLO = 1; ELSE IF R05R\_A\_EVR\_THRSH\_GRILLO = 2 OR  
R05\_AG1003CG IN (2,3) OR R05\_AG9106\_02 = 1 OR (R05\_AG9051 = 2  
AND R05\_AG9053 = 2) OR R05\_AG9004\_12M = 2 OR  
(R05\_AG9009\_12M\_01 = 2 AND R05\_AG9009\_12M\_03 = 2) OR  
R05\_AG9004 = 2 THEN R05R\_A\_EDY\_GRILLO = 2; ELSE IF  
R05R\_A\_EVR\_THRSH\_GRILLO = -99999 OR R05\_AG1003CG = -9 OR  
R05\_AG9051 = -9 OR R05\_AG9053 = -9 OR R05\_AG9004\_12M = -9 OR  
R05\_AG9009\_12M\_01 = -9 OR R05\_AG9009\_12M\_03 = -9 OR  
R05\_AG9004 = -9 THEN R05R\_A\_EDY\_GRILLO = -99999; ELSE IF  
R05R\_A\_EVR\_THRSH\_GRILLO = -99988 OR R05\_AG1003CG = -8 OR  
R05\_AG9051 = -8 OR R05\_AG9053 = -8 OR R05\_AG9004\_12M = -8 OR  
R05\_AG9009\_12M\_01 = -8 OR R05\_AG9009\_12M\_03 = -8 OR  
R05\_AG9004 = -8 THEN R05R\_A\_EDY\_GRILLO = -99988; ELSE IF  
R05R\_A\_EVR\_THRSH\_GRILLO = -99977 OR R05\_AG1003CG = -7 OR  
R05\_AG9051 = -7 OR R05\_AG9053 = -7 OR R05\_AG9004\_12M = -7 OR  
R05\_AG9009\_12M\_01 = -7 OR R05\_AG9009\_12M\_03 = -7 OR

```

R05_AG9004 = -7 THEN R05R_A_EDY_GRILLO = -99977; ELSE IF
R05R_A_EVR_THRSH_GRILLO = -99966 THEN R05R_A_EDY_GRILLO = -
99966; ELSE IF R05R_A_EVR_THRSH_GRILLO = -99911 OR
R05_AG1003CG = -1 OR R05_AG9051 = -1 OR R05_AG9053 = -1 OR
R05_AG9004_12M = -1 OR R05_AG9009_12M_01 = -1 OR
R05_AG9009_12M_03 = -1 OR R05_AG9004 = -1 THEN
R05R_A_EDY_GRILLO = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	209	0.6 %
2	2 = No	34075	99.3 %
<b>Total</b>		<b>34,284</b>	<b>99.9%</b>

This variable has 34,284 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	12	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>25</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13647-13652 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_SDY\_GRILLO: DERIVED - Wave 5 Adult Current Some Day Cigarillo Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked a cigarillo, have ever smoked them fairly regularly, and currently smoke some days.

```

Algorithm: IF R05R_A_EVR_THRSH_GRILLO = 1 AND R05_AG1003CG = 2 THEN
R05R_A_SDY_GRILLO = 1; ELSE IF R05R_A_EVR_THRSH_GRILLO = 2 OR
R05_AG1003CG IN (1, 3) OR (R05_AG9051 = 2 AND R05_AG9053 = 2)
OR R05_AG9004_12M = 2 OR (R05_AG9009_12M_01 = 2 AND
R05_AG9009_12M_03 = 2) OR R05_AG9004 = 2 OR R05_AG9106_02 =
1 THEN R05R_A_SDY_GRILLO = 2; ELSE IF R05R_A_EVR_THRSH_GRILLO
= -99999 OR R05_AG1003CG = -9 OR R05_AG9051 = -9 OR
R05_AG9053 = -9 OR R05_AG9004_12M = -9 OR
R05_AG9009_12M_01 = -9 OR R05_AG9009_12M_03 = -9 OR
R05_AG9004 = -9 THEN R05R_A_SDY_GRILLO = -99999; ELSE IF
R05R_A_EVR_THRSH_GRILLO = -99988 OR R05_AG1003CG = -8 OR
R05_AG9051 = -8 OR R05_AG9053 = -8 OR R05_AG9004_12M = -8 OR

```

```

R05_AG9009_12M_01 = -8 OR R05_AG9009_12M_03 = -8 OR
R05_AG9004 = -8 THEN R05R_A_SDY_GRILLO = -99988; ELSE IF
R05R_A_EVR_THRSH_GRILLO = -99977 OR R05_AG1003CG = -7 OR
R05_AG9051 = -7 OR R05_AG9053 = -7 OR R05_AG9004_12M = -7 OR
R05_AG9009_12M_01 = -7 OR R05_AG9009_12M_03 = -7 OR
R05_AG9004 = -7 THEN R05R_A_SDY_GRILLO = -99977; ELSE IF
R05R_A_EVR_THRSH_GRILLO = -99966 THEN R05R_A_SDY_GRILLO = -
99966; ELSE IF R05R_A_EVR_THRSH_GRILLO = -99911 OR
R05_AG1003CG = -1 OR R05_AG9051 = -1 OR R05_AG9053 = -1 OR
R05_AG9004_12M = -1 OR R05_AG9009_12M_01 = -1 OR
R05_AG9009_12M_03 = -1 OR R05_AG9004 = -1 THEN
R05R_A_SDY_GRILLO = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	709	2.1 %
2	2 = No	33574	97.9 %
	<b>Total</b>	<b>34,283</b>	<b>99.9%</b>

This variable has 34,283 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	12	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>26</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13653-13658 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P30D\_GRILLO: DERIVED - Wave 5 Adult Past 30 Day Cigarillo Smoker

*Long Description:* Wave 5 Adult respondents who have ever smoked a cigarillo and have smoked at least once in the past 30 days. Includes some respondents who smoked cigarillos only as blunts.

```

Algorithm: IF R05R_A_EVR_GRILLO = 1 AND ((R05_AG9031 = 1 AND
(R05_AG9049_01 = 1 OR R05_AG9049_03 = 1)) OR R05_AG1000CG IN
(1,2,3,4) OR (1 <= R05_AG1009CG_NN <= 30 AND R05_AG1009CG_UN
= 1) OR (R05_AG1009CG_NN = 1 AND R05_AG1009CG_UN = 2) OR
R05_AG1022CG > 0) THEN R05R_A_P30D_GRILLO = 1; ELSE IF
R05R_A_EVR_GRILLO = 2 OR R05_AG9004 = 2 OR R05_AG9031 = 2 OR
(R05_AG9049_01 = 2 AND R05_AG9049_03 = 2) OR

```

(R05\_AG1009CG\_NN > 30 AND R05\_AG1009CG\_UN = 1) OR  
 (R05\_AG1009CG\_NN > 1 AND R05\_AG1009CG\_UN = 2) OR  
 R05\_AG1009CG\_UN = 3 OR R05\_AG1022CG = 0 THEN  
 R05R\_A\_P30D\_GRILLO = 2; ELSE IF R05R\_A\_EVR\_GRILLO = -99999 OR  
 R05\_AG9004 = -9 OR R05\_AG9031 = -9 OR R05\_AG100CG = -9 OR  
 R05\_AG1009CG\_NN = -9 OR R05\_AG1022CG = -9 OR R05\_AG9049\_01  
 = -9 OR R05\_AG9049\_03 = -9 THEN R05R\_A\_P30D\_GRILLO = -99999;  
 ELSE IF R05R\_A\_EVR\_GRILLO = -99988 OR R05\_AG9004 = -8 OR  
 R05\_AG9031 = -8 OR R05\_AG100CG = -8 OR R05\_AG1009CG\_NN = -8  
 OR R05\_AG1022CG = -8 OR R05\_AG9049\_01 = -8 OR R05\_AG9049\_03  
 = -8 THEN R05R\_A\_P30D\_GRILLO = -99988; ELSE IF  
 R05R\_A\_EVR\_GRILLO = -99977 OR R05\_AG9004 = -7 OR R05\_AG9031  
 = -7 OR R05\_AG100CG = -7 OR R05\_AG1009CG\_NN = -7 OR  
 R05\_AG1022CG = -7 OR R05\_AG9049\_01 = -7 OR R05\_AG9049\_03 = -7  
 THEN R05R\_A\_P30D\_GRILLO = -99977; ELSE IF R05\_AG1009CG\_NN = -5  
 THEN R05R\_A\_P30D\_GRILLO = -99955; ELSE IF R05R\_A\_EVR\_GRILLO  
 = -99966 THEN R05R\_A\_P30D\_GRILLO = -99966; ELSE IF  
 R05R\_A\_EVR\_GRILLO = -99911 OR R05\_AG9004 = -1 OR R05\_AG9031  
 = -1 OR R05\_AG100CG = -1 OR R05\_AG1009CG\_NN = -1 OR  
 R05\_AG1022CG = -1 OR R05\_AG9049\_01 = -1 OR R05\_AG9049\_03 = -1  
 THEN R05R\_A\_P30D\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2599	7.6 %
2	2 = No	31694	92.4 %
<b>Total</b>		<b>34,293</b>	<b>100.0%</b>

This variable has 34,293 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>16</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13659-13664 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99955 , -99911 , -97777

## R05R\_A\_NEW\_GRILLO: DERIVED - Wave 5 Adult Never to Ever Cigarillo Smoker

Long Description: Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started smoking cigarillos between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started smoking cigarillos between Waves 4.5 and 5.

Algorithm: IF X04M\_EVR\_GRILLO = 2 AND R05R\_A\_EVR\_GRILLO = 1 AND  
 (WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
 AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
 X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_GRILLO = 1; ELSE IF  
 (X04M\_EVR\_GRILLO = 1 OR R05R\_A\_EVR\_GRILLO = 2) AND (WAVE4\_INTERVIEW = 1  
 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND  
 (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS =  
 1)))) THEN R05R\_A\_NEW\_GRILLO = 2; ELSE IF R05R\_A\_EVR\_GRILLO = -99999  
 THEN R05R\_A\_NEW\_GRILLO = -99999; ELSE IF R05R\_A\_EVR\_GRILLO = -99988  
 THEN R05R\_A\_NEW\_GRILLO = -99988; ELSE IF R05R\_A\_EVR\_GRILLO = -99977  
 THEN R05R\_A\_NEW\_GRILLO = -99977; ELSE IF X04M\_EVR\_GRILLO IN (-99933,  
 -99999, -99988, -99977, -99966, -99911) OR R05R\_A\_EVR\_GRILLO = -99966 OR  
 WAVE4P5\_INTERVIEW = 9 OR (WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW =  
 9) THEN R05R\_A\_NEW\_GRILLO = -99966; ELSE IF R05R\_A\_EVR\_GRILLO = -99911  
 THEN R05R\_A\_NEW\_GRILLO = -99911;

Notes: Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	667	1.9 %
2	2 = No	31319	91.3 %
	<b>Total</b>	<b>31,986</b>	<b>93.2%</b>

This variable has 31,986 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2314	6.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>2,323</b>	<b>6.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 13665-13670 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_EXPR\_GRILLO: DERIVED - Wave 5 Adult Current Experimental Cigarillo Smoker

Long Description: Wave 5 adult respondents who have never smoked cigarillos fairly regularly, and currently smoke every day or some days.

Algorithm: IF R05R\_A\_EVR\_GRILLO = 1 AND R05R\_A\_EVR\_THRSH\_GRILLO = 2  
AND R05R\_A\_EVR\_THRSH\_GRILLO = 1 THEN R05R\_A\_CUR\_EXPR\_GRILLO = 1;  
ELSE IF R05R\_A\_EVR\_THRSH\_GRILLO = 2 OR R05R\_A\_EVR\_GRILLO = 2  
OR R05R\_A\_EVR\_GRILLO = 3 OR R05R\_A\_EVR\_GRILLO = 2  
AND R05R\_A\_EVR\_GRILLO = 2 OR R05R\_A\_EVR\_GRILLO = 3 OR  
(R05R\_A\_EVR\_GRILLO = 2 AND R05R\_A\_EVR\_GRILLO = 3) OR  
R05R\_A\_EVR\_GRILLO = 2 THEN R05R\_A\_CUR\_EXPR\_GRILLO = 2; ELSE IF  
R05R\_A\_EVR\_GRILLO = -99999 OR R05R\_A\_EVR\_GRILLO = -99988 OR  
R05R\_A\_EVR\_GRILLO = -99977 OR R05R\_A\_EVR\_GRILLO = -99966 OR  
R05R\_A\_EVR\_GRILLO = -99955 OR R05R\_A\_EVR\_GRILLO = -99944 OR  
R05R\_A\_EVR\_GRILLO = -99933 OR R05R\_A\_EVR\_GRILLO = -99922 OR  
R05R\_A\_EVR\_GRILLO = -99911 OR R05R\_A\_EVR\_GRILLO = -99900 OR  
R05R\_A\_EVR\_GRILLO = -99888 OR R05R\_A\_EVR\_GRILLO = -99877 OR  
R05R\_A\_EVR\_GRILLO = -99866 OR R05R\_A\_EVR\_GRILLO = -99855 OR  
R05R\_A\_EVR\_GRILLO = -99844 OR R05R\_A\_EVR\_GRILLO = -99833 OR  
R05R\_A\_EVR\_GRILLO = -99822 OR R05R\_A\_EVR\_GRILLO = -99811 OR  
R05R\_A\_EVR\_GRILLO = -99800 OR R05R\_A\_EVR\_GRILLO = -99777 OR  
R05R\_A\_EVR\_GRILLO = -99766 OR R05R\_A\_EVR\_GRILLO = -99755 OR  
R05R\_A\_EVR\_GRILLO = -99744 OR R05R\_A\_EVR\_GRILLO = -99733 OR  
R05R\_A\_EVR\_GRILLO = -99722 OR R05R\_A\_EVR\_GRILLO = -99711 OR  
R05R\_A\_EVR\_GRILLO = -99700 OR R05R\_A\_EVR\_GRILLO = -99666 OR  
R05R\_A\_EVR\_GRILLO = -99622 OR R05R\_A\_EVR\_GRILLO = -99600 OR  
R05R\_A\_EVR\_GRILLO = -99555 OR R05R\_A\_EVR\_GRILLO = -99500 OR  
R05R\_A\_EVR\_GRILLO = -99444 OR R05R\_A\_EVR\_GRILLO = -99400 OR  
R05R\_A\_EVR\_GRILLO = -99333 OR R05R\_A\_EVR\_GRILLO = -99300 OR  
R05R\_A\_EVR\_GRILLO = -99222 OR R05R\_A\_EVR\_GRILLO = -99200 OR  
R05R\_A\_EVR\_GRILLO = -99111 OR R05R\_A\_EVR\_GRILLO = -99100 OR  
R05R\_A\_EVR\_GRILLO = -99000;

Value	Label	Unweighted Frequency	%
1	1 = Yes	603	1.8 %
2	2 = No	33683	98.2 %
	<b>Total</b>	<b>34,286</b>	<b>99.9%</b>

This variable has 34,286 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	11	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %

<b>Missing Data</b>			
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>23</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13671-13676 (width: 6; decimal: 0)

**Variable Type:** numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R\_A\_FMR\_ESTD\_GRILLO: DERIVED - Wave 5 Adult Former Established Cigarillo Smoker

Long Description: Wave 5 adult respondents who have ever smoked cigarillos fairly regularly, and have not smoked them within the past 12 months or currently smoke them not at all. Recanters and blunt-only users who have ever smoked a cigarillo are excluded from the derivation.

Algorithm: IF R05R\_A\_EVR\_THRSN\_GRILLO = 1 AND (R05\_AG1003CG = 3 OR  
 R05\_AG9004\_12M = 2 OR (R05\_AG9051 = 2 AND R05\_AG9053 = 2) OR  
 (R05\_AG9009\_12M\_01 = 2 AND R05\_AG9009\_12M\_03 = 2) OR  
 R05\_AG9004 = 2) AND R05\_AG9106\_02 != 1 AND R05\_AG1010CG != 3  
 THEN R05R\_A\_FMR\_ESTD\_GRILLO = 1; ELSE IF  
 ((R05R\_A\_EVR\_THRSN\_GRILLO = 2 OR R05\_AG1003CG IN (1,2)) AND  
 R05\_AG1010CG != 3) OR R05R\_A\_EVR\_GRILLO = 2 THEN  
 R05R\_A\_FMR\_ESTD\_GRILLO = 2; ELSE IF R05R\_A\_EVR\_THRSN\_GRILLO  
 = -99999 OR R05R\_A\_EVR\_GRILLO = -99999 OR R05\_AG9004\_12M = -9  
 OR R05\_AG9051 = -9 OR R05\_AG9053 = -9 OR R05\_AG9009\_12M\_01  
 = -9 OR R05\_AG9009\_12M\_03 = -9 OR R05\_AG9004 = -9 OR  
 R05\_AG1003CG = -9 OR R05\_AG9106\_02 = -9 OR R05\_AG1010CG = -9  
 THEN R05R\_A\_FMR\_ESTD\_GRILLO = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSN\_GRILLO = -99988 OR R05R\_A\_EVR\_GRILLO = -99988  
 OR R05\_AG9004\_12M = -8 OR R05\_AG9051 = -8 OR  
 R05\_AG9053 = -8 OR R05\_AG9009\_12M\_01 = -8 OR  
 R05\_AG9009\_12M\_03 = -8 OR R05\_AG9004 = -8 OR R05\_AG1003CG =  
 -8 OR R05\_AG9106\_02 = -8 OR R05\_AG1010CG = -8 THEN  
 R05R\_A\_FMR\_ESTD\_GRILLO = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSN\_GRILLO = -99977 OR R05R\_A\_EVR\_GRILLO = -99977  
 OR R05\_AG9004\_12M = -7 OR R05\_AG9051 = -7 OR  
 R05\_AG9053 = -7 OR R05\_AG9009\_12M\_01 = -7 OR  
 R05\_AG9009\_12M\_03 = -7 OR R05\_AG9004 = -7 OR R05\_AG1003CG =  
 -7 OR R05\_AG9106\_02 = -7 OR R05\_AG1010CG = -7 THEN  
 R05R\_A\_FMR\_ESTD\_GRILLO = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSN\_GRILLO = -99966 OR R05R\_A\_EVR\_GRILLO = -99966  
 THEN R05R\_A\_FMR\_ESTD\_GRILLO = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSN\_GRILLO = -99911 OR R05R\_A\_EVR\_GRILLO = -99911  
 OR R05\_AG9004\_12M = -1 OR R05\_AG9051 = -1 OR  
 R05\_AG9053 = -1 OR R05\_AG9009\_12M\_01 = -1 OR  
 R05\_AG9009\_12M\_03 = -1 OR R05\_AG9004 = -1 OR R05\_AG1003CG =  
 -1 OR R05\_AG9106\_02 IN (1,-1) OR R05\_AG1010CG IN (-1,3) THEN  
 R05R\_A\_FMR\_ESTD\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2377	6.9 %
2	2 = No	27564	80.3 %
	<b>Total</b>	<b>29,941</b>	<b>87.3%</b>

This variable has 29,941 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	16	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	633	1.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3689	10.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>4,368</b>	<b>12.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13677-13682 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_EXPR\_GRILLO: DERIVED - Wave 5 Adult Former Experimental Cigarillo Smoker

Long Description: Wave 5 adult respondents who have never smoked cigarillos fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters and blunt-only users who have ever smoked a cigarillo are excluded from the derivation.

Algorithm: IF R05R\_A\_EVR\_GRILLO = 1 AND R05R\_A\_EVR\_THRSH\_GRILLO = 2  
AND (R05\_AG1003CG = 3 OR (R05\_AG9051 = 2 AND R05\_AG9053 = 2)  
OR R05\_AG9004\_12M = 2 OR (R05\_AG9009\_12M\_01 = 2 AND  
R05\_AG9009\_12M\_03 = 2) OR R05\_AG9004 = 2) AND R05\_AG1010CG  
!= 3 AND R05\_AG9106\_02 != 1 THEN R05R\_A\_FMR\_EXPR\_GRILLO = 1;  
ELSE IF ((R05R\_A\_EVR\_THRSH\_GRILLO = 1 OR R05\_AG1003CG IN (1,2))  
AND R05\_AG1010CG != 3 AND R05\_AG9106\_02 != 1) OR  
R05R\_A\_EVR\_GRILLO = 2 THEN R05R\_A\_FMR\_EXPR\_GRILLO = 2; ELSE  
IF R05R\_A\_EVR\_THRSH\_GRILLO = -99999 OR R05R\_A\_EVR\_GRILLO = -  
99999 OR R05\_AG1003CG = -9 OR R05\_AG9051 = -9 OR R05\_AG9053  
= -9 OR R05\_AG9004\_12M = -9 OR R05\_AG9009\_12M\_01 = -9 OR  
R05\_AG9009\_12M\_03 = -9 OR R05\_AG9004 = -9 OR R05\_AG9106\_02  
= -9 OR R05\_AG1010CG = -9 THEN R05R\_A\_FMR\_EXPR\_GRILLO = -  
99999; ELSE IF R05R\_A\_EVR\_THRSH\_GRILLO = -99988 OR  
R05R\_A\_EVR\_GRILLO = -99988 OR R05\_AG1003CG = -8 OR  
R05\_AG9051 = -8 OR R05\_AG9053 = -8 OR R05\_AG9004\_12M = -8 OR  
R05\_AG9009\_12M\_01 = -8 OR R05\_AG9009\_12M\_03 = -8 OR  
R05\_AG9004 = -8 OR R05\_AG9106\_02 = -8 OR R05\_AG1010CG = -8

THEN R05R\_A\_FMR\_EXPR\_GRILLO = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GRILLO = -99977 OR R05R\_A\_EVR\_GRILLO = -  
 99977 OR R05\_AG1003CG = -7 OR R05\_AG9051 = -7 OR R05\_AG9053  
 = -7 OR R05\_AG9004\_12M = -7 OR R05\_AG9009\_12M\_01 = -7 OR  
 R05\_AG9009\_12M\_03 = -7 OR R05\_AG9004 = -7 OR R05\_AG9106\_02  
 = -7 OR R05\_AG1010CG = -7 THEN R05R\_A\_FMR\_EXPR\_GRILLO = -  
 99977; ELSE IF R05R\_A\_EVR\_THRSH\_GRILLO = -99966 OR  
 R05R\_A\_EVR\_GRILLO = -99966 THEN R05R\_A\_FMR\_EXPR\_GRILLO = -  
 99966; ELSE IF R05R\_A\_EVR\_THRSH\_GRILLO = -99911 OR  
 R05R\_A\_EVR\_GRILLO = -99911 OR R05\_AG1003CG = -1 OR  
 R05\_AG9051 = -1 OR R05\_AG9053 = -1 OR R05\_AG9004\_12M = -1 OR  
 R05\_AG9009\_12M\_01 = -1 OR R05\_AG9009\_12M\_03 = -1 OR  
 R05\_AG9004 = -1 OR R05\_AG9106\_02 IN (-1,1) OR R05\_AG1010CG IN  
 (-1,3) THEN R05R\_A\_FMR\_EXPR\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6619	19.3 %
2	2 = No	23325	68.0 %
	<b>Total</b>	<b>29,944</b>	<b>87.3%</b>

This variable has 29,944 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	15	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	633	1.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3689	10.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>4,365</b>	<b>12.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13683-13688 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P12M\_GRILLO: DERIVED - Wave 5 Adult Past 12 Month Cigarillo Smokers

Long Description: Wave 5 adult respondents who have smoked a cigarillo within the past 12 months.

Algorithm: IF R05R\_A\_EVR\_GRILLO = 1 AND (R05\_AG9049\_01 = 1 OR  
 R05\_AG9049\_03 = 1 OR R05\_AG9009\_12M\_01 = 1 OR  
 R05\_AG9009\_12M\_03 = 1 OR R05\_AG9051 = 1 OR R05\_AG9053 = 1  
 OR (R05\_AG1009CG\_UN = 1 AND 0 < R05\_AG1009CG\_NN <= 365) OR  
 (R05\_AG1009CG\_UN = 2 AND 0 < R05\_AG1009CG\_NN <= 12) OR  
 R05\_AG1009CG\_UN = 3 AND R05\_AG1009CG\_NN = 1) OR

R05\_AG0100CG IN (1,2,3,4) OR R05\_AG1022CG > 0 THEN  
 R05R\_A\_P12M\_GRILLO = 1; ELSE IF R05R\_A\_EVR\_GRILLO = 2 OR  
 (R05\_AG9051 = 2 AND R05\_AG9053 = 2) OR (R05\_AG9009\_12M\_01 =  
 2 AND R05\_AG9009\_12M\_03 = 2) OR R05\_AG9004\_12M = 2 OR  
 R05\_AG9004 = 2 OR (R05\_AG1009CG\_UN = 1 AND  
 R05\_AG1009CG\_NN > 365) OR (R05\_AG1009CG\_UN = 2 AND  
 R05\_AG1009CG\_NN > 12) OR (R05\_AG1009CG\_UN = 3 AND  
 R05\_AG1009CG\_NN > 1) THEN R05R\_A\_P12M\_GRILLO = 2; ELSE IF  
 R05R\_A\_EVR\_GRILLO = -99999 OR (R05\_AG9049\_01 = -9 AND  
 R05\_AG9051 = -1) OR (R05\_AG9049\_03 = -9 AND R05\_AG9053 = -1)  
 OR R05\_AG9009\_12M\_01 = -9 OR R05\_AG9009\_12M\_03 = -9 OR  
 R05\_AG9004 = -9 OR R05\_AG9051 = -9 OR R05\_AG9053 = -9 OR  
 R05\_AG9004\_12M = -9 OR R05\_AG1009CG\_NN = -9 OR  
 R05\_AG0100CG = -9 OR R05\_AG1022CG = -9 THEN  
 R05R\_A\_P12M\_GRILLO = -99999; ELSE IF R05R\_A\_EVR\_GRILLO = -  
 99988 OR R05\_AG9009\_12M\_01 = -8 OR R05\_AG9009\_12M\_03 = -8  
 OR R05\_AG9051 = -8 OR R05\_AG9053 = -8 OR R05\_AG9004\_12M = -8  
 OR R05\_AG9004 = -8 OR R05\_AG1009CG\_NN = -8 OR R05\_AG0100CG  
 = -8 OR R05\_AG1022CG = -8 THEN R05R\_A\_P12M\_GRILLO = -99988;  
 ELSE IF R05R\_A\_EVR\_GRILLO = -99977 OR R05\_AG9009\_12M\_01 = -7  
 OR R05\_AG9009\_12M\_03 = -7 OR R05\_AG9051 = -7 OR R05\_AG9053 =  
 -7 OR R05\_AG9004\_12M = -7 OR R05\_AG9004 = -7 OR  
 R05\_AG1009CG\_NN = -7 OR R05\_AG0100CG = -7 OR R05\_AG1022CG =  
 -7 THEN R05R\_A\_P12M\_GRILLO = -99977; ELSE IF  
 R05\_AG1009CG\_NN IN (0,-5) THEN R05R\_A\_P12M\_GRILLO = -99955;  
 ELSE IF R05R\_A\_EVR\_GRILLO = -99966 THEN R05R\_A\_P12M\_GRILLO =  
 -99966; ELSE IF R05R\_A\_EVR\_GRILLO = -99911 OR  
 R05\_AG9009\_12M\_01 = -1 OR R05\_AG9009\_12M\_03 = -1 OR  
 R05\_AG9051 = -1 OR R05\_AG9053 = -1 OR R05\_AG9004\_12M = -1 OR  
 R05\_AG9004 = -1 OR R05\_AG1009CG\_NN = -1 OR R05\_AG0100CG IN  
 (5,-1) OR R05\_AG1022CG = -1 THEN R05R\_A\_P12M\_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3841	11.2 %
2	2 = No	30451	88.8 %
	<b>Total</b>	<b>34,292</b>	<b>100.0%</b>

This variable has 34,292 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>17</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13689-13694 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99966 , -99955 , -99911 , -97777

## R05R\_A\_MINFIRST\_GRILLO: DERIVED - Wave 5 Adult Number of Minutes From Waking Up to Smoking First Cigarillo

Long Description: Wave 5 Adult current or experimental current cigarillo smoker - Recode of amount of time from waking up to smoking first cigarillo into minutes

Algorithm: IF R05\_AG1024CG\_UN = 1 AND R05\_AG1024CG\_NN >= 0 THEN  
 R05R\_A\_MINFIRST\_GRILLO = R05\_AG1024CG\_NN; ELSE IF R05\_AG1024CG\_UN = 2  
 AND R05\_AG1024CG\_NN >= 0 THEN R05R\_A\_MINFIRST\_GRILLO =  
 R05\_AG1024CG\_NN \* 60; ELSE IF R05\_AG1024CG\_NN = -9 THEN  
 R05R\_A\_MINFIRST\_GRILLO = -99999; ELSE IF R05\_AG1024CG\_NN = -8 THEN  
 R05R\_A\_MINFIRST\_GRILLO = -99988; ELSE IF R05\_AG1024CG\_NN = -7 THEN  
 R05R\_A\_MINFIRST\_GRILLO = -99977; ELSE IF R05\_AG1024CG\_NN = -5 THEN  
 R05R\_A\_MINFIRST\_GRILLO = -99955; ELSE IF R05\_AG1024CG\_NN = -1 THEN  
 R05R\_A\_MINFIRST\_GRILLO = -99911;

This variable has 1,452 valid cases out of 34,309 total cases.

- Mean: 275.91
- Median: 180.00
- Mode: 120.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 275.63

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	49	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	4	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32786	95.6 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>32,857</b>	<b>95.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13695-13700 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_MINFIRST\_30D\_GRILLO: DERIVED - Wave 5 Adult Former Past 30 Day Cigarillo Smoker - Number of Minutes From Waking Up to Smoking First Cigarillo

Long Description: Wave 5 Adult former cigarillo smokers who have smoked in the past 30 Days - Recode of amount of time from waking up to smoking first cigarillo into minutes

Algorithm: IF R05\_AG1024CG\_30D\_UN = 1 AND R05\_AG1024CG\_30D\_NN >= 0 THEN  
R05R\_A\_MINFIRST\_30D\_GRILLO = R05\_AG1024CG\_30D\_NN; ELSE IF  
R05\_AG1024CG\_30D\_UN = 2 AND R05\_AG1024CG\_30D\_NN >= 0 THEN  
R05R\_A\_MINFIRST\_30D\_GRILLO = R05\_AG1024CG\_30D\_NN \* 60; ELSE IF  
R05\_AG1024CG\_30D\_NN = -9 THEN R05R\_A\_MINFIRST\_30D\_GRILLO = -99999; ELSE  
IF R05\_AG1024CG\_30D\_NN = -8 THEN R05R\_A\_MINFIRST\_30D\_GRILLO = -99988;  
ELSE IF R05\_AG1024CG\_30D\_NN = -7 THEN R05R\_A\_MINFIRST\_30D\_GRILLO =  
-99977; ELSE IF R05\_AG1024CG\_30D\_NN = -5 THEN  
R05R\_A\_MINFIRST\_30D\_GRILLO = -99955; ELSE IF R05\_AG1024CG\_30D\_NN = -1  
THEN R05R\_A\_MINFIRST\_30D\_GRILLO = -99911;

This variable has 726 valid cases out of 34,309 total cases.

- Mean: 241.90
- Median: 60.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 298.18

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	28	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33533	97.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,583</b>	<b>97.9%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 13701-13706 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSQUIT\_GRILLO: DERIVED - Wave 5 Adult Number of Days Since Last Smoked Cigarillos (Non-Current Smokers)

Long Description: Wave 5 adult recode of length of time since last smoked cigarillos into days for

smokers who do not currently smoke at all or did not smoke in the past 12 months.

```
Algorithm: IF R05_AG1009CG_UN = 1 AND R05_AG1009CG_NN >= 0 THEN
R05R_A_DAYSQUIT_GRILLO = R05_AG1009CG_NN; ELSE IF R05_AG1009CG_UN = 2
AND R05_AG1009CG_NN >= 0 THEN R05R_A_DAYSQUIT_GRILLO =
R05_AG1009CG_NN * 30.4375; ELSE IF R05_AG1009CG_UN = 3 AND
R05_AG1009CG_NN >= 0 THEN R05R_A_DAYSQUIT_GRILLO =
R05_AG1009CG_NN * 365.25; ELSE IF R05_AG1009CG_NN = -9 THEN
R05R_A_DAYSQUIT_GRILLO = -99999; ELSE IF R05_AG1009CG_NN = -8 THEN
R05R_A_DAYSQUIT_GRILLO = -99988; ELSE IF R05_AG1009CG_NN = -7 THEN
R05R_A_DAYSQUIT_GRILLO = -99977; ELSE IF R05_AG1009CG_NN = -5 THEN
R05R_A_DAYSQUIT_GRILLO = -99955; ELSE IF R05_AG1009CG_NN = -1 THEN
R05R_A_DAYSQUIT_GRILLO = -99911;
```

This variable has 2,039 valid cases out of 34,309 total cases.

- Mean: 983.1195
- Median: 304.3750
- Mode: 365.2500
- Minimum: 1.0000
- Maximum: 24471.7500
- Standard Deviation: 2177.9581

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	69	0.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	281	0.8 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31898	93.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>32,270</b>	<b>94.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13707-13717 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSLASTUSED\_GRILLO: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Cigarillo (Some Day or Current Experimental Smokers)

*Long Description:* Wave 5 adult some day, current experimental, or former 30 day cigarillo smokers who have not smoked in the past 30 days - Recode of length of time since last smoked a cigarillo into days.

```
Algorithm: IF R05_AG9029CG_UN = 1 AND R05_AG9029CG_NN >= 0 THEN
R05R_A_DAYSLASTUSED_GRILLO = R05_AG9029CG_NN; ELSE IF R05_AG9029CG_UN =
2 AND R05_AG9029CG_NN >= 0 THEN R05R_A_DAYSLASTUSED_GRILLO =
```

```

R05_AG9029CG_NN * 30.4375; ELSE IF R05_AG9029CG_UN = 3 AND
R05_AG9029CG_NN >= 0 THEN R05R_A_DAYSLASTUSED_GRILLO =
R05_AG9029CG_NN * 365.25; ELSE IF R05_AG9029CG_NN = -9 THEN
R05R_A_DAYSLASTUSED_GRILLO = -99999; ELSE IF R05_AG9029CG_NN = -8 THEN
R05R_A_DAYSLASTUSED_GRILLO = -99988; ELSE IF R05_AG9029CG_NN = -7 THEN
R05R_A_DAYSLASTUSED_GRILLO = -99977; ELSE IF R05_AG9029CG_NN = -5 THEN
R05R_A_DAYSLASTUSED_GRILLO = -99955; ELSE IF R05_AG9029CG_NN = -1 THEN
R05R_A_DAYSLASTUSED_GRILLO = -99911;

```

This variable has 327 valid cases out of 34,309 total cases.

- Mean: 501.6948
- Median: 152.1875
- Mode: 60.8750
- Minimum: 30.0000
- Maximum: 14610.0000
- Standard Deviation: 1363.9971

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	52	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33922	98.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,982</b>	<b>99.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13718-13728 (*width:* 11; *decimal:* 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSBRAND\_GRILLO: DERIVED - Wave 5 Adult Number of Days Smoking Regular Brand of Cigarillos

**Long Description:** Wave 5 adult current, experimental current, new former or former 30 day cigarillo smokers who have a regular brand - Recode of length of time smoking regular brand of cigarillos into days.

```

Algorithm: IF R05_AG1051CG_UN = 1 AND R05_AG1051CG_NN >= 0 THEN
R05R_A_DAYSBRAND_GRILLO = R05_AG1051CG_NN; ELSE IF R05_AG1051CG_UN = 2
AND R05_AG1051CG_NN >= 0 THEN R05R_A_DAYSBRAND_GRILLO =
R05_AG1051CG_NN * 30.4375; ELSE IF R05_AG1051CG_UN = 3 AND
R05_AG1051CG_NN >= 0 THEN R05R_A_DAYSBRAND_GRILLO =
R05_AG1051CG_NN * 365.25; ELSE IF R05_AG1051CG_NN = -9 THEN
R05R_A_DAYSBRAND_GRILLO = -99999; ELSE IF R05_AG1051CG_NN = -8 THEN
R05R_A_DAYSBRAND_GRILLO = -99988; ELSE IF R05_AG1051CG_NN = -7 THEN

```

```
R05R_A_DAYSBRAND_GRILLO = -99977; ELSE IF R05_AG1051CG_NN = -5 THEN
R05R_A_DAYSBRAND_GRILLO = -99955; ELSE IF R05_AG1051CG_NN = -1 THEN
R05R_A_DAYSBRAND_GRILLO = -99911;
```

This variable has 1,535 valid cases out of 34,309 total cases.

- Mean: 1558.3950
- Median: 730.5000
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 22645.5000
- Standard Deviation: 2264.5938

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	26	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32738	95.4 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>32,774</b>	<b>95.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13729-13739 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_NUMDAYS\_GRILLO: DERIVED - Wave 5 Adult Past 30 Day Cigarillo Smoking Frequency

Long Description: Wave 5 adult number of days smoked cigarillos within past 30 days.

```
Algorithm: IF R05_AG1003CG =1 THEN R05R_A_NUMDAYS_GRILLO =30; ELSE IF
R05_AG1022CG ! in (-1, -5, -7,-8, -9, 0) THEN R05R_A_NUMDAYS_GRILLO =
R05_AG1022CG; ELSE IF R05_AG1003CG =-9 OR R05_AG1022CG =-9 THEN
R05R_A_NUMDAYS_GRILLO = -99999; ELSE IF R05_AG1003CG =-8 OR
R05_AG1022CG = -8 THEN R05R_A_NUMDAYS_GRILLO =-99988; ELSE IF
R05_AG1003CG =-7 OR R05_AG1022CG =-7 THEN R05R_A_NUMDAYS_GRILLO =
-99977; ELSE IF R05_AG1022CG in (0,-5) THEN R05R_A_NUMDAYS_GRILLO =
-99955; ELSE IF R05_AG1003CG =-1 OR R05_AG1022CG =-1 THEN
R05R_A_NUMDAYS_GRILLO = -99911;
```

This variable has 1,477 valid cases out of 34,309 total cases.

- Mean: 10.58
- Median: 5.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.41

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	14	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	793	2.3 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31992	93.2 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>32,832</b>	<b>95.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13740-13745 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_EVR\_GFILTR: DERIVED - Wave 5 Adult Ever Filtered Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked a filtered cigar.

```

Algorithm: IF X04M_EVR_GFILTR = 1 OR R05_AG9049_02 = 1 OR R05_AG9052 = 1
OR R05_AG9009_12M_02 = 1 OR R05_AG9009_02 = 1 THEN R05R_A_EVR_GFILTR = 1;
ELSE IF R05_AG9004 = 2 OR (R05_AG9009_02 = 2 AND R05_AG9009_12M_02 ! IN
(-7, -8, -9) AND R05_AG9004_12M ! IN (-7, -8, -9)) OR
(X04M_EVR_GFILTR = 2 AND (R05_AG9052 = 2 OR (R05_AG9004_12M = 2 OR
R05_AG9009_12M_02 = 2)) AND X04M_SKIPPED_WAVE = 2) THEN
R05R_A_EVR_GFILTR = 2; ELSE IF (R05_AG9049_02 = -9 AND R05_AG9052 = -1)
OR R05_AG9009_02 = -9 OR R05_AG9004 = -9 OR R05_AG9052 = -9 OR
R05_AG9004_12M = -9 OR R05_AG9009_12M_02 = -9 THEN
R05R_A_EVR_GFILTR = -99999; ELSE IF R05_AG9009_02 = -8 OR
R05_AG9004 = -8 OR R05_AG9052 = -8 OR R05_AG9004_12M = -8 OR
R05_AG9009_12M_02 = -8 THEN R05R_A_EVR_GFILTR = -99988; ELSE IF
R05_AG9009_02 = -7 OR R05_AG9004 = -7 OR R05_AG9052 = -7 OR
R05_AG9004_12M = -7 OR R05_AG9009_12M_02 = -7 THEN
R05R_A_EVR_GFILTR = -99977; ELSE IF X04M_EVR_GFILTR IN (-99933,
-99999, -99988, -99977, -99966, -99911) OR X04M_SKIPPED_WAVE = 1
THEN R05R_A_EVR_GFILTR = -99966; ELSE IF R05_AG9009_02 = -1
OR R05_AG9004 = -1 OR R05_AG9052 = -1 OR R05_AG9004_12M = -1 OR
R05_AG9009_12M_02 = -1 THEN R05R_A_EVR_GFILTR = -99911;

```

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before smoked filtered cigars and who had never skipped a wave were asked about filtered cigar use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before smoked filtered cigars and who had never skipped a wave who did not

smoke a filtered cigar in the past 12 months at Wave 5 are considered never filtered cigar smokers in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7917	23.1 %
2	2 = No	25682	74.9 %
	<b>Total</b>	<b>33,599</b>	<b>97.9%</b>

This variable has 33,599 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	693	2.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>710</b>	<b>2.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13746-13751 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_EVR\_THRSH\_GFILTR: DERIVED - Wave 5 Adult Filtered Cigar Lifetime Threshold of Use- Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have ever smoked filtered cigars fairly regularly.

Algorithm: IF R05R\_A\_EVR\_GFILTR = 1 AND (X04M\_EVR\_THRSH\_GFILTR = 1 OR R05\_AG1100FC = 1) THEN R05R\_A\_EVR\_THRSH\_GFILTR = 1; ELSE IF R05R\_A\_EVR\_GFILTR = 2 OR (R05R\_A\_EVR\_GFILTR = 1 AND R05\_AG1100FC = 2) THEN R05R\_A\_EVR\_THRSH\_GFILTR = 2; ELSE IF R05R\_A\_EVR\_GFILTR = -99999 OR R05\_AG1100FC = -9 THEN R05R\_A\_EVR\_THRSH\_GFILTR = -99999; ELSE IF R05R\_A\_EVR\_GFILTR = -99988 OR R05\_AG1100FC = -8 THEN R05R\_A\_EVR\_THRSH\_GFILTR = -99988; ELSE IF R05R\_A\_EVR\_GFILTR = -99977 OR R05\_AG1100FC = -7 THEN R05R\_A\_EVR\_THRSH\_GFILTR = -99977; ELSE IF R05R\_A\_EVR\_GFILTR = -99966 THEN R05R\_A\_EVR\_THRSH\_GFILTR = -99966; ELSE IF R05R\_A\_EVR\_GFILTR = -99911 OR R05\_AG1100FC = -1 THEN R05R\_A\_EVR\_THRSH\_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2145	6.3 %

Value	Label	Unweighted Frequency	%
2	2 = No	30360	88.5 %
	<b>Total</b>	<b>32,505</b>	<b>94.7%</b>

This variable has 32,505 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	10	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	693	2.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1069	3.1 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,804</b>	<b>5.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13752-13757 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_ESTD\_GFILTR: DERIVED - Wave 5 Adult Current Established Filtered Cigar Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked a filtered cigar, have ever smoked them fairly regularly, and currently smoke every day or some days.

```

Algorithm: IF R05R_A_EVR_THRSH_GFILTR = 1 AND R05_AG1003FC IN (1,2) THEN
R05R_A_CUR_ESTD_GFILTR = 1; ELSE IF R05R_A_EVR_THRSH_GFILTR
= 2 OR R05R_A_EVR_GFILTR = 2 OR R05_AG1003FC = 3 OR
R05_AG9106_03 = 1 OR R05_AG9052 = 2 OR R05_AG9004_12M = 2
OR R05_AG9009_12M_02 = 2 OR R05_AG9004 = 2 THEN
R05R_A_CUR_ESTD_GFILTR = 2; ELSE IF R05R_A_EVR_THRSH_GFILTR
= -99999 OR R05_AG1003FC = -9 OR R05_AG9052 = -9 OR
R05_AG9004_12M = -9 OR R05_AG9009_12M_02 = -9 OR
R05_AG9004 = -9 OR R05R_A_EVR_GFILTR = -99999 THEN
R05R_A_CUR_ESTD_GFILTR = -99999; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99988 OR R05_AG1003FC = -8 OR
R05_AG9052 = -8 OR R05_AG9004_12M = -8 OR
R05_AG9009_12M_02 = -8 OR R05_AG9004 = -8 OR
R05R_A_EVR_GFILTR = -99988 THEN R05R_A_CUR_ESTD_GFILTR = -
99988; ELSE IF R05R_A_EVR_THRSH_GFILTR = -99977 OR
R05_AG1003FC = -7 OR R05_AG9052 = -7 OR R05_AG9004_12M = -7
OR R05_AG9009_12M_02 = -7 OR R05_AG9004 = -7 OR
R05R_A_EVR_GFILTR = -99977 THEN R05R_A_CUR_ESTD_GFILTR = -
99977; ELSE IF R05R_A_EVR_THRSH_GFILTR = -99966 OR
R05R_A_EVR_GFILTR = -99966 THEN R05R_A_CUR_ESTD_GFILTR = -
99966; ELSE IF R05R_A_EVR_THRSH_GFILTR = -99911 OR

```

R05\_AG1003FC = -1 OR R05\_AG9052 = -1 OR R05\_AG9004\_12M = -1  
 OR R05\_AG9009\_12M\_02 = -1 OR R05\_AG9004 = -1 OR  
 R05R\_A\_EVR\_GFILTR = -99911 THEN R05R\_A\_CUR\_EDSD\_GFILTR = -  
 99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	440	1.3 %
2	2 = No	33839	98.6 %
<b>Total</b>		<b>34,279</b>	<b>99.9%</b>

This variable has 34,279 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>30</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13758-13763 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EDSD\_GFILTR: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Filtered Cigar Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked a filtered cigar and currently smoke every day or some days.

**Algorithm:** IF R05R\_A\_EVR\_GFILTR = 1 AND R05\_AG1003FC IN (1,2) THEN  
 R05R\_A\_CUR\_EDSD\_GFILTR = 1; ELSE IF R05R\_A\_EVR\_GFILTR = 2 OR  
 R05\_AG1003FC = 3 OR R05\_AG9106\_03 = 1 OR R05\_AG9052 = 2 OR  
 R05\_AG9004\_12M = 2 OR R05\_AG9009\_12M\_02 = 2 OR R05\_AG9004  
 = 2 THEN R05R\_A\_CUR\_EDSD\_GFILTR = 2; ELSE IF  
 R05R\_A\_EVR\_GFILTR = -99999 OR R05\_AG1003FC = -9 OR  
 R05\_AG9052 = -9 OR R05\_AG9004\_12M = -9 OR  
 R05\_AG9009\_12M\_02 = -9 OR R05\_AG9004 = -9 THEN  
 R05R\_A\_CUR\_EDSD\_GFILTR = -99999; ELSE IF R05R\_A\_EVR\_GFILTR = -  
 99988 OR R05\_AG1003FC = -8 OR R05\_AG9052 = -8 OR  
 R05\_AG9004\_12M = -8 OR R05\_AG9009\_12M\_02 = -8 OR  
 R05\_AG9004 = -8 THEN R05R\_A\_CUR\_EDSD\_GFILTR = -99988; ELSE IF  
 R05R\_A\_EVR\_GFILTR = -99977 OR R05\_AG1003FC = -7 OR

R05\_AG9052 = -7 OR R05\_AG9004\_12M = -7 OR  
 R05\_AG9009\_12M\_02 = -7 OR R05\_AG9004 = -7 THEN  
 R05R\_A\_CUR\_EDSD\_GFILTR = -99977; ELSE IF R05R\_A\_EVR\_GFILTR = -  
 99966 THEN R05R\_A\_CUR\_EDSD\_GFILTR = -99966; ELSE IF  
 R05R\_A\_EVR\_GFILTR = -99911 OR R05\_AG1003FC = -1 OR  
 R05\_AG9052 = -1 OR R05\_AG9004\_12M = -1 OR  
 R05\_AG9009\_12M\_02 = -1 OR R05\_AG9004 = -1 THEN  
 R05R\_A\_CUR\_EDSD\_GFILTR = -99911;  
 R05R\_A\_CUR\_EDSD\_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	749	2.2 %
2	2 = No	33530	97.7 %
	<b>Total</b>	<b>34,279</b>	<b>99.9%</b>

This variable has 34,279 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>30</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13764-13769 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EDY\_GFILTR: DERIVED - Wave 5 Adult Current Every Day Filtered Cigar Smoker

*Long Description:* Wave 5 adult respondents who have ever smoked a filtered cigar, have ever smoked them fairly regularly, and currently smoke every day.

Algorithm: IF R05R\_A\_EVR\_THRSH\_GFILTR = 1 AND R05\_AG1003FC = 1 THEN  
 R05R\_A\_EDY\_GFILTR = 1; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = 2 OR  
 R05\_AG1003FC IN (2,3) OR R05\_AG9052 = 2 OR R05\_AG9004\_12M = 2  
 OR R05\_AG9009\_12M\_02 = 2 OR R05\_AG9004 = 2 OR  
 R05\_AG9106\_03 = 1 THEN R05R\_A\_EDY\_GFILTR = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GFILTR = -99999 OR R05\_AG1003FC = -9 OR  
 R05\_AG9052 = -9 OR R05\_AG9004\_12M = -9 OR  
 R05\_AG9009\_12M\_02 = -9 OR R05\_AG9004 = -9 THEN  
 R05R\_A\_EDY\_GFILTR = -99999; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR =  
 -99988 OR R05\_AG1003FC = -8 OR R05\_AG9052 = -8 OR  
 R05\_AG9004\_12M = -8 OR R05\_AG9009\_12M\_02 = -8 OR

```

R05_AG9004 = -8 THEN R05R_A_EDY_GFILTR = -99988; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99977 OR R05_AG1003FC = -7 OR
R05_AG9052 = -7 OR R05_AG9004_12M = -7 OR
R05_AG9009_12M_02 = -7 OR R05_AG9004 = -7 THEN
R05R_A_EDY_GFILTR = -99977; ELSE IF R05R_A_EVR_THRSH_GFILTR =
-99966 THEN R05R_A_EDY_GFILTR = -99966; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99911 OR R05_AG1003FC = -1 OR
R05_AG9052 = -1 OR R05_AG9004_12M = -1 OR
R05_AG9009_12M_02 = -1 OR R05_AG9004 = -1 THEN
R05R_A_EDY_GFILTR = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	175	0.5 %
2	2 = No	34105	99.4 %
	<b>Total</b>	<b>34,280</b>	<b>99.9%</b>

This variable has 34,280 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>29</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13770-13775 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_SDY\_GFILTR: DERIVED - Wave 5 Adult Current Some Day Filtered Cigar Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked a filtered cigar, have ever smoked them fairly regularly, and currently smoke some days.

```

Algorithm: IF R05R_A_EVR_THRSH_GFILTR = 1 AND R05_AG1003FC = 2 THEN
R05R_A_SDY_GFILTR = 1; ELSE IF R05R_A_EVR_THRSH_GFILTR = 2 OR
R05_AG1003FC IN (1, 3) OR R05_AG9052 = 2 OR R05_AG9004_12M =
2 OR R05_AG9009_12M_02 = 2 OR R05_AG9004 = 2 OR
R05_AG9106_03 = 1 THEN R05R_A_SDY_GFILTR = 2; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99999 OR R05_AG1003FC = -9 OR
R05_AG9052 = -9 OR R05_AG9004_12M = -9 OR
R05_AG9009_12M_02 = -9 OR R05_AG9004 = -9 THEN
R05R_A_SDY_GFILTR = -99999; ELSE IF R05R_A_EVR_THRSH_GFILTR =

```

```

-99988 OR R05_AG1003FC = -8 OR R05_AG9052 = -8 OR
R05_AG9004_12M = -8 OR R05_AG9009_12M_02 = -8 OR
R05_AG9004 = -8 THEN R05R_A_SDY_GFILTR = -99988; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99977 OR R05_AG1003FC = -7 OR
R05_AG9052 = -7 OR R05_AG9004_12M = -7 OR
R05_AG9009_12M_02 = -7 OR R05_AG9004 = -7 THEN
R05R_A_SDY_GFILTR = -99977; ELSE IF R05R_A_EVR_THRSH_GFILTR =
-99966 THEN R05R_A_SDY_GFILTR = -99966; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99911 OR R05_AG1003FC = -1 OR
R05_AG9052 = -1 OR R05_AG9004_12M = -1 OR
R05_AG9009_12M_02 = -1 OR R05_AG9004 = -1 THEN
R05R_A_SDY_GFILTR = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	265	0.8 %
2	2 = No	34014	99.1 %
	<b>Total</b>	<b>34,279</b>	<b>99.9%</b>

This variable has 34,279 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>30</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13776-13781 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P30D\_GFILTR: DERIVED - Wave 5 Adult Past 30 Day Filtered Cigar Smoker

*Long Description:* Wave 5 Adult respondents who have ever smoked a filtered cigar and have smoked at least once in the past 30 days. Includes some respondents who smoked filtered cigars only as blunts.

```

Algorithm: IF R05R_A_EVR_GFILTR = 1 AND ((R05_AG9031 = 1 AND
R05_AG9049_02 = 1) OR R05_AG0100FC IN (1,2,3,4) OR (1<=
R05_AG1009FC_NN <= 30 AND R05_AG1009FC_UN = 1) OR
(R05_AG1009FC_NN = 1 AND R05_AG1009FC_UN = 2) OR
R05_AG1022FC > 0) THEN R05R_A_P30D_GFILTR = 1; ELSE IF
R05R_A_EVR_GFILTR = 2 OR R05_AG9004 = 2 OR R05_AG9031 = 2 OR
R05_AG9049_02 = 2 OR (R05_AG1009FC_NN > 30 AND

```

R05\_AG1009FC\_UN = 1) OR (R05\_AG1009FC\_NN > 1 AND  
 R05\_AG1009FC\_UN = 2) OR R05\_AG1009FC\_UN = 3 OR  
 R05\_AG1022FC = 0 THEN R05R\_A\_P30D\_GFILTR = 2; ELSE IF  
 R05R\_A\_EVR\_GFILTR = -99999 OR R05\_AG9004 = -9 OR R05\_AG9031 =  
 -9 OR R05\_AG0100FC = -9 OR R05\_AG1009FC\_NN = -9 OR  
 R05\_AG1022FC = -9 OR R05\_AG9049\_02 = -9 THEN  
 R05R\_A\_P30D\_GFILTR = -99999; ELSE IF R05R\_A\_EVR\_GFILTR = -99988  
 OR R05\_AG9004 = -8 OR R05\_AG9031 = -8 OR R05\_AG0100FC = -8 OR  
 R05\_AG1009FC\_NN = -8 OR R05\_AG1022FC = -8 OR R05\_AG9049\_02 =  
 -8 THEN R05R\_A\_P30D\_GFILTR = -99988; ELSE IF R05R\_A\_EVR\_GFILTR  
 = -99977 OR R05\_AG9004 = -7 OR R05\_AG9031 = -7 OR  
 R05\_AG0100FC = -7 OR R05\_AG1009FC\_NN = -7 OR R05\_AG1022FC = -  
 7 OR R05\_AG9049\_02 = -7 THEN R05R\_A\_P30D\_GFILTR = -99977; ELSE  
 IF R05\_AG1009FC\_NN = -5 THEN R05R\_A\_P30D\_GFILTR = -99955; ELSE  
 IF R05R\_A\_EVR\_GFILTR = -99966 THEN R05R\_A\_P30D\_GFILTR = -  
 99966; ELSE IF R05R\_A\_EVR\_GFILTR = -99911 OR R05\_AG9004 = -1 OR  
 R05\_AG9031 = -1 OR R05\_AG0100FC = -1 OR R05\_AG1009FC\_NN = -1  
 OR R05\_AG1022FC = -1 OR R05\_AG9049\_02 = -1 THEN  
 R05R\_A\_P30D\_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1025	3.0 %
2	2 = No	33270	97.0 %
	<b>Total</b>	<b>34,295</b>	<b>100.0%</b>

This variable has 34,295 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>14</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13782-13787 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_NEW\_GFILTR: DERIVED - Wave 5 Adult Never to Ever Filtered Cigar Smoker

Long Description: Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started smoking filtered cigars between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started smoking filtered cigars between Waves 4.5 and 5.

Algorithm: IF X04M\_EVR\_GFILTR = 2 AND R05R\_A\_EVR\_GFILTR = 1 AND  
 (WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
 AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
 X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_GFILTR = 1; ELSE IF  
 (X04M\_EVR\_GFILTR = 1 OR R05R\_A\_EVR\_GFILTR = 2) AND (WAVE4\_INTERVIEW = 1  
 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND  
 (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS =  
 1)))) THEN R05R\_A\_NEW\_GFILTR = 2; ELSE IF R05R\_A\_EVR\_GFILTR = -99999  
 THEN R05R\_A\_NEW\_GFILTR = -99999; ELSE IF R05R\_A\_EVR\_GFILTR = -99988  
 THEN R05R\_A\_NEW\_GFILTR = -99988; ELSE IF R05R\_A\_EVR\_GFILTR = -99977  
 THEN R05R\_A\_NEW\_GFILTR = -99977; ELSE IF X04M\_EVR\_GFILTR IN (-99933,  
 -99999, -99988, -99977, -99966, -99911) OR R05R\_A\_EVR\_GFILTR = -99966  
 OR WAVE4P5\_INTERVIEW = 9 OR (WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW =  
 9) THEN R05R\_A\_NEW\_GFILTR = -99966; ELSE IF R05R\_A\_EVR\_GFILTR = -99911  
 THEN R05R\_A\_NEW\_GFILTR = -99911;

Notes: Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	431	1.3 %
2	2 = No	31495	91.8 %
<b>Total</b>		<b>31,926</b>	<b>93.1%</b>

This variable has 31,926 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2366	6.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>2,383</b>	<b>6.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13788-13793 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EXPR\_GFILTR: DERIVED - Wave 5 Adult Current Experimental Filtered Cigar Smoker

Long Description: Wave 5 adult respondents who have never smoked filtered cigars fairly regularly, and currently smoke every day or some days.

Algorithm: IF R05R\_A\_EVR\_GFILTR = 1 AND R05R\_A\_EVR\_THRSH\_GFILTR = 2 AND R05\_A\_G1003FC IN (1,2) THEN R05R\_A\_CUR\_EXPR\_GFILTR = 1; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = 1 OR R05R\_A\_EVR\_GFILTR = 2 OR R05\_A\_G1003FC = 3 OR R05\_A\_G9052 = 2 OR R05\_A\_G9004\_12M = 2 OR R05\_A\_G9009\_12M\_02 = 2 OR R05\_A\_G9004 = 2 OR R05\_A\_G9106\_03 = 1 THEN R05R\_A\_CUR\_EXPR\_GFILTR = 2; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99999 OR R05\_A\_G1003FC = -9 OR R05\_A\_G9052 = -9 OR R05\_A\_G9004\_12M = -9 OR R05\_A\_G9009\_12M\_02 = -9 OR R05\_A\_G9004 = -9 OR R05R\_A\_EVR\_GFILTR = -99999 THEN R05R\_A\_CUR\_EXPR\_GFILTR = -99999; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99988 OR R05\_A\_G1003FC = -8 OR R05\_A\_G9052 = -8 OR R05\_A\_G9004\_12M = -8 OR R05\_A\_G9009\_12M\_02 = -8 OR R05\_A\_G9004 = -8 OR R05R\_A\_EVR\_GFILTR = -99988 THEN R05R\_A\_CUR\_EXPR\_GFILTR = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99977 OR R05\_A\_G1003FC = -7 OR R05\_A\_G9052 = -7 OR R05\_A\_G9004\_12M = -7 OR R05\_A\_G9009\_12M\_02 = -7 OR R05\_A\_G9004 = -7 OR R05R\_A\_EVR\_GFILTR = -99977 THEN R05R\_A\_CUR\_EXPR\_GFILTR = -99977; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99966 OR R05R\_A\_EVR\_GFILTR = -99966 THEN R05R\_A\_CUR\_EXPR\_GFILTR = -99966; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99911 OR R05\_A\_G1003FC = -1 OR R05\_A\_G9052 = -1 OR R05\_A\_G9004\_12M = -1 OR R05\_A\_G9009\_12M\_02 = -1 OR R05\_A\_G9004 = -1 OR R05R\_A\_EVR\_GFILTR = -99911 THEN R05R\_A\_CUR\_EXPR\_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	308	0.9 %
2	2 = No	33980	99.0 %
	<b>Total</b>	<b>34,288</b>	<b>99.9%</b>

This variable has 34,288 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	5	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>21</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13794-13799 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_FMR\_ESTD\_GFILTR: DERIVED - Wave 5 Adult Former Established Filtered Cigar Smoker

**Long Description:**

Wave 5 adult respondents who have ever smoked filtered cigars fairly regularly, and have not smoked them within the past 12 months or currently smoke them not at all. Recanters and blunt-only users who have ever smoked a filtered cigar are excluded from the derivation.

**Algorithm:** IF R05R\_A\_EVR\_THRSH\_GFILTR = 1 AND (R05\_AG9052 = 2 OR R05\_AG9009\_12M\_02 = 2 OR R05\_AG1003FC = 3 OR R05\_AG9004\_12M = 2 OR R05\_AG9004 = 2) AND R05\_AG9106\_03 != 1 AND R05\_AG1010FC != 3 THEN R05R\_A\_FMR\_ESTD\_GFILTR = 1; ELSE IF ((R05R\_A\_EVR\_THRSH\_GFILTR = 2 OR R05\_AG1003FC IN (1,2)) AND R05\_AG1010FC != 3) OR R05R\_A\_EVR\_GFILTR = 2 THEN R05R\_A\_FMR\_ESTD\_GFILTR = 2; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99999 OR R05R\_A\_EVR\_GFILTR = -99999 OR R05\_AG9106\_03 = -9 OR R05\_AG9052 = -9 OR R05\_AG9009\_12M\_02 = -9 OR R05\_AG1003FC = -9 OR R05\_AG9004\_12M = -9 OR R05\_AG9004 = -9 OR R05\_AG1010FC = -9 THEN R05R\_A\_FMR\_ESTD\_GFILTR = -99999; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99988 OR R05R\_A\_EVR\_GFILTR = -99988 OR R05R\_A\_EVR\_GFILTR = -99988 OR R05\_AG9106\_03 = -8 OR R05\_AG9052 = -8 OR R05\_AG9009\_12M\_02 = -8 OR R05\_AG1003FC = -8 OR R05\_AG9004\_12M = -8 OR R05\_AG9004 = -8 OR R05\_AG1010FC = -8 THEN R05R\_A\_FMR\_ESTD\_GFILTR = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99977 OR R05R\_A\_EVR\_GFILTR = -99977 OR R05\_AG9106\_03 = -7 OR R05\_AG9052 = -7 OR R05\_AG9009\_12M\_02 = -7 OR R05\_AG1003FC = -7 OR R05\_AG9004\_12M = -7 OR R05\_AG9004 = -7 OR R05\_AG1010FC = -7 THEN R05R\_A\_FMR\_ESTD\_GFILTR = -99977; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99966 OR R05R\_A\_EVR\_GFILTR = -99966 THEN R05R\_A\_FMR\_ESTD\_GFILTR = -99966; ELSE IF R05R\_A\_EVR\_THRSH\_GFILTR = -99911 OR R05R\_A\_EVR\_GFILTR = -99911 OR R05\_AG9052 = -1 OR R05\_AG9009\_12M\_02 = -1 OR R05\_AG9004 = -1 OR R05\_AG1003FC = -1 OR R05\_AG9004\_12M = -1 OR R05\_AG9106\_03 IN (-1,1) OR R05\_AG1010FC IN (-1,3) THEN R05R\_A\_FMR\_ESTD\_GFILTR = -99911;

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	1566	4.6 %
2	2 = No	30801	89.8 %
	<b>Total</b>	<b>32,367</b>	<b>94.3%</b>

This variable has 32,367 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	19	0.1 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	693	2.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1198	3.5 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>1,942</b>	<b>5.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13800-13805 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_FMR\_EXPR\_GFILTR: DERIVED - Wave 5 Adult Former Experimental Filtered Cigar Smoker

**Long Description:** Wave 5 adult respondents who have never smoked filtered cigars fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters and blunt-only users who have ever smoked a filtered cigar are excluded from the derivation.

```
Algorithm: IF R05R_A_EVR_GFILTR = 1 AND R05R_A_EVR_THRSH_GFILTR = 2 AND
(R05R_A_G1003FC = 3 OR R05R_A_G9052 = 2 OR R05R_A_G9004_12M = 2 OR
R05R_A_G9009_12M_02 = 2 OR R05R_A_G9004 = 2) AND R05R_A_G1010FC
!= 3 AND R05R_A_G9106_03 != 1 THEN R05R_A_FMR_EXPR_GFILTR = 1;
ELSE IF ((R05R_A_EVR_THRSH_GFILTR = 1 OR R05R_A_G1003FC IN (1,2))
AND R05R_A_G1010FC != 3 AND R05R_A_G9106_03 != 1) OR
R05R_A_EVR_GFILTR = 2 THEN R05R_A_FMR_EXPR_GFILTR = 2; ELSE
IF R05R_A_EVR_THRSH_GFILTR = -99999 OR R05R_A_EVR_GFILTR = -
99999 OR R05R_A_G1003FC = -9 OR R05R_A_G9052 = -9 OR
R05R_A_G9009_12M_02 = -9 OR R05R_A_G9004_12M = -9 OR
R05R_A_G9004 = -9 OR R05R_A_G9106_03 = -9 OR R05R_A_G1010FC = -9
THEN R05R_A_FMR_EXPR_GFILTR = -99999; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99988 OR R05R_A_EVR_GFILTR = -
99988 OR R05R_A_G1003FC = -8 OR R05R_A_G9052 = -8 OR
R05R_A_G9009_12M_02 = -8 OR R05R_A_G9004_12M = -8 OR
R05R_A_G9004 = -8 OR R05R_A_G9106_03 = -8 OR R05R_A_G1010FC = -8
THEN R05R_A_FMR_EXPR_GFILTR = -99988; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99977 OR R05R_A_EVR_GFILTR = -
99977 OR R05R_A_G1003FC = -7 OR R05R_A_G9052 = -7 OR
R05R_A_G9009_12M_02 = -7 OR R05R_A_G9004_12M = -7 OR
R05R_A_G9004 = -7 OR R05R_A_G9106_03 = -7 OR R05R_A_G1010FC = -7
THEN R05R_A_FMR_EXPR_GFILTR = -99977; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99966 OR R05R_A_EVR_GFILTR = -
99966 THEN R05R_A_FMR_EXPR_GFILTR = -99966; ELSE IF
R05R_A_EVR_THRSH_GFILTR = -99911 OR R05R_A_EVR_GFILTR = -
99911 OR R05R_A_G1003FC = -1 OR R05R_A_G9052 = -1 OR
R05R_A_G9009_12M_02 = -1 OR R05R_A_G9004_12M = -1 OR
```

R05\_AG9004 = -1 OR R05\_AG9106\_03 IN (-1,1) OR R05\_AG1010FC IN (-1,3) THEN R05R\_A\_FMR\_EXPR\_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4369	12.7 %
2	2 = No	28007	81.6 %
<b>Total</b>		<b>32,376</b>	<b>94.4%</b>

This variable has 32,376 valid cases out of 34,309 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	11	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	693	2.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1198	3.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>1,933</b>	<b>5.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13806-13811 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_P12M\_GFILTR: DERIVED - Wave 5 Adult Past 12 Month Filtered Cigar Smokers

*Long Description:* Wave 5 adult respondents who have smoked a filtered cigar within the past 12 months.

*Algorithm:* IF R05R\_A\_EVR\_GFILTR = 1 AND (R05\_AG9009\_12M\_02 = 1 OR R05\_AG9052 = 1 OR R05\_AG9049\_02 = 1 OR (R05\_AG1009FC\_UN = 1 AND 0 < R05\_AG1009FC\_NN < = 365) OR (R05\_AG1009FC\_UN = 2 AND 0 < R05\_AG1009FC\_NN < = 12) OR (R05\_AG1009FC\_UN = 3 AND R05\_AG1009FC\_NN = 1) OR R05\_AG0100FC IN (1,2,3,4) OR R05\_AG1022FC > 0) THEN R05R\_A\_P12M\_GFILTR = 1; ELSE IF R05R\_A\_EVR\_GFILTR = 2 OR R05\_AG9052 = 2 OR R05\_AG9004\_12M = 2 OR R05\_AG9009\_12M\_02 = 2 OR R05\_AG9004 = 2 OR (R05\_AG1009FC\_UN = 1 AND R05\_AG1009FC\_NN > 365) OR (R05\_AG1009FC\_UN = 2 AND R05\_AG1009FC\_NN > 12) OR (R05\_AG1009FC\_UN = 3 AND R05\_AG1009FC\_NN > 1) THEN R05R\_A\_P12M\_GFILTR = 2; ELSE IF R05R\_A\_EVR\_GFILTR = -99999 OR (R05\_AG9049\_02 = -9 AND R05\_AG9052 = -1) OR R05\_AG9052 = -9 OR R05\_AG9004\_12M = -9 OR R05\_AG9009\_12M\_02 = -9 OR R05\_AG9004 = -9 OR R05\_AG1009FC\_NN = -9 OR R05\_AG0100FC = -9 OR R05\_AG1022FC = -9 THEN R05R\_A\_P12M\_GFILTR = -99999; ELSE IF R05R\_A\_EVR\_GFILTR = -99988 OR R05\_AG9052 = -8 OR

R05\_AG9004\_12M = -8 OR R05\_AG9009\_12M\_02 = -8 OR  
 R05\_AG9004 = -8 OR R05\_AG1009FC\_NN = -8 OR R05\_AG0100FC = -8  
 OR R05\_AG1022FC = -8 THEN R05R\_A\_P12M\_GFILTR = -99988; ELSE IF  
 R05R\_A\_EVR\_GFILTR = -99977 OR R05\_AG9052 = -7 OR  
 R05\_AG9004\_12M = -7 OR R05\_AG9009\_12M\_02 = -7 OR  
 R05\_AG9004 = -7 OR R05\_AG1009FC\_NN = -7 OR R05\_AG0100FC = -7  
 OR R05\_AG1022FC = -7 THEN R05R\_A\_P12M\_GFILTR = -99977; ELSE  
 IF R05\_AG1009FC\_NN IN (0,-5) THEN R05R\_A\_P12M\_GFILTR = -99955;  
 ELSE IF R05R\_A\_EVR\_GFILTR = -99966 THEN R05R\_A\_P12M\_GFILTR = -  
 99966; ELSE IF R05R\_A\_EVR\_GFILTR = -99911 OR R05\_AG9052 = -1  
 OR R05\_AG9004\_12M = -1 OR R05\_AG9009\_12M\_02 = -1 OR  
 R05\_AG9004 = -1 OR R05\_AG1009FC\_NN = -1 OR R05\_AG0100FC IN  
 (5,-1) OR R05\_AG1022FC = -1 THEN R05R\_A\_P12M\_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1690	4.9 %
2	2 = No	32601	95.0 %
	<b>Total</b>	<b>34,291</b>	<b>99.9%</b>

This variable has 34,291 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>18</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

Location: 13812-13817 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99955 , -99911 , -97777

## R05R\_A\_MINFIRST\_GFILTR: DERIVED - Wave 5 Adult Number of Minutes From Waking Up to Smoking First Filtered Cigar

Long Description: Wave 5 Adult current or experimental current filtered cigar smokers -Recode of amount of time from waking up to smoking first filtered cigar into minutes.

Algorithm: IF R05\_AG1024FC\_UN = 1 AND R05\_AG1024FC\_NN >= 0 THEN  
 R05R\_A\_MINFIRST\_GFILTR = R05\_AG1024FC\_NN; ELSE IF R05\_AG1024FC\_UN = 2

```

AND R05_AG1024FC_NN >= 0 THEN R05R_A_MINFIRST_GFILTR =
R05_AG1024FC_NN * 60; ELSE IF R05_AG1024FC_NN = -9 THEN
R05R_A_MINFIRST_GFILTR = -99999; ELSE IF R05_AG1024FC_NN = -8
THEN R05R_A_MINFIRST_GFILTR = -99988; ELSE IF R05_AG1024FC_NN = -7
THEN R05R_A_MINFIRST_GFILTR = -99977; ELSE IF R05_AG1024FC_NN = -5
THEN R05R_A_MINFIRST_GFILTR = -99955; ELSE IF R05_AG1024FC_NN = -1
THEN R05R_A_MINFIRST_GFILTR = -99911;

```

This variable has 726 valid cases out of 34,309 total cases.

- Mean: 187.47
- Median: 60.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1380.00
- Standard Deviation: 255.54

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33559	97.8 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,583</b>	<b>97.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13818-13823 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_MINFIRST\_30D\_GFILTR: DERIVED - Wave 5 Adult Former Past 30 Day Filtered Cigar Smoker - Number of Minutes From Waking Up to Smoking First Filtered Cigar

*Long Description:* Wave 5 Adult former filtered cigar smokers who have smoked in the past 30 days - Recode of amount of time from waking up to smoking first filtered cigar into minutes.

```

Algorithm: IF R05_AG1024FC_30D_UN = 1 AND R05_AG1024FC_30D_NN >= 0 THEN
R05R_A_MINFIRST_30D_GFILTR = R05_AG1024FC_30D_NN; ELSE IF
R05_AG1024FC_30D_UN = 2 AND R05_AG1024FC_30D_NN >= 0 THEN
R05R_A_MINFIRST_30D_GFILTR = R05_AG1024FC_30D_NN * 60; ELSE IF
R05_AG1024FC_30D_NN = -9 THEN R05R_A_MINFIRST_30D_GFILTR = -99999; ELSE
IF R05_AG1024FC_30D_NN = -8 THEN R05R_A_MINFIRST_30D_GFILTR = -99988;
ELSE IF R05_AG1024FC_30D_NN = -7 THEN R05R_A_MINFIRST_30D_GFILTR =
-99977; ELSE IF R05_AG1024FC_30D_NN = -5 THEN
R05R_A_MINFIRST_30D_GFILTR = -99955; ELSE IF R05_AG1024FC_30D_NN = -1

```

THEN R05R\_A\_MINFIRST\_30D\_GFILTR = -99911;

This variable has 344 valid cases out of 34,309 total cases.

- Mean: 210.75
- Median: 60.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 266.15

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33941	98.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,965</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13824-13829 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_DAYSQUIT\_GFILTR: DERIVED - Wave 5 Adult Number of Days Since Last Smoked Filtered Cigars (Non-Current Smokers)

Long Description: Wave 5 adult recode of length of time since last smoked filtered cigars into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

Algorithm: IF R05\_AG1009FC\_UN = 1 AND R05\_AG1009FC\_NN >= 0 THEN  
R05R\_A\_DAYSQUIT\_GFILTR = R05\_AG1009FC\_NN; ELSE IF R05\_AG1009FC\_UN = 2  
AND R05\_AG1009FC\_NN >= 0 THEN R05R\_A\_DAYSQUIT\_GFILTR =  
R05\_AG1009FC\_NN \* 30.4375; ELSE IF R05\_AG1009FC\_UN = 3 AND  
R05\_AG1009FC\_NN >= 0 THEN R05R\_A\_DAYSQUIT\_GFILTR =  
R05\_AG1009FC\_NN \* 365.25; ELSE IF R05\_AG1009FC\_NN = -9 THEN  
R05R\_A\_DAYSQUIT\_GFILTR = -99999; ELSE IF R05\_AG1009FC\_NN = -8 THEN  
R05R\_A\_DAYSQUIT\_GFILTR = -99988; ELSE IF R05\_AG1009FC\_NN = -7 THEN  
R05R\_A\_DAYSQUIT\_GFILTR = -99977; ELSE IF R05\_AG1009FC\_NN = -5 THEN  
R05R\_A\_DAYSQUIT\_GFILTR = -99955; ELSE IF R05\_AG1009FC\_NN = -1 THEN  
R05R\_A\_DAYSQUIT\_GFILTR = -99911;

This variable has 1,178 valid cases out of 34,309 total cases.

- Mean: 1090.4892

- Median: 334.8125
- Mode: 365.2500
- Minimum: 1.0000
- Maximum: 21915.0000
- Standard Deviation: 2288.2776

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	45	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	159	0.5 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32910	95.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,131</b>	<b>96.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13830-13840 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSLASTUSED\_GFILTR: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Filtered Cigar (Some Day or Current Experimental Smokers)

**Long Description:** Wave 5 adult some day, current experimental, or former 30 day filtered cigar smokers who have not smoked in the past 30 days - Recode of length of time since last smoked a filtered cigar into days.

```
Algorithm: IF R05_AG9029FC_UN = 1 AND R05_AG9029FC_NN >= 0 THEN
R05R_A_DAYSLASTUSED_GFILTR = R05_AG9029FC_NN; ELSE IF R05_AG9029FC_UN =
2 AND R05_AG9029FC_NN >= 0 THEN R05R_A_DAYSLASTUSED_GFILTR =
R05_AG9029FC_NN * 30.4375; ELSE IF R05_AG9029FC_UN = 3 AND
R05_AG9029FC_NN >= 0 THEN R05R_A_DAYSLASTUSED_GFILTR =
R05_AG9029FC_NN * 365.25; ELSE IF R05_AG9029FC_NN = -9 THEN
R05R_A_DAYSLASTUSED_GFILTR = -99999; ELSE IF R05_AG9029FC_NN = -8 THEN
R05R_A_DAYSLASTUSED_GFILTR = -99988; ELSE IF R05_AG9029FC_NN = -7 THEN
R05R_A_DAYSLASTUSED_GFILTR = -99977; ELSE IF R05_AG9029FC_NN = -5 THEN
R05R_A_DAYSLASTUSED_GFILTR = -99955; ELSE IF R05_AG9029FC_NN = -1 THEN
R05R_A_DAYSLASTUSED_GFILTR = -99911;
```

This variable has 165 valid cases out of 34,309 total cases.

- Mean: 654.3924
- Median: 243.5000
- Mode: 365.2500
- Minimum: 30.0000
- Maximum: 10592.2500

- Standard Deviation: 1314.6953

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	47	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34091	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,144</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13841-13851 (*width:* 11; *decimal:* 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSBRAND\_GFILTR: DERIVED - Wave 5 Adult Number of Days Smoking Regular Brand of Filtered Cigars

Long Description: Wave 5 adult current, experimental current, new former or former 30 day filtered cigar smokers who have a regular brand - Recode of length of time smoking regular brand of filtered cigar into days.

```
Algorithm: IF R05_AG1051FC_UN = 1 AND R05_AG1051FC_NN >= 0 THEN
R05R_A_DAYSBRAND_GFILTR = R05_AG1051FC_NN; ELSE IF R05_AG1051FC_UN = 2
AND R05_AG1051FC_NN >= 0 THEN R05R_A_DAYSBRAND_GFILTR =
R05_AG1051FC_NN * 30.4375; ELSE IF R05_AG1051FC_UN = 3 AND
R05_AG1051FC_NN >= 0 THEN R05R_A_DAYSBRAND_GFILTR =
R05_AG1051FC_NN * 365.25; ELSE IF R05_AG1051FC_NN = -9 THEN
R05R_A_DAYSBRAND_GFILTR = -99999; ELSE IF R05_AG1051FC_NN = -8 THEN
R05R_A_DAYSBRAND_GFILTR = -99988; ELSE IF R05_AG1051FC_NN = -7 THEN
R05R_A_DAYSBRAND_GFILTR = -99977; ELSE IF R05_AG1051FC_NN = -5 THEN
R05R_A_DAYSBRAND_GFILTR = -99955; ELSE IF R05_AG1051FC_NN = -1 THEN
R05R_A_DAYSBRAND_GFILTR = -99911;
```

This variable has 693 valid cases out of 34,309 total cases.

- Mean: 1456.2288
- Median: 730.5000
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 18262.5000
- Standard Deviation: 2382.3544

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33605	97.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,616</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13852-13862 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_NUMDAYS\_GFILTR: DERIVED - Wave 5 Adult Past 30 Day Filtered Cigar Smoking Frequency

Long Description: Wave 5 Adult number of days smoked filtered cigars in past 30 days.

```
Algorithm: IF R05_AG1003FC =1 THEN R05R_A_NUMDAYS_GFILTR =30; ELSE IF
R05_AG1022FC ! in (-1, -5, -7, -8, -9, 0) THEN R05R_A_NUMDAYS_GFILTR =
R05_AG1022FC; ELSE IF R05_AG1003FC =-9 OR R05_AG1022FC =-9 THEN
R05R_A_NUMDAYS_GFILTR =-99999; ELSE IF R05_AG1003FC =-8 OR
R05_AG1022FC =-8 THEN R05R_A_NUMDAYS_GFILTR =-99988; ELSE IF
R05_AG1003FC =-7 OR R05_AG1022FC =-7 THEN R05R_A_NUMDAYS_GFILTR =-99977;
ELSE IF R05_AG1022FC in (0,-5) THEN R05R_A_NUMDAYS_GFILTR =-99955; ELSE
IF R05_AG1003FC =-1 OR R05_AG1022FC =-1 THEN R05R_A_NUMDAYS_GFILTR =
-99911;
```

This variable has 689 valid cases out of 34,309 total cases.

- Mean: 14.14
- Median: 8.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 12.60

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	413	1.2 %

Missing Data			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33175	96.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,620</b>	<b>98.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13863-13868 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_EVR\_CIGAR: DERIVED - Wave 5 Adult Ever Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked any cigar product.

Algorithm: IF R05R\_A\_EVR\_GTRAD = 1 OR R05R\_A\_EVR\_GRILLO = 1 OR  
 R05R\_A\_EVR\_GFILTR = 1 THEN R05R\_A\_EVR\_CIGAR = 1; ELSE IF  
 R05R\_A\_EVR\_GTRAD = 2 AND R05R\_A\_EVR\_GRILLO = 2 AND  
 R05R\_A\_EVR\_GFILTR = 2 THEN R05R\_A\_EVR\_CIGAR = 2; ELSE IF  
 R05R\_A\_EVR\_GTRAD = -99999 OR R05R\_A\_EVR\_GRILLO = -99999 OR  
 R05R\_A\_EVR\_GFILTR = -99999 THEN R05R\_A\_EVR\_CIGAR = -99999;  
 ELSE IF R05R\_A\_EVR\_GTRAD = -99988 OR R05R\_A\_EVR\_GRILLO = -99988  
 OR R05R\_A\_EVR\_GFILTR = -99988 THEN R05R\_A\_EVR\_CIGAR = -99988;  
 ELSE IF R05R\_A\_EVR\_GTRAD = -99977 OR R05R\_A\_EVR\_GRILLO = -99977  
 OR R05R\_A\_EVR\_GFILTR = -99977 THEN R05R\_A\_EVR\_CIGAR = -99977; ELSE  
 IF R05R\_A\_EVR\_GTRAD = -99966 OR R05R\_A\_EVR\_GRILLO = -99966 OR  
 R05R\_A\_EVR\_GFILTR = -99966 THEN R05R\_A\_EVR\_CIGAR = -99966; ELSE IF  
 R05R\_A\_EVR\_GTRAD = -99911 OR R05R\_A\_EVR\_GRILLO = -99911 OR  
 R05R\_A\_EVR\_GFILTR = -99911 THEN R05R\_A\_EVR\_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	17593	51.3 %
2	2 = No	16083	46.9 %
<b>Total</b>		<b>33,676</b>	<b>98.2%</b>

This variable has 33,676 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	622	1.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %

	<b>Missing Data</b>		
	<b>Total</b>	<b>633</b>	<b>1.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13869-13874 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EVR\_THRSH\_CIGAR: DERIVED - Wave 5 Adult Any Cigar Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have ever smoked any cigar product fairly regularly.

Algorithm: IF R05R\_A\_EVR\_THRSH\_GTRAD = 1 OR R05R\_A\_EVR\_THRSH\_GRILLO = 1  
 OR R05R\_A\_EVR\_THRSH\_GFILTR = 1 THEN R05R\_A\_EVR\_THRSH\_CIGAR = 1; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GTRAD = 2 AND R05R\_A\_EVR\_THRSH\_GRILLO = 2 AND  
 R05R\_A\_EVR\_THRSH\_GFILTR = 2 THEN R05R\_A\_EVR\_THRSH\_CIGAR = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_GTRAD = -99999 OR R05R\_A\_EVR\_THRSH\_GRILLO = -99999 OR  
 R05R\_A\_EVR\_THRSH\_GFILTR = -99999 THEN R05R\_A\_EVR\_THRSH\_CIGAR = -99999;  
 ELSE IF R05R\_A\_EVR\_THRSH\_GTRAD = -99988 OR R05R\_A\_EVR\_THRSH\_GRILLO =  
 -99988 OR R05R\_A\_EVR\_THRSH\_GFILTR = -99988 THEN R05R\_A\_EVR\_THRSH\_CIGAR =  
 -99988; ELSE IF R05R\_A\_EVR\_THRSH\_GTRAD = -99977 OR  
 R05R\_A\_EVR\_THRSH\_GRILLO = -99977 OR R05R\_A\_EVR\_THRSH\_GFILTR = -99977 THEN  
 R05R\_A\_EVR\_THRSH\_CIGAR = -99977; ELSE IF R05R\_A\_EVR\_THRSH\_GTRAD = -99966  
 OR R05R\_A\_EVR\_THRSH\_GRILLO = -99966 OR R05R\_A\_EVR\_THRSH\_GFILTR = -99966  
 THEN R05R\_A\_EVR\_THRSH\_CIGAR = -99966; ELSE IF R05R\_A\_EVR\_THRSH\_GTRAD =  
 -99911 OR R05R\_A\_EVR\_THRSH\_GRILLO = -99911 OR R05R\_A\_EVR\_THRSH\_GFILTR =  
 -99911 THEN R05R\_A\_EVR\_THRSH\_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	5634	16.4 %
2	2 = No	24021	70.0 %
	<b>Total</b>	<b>29,655</b>	<b>86.4%</b>

This variable has 29,655 valid cases out of 34,309 total cases.

	<b>Missing Data</b>		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	7	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	21	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	793	2.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3810	11.1 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>4,654</b>	<b>13.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13875-13880 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_ESTD\_CIGAR: DERIVED - Wave 5 Adult Current Established Cigar Smoker

Long Description: Wave 5 adult respondents who have smoked a cigar, have ever smoked at least one cigar product fairly regularly, and currently smoke every day or some days.

Algorithm: IF R05R\_A\_CUR\_ESTD\_GTRAD = 1 OR R05R\_A\_CUR\_ESTD\_GRILLO = 1 OR R05R\_A\_CUR\_ESTD\_GFILTR = 1 THEN R05R\_A\_CUR\_ESTD\_CIGAR = 1; ELSE IF R05R\_A\_CUR\_ESTD\_GTRAD = 2 AND R05R\_A\_CUR\_ESTD\_GRILLO = 2 AND R05R\_A\_CUR\_ESTD\_GFILTR = 2 THEN R05R\_A\_CUR\_ESTD\_CIGAR = 2; ELSE IF R05R\_A\_CUR\_ESTD\_GTRAD = -99999 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99999 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99999 THEN R05R\_A\_CUR\_ESTD\_CIGAR = -99999; ELSE IF R05R\_A\_CUR\_ESTD\_GTRAD = -99988 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99988 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99988 THEN R05R\_A\_CUR\_ESTD\_CIGAR = -99988; ELSE IF R05R\_A\_CUR\_ESTD\_GTRAD = -99977 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99977 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99977 THEN R05R\_A\_CUR\_ESTD\_CIGAR = -99977; ELSE IF R05R\_A\_CUR\_ESTD\_GTRAD = -99966 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99966 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99966 THEN R05R\_A\_CUR\_ESTD\_CIGAR = -99966; ELSE IF R05R\_A\_CUR\_ESTD\_GTRAD = -99911 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99911 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99911 THEN R05R\_A\_CUR\_ESTD\_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1611	4.7 %
2	2 = No	32658	95.2 %
	<b>Total</b>	<b>34,269</b>	<b>99.9%</b>

This variable has 34,269 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	14	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>40</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13881-13886 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EDSD\_CIGAR: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked a cigar and currently smoke at least one cigar product every day or some days.

Algorithm: IF (R05R\_A\_CUR\_EDSD\_GTRAD = 1 OR R05R\_A\_CUR\_EDSD\_GRILLO = 1  
OR R05R\_A\_CUR\_EDSD\_GFILTR = 1) THEN R05R\_A\_CUR\_EDSD\_CIGAR = 1; ELSE IF  
(R05R\_A\_CUR\_EDSD\_GTRAD = 2 AND R05R\_A\_CUR\_EDSD\_GRILLO = 2 AND  
R05R\_A\_CUR\_EDSD\_GFILTR = 2) THEN R05R\_A\_CUR\_EDSD\_CIGAR = 2; ELSE IF  
R05R\_A\_CUR\_EDSD\_GTRAD = -99999 OR R05R\_A\_CUR\_EDSD\_GRILLO = -99999 OR  
R05R\_A\_CUR\_EDSD\_GFILTR = -99999 THEN R05R\_A\_CUR\_EDSD\_CIGAR = -99999;  
ELSE IF R05R\_A\_CUR\_EDSD\_GTRAD = -99988 OR R05R\_A\_CUR\_EDSD\_GRILLO =  
-99988 OR R05R\_A\_CUR\_EDSD\_GFILTR = -99988 THEN R05R\_A\_CUR\_EDSD\_CIGAR =  
-99988; ELSE IF R05R\_A\_CUR\_EDSD\_GTRAD = -99977 OR  
R05R\_A\_CUR\_EDSD\_GRILLO = -99977 OR R05R\_A\_CUR\_EDSD\_GFILTR = -99977  
THEN R05R\_A\_CUR\_EDSD\_CIGAR = -99977; ELSE IF R05R\_A\_CUR\_EDSD\_GTRAD =  
-99966 OR R05R\_A\_CUR\_EDSD\_GRILLO = -99966 OR R05R\_A\_CUR\_EDSD\_GFILTR =  
-99966 THEN R05R\_A\_CUR\_EDSD\_CIGAR = -99966; ELSE IF  
R05R\_A\_CUR\_EDSD\_GTRAD = -99911 OR R05R\_A\_CUR\_EDSD\_GRILLO = -99911 OR  
R05R\_A\_CUR\_EDSD\_GFILTR = -99911 THEN R05R\_A\_CUR\_EDSD\_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2824	8.2 %
2	2 = No	31445	91.7 %
<b>Total</b>		<b>34,269</b>	<b>99.9%</b>

This variable has 34,269 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	14	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>40</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 13887-13892 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EDY\_CIGAR: DERIVED - Wave 5 Adult Current Every Day Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked a cigar, have ever smoked them fairly regularly, and currently smoke every day.

Algorithm: IF (R05R\_A\_EDY\_GTRAD = 1 OR R05R\_A\_EDY\_GRILLO = 1 OR R05R\_A\_EDY\_GFILTR = 1) THEN R05R\_A\_EDY\_CIGAR = 1; ELSE IF (R05R\_A\_EDY\_GTRAD = 2 AND R05R\_A\_EDY\_GRILLO = 2 AND R05R\_A\_EDY\_GFILTR = 2) THEN R05R\_A\_EDY\_CIGAR = 2; ELSE IF R05R\_A\_EDY\_GTRAD = -99999 OR R05R\_A\_EDY\_GRILLO = -99999 OR R05R\_A\_EDY\_GFILTR = -99999 THEN R05R\_A\_EDY\_CIGAR = -99999; ELSE IF R05R\_A\_EDY\_GTRAD = -99988 OR R05R\_A\_EDY\_GRILLO = -99988 OR R05R\_A\_EDY\_GFILTR = -99988 THEN R05R\_A\_EDY\_CIGAR = -99988; ELSE IF R05R\_A\_EDY\_GTRAD = -99977 OR R05R\_A\_EDY\_GRILLO = -99977 OR R05R\_A\_EDY\_GFILTR = -99977 THEN R05R\_A\_EDY\_CIGAR = -99977; ELSE IF R05R\_A\_EDY\_GTRAD = -99966 OR R05R\_A\_EDY\_GRILLO = -99966 OR R05R\_A\_EDY\_GFILTR = -99966 THEN R05R\_A\_EDY\_CIGAR = -99966; ELSE IF R05R\_A\_EDY\_GTRAD = -99911 OR R05R\_A\_EDY\_GRILLO = -99911 OR R05R\_A\_EDY\_GFILTR = -99911 THEN R05R\_A\_EDY\_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	402	1.2 %
2	2 = No	33866	98.7 %
	<b>Total</b>	<b>34,268</b>	<b>99.9%</b>

This variable has 34,268 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	16	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>41</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13893-13898 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_SDY\_CIGAR: DERIVED - Wave 5 Adult Current Some Day Cigar Smoker

Long Description: Wave 5 adult respondents who have ever smoked a cigar, have ever smoked at least

one cigar product fairly regularly, and currently smoke at least one product some days.

```

Algorithm: IF (R05R_A_SDY_GTRAD = 1 OR R05R_A_SDY_GRILLO = 1 OR
R05R_A_SDY_GFILTR = 1) AND (R05R_A_EDY_GTRAD = 2 AND R05R_A_EDY_GRILLO =
2 AND R05R_A_EDY_GFILTR = 2) THEN R05R_A_SDY_CIGAR = 1; ELSE IF
(R05R_A_SDY_GTRAD = 2 AND R05R_A_SDY_GRILLO = 2 AND R05R_A_SDY_GFILTR =
2) OR (R05R_A_EDY_GTRAD = 1 OR R05R_A_EDY_GRILLO = 1 OR
R05R_A_EDY_GFILTR = 1) THEN R05R_A_SDY_CIGAR = 2; ELSE IF
R05R_A_SDY_GTRAD ==-99999 OR R05R_A_SDY_GRILLO ==-99999 OR
R05R_A_SDY_GFILTR = -99999 OR R05R_A_EDY_GTRAD = -99999 OR
R05R_A_EDY_GRILLO = -99999 OR R05R_A_EDY_GFILTR = -99999 THEN
R05R_A_SDY_CIGAR = -99999; ELSE IF R05R_A_SDY_GTRAD ==-99988 OR
R05R_A_SDY_GRILLO ==-99988 OR R05R_A_SDY_GFILTR = -99988 OR
R05R_A_EDY_GTRAD = -99988 OR R05R_A_EDY_GRILLO = -99988 OR
R05R_A_EDY_GFILTR = -99988 THEN R05R_A_SDY_CIGAR = -99988; ELSE IF
R05R_A_SDY_GTRAD ==-99977 OR R05R_A_SDY_GRILLO ==-99977 OR
R05R_A_SDY_GFILTR = -99977 OR R05R_A_EDY_GTRAD = -99977 OR
R05R_A_EDY_GRILLO = -99977 OR R05R_A_EDY_GFILTR = -99977 THEN
R05R_A_SDY_CIGAR = -99977; ELSE IF R05R_A_SDY_GTRAD ==-99966 OR
R05R_A_SDY_GRILLO ==-99966 OR R05R_A_SDY_GFILTR = -99966 OR
R05R_A_EDY_GTRAD = -99966 OR R05R_A_EDY_GRILLO = -99966 OR
R05R_A_EDY_GFILTR = -99966 THEN R05R_A_SDY_CIGAR = -99966; ELSE IF
R05R_A_SDY_GTRAD ==-99911 OR R05R_A_SDY_GRILLO ==-99911 OR
R05R_A_SDY_GFILTR = -99911 OR R05R_A_EDY_GTRAD = -99911 OR
R05R_A_EDY_GRILLO = -99911 OR R05R_A_EDY_GFILTR = -99911 THEN
R05R_A_SDY_CIGAR= -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1206	3.5 %
2	2 = No	33060	96.4 %
	<b>Total</b>	<b>34,266</b>	<b>99.9%</b>

This variable has 34,266 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	16	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>43</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13899-13904 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_P30D\_CIGAR: DERIVED - Wave 5 Adult Past 30 Day Cigar Smoker

Long Description: Wave 5 adult respondents who have smoked a cigar product within the past 30 days.

```

Algorithm: IF R05R_A_P30D_GTRAD = 1 OR R05R_A_P30D_GRILLO = 1 OR
R05R_A_P30D_GFILTR = 1 THEN R05R_A_P30D_CIGAR = 1; ELSE IF
R05R_A_P30D_GTRAD = 2 AND R05R_A_P30D_GRILLO = 2 AND
R05R_A_P30D_GFILTR = 2 THEN R05R_A_P30D_CIGAR = 2; ELSE
IF R05R_A_P30D_GTRAD = -99999 OR R05R_A_P30D_GRILLO = -99999 OR
R05R_A_P30D_GFILTR = -99999 THEN R05R_A_P30D_CIGAR = -99999; ELSE
IF R05R_A_P30D_GTRAD = -99988 OR R05R_A_P30D_GRILLO = -99988 OR
R05R_A_P30D_GFILTR = -99988 THEN R05R_A_P30D_CIGAR = -99988; ELSE
IF R05R_A_P30D_GTRAD = -99977 OR R05R_A_P30D_GRILLO = -99977 OR
R05R_A_P30D_GFILTR = -99977 THEN R05R_A_P30D_CIGAR = -99977; ELSE
IF R05R_A_P30D_GTRAD = -99955 OR R05R_A_P30D_GRILLO = -99955 OR
R05R_A_P30D_GFILTR = -99955 THEN R05R_A_P30D_CIGAR = -99955; ELSE
IF R05R_A_P30D_GTRAD = -99966 OR R05R_A_P30D_GRILLO = -99966 OR
R05R_A_P30D_GFILTR = -99966 THEN R05R_A_P30D_CIGAR = -99966; ELSE
IF R05R_A_P30D_GTRAD = -99911 OR R05R_A_P30D_GRILLO = -99911 OR
R05R_A_P30D_GFILTR = -99911 THEN R05R_A_P30D_CIGAR = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	3885	11.3 %
2	2 = No	30405	88.6 %
	<b>Total</b>	<b>34,290</b>	<b>99.9%</b>

This variable has 34,290 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>19</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13905-13910 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_NEW\_CIGAR: DERIVED - Wave 5 Adult Never to Ever Cigar Smoker

Long Description: Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started smoking cigars between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started smoking cigars between Waves 4.5 and 5.

Algorithm: IF (R05R\_A\_NEW\_GTRAD = 1 OR R05R\_A\_NEW\_GRILLO = 1 OR R05R\_A\_NEW\_GFILTR = 1) AND (X04M\_EVR\_GTRAD = 2 AND X04M\_EVR\_GRILLO = 2 AND X04M\_EVR\_GFILTR = 2) AND (WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_CIGAR = 1; ELSE IF ((R05R\_A\_NEW\_GTRAD = 2 AND R05R\_A\_NEW\_GRILLO = 2 AND R05R\_A\_NEW\_GFILTR = 2) OR ((X04M\_EVR\_GTRAD = 1 OR X04M\_EVR\_GRILLO = 1 OR X04M\_EVR\_GFILTR = 1)) AND (WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_CIGAR = 2; ELSE IF R05R\_A\_NEW\_GTRAD = -99999 OR R05R\_A\_NEW\_GRILLO = -99999 OR R05R\_A\_NEW\_GFILTR = -99999 THEN R05R\_A\_NEW\_CIGAR = -99999; ELSE IF R05R\_A\_NEW\_GTRAD = -99988 OR R05R\_A\_NEW\_GRILLO = -99988 OR R05R\_A\_NEW\_GFILTR = -99988 THEN R05R\_A\_NEW\_CIGAR = -99988; ELSE IF R05R\_A\_NEW\_GTRAD = -99977 OR R05R\_A\_NEW\_GRILLO = -99977 OR R05R\_A\_NEW\_GFILTR = -99977 THEN R05R\_A\_NEW\_CIGAR = -99977; ELSE IF R05R\_A\_NEW\_GTRAD = -99966 OR R05R\_A\_NEW\_GRILLO = -99966 OR R05R\_A\_NEW\_GFILTR = -99966 OR X04M\_EVR\_GRILLO IN (-99999,-99988,-99977,-99966,-99911) OR X04M\_EVR\_GTRAD IN (-99999,-99988,-99977,-99966,-99911) OR X04M\_EVR\_GFILTR IN (-99999,-99988,-99977,-99966,-99911) OR WAVE4P5\_INTERVIEW = 9 OR (WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW = 9) THEN R05R\_A\_NEW\_CIGAR = -99966; ELSE IF R05R\_A\_NEW\_GTRAD = -99911 OR R05R\_A\_NEW\_GRILLO = -99911 OR R05R\_A\_NEW\_GFILTR = -99911 THEN R05R\_A\_NEW\_CIGAR = -99911;

Notes: Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	893	2.6 %
2	2 = No	31084	90.6 %
	<b>Total</b>	<b>31,977</b>	<b>93.2%</b>

This variable has 31,977 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %	

<b>Missing Data</b>				
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2317	6.8 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>2,332</b>	<b>6.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13911-13916 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EXPR\_CIGAR: DERIVED - Wave 5 Adult Current Experimental Cigar Smoker

Long Description: Wave 5 adult respondents who have never smoked cigars fairly regularly, and currently smoke at least one cigar product every day or some days.

Algorithm: IF (R05R\_A\_CUR\_EXPR\_GTRAD = 1 OR R05R\_A\_CUR\_EXPR\_GRILLO = 1  
 OR R05R\_A\_CUR\_EXPR\_GFILTR = 1) AND (R05R\_A\_CUR\_ESTD\_GTRAD = 2 AND  
 R05R\_A\_CUR\_ESTD\_GRILLO = 2 AND R05R\_A\_CUR\_ESTD\_GFILTR = 2) THEN  
 R05R\_A\_CUR\_EXPR\_CIGAR = 1; ELSE IF (R05R\_A\_CUR\_EXPR\_GTRAD = 2 AND  
 R05R\_A\_CUR\_EXPR\_GRILLO = 2 AND R05R\_A\_CUR\_EXPR\_GFILTR = 2) OR  
 (R05R\_A\_CUR\_ESTD\_GTRAD = 1 OR R05R\_A\_CUR\_ESTD\_GRILLO = 1 OR  
 R05R\_A\_CUR\_ESTD\_GFILTR = 1) THEN R05R\_A\_CUR\_EXPR\_CIGAR = 2; ELSE IF  
 R05R\_A\_CUR\_EXPR\_GTRAD = -99999 OR R05R\_A\_CUR\_EXPR\_GRILLO = -99999 OR  
 R05R\_A\_CUR\_EXPR\_GFILTR = -99999 OR R05R\_A\_CUR\_ESTD\_GTRAD = -99999 OR  
 R05R\_A\_CUR\_ESTD\_GRILLO = -99999 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99999 THEN  
 R05R\_A\_CUR\_EXPR\_CIGAR = -99999; ELSE IF R05R\_A\_CUR\_EXPR\_GTRAD = -99988  
 OR R05R\_A\_CUR\_EXPR\_GRILLO = -99988 OR R05R\_A\_CUR\_EXPR\_GFILTR = -99988  
 OR R05R\_A\_CUR\_ESTD\_GTRAD = -99988 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99988  
 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99988 THEN R05R\_A\_CUR\_EXPR\_CIGAR = -99988;  
 ELSE IF R05R\_A\_CUR\_EXPR\_GTRAD = -99977 OR R05R\_A\_CUR\_EXPR\_GRILLO =  
 -99977 OR R05R\_A\_CUR\_EXPR\_GFILTR = -99977 OR R05R\_A\_CUR\_ESTD\_GTRAD =  
 -99977 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99977 OR R05R\_A\_CUR\_ESTD\_GFILTR =  
 -99977 THEN R05R\_A\_CUR\_EXPR\_CIGAR = -99977; ELSE IF  
 R05R\_A\_CUR\_EXPR\_GTRAD = -99966 OR R05R\_A\_CUR\_EXPR\_GRILLO = -99966 OR  
 R05R\_A\_CUR\_EXPR\_GFILTR = -99966 OR R05R\_A\_CUR\_ESTD\_GTRAD = -99966 OR  
 R05R\_A\_CUR\_ESTD\_GRILLO = -99966 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99966  
 THEN R05R\_A\_CUR\_EXPR\_CIGAR = -99966; ELSE IF R05R\_A\_CUR\_EXPR\_GTRAD =  
 -99911 OR R05R\_A\_CUR\_EXPR\_GRILLO = -99911 OR R05R\_A\_CUR\_EXPR\_GFILTR =  
 -99911 OR R05R\_A\_CUR\_ESTD\_GTRAD = -99911 OR R05R\_A\_CUR\_ESTD\_GRILLO =  
 -99911 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99911 THEN R05R\_A\_CUR\_EXPR\_CIGAR =  
 -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1209	3.5 %
2	2 = No	33063	96.4 %
<b>Total</b>		<b>34,272</b>	<b>99.9%</b>

This variable has 34,272 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	11	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>37</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13917-13922 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_FMR\_ESTD\_CIGAR: DERIVED - Wave 5 Adult Former Established Cigar Smoker

Long Description: Wave 5 adult respondents who have met the threshold for established use of at least one cigar product, are not current everyday/some day smokers of any cigar products, and have not smoked them in the past 12 months or currently smoke them not at all. Recanters and blunt-only users who are ever cigar users are excluded from the derivation.

Algorithm: IF (R05R\_A\_FMR\_ESTD\_GTRAD = 1 OR R05R\_A\_FMR\_ESTD\_GRILLO = 1  
OR R05R\_A\_FMR\_ESTD\_GFILTR = 1) AND R05R\_A\_CUR\_EDSD\_CIGAR =2 THEN  
R05R\_A\_FMR\_ESTD\_CIGAR = 1; ELSE IF (R05R\_A\_FMR\_ESTD\_GTRAD = 2 AND  
R05R\_A\_FMR\_ESTD\_GRILLO = 2 AND R05R\_A\_FMR\_ESTD\_GFILTR = 2) OR  
R05R\_A\_CUR\_EDSD\_CIGAR =1 THEN R05R\_A\_FMR\_ESTD\_CIGAR = 2; ELSE IF  
R05R\_A\_FMR\_ESTD\_GTRAD=-99999 OR R05R\_A\_FMR\_ESTD\_GRILLO=-99999 OR  
R05R\_A\_FMR\_ESTD\_GFILTR=-99999 OR R05R\_A\_CUR\_EDSD\_CIGAR ==-99999 THEN  
R05R\_A\_FMR\_ESTD\_CIGAR = -99999; ELSE IF R05R\_A\_FMR\_ESTD\_GTRAD=-99988  
OR R05R\_A\_FMR\_ESTD\_GRILLO=-99988 OR R05R\_A\_FMR\_ESTD\_GFILTR=-99988 OR  
R05R\_A\_CUR\_EDSD\_CIGAR =-99988 THEN R05R\_A\_FMR\_ESTD\_CIGAR = -99988;  
ELSE IF R05R\_A\_FMR\_ESTD\_GTRAD=-99977 OR R05R\_A\_FMR\_ESTD\_GRILLO=-99977  
OR R05R\_A\_FMR\_ESTD\_GFILTR=-99977 OR R05R\_A\_CUR\_EDSD\_CIGAR =-99977  
THEN R05R\_A\_FMR\_ESTD\_CIGAR = -99977; ELSE IF R05R\_A\_FMR\_ESTD\_GTRAD =  
-99966 OR R05R\_A\_FMR\_ESTD\_GRILLO=-99966 OR R05R\_A\_FMR\_ESTD\_GFILTR =  
-99966 OR R05R\_A\_CUR\_EDSD\_CIGAR =-99966 THEN R05R\_A\_FMR\_ESTD\_CIGAR =  
-99966; ELSE IF R05R\_A\_FMR\_ESTD\_GTRAD=-99911 OR  
R05R\_A\_FMR\_ESTD\_GRILLO= -99911 OR R05R\_A\_FMR\_ESTD\_GFILTR=-99911 OR  
R05R\_A\_CUR\_EDSD\_CIGAR =-99911 THEN R05R\_A\_FMR\_ESTD\_CIGAR= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3398	9.9 %
2	2 = No	25922	75.6 %
	<b>Total</b>	<b>29,320</b>	<b>85.5%</b>

This variable has 29,320 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	16	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	790	2.3 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4139	12.1 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>4,989</b>	<b>14.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13923-13928 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_EXPR\_CIGAR: DERIVED - Wave 5 Adult Former Experimental Cigar Smoker

**Long Description:** Wave 5 adult respondents who are not former established or current everyday/some day smokers of any cigar products, have not smoked any cigar products fairly regularly, have not smoked at least one cigar product within the past 12 months and currently smoke not at all. Recanters and blunt-only users who are ever smokers of cigars are excluded from the derivation.

**Algorithm:** IF R05R\_A\_FMR\_ESTD\_CIGAR =2 AND R05R\_A\_CUR\_EDSD\_CIGAR =2 AND R05R\_A\_EVR\_THRSH\_CIGAR =2 AND (R05R\_A\_FMR\_EXPR\_GTRAD =1 OR R05R\_A\_FMR\_EXPR\_GRILLO =1 OR R05R\_A\_FMR\_EXPR\_GFILTR =1) THEN R05R\_A\_FMR\_EXPR\_CIGAR =1; ELSE IF (R05R\_A\_FMR\_EXPR\_GTRAD = 2 AND R05R\_A\_FMR\_EXPR\_GRILLO =2 AND R05R\_A\_FMR\_EXPR\_GFILTR = 2) OR R05R\_A\_FMR\_ESTD\_CIGAR =1 OR R05R\_A\_CUR\_EDSD\_CIGAR = 1 OR R05R\_A\_EVR\_THRSH\_CIGAR =1 THEN R05R\_A\_FMR\_EXPR\_CIGAR= 2; ELSE IF R05R\_A\_FMR\_EXPR\_GTRAD =-99999 OR R05R\_A\_FMR\_EXPR\_GRILLO =-99999 OR R05R\_A\_FMR\_EXPR\_GFILTR =-99999 OR R05R\_A\_ESTD\_CIGAR =-99999 OR R05R\_A\_CUR\_EDSD\_CIGAR =-99999 OR R05R\_A\_EVR\_THRSH\_CIGAR =-99999 THEN R05R\_A\_FMR\_EXPR\_CIGAR =-99999; ELSE IF R05R\_A\_FMR\_EXPR\_GTRAD =-99988 OR R05R\_A\_FMR\_EXPR\_GRILLO =-99988 OR R05R\_A\_FMR\_EXPR\_GFILTR =-99988 OR R05R\_A\_FMR\_ESTD\_CIGAR =-99988 OR R05R\_A\_CUR\_EDSD\_CIGAR =-99988 OR R05R\_A\_EVR\_THRSH\_CIGAR =-99988 THEN R05R\_A\_FMR\_EXPR\_CIGAR =-99988; ELSE IF R05R\_A\_FMR\_EXPR\_GTRAD =-99977 OR R05R\_A\_FMR\_EXPR\_GRILLO =-99977 OR R05R\_A\_FMR\_ESTD\_CIGAR =-99977 OR R05R\_A\_CUR\_EDSD\_CIGAR =-99977 OR R05R\_A\_EVR\_THRSH\_CIGAR =-99977 THEN R05R\_A\_FMR\_EXPR\_CIGAR =-99977; ELSE IF R05R\_A\_FMR\_EXPR\_GTRAD =-99966 OR R05R\_A\_FMR\_EXPR\_GRILLO =-99966 OR R05R\_A\_FMR\_EXPR\_GFILTR =-99966 OR R05R\_A\_ESTD\_CIGAR =-99966 OR R05R\_A\_CUR\_EDSD\_CIGAR =-99966 OR R05R\_A\_EVR\_THRSH\_CIGAR =-99966 THEN R05R\_A\_FMR\_EXPR\_CIGAR =-99966; ELSE IF R05R\_A\_FMR\_EXPR\_GTRAD = -99911 OR R05R\_A\_FMR\_EXPR\_GRILLO =-99911 OR R05R\_A\_FMR\_EXPR\_GFILTR = -99911 OR R05R\_A\_FMR\_ESTD\_CIGAR =-99911 OR R05R\_A\_CUR\_EDSD\_CIGAR =-99911 OR R05R\_A\_EVR\_THRSH\_CIGAR =-99911 THEN R05R\_A\_FMR\_EXPR\_CIGAR =-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7012	20.4 %
2	2 = No	22787	66.4 %
	<b>Total</b>	<b>29,799</b>	<b>86.9%</b>

This variable has 29,799 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	7	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	20	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	781	2.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3679	10.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>4,510</b>	<b>13.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13929-13934 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_P12M\_CIGAR: DERIVED - Wave 5 Adult Past 12 Month Any Cigar Smokers

Long Description: Wave 5 adult respondents who have smoked a traditional cigar, cigarillo, or filtered cigar within the past 12 months.

Algorithm: IF R05R\_A\_P12M\_GTRAD=1 OR R05R\_A\_P12M\_GRILLO=1 OR R05R\_A\_P12M\_GFILTR=1 THEN R05R\_A\_P12M\_CIGAR= 1; ELSE IF R05R\_A\_P12M\_GTRAD =2 AND R05R\_A\_P12M\_GRILLO = 2 AND R05R\_A\_P12M\_GFILTR =2 THEN R05R\_A\_P12M\_CIGAR =2; ELSE IF R05R\_A\_P12M\_GTRAD= -99999 OR R05R\_A\_P12M\_GRILLO= -99999 OR R05R\_A\_P12M\_GFILTR= -99999 THEN R05R\_A\_P12M\_CIGAR= -99999; ELSE IF R05R\_A\_P12M\_GTRAD= -99988 OR R05R\_A\_P12M\_GRILLO= -99988 OR R05R\_A\_P12M\_GFILTR= -99988 THEN R05R\_A\_P12M\_CIGAR= -99988; ELSE IF R05R\_A\_P12M\_GTRAD= -99977 OR R05R\_A\_P12M\_GRILLO= -99977 OR R05R\_A\_P12M\_GFILTR= -99977 THEN R05R\_A\_P12M\_CIGAR= -99977; ELSE IF R05R\_A\_P12M\_GTRAD= -99955 OR R05R\_A\_P12M\_GRILLO= -99955 OR R05R\_A\_P12M\_GFILTR= -99955 THEN R05R\_A\_P12M\_CIGAR= -99955; ELSE IF R05R\_A\_P12M\_GTRAD= -99966 OR R05R\_A\_P12M\_GRILLO= -99966 OR R05R\_A\_P12M\_GFILTR= -99966 THEN R05R\_A\_P12M\_CIGAR= -99966; ELSE IF R05R\_A\_P12M\_GTRAD= -99911 OR R05R\_A\_P12M\_GRILLO= -99911 OR R05R\_A\_P12M\_GFILTR= -99911 THEN R05R\_A\_P12M\_CIGAR= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6126	17.9 %
2	2 = No	28159	82.1 %
	<b>Total</b>	<b>34,285</b>	<b>99.9%</b>

This variable has 34,285 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13935-13940 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_EVR\_PIPE: DERIVED - Wave 5 Adult Ever Pipe Smoker

Long Description: Wave 5 adult respondents who have ever smoked a pipe.

Algorithm: IF X04M\_EVR\_PIPE = 1 OR R05\_AP1004 = 1 OR R05\_AP1002 = 1 OR R05\_AP1002\_12M = 1 THEN R05R\_A\_EVR\_PIPE = 1; ELSE IF (X04M\_EVR\_PIPE = 2 AND R05\_AP1002\_12M = 2 AND X04M\_SKIPPED\_WAVE = 2) OR R05\_AP1002 = 2 THEN R05R\_A\_EVR\_PIPE = 2; ELSE IF (R05\_AP1004 = -9 AND R05\_AP1002\_12M = -1) OR R05\_AP1002\_12M = -9 OR R05\_AP1002 = -9 THEN R05R\_A\_EVR\_PIPE = -99999; ELSE IF R05\_AP1002\_12M = -8 OR R05\_AP1002 = -8 THEN R05R\_A\_EVR\_PIPE = -99988; ELSE IF R05\_AP1002\_12M = -7 OR R05\_AP1002 = -7 THEN R05R\_A\_EVR\_PIPE = -99977; ELSE IF X04M\_EVR\_PIPE IN (-99933, -99999, -99988, -99977, -99966, -99911) OR X04M\_SKIPPED\_WAVE = 1 THEN R05R\_A\_EVR\_PIPE = -99966; ELSE IF R05\_AP1002\_12M = -1 OR R05\_AP1002 = -1 THEN R05R\_A\_EVR\_PIPE = -99911;

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before smoked pipe tobacco and who had never skipped a wave were asked about pipe tobacco use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before smoked pipe tobacco and who had never skipped a wave who did not smoke pipe tobacco in the past 12 months at Wave 5 are considered never pipe tobacco smokers in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6606	19.3 %
2	2 = No	27599	80.4 %
	<b>Total</b>	<b>34,205</b>	<b>99.7%</b>

This variable has 34,205 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	86	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>104</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13941-13946 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EVR\_THRSH\_PIPE: DERIVED - Wave 5 Adult Pipe Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have ever smoked pipes fairly regularly.

Algorithm: IF R05R\_A\_EVR\_PIPE = 1 AND (X04M\_EVR\_THRSH\_PIPE = 1 OR R05\_AP1100 = 1) THEN R05R\_A\_EVR\_THRSH\_PIPE = 1; ELSE IF R05R\_A\_EVR\_PIPE = 2 OR (R05R\_A\_EVR\_PIPE = 1 AND R05\_AP1100 = 2) THEN R05R\_A\_EVR\_THRSH\_PIPE = 2; ELSE IF R05R\_A\_EVR\_PIPE = -99999 OR R05\_AP1100 = -9 THEN R05R\_A\_EVR\_THRSH\_PIPE = -99999; ELSE IF R05R\_A\_EVR\_PIPE = -99988 OR R05\_AP1100 = -8 THEN R05R\_A\_EVR\_THRSH\_PIPE = -99988; ELSE IF R05R\_A\_EVR\_PIPE = -99977 OR R05\_AP1100 = -7 THEN R05R\_A\_EVR\_THRSH\_PIPE = -99977; ELSE IF R05R\_A\_EVR\_PIPE = -99966 THEN R05R\_A\_EVR\_THRSH\_PIPE = -99966; ELSE IF R05R\_A\_EVR\_PIPE = -99911 OR R05\_AP1100 = -1 THEN R05R\_A\_EVR\_THRSH\_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1497	4.4 %
2	2 = No	31436	91.6 %
	<b>Total</b>	<b>32,933</b>	<b>96.0%</b>

This variable has 32,933 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	86	0.3 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1269	3.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>1,376</b>	<b>4.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13947-13952 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_ESTD\_PIPE: DERIVED - Wave 5 Adult Current Established Pipe Smoker

Long Description: Wave 5 adult respondents who have ever smoked a pipe, have ever smoked them fairly regularly, and currently smoke every day or some days.

```
Algorithm: IF R05R_A_EVR_THRSH_PIPE = 1 AND R05_AP1003 IN (1,2) THEN
R05R_A_CUR_ESTD_PIPE = 1; ELSE IF R05R_A_EVR_THRSH_PIPE = 2
OR R05_AP1003 = 3 OR R05_AP1002_12M = 2 OR R05_AP1002 = 2
THEN R05R_A_CUR_ESTD_PIPE = 2; ELSE IF R05R_A_EVR_THRSH_PIPE
= -99999 OR R05_AP1003 = -9 OR R05_AP1002_12M = -9 OR
R05_AP1002 = -9 THEN R05R_A_CUR_ESTD_PIPE = -99999; ELSE IF
R05R_A_EVR_THRSH_PIPE = -99988 OR R05_AP1003 = -8 OR
R05_AP1002_12M = -8 OR R05_AP1002 = -8 THEN
R05R_A_CUR_ESTD_PIPE = -99988; ELSE IF R05R_A_EVR_THRSH_PIPE
= -99977 OR R05_AP1003 = -7 OR R05_AP1002_12M = -7 OR
R05_AP1002 = -7 THEN R05R_A_CUR_ESTD_PIPE = -99977; ELSE IF
R05R_A_EVR_THRSH_PIPE = -99966 THEN R05R_A_CUR_ESTD_PIPE = -
99966; ELSE IF R05R_A_EVR_THRSH_PIPE = -99911 OR R05_AP1003 =
-1 OR R05_AP1002_12M = -1 OR R05_AP1002 = -1 THEN
R05R_A_CUR_ESTD_PIPE = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	195	0.6 %
2	2 = No	34093	99.4 %
<b>Total</b>		<b>34,288</b>	<b>99.9%</b>

This variable has 34,288 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>21</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13953-13958 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_EDSD\_PIPE: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Pipe Smoker

Long Description: Wave 5 adult respondents who have ever smoked a pipe and currently smoke every day or some days.

```
Algorithm: IF R05R_A_EVR_PIPE = 1 AND R05_AP1003 IN (1,2) THEN
R05R_A_CUR_EDSD_PIPE = 1; ELSE IF R05R_A_EVR_PIPE = 2 OR
R05_AP1003 = 3 OR R05_AP1002_12M = 2 OR R05_AP1002 = 2 THEN
R05R_A_CUR_EDSD_PIPE = 2; ELSE IF R05R_A_EVR_PIPE = -99999 OR
R05_AP1003 = -9 OR R05_AP1002_12M = -9 OR R05_AP1002 = -9
THEN R05R_A_CUR_EDSD_PIPE = -99999; ELSE IF R05R_A_EVR_PIPE =
-99988 OR R05_AP1003 = -8 OR R05_AP1002_12M = -8 OR
R05_AP1002 = -8 THEN R05R_A_CUR_EDSD_PIPE = -99988; ELSE IF
R05R_A_EVR_PIPE = -99977 OR R05_AP1003 = -7 OR
R05_AP1002_12M = -7 OR R05_AP1002 = -7 THEN
R05R_A_CUR_EDSD_PIPE = -99977; ELSE IF R05R_A_EVR_PIPE = -
99966 THEN R05R_A_CUR_EDSD_PIPE = -99966; ELSE IF
R05R_A_EVR_PIPE = -99911 OR R05_AP1003 = -1 OR
R05_AP1002_12M = -1 OR R05_AP1002 = -1 THEN
R05R_A_CUR_EDSD_PIPE = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	363	1.1 %
2	2 = No	33925	98.9 %
<b>Total</b>		<b>34,288</b>	<b>99.9%</b>

This variable has 34,288 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>21</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13959-13964 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_EDY\_PIPE: DERIVED - Wave 5 Adult Current Every Day Pipe Smoker

Long Description: Wave 5 adult respondents who have ever smoked a pipe, have ever smoked them fairly regularly, and currently smoke every day.

Algorithm: IF R05R\_A\_EVR\_THRSH\_PIPE = 1 AND R05\_AP1003 = 1 THEN  
 R05R\_A\_EDY\_PIPE = 1; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = 2 OR  
 R05\_AP1003 IN (2,3) OR R05\_AP1002\_12M = 2 OR R05\_AP1002 = 2  
 THEN R05R\_A\_EDY\_PIPE = 2; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = -  
 99999 OR R05\_AP1003 = -9 OR R05\_AP1002\_12M = -9 OR  
 R05\_AP1002 = -9 THEN R05R\_A\_EDY\_PIPE = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_PIPE = -99988 OR R05\_AP1003 = -8 OR  
 R05\_AP1002\_12M = -8 OR R05\_AP1002 = -8 THEN R05R\_A\_EDY\_PIPE  
 = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = -99977 OR R05\_AP1003  
 = -7 OR R05\_AP1002\_12M = -7 OR R05\_AP1002 = -7 THEN  
 R05R\_A\_EDY\_PIPE = -99977; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = -  
 99966 THEN R05R\_A\_EDY\_PIPE = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_PIPE = -99911 OR R05\_AP1003 = -1 OR  
 R05\_AP1002\_12M = -1 OR R05\_AP1002 = -1 THEN R05R\_A\_EDY\_PIPE  
 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	50	0.1 %
2	2 = No	34238	99.8 %
<b>Total</b>		<b>34,288</b>	<b>99.9%</b>

This variable has 34,288 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>21</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13965-13970 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_SDY\_PIPE: DERIVED - Wave 5 Adult Current Some Day Pipe Smoker

Long Description: Wave 5 adult respondents who have ever smoked a pipe, have ever smoked them fairly regularly, and currently smoke some days.

```
Algorithm: IF R05R_A_EVR_THRSH_PIPE = 1 AND R05_AP1003 = 2 THEN
R05R_A_SDY_PIPE = 1; ELSE IF R05R_A_EVR_THRSH_PIPE = 2 OR
R05_AP1003 IN (1, 3) OR R05_AP1002_12M = 2 OR R05_AP1002 = 2
THEN R05R_A_SDY_PIPE = 2; ELSE IF R05R_A_EVR_THRSH_PIPE = -
99999 OR R05_AP1003 = -9 OR R05_AP1002_12M = -9 OR
R05_AP1002 = -9 THEN R05R_A_SDY_PIPE = -99999; ELSE IF
R05R_A_EVR_THRSH_PIPE = -99988 OR R05_AP1003 = -8 OR
R05_AP1002_12M = -8 OR R05_AP1002 = -8 THEN R05R_A_SDY_PIPE
= -99988; ELSE IF R05R_A_EVR_THRSH_PIPE = -99977 OR R05_AP1003
= -7 OR R05_AP1002_12M = -7 OR R05_AP1002 = -7 THEN
R05R_A_SDY_PIPE = -99977; ELSE IF R05R_A_EVR_THRSH_PIPE = -
99966 THEN R05R_A_SDY_PIPE = -99966; ELSE IF
R05R_A_EVR_THRSH_PIPE = -99911 OR R05_AP1003 = -1 OR
R05_AP1002_12M = -1 OR R05_AP1002 = -1 THEN R05R_A_SDY_PIPE
= -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	145	0.4 %
2	2 = No	34143	99.5 %
<b>Total</b>		<b>34,288</b>	<b>99.9%</b>

This variable has 34,288 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>21</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13971-13976 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P30D\_PIPE: DERIVED - Wave 5 Adult Past 30 Day Pipe Smoker

Long Description: Wave 5 adult respondents who have smoked a pipe within the past 30 days.

Algorithm: IF R05R\_A\_EVR\_PIPE = 1 AND (R05\_AP1004 = 1 OR R05\_AP0100 IN (1,2,3,4) OR (1 <= R05\_AP1009\_NN <= 30 AND R05\_AP1009\_UN = 1) OR (R05\_AP1009\_NN = 1 AND R05\_AP1009\_UN = 2) OR R05\_AP1022 > 0) THEN R05R\_A\_P30D\_PIPE = 1; ELSE IF R05R\_A\_EVR\_PIPE = 2 OR R05\_AP1002 = 2 OR R05\_AP1004 = 2 OR (R05\_AP1009\_NN > 30 AND R05\_AP1009\_UN = 1) OR (R05\_AP1009\_NN > 1 AND R05\_AP1009\_UN = 2) OR R05\_AP1009\_UN = 3 OR R05\_AP1022 = 0 THEN R05R\_A\_P30D\_PIPE = 2; ELSE IF R05R\_A\_EVR\_PIPE = -99999 OR R05\_AP1002 = -9 OR R05\_AP1004 = -9 OR R05\_AP0100 = -9 OR R05\_AP1009\_NN = -9 OR R05\_AP1022 = -9 THEN R05R\_A\_P30D\_PIPE = -99999; ELSE IF R05R\_A\_EVR\_PIPE = -99988 OR R05\_AP1002 = -8 OR R05\_AP1004 = -8 OR R05\_AP0100 = -8 OR R05\_AP1009\_NN = -8 OR R05\_AP1022 = -8 THEN R05R\_A\_P30D\_PIPE = -99988; ELSE IF R05R\_A\_EVR\_PIPE = -99977 OR R05\_AP1002 = -7 OR R05\_AP1004 = -7 OR R05\_AP0100 = -7 OR R05\_AP1009\_NN = -7 OR R05\_AP1022 = -7 THEN R05R\_A\_P30D\_PIPE = -99977; ELSE IF R05\_AP1009\_NN = -5 THEN R05R\_A\_P30D\_PIPE = -99955; ELSE IF R05R\_A\_EVR\_PIPE = -99966 THEN R05R\_A\_P30D\_PIPE = -99966; ELSE IF R05R\_A\_EVR\_PIPE = -99911 OR R05\_AP1002 = -1 OR R05\_AP1004 = -1 OR R05\_AP0100 = -1 OR R05\_AP1009\_NN = -1 OR R05\_AP1022 = -1 THEN R05R\_A\_P30D\_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	413	1.2 %
2	2 = No	33887	98.8 %
<b>Total</b>		<b>34,300</b>	<b>100.0%</b>

This variable has 34,300 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>9</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 13977-13982 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_NEW\_PIPE: DERIVED - Wave 5 Adult Never to Ever Pipe Smoker

Long Description: Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started smoking pipe tobacco between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started smoking pipe tobacco between Waves 4.5 and 5.

Algorithm: IF X04M\_EVR\_PIPE = 2 AND R05R\_A\_EVR\_PIPE = 1 AND  
(WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_PIPE = 1; ELSE IF  
(X04M\_EVR\_PIPE = 1 OR R05R\_A\_EVR\_PIPE = 2) AND (WAVE4\_INTERVIEW = 1  
OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND  
(WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS =  
1)))) THEN R05R\_A\_NEW\_PIPE = 2; ELSE IF R05R\_A\_EVR\_PIPE = -99999 THEN  
R05R\_A\_NEW\_PIPE = -99999; ELSE IF R05R\_A\_EVR\_PIPE = -99988 THEN  
R05R\_A\_NEW\_PIPE = -99988; ELSE IF R05R\_A\_EVR\_PIPE = -99977 THEN  
R05R\_A\_NEW\_PIPE = -99977; ELSE IF X04M\_EVR\_PIPE IN (-99933, -99999,  
-99988, -99977, -99966, -99911) OR R05R\_A\_EVR\_PIPE = -99966 OR  
WAVE4P5\_INTERVIEW = 9 OR (WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW =  
9) THEN R05R\_A\_NEW\_PIPE = -99966; ELSE IF R05R\_A\_EVR\_PIPE = -99911  
THEN R05R\_A\_NEW\_PIPE = -99911;

Notes: Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	227	0.7 %
2	2 = No	32375	94.4 %
<b>Total</b>		<b>32,602</b>	<b>95.0%</b>

This variable has 32,602 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1689	4.9 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>1,707</b>	<b>5.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13983-13988 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_EXPR\_PIPE: DERIVED - Wave 5 Adult Current Experimental Pipe Smoker

**Long Description:** Wave 5 adult respondents who have never smoked pipes fairly regularly, and currently smoke every day or some days.

**Algorithm:** IF R05R\_A\_EVR\_PIPE = 1 AND R05R\_A\_EVR\_THRSH\_PIPE = 2 AND R05\_AP1003 IN (1,2) THEN R05R\_A\_CUR\_EXPR\_PIPE = 1; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = 1 OR R05R\_A\_EVR\_PIPE = 2 OR R05\_AP1003 = 3 OR R05\_AP1002\_12M = 2 OR R05\_AP1002 = 2 THEN R05R\_A\_CUR\_EXPR\_PIPE = 2; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = -99999 OR R05\_AP1003 = -9 OR R05\_AP1002\_12M = -9 OR R05\_AP1002 = -9 OR R05R\_A\_EVR\_PIPE = -99999 THEN R05R\_A\_CUR\_EXPR\_PIPE = -99999; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = -99988 OR R05\_AP1003 = -8 OR R05\_AP1002\_12M = -8 OR R05\_AP1002 = -8 OR R05R\_A\_EVR\_PIPE = -99988 THEN R05R\_A\_CUR\_EXPR\_PIPE = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = -99977 OR R05\_AP1003 = -7 OR R05\_AP1002\_12M = -7 OR R05\_AP1002 = -7 OR R05R\_A\_EVR\_PIPE = -99977 THEN R05R\_A\_CUR\_EXPR\_PIPE = -99977; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = -99966 OR R05R\_A\_EVR\_PIPE = -99966 THEN R05R\_A\_CUR\_EXPR\_PIPE = -99966; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = -99911 OR R05\_AP1003 = -1 OR R05\_AP1002\_12M = -1 OR R05\_AP1002 = -1 OR R05R\_A\_EVR\_PIPE = -99911 THEN R05R\_A\_CUR\_EXPR\_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	168	0.5 %
2	2 = No	34121	99.5 %
<b>Total</b>		<b>34,289</b>	<b>99.9%</b>

This variable has 34,289 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>20</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13989-13994 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_ESTD\_PIPE: DERIVED - Wave 5 Adult Former Established Pipe Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked pipes fairly regularly, and have not smoked them within the past 12 months or currently smoke them not at all. Recanters are excluded from the derivation.

```
Algorithm: IF R05R_A_EVR_THRSH_PIPE = 1 AND (R05_AP1003 = 3 OR
R05_AP1002_12M = 2 OR R05_AP1002 = 2) AND R05_AP1010 != 3
THEN R05R_A_FMR_ESTD_PIPE = 1; ELSE IF
(R05R_A_EVR_THRSH_PIPE = 2 OR R05_AP1003 IN (1,2)) AND
R05_AP1010 != 3 THEN R05R_A_FMR_ESTD_PIPE = 2; ELSE IF
R05R_A_EVR_THRSH_PIPE = -99999 OR R05_AP1003 = -9 OR
R05_AP1002_12M = -9 OR R05_AP1002 = -9 OR R05_AP1010 = -9
THEN R05R_A_FMR_ESTD_PIPE = -99999; ELSE IF
R05R_A_EVR_THRSH_PIPE = -99988 OR R05_AP1003 = -8 OR
R05_AP1002_12M = -8 OR R05_AP1002 = -8 OR R05_AP1010 = -8
THEN R05R_A_FMR_ESTD_PIPE = -99988; ELSE IF
R05R_A_EVR_THRSH_PIPE = -99977 OR R05_AP1003 = -7 OR
R05_AP1002_12M = -7 OR R05_AP1002 = -7 OR R05_AP1010 = -7
THEN R05R_A_FMR_ESTD_PIPE = -99977; ELSE IF
R05R_A_EVR_THRSH_PIPE = -99966 THEN R05R_A_FMR_ESTD_PIPE =
-99966; ELSE IF R05R_A_EVR_THRSH_PIPE = -99911 OR R05_AP1003 =
-1 OR R05_AP1002_12M = -1 OR R05_AP1002 = -1 OR R05_AP1010 IN
(-1,3) THEN R05R_A_FMR_ESTD_PIPE = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1228	3.6 %
2	2 = No	31631	92.2 %
<b>Total</b>		<b>32,859</b>	<b>95.8%</b>

This variable has 32,859 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	86	0.3 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1341	3.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>1,450</b>	<b>4.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 13995-14000 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_EXPR\_PIPE: DERIVED - Wave 5 Adult Former Experimental Pipe Smoker

**Long Description:** Wave 5 adult respondents who have never smoked pipes fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R05R\_A\_EVR\_PIPE = 1 AND R05R\_A\_EVR\_THRSH\_PIPE = 2 AND  
(R05\_AP1003 = 3 OR R05\_AP1002\_12M = 2 OR R05\_AP1002 = 2) AND  
R05\_AP1010 != 3 THEN R05R\_A\_FMR\_EXPR\_PIPE = 1; ELSE IF  
(R05R\_A\_EVR\_THRSH\_PIPE = 1 OR R05\_AP1003 IN (1,2) OR  
R05R\_A\_EVR\_PIPE = 2) AND R05\_AP1010 != 3 THEN  
R05R\_A\_FMR\_EXPR\_PIPE = 2; ELSE IF R05R\_A\_EVR\_THRSH\_PIPE = -  
99999 OR R05R\_A\_EVR\_PIPE = -99999 OR R05\_AP1003 = -9 OR  
R05\_AP1002\_12M = -9 OR R05\_AP1002 = -9 OR R05\_AP1010 = -9  
THEN R05R\_A\_FMR\_EXPR\_PIPE = -99999; ELSE IF  
R05R\_A\_EVR\_THRSH\_PIPE = -99988 OR R05R\_A\_EVR\_PIPE = -99988  
OR R05\_AP1003 = -8 OR R05\_AP1002\_12M = -8 OR R05\_AP1002 = -8  
OR R05\_AP1010 = -8 THEN R05R\_A\_FMR\_EXPR\_PIPE = -99988; ELSE IF  
R05R\_A\_EVR\_THRSH\_PIPE = -99977 OR R05R\_A\_EVR\_PIPE = -99977  
OR R05\_AP1003 = -7 OR R05\_AP1002\_12M = -7 OR R05\_AP1002 = -7  
OR R05\_AP1010 = -7 THEN R05R\_A\_FMR\_EXPR\_PIPE = -99977; ELSE IF  
R05R\_A\_EVR\_THRSH\_PIPE = -99966 OR R05R\_A\_EVR\_PIPE = -99966  
THEN R05R\_A\_FMR\_EXPR\_PIPE = -99966; ELSE IF  
R05R\_A\_EVR\_THRSH\_PIPE = -99911 OR R05R\_A\_EVR\_PIPE = -99911  
OR R05\_AP1003 = -1 OR R05\_AP1002\_12M = -1 OR R05\_AP1002 = -1  
OR R05\_AP1010 IN (-1,3) THEN R05R\_A\_FMR\_EXPR\_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3669	10.7 %
2	2 = No	29191	85.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>32,860</b>	<b>95.8%</b>

This variable has 32,860 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	86	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1341	3.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,449</b>	<b>4.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14001-14006 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_P12M\_PIPE: DERIVED - Wave 5 Adult Past 12 Month Pipe Smokers

Long Description: Wave 5 adult respondents who have smoked a pipe within the past 12 months.

```

Algorithm: IF R05R_A_EVR_PIPE = 1 AND (R05_AP1004 = 1 OR R05_AP1002_12M
= 1 OR (R05_AP1009_UN = 1 AND 0 < R05_AP1009_NN < = 365) OR
(R05_AP1009_UN = 2 AND 0 < R05_AP1009_NN < = 12) OR
(R05_AP1009_UN = 3 AND R05_AP1009_NN = 1) OR R05_AP100 in
(1,2,3,4) OR R05_AP1022>0) THEN R05R_A_P12M_PIPE = 1; ELSE IF
R05R_A_EVR_PIPE = 2 OR R05_AP1002_12M = 2 OR R05_AP1002 = 2
OR (R05_AP1009_UN = 1 AND R05_AP1009_NN > 365) OR
(R05_AP1009_UN = 2 AND R05_AP1009_NN > 12) OR
(R05_AP1009_UN = 3 AND R05_AP1009_NN > 1) THEN
R05R_A_P12M_PIPE = 2; ELSE IF (R05_AP1004 = -9 AND
R05_AP1002_12M = -1) OR R05_AP1009_NN = -9 OR
R05_AP1002_12M = -9 OR R05_AP1002 = -9 OR R05R_A_EVR_PIPE = -
99999 OR R05_AP0100 = -9 OR R05_AP1022 = -9 THEN
R05R_A_P12M_PIPE = -99999; ELSE IF R05_AP1002_12M = -8 OR
R05_AP1002 = -8 OR R05_AP1009_NN = -8 OR R05R_A_EVR_PIPE = -
99988 OR R05_AP0100 = -8 OR R05_AP1022 = -8 THEN
R05R_A_P12M_PIPE = -99988; ELSE IF R05_AP1002_12M = -7 OR
R05_AP1002 = -7 OR R05_AP1009_NN = -7 OR R05R_A_EVR_PIPE = -
99977 OR R05_AP0100 = -7 OR R05_AP1022 = -7 THEN
R05R_A_P12M_PIPE = -99977; ELSE IF R05_AP1009_NN in (0,-5) THEN
R05R_A_P12M_PIPE = -99955; ELSE IF R05R_A_EVR_PIPE = -99966
THEN R05R_A_P12M_PIPE = -99966; ELSE IF R05_AP1002_12M = -1
OR R05_AP1002 = -1 OR R05_AP1009_NN = -1 OR R05R_A_EVR_PIPE =
-99911 OR R05_AP0100 in (5,-1) OR R05_AP1022 = -1 THEN

```

R05R\_A\_P12M\_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	762	2.2 %
2	2 = No	33526	97.7 %
	<b>Total</b>	<b>34,288</b>	<b>99.9%</b>

This variable has 34,288 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>21</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14007-14012 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_MINFIRST\_PIPE: DERIVED - Wave 5 Adult Minutes After Waking Up to Smoking a Pipe

Long Description: Wave 5 adult current or experimental current pipe smokers - Recode of amount of time after waking up to smoking a pipe into minutes

```
Algorithm: IF R05_AP1024_UN = 1 AND R05_AP1024_NN >= 0 THEN
R05R_A_MINFIRST_PIPE = R05_AP1024_NN; ELSE IF R05_AP1024_UN = 2 AND
R05_AP1024_NN >= 0 THEN R05R_A_MINFIRST_PIPE = R05_AP1024_NN * 60; ELSE
IF R05_AP1024_NN = -9 THEN R05R_A_MINFIRST_PIPE = -99999; ELSE IF
R05_AP1024_NN = -8 THEN R05R_A_MINFIRST_PIPE = -99988; ELSE IF
R05_AP1024_NN = -7 THEN R05R_A_MINFIRST_PIPE = -99977; ELSE IF
R05_AP1024_NN = -5 THEN R05R_A_MINFIRST_PIPE = -99955; ELSE IF
R05_AP1024_NN = -1 THEN R05R_A_MINFIRST_PIPE = -99911;
```

This variable has 353 valid cases out of 34,309 total cases.

- Mean: 332.63

- Median: 300.00
- Mode: 480.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 314.00

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33945	98.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,956</b>	<b>99.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14013-14018 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_MINFIRST\_30D\_PIPE: DERIVED - Wave 5 Adult Former Past 30 Day Pipe Smoker - Number of Minutes After Waking Up to Taking First Puff From a Pipe

**Long Description:** Wave 5 Adult former pipe smokers who have smoked in the past 30 days - Recode of length of time after waking up to taking first puff from a pipe into minutes.

```
Algorithm: IF R05_AP1024_30D_UN = 1 AND R05_AP1024_30D_NN != -5 THEN
R05R_A_MINFIRST_30D_PIPE = R05_AP1024_30D_NN; ELSE IF
R05_AP1024_30D_UN = 2 AND R05_AP1024_30D_NN != -5 THEN
R05R_A_MINFIRST_30D_PIPE = R05_AP1024_30D_NN * 60; ELSE IF
R05_AP1024_30D_NN = -9 THEN R05R_A_MINFIRST_30D_PIPE = -99999; ELSE IF
R05_AP1024_30D_NN = -8 THEN R05R_A_MINFIRST_30D_PIPE = -99988; ELSE IF
R05_AP1024_30D_NN = -7 THEN R05R_A_MINFIRST_30D_PIPE = -99977; ELSE IF
R05_AP1024_30D_NN = -5 THEN R05R_A_MINFIRST_30D_PIPE = -99955; ELSE IF
R05_AP1024_30D_NN = -1 THEN R05R_A_MINFIRST_30D_PIPE = -99911;
```

This variable has 125 valid cases out of 34,309 total cases.

- Mean: 211.37
- Median: 9.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 315.34

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34172	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,184</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14019-14024 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSLASTUSED\_PIPE: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Pipe (Some Day or Current Experimental Smokers)

Long Description: Wave 5 adult some day, current experimental, or former 30 day pipe smokers who have not smoked in the past 30 days - Recode of length of time since last smoked a pipe into days.

```
Algorithm: IF R05_AP9029_UN = 1 AND R05_AP9029_NN >= 0 THEN
R05R_A_DAYSLASTUSED_PIPE = R05_AP9029_NN; ELSE IF R05_AP9029_UN = 2
AND R05_AP9029_NN >= 0 THEN R05R_A_DAYSLASTUSED_PIPE =
R05_AP9029_NN * 30.4375; ELSE IF R05_AP9029_UN = 3 AND
R05_AP9029_NN >= 0 THEN R05R_A_DAYSLASTUSED_PIPE =
R05_AP9029_NN * 365.25; ELSE IF R05_AP9029_NN = -9 THEN
R05R_A_DAYSLASTUSED_PIPE = -99999; ELSE IF R05_AP9029_NN = -8 THEN
R05R_A_DAYSLASTUSED_PIPE = -99988; ELSE IF R05_AP9029_NN = -7 THEN
R05R_A_DAYSLASTUSED_PIPE = -99977; ELSE IF R05_AP9029_NN = -5 THEN
R05R_A_DAYSLASTUSED_PIPE = -99955; ELSE IF R05_AP9029_NN = -1 THEN
R05R_A_DAYSLASTUSED_PIPE = -99911;
```

This variable has 128 valid cases out of 34,309 total cases.

- Mean: 619.3281
- Median: 182.6250
- Minimum: 30.4375
- Maximum: 9861.7500
- Standard Deviation: 1446.3983

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	14	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34163	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>34,181</b>	<b>99.6%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14025-14035 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSQUIT\_PIPE: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Pipe (Non-Current Smokers)

Long Description: Wave 5 adult recode of length of time since last smoked a pipe into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

```
Algorithm: IF R05_AP1009_UN = 1 AND R05_AP1009_NN >= 0 THEN
R05R_A_DAYSQUIT_PIPE = R05_AP1009_NN; ELSE IF R05_AP1009_UN = 2 AND
R05_AP1009_NN >= 0 THEN R05R_A_DAYSQUIT_PIPE = R05_AP1009_NN * 30.4375;
ELSE IF R05_AP1009_UN = 3 AND R05_AP1009_NN >= 0 THEN
R05R_A_DAYSQUIT_PIPE = R05_AP1009_NN * 365.25; ELSE IF R05_AP1009_NN =
-9 THEN R05R_A_DAYSQUIT_PIPE = -99999; ELSE IF R05_AP1009_NN = -8 THEN
R05R_A_DAYSQUIT_PIPE = -99988; ELSE IF R05_AP1009_NN = -7 THEN
R05R_A_DAYSQUIT_PIPE = -99977; ELSE IF R05_AP1009_NN = -5 THEN
R05R_A_DAYSQUIT_PIPE = -99955; ELSE IF R05_AP1009_NN = -1 THEN
R05R_A_DAYSQUIT_PIPE = -99911;
```

This variable has 649 valid cases out of 34,309 total cases.

- Mean: 1901.5774
- Median: 730.5000
- Mode: 730.5000
- Minimum: 1.0000
- Maximum: 24106.5000
- Standard Deviation: 3362.7701

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	21	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	101	0.3 %	

Missing Data			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33530	97.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,660</b>	<b>98.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14036-14046 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSBRAND\_PIPE: DERIVED - Wave 5 Adult Number of Days Smoking Regular Brand of Pipe Tobacco

Long Description: Wave 5 Adult current, experimental current, past 30 day or new former pipe smokers who have a regular brand - Recode of length of time smoking regular brand of pipe tobacco into days.

```
Algorithm: IF R05_AP1051_UN = 1 AND R05_AP1051_NN >= 0 THEN
R05R_A_DAYSBRAND_PIPE = R05_AP1051_NN; ELSE IF R05_AP1051_UN = 2 AND
R05_AP1051_NN >= 0 THEN R05R_A_DAYSBRAND_PIPE = R05_AP1051_NN * 30.4375;
ELSE IF R05_AP1051_UN = 3 AND R05_AP1051_NN >= 0 THEN
R05R_A_DAYSBRAND_PIPE = R05_AP1051_NN * 365.25; ELSE IF R05_AP1051_NN =
-9 THEN R05R_A_DAYSBRAND_PIPE = -99999; ELSE IF R05_AP1051_NN = -8 THEN
R05R_A_DAYSBRAND_PIPE = -99988; ELSE IF R05_AP1051_NN = -7 THEN
R05R_A_DAYSBRAND_PIPE = -99977; ELSE IF R05_AP1051_NN = -5 THEN
R05R_A_DAYSBRAND_PIPE = -99955; ELSE IF R05_AP1051_NN = -1 THEN
R05R_A_DAYSBRAND_PIPE = -99911;
```

This variable has 169 valid cases out of 34,309 total cases.

- Mean: 2253.5566
- Median: 730.5000
- Mode: 365.2500
- Minimum: 0.0000
- Maximum: 20088.7500
- Standard Deviation: 3869.5665

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34136	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,140</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14047-14057 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_NUMDAYS\_PIPE: DERIVED - Wave 5 Adult Past 30 Day Pipe Smoking Frequency

Long Description: Wave 5 adult number of days smoked pipes in past 30 days.

Algorithm: IF R05\_AP1003 =1 THEN R05R\_A\_NUMDAYS\_PIPE =30; ELSE IF R05\_AP1022 ! in (-1, -5, -7,-8, -9, 0) THEN R05R\_A\_NUMDAYS\_PIPE = R05\_AP1022; ELSE IF R05\_AP1003 =-9 OR R05\_AP1022 =-9 THEN R05R\_A\_NUMDAYS\_PIPE =-99999; ELSE IF R05\_AP1003 =-8 OR R05\_AP1022 =-8 THEN R05R\_A\_NUMDAYS\_PIPE =-99988; ELSE IF R05\_AP1003 =-7 OR R05\_AP1022 =-7 THEN R05R\_A\_NUMDAYS\_PIPE =-99977; ELSE IF R05\_AP1022 in (0,-5) THEN R05R\_A\_NUMDAYS\_PIPE =-99955; ELSE IF R05\_AP1003 =-1 OR R05\_AP1022 =-1 THEN R05R\_A\_NUMDAYS\_PIPE =-99911;

This variable has 268 valid cases out of 34,309 total cases.

- Mean: 10.98
- Median: 4.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 12.02

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	227	0.7 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33807	98.5 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,041</b>	<b>99.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14058-14063 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_EVR\_HOOK: DERIVED - Wave 5 Adult Ever Hookah Smoker

Long Description: Wave 5 adult respondents who have ever smoked a hookah.

Algorithm: IF X04M\_EVR\_HOOK = 1 OR R05\_AH1002 = 1 OR R05\_AH1004 = 1 OR

```

R05_AH1002_12M = 1 THEN R05R_A_EVR_HOOK = 1; ELSE IF (X04M_EVR_HOOK = 2
AND R05_AH1002_12M = 2 AND X04M_SKIPPED_WAVE = 2) OR R05_AH1002 = 2
THEN R05R_A_EVR_HOOK = 2; ELSE IF (R05_AH1004 = -9 AND R05_AH1002_12M =
-1) OR R05_AH1002_12M = -9 OR R05_AH1002 = -9 THEN R05R_A_EVR_HOOK =
-99999; ELSE IF R05_AH1002_12M = -8 OR R05_AH1002 = -8 THEN
R05R_A_EVR_HOOK = -99988; ELSE IF R05_AH1002_12M = -7 OR R05_AH1002 =
-7 THEN R05R_A_EVR_HOOK = -99977; ELSE IF X04M_EVR_HOOK IN (-99933,
-99999,-99988,-99977,-99966, -99911) OR X04M_SKIPPED_WAVE = 1 THEN
R05R_A_EVR_HOOK = -99966; ELSE IF R05_AH1002_12M = -1 OR R05_AH1002 =
-1 THEN R05R_A_EVR_HOOK = -99911;

```

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before smoked hookah and who had never skipped a wave were asked about hookah use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before smoked hookah and who had never skipped a wave who did not smoke hookah in the past 12 months at Wave 5 are considered never hookah smokers in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11654	34.0 %
2	2 = No	22569	65.8 %
	<b>Total</b>	<b>34,223</b>	<b>99.7%</b>

This variable has 34,223 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	66	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>86</b>	<b>0.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14064-14069 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_EVR\_THRSH\_HOOK: DERIVED - Wave 5 Adult Hookah Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have ever smoked hookah fairly regularly.

Algorithm: IF R05R\_A\_EVR\_HOOK=1 AND (X04M\_EVR\_THRSH\_HOOK=1 OR

R05\_AH1100=1) THEN R05R\_A\_EVR\_THRSH\_HOOK=1; ELSE IF R05R\_A\_EVR\_HOOK=2 OR (R05R\_A\_EVR\_HOOK=1 AND R05\_AH1100 =2) THEN R05R\_A\_EVR\_THRSH\_HOOK=2; ELSE IF R05R\_A\_EVR\_HOOK=-99999 OR R05\_AH1100=-9 THEN R05R\_A\_EVR\_THRSH\_HOOK=-99999; ELSE IF R05R\_A\_EVR\_HOOK=-99988 OR R05\_AH1100=-8 THEN R05R\_A\_EVR\_THRSH\_HOOK=-99988; ELSE IF R05R\_A\_EVR\_HOOK=-99977 OR R05\_AH1100=-7 THEN R05R\_A\_EVR\_THRSH\_HOOK=-99977; ELSE IF R05R\_A\_EVR\_HOOK=-99966 THEN R05R\_A\_EVR\_THRSH\_HOOK =-99966; ELSE IF R05R\_A\_EVR\_HOOK=-99911 OR R05\_AH1100=-1 THEN R05R\_A\_EVR\_THRSH\_HOOK=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2257	6.6 %
2	2 = No	31000	90.4 %
	<b>Total</b>	<b>33,257</b>	<b>96.9%</b>

This variable has 33,257 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	66	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	953	2.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,052</b>	<b>3.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14070-14075 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_ESTD\_HOOK: DERIVED - Wave 5 Adult Current Established Hookah Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked a hookah, have ever smoked them fairly regularly, and currently smoke every day or some days.

**Algorithm:** IF R05R\_A\_EVR\_THRSH\_HOOK = 1 AND R05\_AH1003 IN (1,2) THEN  
 R05R\_A\_CUR\_ESTD\_HOOK = 1; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK =  
 2 OR R05\_AH1003 = 3 OR R05\_AH1002\_12M = 2 OR R05\_AH1002 = 2  
 THEN R05R\_A\_CUR\_ESTD\_HOOK = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_HOOK = -99999 OR R05\_AH1003 = -9 OR  
 R05\_AH1002\_12M = -9 OR R05\_AH1002 = -9 THEN  
 R05R\_A\_CUR\_ESTD\_HOOK = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_HOOK = -99988 OR R05\_AH1003 = -8 OR  
 R05\_AH1002\_12M = -8 OR R05\_AH1002 = -8 THEN  
 R05R\_A\_CUR\_ESTD\_HOOK = -99988; ELSE IF

```

R05R_A_EVR_THRSH_HOOK = -99977 OR R05_AH1003 = -7 OR
R05_AH1002_12M = -7 OR R05_AH1002 = -7 THEN
R05R_A_CUR_ESTD_HOOK = -99977; ELSE IF
R05R_A_EVR_THRSH_HOOK = -99966 THEN
R05R_A_CUR_ESTD_HOOK = -99966; ELSE IF
R05R_A_EVR_THRSH_HOOK = -99911 OR R05_AH1003 = -1 OR
R05_AH1002_12M = -1 OR R05_AH1002 = -1 THEN
R05R_A_CUR_ESTD_HOOK = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	410	1.2 %
2	2 = No	33875	98.7 %
	<b>Total</b>	<b>34,285</b>	<b>99.9%</b>

This variable has 34,285 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14076-14081 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EDSD\_HOOK: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Hookah Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked a hookah and currently smoke every day or some days.

```

Algorithm: IF R05R_A_EVR_HOOK = 1 AND R05_AH1003 IN (1,2) THEN
R05R_A_CUR_EDSD_HOOK = 1; ELSE IF R05R_A_EVR_HOOK = 2 OR
R05_AH1003 = 3 OR R05_AH1002_12M = 2 OR R05_AH1002 = 2 THEN
R05R_A_CUR_EDSD_HOOK = 2; ELSE IF R05R_A_EVR_HOOK = -99999
OR R05_AH1003 = -9 OR R05_AH1002_12M = -9 OR R05_AH1002 = -9
THEN R05R_A_CUR_EDSD_HOOK = -99999; ELSE IF
R05R_A_EVR_HOOK = -99988 OR R05_AH1003 = -8 OR
R05_AH1002_12M = -8 OR R05_AH1002 = -8 THEN
R05R_A_CUR_EDSD_HOOK = -99988; ELSE IF R05R_A_EVR_HOOK = -

```

99977 OR R05\_AH1003 = -7 OR R05\_AH1002\_12M = -7 OR  
R05\_AH1002 = -7 THEN R05R\_A\_CUR\_EDSD\_HOOK = -99977; ELSE IF  
R05R\_A\_EVR\_HOOK = -99966 THEN R05R\_A\_CUR\_EDSD\_HOOK = -  
99966; ELSE IF R05R\_A\_EVR\_HOOK = -99911 OR R05\_AH1003 = -1 OR  
R05\_AH1002\_12M = -1 OR R05\_AH1002 = -1 THEN  
R05R\_A\_CUR\_EDSD\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	988	2.9 %
2	2 = No	33295	97.0 %
	<b>Total</b>	<b>34,283</b>	<b>99.9%</b>

This variable has 34,283 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>26</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14082-14087 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EDY\_HOOK: DERIVED - Wave 5 Adult Current Every Day Hookah Smoker

Long Description: Wave 5 adult respondents who have ever smoked a hookah, have ever smoked them fairly regularly, and currently smoke every day.

Algorithm: IF R05R\_A\_EVR\_THRSH\_HOOK = 1 AND R05\_AH1003 = 1 THEN  
R05R\_A\_EDY\_HOOK = 1; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = 2 OR  
R05\_AH1003 in (2,3) OR R05\_AH1002\_12M = 2 OR R05\_AH1002 = 2  
THEN R05R\_A\_EDY\_HOOK = 2; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -  
99999 OR R05\_AH1003 = -9 OR R05\_AH1002\_12M = -9 OR  
R05\_AH1002 = -9 THEN R05R\_A\_EDY\_HOOK = -99999; ELSE IF  
R05R\_A\_EVR\_THRSH\_HOOK = -99988 OR R05\_AH1003 = -8 OR  
R05\_AH1002\_12M = -8 OR R05\_AH1002 = -8 THEN  
R05R\_A\_EDY\_HOOK = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -  
99977 OR R05\_AH1003 = -7 OR R05\_AH1002\_12M = -7 OR  
R05\_AH1002 = -7 THEN R05R\_A\_EDY\_HOOK = -99977; ELSE IF  
R05R\_A\_EVR\_THRSH\_HOOK = -99966 THEN R05R\_A\_EDY\_HOOK = -  
99966; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -99911 OR R05\_AH1003

= -1 OR R05\_AH1002\_12M = -1 OR R05\_AH1002 = -1 THEN  
R05R\_A\_EDY\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.1 %
2	2 = No	34255	99.8 %
	<b>Total</b>	<b>34,285</b>	<b>99.9%</b>

This variable has 34,285 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14088-14093 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_SDY\_HOOK: DERIVED - Wave 5 Adult Current Some Day Hookah Smoker

*Long Description:* Wave 5 adult respondents who have ever smoked a hookah, have ever smoked them fairly regularly, and currently smoke some days.

*Algorithm:* IF R05R\_A\_EVR\_THRSH\_HOOK = 1 AND R05\_AH1003 = 2 THEN  
R05R\_A\_SDY\_HOOK = 1; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = 2 OR  
R05\_AH1003 IN (1,3) OR R05\_AH1002\_12M = 2 OR R05\_AH1002 = 2  
THEN R05R\_A\_SDY\_HOOK = 2; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -  
99999 OR R05\_AH1003 = -9 OR R05\_AH1002\_12M = -9 OR  
R05\_AH1002 = -9 THEN R05R\_A\_SDY\_HOOK = -99999; ELSE IF  
R05R\_A\_EVR\_THRSH\_HOOK = -99988 OR R05\_AH1003 = -8 OR  
R05\_AH1002\_12M = -8 OR R05\_AH1002 = -8 THEN  
R05R\_A\_SDY\_HOOK = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -  
99977 OR R05\_AH1003 = -7 OR R05\_AH1002\_12M = -7 OR  
R05\_AH1002 = -7 THEN R05R\_A\_SDY\_HOOK = -99977; ELSE IF  
R05R\_A\_EVR\_THRSH\_HOOK = -99966 THEN R05R\_A\_SDY\_HOOK = -  
99966; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -99911 OR R05\_AH1003  
= -1 OR R05\_AH1002\_12M = -1 OR R05\_AH1002 = -1 THEN  
R05R\_A\_SDY\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	380	1.1 %
2	2 = No	33905	98.8 %
	<b>Total</b>	<b>34,285</b>	<b>99.9%</b>

This variable has 34,285 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14094-14099 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P30D\_HOOK: DERIVED - Wave 5 Adult Past 30 Day Hookah Smoker

Long Description: Wave 5 adult respondents who have smoked a hookah within the past 30 days.

Algorithm: IF R05R\_A\_EVR\_HOOK = 1 AND (R05\_AH1004 = 1 OR R05\_AH0100 IN (1,2,3,4) OR (1 <= R05\_AH1009\_NN <= 30 AND R05\_AH1009\_UN = 1) OR (R05\_AH1009\_NN = 1 AND R05\_AH1009\_UN = 2) OR R05\_AH9003 IN (1,2,3)) THEN R05R\_A\_P30D\_HOOK = 1; ELSE IF R05R\_A\_EVR\_HOOK = 2 OR R05\_AH1002 = 2 OR R05\_AH1004 = 2 OR (R05\_AH1009\_NN>30 AND R05\_AH1009\_UN = 1) OR (R05\_AH1009\_NN > 1 AND R05\_AH1009\_UN = 2) OR R05\_AH1009\_UN = 3 OR R05\_AH9003 IN (4,5) THEN R05R\_A\_P30D\_HOOK = 2; ELSE IF R05R\_A\_EVR\_HOOK = -99999 OR R05\_AH1002 = -9 OR R05\_AH1004 = -9 OR R05\_AH0100 = -9 OR R05\_AH1009\_NN = -9 OR R05\_AH9003 = -9 THEN R05R\_A\_P30D\_HOOK = -99999; ELSE IF R05R\_A\_EVR\_HOOK = -99988 OR R05\_AH1002 = -8 OR R05\_AH1004 = -8 OR R05\_AH0100 = -8 OR R05\_AH1009\_NN = -8 OR R05\_AH9003 = -8 THEN R05R\_A\_P30D\_HOOK = -99988; ELSE IF R05R\_A\_EVR\_HOOK = -99977 OR R05\_AH1002 = -7 OR R05\_AH1004 = -7 OR R05\_AH0100 = -7 OR R05\_AH1009\_NN = -7 OR R05\_AH9003 = -7 THEN R05R\_A\_P30D\_HOOK = -99977; ELSE IF R05\_AH1009\_NN = -5 THEN R05R\_A\_P30D\_HOOK = -99955; ELSE IF R05R\_A\_EVR\_HOOK = -99966 THEN R05R\_A\_P30D\_HOOK = -99966; ELSE IF R05R\_A\_EVR\_HOOK = -99911 OR R05\_AH1002 = -1 OR R05\_AH1004 = -1 OR R05\_AH0100 = -1 OR R05\_AH1009\_NN = -1 OR R05\_AH9003 = -1 THEN

R05R\_A\_P30D\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1235	3.6 %
2	2 = No	33063	96.4 %
	<b>Total</b>	<b>34,298</b>	<b>100.0%</b>

This variable has 34,298 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>11</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14100-14105 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_NEW\_HOOK: DERIVED - Wave 5 Adult Never to Ever Hookah Smoker

**Long Description:** Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started smoking hookah between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started smoking hookah between Waves 4.5 and 5.

**Algorithm:** IF X04M\_EVR\_HOOK = 2 AND R05R\_A\_EVR\_HOOK = 1 AND  
(WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_HOOK = 1; ELSE IF  
(X04M\_EVR\_HOOK = 1 OR R05R\_A\_EVR\_HOOK = 2) AND (WAVE4\_INTERVIEW = 1 OR  
WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND (WAVE4P5\_INTERVIEW =  
0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS = 1)))) THEN  
R05R\_A\_NEW\_HOOK = 2; ELSE IF R05R\_A\_EVR\_HOOK = -99999 THEN  
R05R\_A\_NEW\_HOOK = -99999; ELSE IF R05R\_A\_EVR\_HOOK = -99988 THEN  
R05R\_A\_NEW\_HOOK = -99988; ELSE IF R05R\_A\_EVR\_HOOK = -99977 THEN  
R05R\_A\_NEW\_HOOK = -99977; ELSE IF X04M\_EVR\_HOOK IN (-99933, -99999,  
-99988, -99977, -99966, -99911) OR R05R\_A\_EVR\_HOOK = -99966 OR  
WAVE4P5\_INTERVIEW = 9 OR (WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW =

9) THEN R05R\_A\_NEW\_HOOK = -99966; ELSE IF R05R\_A\_EVR\_HOOK = -99911  
 THEN R05R\_A\_NEW\_HOOK = -99911;

Notes: Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	733	2.1 %
2	2 = No	31854	92.8 %
	<b>Total</b>	<b>32,587</b>	<b>95.0%</b>

This variable has 32,587 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1702	5.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,722</b>	<b>5.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14106-14111 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777)

## R05R\_A\_CUR\_EXPR\_HOOK: DERIVED - Wave 5 Adult Current Experimental Hookah Smoker

Long Description: Wave 5 adult respondents who have never smoked hookah fairly regularly, and currently smoke every day or some days.

Algorithm: IF R05R\_A\_EVR\_HOOK = 1 AND R05R\_A\_EVR\_THRSH\_HOOK = 2 AND R05\_AH1003 in (1,2) THEN R05R\_A\_CUR\_EXPR\_HOOK = 1; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = 1 OR R05\_AH1003 = 3 OR R05\_AH1002\_12M = 2 OR R05\_AH1002 = 2 OR R05R\_A\_EVR\_HOOK = 2 THEN R05R\_A\_CUR\_EXPR\_HOOK = 2; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -99999 OR R05\_AH1003 = -9 OR R05\_AH1002\_12M = -9 OR R05\_AH1002 = -9 OR R05R\_A\_EVR\_HOOK = -99999 THEN R05R\_A\_CUR\_EXPR\_HOOK = -99999; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -99988 OR R05\_AH1003 = -8 OR R05\_AH1002\_12M = -8 OR R05\_AH1002 = -8 OR R05R\_A\_EVR\_HOOK = -99988 THEN R05R\_A\_CUR\_EXPR\_HOOK = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -99977 OR R05\_AH1003 = -7 OR R05\_AH1002\_12M = -7 OR R05\_AH1002 = -7 OR R05R\_A\_EVR\_HOOK =

-99977 THEN R05R\_A\_CUR\_EXPR\_HOOK = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_HOOK = -99966 OR R05R\_A\_EVR\_HOOK = -  
 99966 THEN R05R\_A\_CUR\_EXPR\_HOOK = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_HOOK = -99911 OR R05\_AH1003 = -1 OR  
 R05\_AH1002\_12M = -1 OR R05\_AH1002 = -1 OR R05R\_A\_EVR\_HOOK =  
 -99911 THEN R05R\_A\_CUR\_EXPR\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	578	1.7 %
2	2 = No	33707	98.2 %
	<b>Total</b>	<b>34,285</b>	<b>99.9%</b>

This variable has 34,285 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>24</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14112-14117 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_ESTD\_HOOK: DERIVED - Wave 5 Adult Former Established Hookah Smoker

**Long Description:** Wave 5 adult respondents who have ever smoked hookahs fairly regularly, and have not smoked them within the past 12 months or currently smoke them not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R05R\_A\_EVR\_THRSH\_HOOK = 1 AND (R05\_AH1003 = 3 OR R05\_AH1002\_12M = 2 OR R05\_AH1002 = 2) AND R05\_AH1010 != 3  
 THEN R05R\_A\_FMR\_ESTD\_HOOK=1; ELSE IF  
 (R05R\_A\_EVR\_THRSH\_HOOK = 2 OR R05\_AH1003 IN (1,2)) AND  
 R05\_AH1010 != 3 THEN R05R\_A\_FMR\_ESTD\_HOOK = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_HOOK = -99999 OR R05\_AH1003 = -9 OR  
 R05\_AH1002\_12M = -9 OR R05\_AH1002 = -9 OR R05\_AH1010 = -9  
 THEN R05R\_A\_FMR\_ESTD\_HOOK = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_HOOK = -99988 OR R05\_AH1003 = -8 OR  
 R05\_AH1002\_12M = -8 OR R05\_AH1002 = -8 OR R05\_AH1010 = -8  
 THEN R05R\_A\_FMR\_ESTD\_HOOK = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_HOOK = -99977 OR R05\_AH1003 = -7 OR

R05\_AH1002\_12M = -7 OR R05\_AH1002 = -7 OR R05\_AH1010 = -7  
 THEN R05R\_A\_FMR\_ESTD\_HOOK = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_HOOK = -99966 THEN  
 R05R\_A\_FMR\_ESTD\_HOOK = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_HOOK = -99911 OR R05\_AH1003 = -1 OR  
 R05\_AH1002\_12M = -1 OR R05\_AH1002 = -1 OR R05\_AH1010 IN (-1,3)  
 THEN R05R\_A\_FMR\_ESTD\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1751	5.1 %
2	2 = No	31410	91.6 %
<b>Total</b>		<b>33,161</b>	<b>96.7%</b>

This variable has 33,161 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	66	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1045	3.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>1,148</b>	<b>3.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14118-14123 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_EXPR\_HOOK: DERIVED - Wave 5 Adult Former Experimental Hookah Smoker

Long Description: Wave 5 adult respondents who have never smoked hookahs fairly regularly, and did not smoke them within the past 12 months or currently smoke not at all. Recanters are excluded from the derivation.

Algorithm: IF R05R\_A\_EVR\_HOOK = 1 AND R05R\_A\_EVR\_THRSH\_HOOK = 2 AND (R05\_AH1003 = 3 OR R05\_AH1002\_12M = 2 OR R05\_AH1002 = 2) AND R05\_AH1010 != 3 THEN R05R\_A\_FMR\_EXPR\_HOOK = 1; ELSE IF (R05R\_A\_EVR\_THRSH\_HOOK = 1 OR R05\_AH1003 IN (1,2) OR R05R\_A\_EVR\_HOOK = 2) AND R05\_AH1010 != 3 THEN R05R\_A\_FMR\_EXPR\_HOOK = 2; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -99999 OR R05R\_A\_EVR\_HOOK = -99999 OR R05\_AH1003 = -9 OR R05\_AH1002\_12M = -9 OR R05\_AH1002 = -9 OR R05\_AH1010 = -9 THEN R05R\_A\_FMR\_EXPR\_HOOK = -99999; ELSE IF R05R\_A\_EVR\_THRSH\_HOOK = -99988 OR R05R\_A\_EVR\_HOOK = -99988 OR R05\_AH1003 = -8 OR R05\_AH1002\_12M = -8 OR

```

R05_AH1002 = -8 OR R05_AH1010 = -8 THEN
R05R_A_FMR_EXPR_HOOK = -99988; ELSE IF
R05R_A_EVR_THRSH_HOOK = -99977 OR R05R_A_EVR_HOOK = -
99977 OR R05_AH1003 = -7 OR R05_AH1002_12M = -7 OR
R05_AH1002 = -7 OR R05_AH1010 = -7 THEN
R05R_A_FMR_EXPR_HOOK = -99977; ELSE IF
R05R_A_EVR_THRSH_HOOK = -99966 OR R05R_A_EVR_HOOK = -
99966 THEN R05R_A_FMR_EXPR_HOOK = -99966; ELSE IF
R05R_A_EVR_THRSH_HOOK = -99911 OR R05R_A_EVR_HOOK = -
99911 OR R05_AH1003 = -1 OR R05_AH1002_12M = -1 OR
R05_AH1002 = -1 OR R05_AH1010 IN (-1,3) THEN
R05R_A_FMR_EXPR_HOOK = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	7851	22.9 %
2	2 = No	25310	73.8 %
	<b>Total</b>	<b>33,161</b>	<b>96.7%</b>

This variable has 33,161 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	66	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1045	3.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>1,148</b>	<b>3.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14124-14129 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P12M\_HOOK: DERIVED - Wave 5 Adult Past 12 Month Hookah Smokers

Long Description: Wave 5 adult respondents who have smoked a hookah within the past 12 months.

```

Algorithm: IF R05R_A_EVR_HOOK = 1 AND ((R05_AH1004 = 1 OR
R05_AH1002_12M = 1 OR (R05_AH1009_UN = 1 AND 0 <
R05_AH1009_NN <= 365) OR (R05_AH1009_UN = 2 AND 0 <
R05_AH1009_NN <= 12) OR (R05_AH1009_UN = 3 AND
R05_AH1009_NN = 1) OR R05_AH0100 in (1,2,3,4))) THEN
R05R_A_P12M_HOOK = 1; ELSE IF R05R_A_EVR_HOOK = 2 OR
R05_AH1002_12M = 2 OR R05_AH1002=2 OR (R05_AH1009_UN = 1
AND R05_AH1009_NN > 365) OR (R05_AH1009_UN = 2 AND

```

R05\_AH1009\_NN > 12) OR (R05\_AH1009\_UN = 3 AND  
 R05\_AH1009\_NN > 1) THEN R05R\_A\_P12M\_HOOK = 2; ELSE IF  
 R05R\_A\_EVR\_HOOK = -99999 OR (R05\_AH1004 = -9 AND  
 R05\_AH1002\_12M = -1) OR R05\_AH1002\_12M = -9 OR R05\_AH1002 =  
 -9 OR R05\_AH1009\_NN = -9 OR R05\_AH0100 = -9 THEN  
 R05R\_A\_P12M\_HOOK = -99999; ELSE IF R05R\_A\_EVR\_HOOK = -99988  
 OR R05\_AH1002\_12M = -8 OR R05\_AH1002 = -8 OR R05\_AH1009\_NN  
 = -8 OR R05\_AH0100 = -8 THEN R05R\_A\_P12M\_HOOK = -99988; ELSE  
 IF R05R\_A\_EVR\_HOOK = -99977 OR R05\_AH1002\_12M = -7 OR  
 R05\_AH1002 = -7 OR R05\_AH1009\_NN = -7 OR R05\_AH0100 = -7 THEN  
 R05R\_A\_P12M\_HOOK = -99977; ELSE IF R05\_AH1009\_NN in (0,-5)  
 THEN R05R\_A\_P12M\_HOOK = -99955; ELSE IF R05R\_A\_EVR\_HOOK = -  
 99966 THEN R05R\_A\_P12M\_HOOK = -99966; ELSE IF  
 R05R\_A\_EVR\_HOOK = -99911 OR R05\_AH1002\_12M = -1 OR  
 R05\_AH1002 = -1 OR R05\_AH1009\_NN = -1 OR R05\_AH0100 in (5,-1)  
 THEN R05R\_A\_P12M\_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2734	8.0 %
2	2 = No	31552	92.0 %
	<b>Total</b>	<b>34,286</b>	<b>99.9%</b>

This variable has 34,286 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>23</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14130-14135 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_DAYSQUIT\_HOOK: DERIVED - Wave 5 Adult Number of Days Since Last Smoked a Hookah (Non-Current Smokers)

Long Description: Wave 5 adult recode of length of time since last smoked a hookah into days for smokers who do not currently smoke at all or did not smoke in the past 12 months.

```

Algorithm: IF R05_AH1009_UN = 1 AND R05_AH1009_NN >= 0 THEN
R05R_A_DAYSQUIT_HOOK = R05_AH1009_NN; ELSE IF R05_AH1009_UN = 2 AND
R05_AH1009_NN >= 0 THEN R05R_A_DAYSQUIT_HOOK = R05_AH1009_NN * 30.4375;
ELSE IF R05_AH1009_UN = 3 AND R05_AH1009_NN >= 0 THEN
R05R_A_DAYSQUIT_HOOK = R05_AH1009_NN * 365.25; ELSE IF R05_AH1009_NN =
-9 THEN R05R_A_DAYSQUIT_HOOK = -99999; ELSE IF R05_AH1009_NN = -8 THEN
R05R_A_DAYSQUIT_HOOK = -99988; ELSE IF R05_AH1009_NN = -7 THEN
R05R_A_DAYSQUIT_HOOK = -99977; ELSE IF R05_AH1009_NN = -5 THEN
R05R_A_DAYSQUIT_HOOK = -99955; ELSE IF R05_AH1009_NN = -1 THEN
R05R_A_DAYSQUIT_HOOK = -99911;

```

This variable has 2,447 valid cases out of 34,309 total cases.

- Mean: 847.8643
- Median: 334.8125
- Mode: 730.5000
- Minimum: 1.0000
- Maximum: 23376.0000
- Standard Deviation: 1805.0026

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	46	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	240	0.7 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31557	92.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>31,862</b>	<b>92.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14136-14146 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSBRAND\_HOOK: DERIVED - Wave 5 Adult Number of Days Smoking Regular Brand of Shisha or Hookah Tobacco

**Long Description:** Wave 5 Adult current, experimental current, past 30 day or new former hookah smokers who have a regular brand of shisha or hookah tobacco - Recode of length of time smoking regular brand of shisha or hookah tobacco into days.

```

Algorithm: IF R05_AH1051_UN = 1 AND R05_AH1051_NN >= 0 THEN
R05R_A_DAYSBRAND_HOOK = R05_AH1051_NN; ELSE IF R05_AH1051_UN = 2 AND
R05_AH1051_NN >= 0 THEN R05R_A_DAYSBRAND_HOOK =
R05_AH1051_NN * 30.4375; ELSE IF R05_AH1051_UN = 3 AND
R05_AH1051_NN >= 0 THEN R05R_A_DAYSBRAND_HOOK = R05_AH1051_NN * 365.25;

```

```

ELSE IF R05_AH1051_NN = -9 THEN R05R_A_DAYSBRAND_HOOK = -99999; ELSE IF
R05_AH1051_NN = -8 THEN R05R_A_DAYSBRAND_HOOK = -99988; ELSE IF
R05_AH1051_NN = -7 THEN R05R_A_DAYSBRAND_HOOK = -99977; ELSE IF
R05_AH1051_NN = -5 THEN R05R_A_DAYSBRAND_HOOK = -99955; ELSE IF
R05_AH1051_NN = -1 THEN R05R_A_DAYSBRAND_HOOK = -99911;

```

This variable has 245 valid cases out of 34,309 total cases.

- Mean: 992.0120
- Median: 730.5000
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 7305.0000
- Standard Deviation: 1134.0481

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34052	99.3 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,064</b>	<b>99.3%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14147-14157 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_NUMDAYS\_HOOK: DERIVED - Wave 5 Adult Past 30 Day Hookah Smoking Frequency

Long Description: Wave 5 adult number of days smoked hookah in past 30 days. Values above 30 are capped at 30.

```

Algorithm: IF R05_AH1003 = 1 OR R05_AH9003 = 1 OR R05_AH9004 > 30 OR
R05_AH9005 x 4 > 30 THEN R05R_A_NUMDAYS_HOOK = 30; ELSE IF R05_AH9004
> 0 THEN R05R_A_NUMDAYS_HOOK = R05_AH9004; ELSE IF R05_AH9005 > 0 THEN
R05R_A_NUMDAYS_HOOK = R05_AH9005 x 4; ELSE IF R05_AH1003 = -9 OR
R05_AH9003 = -9 OR R05_AH9005 = -9 OR R05_AH9004 = -9 THEN
R05R_A_NUMDAYS_HOOK = -99999; ELSE IF R05_AH1003 = -8 OR R05_AH9003 =
-8 OR R05_AH9005 = -8 OR R05_AH9004 = -8 THEN R05R_A_NUMDAYS_HOOK =
-99988; ELSE IF R05_AH1003 = -7 OR R05_AH9003 = -7 OR R05_AH9005 = -7
OR R05_AH9004 = -7 THEN R05R_A_NUMDAYS_HOOK = -99977; ELSE IF
R05_AH9004 IN (0,-5) OR R05_AH9005 IN (0,-5) THEN R05R_A_NUMDAYS_HOOK =
-99955; ELSE IF R05_AH1003 = -1 OR R05_AH9003 = -1 OR R05_AH9005 = -1
OR R05_AH9004 = -1 THEN R05R_A_NUMDAYS_HOOK = -99911;

```

This variable has 331 valid cases out of 34,309 total cases.

- Mean: 10.91
- Median: 5.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.93

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	54	0.2 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	15	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33892	98.8 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,978</b>	<b>99.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14158-14163 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_EVR\_SNUS: DERIVED - Wave 5 Adult Ever Snus Pouch User

Long Description: Wave 5 adult respondents who have ever used snus pouches.

```
Algorithm: IF X04M_EVR_SNUS = 1 OR R05_AU1004 = 1 OR R05_AU1002 = 1 OR
R05_AU1002_12M = 1 THEN R05R_A_EVR_SNUS = 1; ELSE IF (X04M_EVR_SNUS = 2
AND R05_AU1002_12M = 2 AND X04M_SKIPPED_WAVE = 2) OR R05_AU1002 = 2
THEN R05R_A_EVR_SNUS = 2; ELSE IF (R05_AU1004 = -9 AND R05_AU1002_12M =
-1) OR R05_AU1002_12M = -9 OR R05_AU1002 = -9 THEN R05R_A_EVR_SNUS =
-99999; ELSE IF R05_AU1002_12M = -8 OR R05_AU1002 = -8 THEN
R05R_A_EVR_SNUS = -99988; ELSE IF R05_AU1002_12M = -7 OR R05_AU1002 =
-7 THEN R05R_A_EVR_SNUS = -99977; ELSE IF X04M_EVR_SNUS IN (-99933,
-99999, -99988, -99977, -99966, -99911) OR X04M_SKIPPED_WAVE = 1 THEN
R05R_A_EVR_SNUS = -99966; ELSE IF R05_AU1002_12M = -1 OR R05_AU1002 =
-1 THEN R05R_A_EVR_SNUS = -99911;
```

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before used snus pouches and who had never skipped a wave were asked about snus pouch use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before used snus pouches and who had never skipped a wave who did not use snus pouches in the past 12 months at Wave 5 are considered never snus pouch users in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3755	10.9 %
2	2 = No	30235	88.1 %
	<b>Total</b>	<b>33,990</b>	<b>99.1%</b>

This variable has 33,990 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	291	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>319</b>	<b>0.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14164-14169 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EVR\_THRSH\_SNUS: DERIVED - Wave 5 Adult Snus Pouch Lifetime Threshold of Use-Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have ever used snus pouches fairly regularly.

Algorithm: IF R05R\_A\_EVR\_SNUS = 1 AND (X04M\_EVR\_THRSH\_SNUS = 1 OR R05\_AU1100 = 1) THEN R05R\_A\_EVR\_THRSH\_SNUS = 1; ELSE IF R05R\_A\_EVR\_SNUS = 2 OR (R05R\_A\_EVR\_SNUS = 1 AND R05\_AU1100 = 2) THEN R05R\_A\_EVR\_THRSH\_SNUS = 2; ELSE IF R05R\_A\_EVR\_SNUS = -99999 OR R05\_AU1100 = -9 THEN R05R\_A\_EVR\_THRSH\_SNUS = -99999; ELSE IF R05R\_A\_EVR\_SNUS = -99988 OR R05\_AU1100 = -8 THEN R05R\_A\_EVR\_THRSH\_SNUS = -99988; ELSE IF R05R\_A\_EVR\_SNUS = -99977 OR R05\_AU1100 = -7 THEN R05R\_A\_EVR\_THRSH\_SNUS = -99977; ELSE IF R05R\_A\_EVR\_SNUS = -99966 THEN R05R\_A\_EVR\_THRSH\_SNUS = -99966; ELSE IF R05R\_A\_EVR\_SNUS = -99911 OR R05\_AU1100 = -1 THEN R05R\_A\_EVR\_THRSH\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1211	3.5 %
2	2 = No	32408	94.5 %
	<b>Total</b>	<b>33,619</b>	<b>98.0%</b>

This variable has 33,619 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	291	0.8 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	367	1.1 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>690</b>	<b>2.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14170-14175 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_ESTD\_SNUS: DERIVED - Wave 5 Adult Current Established Snus Pouch User

Long Description: Wave 5 adult respondents who have ever used snus pouches, have ever used them fairly regularly, and currently use every day or some days.

```
Algorithm: IF R05R_A_EVR_THRSH_SNUS = 1 AND R05_AU1003 IN (1,2) THEN
R05R_A_CUR_ESTD_SNUS = 1; ELSE IF R05R_A_EVR_THRSH_SNUS = 2
OR R05_AU1003 = 3 OR R05_AU1002_12M = 2 OR R05_AU1002 = 2
THEN R05R_A_CUR_ESTD_SNUS = 2; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99999 OR R05_AU1003 = -9 OR
R05_AU1002_12M = -9 OR R05_AU1002 = -9 THEN
R05R_A_CUR_ESTD_SNUS = -99999; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99988 OR R05_AU1003 = -8 OR
R05_AU1002_12M = -8 OR R05_AU1002 = -8 THEN
R05R_A_CUR_ESTD_SNUS = -99988; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99977 OR R05_AU1003 = -7 OR
R05_AU1002_12M = -7 OR R05_AU1002 = -7 THEN
R05R_A_CUR_ESTD_SNUS = -99977; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99966 THEN R05R_A_CUR_ESTD_SNUS
= -99966; ELSE IF R05R_A_EVR_THRSH_SNUS = -99911 OR
R05_AU1003 = -1 OR R05_AU1002_12M = -1 OR R05_AU1002 = -1
THEN R05R_A_CUR_ESTD_SNUS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	240	0.7 %
2	2 = No	34040	99.2 %
<b>Total</b>		<b>34,280</b>	<b>99.9%</b>

This variable has 34,280 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>29</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14176-14181 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_CUR\_EDSD\_SNUS: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Snus Pouch User

Long Description: Wave 5 adult respondents who have ever used snus pouches and currently use every day or some days.

Algorithm: IF R05R\_A\_EVR\_SNUS = 1 AND R05\_AU1003 IN (1,2) THEN  
 R05R\_A\_CUR\_EDSD\_SNUS = 1; ELSE IF R05R\_A\_EVR\_SNUS = 2 OR  
 R05\_AU1003 = 3 OR R05\_AU1002\_12M = 2 OR R05\_AU1002 = 2 THEN  
 R05R\_A\_CUR\_EDSD\_SNUS = 2; ELSE IF R05R\_A\_EVR\_SNUS = -99999  
 OR R05\_AU1003 = -9 OR R05\_AU1002\_12M = -9 OR R05\_AU1002 = -9  
 THEN R05R\_A\_CUR\_EDSD\_SNUS = -99999; ELSE IF R05R\_A\_EVR\_SNUS  
 = -99988 OR R05\_AU1003 = -8 OR R05\_AU1002\_12M = -8 OR  
 R05\_AU1002 = -8 THEN R05R\_A\_CUR\_EDSD\_SNUS = -99988; ELSE IF  
 R05R\_A\_EVR\_SNUS = -99977 OR R05\_AU1003 = -7 OR  
 R05\_AU1002\_12M = -7 OR R05\_AU1002 = -7 THEN  
 R05R\_A\_CUR\_EDSD\_SNUS = -99977; ELSE IF R05R\_A\_EVR\_SNUS = -  
 99966 THEN R05R\_A\_CUR\_EDSD\_SNUS = -99966; ELSE IF  
 R05R\_A\_EVR\_SNUS = -99911 OR R05\_AU1003 = -1 OR  
 R05\_AU1002\_12M = -1 OR R05\_AU1002 = -1 THEN  
 R05R\_A\_CUR\_EDSD\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	383	1.1 %
2	2 = No	33897	98.8 %
	<b>Total</b>	<b>34,280</b>	<b>99.9%</b>

This variable has 34,280 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>29</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14182-14187 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_EDY\_SNUS: DERIVED - Wave 5 Adult Current Every Day Snus Pouch User

Long Description: Wave 5 adult respondents who have ever used snus pouches, have ever used them fairly regularly, and currently use every day.

Algorithm: IF R05R\_A\_EVR\_THRSH\_SNUS = 1 AND R05\_AU1003 = 1 THEN  
 R05R\_A\_EDY\_SNUS = 1; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = 2 OR  
 R05\_AU1003 IN (2,3) OR R05\_AU1002\_12M = 2 OR R05\_AU1002 = 2  
 THEN R05R\_A\_EDY\_SNUS = 2; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = -  
 99999 OR R05\_AU1003 = -9 OR R05\_AU1002\_12M = -9 OR  
 R05\_AU1002 = -9 THEN R05R\_A\_EDY\_SNUS = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SNUS = -99988 OR R05\_AU1003 = -8 OR  
 R05\_AU1002\_12M = -8 OR R05\_AU1002 = -8 THEN  
 R05R\_A\_EDY\_SNUS = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = -  
 99977 OR R05\_AU1003 = -7 OR R05\_AU1002\_12M = -7 OR  
 R05\_AU1002 = -7 THEN R05R\_A\_EDY\_SNUS = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SNUS = -99966 THEN R05R\_A\_EDY\_SNUS = -  
 99966; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = -99911 OR R05\_AU1003  
 = -1 OR R05\_AU1002\_12M = -1 OR R05\_AU1002 = -1 THEN  
 R05R\_A\_EDY\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	97	0.3 %
2	2 = No	34183	99.6 %
<b>Total</b>		<b>34,280</b>	<b>99.9%</b>

This variable has 34,280 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	

<b>Missing Data</b>			
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>29</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14188-14193 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_SDY\_SNUS: DERIVED - Wave 5 Adult Current Some Day Snus Pouch User

Long Description: Wave 5 adult respondents who have ever used snus pouches, have ever used them fairly regularly, and currently use some days.

```
Algorithm: IF R05R_A_EVR_THRSH_SNUS = 1 AND R05_AU1003 = 2 THEN
R05R_A_SDY_SNUS = 1; ELSE IF R05R_A_EVR_THRSH_SNUS = 2 OR
R05_AU1003 IN (1, 3) OR R05_AU1002_12M = 2 OR R05_AU1002 = 2
THEN R05R_A_SDY_SNUS = 2; ELSE IF R05R_A_EVR_THRSH_SNUS = -
99999 OR R05_AU1003 = -9 OR R05_AU1002_12M = -9 OR
R05_AU1002 = -9 THEN R05R_A_SDY_SNUS = -99999; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99988 OR R05_AU1003 = -8 OR
R05_AU1002_12M = -8 OR R05_AU1002 = -8 THEN
R05R_A_SDY_SNUS = -99988; ELSE IF R05R_A_EVR_THRSH_SNUS = -
99977 OR R05_AU1003 = -7 OR R05_AU1002_12M = -7 OR
R05_AU1002 = -7 THEN R05R_A_SDY_SNUS = -99977; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99966 THEN R05R_A_SDY_SNUS = -
99966; ELSE IF R05R_A_EVR_THRSH_SNUS = -99911 OR R05_AU1003 =
-1 OR R05_AU1002_12M = -1 OR R05_AU1002 = -1 THEN
R05R_A_SDY_SNUS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	143	0.4 %
2	2 = No	34137	99.5 %
<b>Total</b>		<b>34,280</b>	<b>99.9%</b>

This variable has 34,280 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %

<b>Missing Data</b>				
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>29</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14194-14199 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_P30D\_SNUS: DERIVED - Wave 5 Adult Past 30 Day Snus Pouch User

Long Description: Wave 5 adult respondents who have used snus pouches within the past 30 days.

Algorithm: IF R05R\_A\_EVR\_SNUS = 1 AND (R05\_AU1004 = 1 OR R05\_AU0100 IN (1,2,3,4) OR (1 <= R05\_AU1009\_NN <= 30 AND R05\_AU1009\_UN = 1) OR (R05\_AU1009\_NN = 1 AND R05\_AU1009\_UN = 2) OR R05\_AU1022 > 0) THEN R05R\_A\_P30D\_SNUS = 1; ELSE IF R05R\_A\_EVR\_SNUS = 2 OR R05\_AU1002 = 2 OR R05\_AU1004 = 2 OR (R05\_AU1009\_NN > 30 AND R05\_AU1009\_UN = 1) OR (R05\_AU1009\_NN > 1 AND R05\_AU1009\_UN = 2) OR R05\_AU1009\_UN = 3 OR R05\_AU1022 = 0 THEN R05R\_A\_P30D\_SNUS = 2; ELSE IF R05R\_A\_EVR\_SNUS = -99999 OR R05\_AU1002 = -9 OR R05\_AU1004 = -9 OR R05\_AU0100 = -9 OR R05\_AU1009\_NN = -9 OR R05\_AU1022 = -9 THEN R05R\_A\_P30D\_SNUS = -99999; ELSE IF R05R\_A\_EVR\_SNUS = -99988 OR R05\_AU1002 = -8 OR R05\_AU1004 = -8 OR R05\_AU0100 = -8 OR R05\_AU1009\_NN = -8 OR R05\_AU1022 = -8 THEN R05R\_A\_P30D\_SNUS = -99988; ELSE IF R05R\_A\_EVR\_SNUS = -99977 OR R05\_AU1002 = -7 OR R05\_AU1004 = -7 OR R05\_AU0100 = -7 OR R05\_AU1009\_NN = -7 OR R05\_AU1022 = -7 THEN R05R\_A\_P30D\_SNUS = -99977; ELSE IF R05\_AU1009\_NN = -5 THEN R05R\_A\_P30D\_SNUS = -99955; ELSE IF R05R\_A\_EVR\_SNUS = -99966 THEN R05R\_A\_P30D\_SNUS = -99966; ELSE IF R05R\_A\_EVR\_SNUS = -99911 OR R05\_AU1002 = -1 OR R05\_AU1004 = -1 OR R05\_AU0100 = -1 OR R05\_AU1009\_NN = -1 OR R05\_AU1022 = -1 THEN R05R\_A\_P30D\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	506	1.5 %
2	2 = No	33780	98.5 %
	<b>Total</b>	<b>34,286</b>	<b>99.9%</b>

This variable has 34,286 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>23</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14200-14205 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_NEW\_SNUS: DERIVED - Wave 5 Adult Never to Ever Snus Pouch User

**Long Description:** Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started using snus pouches between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started using snus pouches between Waves 4.5 and 5.

**Algorithm:** IF X04M\_EVR\_SNUS = 2 AND R05R\_A\_EVR\_SNUS = 1 AND  
(WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_SNUS = 1; ELSE IF  
(X04M\_EVR\_SNUS = 1 OR R05R\_A\_EVR\_SNUS = 2) AND (WAVE4\_INTERVIEW = 1 OR  
WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND (WAVE4P5\_INTERVIEW =  
0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS = 1)))) THEN  
R05R\_A\_NEW\_SNUS = 2; ELSE IF R05R\_A\_EVR\_SNUS = -99999 THEN  
R05R\_A\_NEW\_SNUS = -99999; ELSE IF R05R\_A\_EVR\_SNUS = -99988 THEN  
R05R\_A\_NEW\_SNUS = -99988; ELSE IF R05R\_A\_EVR\_SNUS = -99977 THEN  
R05R\_A\_NEW\_SNUS = -99977; ELSE IF X04M\_EVR\_SNUS IN (-99933, -99999,  
-99988, -99977, -99966, -99911) OR R05R\_A\_EVR\_SNUS = -99966 OR  
WAVE4P5\_INTERVIEW = 9 OR (WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW =  
9) THEN R05R\_A\_NEW\_SNUS = -99966; ELSE IF R05R\_A\_EVR\_SNUS = -99911 THEN  
R05R\_A\_NEW\_SNUS = -99911;

**Notes:** Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	257	0.7 %

Value	Label	Unweighted Frequency	%
2	2 = No	32115	93.6 %
	<b>Total</b>	<b>32,372</b>	<b>94.4%</b>

This variable has 32,372 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1909	5.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,937</b>	<b>5.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14206-14211 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EXPR\_SNUS: DERIVED - Wave 5 Adult Current Experimental Snus Pouch User

**Long Description:** Wave 5 adult respondents who have never used snus pouches fairly regularly, and currently use every day or some days.

**Algorithm:** IF R05R\_A\_EVR\_SNUS = 1 AND R05R\_A\_EVR\_THRSH\_SNUS = 2 AND R05\_AU1003 IN (1,2) THEN R05R\_A\_CUR\_EXPR\_SNUS = 1; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = 1 OR R05R\_A\_EVR\_SNUS = 2 OR R05\_AU1003 = 3 OR R05\_AU1002\_12M = 2 OR R05\_AU1002 = 2 THEN R05R\_A\_CUR\_EXPR\_SNUS = 2; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = -99999 OR R05\_AU1003 = -9 OR R05\_AU1002\_12M = -9 OR R05\_AU1002 = -9 OR R05R\_A\_EVR\_SNUS = -99999 THEN R05R\_A\_CUR\_EXPR\_SNUS = -99999; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = -99988 OR R05\_AU1003 = -8 OR R05\_AU1002\_12M = -8 OR R05\_AU1002 = -8 OR R05R\_A\_EVR\_SNUS = -99988 THEN R05R\_A\_CUR\_EXPR\_SNUS = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = -99977 OR R05\_AU1003 = -7 OR R05\_AU1002\_12M = -7 OR R05\_AU1002 = -7 OR R05R\_A\_EVR\_SNUS = -99977 THEN R05R\_A\_CUR\_EXPR\_SNUS = -99977; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = -99966 OR R05R\_A\_EVR\_SNUS = -99966 THEN R05R\_A\_CUR\_EXPR\_SNUS = -99966; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = -99911 OR R05\_AU1003 = -1 OR R05\_AU1002\_12M = -1 OR R05\_AU1002 = -1 OR R05R\_A\_EVR\_SNUS = -99911 THEN R05R\_A\_CUR\_EXPR\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	143	0.4 %
2	2 = No	34137	99.5 %
	<b>Total</b>	<b>34,280</b>	<b>99.9%</b>

This variable has 34,280 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>29</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14212-14217 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_ESTD\_SNUS: DERIVED - Wave 5 Adult Former Established Snus Pouch User

**Long Description:** Wave 5 adult respondents who have ever used snus pouches fairly regularly, and have not used them within the past 12 months or currently use them not at all. Recanters are excluded from the derivation.

```

Algorithm: IF R05R_A_EVR_THRSH_SNUS = 1 AND (R05_AU1003 = 3 OR
R05_AU1002_12M = 2 OR R05_AU1002 = 2) AND R05_AU1010 != 3
THEN R05R_A_FMR_ESTD_SNUS = 1; ELSE IF
(R05R_A_EVR_THRSH_SNUS = 2 OR R05_AU1003 IN (1,2)) AND
R05_AU1010 != 3 THEN R05R_A_FMR_ESTD_SNUS = 2; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99999 OR R05_AU1003 = -9 OR
R05_AU1002_12M = -9 OR R05_AU1002 = -9 OR R05_AU1010 = -9
THEN R05R_A_FMR_ESTD_SNUS = -99999; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99988 OR R05_AU1003 = -8 OR
R05_AU1002_12M = -8 OR R05_AU1002 = -8 OR R05_AU1010 = -8
THEN R05R_A_FMR_ESTD_SNUS = -99988; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99977 OR R05_AU1003 = -7 OR
R05_AU1002_12M = -7 OR R05_AU1002 = -7 OR R05_AU1010 = -7
THEN R05R_A_FMR_ESTD_SNUS = -99977; ELSE IF
R05R_A_EVR_THRSH_SNUS = -99966 THEN R05R_A_FMR_ESTD_SNUS
= -99966; ELSE IF R05R_A_EVR_THRSH_SNUS = -99911 OR
R05_AU1003 = -1 OR R05_AU1002_12M = -1 OR R05_AU1002 = -1 OR
R05_AU1010 IN (-1,3) THEN R05R_A_FMR_ESTD_SNUS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	897	2.6 %
2	2 = No	32648	95.2 %
	<b>Total</b>	<b>33,545</b>	<b>97.8%</b>

This variable has 33,545 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	291	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	441	1.3 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>764</b>	<b>2.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14218-14223 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_EXPR\_SNUS: DERIVED - Wave 5 Adult Former Experimental Snus Pouch User

**Long Description:** Wave 5 adult respondents who have never used snus pouches fairly regularly, and did not use them within the past 12 months or currently use not at all. Recanters are excluded from the derivation.

**Algorithm:** IF R05R\_A\_EVR\_SNUS = 1 AND R05R\_A\_EVR\_THRSH\_SNUS = 2 AND  
(R05\_AU1003 = 3 OR R05\_AU1002\_12M = 2 OR R05\_AU1002 = 2) AND  
R05\_AU1010 != 3 THEN R05R\_A\_FMR\_EXPR\_SNUS = 1; ELSE IF  
(R05R\_A\_EVR\_THRSH\_SNUS = 1 OR R05\_AU1003 IN (1,2) OR  
R05R\_A\_EVR\_SNUS = 2) AND R05\_AU1010 != 3 THEN  
R05R\_A\_FMR\_EXPR\_SNUS = 2; ELSE IF R05R\_A\_EVR\_THRSH\_SNUS = -  
99999 OR R05R\_A\_EVR\_SNUS = -99999 OR R05\_AU1003 = -9 OR  
R05\_AU1002\_12M = -9 OR R05\_AU1002 = -9 OR R05\_AU1010 = -9  
THEN R05R\_A\_FMR\_EXPR\_SNUS = -99999; ELSE IF  
R05R\_A\_EVR\_THRSH\_SNUS = -99988 OR R05R\_A\_EVR\_SNUS = -99988  
OR R05\_AU1003 = -8 OR R05\_AU1002\_12M = -8 OR R05\_AU1002 = -8  
OR R05\_AU1010 = -8 THEN R05R\_A\_FMR\_EXPR\_SNUS = -99988; ELSE  
IF R05R\_A\_EVR\_THRSH\_SNUS = -99977 OR R05R\_A\_EVR\_SNUS = -  
99977 OR R05\_AU1003 = -7 OR R05\_AU1002\_12M = -7 OR  
R05\_AU1002 = -7 OR R05\_AU1010 = -7 THEN  
R05R\_A\_FMR\_EXPR\_SNUS = -99977; ELSE IF  
R05R\_A\_EVR\_THRSH\_SNUS = -99966 OR R05R\_A\_EVR\_SNUS = -99966  
THEN R05R\_A\_FMR\_EXPR\_SNUS = -99966; ELSE IF  
R05R\_A\_EVR\_THRSH\_SNUS = -99911 OR R05R\_A\_EVR\_SNUS = -99911

OR R05\_AU1003 = -1 OR R05\_AU1002\_12M = -1 OR R05\_AU1002 = -1  
 OR R05\_AU1010 IN (-1,3) THEN R05R\_A\_FMR\_EXPR\_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2030	5.9 %
2	2 = No	31515	91.9 %
	<b>Total</b>	<b>33,545</b>	<b>97.8%</b>

This variable has 33,545 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	291	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	441	1.3 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>764</b>	<b>2.2%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14224-14229 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P12M\_SNUS: DERIVED - Wave 5 Adult Past 12 Month Snus Pouch Users

Long Description: Wave 5 adult respondents who have used snus pouches within the past 12 months.

Algorithm: IF R05R\_A\_EVR\_SNUS = 1 AND ((R05\_AU1004 = 1 OR R05\_AU1002\_12M = 1) OR (R05\_AU1009\_UN = 1 AND 0 < R05\_AU1009\_NN <= 365) OR (R05\_AU1009\_UN = 2 AND 0 < R05\_AU1009\_NN <= 12) OR (R05\_AU1009\_UN = 3 AND R05\_AU1009\_NN = 1) OR R05\_AU0100 in (1,2,3,4) OR R05\_AU1022>0) THEN R05R\_A\_P12M\_SNUS = 1; ELSE IF R05R\_A\_EVR\_SNUS = 2 OR R05\_AU1002\_12M = 2 OR R05\_AU1002 = 2 OR (R05\_AU1009\_UN = 1 AND R05\_AU1009\_NN > 365) OR (R05\_AU1009\_UN = 2 AND R05\_AU1009\_NN > 12) OR (R05\_AU1009\_UN = 3 AND R05\_AU1009\_NN > 1) THEN R05R\_A\_P12M\_SNUS = 2; ELSE IF R05R\_A\_EVR\_SNUS = -99999 OR (R05\_AU1004 = -9 AND R05\_AU1002\_12M = -1) OR R05\_AU1002\_12M = -9 OR R05\_AU1002 = -9 OR R05\_AU1009\_NN = -9 OR R05\_AU0100 = -9 OR R05\_AU1022 = -9 THEN R05R\_A\_P12M\_SNUS = -99999; ELSE IF R05R\_A\_EVR\_SNUS = -99988 OR R05\_AU1002\_12M = -8 OR R05\_AU1002 = -8 OR R05\_AU1009\_NN = -8 OR R05\_AU0100 = -8 OR R05\_AU1022 = -8 THEN R05R\_A\_P12M\_SNUS = -99988; ELSE IF R05R\_A\_EVR\_SNUS = -99977 OR R05\_AU1002\_12M = -7 OR R05\_AU1002 = -7 OR R05\_AU1009\_NN

```

= -7 OR R05_AU0100 = -7 OR R05_AU1022 = -7 THEN
R05R_A_P12M_SNUS = -99977; ELSE IF R05_AU1009_NN in (0,-5)
THEN R05R_A_P12M_SNUS = -99955; ELSE IF R05R_A_EVR_SNUS = -
99966 THEN R05R_A_P12M_SNUS = -99966; ELSE IF
R05_AU1002_12M = -1 OR R05_AU1002 = -1 OR R05_AU1009_NN = -1
OR R05_AU0100 in (5,-1) OR R05_AU1022 = -1 THEN
R05R_A_P12M_SNUS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	866	2.5 %
2	2 = No	33414	97.4 %
<b>Total</b>		<b>34,280</b>	<b>99.9%</b>

This variable has 34,280 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>29</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14230-14235 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_MINFIRST\_SNUS: DERIVED - Wave 5 Adult Number of Minutes From Waking Up to Using First Snus Pouch

*Long Description:* Wave 5 Adult current or experimental current snus pouch users - Recode of amount of time from waking up to using first snus pouch into minutes.

```

Algorithm: IF R05_AU1024_UN = 1 AND R05_AU1024_NN >= 0 THEN
R05R_A_MINFIRST_SNUS = R05_AU1024_NN; ELSE IF R05_AU1024_UN = 2 AND
R05_AU1024_NN >= 0 THEN R05R_A_MINFIRST_SNUS = R05_AU1024_NN * 60; ELSE
IF R05_AU1024_NN = -9 THEN R05R_A_MINFIRST_SNUS = -99999; ELSE IF
R05_AU1024_NN = -8 THEN R05R_A_MINFIRST_SNUS = -99988; ELSE IF
R05_AU1024_NN = -7 THEN R05R_A_MINFIRST_SNUS = -99977; ELSE IF
R05_AU1024_NN = -5 THEN R05R_A_MINFIRST_SNUS = -99955; ELSE IF

```

R05\_AU1024\_NN = -1 THEN R05R\_A\_MINFIRST\_SNUS = -99911;

This variable has 369 valid cases out of 34,309 total cases.

- Mean: 191.09
- Median: 120.00
- Mode: 120.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 233.53

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33925	98.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,940</b>	<b>98.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14236-14241 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_MINFIRST\_30D\_SNUS: DERIVED - Wave 5 Adult Former Suns Pouch Users Number of Minutes From Waking Up to Using First Snus Pouch

Long Description: Wave 5 Adult former snus pouch users who have used in the past 30 days - Recode of amount of time from waking up to using first snus pouch into minutes.

Algorithm: IF R05\_AU1024\_30D\_UN = 1 AND R05\_AU1024\_30D\_NN >= 0 THEN  
R05R\_A\_MINFIRST\_30D\_SNUS = R05\_AU1024\_30D\_NN; ELSE IF  
R05\_AU1024\_30D\_UN = 2 AND R05\_AU1024\_30D\_NN >= 0 THEN  
R05R\_A\_MINFIRST\_30D\_SNUS = R05\_AU1024\_30D\_NN \* 60; ELSE IF  
R05\_AU1024\_30D\_NN = -9 THEN R05R\_A\_MINFIRST\_30D\_SNUS = -99999; ELSE IF  
R05\_AU1024\_30D\_NN = -8 THEN R05R\_A\_MINFIRST\_30D\_SNUS = -99988; ELSE IF  
R05\_AU1024\_30D\_NN = -7 THEN R05R\_A\_MINFIRST\_30D\_SNUS = -99977; ELSE IF  
R05\_AU1024\_30D\_NN = -5 THEN R05R\_A\_MINFIRST\_30D\_SNUS = -99955; ELSE IF  
R05\_AU1024\_30D\_NN = -1 THEN R05R\_A\_MINFIRST\_30D\_SNUS = -99911;

This variable has 157 valid cases out of 34,309 total cases.

- Mean: 230.71
- Median: 120.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 265.75

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34144	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,152</b>	<b>99.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14242-14247 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSLASTUSED\_SNUS: DERIVED - Wave 5 Adult Number of Days Since Last Used Snus Pouches (Some Day or Current Experimental Users)

Long Description: Wave 5 adult some day, current experimental, or former 30 day snus pouch users who have not used in the past 30 days - Recode of length of time since last used snus pouches into days.

```
Algorithm: IF R05_AU9029_UN = 1 AND R05_AU9029_NN >= 0 THEN
R05R_A_DAYSLASTUSED_SNUS = R05_AU9029_NN; ELSE IF R05_AU9029_UN = 2 AND
R05_AU9029_NN >= 0 THEN R05R_A_DAYSLASTUSED_SNUS =
R05_AU9029_NN * 30.4375; ELSE IF R05_AU9029_UN = 3 AND R05_AU9029_NN >=
0 THEN R05R_A_DAYSLASTUSED_SNUS = R05_AU9029_NN * 365.25; ELSE IF
R05_AU9029_NN = -9 THEN R05R_A_DAYSLASTUSED_SNUS = -99999; ELSE IF
R05_AU9029_NN = -8 THEN R05R_A_DAYSLASTUSED_SNUS = -99988; ELSE IF
R05_AU9029_NN = -7 THEN R05R_A_DAYSLASTUSED_SNUS = -99977; ELSE IF
R05_AU9029_NN = -5 THEN R05R_A_DAYSLASTUSED_SNUS = -99955; ELSE IF
R05_AU9029_NN = -1 THEN R05R_A_DAYSLASTUSED_SNUS = -99911;
```

This variable has 92 valid cases out of 34,309 total cases.

- Mean: 1064.2520
- Median: 243.5000
- Mode: 182.6250
- Minimum: 30.0000
- Maximum: 10957.5000
- Standard Deviation: 2176.6279

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	22	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34190	99.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,217</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14248-14258 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSQUIT\_SNUS: DERIVED - Wave 5 Adult Number of Days Since Last Used Snus Pouches (Non-Current Users)

Long Description: Wave 5 Adult Recode of length of time since last used snus pouches tobacco into days for users who do not currently use at all or did not use in the past 12 months.

```
Algorithm: IF R05_AU1009_UN = 1 AND R05_AU1009_NN >= 0 THEN
R05R_A_DAYSQUIT_SNUS = R05_AU1009_NN; ELSE IF R05_AU1009_UN = 2 AND
R05_AU1009_NN >= 0 THEN R05R_A_DAYSQUIT_SNUS = R05_AU1009_NN * 30.4375;
ELSE IF R05_AU1009_UN = 3 AND R05_AU1009_NN >= 0 THEN
R05R_A_DAYSQUIT_SNUS = R05_AU1009_NN * 365.25; ELSE IF R05_AU1009_NN =
-9 THEN R05R_A_DAYSQUIT_SNUS = -99999; ELSE IF R05_AU1009_NN = -8 THEN
R05R_A_DAYSQUIT_SNUS = -99988; ELSE IF R05_AU1009_NN = -7 THEN
R05R_A_DAYSQUIT_SNUS = -99977; ELSE IF R05_AU1009_NN = -5 THEN
R05R_A_DAYSQUIT_SNUS = -99955; ELSE IF R05_AU1009_NN = -1 THEN
R05R_A_DAYSQUIT_SNUS = -99911;
```

This variable has 749 valid cases out of 34,309 total cases.

- Mean: 1614.5573
- Median: 365.2500
- Mode: 730.5000
- Minimum: 1.0000
- Maximum: 29950.5000
- Standard Deviation: 2995.6134

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	29	0.1 %	

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	79	0.2 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33442	97.5 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,560</b>	<b>97.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14259-14269 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSBRAND\_SNUS: DERIVED - Wave 5 Adult Number of Days Using Regular Brand of Snus Pouches

Long Description: Wave 5 Adult current, experimental current, past 30 day or new former snus pouch users who have a regular brand - Recode of length of time using regular brand of snus pouches into days

```
Algorithm: IF R05_AU1051_UN = 1 AND R05_AU1051_NN >= 0 THEN
R05R_A_DAYSBRAND_SNUS = R05_AU1051_NN; ELSE IF R05_AU1051_UN = 2 AND
R05_AU1051_NN >= 0 THEN R05R_A_DAYSBRAND_SNUS = R05_AU1051_NN *
30.4375; ELSE IF R05_AU1051_UN = 3 AND R05_AU1051_NN >= 0 THEN
R05R_A_DAYSBRAND_SNUS = R05_AU1051_NN * 365.25; ELSE IF R05_AU1051_NN =
-9 THEN R05R_A_DAYSBRAND_SNUS = -99999; ELSE IF R05_AU1051_NN = -8 THEN
R05R_A_DAYSBRAND_SNUS = -99988; ELSE IF R05_AU1051_NN = -7 THEN
R05R_A_DAYSBRAND_SNUS = -99977; ELSE IF R05_AU1051_NN = -5 THEN
R05R_A_DAYSBRAND_SNUS = -99955; ELSE IF R05_AU1051_NN = -1 THEN
R05R_A_DAYSBRAND_SNUS = -99911;
```

This variable has 364 valid cases out of 34,309 total cases.

- Mean: 1463.2797
- Median: 547.8750
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 20454.0000
- Standard Deviation: 2835.6475

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %	

Missing Data			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33934	98.9 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,945</b>	<b>98.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14270-14280 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_NUMDAYS\_SNUS: DERIVED - Wave 5 Adult Past 30 Day Snus Pouch Use Frequency

Long Description: Wave 5 Adult number of days used snus pouches in past 30 days.

Algorithm: IF R05\_AU1003 =1 THEN R05R\_A\_NUMDAYS\_SNUS =30; ELSE IF R05\_AU1022 ! in (-1, -5, -7,-8, -9, 0) THEN R05R\_A\_NUMDAYS\_SNUS = R05\_AU1022; ELSE IF R05\_AU1003 =-9 OR R05\_AU1022 =-9 THEN R05R\_A\_NUMDAYS\_SNUS =-99999; ELSE IF R05\_AU1003 =-8 OR R05\_AU1022 = -8 THEN R05R\_A\_NUMDAYS\_SNUS =-99988; ELSE IF R05\_AU1003 =-7 OR R05\_AU1022 =-7 THEN R05R\_A\_NUMDAYS\_SNUS =-99977; ELSE IF R05\_AU1022 in (0,-5) THEN R05R\_A\_NUMDAYS\_SNUS =-99955; ELSE IF R05\_AU1003 =-1 OR R05\_AU1022 =-1 THEN R05R\_A\_NUMDAYS\_SNUS =-99911;

This variable has 341 valid cases out of 34,309 total cases.

- Mean: 15.36
- Median: 11.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 12.92

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	201	0.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33760	98.4 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,968</b>	<b>99.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14281-14286 (width: 6; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_EVR\_SMKLS: DERIVED - Wave 5 Adult Ever Smokeless Tobacco User

Long Description: Wave 5 adult respondents who have ever used smokeless tobacco.

Algorithm: IF X04M\_EVR\_SMKLS = 1 OR R05\_AS1004 = 1 OR R05\_AS1002 = 1 OR R05\_AS1002\_12M = 1 THEN R05R\_A\_EVR\_SMKLS = 1; ELSE IF (X04M\_EVR\_SMKLS = 2 AND R05\_AS1002\_12M = 2 AND X04M\_SKIPPED\_WAVE = 2) OR R05\_AS1002 = 2 THEN R05R\_A\_EVR\_SMKLS = 2; ELSE IF (R05\_AS1004 = -9 AND R05\_AS1002\_12M = -1) OR R05\_AS1002\_12M = -9 OR R05\_AS1002 = -9 THEN R05R\_A\_EVR\_SMKLS = -99999; ELSE IF R05\_AS1002\_12M = -8 OR R05\_AS1002 = -8 THEN R05R\_A\_EVR\_SMKLS = -99988; ELSE IF R05\_AS1002\_12M = -7 OR R05\_AS1002 = -7 THEN R05R\_A\_EVR\_SMKLS = -99977; ELSE IF X04M\_EVR\_SMKLS IN (-99933, -99999, -99988, -99977, -99966, -99911) OR X04M\_SKIPPED\_WAVE = 1 THEN R05R\_A\_EVR\_SMKLS = -99966; ELSE IF R05\_AS1002\_12M = -1 OR R05\_AS1002 = -1 THEN R05R\_A\_EVR\_SMKLS = -99911;

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before used smokeless tobacco and who had never skipped a wave were asked about smokeless tobacco use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before used smokeless tobacco and who had never skipped a wave who did not use smokeless tobacco in the past 12 months at Wave 5 are considered never smokeless tobacco users in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6615	19.3 %
2	2 = No	27416	79.9 %
	<b>Total</b>	<b>34,031</b>	<b>99.2%</b>

This variable has 34,031 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	268	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>278</b>	<b>0.8%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 14287-14292 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

---

## R05R\_A\_EVR\_THRSH\_SMKLS: DERIVED - Wave 5 Adult Smokeless Tobacco Lifetime Threshold of Use- Intermediate Derived Variable

Long Description: Wave 5 adult respondents who have ever used smokeless tobacco fairly regularly.

Algorithm: IF R05R\_A\_EVR\_SMKLS = 1 AND (X04M\_EVR\_THRSH\_SMKLS = 1 OR R05\_AS1100 = 1) THEN R05R\_A\_EVR\_THRSH\_SMKLS = 1; ELSE IF R05R\_A\_EVR\_SMKLS = 2 OR (R05R\_A\_EVR\_SMKLS = 1 AND R05\_AS1100 = 2) THEN R05R\_A\_EVR\_THRSH\_SMKLS = 2; ELSE IF R05R\_A\_EVR\_SMKLS = -99999 OR R05\_AS1100 = -9 THEN R05R\_A\_EVR\_THRSH\_SMKLS = -99999; ELSE IF R05R\_A\_EVR\_SMKLS = -99988 OR R05\_AS1100 = -8 THEN R05R\_A\_EVR\_THRSH\_SMKLS = -99988; ELSE IF R05R\_A\_EVR\_SMKLS = -99977 OR R05\_AS1100 = -7 THEN R05R\_A\_EVR\_THRSH\_SMKLS = -99977; ELSE IF R05R\_A\_EVR\_SMKLS = -99966 THEN R05R\_A\_EVR\_THRSH\_SMKLS = -99966; ELSE IF R05R\_A\_EVR\_SMKLS = -99911 OR R05\_AS1100 = -1 THEN R05R\_A\_EVR\_THRSH\_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2869	8.4 %
2	2 = No	30307	88.3 %
	<b>Total</b>	<b>33,176</b>	<b>96.7%</b>

This variable has 33,176 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	268	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	844	2.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,133</b>	<b>3.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14293-14298 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

---

## R05R\_A\_CUR\_ESTD\_SMKLS: DERIVED - Wave 5 Adult Current Established Smokeless Tobacco User

Long Description: Wave 5 adult respondents who have ever used smokeless tobacco, have ever used it fairly regularly, and currently use every day or some days.

Algorithm: IF R05R\_A\_EVR\_THRSH\_SMKLS = 1 AND R05\_AS1003 IN (1,2) THEN  
 R05R\_A\_CUR\_ESTD\_SMKLS = 1; ELSE IF R05R\_A\_EVR\_THRSH\_SMKLS  
 = 2 OR R05\_AS1003 = 3 OR R05\_AS1002\_12M = 2 OR R05\_AS1002 = 2  
 THEN R05R\_A\_CUR\_ESTD\_SMKLS = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99999 OR R05\_AS1003 = -9 OR  
 R05\_AS1002\_12M = -9 OR R05\_AS1002 = -9 THEN  
 R05R\_A\_CUR\_ESTD\_SMKLS = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99988 OR R05\_AS1003 = -8 OR  
 R05\_AS1002\_12M = -8 OR R05\_AS1002 = -8 THEN  
 R05R\_A\_CUR\_ESTD\_SMKLS = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99977 OR R05\_AS1003 = -7 OR  
 R05\_AS1002\_12M = -7 OR R05\_AS1002 = -7 THEN  
 R05R\_A\_CUR\_ESTD\_SMKLS = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99966 THEN  
 R05R\_A\_CUR\_ESTD\_SMKLS = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99911 OR R05\_AS1003 = -1 OR  
 R05\_AS1002\_12M = -1 OR R05\_AS1002 = -1 THEN  
 R05R\_A\_CUR\_ESTD\_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1050	3.1 %
2	2 = No	33240	96.9 %
	<b>Total</b>	<b>34,290</b>	<b>99.9%</b>

This variable has 34,290 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>19</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14299-14304 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EDSD\_SMKLS: DERIVED - Wave 5 Adult Current Every Day/Some Day (Without Threshold) Smokeless Tobacco User

Long Description: Wave 5 adult respondents who have ever used smokeless tobacco and currently use every day or some days.

Algorithm: IF R05R\_A\_EVR\_SMKLS = 1 AND R05\_AS1003 IN (1,2) THEN  
 R05R\_A\_CUR\_EDSD\_SMKLS = 1; ELSE IF R05R\_A\_EVR\_SMKLS = 2 OR  
 R05\_AS1003 = 3 OR R05\_AS1002\_12M = 2 OR R05\_AS1002 = 2 THEN  
 R05R\_A\_CUR\_EDSD\_SMKLS = 2; ELSE IF R05R\_A\_EVR\_SMKLS = -99999  
 OR R05\_AS1003 = -9 OR R05\_AS1002\_12M = -9 OR R05\_AS1002 = -9  
 THEN R05R\_A\_CUR\_EDSD\_SMKLS = -99999; ELSE IF  
 R05R\_A\_EVR\_SMKLS = -99988 OR R05\_AS1003 = -8 OR  
 R05\_AS1002\_12M = -8 OR R05\_AS1002 = -8 THEN  
 R05R\_A\_CUR\_EDSD\_SMKLS = -99988; ELSE IF R05R\_A\_EVR\_SMKLS = -  
 99977 OR R05\_AS1003 = -7 OR R05\_AS1002\_12M = -7 OR R05\_AS1002  
 = -7 THEN R05R\_A\_CUR\_EDSD\_SMKLS = -99977; ELSE IF  
 R05R\_A\_EVR\_SMKLS = -99966 THEN R05R\_A\_CUR\_EDSD\_SMKLS = -  
 99966; ELSE IF R05R\_A\_EVR\_SMKLS = -99911 OR R05\_AS1003 = -1 OR  
 R05\_AS1002\_12M = -1 OR R05\_AS1002 = -1 THEN  
 R05R\_A\_CUR\_EDSD\_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1191	3.5 %
2	2 = No	33102	96.5 %
	<b>Total</b>	<b>34,293</b>	<b>100.0%</b>

This variable has 34,293 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>16</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14305-14310 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EDY\_SMKLS: DERIVED - Wave 5 Adult Current Every Day Smokeless Tobacco User

Long Description: Wave 5 adult respondents who have ever used smokeless tobacco, have ever used it fairly regularly, and currently use every day.

Algorithm: IF R05R\_A\_EVR\_THRSH\_SMKLS = 1 AND R05\_AS1003 = 1 THEN  
 R05R\_A\_EDY\_SMKLS = 1; ELSE IF R05R\_A\_EVR\_THRSH\_SMKLS = 2 OR  
 R05\_AS1003 IN (2,3) OR R05\_AS1002\_12M = 2 OR R05\_AS1002 = 2

```

THEN R05R_A_EDY_SMKLS = 2; ELSE IF R05R_A_EVR_THRSH_SMKLS =
-99999 OR R05_AS1003 = -9 OR R05_AS1002_12M = -9 OR
R05_AS1002 = -9 THEN R05R_A_EDY_SMKLS = -99999; ELSE IF
R05R_A_EVR_THRSH_SMKLS = -99988 OR R05_AS1003 = -8 OR
R05_AS1002_12M = -8 OR R05_AS1002 = -8 THEN
R05R_A_EDY_SMKLS = -99988; ELSE IF R05R_A_EVR_THRSH_SMKLS =
-99977 OR R05_AS1003 = -7 OR R05_AS1002_12M = -7 OR
R05_AS1002 = -7 THEN R05R_A_EDY_SMKLS = -99977; ELSE IF
R05R_A_EVR_THRSH_SMKLS = -99966 THEN R05R_A_EDY_SMKLS = -
99966; ELSE IF R05R_A_EVR_THRSH_SMKLS = -99911 OR R05_AS1003
= -1 OR R05_AS1002_12M = -1 OR R05_AS1002 = -1 THEN
R05R_A_EDY_SMKLS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	650	1.9 %
2	2 = No	33640	98.1 %
	<b>Total</b>	<b>34,290</b>	<b>99.9%</b>

This variable has 34,290 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>19</b>	<b>0.1%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14311-14316 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_SDY\_SMKLS: DERIVED - Wave 5 Adult Current Some Day Smokeless Tobacco User

*Long Description:* Wave 5 adult respondents who have ever used smokeless tobacco, have ever used it fairly regularly, and currently use some days.

```

Algorithm: IF R05R_A_EVR_THRSH_SMKLS = 1 AND R05_AS1003 = 2 THEN
R05R_A_SDY_SMKLS = 1; ELSE IF R05R_A_EVR_THRSH_SMKLS = 2 OR
R05_AS1003 IN (1, 3) OR R05_AS1002_12M = 2 OR R05_AS1002 = 2
THEN R05R_A_SDY_SMKLS = 2; ELSE IF R05R_A_EVR_THRSH_SMKLS =
-99999 OR R05_AS1003 = -9 OR R05_AS1002_12M = -9 OR
R05_AS1002 = -9 THEN R05R_A_SDY_SMKLS = -99999; ELSE IF
R05R_A_EVR_THRSH_SMKLS = -99988 OR R05_AS1003 = -8 OR

```

R05\_AS1002\_12M = -8 OR R05\_AS1002 = -8 THEN  
R05R\_A\_SDY\_SMKLS = -99988; ELSE IF R05R\_A\_EVR\_THRSH\_SMKLS = -  
99977 OR R05\_AS1003 = -7 OR R05\_AS1002\_12M = -7 OR R05\_AS1002  
= -7 THEN R05R\_A\_SDY\_SMKLS = -99977; ELSE IF  
R05R\_A\_EVR\_THRSH\_SMKLS = -99966 THEN R05R\_A\_SDY\_SMKLS = -  
99966; ELSE IF R05R\_A\_EVR\_THRSH\_SMKLS = -99911 OR R05\_AS1003 = -1  
OR R05\_AS1002\_12M = -1 OR R05\_AS1002 = -1 THEN  
R05R\_A\_SDY\_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	400	1.2 %
2	2 = No	33893	98.8 %
<b>Total</b>		<b>34,293</b>	<b>100.0%</b>

This variable has 34,293 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>16</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14317-14322 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P30D\_SMKLS: DERIVED - Wave 5 Adult Past 30 Day Smokeless Tobacco User

Long Description: Wave 5 adult respondents who have used smokeless tobacco within the past 30 days.

Algorithm: IF R05R\_A\_EVR\_SMKLS = 1 AND (R05\_AS1004 = 1 OR R05\_AS0100 IN (1,2,3,4) OR (1 <= R05\_AS1009\_NN <= 30 AND R05\_AS1009\_UN = 1) OR (R05\_AS1009\_NN = 1 AND R05\_AS1009\_UN = 2) OR R05\_AS1022 > 0) THEN R05R\_A\_P30D\_SMKLS = 1; ELSE IF R05R\_A\_EVR\_SMKLS = 2 OR R05\_AS1002 = 2 OR R05\_AS1004 = 2 OR (R05\_AS1009\_NN > 30 AND R05\_AS1009\_UN = 1) OR (R05\_AS1009\_NN > 1 AND R05\_AS1009\_UN = 2) OR R05\_AS1009\_UN = 3 OR R05\_AS1022 = 0 THEN R05R\_A\_P30D\_SMKLS = 2; ELSE IF R05R\_A\_EVR\_SMKLS = -99999 OR R05\_AS1002 = -9 OR R05\_AS1004 = -9 OR R05\_AS0100 = -9 OR R05\_AS1009\_NN = -9 OR R05\_AS1022 = -9 THEN R05R\_A\_P30D\_SMKLS = -99999; ELSE IF R05R\_A\_EVR\_SMKLS = -99988 OR R05\_AS1002 = -8 OR R05\_AS1004 = -8 OR R05\_AS0100 = -8 OR

```

R05_AS1009_NN = -8 OR R05_AS1022 = -8 THEN
R05R_A_P30D_SMKLS = -99988; ELSE IF R05R_A_EVR_SMKLS = -99977
OR R05_AS1002 = -7 OR R05_AS1004 = -7 OR R05_AS0100 = -7 OR
R05_AS1009_NN = -7 OR R05_AS1022 = -7 THEN
R05R_A_P30D_SMKLS = -99977; ELSE IF R05_AS1009_NN = -5 THEN
R05R_A_P30D_SMKLS = -99955; ELSE IF R05R_A_EVR_SMKLS = -99966
THEN R05R_A_P30D_SMKLS = -99966; ELSE IF R05R_A_EVR_SMKLS = -
99911 OR R05_AS1002 = -1 OR R05_AS1004 = -1 OR R05_AS0100 = -1
OR R05_AS1009_NN = -1 OR R05_AS1022 = -1 THEN
R05R_A_P30D_SMKLS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1345	3.9 %
2	2 = No	32955	96.1 %
	<b>Total</b>	<b>34,300</b>	<b>100.0%</b>

This variable has 34,300 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>9</b>	<b>0.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14323-14328 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_NEW\_SMKLS: DERIVED - Wave 5 Adult Never to Ever Smokeless Tobacco User

**Long Description:** Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started using smokeless tobacco between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started using smokeless tobacco between Waves 4.5 and 5.

**Algorithm:** IF X04M\_EVR\_SMKLS = 2 AND R05R\_A\_EVR\_SMKLS = 1 AND  
(WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1)))) THEN R05R\_A\_NEW\_SMKLS = 1; ELSE IF

$(X04M\_EVR\_SMKLS = 1 \text{ OR } R05R\_A\_EVR\_SMKLS = 2) \text{ AND } (WAVE4\_INTERVIEW = 1 \text{ OR } WAVE4P5\_INTERVIEW = 2 \text{ OR } (WAVE4\_INTERVIEW = 2 \text{ AND } (WAVE4P5\_INTERVIEW = 0 \text{ OR } (WAVE4P5\_INTERVIEW = 9 \text{ AND } X04M\_REL18PLUS = 1))) \text{ THEN } R05R\_A\_NEW\_SMKLS = 2; \text{ ELSE IF } R05R\_A\_EVR\_SMKLS = -99999 \text{ THEN } R05R\_A\_NEW\_SMKLS = -99999; \text{ ELSE IF } R05R\_A\_EVR\_SMKLS = -99988 \text{ THEN } R05R\_A\_NEW\_SMKLS = -99988; \text{ ELSE IF } R05R\_A\_EVR\_SMKLS = -99977 \text{ THEN } R05R\_A\_NEW\_SMKLS = -99977; \text{ ELSE IF } X04M\_EVR\_SMKLS \text{ IN } (-99933, -99999, -99988, -99977, -99966, -99911) \text{ OR } R05R\_A\_EVR\_SMKLS = -99966 \text{ THEN } R05R\_A\_NEW\_SMKLS = -99966; \text{ ELSE IF } R05R\_A\_EVR\_SMKLS = -99911 \text{ THEN } R05R\_A\_NEW\_SMKLS = -99911;$

Notes: Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	261	0.8 %
2	2 = No	32150	93.7 %
	<b>Total</b>	<b>32,411</b>	<b>94.5%</b>

This variable has 32,411 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1888	5.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,898</b>	<b>5.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14329-14334 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_EXPR\_SMKLS: DERIVED - Wave 5 Adult Current Experimental Smokeless Tobacco User

Long Description: Wave 5 adult respondents who have never used smokeless tobacco fairly regularly, and currently use every day or some days.

Algorithm: IF R05R\_A\_EVR\_SMKLS = 1 AND R05R\_A\_EVR\_THRSH\_SMKLS = 2 AND R05\_AS1003 IN (1,2) THEN R05R\_A\_CUR\_EXPR\_SMKLS = 1; ELSE IF

```

R05R_A_EVR_THRSH_SMKLS = 1 OR R05_AS1003 = 3 OR
R05_AS1002_12M = 2 OR R05_AS1002 = 2 OR R05R_A_EVR_SMKLS = 2
THEN R05R_A_CUR_EXPR_SMKLS = 2; ELSE IF
R05R_A_EVR_THRSH_SMKLS = -99999 OR R05_AS1003 = -9 OR
R05_AS1002_12M = -9 OR R05_AS1002 = -9 OR R05R_A_EVR_SMKLS =
-99999 THEN R05R_A_CUR_EXPR_SMKLS = -99999; ELSE IF
R05R_A_EVR_THRSH_SMKLS = -99988 OR R05_AS1003 = -8 OR
R05_AS1002_12M = -8 OR R05_AS1002 = -8 OR R05R_A_EVR_SMKLS =
-99988 THEN R05R_A_CUR_EXPR_SMKLS = -99988; ELSE IF
R05R_A_EVR_THRSH_SMKLS = -99977 OR R05_AS1003 = -7 OR
R05_AS1002_12M = -7 OR R05_AS1002 = -7 OR R05R_A_EVR_SMKLS =
-99977 THEN R05R_A_CUR_EXPR_SMKLS = -99977; ELSE IF
R05R_A_EVR_THRSH_SMKLS = -99966 OR R05R_A_EVR_SMKLS = -
99966 THEN R05R_A_CUR_EXPR_SMKLS = -99966; ELSE IF
R05R_A_EVR_THRSH_SMKLS = -99911 OR R05_AS1003 = -1 OR
R05_AS1002_12M = -1 OR R05_AS1002 = -1 OR R05R_A_EVR_SMKLS =
-99911 THEN R05R_A_CUR_EXPR_SMKLS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	138	0.4 %
2	2 = No	34154	99.5 %
<b>Total</b>		<b>34,292</b>	<b>100.0%</b>

This variable has 34,292 valid cases out of 34,309 total cases.

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>17</b>	<b>0.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14335-14340 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_ESTD\_SMKLS: DERIVED - Wave 5 Adult Former Established Smokeless Tobacco User

**Long Description:** Wave 5 adult respondents who have ever used smokeless tobacco fairly regularly, and have not used it within the past 12 months or currently use it not at all. Recanters are excluded from the derivation.

Algorithm: IF R05R\_A\_EVR\_THRSH\_SMKLS = 1 AND (R05\_AS1003 = 3 OR R05\_AS1002\_12M = 2 OR R05\_AS1002 = 2) AND R05\_AS1010 != 3  
 THEN R05R\_A\_FMR\_ESTD\_SMKLS = 1; ELSE IF  
 (R05R\_A\_EVR\_THRSH\_SMKLS = 2 OR R05\_AS1003 IN (1,2)) AND R05\_AS1010 != 3 THEN R05R\_A\_FMR\_ESTD\_SMKLS = 2; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99999 OR R05\_AS1003 = -9 OR R05\_AS1002\_12M = -9 OR R05\_AS1002 = -9 OR R05\_AS1010 = -9  
 THEN R05R\_A\_FMR\_ESTD\_SMKLS = -99999; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99988 OR R05\_AS1003 = -8 OR R05\_AS1002\_12M = -8 OR R05\_AS1002 = -8 OR R05\_AS1010 = -8  
 THEN R05R\_A\_FMR\_ESTD\_SMKLS = -99988; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99977 OR R05\_AS1003 = -7 OR R05\_AS1002\_12M = -7 OR R05\_AS1002 = -7 OR R05\_AS1010 = -7  
 THEN R05R\_A\_FMR\_ESTD\_SMKLS = -99977; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99966 THEN  
 R05R\_A\_FMR\_ESTD\_SMKLS = -99966; ELSE IF  
 R05R\_A\_EVR\_THRSH\_SMKLS = -99911 OR R05\_AS1003 = -1 OR R05\_AS1002\_12M = -1 OR R05\_AS1002 = -1 OR R05\_AS1010 IN (-1,3)  
 THEN R05R\_A\_FMR\_ESTD\_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1739	5.1 %
2	2 = No	31360	91.4 %
	<b>Total</b>	<b>33,099</b>	<b>96.5%</b>

This variable has 33,099 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	268	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	919	2.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,210</b>	<b>3.5%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14341-14346 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_FMR\_EXPR\_SMKLS: DERIVED - Wave 5 Adult Former Experimental Smokeless Tobacco User

Long Description: Wave 5 adult respondents who have never used smokeless tobacco fairly regularly, and did not use it within the past 12 months or currently use not at all. Recanters are excluded from the derivation.

Algorithm: IF R05R\_A\_EVR\_SMKLS = 1 AND R05R\_A\_EVR\_THRSH\_SMKLS = 2 AND  
(R05\_AS1003 = 3 OR R05\_AS1002\_12M = 2 OR R05\_AS1002 = 2) AND  
R05\_AS1010 != 3 THEN R05R\_A\_FMR\_EXPR\_SMKLS = 1; ELSE IF  
(R05R\_A\_EVR\_THRSH\_SMKLS = 1 OR R05\_AS1003 IN (1,2) OR  
R05R\_A\_EVR\_SMKLS = 2) AND R05\_AS1010 != 3 THEN  
R05R\_A\_FMR\_EXPR\_SMKLS = 2; ELSE IF R05R\_A\_EVR\_THRSH\_SMKLS  
= -99999 OR R05R\_A\_EVR\_SMKLS = -99999 OR R05\_AS1003 = -9 OR  
R05\_AS1002\_12M = -9 OR R05\_AS1002 = -9 OR R05\_AS1010 = -9  
THEN R05R\_A\_FMR\_EXPR\_SMKLS = -99999; ELSE IF  
R05R\_A\_EVR\_THRSH\_SMKLS = -99988 OR R05R\_A\_EVR\_SMKLS = -  
99988 OR R05\_AS1003 = -8 OR R05\_AS1002\_12M = -8 OR R05\_AS1002  
= -8 OR R05\_AS1010 = -8 THEN R05R\_A\_FMR\_EXPR\_SMKLS = -99988;  
ELSE IF R05R\_A\_EVR\_THRSH\_SMKLS = -99977 OR R05R\_A\_EVR\_SMKLS  
= -99977 OR R05\_AS1003 = -7 OR R05\_AS1002\_12M = -7 OR  
R05\_AS1002 = -7 OR R05\_AS1010 = -7 THEN  
R05R\_A\_FMR\_EXPR\_SMKLS = -99977; ELSE IF  
R05R\_A\_EVR\_THRSH\_SMKLS = -99966 OR R05R\_A\_EVR\_SMKLS = -  
99966 THEN R05R\_A\_FMR\_EXPR\_SMKLS = -99966; ELSE IF  
R05R\_A\_EVR\_THRSH\_SMKLS = -99911 OR R05R\_A\_EVR\_SMKLS = -  
99911 OR R05\_AS1003 = -1 OR R05\_AS1002\_12M = -1 OR R05\_AS1002  
= -1 OR R05\_AS1010 IN (-1,3) THEN R05R\_A\_FMR\_EXPR\_SMKLS =  
-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2753	8.0 %
2	2 = No	30348	88.5 %
<b>Total</b>		<b>33,101</b>	<b>96.5%</b>

This variable has 33,101 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	268	0.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	919	2.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>1,208</b>	<b>3.5%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 14347-14352 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_P12M\_SMKLS: DERIVED - Wave 5 Adult Past 12 Month Smokeless Tobacco Users

Long Description:Wave 5 adult respondents who have used smokeless tobacco within the past 12 months.

Algorithm: IF R05R\_A\_EVR\_SMKLS = 1 AND (R05\_AS1004 = 1 OR R05\_AS1002\_12M = 1 OR (R05\_AS1009\_UN = 1 AND 0 < R05\_AS1009\_NN <= 365) OR (R05\_AS1009\_UN = 2 AND 0 < R05\_AS1009\_NN <= 12) OR (R05\_AS1009\_UN = 3 AND R05\_AS1009\_NN = 1) OR R05\_AS0100 in (1,2,3,4) OR R05\_AS1022>0) THEN R05R\_A\_P12M\_SMKLS = 1; ELSE IF R05R\_A\_EVR\_SMKLS = 2 OR R05\_AS1002\_12M = 2 OR R05\_AS1002 = 2 OR (R05\_AS1009\_UN = 1 AND R05\_AS1009\_NN > 365) OR (R05\_AS1009\_UN = 2 AND R05\_AS1009\_NN > 12) OR (R05\_AS1009\_UN = 3 AND R05\_AS1009\_NN > 1) THEN R05R\_A\_P12M\_SMKLS = 2; ELSE IF R05R\_A\_EVR\_SMKLS = -99999 OR (R05\_AS1004 = -9 AND R05\_AS1002\_12M = -1) OR R05\_AS1002\_12M = -9 OR R05\_AS1002 = -9 OR R05\_AS1009\_NN = -9 OR R05\_AS0100 = -9 OR R05\_AS1022 = -9 THEN R05R\_A\_P12M\_SMKLS = -99999; ELSE IF R05R\_A\_EVR\_SMKLS = -99988 OR R05\_AS1002\_12M = -8 OR R05\_AS1002 = -8 OR R05\_AS1009\_NN = -8 OR R05\_AS0100 = -8 OR R05\_AS1022 = -8 THEN R05R\_A\_P12M\_SMKLS = -99988; ELSE IF R05R\_A\_EVR\_SMKLS = -99977 OR R05\_AS1002\_12M = -7 OR R05\_AS1002 = -7 OR R05\_AS1009\_NN = -7 OR R05\_AS0100 = -7 OR R05\_AS1022 = -7 THEN R05R\_A\_P12M\_SMKLS = -99977; ELSE IF R05\_AS1009\_NN in (0,-5) THEN R05R\_A\_P12M\_SMKLS = -99955; ELSE IF R05R\_A\_EVR\_SMKLS = -99966 THEN R05R\_A\_P12M\_SMKLS = -99966; ELSE IF R05R\_A\_EVR\_SMKLS = -99911 OR R05\_AS1002\_12M = -1 OR R05\_AS1002 = -1 OR R05\_AS1009\_NN = -1 OR R05\_AS0100 in (5,-1) OR R05\_AS1022 = -1 THEN R05R\_A\_P12M\_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1867	5.4 %
2	2 = No	32427	94.5 %
<b>Total</b>		<b>34,294</b>	<b>100.0%</b>

This variable has 34,294 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %

<b>Missing Data</b>			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>15</b>	<b>0.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14353-14358 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99955 , -99911 , -97777

## R05R\_A\_MINFIRST\_SMKLS: DERIVED - Wave 5 Adult Number of Minutes From Waking Up to Using First Smokeless Tobacco

Long Description: Wave 5 adult current or experimental current smokeless tobacco users - Recode of amount of time after waking up to using first smokeless tobacco into minutes.

Algorithm: IF R05\_AS1024\_UN = 1 AND R05\_AS1024\_NN >= 0 THEN  
 R05R\_A\_MINFIRST\_SMKLS = R05\_AS1024\_NN; ELSE IF R05\_AS1024\_UN = 2 AND  
 R05\_AS1024\_NN >= 0 THEN R05R\_A\_MINFIRST\_SMKLS = R05\_AS1024\_NN \* 60;  
 ELSE IF R05\_AS1024\_NN = -9 THEN R05R\_A\_MINFIRST\_SMKLS = -99999; ELSE IF  
 R05\_AS1024\_NN = -8 THEN R05R\_A\_MINFIRST\_SMKLS = -99988; ELSE IF  
 R05\_AS1024\_NN = -7 THEN R05R\_A\_MINFIRST\_SMKLS = -99977; ELSE IF  
 R05\_AS1024\_NN = -5 THEN R05R\_A\_MINFIRST\_SMKLS = -99955; ELSE IF  
 R05\_AS1024\_NN = -1 THEN R05R\_A\_MINFIRST\_SMKLS = -99911;

This variable has 1,178 valid cases out of 34,309 total cases.

- Mean: 160.03
- Median: 60.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 1440.00
- Standard Deviation: 205.56

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33117	96.5 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,131</b>	<b>96.6%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14359-14364 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_MINFIRST\_30D\_SMKLS: DERIVED - Wave 5 Adult Former Past 30 Day Smokeless Tobacco User - Number of Minutes From Waking Up to Using First Smokeless Tobacco

**Long Description:** Wave 5 Adult former smokeless tobacco users who have used in the past 30 Days - Recode of amount of time from waking up to using first smokeless tobacco into minutes

**Algorithm:** IF R05\_AS1024\_30D\_UN = 1 AND R05\_AS1024\_30D\_NN >= 0 THEN  
R05R\_A\_MINFIRST\_30D\_SMKLS = R05\_AS1024\_30D\_NN; ELSE IF  
R05\_AS1024\_30D\_UN = 2 AND R05\_AS1024\_30D\_NN >= 0 THEN  
R05R\_A\_MINFIRST\_30D\_SMKLS = R05\_AS1024\_30D\_NN \* 60; ELSE IF  
R05\_AS1024\_30D\_NN = -9 THEN R05R\_A\_MINFIRST\_30D\_SMKLS = -99999; ELSE IF  
R05\_AS1024\_30D\_NN = -8 THEN R05R\_A\_MINFIRST\_30D\_SMKLS = -99988; ELSE IF  
R05\_AS1024\_30D\_NN = -7 THEN R05R\_A\_MINFIRST\_30D\_SMKLS = -99977; ELSE IF  
R05\_AS1024\_30D\_NN = -5 THEN R05R\_A\_MINFIRST\_30D\_SMKLS = -99955; ELSE IF  
R05\_AS1024\_30D\_NN = -1 THEN R05R\_A\_MINFIRST\_30D\_SMKLS = -99911;

This variable has 180 valid cases out of 34,309 total cases.

- Mean: 236.26
- Median: 120.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1080.00
- Standard Deviation: 274.70

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	12	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34097	99.4 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,129</b>	<b>99.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14365-14370 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_DAYSQUIT\_SMKLS: DERIVED - Wave 5 Adult Number of Days Since Last Used Smokeless Tobacco (Non-Current Users)

Long Description: Wave 5 adult Recode of length of time since last used smokeless tobacco into days for users who do not currently user at all or did not use in the past 12 months.

```
Algorithm: IF R05_AS1009_UN = 1 AND R05_AS1009_NN >= 0 THEN
R05R_A_DAYSQUIT_SMKLS = R05_AS1009_NN; ELSE IF R05_AS1009_UN = 2 AND
R05_AS1009_NN >= 0 THEN R05R_A_DAYSQUIT_SMKLS = R05_AS1009_NN * 30.4375;
ELSE IF R05_AS1009_UN = 3 AND R05_AS1009_NN >= 0 THEN
R05R_A_DAYSQUIT_SMKLS = R05_AS1009_NN * 365.25; ELSE IF R05_AS1009_NN =
-9 THEN R05R_A_DAYSQUIT_SMKLS = -99999; ELSE IF R05_AS1009_NN = -8 THEN
R05R_A_DAYSQUIT_SMKLS = -99988; ELSE IF R05_AS1009_NN = -7 THEN
R05R_A_DAYSQUIT_SMKLS = -99977; ELSE IF R05_AS1009_NN = -5 THEN
R05R_A_DAYSQUIT_SMKLS = -99955; ELSE IF R05_AS1009_NN = -1 THEN
R05R_A_DAYSQUIT_SMKLS = -99911;
```

This variable has 1,078 valid cases out of 34,309 total cases.

- Mean: 1471.2866
- Median: 365.2500
- Mode: 730.5000
- Minimum: 1.0000
- Maximum: 21915.0000
- Standard Deviation: 2956.1253

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	35	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	93	0.3 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33095	96.5 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,231</b>	<b>96.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14371-14381 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSLASTUSED\_SMKLS: DERIVED - Wave 5 Adult Number of Days Since Last Used Smokeless Tobacco (Some Day or Current Experimental Users)

Long Description: Wave 5 adult some day, current experimental, or former 30 day smokeless tobacco users who have not used in the past 30 days - Recode of length of time since last used smokeless tobacco into days.

```
Algorithm: IF R05_AS9029_UN = 1 AND R05_AS9029_NN >= 0 THEN
R05R_A_DAYSLASTUSED_SMKLS = R05_AS9029_NN; ELSE IF R05_AS9029_UN = 2
```

```

AND R05_AS9029_NN >= 0 THEN R05R_A_DAYSLASTUSED_SMKLS =
R05_AS9029_NN * 30.4375; ELSE IF R05_AS9029_UN = 3 AND
R05_AS9029_NN >= 0 THEN R05R_A_DAYSLASTUSED_SMKLS =
R05_AS9029_NN * 365.25; ELSE IF R05_AS9029_NN = -9 THEN
R05R_A_DAYSLASTUSED_SMKLS = -99999; ELSE IF R05_AS9029_NN = -8 THEN
R05R_A_DAYSLASTUSED_SMKLS = -99988; ELSE IF R05_AS9029_NN = -7 THEN
R05R_A_DAYSLASTUSED_SMKLS = -99977; ELSE IF R05_AS9029_NN = -5 THEN
R05R_A_DAYSLASTUSED_SMKLS = -99955; ELSE IF R05_AS9029_NN = -1 THEN
R05R_A_DAYSLASTUSED_SMKLS = -99911;

```

This variable has 111 valid cases out of 34,309 total cases.

- Mean: 663.4139
- Median: 182.6250
- Mode: 60.8750
- Minimum: 30.4375
- Maximum: 9131.2500
- Standard Deviation: 1618.4080

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	28	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34166	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,198</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14382-14392 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSBRAND\_SMKLS: DERIVED - Wave 5 Adult Number of Days Using Regular Brand of Smokeless Tobacco

**Long Description:** Wave 5 adult current, experimental current, past 30 day or new former smokeless tobacco users who have a regular brand - Recode of length of time using regular brand of smokeless tobacco into days.

```

Algorithm: IF R05_AS1051_UN = 1 AND R05_AS1051_NN >= 0 THEN
R05R_A_DAYSBRAND_SMKLS = R05_AS1051_NN; ELSE IF R05_AS1051_UN = 2 AND
R05_AS1051_NN >= 0 THEN R05R_A_DAYSBRAND_SMKLS =
R05_AS1051_NN * 30.4375; ELSE IF R05_AS1051_UN = 3 AND
R05_AS1051_NN >= 0 THEN R05R_A_DAYSBRAND_SMKLS =
R05_AS1051_NN * 365.25; ELSE IF R05_AS1051_NN = -9
THEN R05R_A_DAYSBRAND_SMKLS = -99999; ELSE IF

```

```
R05_AS1051_NN = -8 THEN R05R_A_DAYSBRAND_SMKLS = -99988; ELSE IF
R05_AS1051_NN = -7 THEN R05R_A_DAYSBRAND_SMKLS = -99977; ELSE IF
R05_AS1051_NN = -5 THEN R05R_A_DAYSBRAND_SMKLS = -99955; ELSE IF
R05_AS1051_NN = -1 THEN R05R_A_DAYSBRAND_SMKLS = -99911;
```

This variable has 1,304 valid cases out of 34,309 total cases.

- Mean: 3450.6600
- Median: 1826.2500
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 26298.0000
- Standard Deviation: 4359.7770

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32997	96.2 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,005</b>	<b>96.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14393-14403 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_NUMDAYS\_SMKLS: DERIVED - Wave 5 Adult Past 30 Day Smokeless Tobacco Use Frequency

Long Description: Wave 5 Adult number of days used smokeless tobacco in the past 30 days.

```
Algorithm: IF R05_AS1003 =1 THEN R05R_A_NUMDAYS_SMKLS =30; ELSE IF
R05_AS1022 ! in (-1, -5, -7, -8, -9, 0) THEN R05R_A_NUMDAYS_SMKLS =
R05_AS1022; ELSE IF R05_AS1003 =-9 OR R05_AS1022 =-9 THEN
R05R_A_NUMDAYS_SMKLS =-99999; ELSE IF R05_AS1003 =-8 OR R05_AS1022 =
-8 THEN R05R_A_NUMDAYS_SMKLS =-99988; ELSE IF R05_AS1003 =-7 OR
R05_AS1022 =-7 THEN R05R_A_NUMDAYS_SMKLS =-99977; ELSE IF R05_AS1022
in (0,-5) THEN R05R_A_NUMDAYS_SMKLS =-99955; ELSE IF R05_AS1003 =-1
OR R05_AS1022 =-1 THEN R05R_A_NUMDAYS_SMKLS =-99911;
```

This variable has 1,147 valid cases out of 34,309 total cases.

- Mean: 21.23
- Median: 30.00

- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.76

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	252	0.7 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32903	95.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,162</b>	<b>96.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14404-14409 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_EVR\_DISSBL: DERIVED - Wave 5 Adult Ever Dissolvable Tobacco User

Long Description: Wave 5 adult respondents who have ever used dissolvable tobacco.

Algorithm: IF X04M\_EVR\_DISSBL = 1 OR R05\_AD1002 = 1 OR R05\_AD1002\_12M = 1 THEN R05R\_A\_EVR\_DISSBL = 1; ELSE IF (X04M\_EVR\_DISSBL = 2 AND R05\_AD1002\_12M = 2 AND X04M\_SKIPPED\_WAVE = 2) OR R05\_AD1002 = 2 THEN R05R\_A\_EVR\_DISSBL = 2; ELSE IF R05\_AD1002\_12M = -9 OR R05\_AD1002 = -9 THEN R05R\_A\_EVR\_DISSBL = -99999; ELSE IF R05\_AD1002\_12M = -8 OR R05\_AD1002 = -8 THEN R05R\_A\_EVR\_DISSBL = -99988; ELSE IF R05\_AD1002\_12M = -7 OR R05\_AD1002 = -7 THEN R05R\_A\_EVR\_DISSBL = -99977; ELSE IF X04M\_EVR\_DISSBL IN (-99933, -99999, -99988, -99977, -99966, -99911) OR X04M\_SKIPPED\_WAVE = 1 THEN R05R\_A\_EVR\_DISSBL = -99966; ELSE IF R05\_AD1002\_12M = -1 OR R05\_AD1002 = -1 THEN R05R\_A\_EVR\_DISSBL = -99911;

Notes: There were two years between the Wave 4 and Wave 5 data collections. Wave 5 adult respondents who had never before used dissolvable tobacco and who had never skipped a wave were asked about dissolvable tobacco use in the past 12 months; some of these were last interviewed two years previously in Wave 4 and some were last interviewed one year previously in Wave 4.5. All Wave 5 adult respondents who had never before used dissolvable tobacco and who had never skipped a wave who did not use dissolvable tobacco in the past 12 months at Wave 5 are considered never dissolvable tobacco users in Wave 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	539	1.6 %

Value	Label	Unweighted Frequency	%
2	2 = No	33626	98.0 %
	<b>Total</b>	<b>34,165</b>	<b>99.6%</b>

This variable has 34,165 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	112	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>144</b>	<b>0.4%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14410-14415 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_NEW\_DISSBL: DERIVED - Wave 5 Adult Never to Ever Dissolvable Tobacco User

**Long Description:** Wave 5 adult respondents who completed Wave 4 adult interviews, or were not sampled for Wave 4.5 and completed Wave 4 youth interviews, and started using dissolvable tobacco between Waves 4 and 5, or Wave 5 adult respondents who completed Wave 4.5 youth interviews and started using dissolvable tobacco between Waves 4.5 and 5.

**Algorithm:** IF X04M\_EVR\_DISSBL = 2 AND R05R\_A\_EVR\_DISSBL = 1 AND  
(WAVE4\_INTERVIEW = 1 OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2  
AND (WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND  
X04M\_REL18PLUS = 1))) THEN R05R\_A\_NEW\_DISSBL = 1; ELSE IF  
(X04M\_EVR\_DISSBL = 1 OR R05R\_A\_EVR\_DISSBL = 2) AND (WAVE4\_INTERVIEW = 1  
OR WAVE4P5\_INTERVIEW = 2 OR (WAVE4\_INTERVIEW = 2 AND  
(WAVE4P5\_INTERVIEW = 0 OR (WAVE4P5\_INTERVIEW = 9 AND X04M\_REL18PLUS =  
1))) THEN R05R\_A\_NEW\_DISSBL = 2; ELSE IF R05R\_A\_EVR\_DISSBL = -99999  
THEN R05R\_A\_NEW\_DISSBL = -99999; ELSE IF R05R\_A\_EVR\_DISSBL = -99988  
THEN R05R\_A\_NEW\_DISSBL = -99988; ELSE IF R05R\_A\_EVR\_DISSBL = -99977  
THEN R05R\_A\_NEW\_DISSBL = -99977; ELSE IF X04M\_EVR\_DISSBL IN (-99933,  
-99999, -99988, -99977, -99966, -99911) OR R05R\_A\_EVR\_DISSBL = -99966  
OR WAVE4P5\_INTERVIEW = 9 OR (WAVE4P5\_INTERVIEW = 0 AND WAVE4\_INTERVIEW =  
9) THEN R05R\_A\_NEW\_DISSBL = -99966; ELSE IF R05R\_A\_EVR\_DISSBL = -99911  
THEN R05R\_A\_NEW\_DISSBL = -99911;

**Notes:** Values for 44 respondents calculated using Wave 4 youth data rather than Wave 4.5 for respondents who aged up to adult during Wave 4.5 data collection and became ineligible to participate in Wave 4.5 (WAVE4P5\_INTERVIEW = 9 and X04M\_REL18PLUS = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	81	0.2 %
2	2 = No	32537	94.8 %
	<b>Total</b>	<b>32,618</b>	<b>95.1%</b>

This variable has 32,618 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1659	4.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>1,691</b>	<b>4.9%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14416-14421 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P12M\_DISSBL: DERIVED - Wave 5 Adult Past 12 Month Dissolvable Tobacco Users

Long Description: Wave 5 adult respondents who have used dissolvable tobacco within the past 12 months.

Algorithm: IF R05R\_A\_EVR\_DISSBL = 1 AND R05\_AD1002\_12M = 1 THEN  
 R05R\_A\_P12M\_DISSBL = 1; ELSE IF R05R\_A\_EVR\_DISSBL = 2 OR  
 R05\_AD1002\_12M = 2 OR R05\_AD1002 = 2 THEN  
 R05R\_A\_P12M\_DISSBL = 2; ELSE IF R05R\_A\_EVR\_DISSBL = -99999 OR  
 R05\_AD1002\_12M = -9 OR R05\_AD1002 = -9 THEN  
 R05R\_A\_P12M\_DISSBL = -99999; ELSE IF R05R\_A\_EVR\_DISSBL = -  
 99988 OR R05\_AD1002\_12M = -8 OR R05\_AD1002 = -8 THEN  
 R05R\_A\_P12M\_DISSBL = -99988; ELSE IF R05R\_A\_EVR\_DISSBL = -  
 99977 OR R05\_AD1002\_12M = -7 OR R05\_AD1002 = -7 THEN  
 R05R\_A\_P12M\_DISSBL = -99977; ELSE IF R05R\_A\_EVR\_DISSBL = -  
 99966 THEN R05R\_A\_P12M\_DISSBL = -99966; ELSE IF  
 R05R\_A\_EVR\_DISSBL = -99911 OR R05\_AD1002\_12M = -1 OR  
 R05\_AD1002 = -1 THEN R05R\_A\_P12M\_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	114	0.3 %
2	2 = No	34161	99.6 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>34,275</b>	<b>99.9%</b>

This variable has 34,275 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>34</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14422-14427 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_EVR\_TOB: DERIVED - Wave 5 Adult Ever Tobacco User

**Long Description:** Wave 5 adults who have ever used or smoked any of the following tobacco products:  
Cigarettes, e-products, traditional cigars, cigarillos, filtered cigars, pipe, hookah, smokeless tobacco, snus pouches, or dissolvable tobacco.

**Algorithm:** IF R05R\_A\_EVR\_CIGS = 1 OR R05R\_A\_EVR\_EPRODS = 1 OR  
R05R\_A\_EVR\_GTRAD = 1 OR R05R\_A\_EVR\_GRILLO = 1 OR R05R\_A\_EVR\_GFILTR = 1  
OR R05R\_A\_EVR\_PIPE = 1 OR R05R\_A\_EVR\_HOOK = 1 OR R05R\_A\_EVR\_SMKLS = 1 OR  
R05R\_A\_EVR\_SNUS = 1 OR R05R\_A\_EVR\_DISSBL = 1 THEN R05R\_A\_EVR\_TOB = 1;  
ELSE IF R05R\_A\_EVR\_CIGS = 2 AND R05R\_A\_EVR\_EPRODS = 2 AND  
R05R\_A\_EVR\_GTRAD = 2 AND R05R\_A\_EVR\_GRILLO = 2 AND R05R\_A\_EVR\_GFILTR = 2  
AND R05R\_A\_EVR\_PIPE = 2 AND R05R\_A\_EVR\_HOOK = 2 AND R05R\_A\_EVR\_SMKLS = 2  
AND R05R\_A\_EVR\_SNUS = 2 AND R05R\_A\_EVR\_DISSBL = 2 THEN R05R\_A\_EVR\_TOB =  
2; ELSE IF R05R\_A\_EVR\_GTRAD = -99999 OR R05R\_A\_EVR\_GRILLO = -99999 OR  
R05R\_A\_EVR\_GFILTR = -99999 OR R05R\_A\_EVR\_CIGS = -99999 OR  
R05R\_A\_EVR\_EPRODS = -99999 OR R05R\_A\_EVR\_PIPE = -99999 OR  
R05R\_A\_EVR\_HOOK = -99999 OR R05R\_A\_EVR\_SMKLS = -99999 OR  
R05R\_A\_EVR\_SNUS = -99999 OR R05R\_A\_EVR\_DISSBL = -99999 THEN  
R05R\_A\_EVR\_TOB = -99999; ELSE IF R05R\_A\_EVR\_GTRAD = -99988 OR  
R05R\_A\_EVR\_GRILLO = -99988 OR R05R\_A\_EVR\_GFILTR = -99988 OR  
R05R\_A\_EVR\_CIGS = -99988 OR R05R\_A\_EVR\_EPRODS = -99988 OR  
R05R\_A\_EVR\_PIPE = -99988 OR R05R\_A\_EVR\_HOOK = -99988 OR  
R05R\_A\_EVR\_SMKLS = -99988 OR R05R\_A\_EVR\_SNUS = -99988 OR  
R05R\_A\_EVR\_DISSBL = -99988 THEN R05R\_A\_EVR\_TOB = -99988; ELSE IF  
R05R\_A\_EVR\_GTRAD = -99977 OR R05R\_A\_EVR\_GRILLO = -99977 OR  
R05R\_A\_EVR\_GFILTR = -99977 OR R05R\_A\_EVR\_CIGS = -99977 OR  
R05R\_A\_EVR\_EPRODS = -99977 OR R05R\_A\_EVR\_PIPE = -99977 OR

R05R\_A\_EVR\_HOOK = -99977 OR R05R\_A\_EVR\_SMKLS = -99977 OR  
 R05R\_A\_EVR\_SNUS = -99977 OR R05R\_A\_EVR\_DISSBL = -99977 THEN  
 R05R\_A\_EVR\_TOB = -99977; ELSE IF R05R\_A\_EVR\_GTRAD = -99966 OR  
 R05R\_A\_EVR\_GRILLO = -99966 OR R05R\_A\_EVR\_GFILTR = -99966 OR  
 R05R\_A\_EVR\_CIGS = -99966 OR R05R\_A\_EVR\_EPRODS = -99966 OR  
 R05R\_A\_EVR\_PIPE = -99966 OR R05R\_A\_EVR\_HOOK = -99966 OR  
 R05R\_A\_EVR\_SMKLS = -99966 OR R05R\_A\_EVR\_SNUS = -99966 OR  
 R05R\_A\_EVR\_DISSBL = -99966 THEN R05R\_A\_EVR\_TOB = -99966; ELSE IF  
 R05R\_A\_EVR\_GTRAD = -99911 OR R05R\_A\_EVR\_GRILLO = -99911 OR  
 R05R\_A\_EVR\_GFILTR = -99911 OR R05R\_A\_EVR\_CIGS = -99911 OR  
 R05R\_A\_EVR\_EPRODS = -99911 OR R05R\_A\_EVR\_PIPE = -99911 OR  
 R05R\_A\_EVR\_HOOK = -99911 OR R05R\_A\_EVR\_SMKLS = -99911 OR  
 R05R\_A\_EVR\_SNUS = -99911 OR R05R\_A\_EVR\_DISSBL = -99911 THEN  
 R05R\_A\_EVR\_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	27583	80.4 %
2	2 = No	6382	18.6 %
<b>Total</b>		<b>33,965</b>	<b>99.0%</b>

This variable has 33,965 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	323	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>344</b>	<b>1.0%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14428-14433 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_CUR\_ESTD\_TOB: DERIVED - Wave 5 Adult Current Established Tobacco User

**Long Description:** Wave 5 adult respondents who have met the product threshold for established tobacco use for cigarettes, e-products, traditional cigars, cigarillos, filtered cigars, pipe, hookah, smokeless tobacco, or snus pouches, and currently use every day or some days.

**Algorithm:** IF R05R\_A\_CUR\_ESTD\_CIGS = 1 OR R05R\_A\_CUR\_ESTD\_GTRAD = 1 OR  
 R05R\_A\_CUR\_ESTD\_GRILLO = 1 OR R05R\_A\_CUR\_ESTD\_GFILTR = 1 OR  
 R05R\_A\_CUR\_ESTD\_PIPE = 1 OR R05R\_A\_CUR\_ESTD\_HOOK = 1 OR  
 R05R\_A\_CUR\_ESTD\_SMKLS = 1 OR R05R\_A\_CUR\_ESTD\_SNUS = 1 OR

R05R\_A\_CUR\_ESTD\_EPRODS = 1 THEN R05R\_A\_CUR\_ESTD\_TOB = 1; ELSE IF  
 R05R\_A\_CUR\_ESTD\_CIGS = 2 AND R05R\_A\_CUR\_ESTD\_GTRAD = 2 AND  
 R05R\_A\_CUR\_ESTD\_GRILLO = 2 AND R05R\_A\_CUR\_ESTD\_GFILTR = 2 AND  
 R05R\_A\_CUR\_ESTD\_PIPE = 2 AND R05R\_A\_CUR\_ESTD\_HOOK = 2 AND  
 R05R\_A\_CUR\_ESTD\_SMKLS = 2 AND R05R\_A\_CUR\_ESTD\_SNUS = 2 AND  
 R05R\_A\_CUR\_ESTD\_EPRODS = 2 THEN R05R\_A\_CUR\_ESTD\_TOB = 2; ELSE IF  
 R05R\_A\_CUR\_ESTD\_GTRAD = -99999 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99999 OR  
 R05R\_A\_CUR\_ESTD\_GFILTR = -99999 OR R05R\_A\_CUR\_ESTD\_CIGS = -99999 OR  
 R05R\_A\_CUR\_ESTD\_EPRODS = -99999 OR R05R\_A\_CUR\_ESTD\_PIPE = -99999 OR  
 R05R\_A\_CUR\_ESTD\_HOOK = -99999 OR R05R\_A\_CUR\_ESTD\_SMKLS = -99999 OR  
 R05R\_A\_CUR\_ESTD\_SNUS = -99999 THEN R05R\_A\_CUR\_ESTD\_TOB = -99999; ELSE  
 IF R05R\_A\_CUR\_ESTD\_GTRAD = -99988 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99988  
 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99988 OR R05R\_A\_CUR\_ESTD\_CIGS = -99988 OR  
 R05R\_A\_CUR\_ESTD\_EPRODS = -99988 OR R05R\_A\_CUR\_ESTD\_PIPE = -99988 OR  
 R05R\_A\_CUR\_ESTD\_HOOK = -99988 OR R05R\_A\_CUR\_ESTD\_SMKLS = -99988 OR  
 R05R\_A\_CUR\_ESTD\_SNUS = -99988 THEN R05R\_A\_CUR\_ESTD\_TOB = -99988; ELSE  
 IF R05R\_A\_CUR\_ESTD\_GTRAD = -99977 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99977  
 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99977 OR R05R\_A\_CUR\_ESTD\_CIGS = -99977  
 OR R05R\_A\_CUR\_ESTD\_EPRODS = -99977 OR R05R\_A\_CUR\_ESTD\_PIPE = -99977  
 OR R05R\_A\_CUR\_ESTD\_HOOK = -99977 OR R05R\_A\_CUR\_ESTD\_SMKLS = -99977 OR  
 R05R\_A\_CUR\_ESTD\_SNUS = -99977 THEN R05R\_A\_CUR\_ESTD\_TOB = -99977; ELSE  
 IF R05R\_A\_CUR\_ESTD\_GTRAD = -99966 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99966  
 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99966 OR R05R\_A\_CUR\_ESTD\_CIGS = -99966 OR  
 R05R\_A\_CUR\_ESTD\_EPRODS = -99966 OR R05R\_A\_CUR\_ESTD\_PIPE = -99966 OR  
 R05R\_A\_CUR\_ESTD\_HOOK = -99966 OR R05R\_A\_CUR\_ESTD\_SMKLS = -99966 OR  
 R05R\_A\_CUR\_ESTD\_SNUS = -99966 THEN R05R\_A\_CUR\_ESTD\_TOB = -99966; ELSE  
 IF R05R\_A\_CUR\_ESTD\_GTRAD = -99911 OR R05R\_A\_CUR\_ESTD\_GRILLO = -99911  
 OR R05R\_A\_CUR\_ESTD\_GFILTR = -99911 OR R05R\_A\_CUR\_ESTD\_CIGS = -99911 OR  
 R05R\_A\_CUR\_ESTD\_EPRODS = -99911 OR R05R\_A\_CUR\_ESTD\_PIPE = -99911 OR  
 R05R\_A\_CUR\_ESTD\_HOOK = -99911 OR R05R\_A\_CUR\_ESTD\_SMKLS = -99911 OR  
 R05R\_A\_CUR\_ESTD\_SNUS = -99911 THEN R05R\_A\_CUR\_ESTD\_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11992	35.0 %
2	2 = No	22229	64.8 %
	<b>Total</b>	<b>34,221</b>	<b>99.7%</b>

This variable has 34,221 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	53	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	30	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>88</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14434-14439 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

---

## R05R\_A\_CUR\_EDSD\_TOB: DERIVED - Wave 5 Adult Current Every Day or Some Day Tobacco User

Long Description: Wave 5 adult respondents who have ever smoked a cigarette, traditional cigar, cigarillo, filtered cigar, pipe or hookah or have used an e-product, smokeless tobacco or snus pouch and currently use every day or some days.

Algorithm: IF R05R\_A\_CUR\_EDSD\_CIGS = 1 OR R05R\_A\_CUR\_EDSD\_EPRODS = 1 OR R05R\_A\_CUR\_EDSD\_GTRAD = 1 OR R05R\_A\_CUR\_EDSD\_GRILLO = 1 OR R05R\_A\_CUR\_EDSD\_GFILTR = 1 OR R05R\_A\_CUR\_EDSD\_PIPE = 1 OR R05R\_A\_CUR\_EDSD\_HOOK = 1 OR R05R\_A\_CUR\_EDSD\_SMKLS = 1 OR R05R\_A\_CUR\_EDSD\_SNUS = 1 THEN R05R\_A\_CUR\_EDSD\_TOB = 1; ELSE IF R05R\_A\_CUR\_EDSD\_CIGS = 2 AND R05R\_A\_CUR\_EDSD\_EPRODS = 2 AND R05R\_A\_CUR\_EDSD\_GTRAD = 2 AND R05R\_A\_CUR\_EDSD\_GRILLO = 2 AND R05R\_A\_CUR\_EDSD\_GFILTR = 2 AND R05R\_A\_CUR\_EDSD\_PIPE = 2 AND R05R\_A\_CUR\_EDSD\_HOOK = 2 AND R05R\_A\_CUR\_EDSD\_SMKLS = 2 AND R05R\_A\_CUR\_EDSD\_SNUS = 2 THEN R05R\_A\_CUR\_EDSD\_TOB = 2; ELSE IF R05R\_A\_CUR\_EDSD\_CIGS = -99999 OR R05R\_A\_CUR\_EDSD\_EPRODS = -99999 OR R05R\_A\_CUR\_EDSD\_GTRAD = -99999 OR R05R\_A\_CUR\_EDSD\_GRILLO = -99999 OR R05R\_A\_CUR\_EDSD\_GFILTR = -99999 OR R05R\_A\_CUR\_EDSD\_PIPE = -99999 OR R05R\_A\_CUR\_EDSD\_HOOK = -99999 OR R05R\_A\_CUR\_EDSD\_SMKLS = -99999 OR R05R\_A\_CUR\_EDSD\_SNUS = -99999 THEN R05R\_A\_CUR\_EDSD\_TOB = -99999; ELSE IF R05R\_A\_CUR\_EDSD\_CIGS = -99988 OR R05R\_A\_CUR\_EDSD\_EPRODS = -99988 OR R05R\_A\_CUR\_EDSD\_GTRAD = -99988 OR R05R\_A\_CUR\_EDSD\_GRILLO = -99988 OR R05R\_A\_CUR\_EDSD\_GFILTR = -99988 OR R05R\_A\_CUR\_EDSD\_PIPE = -99988 OR R05R\_A\_CUR\_EDSD\_HOOK = -99988 OR R05R\_A\_CUR\_EDSD\_SMKLS = -99988 OR R05R\_A\_CUR\_EDSD\_SNUS = -99988 THEN R05R\_A\_CUR\_EDSD\_TOB = -99988; ELSE IF R05R\_A\_CUR\_EDSD\_CIGS = -99977 OR R05R\_A\_CUR\_EDSD\_EPRODS = -99977 OR R05R\_A\_CUR\_EDSD\_GTRAD = -99977 OR R05R\_A\_CUR\_EDSD\_GRILLO = -99977 OR R05R\_A\_CUR\_EDSD\_GFILTR = -99977 OR R05R\_A\_CUR\_EDSD\_PIPE = -99977 OR R05R\_A\_CUR\_EDSD\_HOOK = -99977 OR R05R\_A\_CUR\_EDSD\_SMKLS = -99977 OR R05R\_A\_CUR\_EDSD\_SNUS = -99977 THEN R05R\_A\_CUR\_EDSD\_TOB = -99977; ELSE IF R05R\_A\_CUR\_EDSD\_CIGS = -99966 OR R05R\_A\_CUR\_EDSD\_EPRODS = -99966 OR R05R\_A\_CUR\_EDSD\_GTRAD = -99966 OR R05R\_A\_CUR\_EDSD\_GRILLO = -99966 OR R05R\_A\_CUR\_EDSD\_GFILTR = -99966 OR R05R\_A\_CUR\_EDSD\_PIPE = -99966 OR R05R\_A\_CUR\_EDSD\_HOOK = -99966 OR R05R\_A\_CUR\_EDSD\_SMKLS = -99966 OR R05R\_A\_CUR\_EDSD\_SNUS = -99966 THEN R05R\_A\_CUR\_EDSD\_TOB = -99966; ELSE IF R05R\_A\_CUR\_EDSD\_CIGS = -99911 OR R05R\_A\_CUR\_EDSD\_EPRODS = -99911 OR R05R\_A\_CUR\_EDSD\_GTRAD = -99911 OR R05R\_A\_CUR\_EDSD\_GRILLO = -99911 OR R05R\_A\_CUR\_EDSD\_GFILTR = -99911 OR R05R\_A\_CUR\_EDSD\_PIPE = -99911 OR R05R\_A\_CUR\_EDSD\_HOOK = -99911 OR R05R\_A\_CUR\_EDSD\_SMKLS = -99911 OR R05R\_A\_CUR\_EDSD\_SNUS = -99911 THEN R05R\_A\_CUR\_EDSD\_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	13785	40.2 %
2	2 = No	20458	59.6 %
	<b>Total</b>	<b>34,243</b>	<b>99.8%</b>

This variable has 34,243 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	35	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	26	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>66</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14440-14445 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_EDY\_TOB: DERIVED - Wave 5 Adult Every Day Tobacco User

Long Description: Wave 5 adult respondents who have ever used a tobacco product, have ever used fairly regularly, and currently use every day.

Algorithm: IF R05R\_A\_EDY\_CIGS = 1 OR R05R\_A\_EDY\_EPRODS = 1 OR  
 R05R\_A\_EDY\_GTRAD = 1 OR R05R\_A\_EDY\_GRILLO = 1 OR R05R\_A\_EDY\_GFILTR = 1  
 OR R05R\_A\_EDY\_PIPE = 1 OR R05R\_A\_EDY\_HOOK = 1 OR R05R\_A\_EDY\_SMKLS = 1 OR  
 R05R\_A\_EDY\_SNUS = 1 THEN R05R\_A\_EDY\_TOB = 1; ELSE IF R05R\_A\_EDY\_CIGS =  
 2 AND R05R\_A\_EDY\_EPRODS = 2 AND R05R\_A\_EDY\_GTRAD = 2 AND  
 R05R\_A\_EDY\_GRILLO = 2 AND R05R\_A\_EDY\_GFILTR = 2 AND R05R\_A\_EDY\_PIPE = 2  
 AND R05R\_A\_EDY\_HOOK = 2 AND R05R\_A\_EDY\_SMKLS = 2 AND R05R\_A\_EDY\_SNUS =  
 2 THEN R05R\_A\_EDY\_TOB = 2; ELSE IF R05R\_A\_EDY\_CIGS = -99999 OR  
 R05R\_A\_EDY\_EPRODS = -99999 OR R05R\_A\_EDY\_GTRAD = -99999 OR  
 R05R\_A\_EDY\_GRILLO = -99999 OR R05R\_A\_EDY\_GFILTR = -99999 OR  
 R05R\_A\_EDY\_PIPE = -99999 OR R05R\_A\_EDY\_HOOK = -99999 OR  
 R05R\_A\_EDY\_SMKLS = -99999 OR R05R\_A\_EDY\_SNUS = -99999 THEN  
 R05R\_A\_EDY\_TOB = -99999; ELSE IF R05R\_A\_EDY\_CIGS = -99988 OR  
 R05R\_A\_EDY\_EPRODS = -99988 OR R05R\_A\_EDY\_GTRAD = -99988 OR  
 R05R\_A\_EDY\_GRILLO = -99988 OR R05R\_A\_EDY\_GFILTR = -99988 OR  
 R05R\_A\_EDY\_PIPE = -99988 OR R05R\_A\_EDY\_HOOK = -99988 OR  
 R05R\_A\_EDY\_SMKLS = -99988 OR R05R\_A\_EDY\_SNUS = -99988 THEN  
 R05R\_A\_EDY\_TOB = -99988; ELSE IF R05R\_A\_EDY\_CIGS = -99977 OR  
 R05R\_A\_EDY\_EPRODS = -99977 OR R05R\_A\_EDY\_GTRAD = -99977 OR  
 R05R\_A\_EDY\_GRILLO = -99977 OR R05R\_A\_EDY\_GFILTR = -99977 OR  
 R05R\_A\_EDY\_PIPE = -99977 OR R05R\_A\_EDY\_HOOK = -99977 OR  
 R05R\_A\_EDY\_SMKLS = -99977 OR R05R\_A\_EDY\_SNUS = -99977 THEN  
 R05R\_A\_EDY\_TOB = -99977; ELSE IF R05R\_A\_EDY\_CIGS = -99966 OR  
 R05R\_A\_EDY\_EPRODS = -99966 OR R05R\_A\_EDY\_GTRAD = -99966 OR  
 R05R\_A\_EDY\_GRILLO = -99966 OR R05R\_A\_EDY\_GFILTR = -99966 OR  
 R05R\_A\_EDY\_PIPE = -99966 OR R05R\_A\_EDY\_HOOK = -99966 OR  
 R05R\_A\_EDY\_SMKLS = -99966 OR R05R\_A\_EDY\_SNUS = -99966 THEN  
 R05R\_A\_EDY\_TOB = -99966; ELSE IF R05R\_A\_EDY\_CIGS = -99911 OR

R05R\_A\_EDY\_EPRODS = -99911 OR R05R\_A\_EDY\_GTRAD = -99911 OR  
 R05R\_A\_EDY\_GRILLO = -99911 OR R05R\_A\_EDY\_GFILTR = -99911 OR  
 R05R\_A\_EDY\_PIPE = -99911 OR R05R\_A\_EDY\_HOOK = -99911 OR  
 R05R\_A\_EDY\_SMKLS = -99911 OR R05R\_A\_EDY\_SNUS = -99911 THEN  
 R05R\_A\_EDY\_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	8726	25.4 %
2	2 = No	25490	74.3 %
	<b>Total</b>	<b>34,216</b>	<b>99.7%</b>

This variable has 34,216 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	6	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	45	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	41	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>93</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

Location: 14446-14451 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_SDY\_TOB: DERIVED - Wave 5 Adult Some Day Tobacco User

Long Description: Wave 5 adult respondents who have met the product threshold for established tobacco use, and currently use or smoke any tobacco product some days.

Algorithm: IF R05R\_A\_SDY\_CIGS = 1 OR R05R\_A\_SDY\_EPRODS = 1 OR  
 R05R\_A\_SDY\_GTRAD = 1 OR R05R\_A\_SDY\_GRILLO = 1 OR R05R\_A\_SDY\_GFILTR = 1  
 OR R05R\_A\_SDY\_PIPE = 1 OR R05R\_A\_SDY\_HOOK = 1 OR R05R\_A\_SDY\_SMKLS = 1  
 OR R05R\_A\_SDY\_SNUS = 1 THEN R05R\_A\_SDY\_TOB = 1; ELSE IF  
 R05R\_A\_SDY\_CIGS = 2 AND R05R\_A\_SDY\_EPRODS = 2 AND R05R\_A\_SDY\_GTRAD = 2  
 AND R05R\_A\_SDY\_GRILLO = 2 AND R05R\_A\_SDY\_GFILTR = 2 AND  
 R05R\_A\_SDY\_PIPE = 2 AND R05R\_A\_SDY\_HOOK = 2 AND R05R\_A\_SDY\_SMKLS = 2  
 AND R05R\_A\_SDY\_SNUS = 2 THEN R05R\_A\_SDY\_TOB = 2; ELSE IF  
 R05R\_A\_SDY\_CIGS = -99999 OR R05R\_A\_SDY\_EPRODS = -99999 OR  
 R05R\_A\_SDY\_GTRAD = -99999 OR R05R\_A\_SDY\_GRILLO = -99999 OR  
 R05R\_A\_SDY\_GFILTR = -99999 OR R05R\_A\_SDY\_PIPE = -99999 OR  
 R05R\_A\_SDY\_HOOK = -99999 OR R05R\_A\_SDY\_SMKLS = -99999 OR  
 R05R\_A\_SDY\_SNUS = -99999 THEN R05R\_A\_SDY\_TOB = -99999; ELSE IF  
 R05R\_A\_SDY\_CIGS = -99988 OR R05R\_A\_SDY\_EPRODS = -99988 OR

R05R\_A\_SDY\_GTRAD = -99988 OR R05R\_A\_SDY\_GRILLO = -99988 OR  
 R05R\_A\_SDY\_GFILTR = -99988 OR R05R\_A\_SDY\_PIPE = -99988 OR  
 R05R\_A\_SDY\_HOOK = -99988 OR R05R\_A\_SDY\_SMKLS = -99988 OR  
 R05R\_A\_SDY\_SNUS = -99988 THEN R05R\_A\_SDY\_TOB = -99988; ELSE IF  
 R05R\_A\_SDY\_CIGS = -99977 OR R05R\_A\_SDY\_EPRODS = -99977 OR  
 R05R\_A\_SDY\_GTRAD = -99977 OR R05R\_A\_SDY\_GRILLO = -99977 OR  
 R05R\_A\_SDY\_GFILTR = -99977 OR R05R\_A\_SDY\_PIPE = -99977 OR  
 R05R\_A\_SDY\_HOOK = -99977 OR R05R\_A\_SDY\_SMKLS = -99977 OR  
 R05R\_A\_SDY\_SNUS = -99977 THEN R05R\_A\_SDY\_TOB = -99977; ELSE IF  
 R05R\_A\_SDY\_CIGS = -99966 OR R05R\_A\_SDY\_EPRODS = -99966 OR  
 R05R\_A\_SDY\_GTRAD = -99966 OR R05R\_A\_SDY\_GRILLO = -99966 OR  
 R05R\_A\_SDY\_GFILTR = -99966 OR R05R\_A\_SDY\_PIPE = -99966 OR  
 R05R\_A\_SDY\_HOOK = -99966 OR R05R\_A\_SDY\_SMKLS = -99966 OR  
 R05R\_A\_SDY\_SNUS = -99966 THEN R05R\_A\_SDY\_TOB = -99966; ELSE IF  
 R05R\_A\_SDY\_CIGS = -99911 OR R05R\_A\_SDY\_EPRODS = -99911 OR  
 R05R\_A\_SDY\_GTRAD = -99911 OR R05R\_A\_SDY\_GRILLO = -99911 OR  
 R05R\_A\_SDY\_GFILTR = -99911 OR R05R\_A\_SDY\_PIPE = -99911 OR  
 R05R\_A\_SDY\_HOOK = -99911 OR R05R\_A\_SDY\_SMKLS = -99911 OR  
 R05R\_A\_SDY\_SNUS = -99911 THEN R05R\_A\_SDY\_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4921	14.3 %
2	2 = No	29271	85.3 %
	<b>Total</b>	<b>34,192</b>	<b>99.7%</b>

This variable has 34,192 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	10	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	59	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	47	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>117</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14452-14457 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99911, -97777

## R05R\_A\_P30D\_TOB: DERIVED - Wave 5 Adult Past 30 Day Tobacco User

**Long Description:** Wave 5 adult respondents who used any of the following tobacco products within the past 30 days: Cigarettes, e-products, traditional cigars, cigarillos, filtered cigars, pipe, hookah, smokeless tobacco, or snus pouches.

Algorithm: IF R05R\_A\_P30D\_CIGS = 1 OR R05R\_A\_P30D\_EPRODS = 1 OR  
 R05R\_A\_P30D\_GTRAD = 1 OR R05R\_A\_P30D\_GRILLO = 1 OR R05R\_A\_P30D\_GFILTR =  
 1 OR R05R\_A\_P30D\_PIPE = 1 OR R05R\_A\_P30D\_HOOK = 1 OR R05R\_A\_P30D\_SMKLS =  
 1 OR R05R\_A\_P30D\_SNUS = 1 THEN R05R\_A\_P30D\_TOB = 1; ELSE IF  
 R05R\_A\_P30D\_CIGS = 2 AND R05R\_A\_P30D\_EPRODS = 2 AND R05R\_A\_P30D\_GTRAD =  
 2 AND R05R\_A\_P30D\_GRILLO = 2 AND R05R\_A\_P30D\_GFILTR = 2 AND  
 R05R\_A\_P30D\_PIPE = 2 AND R05R\_A\_P30D\_HOOK = 2 AND R05R\_A\_P30D\_SMKLS = 2  
 AND R05R\_A\_P30D\_SNUS = 2 THEN R05R\_A\_P30D\_TOB = 2; ELSE IF  
 R05R\_A\_P30D\_GTRAD = -99999 OR R05R\_A\_P30D\_GRILLO = -99999 OR  
 R05R\_A\_P30D\_GFILTR = -99999 OR R05R\_A\_P30D\_CIGS = -99999 OR  
 R05R\_A\_P30D\_EPRODS = -99999 OR R05R\_A\_P30D\_PIPE = -99999 OR  
 R05R\_A\_P30D\_HOOK = -99999 OR R05R\_A\_P30D\_SMKLS = -99999 OR  
 R05R\_A\_P30D\_SNUS = -99999 THEN R05R\_A\_P30D\_TOB = -99999; ELSE IF  
 R05R\_A\_P30D\_GTRAD = -99988 OR R05R\_A\_P30D\_GRILLO = -99988 OR  
 R05R\_A\_P30D\_GFILTR = -99988 OR R05R\_A\_P30D\_CIGS = -99988 OR  
 R05R\_A\_P30D\_EPRODS = -99988 OR R05R\_A\_P30D\_PIPE = -99988 OR  
 R05R\_A\_P30D\_HOOK = -99988 OR R05R\_A\_P30D\_SMKLS = -99988 OR  
 R05R\_A\_P30D\_SNUS = -99988 THEN R05R\_A\_P30D\_TOB = -99988; ELSE IF  
 R05R\_A\_P30D\_GTRAD = -99977 OR R05R\_A\_P30D\_GRILLO = -99977 OR  
 R05R\_A\_P30D\_GFILTR = -99977 OR R05R\_A\_P30D\_CIGS = -99977 OR  
 R05R\_A\_P30D\_EPRODS = -99977 OR R05R\_A\_P30D\_PIPE = -99977 OR  
 R05R\_A\_P30D\_HOOK = -99977 OR R05R\_A\_P30D\_SMKLS = -99977 OR  
 R05R\_A\_P30D\_SNUS = -99977 THEN R05R\_A\_P30D\_TOB = -99977; ELSE IF  
 R05R\_A\_P30D\_GTRAD = -99955 OR R05R\_A\_P30D\_GRILLO = -99955 OR  
 R05R\_A\_P30D\_GFILTR = -99955 OR R05R\_A\_P30D\_CIGS = -99955 OR  
 R05R\_A\_P30D\_EPRODS = -99955 OR R05R\_A\_P30D\_PIPE = -99955 OR  
 R05R\_A\_P30D\_HOOK = -99955 OR R05R\_A\_P30D\_SMKLS = -99955 OR  
 R05R\_A\_P30D\_SNUS = -99955 THEN R05R\_A\_P30D\_TOB = -99955; ELSE IF  
 R05R\_A\_P30D\_GTRAD = -99966 OR R05R\_A\_P30D\_GRILLO = -99966 OR  
 R05R\_A\_P30D\_GFILTR = -99966 OR R05R\_A\_P30D\_CIGS = -99966 OR  
 R05R\_A\_P30D\_EPRODS = -99966 OR R05R\_A\_P30D\_PIPE = -99966 OR  
 R05R\_A\_P30D\_HOOK = -99966 OR R05R\_A\_P30D\_SMKLS = -99966 OR  
 R05R\_A\_P30D\_SNUS = -99966 THEN R05R\_A\_P30D\_TOB = -99966; ELSE IF  
 R05R\_A\_P30D\_GTRAD = -99911 OR R05R\_A\_P30D\_GRILLO = -99911 OR  
 R05R\_A\_P30D\_GFILTR = -99911 OR R05R\_A\_P30D\_CIGS = -99911 OR  
 R05R\_A\_P30D\_EPRODS = -99911 OR R05R\_A\_P30D\_PIPE = -99911 OR  
 R05R\_A\_P30D\_HOOK = -99911 OR R05R\_A\_P30D\_SMKLS = -99911 OR  
 R05R\_A\_P30D\_SNUS = -99911 THEN R05R\_A\_P30D\_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	15460	45.1 %
2	2 = No	18814	54.8 %
	<b>Total</b>	<b>34,274</b>	<b>99.9%</b>

This variable has 34,274 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.0 %

<b>Missing Data</b>			
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>35</b>	<b>0.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14458-14463 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99955 , -99911 , -97777

## R05R\_A\_CUR\_EXPR\_TOB: DERIVED - Wave 5 Adult Current Experimental Tobacco User

Long Description: Wave 5 adult respondents who have not met the product threshold for established tobacco use, and currently use any tobacco product every day or some days.

Algorithm: IF R05R\_A\_CUR\_EXPR\_CIGS = 1 OR R05R\_A\_CUR\_EXPR\_EPRODS = 1 OR  
 R05R\_A\_CUR\_EXPR\_GTRAD = 1 OR R05R\_A\_CUR\_EXPR\_GRILLO = 1 OR  
 R05R\_A\_CUR\_EXPR\_GFILTR = 1 OR R05R\_A\_CUR\_EXPR\_PIPE = 1 OR  
 R05R\_A\_CUR\_EXPR\_HOOK = 1 OR R05R\_A\_CUR\_EXPR\_SMKLS = 1 OR  
 R05R\_A\_CUR\_EXPR\_SNUS = 1 THEN R05R\_A\_CUR\_EXPR\_TOB = 1; ELSE IF  
 R05R\_A\_CUR\_EXPR\_CIGS = 2 AND R05R\_A\_CUR\_EXPR\_EPRODS = 2 AND  
 R05R\_A\_CUR\_EXPR\_GTRAD = 2 AND R05R\_A\_CUR\_EXPR\_GRILLO = 2 AND  
 R05R\_A\_CUR\_EXPR\_GFILTR = 2 AND R05R\_A\_CUR\_EXPR\_PIPE = 2 AND  
 R05R\_A\_CUR\_EXPR\_HOOK = 2 AND R05R\_A\_CUR\_EXPR\_SMKLS = 2 AND  
 R05R\_A\_CUR\_EXPR\_SNUS = 2 THEN R05R\_A\_CUR\_EXPR\_TOB = 2; ELSE IF  
 R05R\_A\_CUR\_EXPR\_GTRAD = -99999 OR R05R\_A\_CUR\_EXPR\_GRILLO = -99999 OR  
 R05R\_A\_CUR\_EXPR\_GFILTR = -99999 OR R05R\_A\_CUR\_EXPR\_CIGS = -99999 OR  
 R05R\_A\_CUR\_EXPR\_EPRODS = -99999 OR R05R\_A\_CUR\_EXPR\_PIPE = -99999 OR  
 R05R\_A\_CUR\_EXPR\_HOOK = -99999 OR R05R\_A\_CUR\_EXPR\_SMKLS = -99999 OR  
 R05R\_A\_CUR\_EXPR\_SNUS = -99999 THEN R05R\_A\_CUR\_EXPR\_TOB = -99999; ELSE IF  
 IF R05R\_A\_CUR\_EXPR\_GTRAD = -99988 OR R05R\_A\_CUR\_EXPR\_GRILLO = -99988  
 OR R05R\_A\_CUR\_EXPR\_GFILTR = -99988 OR R05R\_A\_CUR\_EXPR\_CIGS = -99988 OR  
 R05R\_A\_CUR\_EXPR\_EPRODS = -99988 OR R05R\_A\_CUR\_EXPR\_PIPE = -99988 OR  
 R05R\_A\_CUR\_EXPR\_HOOK = -99988 OR R05R\_A\_CUR\_EXPR\_SMKLS = -99988 OR  
 R05R\_A\_CUR\_EXPR\_SNUS = -99988 THEN R05R\_A\_CUR\_EXPR\_TOB = -99988; ELSE IF  
 R05R\_A\_CUR\_EXPR\_GTRAD = -99977 OR R05R\_A\_CUR\_EXPR\_GRILLO = -99977 OR  
 R05R\_A\_CUR\_EXPR\_GFILTR = -99977 OR R05R\_A\_CUR\_EXPR\_CIGS = -99977 OR  
 R05R\_A\_CUR\_EXPR\_EPRODS = -99977 OR R05R\_A\_CUR\_EXPR\_PIPE = -99977 OR  
 R05R\_A\_CUR\_EXPR\_HOOK = -99977 OR R05R\_A\_CUR\_EXPR\_SMKLS = -99977 OR  
 R05R\_A\_CUR\_EXPR\_SNUS = -99977 THEN R05R\_A\_CUR\_EXPR\_TOB = -99977; ELSE IF  
 R05R\_A\_CUR\_EXPR\_GTRAD = -99966 OR R05R\_A\_CUR\_EXPR\_GRILLO = -99966 OR  
 R05R\_A\_CUR\_EXPR\_GFILTR = -99966 OR R05R\_A\_CUR\_EXPR\_CIGS = -99966 OR  
 R05R\_A\_CUR\_EXPR\_EPRODS = -99966 OR R05R\_A\_CUR\_EXPR\_PIPE = -99966 OR  
 R05R\_A\_CUR\_EXPR\_HOOK = -99966 OR R05R\_A\_CUR\_EXPR\_SMKLS = -99966 OR  
 R05R\_A\_CUR\_EXPR\_SNUS = -99966 THEN R05R\_A\_CUR\_EXPR\_TOB = -99966; ELSE IF  
 R05R\_A\_CUR\_EXPR\_GTRAD = -99911 OR R05R\_A\_CUR\_EXPR\_GRILLO = -99911 OR  
 R05R\_A\_CUR\_EXPR\_GFILTR = -99911 OR R05R\_A\_CUR\_EXPR\_CIGS = -99911 OR  
 R05R\_A\_CUR\_EXPR\_EPRODS = -99911 OR R05R\_A\_CUR\_EXPR\_PIPE = -99911 OR  
 R05R\_A\_CUR\_EXPR\_HOOK = -99911 OR R05R\_A\_CUR\_EXPR\_SMKLS = -99911 OR

R05R\_A\_CUR\_EXPR\_SNUS = -99911 THEN R05R\_A\_CUR\_EXPR\_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3811	11.1 %
2	2 = No	30387	88.6 %
	<b>Total</b>	<b>34,198</b>	<b>99.7%</b>

This variable has 34,198 valid cases out of 34,309 total cases.

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	7	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	55	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	48	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
	<b>Total</b>	<b>111</b>	<b>0.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14464-14469 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_FMR\_ESTD\_TOB: DERIVED - Wave 5 Adult Former Established Tobacco User of Any Tobacco Product

**Long Description:** Wave 5 adult respondents who have met the product threshold for established tobacco use for any product and have not used that product within the past 12 months or currently do not use that product at all. Recanters and blunt-only users are excluded from the derivation if a respondent recanted all product types he/she ever used, and if he/she is a blunt-only user of all cigar types ever used. Respondents may be current established or non-established users of other tobacco products.

**Algorithm:** IF R05R\_A\_FMR\_ESTD\_CIGS = 1 OR R05R\_A\_FMR\_ESTD\_EPRODS = 1  
OR R05R\_A\_FMR\_ESTD\_GTRAD = 1 OR R05R\_A\_FMR\_ESTD\_GRILLO = 1 OR  
R05R\_A\_FMR\_ESTD\_GFILTR = 1 OR R05R\_A\_FMR\_ESTD\_PIPE = 1 OR  
R05R\_A\_FMR\_ESTD\_HOOK = 1 OR R05R\_A\_FMR\_ESTD\_SMKLS = 1 OR  
R05R\_A\_FMR\_ESTD\_SNUS = 1 THEN R05R\_A\_FMR\_ESTD\_TOB = 1; ELSE IF  
R05R\_A\_FMR\_ESTD\_CIGS = 2 AND R05R\_A\_FMR\_ESTD\_EPRODS = 2 AND  
R05R\_A\_FMR\_ESTD\_GTRAD = 2 AND R05R\_A\_FMR\_ESTD\_GRILLO = 2 AND  
R05R\_A\_FMR\_ESTD\_GFILTR = 2 AND R05R\_A\_FMR\_ESTD\_PIPE = 2 AND  
R05R\_A\_FMR\_ESTD\_HOOK = 2 AND R05R\_A\_FMR\_ESTD\_SMKLS = 2 AND  
R05R\_A\_FMR\_ESTD\_SNUS = 2 THEN R05R\_A\_FMR\_ESTD\_TOB = 2; ELSE IF  
R05R\_A\_FMR\_ESTD\_GTRAD = -99999 OR R05R\_A\_FMR\_ESTD\_GRILLO = -99999 OR  
R05R\_A\_FMR\_ESTD\_GFILTR = -99999 OR R05R\_A\_FMR\_ESTD\_CIGS = -99999 OR  
R05R\_A\_FMR\_ESTD\_EPRODS = -99999 OR R05R\_A\_FMR\_ESTD\_PIPE = -99999 OR

```

R05R_A_FMR_ESTD_HOOK = -99999 OR R05R_A_FMR_ESTD_SMKLS = -99999 OR
R05R_A_FMR_ESTD_SNUS = -99999 THEN R05R_A_FMR_ESTD_TOB = -99999; ELSE
IF R05R_A_FMR_ESTD_GTRAD = -99988 OR R05R_A_FMR_ESTD_GRILLO = -99988
OR R05R_A_FMR_ESTD_GFILTR = -99988 OR R05R_A_FMR_ESTD_CIGS = -99988
OR R05R_A_FMR_ESTD_EPRODS = -99988 OR R05R_A_FMR_ESTD_PIPE = -99988
OR R05R_A_FMR_ESTD_HOOK = -99988 OR R05R_A_FMR_ESTD_SMKLS = -99988 OR
R05R_A_FMR_ESTD_SNUS = -99988 THEN R05R_A_FMR_ESTD_TOB = -99988; ELSE
IF R05R_A_FMR_ESTD_GTRAD = -99977 OR R05R_A_FMR_ESTD_GRILLO = -99977
OR R05R_A_FMR_ESTD_GFILTR = -99977 OR R05R_A_FMR_ESTD_CIGS = -99977 OR
R05R_A_FMR_ESTD_EPRODS = -99977 OR R05R_A_FMR_ESTD_PIPE = -99977 OR
R05R_A_FMR_ESTD_HOOK = -99977 OR R05R_A_FMR_ESTD_SMKLS = -99977 OR
R05R_A_FMR_ESTD_SNUS = -99977 THEN R05R_A_FMR_ESTD_TOB = -99977; ELSE
IF R05R_A_FMR_ESTD_GTRAD = -99966 OR R05R_A_FMR_ESTD_GRILLO = -99966
OR R05R_A_FMR_ESTD_GFILTR = -99966 OR R05R_A_FMR_ESTD_CIGS = -99966
OR R05R_A_FMR_ESTD_EPRODS = -99966 OR R05R_A_FMR_ESTD_PIPE = -99966
OR R05R_A_FMR_ESTD_HOOK = -99966 OR R05R_A_FMR_ESTD_SMKLS = -99966 OR
R05R_A_FMR_ESTD_SNUS = -99966 THEN R05R_A_FMR_ESTD_TOB = -99966; ELSE
IF R05R_A_FMR_ESTD_GTRAD = -99911 OR R05R_A_FMR_ESTD_GRILLO = -99911
OR R05R_A_FMR_ESTD_GFILTR = -99911 OR R05R_A_FMR_ESTD_CIGS = -99911 OR
R05R_A_FMR_ESTD_EPRODS = -99911 OR R05R_A_FMR_ESTD_PIPE = -99911 OR
R05R_A_FMR_ESTD_HOOK = -99911 OR R05R_A_FMR_ESTD_SMKLS = -99911 OR
R05R_A_FMR_ESTD_SNUS = -99911 THEN R05R_A_FMR_ESTD_TOB = -99911;

```

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1	1 = Yes	12317	35.9 %
2	2 = No	16112	47.0 %
<b>Total</b>		<b>28,429</b>	<b>82.9%</b>

This variable has 28,429 valid cases out of 34,309 total cases.

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	9	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	154	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	100	0.3 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	912	2.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4704	13.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>5,880</b>	<b>17.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14470-14475 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99966 , -99911 , -97777

## R05R\_A\_P12M\_TOB: DERIVED - Wave 5 Adult Past 12 Month Tobacco User

Long Description: Wave 5 adult respondents who have smoked or used any of the following tobacco products within the past 12 months: Cigarettes, e-products, traditional cigars, cigarillos, filtered cigars, hookah, pipe, smokeless tobacco, snus pouches, or dissolvable tobacco.

```

Algorithm: IF R05R_A_P12M_CIGS =1 OR R05R_A_P12M_EPRODS =1 OR
R05R_A_P12M_GTRAD =1 OR R05R_A_P12M_GRILLO =1 OR R05R_A_P12M_GFILTR =
1 OR R05R_A_P12M_HOOK =1 OR R05R_A_P12M_PIPE =1 OR R05R_A_P12M_SMKLS =
1 OR R05R_A_P12M_SNUS =1 OR R05R_A_P12M_DISSBL =1 THEN R05R_A_P12M_TOB =
1; ELSE IF R05R_A_P12M_CIGS =2 AND R05R_A_P12M_EPRODS =2 AND
R05R_A_P12M_GTRAD =2 AND R05R_A_P12M_GRILLO =2 AND R05R_A_P12M_GFILTR =
2 AND R05R_A_P12M_HOOK =2 AND R05R_A_P12M_PIPE =2 AND R05R_A_P12M_SMKLS =
2 AND R05R_A_P12M_SNUS =2 AND R05R_A_P12M_DISSBL =2 THEN
R05R_A_P12M_TOB =2; ELSE IF R05R_A_P12M_CIGS =-99999 OR
R05R_A_P12M_EPRODS =-99999 OR R05R_A_P12M_GTRAD =-99999 OR
R05R_A_P12M_GRILLO =-99999 OR R05R_A_P12M_GFILTR =-99999 OR
R05R_A_P12M_HOOK =-99999 OR R05R_A_P12M_PIPE =-99999 OR
R05R_A_P12M_SMKLS =-99999 OR R05R_A_P12M_SNUS =-99999 OR
R05R_A_P12M_DISSBL =-99999 THEN R05R_A_P12M_TOB =-99999; ELSE IF
R05R_A_P12M_CIGS =-99988 OR R05R_A_P12M_EPRODS =-99988 OR
R05R_A_P12M_GTRAD =-99988 OR R05R_A_P12M_GRILLO =-99988 OR
R05R_A_P12M_GFILTR =-99988 OR R05R_A_P12M_HOOK =-99988 OR
R05R_A_P12M_PIPE =-99988 OR R05R_A_P12M_SMKLS =-99988 OR
R05R_A_P12M_SNUS =-99988 OR R05R_A_P12M_DISSBL =-99988 THEN
R05R_A_P12M_TOB =-99988; ELSE IF R05R_A_P12M_CIGS =-99977 OR
R05R_A_P12M_EPRODS =-99977 OR R05R_A_P12M_GTRAD =-99977 OR
R05R_A_P12M_GRILLO =-99977 OR R05R_A_P12M_GFILTR =-99977 OR
R05R_A_P12M_HOOK =-99977 OR R05R_A_P12M_PIPE =-99977 OR
R05R_A_P12M_SMKLS =-99977 OR R05R_A_P12M_SNUS =-99977 OR
R05R_A_P12M_DISSBL =-99977 THEN R05R_A_P12M_TOB =-99977; ELSE IF
R05R_A_P12M_CIGS =-99955 OR R05R_A_P12M_EPRODS =-99955 OR
R05R_A_P12M_GTRAD =-99955 OR R05R_A_P12M_GRILLO =-99955 OR
R05R_A_P12M_GFILTR =-99955 OR R05R_A_P12M_HOOK =-99955 OR
R05R_A_P12M_PIPE =-99955 OR R05R_A_P12M_SMKLS =-99955 OR
R05R_A_P12M_SNUS =-99955 OR R05R_A_P12M_DISSBL =-99955 THEN
R05R_A_P12M_TOB =-99955; ELSE IF R05R_A_P12M_CIGS =-99966 OR
R05R_A_P12M_EPRODS =-99966 OR R05R_A_P12M_GTRAD =-99966 OR
R05R_A_P12M_GRILLO =-99966 OR R05R_A_P12M_GFILTR =-99966 OR
R05R_A_P12M_HOOK =-99966 OR R05R_A_P12M_PIPE =-99966 OR
R05R_A_P12M_SMKLS =-99966 OR R05R_A_P12M_SNUS =-99966 OR
R05R_A_P12M_DISSBL =-99966 THEN R05R_A_P12M_TOB =-99966; ELSE IF
R05R_A_P12M_CIGS =-99911 OR R05R_A_P12M_EPRODS =-99911 OR
R05R_A_P12M_GTRAD =-99911 OR R05R_A_P12M_GRILLO =-99911 OR
R05R_A_P12M_GFILTR =-99911 OR R05R_A_P12M_HOOK =-99911 OR
R05R_A_P12M_PIPE =-99911 OR R05R_A_P12M_SMKLS =-99911 OR
R05R_A_P12M_SNUS =-99911 OR R05R_A_P12M_DISSBL =-99911 THEN
R05R_A_P12M_TOB =-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	18408	53.7 %
2	2 = No	15848	46.2 %
	<b>Total</b>	<b>34,256</b>	<b>99.8%</b>

This variable has 34,256 valid cases out of 34,309 total cases.

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	32	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %	
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>53</b>	<b>0.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14476-14481 (*width:* 6; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99966, -99955, -99911, -97777

## R05R\_A\_MINFIRST\_TOB: DERIVED - Wave 5 Adult Number of Minutes From Waking Up to Using First Tobacco Product

**Long Description:** Wave 5 Adult - Recode of length of time from waking up to using first tobacco product into minutes.

```
Algorithm: IF R05_AY0010_UN = 1 AND R05_AY0010_NN >= 0 THEN
R05R_A_MINFIRST_TOB = R05_AY0010_NN; ELSE IF R05_AY0010_UN = 2 AND
R05_AY0010_NN >= 0 THEN R05R_A_MINFIRST_TOB = R05_AY0010_NN * 60; ELSE
IF R05_AY0010_NN = -9 THEN R05R_A_MINFIRST_TOB = -99999; ELSE IF
R05_AY0010_NN = -8 THEN R05R_A_MINFIRST_TOB = -99988; ELSE IF
R05_AY0010_NN = -7 THEN R05R_A_MINFIRST_TOB = -99977; ELSE IF
R05_AY0010_NN = -5 THEN R05R_A_MINFIRST_TOB = -99955; ELSE IF
R05_AY0010_NN = -1 THEN R05R_A_MINFIRST_TOB = -99911;
```

This variable has 2,052 valid cases out of 34,309 total cases.

- Mean: 95.20
- Median: 20.00
- Mode: 60.00
- Minimum: 0.00
- Maximum: 35880.00
- Standard Deviation: 826.02

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.1 %	

<b>Missing Data</b>				
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	32223	93.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
	<b>Total</b>	<b>32,257</b>	<b>94.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14482-14487 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_WRKOUTIME: DERIVED - Wave 5 Adult Number of Minutes Spent Doing Physical Activity or Exercise of at Least Moderate Intensity

Long Description: Wave 5 Adult - Recode of length of time spent doing physical activity or exercise of at least moderate intensity into minutes.

```
Algorithm: IF R05_AX0242_UN = 2 AND R05_AX0242_NN >= 0 THEN
R05R_A_WRKOUTIME = R05_AX0242_NN; ELSE IF R05_AX0242_UN = 1 AND
R05_AX0242_NN >= 0 THEN R05R_A_WRKOUTIME = R05_AX0242_NN * 60; ELSE IF
R05_AX0242_NN = -9 THEN R05R_A_WRKOUTIME = -99999; ELSE IF
R05_AX0242_NN = -8 THEN R05R_A_WRKOUTIME = -99988; ELSE IF
R05_AX0242_NN = -7 THEN R05R_A_WRKOUTIME = -99977; ELSE IF
R05_AX0242_NN = -5 THEN R05R_A_WRKOUTIME = -99955; ELSE IF
R05_AX0242_NN = -1 THEN R05R_A_WRKOUTIME = -99911;
```

This variable has 27,360 valid cases out of 34,309 total cases.

- Mean: 115.53
- Median: 60.00
- Mode: 60.00
- Minimum: 1.00
- Maximum: 1440.00
- Standard Deviation: 133.31

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	87	0.3 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	55	0.2 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	156	0.5 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	6650	19.4 %	

<b>Missing Data</b>			
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>6,949</b>	<b>20.3%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14488-14493 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_WKPREG: DERIVED - Wave 5 Adult Number of Weeks Pregnant

Long Description: Wave 5 Adult - Recode of length of time pregnant into weeks.

```
Algorithm: IF R05_AX0137_UN = 1 AND R05_AX0137_NN >= 0 THEN
R05R_A_WKPREG = R05_AX0137_NN * 4.3482; ELSE IF R05_AX0137_UN = 2 AND
R05_AX0137_NN >= 0 THEN R05R_A_WKPREG = R05_AX0137_NN; ELSE IF
R05_AX0137_NN = -9 THEN R05R_A_WKPREG = -99999; ELSE IF R05_AX0137_NN =
-8 THEN R05R_A_WKPREG = -99988; ELSE IF R05_AX0137_NN = -7 THEN
R05R_A_WKPREG = -99977; ELSE IF R05_AX0137_NN = -5 THEN R05R_A_WKPREG =
-99955; ELSE IF R05_AX0137_NN = -1 THEN R05R_A_WKPREG = -99911;
```

This variable has 439 valid cases out of 34,309 total cases.

- Mean: 21.47626697
- Median: 21.74100000
- Mode: 21.74100000
- Minimum: 1.00000000
- Maximum: 41.00000000
- Standard Deviation: 10.27324656

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33866	98.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,870</b>	<b>98.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14494-14508 (width: 15; decimal: 8)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSDENTAL: DERIVED - Wave 5 Adult Number of Days Since Had Teeth Cleaned

Long Description: Wave 5 Adult - Recode of length of time since had teeth cleaned by a dentist, hygienist, or other health professional into days.

```
Algorithm: IF R05_AX0729_UN = 1 AND R05_AX0729_NN => 0 THEN
R05R_A_DAYSIDENTAL = R05_AX0729_NN; ELSE IF R05_AX0729_UN = 2 AND
R05_AX0729_NN => 0 THEN R05R_A_DAYSIDENTAL = R05_AX0729_NN * 30.4375;
ELSE IF R05_AX0729_UN = 3 AND R05_AX0729_NN => 0 THEN
R05R_A_DAYSIDENTAL = R05_AX0729_NN * 365.25; ELSE IF R05_AX0729_NN =
-9 THEN R05R_A_DAYSIDENTAL = -99999; ELSE IF R05_AX0729_NN = -8 THEN
R05R_A_DAYSIDENTAL = -99988; ELSE IF R05_AX0729_NN = -7 THEN
R05R_A_DAYSIDENTAL = -99977; ELSE IF R05_AX0729_NN = -5 THEN
R05R_A_DAYSIDENTAL = -99955; ELSE IF R05_AX0729_NN = -1 THEN
R05R_A_DAYSIDENTAL = -99911;
```

This variable has 18,446 valid cases out of 34,309 total cases.

- Mean: 179.8487
- Median: 121.7500
- Mode: 182.6250
- Minimum: 1.0000
- Maximum: 8035.5000
- Standard Deviation: 291.3304

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	152	0.4 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	34	0.1 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	39	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	15637	45.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>15,863</b>	<b>46.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14509-14519 (*width:* 11; *decimal:* 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSMED\_LSTATMPTQUIT: DERIVED - Wave 5 Adult Number of Days Used Nicotine Medication During Last Tobacco Product(s) Quit Attempt

Long Description: Wave 5 Adult current and new former tobacco users (excluding e-products) who used nicotine replacement therapy to help them quit - recode of length of time using nicotine medication during last tobacco product quit attempt into days.

```
Algorithm: IF R05_AN0165_UN = 1 AND R05_AN0165_NN >= 0 THEN
R05R_A_DAYSMED_LSTATMPTQUIT = R05_AN0165_NN; ELSE IF R05_AN0165_UN = 2
```

```

AND R05_AN0165_NN >= 0 THEN R05R_A_DAYSMED_LSTATMPTQUIT =
R05_AN0165_NN * 7; ELSE IF R05_AN0165_UN = 3 AND R05_AN0165_NN >= 0
THEN R05R_A_DAYSMED_LSTATMPTQUIT = R05_AN0165_NN * 30.4375; ELSE IF
R05_AN0165_NN = -9 THEN R05R_A_DAYSMED_LSTATMPTQUIT = -99999; ELSE IF
R05_AN0165_NN = -8 THEN R05R_A_DAYSMED_LSTATMPTQUIT = -99988; ELSE IF
R05_AN0165_NN = -7 THEN R05R_A_DAYSMED_LSTATMPTQUIT = -99977; ELSE IF
R05_AN0165_NN = -5 THEN R05R_A_DAYSMED_LSTATMPTQUIT = -99955; ELSE IF
R05_AN0165_NN = -1 THEN R05R_A_DAYSMED_LSTATMPTQUIT = -99911;

```

This variable has 703 valid cases out of 34,309 total cases.

- Mean: 49.8985
- Median: 14.0000
- Mode: 14.0000
- Minimum: 0.0000
- Maximum: 2008.8750
- Standard Deviation: 135.9218

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33596	97.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,606</b>	<b>98.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14520-14530 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSNO\_PATCH: DERIVED - Wave 5 Adult Non-E-product Number of Days Since Last Used Nicotine Patch

Long Description: Wave 5 Adult Non-e-product - Recode of length of time since last used nicotine patch into days.

```

Algorithm: IF R05_AN0375_UN = 1 AND R05_AN0375_NN >= 0 THEN
R05R_A_DAYSNO_PATCH = R05_AN0375_NN; ELSE IF R05_AN0375_UN = 2 AND
R05_AN0375_NN >= 0 THEN R05R_A_DAYSNO_PATCH = R05_AN0375_NN * 30.4375;
ELSE IF R05_AN0375_UN = 3 AND R05_AN0375_NN >= 0 THEN
R05R_A_DAYSNO_PATCH = R05_AN0375_NN * 365.25; ELSE IF R05_AN0375_NN = -9
THEN R05R_A_DAYSNO_PATCH = -99999; ELSE IF R05_AN0375_NN = -8 THEN
R05R_A_DAYSNO_PATCH = -99988; ELSE IF R05_AN0375_NN = -7 THEN
R05R_A_DAYSNO_PATCH = -99977; ELSE IF R05_AN0375_NN = -5 THEN
R05R_A_DAYSNO_PATCH = -99955; ELSE IF R05_AN0375_NN = -1 THEN

```

R05R\_A\_DAYSNO\_PATCH = -99911;

This variable has 406 valid cases out of 34,309 total cases.

- Mean: 168.2077
- Median: 91.3125
- Minimum: 1.0000
- Maximum: 5478.7500
- Standard Deviation: 345.8619

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33897	98.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,903</b>	<b>98.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14531-14541 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

---

## R05R\_A\_DAYSNO\_RX: DERIVED - Wave 5 Adult Non-E-product Number of Days Since Last Used Prescription Drug

Long Description: Wave 5 Adult Non-e-product - Recode of length of time since last used prescription drug into days.

Algorithm: IF R05\_AN0205\_UN = 1 AND R05\_AN0205\_NN >= 0 THEN  
R05R\_A\_DAYSNO\_RX = R05\_AN0205\_NN; ELSE IF R05\_AN0205\_UN = 2 AND  
R05\_AN0205\_NN >= 0 THEN R05R\_A\_DAYSNO\_RX = R05\_AN0205\_NN \* 30.4375; ELSE  
IF R05\_AN0205\_UN = 3 AND R05\_AN0205\_NN >= 0 THEN R05R\_A\_DAYSNO\_RX =  
R05\_AN0205\_NN \* 365.25; ELSE IF R05\_AN0205\_NN = -9 THEN  
R05R\_A\_DAYSNO\_RX = -99999; ELSE IF R05\_AN0205\_NN = -8 THEN  
R05R\_A\_DAYSNO\_RX = -99988; ELSE IF R05\_AN0205\_NN = -7 THEN  
R05R\_A\_DAYSNO\_RX = -99977; ELSE IF R05\_AN0205\_NN = -5 THEN  
R05R\_A\_DAYSNO\_RX = -99955; ELSE IF R05\_AN0205\_NN = -1 THEN  
R05R\_A\_DAYSNO\_RX = -99911;

This variable has 318 valid cases out of 34,309 total cases.

- Mean: 272.2960
- Median: 121.7500
- Mode: 182.6250

- Minimum: 0.0000
- Maximum: 7305.0000
- Standard Deviation: 652.4133

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33984	99.1 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,991</b>	<b>99.1%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14542-14552 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSPMED\_LSTATMPTQT: DERIVED - Wave 5 Adult Non-E-product Number of Days Used Prescription Medication During Last Tobacco Product(s) Quit Attempt

Long Description: Wave 5 Adult Non-e-product - Recode of length of time used prescription medication during last tobacco product(s) quit attempt trying to quit into days.

```
Algorithm: IF R05_AN0195_UN = 1 AND R05_AN0195_NN>=0 THEN
R05R_A_DAYSPMED_LSTATMPTQT = R05_AN0195_NN; ELSE IF R05_AN0195_UN = 2
AND R05_AN0195_NN>=0 THEN R05R_A_DAYSPMED_LSTATMPTQT =
R05_AN0195_NN * 7; ELSE IF R05_AN0195_UN = 3 AND R05_AN0195_NN>=0 THEN
R05R_A_DAYSPMED_LSTATMPTQT = R05_AN0195_NN * 30.4375; ELSE IF
R05_AN0195_NN= -9 THEN R05R_A_DAYSPMED_LSTATMPTQT= -99999; ELSE IF
R05_AN0195_NN= -8 THEN R05R_A_DAYSPMED_LSTATMPTQT= -99988; ELSE IF
R05_AN0195_NN= -7 THEN R05R_A_DAYSPMED_LSTATMPTQT= -99977; ELSE IF
R05_AN0195_NN= -5 THEN R05R_A_DAYSPMED_LSTATMPTQT= -99955; ELSE IF
R05_AN0195_NN= -1 THEN R05R_A_DAYSPMED_LSTATMPTQT= -99911;
```

This variable has 371 valid cases out of 34,309 total cases.

- Mean: 118.9933
- Median: 42.0000
- Mode: 91.3125
- Minimum: 0.0000
- Maximum: 3043.7500
- Standard Deviation: 289.3328

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33935	98.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,938</b>	<b>98.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14553-14563 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSUSED\_NRT: DERIVED - Wave 5 Adult Non-E-product Number of Days Using Nicotine Patch, Gum, Inhaler, Nasal Spray, or Lozenge

Long Description: Wave 5 Adult current and new former tobacco users (excluding e-products) who attempted to quit in the past 12 months - Recode of amount of time using nicotine patch, gum, inhaler, nasal spray, or lozenge into days.

Algorithm: IF R05\_AN0251\_UN = 1 AND R05\_AN0251\_NN >= 0 THEN  
 R05R\_A\_DAYSUSED\_NRT = R05\_AN0251\_NN; ELSE IF R05\_AN0251\_UN = 2 AND  
 R05\_AN0251\_NN >= 0 THEN R05R\_A\_DAYSUSED\_NRT = R05\_AN0251\_NN \* 30.4375;  
 ELSE IF R05\_AN0251\_UN = 3 AND R05\_AN0251\_NN >= 0 THEN  
 R05R\_A\_DAYSUSED\_NRT = R05\_AN0251\_NN \* 365.25; ELSE IF R05\_AN0251\_NN =  
 -9 THEN R05R\_A\_DAYSUSED\_NRT = -99999; ELSE IF R05\_AN0251\_NN = -8 THEN  
 R05R\_A\_DAYSUSED\_NRT = -99988; ELSE IF R05\_AN0251\_NN = -7 THEN  
 R05R\_A\_DAYSUSED\_NRT = -99977; ELSE IF R05\_AN0251\_NN = -5 THEN  
 R05R\_A\_DAYSUSED\_NRT = -99955; ELSE IF R05\_AN0251\_NN = -1 THEN  
 R05R\_A\_DAYSUSED\_NRT = -99911;

This variable has 119 valid cases out of 34,309 total cases.

- Mean: 344.3235
- Median: 60.8750
- Mode: 91.3125
- Minimum: 1.0000
- Maximum: 6574.5000
- Standard Deviation: 963.3205

<b>Missing Data</b>				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	

Missing Data				
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34188	99.6 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,190</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14564-14574 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSUSED\_RX: DERIVED - Wave 5 Adult Non-E-product Number of Days Using Chantix, Varenicline, Wellbutrin, Zyban, or Bupropion

Long Description: Wave 5 Adult non-e-product - Recode of amount of time using Chantix, Varenicline, Wellbutrin, Zyban or Bupropion into days

```
Algorithm: IF R05_AN0252_UN = 1 AND R05_AN0252_NN > 0 THEN
R05R_A_DAYSUSED_RX = R05_AN0252_NN; ELSE IF R05_AN0252_UN = 2 AND
R05_AN0252_NN > 0 THEN R05R_A_DAYSUSED_RX = R05_AN0252_NN * 30.4375;
ELSE IF R05_AN0252_UN = 3 AND R05_AN0252_NN > 0 THEN
R05R_A_DAYSUSED_RX = R05_AN0252_NN * 365.25; ELSE IF
R05_AN0252_NN = -9 THEN R05R_A_DAYSUSED_RX = -99999; ELSE IF
R05_AN0252_NN = -8 THEN R05R_A_DAYSUSED_RX = -99988; ELSE IF
R05_AN0252_NN = -7 THEN R05R_A_DAYSUSED_RX = -99977; ELSE IF
R05_AN0252_NN IN (-5,0) THEN R05R_A_DAYSUSED_RX = -99955; ELSE IF
R05_AN0252_NN = -1 THEN R05R_A_DAYSUSED_RX = -99911;
```

This variable has 111 valid cases out of 34,309 total cases.

- Mean: 447.5113
- Median: 121.7500
- Mode: 60.8750
- Minimum: 1.0000
- Maximum: 4383.0000
- Standard Deviation: 767.6724

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %	

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34196	99.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,198</b>	<b>99.7%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14575-14585 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_MINTLASTNOUSE\_P12M: DERIVED - Wave 5 Adult Non-E-product Number of Minutes Stopped Using Non-electronic Tobacco Products the Last Time in the Past 12 Months Because of Trying to Quit

**Long Description:** Wave 5 Adult current tobacco users (excluding e-products) who have tried to quit completely in the past 12 months - Recode of length of time stopped using non-electronic tobacco products the last time in the past 12 months because of trying to quit into minutes.

```
Algorithm: IF R05_AN0130_UN = 1 AND R05_AN0130_NN >= 0 THEN
R05R_A_MINTLASTNOUSE_P12M = R05_AN0130_NN; ELSE IF R05_AN0130_UN = 2
AND R05_AN0130_NN >= 0 THEN R05R_A_MINTLASTNOUSE_P12M =
R05_AN0130_NN * 60; ELSE IF R05_AN0130_UN = 3 AND R05_AN0130_NN >= 0
THEN R05R_A_MINTLASTNOUSE_P12M = R05_AN0130_NN * 60 * 24; ELSE IF
R05_AN0130_UN = 4 AND R05_AN0130_NN >= 0 THEN
R05R_A_MINTLASTNOUSE_P12M = R05_AN0130_NN * 60 * 24 * 7; ELSE IF
R05_AN0130_UN = 5 AND R05_AN0130_NN >= 0 THEN
R05R_A_MINTLASTNOUSE_P12M = R05_AN0130_NN * 60 * 24 * 30.4375; ELSE IF
R05_AN0130_NN = -9 THEN R05R_A_MINTLASTNOUSE_P12M = -99999; ELSE IF
R05_AN0130_NN = -8 THEN R05R_A_MINTLASTNOUSE_P12M = -99988; ELSE IF
R05_AN0130_NN = -7 THEN R05R_A_MINTLASTNOUSE_P12M = -99977; ELSE IF
R05_AN0130_NN = -5 THEN R05R_A_MINTLASTNOUSE_P12M = -99955; ELSE IF
R05_AN0130_NN = -1 THEN R05R_A_MINTLASTNOUSE_P12M = -99911;
```

This variable has 3,096 valid cases out of 34,309 total cases.

- Mean: 60154.54
- Median: 10080.00
- Mode: 2880.00
- Minimum: 1.00
- Maximum: 525960.00
- Standard Deviation: 108755.98

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	46	0.1 %	

Missing Data				
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	31135	90.7 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>31,213</b>	<b>91.0%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14586-14591 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_MINTMAXNOUSE\_P12M: DERIVED - Wave 5 Adult Non-E-product Largest Number of Minutes Stopped Using Non-electronic Tobacco Products in the Past 12 Months Because of Trying to Quit

**Long Description:** Wave 5 Adult current and new former tobacco users (excluding e-products) whose last quit attempt was not their longest in the past 12 months or new former tobacco users (excluding e-products) who did not provide a valid response for R05\_A\*1009 - Recode of longest length of time stopped using non-electronic tobacco products in the past 12 months because of trying to quit into minutes.

```
Algorithm: IF R05_AN0145_UN = 1 AND R05_AN0145_NN >= 0 THEN
R05R_A_MINTMAXNOUSE_P12M = R05_AN0145_NN; ELSE IF R05_AN0145_UN = 2 AND
R05_AN0145_NN >= 0 THEN R05R_A_MINTMAXNOUSE_P12M = R05_AN0145_NN * 60;
ELSE IF R05_AN0145_UN = 3 AND R05_AN0145_NN >= 0 THEN
R05R_A_MINTMAXNOUSE_P12M = R05_AN0145_NN * 60 * 24; ELSE IF
R05_AN0145_UN = 4 AND R05_AN0145_NN >= 0 THEN R05R_A_MINTMAXNOUSE_P12M =
R05_AN0145_NN x 60 * 24 * 7; ELSE IF R05_AN0145_UN = 5 AND
R05_AN0145_NN >= 0 THEN R05R_A_MINTMAXNOUSE_P12M =
R05_AN0145_NN x 60 * 24 * 30.4375; ELSE IF R05_AN0145_NN = -9 THEN
R05R_A_MINTMAXNOUSE_P12M = -99999; ELSE IF R05_AN0145_NN = -8 THEN
R05R_A_MINTMAXNOUSE_P12M = -99988; ELSE IF R05_AN0145_NN = -7 THEN
R05R_A_MINTMAXNOUSE_P12M = -99977; ELSE IF R05_AN0145_NN = -5 THEN
R05R_A_MINTMAXNOUSE_P12M = -99955; ELSE IF R05_AN0145_NN = -1 THEN
R05R_A_MINTMAXNOUSE_P12M = -99911;
```

This variable has 747 valid cases out of 34,309 total cases.

- Mean: 187159.52
- Median: 131490.00
- Mode: 525960.00
- Minimum: 1.00
- Maximum: 525960.00
- Standard Deviation: 186461.00

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	38	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.1 %	

<b>Missing Data</b>			
-99955	-99955 = Missing due to an improbable response on one or more component variables	98	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33400	97.4 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>33,562</b>	<b>97.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14592-14597 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSMED\_LSTATMPTQUIT\_E: DERIVED - Wave 5 Adult Number of Days Used Nicotine Medication During Last E-Product(s) Quit Attempt

Long Description: Wave 5 Adult current or new former e-product users who used nicotine replacement therapy to help them quit - recode of length of time using nicotine medication during last e-product quit attempt into days.

```
Algorithm: IF R05_AN0165E_UN = 1 AND R05_AN0165E_NN >= 0 THEN
R05R_A_DAYSMED_LSTATMPTQUIT_E = R05_AN0165E_NN; ELSE IF R05_AN0165E_UN =
2 AND R05_AN0165E_NN >= 0 THEN R05R_A_DAYSMED_LSTATMPTQUIT_E =
R05_AN0165E_NN x 7; ELSE IF R05_AN0165E_UN = 3 AND
R05_AN0165E_NN >= 0 THEN R05R_A_DAYSMED_LSTATMPTQUIT_E =
R05_AN0165E_NN x 30.4375; ELSE IF R05_AN0165E_NN = -9 THEN
R05R_A_DAYSMED_LSTATMPTQUIT_E = -99999; ELSE IF R05_AN0165E_NN = -8
THEN R05R_A_DAYSMED_LSTATMPTQUIT_E = -99988; ELSE IF
R05_AN0165E_NN = -7 THEN R05R_A_DAYSMED_LSTATMPTQUIT_E = -99977;
ELSE IF R05_AN0165E_NN = -5 THEN R05R_A_DAYSMED_LSTATMPTQUIT_E =
-99955; ELSE IF R05_AN0165E_NN = -1 THEN
R05R_A_DAYSMED_LSTATMPTQUIT_E = -99911;
```

This variable has 100 valid cases out of 34,309 total cases.

- Mean: 68.7981
- Median: 14.0000
- Minimum: 0.0000
- Maximum: 1095.7500
- Standard Deviation: 148.9819

<b>Missing Data</b>			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %

Missing Data			
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34208	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,209</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14598-14608 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

## R05R\_A\_DAYSNO\_PATCH\_E: DERIVED - Wave 5 Adult E-product Number of Days Since Last Used Nicotine Patch

Long Description: Wave 5 Adult e-product - Recode of length of time since last used nicotine patch into days.

```
Algorithm: IF R05_AN0375E_UN = 1 AND R05_AN0375E_NN >= 0 THEN
R05R_A_DAYSNO_PATCH_E = R05_AN0375E_NN; ELSE IF R05_AN0375E_UN = 2
AND R05_AN0375E_NN >= 0 THEN R05R_A_DAYSNO_PATCH_E =
R05_AN0375E_NN * 30.4375; ELSE IF R05_AN0375E_UN = 3 AND
R05_AN0375E_NN >= 0 THEN R05R_A_DAYSNO_PATCH_E =
R05_AN0375E_NN * 365.25; ELSE IF R05_AN0375E_NN = -9 THEN
R05R_A_DAYSNO_PATCH_E = -99999; ELSE IF R05_AN0375E_NN = -8 THEN
R05R_A_DAYSNO_PATCH_E = -99988; ELSE IF R05_AN0375E_NN = -7 THEN
R05R_A_DAYSNO_PATCH_E = -99977; ELSE IF R05_AN0375E_NN = -5 THEN
R05R_A_DAYSNO_PATCH_E = -99955; ELSE IF R05_AN0375E_NN = -1 THEN
R05R_A_DAYSNO_PATCH_E = -99911;
```

This variable has 93 valid cases out of 34,309 total cases.

- Mean: 179.7923
- Median: 121.7500
- Mode: 182.6250
- Minimum: 0.0000
- Maximum: 3652.5000
- Standard Deviation: 386.6718

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34214	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,216</b>	<b>99.7%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14609-14619 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSNO\_RX\_E: DERIVED - Wave 5 Adult E-product Number of Days Since Last Used Prescription Drug

Long Description: Wave 5 Adult E-product - Recode of length of time since last used prescription drug into days.

```
Algorithm: IF R05_AN0205E_UN = 1 AND R05_AN0205E_NN >= 0 THEN
R05R_A_DAYSNO_RX_E = R05_AN0205E_NN; ELSE IF R05_AN0205E_UN = 2 AND
R05_AN0205E_NN >= 0 THEN R05R_A_DAYSNO_RX_E = R05_AN0205E_NN * 30.4375;
ELSE IF R05_AN0205E_UN = 3 AND R05_AN0205E_NN >= 0 THEN
R05R_A_DAYSNO_RX_E = R05_AN0205E_NN * 365.25; ELSE IF R05_AN0205E_NN =
-9 THEN R05R_A_DAYSNO_RX_E = -99999; ELSE IF R05_AN0205E_NN = -8 THEN
R05R_A_DAYSNO_RX_E = -99988; ELSE IF R05_AN0205E_NN = -7 THEN
R05R_A_DAYSNO_RX_E = -99977; ELSE IF R05_AN0205E_NN = -5 THEN
R05R_A_DAYSNO_RX_E = -99955; ELSE IF R05_AN0205E_NN = -1 THEN
R05R_A_DAYSNO_RX_E = -99911;
```

This variable has 76 valid cases out of 34,309 total cases.

- Mean: 207.4326
- Median: 152.1875
- Mode: 182.6250
- Minimum: 4.0000
- Maximum: 1826.2500
- Standard Deviation: 265.9470

Missing Data			
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34232	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %
<b>Total</b>		<b>34,233</b>	<b>99.8%</b>

Percentages for both tables are based on 34,309 total cases.

*Location:* 14620-14630 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSPMED\_LSTATMPTQT\_E: DERIVED - Wave 5 Adult E-cigarette Number of Days Used Prescription Medication During Last E-cigarette Quit Attempt

Long Description: Wave 5 Adult E-cigarette - Recode of length of time using prescription medication during last e-cigarette quit attempt into days.

Algorithm: IF R05\_AN0195E\_UN = 1 AND R05\_AN0195E\_NN >= 0 THEN  
R05R\_A\_DAYSPMED\_LSTATMPTQT\_E = R05\_AN0195E\_NN; ELSE IF R05\_AN0195E\_UN =  
2 AND R05\_AN0195E\_NN >= 0 THEN R05R\_A\_DAYSPMED\_LSTATMPTQT\_E =  
R05\_AN0195E\_NN \* 7; ELSE IF R05\_AN0195E\_UN = 3 AND R05\_AN0195E\_NN >= 0  
THEN R05R\_A\_DAYSPMED\_LSTATMPTQT\_E = R05\_AN0195E\_NN \* 30.4375; ELSE IF  
R05\_AN0195E\_NN = -9 THEN R05R\_A\_DAYSPMED\_LSTATMPTQT\_E = -99999; ELSE IF  
R05\_AN0195E\_NN = -8 THEN R05R\_A\_DAYSPMED\_LSTATMPTQT\_E = -99988; ELSE IF  
R05\_AN0195E\_NN = -7 THEN R05R\_A\_DAYSPMED\_LSTATMPTQT\_E = -99977; ELSE IF  
R05\_AN0195E\_NN = -5 THEN R05R\_A\_DAYSPMED\_LSTATMPTQT\_E = -99955; ELSE IF  
R05\_AN0195E\_NN = -1 THEN R05R\_A\_DAYSPMED\_LSTATMPTQT\_E = -99911;

This variable has 55 valid cases out of 34,309 total cases.

- Mean: 172.9739
- Median: 56.0000
- Mode: 182.6250
- Minimum: 0.0000
- Maximum: 1826.2500
- Standard Deviation: 317.8715

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34252	99.8 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,254</b>	<b>99.8%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14631-14641 (*width:* 11; *decimal:* 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSUSED\_NRT\_E: DERIVED - Wave 5 Adult E-product Number of Days Using Nicotine Patch, Gum, Inhaler, Nasal Spray, or Lozenge

Long Description: Wave 5 Adult current and new former e-product users who attempted to quit in the past 12 months - Recode of amount of time using nicotine patch, gum, inhaler, nasal spray, or lozenge into days.

```

Algorithm: IF R05_AN0251E_UN = 1 AND R05_AN0251E_NN > 0 THEN
R05R_A_DAYSUSED_NRT_E = R05_AN0251E_NN; ELSE IF R05_AN0251E_UN = 2 AND
R05_AN0251E_NN > 0 THEN R05R_A_DAYSUSED_NRT_E =
R05_AN0251E_NN * 30.4375; ELSE IF R05_AN0251E_UN = 3 AND
R05_AN0251E_NN > 0 THEN R05R_A_DAYSUSED_NRT_E =
R05_AN0251E_NN * 365.25; ELSE IF R05_AN0251E_NN = -9 THEN
R05R_A_DAYSUSED_NRT_E = -99999; ELSE IF R05_AN0251E_NN = -8 THEN
R05R_A_DAYSUSED_NRT_E = -99988; ELSE IF R05_AN0251E_NN = -7 THEN
R05R_A_DAYSUSED_NRT_E = -99977; ELSE IF R05_AN0251E_NN = -5 THEN
R05R_A_DAYSUSED_NRT_E = -99955; ELSE IF R05_AN0251E_NN = -1 THEN
R05R_A_DAYSUSED_NRT_E = -99911;

```

This variable has 50 valid cases out of 34,309 total cases.

- Mean: 191.5288
- Median: 60.8750
- Mode: 60.8750
- Minimum: 2.0000
- Maximum: 1826.2500
- Standard Deviation: 388.3492

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34258	99.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,259</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14642-14652 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_DAYSUSED\_RX\_E: DERIVED - Wave 5 Adult E-product Number of Days Using Chantix, Varenicline, Wellbutrin, Zyban or Bupropion

*Long Description:* Wave 5 Adult e-product - Recode of amount of time using Chantix, Varenicline, Wellbutrin, Zyban or Bupropion into days.

```

Algorithm: IF R05_AN0252E_UN = 1 AND R05_AN0252E_NN > 0 THEN
R05R_A_DAYSUSED_RX_E = R05_AN0252E_NN; ELSE IF R05_AN0252E_UN = 2
AND R05_AN0252E_NN > 0 THEN R05R_A_DAYSUSED_RX_E =
R05_AN0252E_NN * 30.4375; ELSE IF R05_AN0252E_UN = 3 AND
R05_AN0252E_NN > 0 THEN R05R_A_DAYSUSED_RX_E =

```

```

R05_AN0252E_NN * 365.25; ELSE IF R05_AN0252E_NN = -9 THEN
R05R_A_DAYSUSED_RX_E = -99999; ELSE IF R05_AN0252E_NN = -8 THEN
R05R_A_DAYSUSED_RX_E = -99988; ELSE IF R05_AN0252E_NN = -7 THEN
R05R_A_DAYSUSED_RX_E = -99977; ELSE IF R05_AN0252E_NN IN (0,-5) THEN
R05R_A_DAYSUSED_RX_E = -99955; ELSE IF R05_AN0252E_NN = -1 THEN
R05R_A_DAYSUSED_RX_E = -99911;

```

This variable has 33 valid cases out of 34,309 total cases.

- Mean: 693.8693
- Median: 182.6250
- Mode: 1826.2500
- Minimum: 2.0000
- Maximum: 2191.5000
- Standard Deviation: 785.8618

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	34275	99.9 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,276</b>	<b>99.9%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14653-14663 (width: 11; decimal: 4)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999 , -99988 , -99977 , -99955 , -99911 , -97777

---

## R05R\_A\_MINTLASTNOUSE\_P12M\_E: DERIVED - Wave 5 Adult E-product Number of Minutes Stopped Using E-products the Last Time in the Past 12 Months Because of Trying to Quit

---

**Long Description:** Wave 5 Adult current e-product users who have tried to quit completely in the past 12 months - Recode of length of time stopped using electronic nicotine products the last time in the past 12 months because of trying to quit into minutes.

```

Algorithm: IF R05_AN0130E_UN = 1 AND R05_AN0130E_NN >= 0 THEN
R05R_A_MINTLASTNOUSE_P12M_E = R05_AN0130E_NN; ELSE IF R05_AN0130E_UN =
2 AND R05_AN0130E_NN >= 0 THEN R05R_A_MINTLASTNOUSE_P12M_E =
R05_AN0130E_NN * 60; ELSE IF R05_AN0130E_UN = 3 AND R05_AN0130E_NN >=
0 THEN R05R_A_MINTLASTNOUSE_P12M_E = R05_AN0130E_NN * 60 * 24; ELSE IF
R05_AN0130E_UN = 4 AND R05_AN0130E_NN >= 0 THEN
R05R_A_MINTLASTNOUSE_P12M_E = R05_AN0130E_NN * 60 * 24 * 7; ELSE IF
R05_AN0130E_UN = 5 AND R05_AN0130E_NN >= 0 THEN
R05R_A_MINTLASTNOUSE_P12M_E = R05_AN0130E_NN * 60 * 24 * 30.4375;
ELSE IF R05_AN0130E_NN = -9 THEN R05R_A_MINTLASTNOUSE_P12M_E = -99999;

```

```

ELSE IF R05_AN0130E_NN = -8 THEN R05R_A_MINTLASTNOUSE_P12M_E = -99988;
ELSE IF R05_AN0130E_NN = -7 THEN R05R_A_MINTLASTNOUSE_P12M_E = -99977;
ELSE IF R05_AN0130E_NN = -5 THEN R05R_A_MINTLASTNOUSE_P12M_E = -99955;
ELSE IF R05_AN0130E_NN = -1 THEN R05R_A_MINTLASTNOUSE_P12M_E = -99911;

```

This variable has 508 valid cases out of 34,309 total cases.

- Mean: 92190.59
- Median: 30240.00
- Mode: 87660.00
- Minimum: 1.00
- Maximum: 525960.00
- Standard Deviation: 128817.23

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.0 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	5	0.0 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33783	98.5 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>33,801</b>	<b>98.5%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14664-14669 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

## R05R\_A\_MINTMAXNOUSE\_P12M\_E: DERIVED - Wave 5 Adult E-product Largest Number of Minutes Stopped Using E-products in the Past 12 Months Because of Trying to Quit

**Long Description:** Wave 5 Adult current and new former e-product users whose last quit attempt was not their longest in the past 12 months or new former tobacco users who did not provide a valid response for R05\_AV1009\_NN E-product - Recode of longest length of time stopped using electronic nicotine products in the past 12 months because of trying to quit into minutes.

```

Algorithm: IF R05_AN0145E_UN = 1 AND R05_AN0145E_NN >= 0 THEN
R05R_A_MINTMAXNOUSE_P12M_E = R05_AN0145E_NN; ELSE IF R05_AN0145E_UN =
2 AND R05_AN0145E_NN >= 0 THEN R05R_A_MINTMAXNOUSE_P12M_E =
R05_AN0145E_NN * 60; ELSE IF R05_AN0145E_UN = 3 AND R05_AN0145E_NN >= 0
THEN R05R_A_MINTMAXNOUSE_P12M_E = R05_AN0145E_NN * 60 * 24; ELSE IF
R05_AN0145E_UN = 4 AND R05_AN0145E_NN >= 0 THEN
R05R_A_MINTMAXNOUSE_P12M_E = R05_AN0145E_NN * 60 * 24 * 7; ELSE IF
R05_AN0145E_UN = 5 AND R05_AN0145E_NN >= 0 THEN
R05R_A_MINTMAXNOUSE_P12M_E = R05_AN0145E_NN * 60 * 24 * 30.4375; ELSE
IF R05_AN0145E_NN = -9 THEN R05R_A_MINTMAXNOUSE_P12M_E = -99999; ELSE
IF R05_AN0145E_NN = -8 THEN R05R_A_MINTMAXNOUSE_P12M_E = -99988; ELSE

```

```

IF R05_AN0145E_NN = -7 THEN R05R_A_MINTMAXNOUSE_P12M_E = -99977; ELSE
IF R05_AN0145E_NN = -5 THEN R05R_A_MINTMAXNOUSE_P12M_E = -99955; ELSE
IF R05_AN0145E_NN = -1 THEN R05R_A_MINTMAXNOUSE_P12M_E = -99911;

```

This variable has 278 valid cases out of 34,309 total cases.

- Mean: 228898.03
- Median: 219150.00
- Mode: 525960.00
- Minimum: 1.00
- Maximum: 525960.00
- Standard Deviation: 193498.12

Missing Data				
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %	
-99988	-99988 = Missing due to a don't know response on one or more component variables	21	0.1 %	
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.0 %	
-99955	-99955 = Missing due to an improbable response on one or more component variables	33	0.1 %	
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	33963	99.0 %	
-97777	-97777 = Missing due to data removed per respondent request	1	0.0 %	
<b>Total</b>		<b>34,031</b>	<b>99.2%</b>	

Percentages for both tables are based on 34,309 total cases.

*Location:* 14670-14675 (width: 6; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -99999, -99988, -99977, -99955, -99911, -97777

# **APPENDIX**

**Top Response Options for  
Tobacco Brand / Product Variables**

**Total tables = 26**

Table Name	Variable Name	Top Ranked Response
R05_AC1048MC_BRAND	R05_AC1048MC_BRAND: Brand of cigarettes usually/last smoked	1125 = Marlboro
R05_AC1070MC_PRODUCT	R05_AC1070MC_PRODUCT: Sub-brand of cigarette product usually/last smoked	11218 = Newport Full Flavor menthol kings
R05_AC1048RY_BRAND	R05_AC1048RY_BRAND: Brand of roll-your-own cigarette tobacco usually/last smoked	1081 = Gambler
R05_AC1070RY_PRODUCT	R05_AC1070RY_PRODUCT: Sub-brand of roll-your-own cigarette tobacco product usually/last smoked	10625 = Gambler Full Flavor
R05_AV9002_BRAND	R05_AV9002_BRAND: Brand of electronic nicotine product owned	1269 = Juul
R05_AV1048_BRAND	R05_AV1048_BRAND: Brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] usually/last used	1269 = Juul
R05_AJ1048TC_BRAND	R05_AJ1048TC_BRAND: Brand of traditional cigars for blunts usually/last smoked	1019 = Backwoods
R05_AJ1070TC_PRODUCT	R05_AJ1070TC_PRODUCT: Sub-brand of traditional cigar as a blunt product usually/last smoked	Multiple
R05_AJ1048CG_BRAND	R05_AJ1048CG_BRAND: Brand of cigarillos for blunts usually/last smoked	1204 = Swisher Sweets
R05_AJ1070CG_PRODUCT	R05_AJ1070CG_PRODUCT: Sub-brand of cigarillos as a blunt product usually/last smoked	10212 = Backwoods Honey Berry
R05_AJ1048FC_BRAND	R05_AJ1048FC_BRAND: Brand of filtered cigars for blunts usually/last smoked	1204 = Swisher Sweets
R05_AJ1070FC_PRODUCT	R05_AJ1070FC_PRODUCT: Sub-brand of filtered cigar as a blunt product usually/last smoked	10244 = Black & Mild Sweets
R05_AG1048TC_BRAND	R05_AG1048TC_BRAND: Brand of traditional cigars usually/last smoked	1024 = Black & Mild
R05_AG1070TC_PRODUCT	R05_AG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked	10243 = Black & Mild Classic
R05_AG1048CG_BRAND	R05_AG1048CG_BRAND: Brand of cigarillos usually/last smoked	1024 = Black & Mild
R05_AG1070CG_PRODUCT	R05_AG1070CG_PRODUCT: Sub-brand of cigarillo product usually/last smoked	10243 = Black & Mild Classic
R05_AG1048FC_BRAND	R05_AG1048FC_BRAND: Brand of filtered cigars usually/last smoked	1024 = Black & Mild
R05_AG1070FC_PRODUCT	R05_AG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked	10243 = Black & Mild Classic
R05_AP1048_BRAND	R05_AP1048_BRAND: Brand of pipe tobacco usually/last smoked	1037 = Captain Black
R05_AP1070_PRODUCT	R05_AP1070_PRODUCT: Sub-brand of pipe tobacco usually/last smoked	10336 = Captain Black Regular
R05_AH1048_BRAND	R05_AH1048_BRAND: Brand of shisha or hookah tobacco usually/last smoked	1253 = Al Fakher
R05_AH1070_PRODUCT	R05_AH1070_PRODUCT: Sub-brand of hookah tobacco usually/last smoked	12081 = Al Fakher Mint
R05_AU1048_BRAND	R05_AU1048_BRAND: Brand of snus usually/last used	1033 = Camel
R05_AU1070_PRODUCT	R05_AU1070_PRODUCT: Sub-brand of snus product usually/last used	10289 = Camel Snus Frost
R05_AS1048_BRAND	R05_AS1048_BRAND: Brand of smokeless tobacco usually/last used	1049 = Copenhagen
R05_AS1070_PRODUCT	R05_AS1070_PRODUCT: Sub-brand of smokeless tobacco product usually/last used	10719 = Grizzly Long Cut Wintergreen

<b>Obs</b>	<b>R05_AC1048MC_BRAND: Brand of cigarettes usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1125 = Marlboro	3,338	9.729
<b>2</b>	1144 = Newport	2,059	6.001
<b>3</b>	1033 = Camel	1,304	3.801
<b>4</b>	1152 = Pall Mall	578	1.685
<b>5</b>	1012 = American Spirit	479	1.396
<b>6</b>	1115 = L & M	289	0.842
<b>7</b>	1126 = Maverick	205	0.598
<b>8</b>	1113 = Kool	202	0.589
<b>9</b>	1265 = Eagle	108	0.315
<b>10</b>	1021 = Basic	107	0.312
<b>11</b>	1237 = Winston	106	0.309
<b>12</b>	1002 = 305's	97	0.283
<b>13</b>	1166 = Pyramid	91	0.265
<b>14</b>	1184 = Seneca	82	0.239
<b>15</b>	1196 = Sonoma	72	0.210
<b>16</b>	1057 = Doral	65	0.189
<b>17</b>	1219 = USA Gold	63	0.184
<b>18</b>	1153 = Parliament	57	0.166
<b>19</b>	1181 = Salem	54	0.157
<b>20</b>	1225 = Virginia Slims	54	0.157
<b>21</b>	All other coded responses	495	1.443
<b>22</b>	9995 = Some other brand	216	0.630
<b>23</b>	-8 = Don't know	78	0.227
<b>24</b>	-7 = Refused	48	0.140
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	24,061	70.130
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AC1070MC_PRODUCT: Sub-brand of cigarette product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	11218 = Newport Full Flavor menthol kings	1,136	3.311
<b>2</b>	11031 = Marlboro Red non-menthol kings	800	2.332
<b>3</b>	11020 = Marlboro Gold non-menthol kingss	633	1.845
<b>4</b>	11219 = Newport Full Flavor menthol 100s	559	1.629
<b>5</b>	10271 = Camel Crush non-menthol and menthol kings	384	1.119
<b>6</b>	11026 = Marlboro Full Flavor menthol kings	207	0.603
<b>7</b>	10273 = Camel Filters non-menthol kings	198	0.577
<b>8</b>	10275 = Camel Filters menthol kings	170	0.495
<b>9</b>	10268 = Camel Blue non-menthol kings	169	0.493
<b>10</b>	10288 = Camel Silver menthol kings	154	0.449
<b>11</b>	10173 = American Spirit Mellow non-methol kings	152	0.443
<b>12</b>	11037 = Marlboro Silver non-menthol kings	148	0.431
<b>13</b>	10169 = American Spirit Full-bodied non-menthol kings	143	0.417
<b>14</b>	11006 = Marlboro Black non-menthol 100s	128	0.373
<b>15</b>	11264 = Pall Mall Red non-menthol 100s	124	0.361
<b>16</b>	11253 = Pall Mall Blue non-menthol kings	105	0.306
<b>17</b>	11258 = Pall Mall Full Flavor menthol kings	103	0.300
<b>18</b>	11225 = Newport Full Flavor non-menthol 100s	97	0.283
<b>19</b>	11005 = Marlboro Black non-menthol kings	94	0.274
<b>20</b>	12036 = Marlboro NXT	92	0.268
<b>21</b>	All other coded responses	3,644	10.621
<b>22</b>	99995 = Some other product	221	0.644
<b>23</b>	99990 = No data (Brand text response up-coded)	379	1.105
<b>24</b>	-8 = Don't know	44	0.128
<b>25</b>	-7 = Refused	21	0.061
<b>26</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>27</b>	-1 = Inapplicable	24,403	71.127
<b>28</b>			
<b>29</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AC1048RY_BRAND: Brand of roll-your-own cigarette tobacco usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1081 = Gambler	114	0.332
<b>2</b>	1277 = The Good Stuff	61	0.178
<b>3</b>	1012 = American Spirit	59	0.172
<b>4</b>	1030 = Bugler	56	0.163
<b>5</b>	1051 = Criss Cross	44	0.128
<b>6</b>	1087 = Golden Harvest	34	0.099
<b>7</b>	1003 = 4 Aces	33	0.096
<b>8</b>	1118 = Largo	28	0.082
<b>9</b>	1215 = Top	27	0.079
<b>10</b>	1239 = Zig Zag	27	0.079
<b>11</b>	1107 = Kentucky Select	21	0.061
<b>12</b>	1271 = OHM	21	0.061
<b>13</b>	1042 = Cheyenne	17	0.050
<b>14</b>	1281 = American Club	17	0.050
<b>15</b>	1160 = Premier	12	0.035
<b>16</b>	1111 = Kite	10	0.029
<b>17</b>	1168 = Red Cap	10	0.029
<b>18</b>	1001 = 1839	8	0.023
<b>19</b>	1272 = Red River	8	0.023
<b>20</b>	1282 = Bacco	7	0.020
<b>21</b>	All other coded responses	80	0.233
<b>22</b>	9995 = Some other brand	64	0.187
<b>23</b>	-8 = Don't know	9	0.026
<b>24</b>	-7 = Refused	4	0.012
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	33,537	97.750
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AC1070RY_PRODUCT: Sub-brand of roll-your-own cigarette tobacco product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10625 = Gambler Full Flavor	70	0.204
<b>2</b>	10258 = Bugler Blended	49	0.143
<b>3</b>	10178 = American Spirit Organic	25	0.073
<b>4</b>	10416 = Criss Cross Original	25	0.073
<b>5</b>	10179 = American Spirit Original	22	0.064
<b>6</b>	10952 = Largo Regular	21	0.061
<b>7</b>	10628 = Gambler Menthol	20	0.058
<b>8</b>	10032 = 4 Aces Full Flavor	19	0.055
<b>9</b>	12130 = The Good Stuff Red	17	0.050
<b>10</b>	10674 = Golden Harvest Full Flavor	16	0.047
<b>11</b>	11871 = Top Blended (Regular)	15	0.044
<b>12</b>	11974 = Zig Zag Full Flavor	15	0.044
<b>13</b>	10626 = Gambler Gold	14	0.041
<b>14</b>	12132 = The Good Stuff Menthol	13	0.038
<b>15</b>	10914 = Kite Menthol	10	0.029
<b>16</b>	11381 = Red Cap Regular	10	0.029
<b>17</b>	11976 = Zig Zag Menthol	10	0.029
<b>18</b>	10372 = Cheyenne Red	9	0.026
<b>19</b>	11873 = Top Menthol	8	0.023
<b>20</b>	10415 = Criss Cross Mint	7	0.020
<b>21</b>	All other coded responses	171	0.498
<b>22</b>	99995 = Some other product	26	0.076
<b>23</b>	99990 = No data (Brand text response up-coded)	98	0.286
<b>24</b>	-8 = Don't know	3	0.009
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-7 = Refused	1	0.003
<b>27</b>	-1 = Inapplicable	33,614	97.974
<b>28</b>		Total	34,309
<b>29</b>			100.000

<b>Obs</b>	<b>R05_AV9002_BRAND: Brand of electronic nicotine product owned</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1269 = Juul	913	2.661
<b>2</b>	1275 = Smok	622	1.813
<b>3</b>	1028 = Blu Cigs	250	0.729
<b>4</b>	1259 = Eleaf	76	0.222
<b>5</b>	1258 = Vuse	75	0.219
<b>6</b>	1256 = MarkTen	60	0.175
<b>7</b>	1146 = NJOY	47	0.137
<b>8</b>	1254 = eGo Twist	46	0.134
<b>9</b>	1255 = Kangertech	35	0.102
<b>10</b>	1262 = Aspire	29	0.085
<b>11</b>	1248 = Logic	24	0.070
<b>12</b>	1298 = Wismec	18	0.052
<b>13</b>	1245 = E-Swisher	17	0.050
<b>14</b>	1243 = 21st Century Smoke	13	0.038
<b>15</b>	1068 = eSmoke	12	0.035
<b>16</b>	1260 = iTaste	11	0.032
<b>17</b>	1280 = Sigelei	11	0.032
<b>18</b>	1163 = ProVape	10	0.029
<b>19</b>	1220 = V2 Cigs	8	0.023
<b>20</b>	1091 = Green Smoke	7	0.020
<b>21</b>	All other coded responses	81	0.236
<b>22</b>	9995 = Some other brand	354	1.032
<b>23</b>	-8 = Don't know	46	0.134
<b>24</b>	-7 = Refused	12	0.035
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	31,531	91.903
<b>27</b>			
<b>28</b>	Total	34,309	100.000

	R05_AV1048_BRAND: Brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid]	Unweighted Frequency	Percent of Total Frequency
Obs	usually/last used		
<b>1</b>	1269 = Juul	1,078	3.142
<b>2</b>	1028 = Blu Cigs	223	0.650
<b>3</b>	1275 = Smok	114	0.332
<b>4</b>	1297 = Naked 100	107	0.312
<b>5</b>	1258 = Vuse	77	0.224
<b>6</b>	1256 = MarkTen	54	0.157
<b>7</b>	1146 = NJOY	43	0.125
<b>8</b>	1245 = E-Swisher	40	0.117
<b>9</b>	1259 = Eleaf	23	0.067
<b>10</b>	1248 = Logic	22	0.064
<b>11</b>	1254 = eGo Twist	18	0.052
<b>12</b>	1046 = Cloud 9	16	0.047
<b>13</b>	1243 = 21st Century Smoke	14	0.041
<b>14</b>	1221 = Vapor King	11	0.032
<b>15</b>	1261 = VaporFi	9	0.026
<b>16</b>	1068 = eSmoke	8	0.023
<b>17</b>	1114 = KRAVE	8	0.023
<b>18</b>	1260 = iTaste	7	0.020
<b>19</b>	1300 = Kilo	7	0.020
<b>20</b>	1247 = FINITI	6	0.017
<b>21</b>	All other coded responses	96	0.280
<b>22</b>	9995 = Some other brand	582	1.696
<b>23</b>	-8 = Don't know	67	0.195
<b>24</b>	-7 = Refused	14	0.041
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	31,664	92.291
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AJ1048TC_BRAND: Brand of traditional cigars for blunts usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1019 = Backwoods	77	0.224
<b>2</b>	1061 = Dutch Masters	64	0.187
<b>3</b>	1204 = Swisher Sweets	48	0.140
<b>4</b>	1231 = White Owl	40	0.117
<b>5</b>	1082 = Game (Garcia y Vega)	17	0.050
<b>6</b>	1084 = Garcia y Vega	15	0.044
<b>7</b>	1239 = Zig Zag	13	0.038
<b>8</b>	1156 = Phillies	8	0.023
<b>9</b>	1024 = Black & Mild	5	0.015
<b>10</b>	1017 = Arturo Fuente	2	0.006
<b>11</b>	1266 = Good Times	2	0.006
<b>12</b>	1047 = Cohiba	1	0.003
<b>13</b>	1109 = King Edward	1	0.003
<b>14</b>	1164 = Punch	1	0.003
<b>15</b>	1202 = Supre Sweets	1	0.003
<b>16</b>	1229 = White Cat	1	0.003
<b>17</b>	9995 = Some other brand	12	0.035
<b>18</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>19</b>	-1 = Inapplicable	34,000	99.099
<b>20</b>			
<b>21</b>	Total	34,309	100.000

Obs	R05_AJ1070TC_PRODUCT: Sub-brand of traditional cigar as a blunt product usually/last smoked	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	10211 = Backwoods Honey	18	0.052
<b>2</b>	10212 = Backwoods Honey Berry	18	0.052
<b>3</b>	10213 = Backwoods Original	17	0.050
<b>4</b>	10214 = Backwoods Sweet Aromatic	13	0.038
<b>5</b>	10512 = Dutch Masters Palma	12	0.035
<b>6</b>	11707 = Swisher Sweets Cigarillos	10	0.029
<b>7</b>	10503 = Dutch Masters Cigarillos Vanilla	9	0.026
<b>8</b>	11704 = Swisher Sweets Blunts	9	0.026
<b>9</b>	11929 = White Owl Blunt White Grape	9	0.026
<b>10</b>	10210 = Backwoods Black 'n Sweet Aromatic	7	0.020
<b>11</b>	10501 = Dutch Masters Cigarillos Palma	7	0.020
<b>12</b>	10646 = Garcia y Vega Blunts	7	0.020
<b>13</b>	10496 = Dutch Masters Cigarillos Chocolate	6	0.017
<b>14</b>	10511 = Dutch Masters Corona Vanilla	6	0.017
<b>15</b>	10634 = Game Green	5	0.015
<b>16</b>	11938 = White Owl Cigarillos	5	0.015
<b>17</b>	10497 = Dutch Masters Cigarillos Cognac	4	0.012
<b>18</b>	10508 = Dutch Masters Corona Honey Sports	4	0.012
<b>19</b>	11699 = Swisher Sweets Blueberry Mini Cigarillos	4	0.012
<b>20</b>	11729 = Swisher Sweets White Grape Cigarillos	4	0.012
<b>21</b>	All other coded responses	91	0.265
<b>22</b>	99995 = Some other product	22	0.064
<b>23</b>	99990 = No data (Brand text response up-coded)	7	0.020
<b>24</b>	-8 = Don't know	2	0.006
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	34,012	99.134
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AJ1048CG_BRAND: Brand of cigarillos for blunts usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1204 = Swisher Sweets	508	1.481
<b>2</b>	1019 = Backwoods	359	1.046
<b>3</b>	1231 = White Owl	265	0.772
<b>4</b>	1061 = Dutch Masters	110	0.321
<b>5</b>	1082 = Game (Garcia y Vega)	103	0.300
<b>6</b>	1024 = Black & Mild	84	0.245
<b>7</b>	1239 = Zig Zag	64	0.187
<b>8</b>	1084 = Garcia y Vega	27	0.079
<b>9</b>	1156 = Phillies	10	0.029
<b>10</b>	1150 = Optimo	9	0.026
<b>11</b>	1042 = Cheyenne	4	0.012
<b>12</b>	1266 = Good Times	4	0.012
<b>13</b>	1009 = Al Capone	1	0.003
<b>14</b>	1026 = BLK	1	0.003
<b>15</b>	1037 = Captain Black	1	0.003
<b>16</b>	1055 = Djarum	1	0.003
<b>17</b>	1062 = Dutch Treat	1	0.003
<b>18</b>	1088 = Goodies	1	0.003
<b>19</b>	1129 = Miami Suites	1	0.003
<b>20</b>	1138 = Muriel Sweets	1	0.003
<b>21</b>	All other coded responses	3	0.009
<b>22</b>	9995 = Some other brand	28	0.082
<b>23</b>	-8 = Don't know	5	0.015
<b>24</b>	-7 = Refused	2	0.006
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	32,715	95.354
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AJ1070CG_PRODUCT: Sub-brand of cigarillos as a blunt product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10212 = Backwoods Honey Berry	117	0.341
<b>2</b>	10211 = Backwoods Honey	89	0.259
<b>3</b>	11707 = Swisher Sweets Cigarillos	79	0.230
<b>4</b>	10213 = Backwoods Original	74	0.216
<b>5</b>	11929 = White Owl Blunt White Grape	74	0.216
<b>6</b>	11704 = Swisher Sweets Blunts	55	0.160
<b>7</b>	10244 = Black & Mild Sweets	49	0.143
<b>8</b>	11711 = Swisher Sweets Grape 100s	49	0.143
<b>9</b>	11723 = Swisher Sweets Strawberry Cigarillos	49	0.143
<b>10</b>	11729 = Swisher Sweets White Grape Cigarillos	40	0.117
<b>11</b>	10214 = Backwoods Sweet Aromatic	34	0.099
<b>12</b>	11699 = Swisher Sweets Blueberry Mini Cigarillos	33	0.096
<b>13</b>	11928 = White Owl Blunt Peach	32	0.093
<b>14</b>	11943 = White Owl Cigarillos White Grape	32	0.093
<b>15</b>	11927 = White Owl Blunt Grape	28	0.082
<b>16</b>	11701 = Swisher Sweets Blunt XL Grape	24	0.070
<b>17</b>	10646 = Garcia y Vega Blunts	21	0.061
<b>18</b>	10243 = Black & Mild Classic	19	0.055
<b>19</b>	12009 = Zig-Zag Cigarillos Grape	19	0.055
<b>20</b>	11721 = Swisher Sweets Regular 100s	18	0.052
<b>21</b>	All other coded responses	424	1.236
<b>22</b>	99995 = Some other product	160	0.466
<b>23</b>	99990 = No data (Brand text response up-coded)	24	0.070
<b>24</b>	-8 = Don't know	14	0.041
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-7 = Refused	1	0.003
<b>27</b>	-1 = Inapplicable	32,750	95.456
<b>28</b>		Total	34,309
<b>29</b>			100.000

<b>Obs</b>	<b>R05_AJ1048FC_BRAND: Brand of filtered cigars for blunts usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1204 = Swisher Sweets	22	0.064
<b>2</b>	1024 = Black & Mild	9	0.026
<b>3</b>	1231 = White Owl	3	0.009
<b>4</b>	1082 = Game (Garcia y Vega)	2	0.006
<b>5</b>	1019 = Backwoods	1	0.003
<b>6</b>	1084 = Garcia y Vega	1	0.003
<b>7</b>	9995 = Some other brand	3	0.009
<b>8</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>9</b>	-1 = Inapplicable	34,267	99.878
<b>10</b>			
<b>11</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AJ1070FC_PRODUCT: Sub-brand of filtered cigar as a blunt product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10244 = Black & Mild Sweets	6	0.017
<b>2</b>	11711 = Swisher Sweets Grape 100s	4	0.012
<b>3</b>	11713 = Swisher Sweets Grape Tip Cigarillos	4	0.012
<b>4</b>	11722 = Swisher Sweets Strawberry 100s	4	0.012
<b>5</b>	10243 = Black & Mild Classic	3	0.009
<b>6</b>	11709 = Swisher Sweets Filter Tip Menthol	3	0.009
<b>7</b>	11718 = Swisher Sweets Peach 100s	2	0.006
<b>8</b>	11705 = Swisher Sweets Cherry Tip Cigarillos	1	0.003
<b>9</b>	11708 = Swisher Sweets Filter Tip	1	0.003
<b>10</b>	11721 = Swisher Sweets Regular 100s	1	0.003
<b>11</b>	11725 = Swisher Sweets Sweet Cherry 100s	1	0.003
<b>12</b>	11728 = Swisher Sweets Tip Cigarillos	1	0.003
<b>13</b>	99990 = No data (Brand text response up-coded)	7	0.020
<b>14</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>15</b>	-1 = Inapplicable	34,270	99.886
<b>16</b>			
<b>17</b>	Total	34,309	100.000

Obs	R05_AG1048TC_BRAND: Brand of traditional cigars usually/last smoked	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	1024 = Black & Mild	234	0.682
<b>2</b>	1047 = Cohiba	98	0.286
<b>3</b>	1204 = Swisher Sweets	96	0.280
<b>4</b>	1019 = Backwoods	64	0.187
<b>5</b>	1017 = Arturo Fuente	61	0.178
<b>6</b>	1005 = Acid	48	0.140
<b>7</b>	1061 = Dutch Masters	45	0.131
<b>8</b>	1174 = Romeo y Julieta	44	0.128
<b>9</b>	1084 = Garcia y Vega	33	0.096
<b>10</b>	1136 = Montecristo	33	0.096
<b>11</b>	1231 = White Owl	29	0.085
<b>12</b>	1124 = Macanudo	23	0.067
<b>13</b>	1082 = Game (Garcia y Vega)	16	0.047
<b>14</b>	1156 = Phillies	13	0.038
<b>15</b>	1274 = Rocky Patel	13	0.038
<b>16</b>	1164 = Punch	12	0.035
<b>17</b>	1239 = Zig Zag	12	0.035
<b>18</b>	1052 = Davidoff	10	0.029
<b>19</b>	1018 = Ashton	8	0.023
<b>20</b>	1035 = CAO	7	0.020
<b>21</b>	All other coded responses	71	0.207
<b>22</b>	9995 = Some other brand	120	0.350
<b>23</b>	-8 = Don't know	11	0.032
<b>24</b>	-7 = Refused	7	0.020
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	33,200	96.768
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10243 = Black & Mild Classic	85	0.248
<b>2</b>	10245 = Black & Mild Wine	70	0.204
<b>3</b>	10244 = Black & Mild Sweets	59	0.172
<b>4</b>	10398 = Cohiba Cohiba	36	0.105
<b>5</b>	10399 = Cohiba Puro Dominicana	20	0.058
<b>6</b>	10211 = Backwoods Honey	18	0.052
<b>7</b>	10047 = Acid Kuba Kuba	16	0.047
<b>8</b>	10212 = Backwoods Honey Berry	14	0.041
<b>9</b>	10213 = Backwoods Original	14	0.041
<b>10</b>	11704 = Swisher Sweets Blunts	14	0.041
<b>11</b>	10202 = Arturo Fuente Hemingway	12	0.035
<b>12</b>	11129 = Montecristo Classic	12	0.035
<b>13</b>	11707 = Swisher Sweets Cigarillos	12	0.035
<b>14</b>	10040 = Acid Blondie	11	0.032
<b>15</b>	12115 = Black & Mild Jazz	11	0.032
<b>16</b>	11391 = Romeo y Julieta 1875	10	0.029
<b>17</b>	11705 = Swisher Sweets Cherry Tip Cigarillos	10	0.029
<b>18</b>	10201 = Arturo Fuente Gran Reserva	9	0.026
<b>19</b>	10199 = Arturo Fuente Don Carlos	8	0.023
<b>20</b>	10214 = Backwoods Sweet Aromatic	8	0.023
<b>21</b>	All other coded responses	325	0.947
<b>22</b>	99995 = Some other product	122	0.356
<b>23</b>	99990 = No data (Brand text response up-coded)	55	0.160
<b>24</b>	-8 = Don't know	18	0.052
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-7 = Refused	1	0.003
<b>27</b>	-1 = Inapplicable	33,338	97.170
<b>28</b>		Total	34,309
<b>29</b>			100.000

Obs	R05_AG1048CG_BRAND: Brand of cigarillos usually/last smoked	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	1024 = Black & Mild	905	2.638
<b>2</b>	1204 = Swisher Sweets	279	0.813
<b>3</b>	1019 = Backwoods	146	0.426
<b>4</b>	1231 = White Owl	81	0.236
<b>5</b>	1061 = Dutch Masters	46	0.134
<b>6</b>	1042 = Cheyenne	28	0.082
<b>7</b>	1082 = Game (Garcia y Vega)	28	0.082
<b>8</b>	1084 = Garcia y Vega	17	0.050
<b>9</b>	1009 = Al Capone	15	0.044
<b>10</b>	1239 = Zig Zag	14	0.041
<b>11</b>	1156 = Phillies	12	0.035
<b>12</b>	1242 = Prime Time	12	0.035
<b>13</b>	1026 = BLK	10	0.029
<b>14</b>	1047 = Cohiba	10	0.029
<b>15</b>	1096 = Hav-A-Tampa	8	0.023
<b>16</b>	1150 = Optimo	8	0.023
<b>17</b>	1017 = Arturo Fuente	5	0.015
<b>18</b>	1045 = Clipper	4	0.012
<b>19</b>	1052 = Davidoff	4	0.012
<b>20</b>	1055 = Djarum	4	0.012
<b>21</b>	All other coded responses	53	0.154
<b>22</b>	9995 = Some other brand	33	0.096
<b>23</b>	-8 = Don't know	6	0.017
<b>24</b>	-7 = Refused	2	0.006
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	32,578	94.955
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AG1070CG_PRODUCT: Sub-brand of cigarillo product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10243 = Black & Mild Classic	324	0.944
<b>2</b>	10245 = Black & Mild Wine	315	0.918
<b>3</b>	10244 = Black & Mild Sweets	189	0.551
<b>4</b>	11707 = Swisher Sweets Cigarillos	48	0.140
<b>5</b>	10211 = Backwoods Honey	39	0.114
<b>6</b>	10212 = Backwoods Honey Berry	37	0.108
<b>7</b>	12115 = Black & Mild Jazz	37	0.108
<b>8</b>	10213 = Backwoods Original	32	0.093
<b>9</b>	11699 = Swisher Sweets Blueberry Mini Cigarillos	27	0.079
<b>10</b>	11704 = Swisher Sweets Blunts	23	0.067
<b>11</b>	11729 = Swisher Sweets White Grape Cigarillos	16	0.047
<b>12</b>	10210 = Backwoods Black 'n Sweet Aromatic	15	0.044
<b>13</b>	11929 = White Owl Blunt White Grape	15	0.044
<b>14</b>	11711 = Swisher Sweets Grape 100s	14	0.041
<b>15</b>	11723 = Swisher Sweets Strawberry Cigarillos	14	0.041
<b>16</b>	10214 = Backwoods Sweet Aromatic	12	0.035
<b>17</b>	11943 = White Owl Cigarillos White Grape	12	0.035
<b>18</b>	11705 = Swisher Sweets Cherry Tip Cigarillos	11	0.032
<b>19</b>	12114 = Black & Mild Casino	11	0.032
<b>20</b>	11927 = White Owl Blunt Grape	10	0.029
<b>21</b>	All other coded responses	361	1.052
<b>22</b>	99995 = Some other product	89	0.259
<b>23</b>	99990 = No data (Brand text response up-coded)	26	0.076
<b>24</b>	-8 = Don't know	8	0.023
<b>25</b>	-7 = Refused	4	0.012
<b>26</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>27</b>	-1 = Inapplicable	32,619	95.074
<b>28</b>		Total	34,309
<b>29</b>			100.000

Obs	R05_AG1048FC_BRAND: Brand of filtered cigars usually/last smoked	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	1024 = Black & Mild	221	0.644
<b>2</b>	1204 = Swisher Sweets	140	0.408
<b>3</b>	1042 = Cheyenne	93	0.271
<b>4</b>	1242 = Prime Time	50	0.146
<b>5</b>	1055 = Djarum	39	0.114
<b>6</b>	1002 = 305's	37	0.108
<b>7</b>	1156 = Phillies	25	0.073
<b>8</b>	1009 = Al Capone	18	0.052
<b>9</b>	1045 = Clipper	18	0.052
<b>10</b>	1058 = Double Diamond	10	0.029
<b>11</b>	1026 = BLK	8	0.023
<b>12</b>	1276 = Smoker's Choice	8	0.023
<b>13</b>	1293 = Talon	7	0.020
<b>14</b>	1182 = Santa Fe	6	0.017
<b>15</b>	1234 = Winchester	6	0.017
<b>16</b>	1051 = Criss Cross	5	0.015
<b>17</b>	1001 = 1839	4	0.012
<b>18</b>	1062 = Dutch Treat	4	0.012
<b>19</b>	1037 = Captain Black	3	0.009
<b>20</b>	1149 = Omega	3	0.009
<b>21</b>	All other coded responses	24	0.070
<b>22</b>	9995 = Some other brand	53	0.154
<b>23</b>	-8 = Don't know	4	0.012
<b>24</b>	-7 = Refused	3	0.009
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	33,519	97.697
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10243 = Black & Mild Classic	85	0.248
<b>2</b>	10245 = Black & Mild Wine	61	0.178
<b>3</b>	10244 = Black & Mild Sweets	57	0.166
<b>4</b>	11705 = Swisher Sweets Cherry Tip Cigarillos	27	0.079
<b>5</b>	10023 = 305's Full Flavor non-menthol 100s	17	0.050
<b>6</b>	10448 = Djarum Black	16	0.047
<b>7</b>	10375 = Cheyenne Wild Cherry 100s	15	0.044
<b>8</b>	10369 = Cheyenne Menthol 100s	14	0.041
<b>9</b>	11708 = Swisher Sweets Filter Tip	14	0.041
<b>10</b>	11711 = Swisher Sweets Grape 100s	14	0.041
<b>11</b>	10361 = Cheyenne Classic 100s	12	0.035
<b>12</b>	11713 = Swisher Sweets Grape Tip Cigarillos	11	0.032
<b>13</b>	10364 = Cheyenne Full Flavor 100s	10	0.029
<b>14</b>	10371 = Cheyenne Peach 100s	9	0.026
<b>15</b>	11722 = Swisher Sweets Strawberry 100s	9	0.026
<b>16</b>	12029 = Prime Time Little Cigar Cherry	9	0.026
<b>17</b>	10022 = 305's Full Flavor non-menthol kings	8	0.023
<b>18</b>	10374 = Cheyenne Vanilla 100s	8	0.023
<b>19</b>	11718 = Swisher Sweets Peach 100s	8	0.023
<b>20</b>	11721 = Swisher Sweets Regular 100s	8	0.023
<b>21</b>	All other coded responses	208	0.606
<b>22</b>	99995 = Some other product	49	0.143
<b>23</b>	99990 = No data (Brand text response up-coded)	58	0.169
<b>24</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>25</b>	-8 = Don't know	1	0.003
<b>26</b>	-7 = Refused	1	0.003
<b>27</b>	-1 = Inapplicable	33,579	97.872
<b>28</b>		Total	34,309
<b>29</b>			100.000

Obs	R05_AP1048_BRAND: Brand of pipe tobacco usually/last smoked	Unweighted Frequency	Percent of Total Frequency
<b>1</b>	1037 = Captain Black	23	0.067
<b>2</b>	1081 = Gambler	15	0.044
<b>3</b>	1061 = Dutch Masters	11	0.032
<b>4</b>	1161 = Prince Albert	10	0.029
<b>5</b>	1012 = American Spirit	7	0.020
<b>6</b>	1189 = Sir Walter Raleigh	7	0.020
<b>7</b>	1001 = 1839	5	0.015
<b>8</b>	1074 = Farmers	5	0.015
<b>9</b>	1094 = Half & Half	5	0.015
<b>10</b>	1192 = Smoker's Pride	5	0.015
<b>11</b>	1277 = The Good Stuff	5	0.015
<b>12</b>	1087 = Golden Harvest	4	0.012
<b>13</b>	1176 = Rowland	4	0.012
<b>14</b>	1029 = Borkum Riff	3	0.009
<b>15</b>	1030 = Bugler	3	0.009
<b>16</b>	1060 = Dunhill	3	0.009
<b>17</b>	1125 = Marlboro	3	0.009
<b>18</b>	1130 = Middleton's	3	0.009
<b>19</b>	1158 = Pipe Mate Classic	3	0.009
<b>20</b>	1168 = Red Cap	3	0.009
<b>21</b>	All other coded responses	35	0.102
<b>22</b>	9995 = Some other brand	29	0.085
<b>23</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>24</b>	-8 = Don't know	1	0.003
<b>25</b>	-7 = Refused	1	0.003
<b>26</b>	-1 = Inapplicable	34,115	99.435
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AP1070_PRODUCT: Sub-brand of pipe tobacco usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10336 = Captain Black Regular	10	0.029
<b>2</b>	10625 = Gambler Full Flavor	9	0.026
<b>3</b>	10330 = Captain Black Cherry	7	0.020
<b>4</b>	11350 = Prince Albert Regular	7	0.020
<b>5</b>	11512 = Sir Walter Raleigh Pipe Tobacco	7	0.020
<b>6</b>	10494 = Dutch Masters Cavendish	5	0.015
<b>7</b>	10728 = Half & Half Pipe Tobacco	5	0.015
<b>8</b>	10008 = 1839 Full Flavor	4	0.012
<b>9</b>	10337 = Captain Black Royal	4	0.012
<b>10</b>	10495 = Dutch Masters Cherry Cavendish	4	0.012
<b>11</b>	10596 = Farmer's Gold Cool	3	0.009
<b>12</b>	11451 = Rowland Pipe Tobacco	3	0.009
<b>13</b>	12130 = The Good Stuff Red	3	0.009
<b>14</b>	10032 = 4 Aces Full Flavor	2	0.006
<b>15</b>	10333 = Captain Black Gold	2	0.006
<b>16</b>	10629 = Gambler Mint	2	0.006
<b>17</b>	11335 = Pipe Mate Classic Black Cavendish	2	0.006
<b>18</b>	11349 = Prince Albert Cherry Vanilla	2	0.006
<b>19</b>	11452 = Ryback Gold	2	0.006
<b>20</b>	11539 = Smoker's Pride Vanilla Cavendish	2	0.006
<b>21</b>	All other coded responses	38	0.111
<b>22</b>	99995 = Some other product	13	0.038
<b>23</b>	99990 = No data (Brand text response up-coded)	24	0.070
<b>24</b>	-7 = Refused	2	0.006
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	34,146	99.525
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AH1048_BRAND: Brand of shisha or hookah tobacco usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1253 = Al Fakher	69	0.201
<b>2</b>	1198 = Starbuzz	67	0.195
<b>3</b>	1073 = Fantasia	28	0.082
<b>4</b>	1195 = Social Smoke	11	0.032
<b>5</b>	1007 = Al Amir	10	0.029
<b>6</b>	1080 = Fumari	10	0.029
<b>7</b>	1095 = Havana	10	0.029
<b>8</b>	1100 = Hydro Herbal	8	0.023
<b>9</b>	1098 = HookahFina	5	0.015
<b>10</b>	1208 = Tangiers	5	0.015
<b>11</b>	1101 = Inhale	4	0.012
<b>12</b>	1141 = Nakhla	4	0.012
<b>13</b>	1175 = Romman	4	0.012
<b>14</b>	1008 = Al Amir Exotic	3	0.009
<b>15</b>	1214 = Tonic	3	0.009
<b>16</b>	1119 = Layalina	2	0.006
<b>17</b>	1010 = Al Tawareg	1	0.003
<b>18</b>	1277 = The Good Stuff	1	0.003
<b>19</b>	9995 = Some other brand	9	0.026
<b>20</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>21</b>	-8 = Don't know	1	0.003
<b>22</b>	-1 = Inapplicable	34,053	99.254
<b>23</b>			
<b>24</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AH1070_PRODUCT: Sub-brand of hookah tobacco usually/last smoked</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	12081 = Al Fakher Mint	22	0.064
<b>2</b>	11619 = Starbuzz Blue Mist	11	0.032
<b>3</b>	11631 = Starbuzz Citrus Mint	8	0.023
<b>4</b>	12060 = Al Fakher Apple	6	0.017
<b>5</b>	10561 = Fantasia Ice Mint	5	0.015
<b>6</b>	11635 = Starbuzz Code 69	4	0.012
<b>7</b>	11637 = Starbuzz Double Apple	4	0.012
<b>8</b>	11645 = Starbuzz Kiwi Strawberry	4	0.012
<b>9</b>	12093 = Al Fakher Lemon With Mint	4	0.012
<b>10</b>	12098 = Al Fakher Watermelon	4	0.012
<b>11</b>	10541 = Fantasia 4 Play	3	0.009
<b>12</b>	10576 = Fantasia Rainbow Burst	3	0.009
<b>13</b>	11155 = Nakhla Apple	3	0.009
<b>14</b>	11620 = Starbuzz Blueberry	3	0.009
<b>15</b>	11626 = Starbuzz Caramel Apple	3	0.009
<b>16</b>	11641 = Starbuzz Fuzzy Navel	3	0.009
<b>17</b>	11682 = Starbuzz Wild Mint	3	0.009
<b>18</b>	12094 = Al Fakher Mango	3	0.009
<b>19</b>	10055 = Al Amir Apple	2	0.006
<b>20</b>	10066 = Al Amir Chocolate Strawberry	2	0.006
<b>21</b>	All other coded responses	128	0.373
<b>22</b>	99995 = Some other product	12	0.035
<b>23</b>	99990 = No data (Brand text response up-coded)	2	0.006
<b>24</b>	-8 = Don't know	3	0.009
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-1 = Inapplicable	34,063	99.283
<b>27</b>			
<b>28</b>	Total	34,309	100.000

	R05_AU1048_BRAND: Brand of snus usually/last used	Unweighted Frequency	Percent of Total Frequency
Obs			
<b>1</b>	1033 = Camel	179	0.522
<b>2</b>	1190 = Skoal	103	0.300
<b>3</b>	1049 = Copenhagen	33	0.096
<b>4</b>	1092 = Grizzly	25	0.073
<b>5</b>	1085 = General	15	0.044
<b>6</b>	1125 = Marlboro	14	0.041
<b>7</b>	1121 = Longhorn	6	0.017
<b>8</b>	1171 = Red Seal	3	0.009
<b>9</b>	1144 = Newport	2	0.006
<b>10</b>	1097 = Hawken	1	0.003
<b>11</b>	1104 = Kayak	1	0.003
<b>12</b>	1112 = Kodiak	1	0.003
<b>13</b>	1240 = Beechnut	1	0.003
<b>14</b>	1257 = Stoker's	1	0.003
<b>15</b>	9995 = Some other brand	35	0.102
<b>16</b>	-8 = Don't know	9	0.026
<b>17</b>	-7 = Refused	2	0.006
<b>18</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>19</b>	-1 = Inapplicable	33,877	98.741
<b>20</b>			
<b>21</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AU1070_PRODUCT: Sub-brand of snus product usually/last used</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10289 = Camel Snus Frost	90	0.262
<b>2</b>	11977 = Skoal snus Mint	49	0.143
<b>3</b>	10293 = Camel Snus Winterchill	33	0.096
<b>4</b>	11523 = Skoal Smooth Mint	31	0.090
<b>5</b>	10291 = Camel Snus Mint	28	0.082
<b>6</b>	10290 = Camel Snus Mellow	19	0.055
<b>7</b>	10662 = General Mint	7	0.020
<b>8</b>	11051 = Marlboro Snus Original (Tin)	5	0.015
<b>9</b>	10292 = Camel Snus Robust	4	0.012
<b>10</b>	11528 = Skoal Wintergreen	3	0.009
<b>11</b>	10666 = General Portion	2	0.006
<b>12</b>	10668 = General White	2	0.006
<b>13</b>	11049 = Marlboro Snus Amber	2	0.006
<b>14</b>	11993 = Marlboro Snus Cool Mint Box	2	0.006
<b>15</b>	10403 = Copenhagen Long Cut	1	0.003
<b>16</b>	10665 = General Original	1	0.003
<b>17</b>	10670 = General Wintergreen	1	0.003
<b>18</b>	10719 = Grizzly Long Cut Wintergreen	1	0.003
<b>19</b>	10721 = Grizzly Pouches	1	0.003
<b>20</b>	10724 = Grizzly Wintergreen Pouches	1	0.003
<b>21</b>	All other coded responses	7	0.020
<b>22</b>	99995 = Some other product	20	0.058
<b>23</b>	99990 = No data (Brand text response up-coded)	69	0.201
<b>24</b>	-8 = Don't know	4	0.012
<b>25</b>	-7 = Refused	2	0.006
<b>26</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>27</b>	-1 = Inapplicable	33,923	98.875
<b>28</b>		Total	34,309
<b>29</b>			100.000

<b>Obs</b>	<b>R05_AS1048_BRAND: Brand of smokeless tobacco usually/last used</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	1049 = Copenhagen	498	1.452
<b>2</b>	1092 = Grizzly	428	1.247
<b>3</b>	1190 = Skoal	140	0.408
<b>4</b>	1170 = Red Man	45	0.131
<b>5</b>	1121 = Longhorn	42	0.122
<b>6</b>	1112 = Kodiak	41	0.120
<b>7</b>	1171 = Red Seal	40	0.117
<b>8</b>	1104 = Kayak	37	0.108
<b>9</b>	1241 = Levi Garrett	35	0.102
<b>10</b>	1257 = Stoker's	21	0.061
<b>11</b>	1240 = Beechnut	14	0.041
<b>12</b>	1212 = Timber Wolf	9	0.026
<b>13</b>	1097 = Hawken	7	0.020
<b>14</b>	1099 = Husky	7	0.020
<b>15</b>	1033 = Camel	1	0.003
<b>16</b>	1048 = Cooper	1	0.003
<b>17</b>	1086 = Gold River	1	0.003
<b>18</b>	1184 = Seneca	1	0.003
<b>19</b>	1215 = Top	1	0.003
<b>20</b>	1277 = The Good Stuff	1	0.003
<b>21</b>	All other coded responses	2	0.006
<b>22</b>	9995 = Some other brand	38	0.111
<b>23</b>	-7 = Refused	3	0.009
<b>24</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>25</b>	-8 = Don't know	1	0.003
<b>26</b>	-1 = Inapplicable	32,894	95.876
<b>27</b>			
<b>28</b>	Total	34,309	100.000

<b>Obs</b>	<b>R05_AS1070_PRODUCT: Sub-brand of smokeless tobacco product usually/last used</b>	<b>Unweighted Frequency</b>	<b>Percent of Total Frequency</b>
<b>1</b>	10719 = Grizzly Long Cut Wintergreen	197	0.574
<b>2</b>	10407 = Copenhagen Long Cut Wintergreen	126	0.367
<b>3</b>	10724 = Grizzly Wintergreen Pouches	83	0.242
<b>4</b>	10403 = Copenhagen Long Cut	79	0.230
<b>5</b>	10409 = Copenhagen Snuff	67	0.195
<b>6</b>	12117 = Copenhagen Long Cut Mint	66	0.192
<b>7</b>	10405 = Copenhagen Long Cut Straight	41	0.120
<b>8</b>	12129 = Copenhagen Mint Pouches	40	0.117
<b>9</b>	10918 = Kodiak Wintergreen	33	0.096
<b>10</b>	11979 = Levi Garrett Loose Leaf Chewing Tobacco	32	0.093
<b>11</b>	10716 = Grizzly Long Cut Mint	24	0.070
<b>12</b>	11526 = Skoal Straight	24	0.070
<b>13</b>	10410 = Copenhagen Wintergreen Pouches	22	0.064
<b>14</b>	10718 = Grizzly Long Cut Straight	21	0.061
<b>15</b>	11386 = Red Seal Natural	19	0.055
<b>16</b>	11984 = Red Man Golden Blend Chewing Tobacco	19	0.055
<b>17</b>	10714 = Grizzly Fine Cut Wintergreen	18	0.052
<b>18</b>	10715 = Grizzly Long Cut	18	0.052
<b>19</b>	11388 = Red Seal Wintergreen	18	0.052
<b>20</b>	11528 = Skoal Wintergreen	18	0.052
<b>21</b>	All other coded responses	335	0.976
<b>22</b>	99995 = Some other product	37	0.108
<b>23</b>	99990 = No data (Brand text response up-coded)	31	0.090
<b>24</b>	-8 = Don't know	3	0.009
<b>25</b>	-97777 = Missing due to data removed per respondent request	1	0.003
<b>26</b>	-7 = Refused	1	0.003
<b>27</b>	-1 = Inapplicable	32,936	95.998
<b>28</b>		Total	34,309
<b>29</b>			100.000