



DIME Dynamic Documentation Training Stata Exercise

Luiza Andrade & Mrijan Rimal

May 17, 2017

Introduction

This exercise introduces you to how to export files from Stata that can be read in L^AT_EX. See exercise 1 and 2 for instructions on how to import file into L^AT_EX. After this exercise and exercise 1, you will have a document that is automatically updated each time you run your Stata and your L^AT_EX code.

We have provided you with a do-file that has code that creates file that you can import in a L^AT_EX document. We will go through these examples and then we will ask you to create some tables and graphs of your own using your own data. Note that this is not an exercise on Stata, only on exporting in L^AT_EX format from Stata, so this exercise assumes knowledge of some intermediate level Stata commands.

Part 1: Setting up a Folder Structure

Do not rush over this part. You will be forced to write an necessarily complicated L^AT_EX code unless you set up a simple but well organized folder structure for where to export tables and figures from Stata. We strongly recommend that you start by setting up the following folder structure.

Create one folder called **Output**, and inside this folder, create a folder called **Raw**. In the **Raw** folder you will export tables and graphs from Stata that you will import in your L^AT_EX document. Your L^AT_EX document will be saved in the **Output** folder.

See the example below. As your project grows bigger it is common that sub-folders are added in the **Raw** folder. For example, tables and figures often have separate folders. You will find your preferred way to organize this.




Figure 1: Common Folder Structure

Part 2: Setting your path for Stata

We now need to tell all commands in Stata to save the tables and figures they export to the **Raw** folder. We want to create a global with the file path pointing to the **Raw** folder that we can use in our commands. Using a global instead of typing out the folder location in all commands both makes the code simpler, and makes it easier to update if you would have to move your folders.

Open the do-file **Export tables and images.do** that you find in the same folder as this handout. Look for the part that says:

```
global main_folder "<<<ENTER YOUR FOLDER PATH HERE>>>"
```

You need to enter the path to the folder you created in part 1. If you have a Windows computer and you created your `Output` folder in your Documents folder, then your file path should look similar to this:

```
global main_folder "C:\Users\JoeSmith\Documents\Output"
```

The following two sub-sections help you find the file path to the folder you just created if you are not sure how to do that. The first sub-section gives advice for Windows, and the second for Mac.

Finding Path on a Windows Computer

Path to a file can be found by selecting a file and pressing **SHIFT** on your keyboard and **RIGHT CLICKING** your mouse and then clicking **COPY AS PATH** in the resulting drop down menu as shown in Figure 2.




Figure 2: Finding path on a Windows Computer - Solution 1

Another solution to finding the path on a Windows computer is shown in Annex 1.

Finding Path on a Mac

Part 3: File Formats and Names

Not all file formats that you can chose when exporting from Stata is valid to import into L^AT_EX. Figures must be saved in `.png` format. All figures produced in Stata can be exported in `.png`. Even if some commands are not able to export in this format, you can use Stata to convert the figure for you. You will find more details on this in the parts below where we export figures.

Tables must be saved in `.tex` format. Tables cannot be converted as easily as figures, so it is usually easier to find an alternative command that produces the same table but can export to `.tex` format. Most commands that export tables are able to export to this format so it should not be difficult to find an alternative.

Files exported in for example MS Word or MS Excel or in Stata's `.gph` format are not valid to import to L^AT_EX.

Files exported from Stata should have a descriptive name. Otherwise you increase the risk for human errors, and the whole point of dynamic documents is to reduce exactly that. For example - rather than `graph1.png`, `graph2.tex`, names like `treatmentEffectGraph.png` would make it easier to understand what files we are using.

Part 4, Task 1: Tabulate Categorical Variables

While exporting summary statistics table using `esttab`, using `"$raw_output/categorical.tex"`, replace should always include an explanatory file name and also the L^AT_EX extension `.tex`.

Part 4, Task 2: Regression table

Similar to Part 1, Task 1, while using `esttab` to export regression tables, the using `"$raw_output/regression_table.tex"` part should include an explanatory file name(in this case `regression_table.tex`) and should also have the L^AT_EX file extension `.tex`.

Part 5, Task 1: Manually Create a Graph and then Export it

This task shows us how to export graphs created in Stata to export in a format that L^AT_EX can read. Stata's save graph feature saves the graph in `.gph` format which only Stata can read. However, the `graph export` feature saves the graph in a picture format i.e. `png` format which can be read by the photo viewer on your computer, phone and also L^AT_EX. It is *absolutely critical* to export the graph in this format, so that L^AT_EX can import it.

Using the `graph export "$raw_output/regular_graph.png", width(5000)` replace exports the graph

in png format which L^AT_EX can read.

Note: This is different from the `iegraph` command where `save` can both export the graph in `.gph` and `.png` format. For Stata's `graph` command, `export` has to be used to make it readable in L^AT_EX.

Part 5, Task 2: Using `iegraph` to create a figure

While Stata's `graph twoway` uses the `save` feature to export pictures in a `.gph` format, and we have to use the `graph export` to export it in png format. Many commands, for example - `iegraph`, can export directly to either format using the same `save` option.

This exercise teaches how to use `iegraph` to create a figure and export it to the graphs folder. On `iegraph`, while exporting a picture for L^AT_EX, always make sure that the picture has the extension `.png` at the end of the filename. **Without that, `iegraph` is just going to export the picture in a format which only Stata can read!**

Using the `save("$raw_output/iegraph.png")` ensures that the graphs are directly saved to the specified output folder.

Part 6: Making a Dynamic Document

Here, we will produce a dynamic document. Please only do this if you have completed up to **Part 5, Task 2** of the exercise.

1. Save the pdf created upto now in a separate location from your `.tex` file.
2. Go to line 60 of the Stata do file and change the seed from 215320 to a number different than 215320.
Note: Changing seeds is not recommended for actual projects. The change in seeds here is used to highlight the change in treatment/control groups.
3. Rerun the do-file with the new seed.
4. Now, open the earlier created L^AT_EX file and press *Build and Compile* under the *Tools*.
5. Now if you compare the pdf file you have just generated with the one you saved earlier, you will find that the tables would have updated automatically.

Using a do-file to edit a `.tex` file after exporting it

During this part of the exercise, you will learn how to use commands in Stata to format your tables. While tables exported from Stata to L^AT_EX are generally very nice, sometimes they need to be tweaked a little to make them look nicer. So, in this exercise, you'll use the `filefilter` command in Stata to make small changes to the files exported by Stata.

Annex 1




Figure 3: Finding Path on a Windows Computer

As shown in Figure 3, left clicking(normal click) on the bar at the top of the **File Explorer** windows where our files are saved shows us the complete path to the files in a Windows computer.




Figure 4: Path shown on a Windows Computer

We can see in Figure 4, that the complete path to the folder is shown. We can then paste this path when setting the path in our Stata do-file and changing the path where it says

```
global main_folder '<<<ENTER YOUR FOLDER PATH HERE>>>'
```