

# Portfolio Overview

mail: xiaoyang\_zheng@berkeley.edu

Tel: +86 13955190184

Address: 2217 Channing Way Apt.C, CA

## Education

---

**Beijing Normal University**, Beijing, China

*September 2021 - Present*

Undergraduate in Physics (Liyun Elite Program) (Expected graduation: July 2026)

Undergraduate in Economics

## Computer and Laboratory Skills

---

### Computer Skills

- Python (including PyTorch, SciPy, RenPy)
- MatLab, Comsol Simulation, FDTD Simulation
- C++, Mathematica

### Laboratory Skills

- Scanning Tunnel Microscope (STM) and Transmission Electron Microscope (TEM) for material characterization and analysis.
- Designed experimental instruments using Solidworks and performed 3D printing.

## Standardized Test Scores & Scholarships

---

- **Major GPA:** 3.8/4.0
- Completed all courses in the Department of Physics in two years (2023.9-2025.7), ranking 2nd in the Liyun Elite experimental class.

## Core Courses

- Optics (93)
- Electrodynamics (91)
- Computation methods in Physics (95)
- Electromagnetism (97)
- General Relativity (90)

## Scholarships

- Outstanding Freshman Scholarship 2021.09
- Beijing Normal University Jingshi First-Class Scholarship 2024.10/2022.10
- Beijing Normal University First-Class Incentive Bursary 2024.10/2023.10 / 2022.10

## Languages

- **IELTS: 7.5 & TOEFL: 101**
  - Listening: 8.5 & 28; Reading: 8.0 & 30; Speaking: 6.5 & 20; Writing: 6.0 & 23

## Work Experience

---

### Beijing Normal University Photography Association | President

2023.09-2024.09

- Organized and hosted multiple lectures and external expert interviews, including 3 lectures and 2 interviews, attracting approximately 200 students.
- Delivered a series of lectures, including "Optical Concepts in Photography" and "Imaging System Quality from a Photography Equipment Perspective."

[图片描述: 页]

面包含

一个由多张截图组成的拼贴图，内容似乎来自“北京师范大学摄影学社”(BNUPA)的公众号。

- "BNU 影子性" [43] "摄影学社公开课调研 / 摄影讲座与相机体验" [44] (2024 年 3 月 13 日) [45]。
- "摄影基础系列讲座: 第一辑溯源影像技术与中国影像故事" [47] (2024 年 2 月 28 日) [50]。
- "摄协春季招新 / 春天, 来 BNUPA 追寻光的踪迹!" [52] (2024 年 1 月 13 日) [56]。
- "2023 BNUPA 的大家伙拍了啥" [57] (2023 年 11 月 30 日) [63]。
- "24 款 BNUPA 新 LOGO!" [60]。
- "双子座流星雨 集合啦!" [65]。

### Homoludens Archive | Undergraduate Researcher & Archivist

2022.09-2023.07

# Project: Single-Layer Diffractive Neural Network Design (DNN)

---

[图片描述: 一]

张 2D 科

学绘图, 显示了光的强度分布。背景为蓝色, 一条明亮的红色水平光束从左向右传播。光束在左侧汇聚, 然后在中心区域传播。Y 轴标有微米 ( $\mu m$ ), 范围大约从 -250 到 250。X 轴在 7.5 [81]、12.5 [82] 和 17.5 [83] 处有标记。三条带有双箭头的垂直红线标记了 X 轴上的特定区域。

## 1. Background of Single-Layer DNN

- DNN can transfer neural networks to optical paths for inference, accelerating inference speed and parallelism.
- Mask-based D2NN requires multiple masks, leading to significant brightness loss in the output layer.
- The same effect can be achieved by using a 4f system with a single-layer mask in the Fourier plane.

## 2. Optical Newron Network Weight Design

- Design SLM as the optical phase mask in the Fourier plane of a 4f system.
- Construct the core of an optical neural network.
- Design optically-based neural network transfer functions, and train them using PyTorch.

## 3. Single Phase Mask Inference

- Utilize the MNIST handwritten digit dataset
- Efficiently train D2NN using optical simulation methods.
- Achieved high-speed neural network inference within an optical system using only a single phase mask.

# Project: Single-Layer Diffractive Neural Network Design (D2NN)

---

[图片描述: 页]

面显示

了三张图表:

- **左图:** *"Input image with total intensity 559.73" [105]*。这是一张手写数字"4" [109, 121] 的热图, 在深紫色背景上显示为黄绿色。
- **中图:** *"Mask of layer phase\_0" [124]*。这是一张充满噪声的像素化热图, 颜色从绿色到黄色, 似乎是一个相位掩模。
- **右图:** 一个显示输出强度的条形图。X 轴标记为数字 0 到 9。对应于"4" [152] 的条形柱明显高于所有其他条形柱, 表明成功对手写数字"4" 进行了分类。

## 1. Design Background of Single-Layer DNN

- DNN can transfer neural networks to optical paths for inference, accelerating inference speed and parallelism.
- Mask-based D2NN requires multiple masks, leading to significant brightness loss in the output layer.
- The same effect can be achieved by using a 4f system with a single-layer mask in the Fourier plane.

## 2. Optical Newron Network Weight Design

- Design SLM as the optical phase mask in the Fourier plane of a 4f system. Construct the core of an optical neural network.
- Design optically-based neural network transfer functions, and train them using PyTorch.

## 3. Single Phase Mask Inference

- Utilize the MNIST handwritten digit dataset
- Efficiently train D2NN using optical simulation methods.
- Achieved high-speed neural network inference within an optical system using only a single phase mask.

# Project: Self-calibrating Beam Shaping Based on Reflective Spatial Light Modulator

---

*Course Project*

[图片描述: 一]

个光学系

统的 3D 示意图。一束 "Laser" (激光) [160] (粉色光束) 穿过 "Poloroid" (偏振片) [182]、透镜 ("f=7mm" [183], "f=25mm" [180]) [180, 183] 和 "half wave lens" (半波片) [181], 然后从 "Splitter" (分束器) [179] 反射。反射的光束照射到 "SLM" (空间光调制器) [161] 上。从 SLM 反射的光线再次穿过分束器, 被引向 "CCD smars" (CCD 相机) [162]。

## 1. Real-time Correction of High-Order Modes in Lasers

- Lasers may generate high-order transverse modes during use, This need to be corrected and eliminated.
- Designed an optical system based on SLM to correct wavefront aberrations using a feedback control method.

## 2. System Design and Construction

- Utilizing a Spatial Light Modulator as a wavefront phase modulation Unit;
- Using a CCD with a microlens array as a wavefront sensor
- Achieved real-time adjustment of the wavefront shape at the end of the optical path.
- The basic optical path is shown on the right.

## 3. Control Program Development

- Developed a Python program to use the squared error between the wavefront image data from the wavefront sensor and ideal data for stochastic gradient descent or simulated annealing algorithm to optimize the phase modulated on the SLM to calibrate and dynamically control beams with specific wavefront shapes (e.g., Gaussian).

# Atomic Comagnetometer

---

*Undergraduate Research Assistant*

*2023.06-2023.08*

Advisor: Dong Sheng (Professor, University of Science and Technology of China)

[图片描述: 一]

个简单的

3D CAD (计算机辅助设计) 模型。它展示了一个透明的立方体, 内部包含一个较小的实心块。这个组件放置在一个平坦的、红色的、带有中心开口的方形底座上。左侧放置着一个单独的绿色环状物体。

## COMSOL Thermal Simulation

- Conducted COMSOL thermal simulations.
- Optimized the design, ensuring thermal stability of key components in the atomic comagnetometer device.

## Experimental Setup Construction

- Participated in the construction and alignment of the laser atomic state detection optical path.

# Micro-nano Optics

---

*Undergraduate Research Training Program (Municipal Level)*

*2022.4-2023.6*

Advisor: Jinwei Shi (Professor, Department of Physics, Beijing Normal University)

## Optical Surface Structure Characterization

- Used Scanning Electron Microscope (SEM) to determine particle size and morphology, and optical spectroscopy to measure their plasmon resonance.

## FDTD Optical Property Simulation

- Simulated the modes of gold nanorods under visible light band electromagnetic wave excitation using FDTD.
- Investigated the influence of nanorod length, width, and length uniformity on the position and width of absorption peaks induced by second-order excitation modes in 2D materials.

Thank you for your listening!