

# COVID-19 Baseline Risk Score Analysis Report

mock Study

USG COVID-19 Response Biostatistics Team

May 11, 2021



# Contents

<b>1</b>	<b>Baseline Risk Score (Proxy for SARS-CoV-2 Exposure)</b>	<b>9</b>
<b>2</b>	<b>Appendix</b>	<b>19</b>



# List of Tables

- 1.1 Variables considered for risk score analysis. . . . . 10
- 1.2 All learner-screen combinations (28 in total) used as input to the  
Superlearner. . . . . 11
- 1.3 Weights assigned by Superlearner. . . . . 15
- 1.4 Predictors in learners assigned weight  $> 0.0$  by Superlearner. . . 16



# List of Figures

1.1	Cross-validated AUC (95% CI) of algorithms for predicting COVID-19 disease status starting 7 days after Day 57. . . . .	12
1.2	CV-estimated predicted probabilities of COVID-19 disease 7 days after Day 57 by case/control status for top 2 learners, Super-Learner and Discrete SL. . . . .	13
1.3	ROC curves based off CV-estimated predicted probabilities for the top 2 learners, Superlearner and Discrete SL. . . . .	14
1.4	Superlearner predicted probabilities of COVID-19 disease in vaccinees 7 days after Day 57 by case/control status. . . . .	17
1.5	ROC curve based off Superlearner predicted probabilities in vaccinees. . . . .	18

MOCK



## Chapter 1

# Baseline Risk Score (Proxy for SARS-CoV-2 Exposure)

Table 1.1: Variables considered for risk score analysis.

Variable.Name	Definition	Total.missing.values	Comments
MinorityInd	Baseline covariate underrepresented minority status (1=minority, 0=non-minority)	0/30000 (0.0%)	NA
EthnicityHispanic	Indicator ethnicity = Hispanic (0 = Non-Hispanic)	0/30000 (0.0%)	NA
EthnicityNotreported	Indicator ethnicity = Not reported (0 = Non-Hispanic)	0/30000 (0.0%)	NA
EthnicityUnknown	Indicator ethnicity = Unknown (0 = Non-Hispanic)	0/30000 (0.0%)	NA
Black	Indicator race = Black (0 = White)	0/30000 (0.0%)	NA
Asian	Indicator race = Asian (0 = White)	0/30000 (0.0%)	NA
NatAmer	Indicator race = American Indian or Alaska Native (0 = White)	0/30000 (0.0%)	NA
PacIsl	Indicator race = Native Hawaiian or Other Pacific Islander (0 = White)	0/30000 (0.0%)	NA
Multiracial	Indicator race = Multiracial (0 = White)	0/30000 (0.0%)	NA
Other	Indicator race = Other (0 = White)	0/30000 (0.0%)	NA
Notreported	Indicator race = Not reported (0 = White)	0/30000 (0.0%)	NA
Unknown	Indicator race = unknown (0 = White)	0/30000 (0.0%)	NA
HighRiskInd	Baseline covariate high risk pre-existing condition (1=yes, 0=no)	0/30000 (0.0%)	NA
Sex	Sex assigned at birth (1=female, 0=male)	0/30000 (0.0%)	NA
Age	Age at enrollment in years, between 18 and 85	0/30000 (0.0%)	NA
BMI	BMI at enrollment ( $\text{kg}/\text{m}^2$ )	0/30000 (0.0%)	NA

Table 1.2: All learner-screen combinations (28 in total) used as input to the Superlearner.

<b>Learner</b>	<b>Screen*</b>
SL.mean	all
SL.glm	all glmnet univar_logistic_pval highcor_random
SL.glm.interaction	glmnet univar_logistic_pval highcor_random
SL.glmnet	all
SL.gam	glmnet univar_logistic_pval highcor_random
SL.xgboost	all
SL.ranger.imp	all

*Note:*

\*Screen details:

all: includes all variables

glmnet: includes variables with non-zero coefficients in the standard implementation of SL.glmnet that optimizes the lasso tuning parameter via cross-validation

univar\_logistic\_pval: Wald test 2-sided p-value in a logistic regression model  $< 0.10$

highcor\_random: if pairs of quantitative variables with Spearman rank correlation  $> 0.90$ , select one of the variables at random



Figure 1.1: Cross-validated AUC (95% CI) of algorithms for predicting COVID-19 disease status starting 7 days after Day 57.



Figure 1.2: CV-estimated predicted probabilities of COVID-19 disease 7 days after Day 57 by case/control status for top 2 learners, SuperLearner and Discrete SL.



Figure 1.3: ROC curves based off CV-estimated predicted probabilities for the top 2 learners, Superlearner and Discrete SL.

Table 1.3: Weights assigned by Superlearner.

Learner	Screen	Weight
SL.glm	screen_all	0.714
SL.glm.interaction	screen_univariate_logistic_pval	0.271
SL.mean	screen_all	0.016
SL.glmnet	screen_all	0.000
SL.xgboost	screen_all	0.000
SL.ranger.imp	screen_all	0.000
SL.glm	screen_glmnet	0.000
SL.glm	screen_univariate_logistic_pval	0.000
SL.glm	screen_highcor_random	0.000
SL.glm.interaction	screen_glmnet	0.000
SL.glm.interaction	screen_highcor_random	0.000
SL.gam	screen_glmnet	0.000
SL.gam	screen_univariate_logistic_pval	0.000
SL.gam	screen_highcor_random	0.000

Table 1.4: Predictors in learners assigned weight &gt; 0.0 by Superlearner.

Learner	Screen	Weight	Predictors	Coefficient	Odds.Ratio
SL.glm	screen_all	0.714	(Intercept)	-3.592	0.028
SL.glm	screen_all	0.714	MinorityInd	0.109	1.115
SL.glm	screen_all	0.714	EthnicityHispanic	0.016	1.017
SL.glm	screen_all	0.714	EthnicityNotreported	0.064	1.066
SL.glm	screen_all	0.714	EthnicityUnknown	0.055	1.057
SL.glm	screen_all	0.714	Black	-0.127	0.881
SL.glm	screen_all	0.714	Asian	-0.051	0.950
SL.glm	screen_all	0.714	NatAmer	-0.022	0.978
SL.glm	screen_all	0.714	PacIsl	0.014	1.014
SL.glm	screen_all	0.714	Multiracial	-0.106	0.900
SL.glm	screen_all	0.714	Other	0.049	1.051
SL.glm	screen_all	0.714	Notreported	0.064	1.066
SL.glm	screen_all	0.714	Unknown	0.056	1.058
SL.glm	screen_all	0.714	HighRiskInd	0.793	2.210
SL.glm	screen_all	0.714	Sex	-0.033	0.967
SL.glm	screen_all	0.714	Age	0.743	2.102
SL.glm	screen_all	0.714	BMI	-0.001	0.999
SL.glm.interaction	screen_univariate_logistic_pval	0.271	(Intercept)	-3.604	0.027
SL.glm.interaction	screen_univariate_logistic_pval	0.271	PacIsl	0.060	1.062
SL.glm.interaction	screen_univariate_logistic_pval	0.271	Other	0.112	1.119
SL.glm.interaction	screen_univariate_logistic_pval	0.271	HighRiskInd	0.806	2.239
SL.glm.interaction	screen_univariate_logistic_pval	0.271	Age	0.767	2.154
SL.glm.interaction	screen_univariate_logistic_pval	0.271	PacIsl:Other	NA	NA
SL.glm.interaction	screen_univariate_logistic_pval	0.271	PacIsl:HighRiskInd	0.020	1.020
SL.glm.interaction	screen_univariate_logistic_pval	0.271	PacIsl:Age	-0.083	0.921
SL.glm.interaction	screen_univariate_logistic_pval	0.271	Other:HighRiskInd	-0.015	0.985
SL.glm.interaction	screen_univariate_logistic_pval	0.271	Other:Age	-0.050	0.952
SL.glm.interaction	screen_univariate_logistic_pval	0.271	HighRiskInd:Age	-0.021	0.979
SL.glm.interaction	screen_univariate_logistic_pval	0.271	(Intercept)	-3.604	0.027
SL.glm.interaction	screen_univariate_logistic_pval	0.271	PacIsl	0.060	1.062
SL.glm.interaction	screen_univariate_logistic_pval	0.271	Other	0.112	1.119
SL.glm.interaction	screen_univariate_logistic_pval	0.271	HighRiskInd	0.806	2.239
SL.glm.interaction	screen_univariate_logistic_pval	0.271	Age	0.767	2.154
SL.glm.interaction	screen_univariate_logistic_pval	0.271	PacIsl:Other	NA	NA
SL.glm.interaction	screen_univariate_logistic_pval	0.271	PacIsl:HighRiskInd	0.020	1.020
SL.glm.interaction	screen_univariate_logistic_pval	0.271	PacIsl:Age	-0.083	0.921
SL.glm.interaction	screen_univariate_logistic_pval	0.271	Other:HighRiskInd	-0.015	0.985
SL.glm.interaction	screen_univariate_logistic_pval	0.271	Other:Age	-0.050	0.952
SL.glm.interaction	screen_univariate_logistic_pval	0.271	HighRiskInd:Age	-0.021	0.979





Figure 1.4: Superlearner predicted probabilities of COVID-19 disease in vaccinees 7 days after Day 57 by case/control status.



Figure 1.5: ROC curve based off Superlearner predicted probabilities in vaccinees.

## Chapter 2

# Appendix

- This report was built from the [CoVPN/correlates\\_reporting](https://github.com/CoVPN/correlates_reporting/commit/84b91d18a87bb9e3240b79bee349b391f4a2dfc6) repository with commit hash 84b91d18a87bb9e3240b79bee349b391f4a2dfc6. A diff of the changes introduced by that commit may be viewed at [https://github.com/CoVPN/correlates\\_reporting/commit/84b91d18a87bb9e3240b79bee349b391f4a2dfc6](https://github.com/CoVPN/correlates_reporting/commit/84b91d18a87bb9e3240b79bee349b391f4a2dfc6)
- The sha256 hash sum of the raw input file, “COVID\_VEtrial\_practicedata\_primarystage1.csv”:  
2353971c2e14399ede55ef6ba0d4e624626433dc15ec507c2482bb886210019a
- The sha256 hash sum of the processed file, “practice\_data.csv”:  
41ab2015272a48237c9a26a52e8b520753ff2ade1c96a43bf7ad4fdf36779836