

EVIDENCE • CANVAS • SERIES


piechart

Pie or donut chart with legend — proportional wedges.

H1 2026 · 1,840 PERSON-HOURS

The pie gives each share one wedge.


Nearly half went to producing decks; the deciding itself was the smallest slice.



H1 2026 · 1,840 PERSON-HOURS

donut opens the center for the total.


The toil-and-on-call slice is the one nobody put in the roadmap.



Refreshed weekly · figures from the time-tracking export

FY2026 · 1,840 PERSON-HOURS


Stress test — eleven slices, long-tail distribution, none of it on the roadmap.



H1 2026 · 1,840 PERSON-HOURS

The pie gives each share one wedge.


Nearly half went to producing decks; the deciding itself was the smallest slice.



H1 2026 · 1,840 PERSON-HOURS

The pie gives each share one wedge.

Nearly half went to producing decks; the deciding itself was the smallest slice.




Deck production	46%
Meetings about meetings	22%
Realigning on priorities	18%
Stakeholder management	9%
Actually deciding	5%

H1 2026 · 1,840 PERSON-HOURS

The pie gives each share one wedge.

Nearly half went to producing decks; the deciding itself was the smallest slice.



Deck production	46%
Meetings about meetings	22%
Realigning on priorities	18%
Stakeholder management	9%
Actually deciding	5%

When NOT to reach for piechart.

Slices that don't sum to a whole

A pie of unrelated metrics is meaningless — the visual implies parts of a whole. If your values are independent measures, use stats or a bar chart instead.

Two slices

A two-slice pie is just a percentage with extra steps. Use big-number or split-panel metric — the audience can read '38% / 62%' faster than they can decode a half-and-half disc.

When NOT to reach for piechart.

Comparing two pies

Side-by-side pies force the audience to compare wedge angles across two figures — humans are bad at this. Use grouped bars or a slope chart to land the comparison cleanly.

RELATED COMPONENTS

See also.

`progress` — comparable parts but precise differences matter

`stats` — the values are independent metrics, not a partition

`big-number` — the headline is one slice, not the breakdown

`kpi` — the slices need status framing and targets