```
1:-
#include<stdio.h>
int main(){
     int i,n;
      printf("Enter a Number:\n");
     scanf("%d",&n);
     for(i=0;i<n;i++)
      printf("MySirG\n",n);
     return 0;
}
2:-
#include<stdio.h>
     int main(){
           int i=1,n;
           printf("Enter a number\n");
           scanf("%d",&n);
           while(i<=n){
           printf("%d\n",i);
           i++;
           }
           return 0;
     }
```

```
3:-
#include<stdio.h>
int main()
{
     int i,n;
      printf("Enter a number:\n");
     scanf("%d",&n);
     i=n;
     while(i!=0){
      printf("%d\n",i);
     i--;
     }
     return 0;
}
4:-
#include<stdio.h>
     int main(){
           int i=1,n;
           printf("Enter a number:\n");
           scanf("%d",&n);
           while(i<=n){
                 printf("%d\n",i*2);
                 i++;
```

```
}
           return 0;
     }
5:-
#include<stdio.h>
      int main(){
           int i,n;
            printf("Enter a number:\n");
           scanf("%d",&n);
           i=n;
           while(i \ge 1){
                  printf("%d\n",i*2);
                 i--;
           }
            return 0;
      }
6:-
nclude<stdio.h>
      int main(){
            int i=1,n;
            printf("Enter a number:\n");
           scanf("%d",&n);
           while(i<=n){
```

```
printf("%d\n",i*2-1);
                 i++;
           }
           return 0;
     }
7:-
#include<stdio.h>
     int main(){
           int i=1,n;
           printf("Enter a number:\n");
           scanf("%d",&n);
           while(i<=n){
                 printf("%d\n",i*i);
                 i++;
           }
           return 0;
     }
8:-
#include<stdio.h>
     int main(){
           int i=1,n;
           printf("Enter a number:\n");
           scanf("%d",&n);
```

```
while(i<=n){
                 printf("%d\n",i*i*i);
                 i++;
           }
           return 0;
     }
9:-
#include<stdio.h>
int main()
{
     int i,n;
      printf("Enter a number:\n");
     scanf("%d",&n);
     i=n;
     while(i>=1){
     printf("%d\n",i*i);
     i--;
     }
     return 0;
}
10:-
#include<stdio.h>
int main()
```

```
int i,n;
printf("Enter a number:\n");
scanf("%d",&n);
i=n;
while(i>=1){
printf("%d\n",i*i*i);
i--;
}
return 0;
}
```