Start: Nov 21, 1:09:11.956 PM End: Nov 21, 1:10:08.159 PM **Duration: 56.203 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 11 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % /70 30 Pass % 70 20 20 20 80 80 80 90 90 10 63 % 100 100


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User access the Payment option to perform payment related actions in Cyclos	56.203 s	2	0	2	0	11	7	2	2

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	User access the Payment option to perform payment related actions in Cyclos	User to User payment
2		Receiving QR Code Payment

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@UserToUserPayment	1	0	1	0	1	0	1	0
@ReceiveQRPayments	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in Cyclos	2	0	2	0	56.203 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in *	User to User payment	6	4	1	1	36.499 s
2		Receiving QR Code Payment	5	3	1	1	19.691 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

User access the Payment option to perform payment related actions in Cyclos



User to User payment




#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	4.167 s
2	When User provide valid username and password	PASSED	3.065 s
3	And User choose the Payment to user Tab	PASSED	2.000 s
4	And User selects the ReceiverName and amount	PASSED	3.925 s
5	And User choose the schedule as Pay now	FAILED	20.066 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@title='Pay now (not scheduled)']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [715a10b0ebbabb893651d67b04a1cd4a, findElement {using=xpath, value=//div[@title='Pay now (not scheduled)']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSETHU~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:54991}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54991/devtoo, se:cdp\Version: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 715a10b0ebbabb893651d67b04a1cd4a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.commandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.pava:602) at org.openqa.selenium.remote.ElementLocationsElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.ope		
6	Then User gets a verification message	SKIPPED	0.001 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) User to User payment The state of	PASSED	0.172 s

Receiving QR Code Payment



#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	7.250 s
2	When User provide valid username and password	PASSED	3.581 s
3	And User choose the Receive QR Payments Tab	PASSED	1.956 s
4	And User provides the amount which will be converted into a QR code	FAILED	2.616 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [d8b036db5c71742690606ec05e51d16d, sendKeysToElement [id=074CCCA498626CB90DC9162489E77574_element_19, value=[Ljava.lang.CharSequence;@7bc6935c]} Capabilities [dcceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90} (386bc09e8f4f, userDataDir: C:\Users\LSETHU-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55046}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55046/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:extension:prd: plement: [[ChromeDriver: chrome on windows (d8b036db5c71742690606ec05e51d16d]] -> xpath: //input[@class='inputField large rightAligned']] Session ID: d8b036db5c71742690606ec05e51d16d] -> xpath: //input[@class='inputF		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source) at com.actions.PaymentActions.clickQRPayment(PaymentActions.java:104) at com.stepdefinitions.PaymentsStepDefinition. user_provides_the_amount_which_will_be_converted_into_a_qr_code(PaymentsStepDefinition.java:71) at ?.User provides the amount which will be converted into a QR code(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/Payments.feature:19) * Not displayable characters are replaced by '?'.		
5	Then User gets the QR	SKIPPED	0.000 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) Receiving QR Code Payment	PASSED	0.190 s