

Cucumber Report

Nov 21, 2023, 7:24:49 PM

Start : Nov 21, 7:24:00.643 PM

End : Nov 21, 7:24:48.777 PM

Duration : 48.134 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User access the Payment option to perform payment related actions in Cyclos</u>	48.134 s	2	1	1	0	11	10	1	0

#	Feature Name	Scenario Name
1	<u>User access the Payment option to perform payment related actions in Cyclos</u>	<u>User to User payment</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@UserToUserPayment	1	0	1	0	1	0	1	0
@ReceiveQRPayments	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in Cyclos	2	1	1	0	48.134 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User access the Payment option to perform payment related actions in *</u>	<u>User to User payment</u>	6	5	1	0	34.919 s
2		<u>Receiving QR Code Payment</u>	5	5	0	0	13.190 s

* The feature name and/or scenario name has been cropped to fit in the available space.


User access the Payment option to perform payment related actions in Cyclos

FAILED	DURATION - 48.134 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 11 Pass - 10 Fail - 1 Skip - 0	
/ 7:24:00.643 PM // 7:24:48.777 PM /					



User to User payment

<div>FAILED</div> <div>DURATION - 34.919 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 7:24:00.648 PM // 7:24:35.567 PM /</div>			
<div>User access the Payment option to perform payment related actions in Cyclos</div>			
<div>@UserToUserPayment</div>			

#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	2.079 s
2	When User provide username and password	PASSED	2.322 s
3	And User choose the Payment to user Tab	PASSED	1.437 s
4	And User selects the ReceiverName and amount	PASSED	3.804 s
5	And User choose the schedule as Pay now	PASSED	0.529 s
6	Then User gets a verification message org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='You have exceeded the maximum of payments per day for the demo network']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bff60c711847ac9659449da08e536593, findElement {using=xpath, value=//div[text()='You have exceeded the maximum of payments per day for the demo network']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52432}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52432/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bff60c711847ac9659449da08e536593	FAILED	21.243 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at com.actions.PaymentActions.getWarningText(PaymentActions.java:79) at com.stepdefinitions.PaymentsStepDefinition.user_gets_a_verification_message(PaymentsStepDefinition.java:62) at ?.User gets a verification message(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/Payments.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.170 s
	User to User payment		
			

Receiving QR Code Payment

PASSED	DURATION - 13.190 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 7:24:35.587 PM // 7:24:48.777 PM /				
User access the Payment option to perform payment related actions in Cyclos				
@ReceiveQRPayments				

#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	5.517 s
2	When User provide username and password	PASSED	1.799 s
3	And User choose the Receive QR Payments Tab	PASSED	1.114 s
4	And User provides the amount which will be converted into a QR code	PASSED	1.755 s
5	Then User gets the QR	PASSED	0.387 s