

Feature		Scel	nario		Step					
Name	Duration	T	P	F	S	T	P	F	S	
User access the Payment option to perform payment related actions in Cyclos	55.387 s	2	1	1	0	11	9	1	1	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	User access the Payment option to perform payment related actions in Cyclos	User to User payment

TAG		Scer	nario		Feature				
Name	T	P	F	S	T	P	F	S	
@UserToUserPayment	1	0	1	0	1	0	1	0	
@ReceiveQRPayments	1	1	0	0	1	0	1	0	

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in Cyclos	2	1	1	0	55.387 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in *	User to User payment	6	4	1	1	37.792 s
2		Receiving QR Code Payment	5	5	0	0	17.582 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

User access the Payment option to perform payment related actions in Cyclos



User to User payment



#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	4.609 s
2	When User provide valid username and password	PASSED	2.220 s
3	And User choose the Payment to user Tab	PASSED	1.197 s
4	And User selects the ReceiverName and amount	PASSED	5.849 s
5	And User choose the schedule as Pay now	FAILED	20.045 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@title='Pay now (not scheduled)']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b78ee9b292e99a10a3e9ee39e70332c0, findElement {using=xpath, value=//div[@title='Pay now (not scheduled)']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSETHU~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56231}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56231/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b78ee9b292e99a10a3e9ee39e70332c0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.commandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.pava:602) at org.openqa.selenium.remote.ElementLocation\$ at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.opefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.opefaultElementLocator.findElement(DefaultElementLocator.java:68) at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source) at com.actions.PaymentActions.clickSchedule(PaymentActions.java:50) at com.setpdefinitions.PaymentStepDefinition.user_choose_the_schedule_as_pay_now(PaymentsStepDefinition.java:47) at ?.User choose the schedule as Pay now(file:///C/Users/Isethura/Jeclipse-work		
6	Then User gets a verification message	SKIPPED	0.001 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) User to User payment The state of	PASSED	0.164 s

Receiving QR Code Payment

PASSED	DURATION - 17.582 s	4 7	_	<u> </u>				Steps		
/ 1:30:22.294 F	PM // 1:30:39.876 PM /	3-	 	 		 		Total - 5		
User access the related actions	ne Payment option to perform payment	2-	 	 		 		Pass - 5 Fail - 0	5	
		0						Skip - 0		'
@ReceiveQRF	Payments		1	2	3	4	5			

#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	3.745 s
2	When User provide valid username and password	PASSED	3.445 s
3	And User choose the Receive QR Payments Tab	PASSED	3.169 s
4	And User provides the amount which will be converted into a QR code	PASSED	3.667 s
5	Then User gets the QR	PASSED	0.302 s