

Feature Scenario				Step					
Name	Duration	T	P	F	S	T	P	F	S
User access the Payment option to perform payment related actions in Cyclos	58.990 s	2	1	1	0	11	9	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	User access the Payment option to perform payment related actions in Cyclos	User to User payment

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@UserToUserPayment	1	0	1	0	1	0	1	0
@ReceiveQRPayments	1	1	0	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in Cyclos	2	1	1	0	58.990 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in *	User to User payment	6	4	1	1	40.553 s
2		Receiving QR Code Payment	5	5	0	0	18.400 s


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

User access the Payment option to perform payment related actions in Cyclos



User to User payment




#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	6.551 s
2	When User provide username and password	PASSED	2.161 s
3	And User choose the Payment to user Tab	PASSED	1.797 s
4	And User selects the ReceiverName and amount	PASSED	4.275 s
5	And User choose the schedule as Pay now	FAILED	20.068 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@title='Pay now (not scheduled)']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [767725ffffeaac875ce6afd34c5edb6c, findElement {using=xpath, value=//div[@title='Pay now (not scheduled)']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSETHU~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52652}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52652/devtoo, se:cdp\Version: 114.0.5735.199, set\VindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 767725ffffeaac875ce6afd34c5edb6c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.decommandExecutor.java:175) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.opefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.opefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.opefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.opefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.opefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.opefaultElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.opefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactor		
6	Then User gets a verification message	SKIPPED	0.001 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) User to User payment The state of	PASSED	0.182 s

Receiving QR Code Payment



#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	6.346 s
2	When User provide username and password	PASSED	2.288 s
3	And User choose the Receive QR Payments Tab	PASSED	1.296 s
4	And User provides the amount which will be converted into a QR code	PASSED	2.099 s
5	Then User gets the QR	PASSED	0.276 s