

Cucumber Report

Nov 20, 2023, 6:30:46 PM

Start : Nov 20, 6:29:41.378 PM

End : Nov 20, 6:30:44.963 PM

Duration : 1 m 3.585 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 15
FAILED - 2
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Account Information</u>	1 m 3.585 s	3	1	2	0	17	15	2	0

#	Feature Name	Scenario Name
1	<u>Account Information</u>	<u>View Account summary by adding payment filter as System Payments</u>
2		<u>View Account summary by adding payment filter as Member Payments</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AccountSummary	1	1	0	0	1	0	1	0
@SystemPayments	1	0	1	0	1	0	1	0
@MemberPayments	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Account Information</u>	3	1	2	0	1 m 3.585 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Account Information</u>	<u>View Account summary</u>	7	7	0	0	14.610 s
2		<u>View Account summary by adding payment filter as System Payments</u>	5	4	1	0	12.511 s
3		<u>View Account summary by adding payment filter as Member Payments</u>	5	4	1	0	36.444 s

Account Information

<div>FAILED</div>	<div>DURATION - 1 m 3.585 s</div>	<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 15</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:29:41.378 PM // 6:30:44.963 PM /</div>					


View Account summary

<div>PASSED</div> <div>DURATION - 14.610 s</div>		Steps	
/ 6:29:41.382 PM // 6:29:55.992 PM /		Total - 7	
Account Information		Pass - 7	
@AccountSummary		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	3.242 s
2	When User provide valid username and password	PASSED	1.911 s
3	And User choose the Banking Tab	PASSED	1.194 s
4	And User view the current balance	PASSED	2.177 s
5	And User checks the negative balance	PASSED	0.028 s
6	And User checks Total received	PASSED	0.027 s
7	Then User download the payment history	PASSED	0.101 s

View Account summary by adding payment filter as System Payments

#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	5.149 s
2	When User provide valid username and password	PASSED	2.245 s
3	And User choose the Banking Tab	PASSED	1.203 s
4	And User provide filters as System Payments and check the number of incoming payments	PASSED	1.832 s
5	Then User get the payment account details based on System filter	FAILED	0.187 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6dc70ec9b5da7e942a34ad62dc86d20c, getElementText {id=F8325AD568BB23527352696A001073B5_element_52}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\chrome-win-1069691\userDataDir}, googchromeOptions: {debuggerAddress: localhost:52627}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52627/devtools/page/6dc70ec9b5da7e942a34ad62dc86d20c, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (6dc70ec9b5da7e942a34ad62dc86d20c)] -> xpath: //tr[@class='dataTableRow dataTableRow-even']/td Session ID: 6dc70ec9b5da7e942a34ad62dc86d20c</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at com.stepdefinitions.AccountInfoStepDefinition. user_get_the_payment_account_details_based_on_system_filter(AccountInfoStepDefinition.java:84) at ?.User get the payment account details based on System filter(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/ PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:21) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.171 s
	View Account summary by adding payment filter as System Payments		
			

View Account summary by adding payment filter as Member Payments

<div>FAILED</div> <div>DURATION - 36.444 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 6:30:08.519 PM // 6:30:44.963 PM /				
Account Information				
@MemberPayments				

#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	5.466 s
2	When User provide valid username and password	PASSED	2.848 s
3	And User choose the Banking Tab	PASSED	1.431 s
4	And User provide filters as Member Payments and check the number of incoming payments	PASSED	4.110 s
5	Then User get the payment details based on Member filter	FAILED	20.079 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/td[text()='Amount for buying gifts']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a6a30cca19a1797e06c69a65eacc493f, findElement {using=xpath, value="//td[text()='Amount for buying gifts']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 </pre>		

#	Step / Hook Details	Status	Duration
	<p>(386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:52656}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52656/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a6a30cca19a1797e06c69a65eacc493f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at com.actions.AccountInformationActions.getMemberPaymentVerification(AccountInformationActions.java:77) at com.stepdefinitions.AccountInformatioStepDefinition. user_get_the_payment_details_based_on_member_filter(AccountInformatioStepDefinition.java:96) at ?.User get the payment details based on Member filter(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/ PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:30) * Not displayable characters are replaced by '?'. </p>		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.157 s
	View Account summary by adding payment filter as Member Payments		
	