

# Cucumber Report

Nov 21, 2023, 1:17:07 PM

**Start : Nov 21, 1:16:11.934 PM**

**End : Nov 21, 1:17:06.048 PM**

**Duration : 54.114 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 1**



**FAILED - 1**

**SKIPPED - 0**

**PASSED - 9**

**FAILED - 1**

**SKIPPED - 1**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User access the Payment option to perform payment related actions in Cyclos</u>	54.114 s	2	1	1	0	11	9	1	1

#	Feature Name	Scenario Name
1	<u>User access the Payment option to perform payment related actions in Cyclos</u>	<u>User to User payment</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@UserToUserPayment	1	0	1	0	1	0	1	0
@ReceiveQRPayments	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in Cyclos	2	1	1	0	54.114 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User access the Payment option to perform payment related actions in *</u>	<u>User to User payment</u>	6	4	1	1	41.892 s
2		<u>Receiving QR Code Payment</u>	5	5	0	0	12.210 s

\* The feature name and/or scenario name has been cropped to fit in the available space.


## User access the Payment option to perform payment related actions in Cyclos

FAILED	DURATION - 54.114 s	Scenarios		Steps	
/ 1:16:11.934 PM // 1:17:06.048 PM /		Total - 2		Total - 11	
		Pass - 1		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## User to User payment


FAILED	DURATION - 41.892 s	 <table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>8</td></tr><tr><td>2</td><td>4</td></tr><tr><td>3</td><td>1</td></tr><tr><td>4</td><td>5</td></tr><tr><td>5</td><td>20</td></tr></tbody></table>	Step	Count	1	8	2	4	3	1	4	5	5	20	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	
Step	Count															
1	8															
2	4															
3	1															
4	5															
5	20															
/ 1:16:11.937 PM // 1:16:53.829 PM /																
User access the Payment option to perform payment related actions in Cyclos																
@UserToUserPayment																

#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	7.423 s
2	When User provide valid username and password	PASSED	3.823 s
3	And User choose the Payment to user Tab	PASSED	1.088 s
4	And User selects the ReceiverName and amount	PASSED	5.294 s
5	And User choose the schedule as Pay now	FAILED	20.024 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@title='Pay now (not scheduled)']} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9599b8b5b136194c0a45c801476644aa, findElement {using=xpath, value=//div[@title='Pay now (not scheduled)'}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\goog-chrome-options: {debuggerAddress: localhost:55328}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55328/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9599b8b5b136194c0a45c801476644aa at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source) at com.actions.PaymentActions.clickSchedule(PaymentActions.java:50) at com.stepdefinitions.PaymentsStepDefinition.user_choose_the_schedule_as_pay_now(PaymentsStepDefinition.java:47) at ?.User choose the schedule as Pay now(file:///C:/Users/Issethuraraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/Payments.feature:10) * Not displayable characters are replaced by '?'. </pre>		
6	Then User gets a verification message	SKIPPED	0.001 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.164 s
	User to User payment		
			

## Receiving QR Code Payment





#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	4.655 s
2	When User provide valid username and password	PASSED	1.822 s
3	And User choose the Receive QR Payments Tab	PASSED	1.262 s
4	And User provides the amount which will be converted into a QR code	PASSED	1.888 s
5	Then User gets the QR	PASSED	0.299 s