

Cucumber Report

Nov 21, 2023, 5:48:40 PM

Start : Nov 21, 5:46:14.810 PM

End : Nov 21, 5:48:39.318 PM

Duration : 2 m 24.508 s

Features


PASSED - 1
FAILED - 2
SKIPPED - 0

Scenarios

PASSED - 3
FAILED - 3
SKIPPED - 0

Steps


PASSED - 28
FAILED - 3
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Account Information</u>	50.992 s	3	3	0	0	17	17	0	0
<u>User access the Payment option to perform payment related actions in Cyclos</u>	57.497 s	2	0	2	0	11	8	2	1
<u>User uploads the profile picture in Cyclos web application</u>	36.006 s	1	0	1	0	4	3	1	0

#	Feature Name	Scenario Name
1	<u>User access the Payment option to perform payment related actions in Cyclos</u>	<u>User to User payment</u>
2		<u>Receiving QR Code Payment</u>
3	<u>User uploads the profile picture in Cyclos web application</u>	<u>User Uploading new profile picture</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AccountSummary	1	1	0	0	1	1	0	0
@SystemPayments	1	1	0	0	1	1	0	0
@MemberPayments	1	1	0	0	1	1	0	0
@UserToUserPayment	1	0	1	0	1	0	1	0
@ReceiveQRPayments	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Account Information</u>	3	3	0	0	50.992 s
2	<u>User access the Payment option to perform payment related actions in Cyclos</u>	2	0	2	0	57.497 s
3	<u>User uploads the profile picture in Cyclos web application</u>	1	0	1	0	36.006 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Account Information</u>	<u>View Account summary</u>	7	7	0	0	12.007 s
2		<u>View Account summary by adding payment filter as System Payments</u>	5	5	0	0	15.484 s
3		<u>View Account summary by adding payment filter as Member Payments</u>	5	5	0	0	23.482 s
4	<u>User access the Payment option to perform payment related actions in *</u>	<u>User to User payment</u>	6	5	1	0	40.201 s
5		<u>Receiving QR Code Payment</u>	5	3	1	1	17.288 s
6	<u>User uploads the profile picture in Cyclos web application</u>	<u>User Uploading new profile picture</u>	4	3	1	0	36.006 s

* The feature name and/or scenario name has been cropped to fit in the available space.

Account Information

PASSED	DURATION - 50.992 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 17 Pass - 17 Fail - 0 Skip - 0	
/ 5:46:14.810 PM // 5:47:05.802 PM /					

View Account summary

PASSED	DURATION - 12.007 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 5:46:14.814 PM // 5:46:26.821 PM /				
Account Information				
@AccountSummary				

#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	3.371 s
2	When User provide valid username and password	PASSED	2.705 s
3	And User choose the Banking Tab	PASSED	1.038 s
4	And User view the current balance	PASSED	1.909 s
5	And User checks the negative balance	PASSED	0.030 s
6	And User checks Total received	PASSED	0.024 s
7	Then User download the payment history	PASSED	0.106 s

View Account summary by adding payment filter as System Payments

PASSED	DURATION - 15.484 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:46:26.830 PM // 5:46:42.314 PM /				
Account Information				
@SystemPayments				



#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	5.584 s
2	When User provide valid username and password	PASSED	2.172 s
3	And User choose the Banking Tab	PASSED	1.698 s
4	And User provide filters as System Payments and check the number of incoming payments	PASSED	3.405 s
5	Then User get the payment account details based on System filter	PASSED	0.722 s

View Account summary by adding payment filter as Member Payments



PASSED	DURATION - 23.482 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:46:42.320 PM // 5:47:05.802 PM /				
Account Information				
@MemberPayments				

#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	8.254 s
2	When User provide valid username and password	PASSED	4.489 s
3	And User choose the Banking Tab	PASSED	3.087 s
4	And User provide filters as Member Payments and check the number of incoming payments	PASSED	2.476 s
5	Then User get the payment details based on Member filter	PASSED	0.109 s


User access the Payment option to perform payment related actions in Cyclos

FAILED	DURATION - 57.497 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 11 Pass - 8 Fail - 2 Skip - 1	
/ 5:47:05.810 PM // 5:48:03.307 PM /					

User to User payment

<div>FAILED</div>	<div>DURATION - 40.201 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
<div>/ 5:47:05.810 PM // 5:47:46.011 PM /</div>				
<div>User access the Payment option to perform payment related actions in Cyclos</div>				
<div>@UserToUserPayment</div>				


#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	5.839 s
2	When User provide username and password	PASSED	2.768 s
3	And User choose the Payment to user Tab	PASSED	2.284 s
4	And User selects the ReceiverName and amount	PASSED	3.966 s
5	And User choose the schedule as Pay now	PASSED	0.509 s
6	Then User gets a verification message org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='You have exceeded the maximum of payments per day for the demo network']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [000d4eebe0da1f56fa95a5fc0c2b77a7, findElement {using=xpath, value="//div[text()='You have exceeded the maximum of payments per day for the demo network']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:50322}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50322/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 000d4eebe0da1f56fa95a5fc0c2b77a7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	21.255 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at com.actions.PaymentActions.getWarningText(PaymentActions.java:79) at com.stepdefinitions.PaymentsStepDefinition.user_gets_a_verification_message(PaymentsStepDefinition.java:62) at ?.User gets a verification message(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/Payments.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.159 s
	User to User payment		
			



Receiving QR Code Payment

<div>FAILED</div> <div>DURATION - 17.288 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>6.719</td></tr><tr><td>2</td><td>2.174</td></tr><tr><td>3</td><td>1.675</td></tr><tr><td>4</td><td>2.113</td></tr></tbody></table></div>	Step	Duration (s)	1	6.719	2	2.174	3	1.675	4	2.113	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div> <div></div>
Step		Duration (s)										
1		6.719										
2		2.174										
3	1.675											
4	2.113											
<div>/ 5:47:46.019 PM // 5:48:03.307 PM /</div>												
<div>User access the Payment option to perform payment related actions in Cyclos</div>												
<div>@ReceiveQRPayments</div>												



#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	6.719 s
2	When User provide username and password	PASSED	2.174 s
3	And User choose the Receive QR Payments Tab	PASSED	1.675 s
4	And User provides the amount which will be converted into a QR code org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05e39f032d7facc19ff6c6d18f90a5a4, sendKeysToElement {id=6BCC2CDCE03C97FBD4DB05E3CB7D71D5_element_25, value=[Ljava.lang.CharSequence;@6094de13]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:50365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50365/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (05e39f032d7facc19ff6c6d18f90a5a4)] -> xpath: //input[@class='inputField large rightAligned']] Session ID: 05e39f032d7facc19ff6c6d18f90a5a4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)	FAILED	2.113 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source) at com.actions.PaymentActions.clickQRPayment(PaymentActions.java:107) at com.stepdefinitions.PaymentsStepDefinition. user_provides_the_amount_which_will_be_converted_into_a_qr_code(PaymentsStepDefinition.java:76) at ?.User provides the amount which will be converted into a QR code(file:///C:/Users/lsethurarj/eclipse-workspace/CodeRed/ PilotProject_Cyclos_CodeRed/src/test/resources/Features/Payments.feature:19) * Not displayable characters are replaced by '?'. </pre>		
5	Then User gets the QR	SKIPPED	0.001 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.148 s
	Receiving QR Code Payment		
			

User uploads the profile picture in Cyclos web application

FAILED DURATION - 36.006 s / 5:48:03.312 PM // 5:48:39.318 PM /	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
--	--	--	--	--

User Uploading new profile picture

<div>FAILED</div>	<div>DURATION - 36.006 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:48:03.312 PM // 5:48:39.318 PM /</div>				
<div>User uploads the profile picture in Cyclos web application</div>				

#	Step / Hook Details	Status	Duration
1	Given User launched the web application and login into the application	PASSED	7.236 s
2	When User goes to Personal Tab and goes to profile image option	PASSED	1.072 s
3	And User choose Upload new option and added picture from the system	PASSED	20.144 s
4	Then User checks the profile picture java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertTrue(Assert.java:57) at org.testng.Assert.assertTrue(Assert.java:67) at com.stepdefinitions.ProfilePhotoUpdateStepDefinition.user_checks_the_profile_picture(ProfilePhotoUpdateStepDefinition.java:44) at ?.User checks the profile picture(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/ProfilePhotoUpdate.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.045 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.189 s
	User Uploading new profile picture		
	