

Giles Chemical Corporation USP Ceertificate of Analysis

| CUSTOMER: | | | |
|---------------|-------------------------|-------------------|--|
| CUST. REF: | | SHIP DATE: | |
| PRODUCT: | Magnesium Sulfate - USP | TRAILER NUMBER: | |
| SHELF LIFE: | 3 Years | BILL OF LADING #: | |
| LOT NUMBER: | 0406 | PO NUMBER #: | |
| SHIPPER : | | MANUFACTURED : | |
| CUST. SERV. : | | EXPIRES : | |
| | | | |

I, certufy that this material meets all the requirements of the Giles Chemical Corporation sales specification and the United States Pharmacopeia 28. Periodic testing has shown the samples to be consistently free of volatile organic impuriities. Giles Chemical corporation manufactured under the guidlines of Good Manufacturing Practices (GMP)

EPSOM SALT, Magnesium Sulfate - Heptahydrate, USP

| METHOD | TEST | LOWER | UPPER | TEST RESULTS |
|--------|---------------------------------------|-------|--------|--------------|
| VISUAL | Apearance | ~~ | ~~ | Clear |
| USP24 | Arsenic (PPM) | ~~ | 3.00 | < 3.0 ppm |
| ESAP | Boron (PPM) | ~~ | 15.00 | <15.0ppm |
| USP25 | Chloride as CI (%) | ~~ | 0.014 | 0.003% |
| USP26 | Heavy Metals As Pb (%) | ~~ | 0.001 | < 0.001% |
| USP25 | ignition Loss (%) | 40.00 | 52.00 | 51.16% |
| USP26 | Iron | ~~ | 20.00 | 0.14 ppm |
| USP25 | MgSO ₄ (Anhydrous wt. %) | 99.00 | 100.50 | 99.47% |
| USP25 | MgSO ₄ (As is basis, %) | 48.30 | 52.00 | 48.60% |
| USP25 | pH 5% Solution | 5.00 | 9.20 | 6.60 |
| USP25 | Selenium (%) | ~~ | 0.003 | < 0.003% |
| USP25 | Mg ²⁺ ID | | | Present |
| USP25 | SO ₄ ²⁻ ID | | | Present |

| ATTN: | ANALYST: |
|-------|----------|
| | |

SIGNATURE ON FILE



Giles Chemical Corporation Repack Facility USP - Certificate of Analysis

| CUSTOMER: | | | _ |
|---------------|-------------------------|-------------------|---|
| CUST. REF: | | SHIP DATE: | |
| PRODUCT: | Magnesium Sulfate - USP | TRAILER NUMBER: | |
| SHELF LIFE: | 3 Years | BILL OF LADING #: | |
| LOT NUMBER: | 0406 | PO NUMBER #: | |
| SHIPPER: | _ | MANUFACTURED : | |
| CUST. SERV. : | | EXPIRES : | |
| | | | |

I, certufy that this material meets all the requirements of the Giles Chemical Corporation sales specification and the United States Pharmacopeia 28. Periodic testing has shown the samples to be consistently free of volatile organic impuriities. Giles Chemical corporation manufactured under the guidlines of Good Manufacturing Practices (GMP)

EPSOM SALT, Magnesium Sulfate - Heptahydrate, USP

| METHOD | TEST | LOWER | UPPER | TEST RESULTS |
|--------|---------------------------------------|-------|--------|--------------|
| VISUAL | Apearance | ~~ | ~~ | Clear |
| USP24 | Arsenic (PPM) | ~~ | 3.00 | < 3.0 ppm |
| ESAP | Boron (PPM) | ~~ | 15.00 | <15.0ppm |
| USP25 | Chloride as CI (%) | ~~ | 0.014 | 0.003% |
| USP26 | Heavy Metals As Pb (%) | ~~ | 0.001 | < 0.001% |
| USP25 | ignition Loss (%) | 40.00 | 52.00 | 51.16% |
| USP26 | Iron | ~~ | 20.00 | 0.14 ppm |
| USP25 | MgSO ₄ (Anhydrous wt. %) | 99.00 | 100.50 | 99.47% |
| USP25 | MgSO ₄ (As is basis, %) | 48.30 | 52.00 | 48.60% |
| USP25 | pH 5% Solution | 5.00 | 9.20 | 6.60 |
| USP25 | Selenium (%) | ~~ | 0.003 | < 0.003% |
| USP25 | Mg ²⁺ ID | | | Present |
| USP25 | SO ₄ ²⁻ ID | | | Present |

ATTN: ANALYST:

SIGNATURE ON FILE



Chemical Corporation TECH Ceertificate of Analysis

| CUSTOMER: | | | _ |
|---------------|--------------------------|-------------------|---|
| CUST. REF: | | SHIP DATE: | |
| PRODUCT: | Magnesium Sulfate - Tech | TRAILER NUMBER: | |
| SHELF LIFE: | 3 Years | BILL OF LADING #: | |
| LOT NUMBER: | 0406 | PO NUMBER #: | |
| SHIPPER : | | MANUFACTURED : | |
| CUST. SERV. : | | EXPIRES : | |
| | | | |

I, certufy that this material meets all the requirements of the Giles Chemical Corporation sales specification and the United States Pharmacopeia 28. Periodic testing has shown the samples to be consistently free of volatile organic impuriities. Giles Chemical corporation manufactured under the guidlines of Good Manufacturing Practices (GMP)

EPSOM SALT, Magnesium Sulfate - Heptahydrate, Tech Grade

| METHOD | TEST | LOWER | UPPER | TEST RESULTS |
|--------|---------------------------------------|-------|--------|--------------|
| VISUAL | Apearance | ~~ | ~~ | Clear |
| | | | | |
| | | | | |
| USP25 | Chloride as CI (%) | ~~ | 0.014 | 0.003% |
| | | | | |
| USP25 | ignition Loss (%) | 40.00 | 52.00 | 51.16% |
| | | | | |
| USP25 | MgSO ₄ (Anhydrous wt. %) | 99.00 | 100.50 | 99.47% |
| USP25 | MgSO ₄ (As is basis, %) | 48.30 | 52.00 | 48.60% |
| USP25 | pH 5% Solution | 5.00 | 9.20 | 6.60 |
| | | | | |
| USP25 | Mg ²⁺ ID | | | Present |
| USP25 | SO ₄ ²⁻ ID | | | Present |

| ATTN: | ANALYST: |
|-------|----------|
| | |

SIGNATURE ON FILE



USP - CERTIFICATE OF ANALYSIS

| CUSTOMER: | | | |
|---------------|-------------------------|-------------------|--|
| CUST. REF: | | SHIP DATE: | |
| PRODUCT: | Magnesium Sulfate - USP | TRAILER NUMBER: | |
| SHELF LIFE: | 3 Years | BILL OF LADING #: | |
| LOT NUMBER: | 0406 | PO NUMBER # : | |
| SHIPPER : | | MANUFACTURED : | |
| CUST. SERV. : | | EXPIRES: | |

I, certufy that this material meets all the requirements of the PQ Corporation sales specification 600546 and the United States Pharmacopeia 25. All organic volatile impurities listed in General Chaper 467, USP 25 NF 20 are below the USP limits.

EPSOM SALT, Magnesium Sulfate - Heptahydrate, USP; CAS Registry #: 10034-99-8

| METHOD | TEST | LOWER | UPPER | TEST RESULTS |
|--------|---------------------------------------|-------|--------|--------------|
| VISUAL | Apearance | ~~ | ~~ | Clear |
| USP24 | Arsenic (PPM) | ~~ | 3.00 | < 3.0 ppm |
| ESAP | Boron (PPM) | ~~ | 15.00 | <15.0ppm |
| USP25 | Chloride as CI (%) | ~~ | 0.014 | 0.003% |
| USP26 | Heavy Metals As Pb (%) | ~~ | 0.001 | < 0.001% |
| USP25 | ignition Loss (%) | 40.00 | 52.00 | 51.16% |
| USP26 | Iron | ~~ | 20.00 | 0.14 ppm |
| USP25 | MgSO ₄ (Anhydrous wt. %) | 99.00 | 100.50 | 99.47% |
| USP25 | MgSO ₄ (As is basis, %) | 48.30 | 52.00 | 48.60% |
| USP25 | pH 5% Solution | 5.00 | 9.20 | 6.60 |
| USP25 | Selenium (%) | ~~ | 0.003 | < 0.003% |
| USP25 | Mg ²⁺ ID | | | Present |
| USP25 | SO ₄ ²⁻ ID | | | Present |

ATTN: ANALYST:

SIGNATURE ON FILE
PQ - CORPORATION - UTICA, IL
(815) 667-4241



TECH - CERTIFICATE OF ANALYSIS

| CUSTOMER: | | | |
|---------------|--------------------------|-------------------|--|
| CUST. REF: | | SHIP DATE: | |
| PRODUCT: | Magnesium Sulfate - TECH | TRAILER NUMBER: | |
| SHELF LIFE: | 3 Years | BILL OF LADING #: | |
| LOT NUMBER: | 0406 | PO NUMBER #: | |
| SHIPPER: | | MANUFACTURED : | |
| CUST. SERV. : | | EXPIRES: | |

I, certufy that this material meets all the requirements of the PQ Corporation sales specification 606311

Magnesium Sulfate - Heptahydrate, Agricultural Grade; CAS Registry #: 10034-99-8

| METHOD | TEST | LOWER | UPPER | TEST RESULTS |
|--------|---------------------------------------|-------|--------|--------------|
| VISUAL | Apearance | ~~ | ~~ | Clear |
| USP25 | Chloride as CI (%) | ~~ | 0.014 | 0.003% |
| USP25 | ignition Loss (%) | 40.00 | 52.00 | 51.16% |
| USP25 | MgSO ₄ (Anhydrous wt. %) | 99.00 | 100.50 | 99.47% |
| USP25 | MgSO ₄ (As is basis, %) | 48.30 | 52.00 | 48.60% |
| USP25 | pH 5% Solution | 5.00 | 9.20 | 6.60 |
| | | | | |

ATTN: ANALYST:

SIGNATURE ON FILE
PQ - CORPORATION - UTICA, IL
(815) 667-4241



AGRICULTURAL - CERTIFICATE OF ANALYSIS

| CUSTOMER: | | | |
|----------------|---------------------------|-------------------|--|
| CUST. REF: | | SHIP DATE: | |
| PRODUCT: Magne | esium Sulfate - MAGNAGROW | TRAILER NUMBER: | |
| SHELF LIFE: | 3 Years | BILL OF LADING #: | |
| LOT NUMBER: | 0406 | PO NUMBER # : | |
| SHIPPER : | | MANUFACTURED : | |
| CUST. SERV. : | | EXPIRES: | |

I, certufy that this material meets all the requirements of the PQ Corporation sales specification 606311

Magnesium Sulfate - Heptahydrate, Agricultural Grade; CAS Registry #: 10034-99-8

| METHOD | TEST | LOWER | UPPER | TEST RESULTS |
|--------|---------------------------------------|-------|--------|--------------|
| VISUAL | Apearance | ~~ | ~~ | Clear |
| USP25 | Chloride as CI (%) | ~~ | 0.014 | 0.003% |
| USP25 | ignition Loss (%) | 40.00 | 52.00 | 51.16% |
| USP25 | MgSO ₄ (Anhydrous wt. %) | 99.00 | 100.50 | 99.47% |
| USP25 | MgSO ₄ (As is basis, %) | 48.30 | 52.00 | 48.60% |
| USP25 | pH 5% Solution | 5.00 | 9.20 | 6.60 |
| | | | | |

ATTN: ANALYST:

SIGNATURE ON FILE
PQ - CORPORATION - UTICA, IL
(815) 667-4241