Algorithms and Data Structures Solutions June 2015

Q1. [Calculation for a new example]

a)

The correct code is:

```
int calculateF(int N){
   int result = 1;
   for (int i=1; i<N; i++)
       result = 2*result + 1;
   return result;
}</pre>
```

The errors are:

- 1. The function should return int and not being void
- 2. The return inside the for loop should be removed
- 3. The final return should return the result and not the temp
- 4. The for loop should increase by 1 and by 2
- 5. Result = 2*result+1 (2 and not 3)
- 6. The result should be initialized to 1.

[6]


b)

The code is given below:

```
int calculateFR(int n){
   if (n=1)
     return 1;
   else return 2*calculateFR(n-1)+1;
}
```

[6]


c) i)



The tree in unbalanced (node 10), as the right subtree has height 1, where the left has height -1

[2]

ii)




The AVL tree is a self-balanced tree. So, after each insertion, if the tree becomes unbalanced, the necessary rotations are performed to balance the tree.

iii) [6]

The depth of node 3 is 2.


[2]

iv)




[2]

d) i)



[2]

ii)



[2]

e)

There is a memory leak at the point where p2=p1; [1 mark]

A: x=4, y=10 [2 marks]

B: x=13, y=3 [2 marks]

[5]

f) i)

```
void returnLastNode(NodePtr hdList, NodePtr &Ptr) {
    Ptr = NULL; // in this case, there is no need to
initialise Ptr
    while (hdList!=NULL){
        Ptr = hdList; // the pointer Ptr points to the
previous element of hdList
        hdList = hdList->next;
    }
}
```

[3]

```
ii)
void setValuesZeroExceptLast(NodePtr hdList) {
    while (hdList!=NULL){
        if (hdList->next!=NULL)
            hdList->data = 0;
        hdList = hdList->next;
    }
}
                                                              [4]
Q2) [New application]
a)
struct treeNode{
    int data;
    treeNode * left;
    treeNode * right:
    int lowerBound;
    int upperBound;
};
typedef treeNode * TNodePtr;
                                                              [5]
b)
void nodeNumber(TNodePtr hdTree, int & number) {
    if (hdTree != NULL){
        number++;
        nodeNumber(hdTree->left, number);
        nodeNumber(hdTree->right, number);
}
                                                             [10]
c)
void nodeNumberInRange(TNodePtr hdTree, int LB, int UB, int &
number) {
    if (hdTree != NULL){
        if ((hdTree->data >= LB) && (hdTree->data <=UB))</pre>
            number++;
        nodeNumberInRange(hdTree->left, LB, UB, number);
        nodeNumberInRange(hdTree->right,LB, UB, number);
    }
}
```

```
(it may seem complicated but it is based on the well known
insert function, with the extra work to update the lower and
upper bounds)
void insertNumber(TNodePtr &hdTree, int data) {
    if (hdTree==NULL){
        // Create a new node and update the hdTree
        TNodePtr temp = new treeNode;
        temp->data = data;
        temp->lowerBound = data;
        temp->upperBound = data;
        temp->left = NULL;
        temp->right = NULL;
        hdTree = temp;
    } else {
        if (hdTree->data > data)
            // update the lowerbound
            if (hdTree->lowerBound > data)
                hdTree->lowerBound = data;
            insertNumber(hdTree->left, data);
        }
        else
            // update the upperbound
            if (hdTree->upperBound < data)</pre>
                hdTree=>upperBound = data;
            insertNumber(hdTree->right, data);
    }
}
```

```
e)
void updateRange(TNodePtr hdTree){
    if (hdTree!=NULL) {
        updateRange(hdTree->left);
        updateRange(hdTree->right);
        // Update the range for the current node
        if (hdTree->left != NULL)
            hdTree->lowerBound = hdTree->left->lowerBound;
        else
            hdTree->lowerBound = hdTree->data:
        if (hdTree->right != NULL)
            hdTree->upperBound = hdTree->right->upperBound;
        else
            hdTree->upperBound = hdTree->data;
     }
}
                                                            [10]
f)
// You need to initialise maxDensity with zero.
void highestDensityNode(TNodePtr hdTree, TNodePtr &
highestDPtr, float &maxDensity) {
    if (hdTree != NULL) {
        // Find the density of the curren node
        int number = 0;
        nodeNumber(hdTree, number);
        int currentDensity = number / (hdTree->upperBound -
hdTree->lowerBound + 1.0);
        if (currentDensity >= maxDensity){
            maxDensity = currentDensity;
            highestDPtr = hdTree;
        highestDensityNode(hdTree->left, highestDPtr,
maxDensity);
        highestDensityNode(hdTree->right, highestDPtr,
maxDensity);
    }
}
```