

# Lab7 Questions


YAO ZHAO

# Lab7.A: Merging Boxes


- ▶  $N$  magic boxes  $1, 2, \dots, N$  line up from left to right. The  $i^{th}$  box weighs  $w_i$ .
- ▶ Two adjacent boxes  $x, y$  can be merged into a new box  $z$  weighing  $w_z = w_x + w_y$ . Box  $z$  appears at the place where  $x$  and  $y$  were. A such operation costs  $w_x + w_y$  energy.
- ▶ **Tom** wants to merge  $N$  boxes into a single box with  $N - 1$  operations. Help him find the minimal energy cost.

Sample Input


5  
3 2 5 1 7




→  $5+10+11+18 = 44$




→  $8+13+15+18 = 54$




→  $7+10+11+18 = 46$







→  $7+8+11+18 = 44$




→  $5+6+11+18 = 40$




→  $6+8+11+18 = 43$







→  $6+8+15+18 = 47$



→  $6+13+15+18 = 52$



→  $7+8+15+18 = 48$



→  $8+13+15+18 = 54$

## Lab7.B: Sly Bunny

- ▶ One day, FluffyBunny received a secret mail with three secret integers:  $n, m, k$ . She then came up with a game:
- ▶ The game consists of  $n$  turns and has a score that FluffyBunny tries to maximize, and Satori tries to minimize. Initially, the score is 0. In each turn, FluffyBunny first picks a **real** number from  $[0, k]$  which Satori chooses to either add or subtract from the score of the game. Throughout the whole game, Satori must choose to add at least  $m$  times.
- ▶ Satori has agreed that if the final score  $\geq 0$ , she will offer FluffyBunny a free lunch.
- ▶ Suppose the two girls play optimally, please tell them the final score.
- ▶ Note that the integers  $n, m, k$  and the choices that the two players make are open to both players at any time.

## Sample Input

7

3 3 2

2 1 10

6 3 10

6 4 10

100 1 1

4 4 0

69 4 20

3 turns, at least 3 times to add,  $[0, 2]$

So, each turn Satori has to add the picked number, FluffyBunny would pick the biggest number from  $[0, 2]$ , that is 2.

6



## Sample Input

7  
 3 3 2  
 2 1 10  
 6 3 10  
 6 4 10  
 100 1 1  
 4 4 0  
 69 4 20

[0, 10]

First turn: if FluffyBunny pick 10, Satori choose -, let final score -10,

If FluffyBunny pick 0, Satori choose +, let final score +0.

So, FluffyBunny has to pick  $10/2$ , then if Satori choose -, final score -5,

FluffyBunny can pick 10 in the 2<sup>nd</sup> turn, final score =  $-5+10=5$ ;

If Satori choose +, final score +5, FluffyBunny can pick 0 in the 2<sup>nd</sup> turn,

final score =  $+5-0=5$ .

FluffyBunny	Satori	FluffyBunny	Satori	final score
10	0-10	10	0-10+10	0
0	0+0	0	0+0-0	0
5	0-5	10	0-5+10	5
5	0+5	0	0+5-0	5
7.5	0-15/2	10	0-15/2+10	5/2
2.5	0+5/2	0	0+5/2-0	5/2

Optimal result