




Plots created using the 'r4ss' package in R  
Stock Synthesis version: 3.30.19.0  
StartTime: Wed Jul 13 15:56:35 2022  
Data\_File: data.ss  
Control\_File: control.ss


Length (cm, beginning of the year)





Age (yr)


































Selectivity




Selectivity




Selectivity












Spawning biomass (mt)





Relative spawning biomass:  $B/B_{MSY}$




Relative spawning biomass:  $B/B_{MSY}$








Age-0 recruits (1,000s)







Age-0 recruits (1,000s)




Summary Fishing Mortality





Log recruitment deviation



Log recruitment deviation

2  
1  
0  
-1

1970

1980


1990

2000

2010


2020


Year




## Recruitment deviation variance


Asymptotic standard error estimate
















Log recruitment deviation














SPR









Fishing intensity: 1-SPR




Fishing intensity: 1-SPR




Index




Index




Expected index




Observed index





Log expected index





Effective catchability

0.471905

0.471895

0.0

0.2


0.4


0.6


0.8

1.0


Vulnerable biomass











Standardized index

























Proportion





Length (cm)



FISHERY (whole catch)












Proportion




Length (cm)





Effective sample size





## FISHERY (whole catch)






















SR\_LN(R0)




Size\_95%width\_FISHERY(1)




InitF\_seas\_1\_flt\_1FISHERY



LnQ\_base\_FISHERY(1)



Size\_inflection\_FISHERY(1)



Density

Parameter value