



Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Wed Aug 24 10:32:30 2022
Data_File: data.ss
Control_File: control.ss

Length (cm, beginning of the year)

























Fecundity



Fecundity

20

15

10

5

0

0

20

40

60

80

100

Female length (cm)



Spawning output

20
15
10
5
0

0

20

40

60


80

100


Length (cm)




Spawning output




Selectivity





Selectivity




Selectivity









Spawning biomass (mt)





Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}













Age-0 recruits (1,000s)





Summary Fishing Mortality























SPR




1-SPR




Fishing intensity: 1-SPR




Fishing intensity: 1-SPR




Index



Year





Log index

3.0
2.5
2.0
1.5
1.0
0.5
0.0

2016

2017


2018


2019


2020


2021


Year































FISHERY

Sum of N adj.=970.8




FISHERY


◦ 0.01 ○ 0.2




Proportion



Length (cm)





FISHERY (whole catch)




FISHERY

Sum of N adj.=970.8
Sum of N eff.=1103.1







Proportion



Length (cm)



Effective sample size



FISHERY (whole catch)

