





Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Wed Aug 03 11:38:31 2022
Data_File: data.ss
Control_File: control.ss


Length (cm, beginning of the year)





































Selectivity




Selectivity




Age (yr)


FISHERY (f)
FISHERY (m)


Selectivity




Selectivity












Spawning biomass (mt)





Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}












Age-0 recruits (1,000s)



Summary Fishing Mortality





Log recruitment deviation

0.4
0.2
-0.2
-0.6

1970

1980


1990

2000


2010

2020


Year





Log recruitment deviation




Recruitment deviation variance









Log recruitment deviation

0.6
0.4
0.2
0.0
-0.2
-0.4
-0.6

0.0

0.1

0.2

0.3

0.4

0.5

0.6

0.7

Spawning output (relative to B_0)


1986


2004


2006


2007


2021














SPR




1-SPR



Fishing intensity: 1-SPR



Fishing intensity: 1-SPR



Index

1.5
1.0
0.5
0.0

2016


2017


2018

2019


2020

Year








Expected index




Log index











Residual












































Mean length (cm)







FISHERY

Sum of N adj.=208.3

Proportion

0.15

0.10

0.05

0.00

15

20


25

30

35


40

Length (cm)







Proportion




Length (cm)




FISHERY (whole catch)









Proportion




Length (cm)





Effective sample size





FISHERY (whole catch)



















SR_LN(R0)




Size_inflection_FISHERY(1)




InitF_seas_1_flt_1FISHERY




Size_95%width_FISHERY(1)



LnQ_base_FISHERY(1)



Q_extraSD_FISHERY(1)



Parameter value