


# American Samoa Model Checks


2022-08-24

This is a summary report for the APVI base model run.

## Model Output

### Input Data





### Convergence Check

```

Converged    MaxGrad
1          TRUE 5.829e-07

```

```

[1] "1 NOTE:  Max data length bin: 85  < max pop len bins: 94; so will accumulate larger pop
[2] "N warnings: 1"

```



### Fit to Model

#### CPUE

Residual Runs Test (/w plot) stats by Index:

RMSE stats by Index:

#### Length Comp



#Factor	Fleet	New_Var_adj	Type	Name
4	1	0.114179	len	FISHERY

Residual Runs Test (/w plot) stats by Mean length:

```

Index runs.p  test sigma3.lo sigma3.hi type
1 FISHERY    0 Failed -0.113184  0.113184  len


```

RMSE stats by Index:



```


# A tibble: 2 x 3
  Fleet    RMSE.perc Nobs
<chr>      <dbl> <int>
1 FISHERY      7.3    14
2 Combined      7.3    14

```




**Retrospective and Hindcasting**





## Retrospective

Mohn's Rho stats, including one step ahead forecasts:



Mohn's Rho stats, including one step ahead forecasts:


	type	peel	Rho	ForecastRho
1	F	2020	0.056228101	0.055614241
2	F	2019	0.159328003	0.181983446
3	F	2018	0.001176059	0.001175754
4	F Combined		0.072244055	0.079591147

## Hindcasting

Plotting Hindcast Cross-Validation (one-step-ahead)

Computing MASE with only 2 of 3 prediction residuals for Index FISHERY

Warning: Unequal spacing of naive predictions residuals may influence the interpretation of




MASE stats by Index:

Plotting Hindcast Cross-Validation (one-step-ahead)

Computing MASE with only 2 of 3 prediction residuals for Index FISHERY

Warning: Unequal spacing of naive predictions residuals may influence the interpretation of

MASE stats by Index:




Recruitment Deviations

Likelihood Profile


[1] "SR_LN"				
	frac_change	include		label
TOTAL	1.0000	TRUE		Total
Catch	0.0144	TRUE		Catch
Equil_catch	0.0000	FALSE	Equilibrium catch	
Survey	0.3331	TRUE		Index data
Length_comp	0.6524	TRUE		Length data
Recruitment	0.0000	FALSE		Recruitment
InitEQ_Regime	0.0000	FALSE	Initital equilibrium	recruitment
Forecast_Recruitment	0.0000	FALSE	Forecast recruitment	
Parm_priors	0.0000	FALSE		Priors



Parm_softbounds	0.0001	FALSE	Soft bounds
Parm_devs	0.0000	FALSE	Parameter deviations
Crash_Pen	0.0000	FALSE	Crash penalty






### Changes in survey likelihood by fleet





## Management Quantities

starter.sso with Bratio: SSB/SSB<sub>MSY</sub> and F: `_abs_F`







null device  
1

### Jitter

