American Samoa Model Checks


Meg Oshima


2022-08-11

This is a summary report for the CALU base model run.

Model Output

Input Data





Convergence Check

Converged

```
## 1 TRUE 9.96397e-05


## [1] "1 NOTE: Max data length bin: 65 < max pop len bins: 72; so will accumulate larger pop len bin
## [2] "2 warning: poor convergence in Fmsy, final dy/dy2= -0.00256053"
## [3] "N warnings: 2"</pre>
```

Fit to Model

CPUE

##
Running Runs Test Diagnosics for Index
Plotting Residual Runs Tests


MaxGrad



```
##
## Runs Test stats by Index:
## Plotting JABBA residual plot
```

Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : span too small. fe
Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : pseudoinverse used

```
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : neighborhood radiu
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : reciprocal conditi
## Warning in simpleLoess(y, x, w, span, degree = degree, parametric = parametric, : There are other ne
```



##
RMSE stats by Index:


Length Comp

##

# Factor	Fleet	New_Var_adj	Type	Name
4	1	0.271968	len	FISHERY


```
## Running Runs Test Diagnosics for Mean length
## Plotting Residual Runs Tests
##
## Runs Test stats by Mean length:
## Index runs.p test sigma3.lo sigma3.hi type
## 1 FISHERY 0.358 Passed -0.1585028 0.1585028 len
```


Plotting JABBA residual plot




##
RMSE stats by Index:

indices RMSE.perc nobs
1 FISHERY 4.6 7
2 Combined 4.6 7







Retrospective and Hindcasting


Retrospective

Plotting Retrospective pattern

##

 $\mbox{\tt \#\#}$ Mohn's Rho stats, including one step ahead forecasts:

Plotting Retrospective pattern




Mohn's Rho stats, including one step ahead forecasts:

```
## type peel Rho ForecastRho
## 1 F 2020 0.01618150 0.01475908
## 2 F 2019 0.04333089 0.04713516
## 3 F 2018 0.00000000 0.000000000
## 4 F Combined 0.01983746 0.02063141
```

Hindcasting


```
## Plotting Hindcast Cross-Validation (one-step-ahead)
##
## Computing MASE with only 2 of 3 prediction residuals for Index FISHERY
##
```

Warning: Unequal spacing of naive predictions residuals may influence the interpretation of MASE




```
##
## MASE stats by Index:
## Plotting Hindcast Cross-Validation (one-step-ahead)
##
## No observations in evaluation years to compute prediction residuals for Index FISHERY
##
## MASE stats by Index:
```

Recruitment Deviations




Recruitment deviation variance




Likelihood Profile

```
## [1] "SR LN"
## Parameter matching profile.string=SR_LN: SR_LN(R0)
## Parameter values (after subsetting based on input 'models'): 2, 2.2, 2.4, 2.6, 2.8, 3, 3.2, 3.4, 3.6
## Likelihood components showing max change as fraction of total change.
## To change which components are included, change input 'minfraction'.
##
                       frac_change include
                                                                      label
## TOTAL
                            1.0000
                                      TRUE
                                                                      Total
## Catch
                            0.0000
                                     FALSE
                                                                      Catch
                                    FALSE
## Equil_catch
                            0.0000
                                                          Equilibrium catch
## Survey
                            0.0302
                                     TRUE
                                                                 Index data
## Length comp
                            0.7457
                                      TRUE
                                                                Length data
## Recruitment
                            0.2360
                                    TRUE
                                                                Recruitment
## InitEQ_Regime
                            0.0000 FALSE Initital equilibrium recruitment
## Forecast_Recruitment
                          0.0000 FALSE
                                                       Forecast recruitment
## Parm_priors
                            0.0000 FALSE
                                                                     Priors
                            0.0001 FALSE
                                                                Soft bounds
## Parm_softbounds
                                   FALSE
## Parm devs
                            0.0000
                                                       Parameter deviations
## Crash_Pen
                            0.0000
                                    FALSE
                                                              Crash penalty
## Parameter matching profile.string = 'SR_LN': 'SR_LN(RO)
## Parameter values (after subsetting based on input 'models'): 2, 2.2, 2.4, 2.6, 2.8, 3, 3.2, 3.4, 3.6
## Fleet-specific likelihoods showing max change as fraction of total change.
## To change which components are included, change input 'minfraction'.
                        frac_change include
## prof.table....c.1.3..
```




Changes in survey likelihood by fleet




Management Quantities


```
##
## starter.sso with Bratio: SSB/SSBMSY and F: _abs_F
##
```




##
Plot Comparison of stock




Plot Comparison of harvest



##
Plot Comparison of SSB



Plot Comparison of F



RStudioGD ## 2

Jitter

