


# American Samoa Model Checks


2022-09-02

This is a summary report for the PRFL base model run.

## Model Output

### Input Data





### Convergence Check

```

Converged      MaxGrad
1      TRUE 4.55813e-05

```

```

[1] "1 catch is 0.0 in endyr; this can cause problem in the benchmark and forecast calculation"
[2] "2 NOTE: Max data length bin: 48 < max pop len bins: 53; so will accumulate larger population"
[3] "3 warning: poor convergence in Fmsy, final dy/dy2= -0.00182144"
[4] "N warnings: 3"



```

### Fit to Model

#### CPUE

Residual Runs Test (/w plot) stats by Index:

RMSE stats by Index:




## Length Comp

Residual Runs Test (/w plot) stats by Mean length:



```
Index runs.p  test  sigma3.lo  sigma3.hi  type
1 FISHERY    0.11 Passed -0.08474621 0.08474621  len
```


RMSE stats by Index:

```
# A tibble: 2 x 3
  Fleet    RMSE.perc  Nobs
  <chr>      <dbl> <int>
1 FISHERY      4      4
2 Combined      4      4
```



## Retrospective and Hindcasting






Length (cm)

## Retrospective

Mohn's Rho stats, including one step ahead forecasts:



Mohn's Rho stats, including one step ahead forecasts:


	type	peel	Rho	ForecastRho
1	F	2020	0.006192842	NaN
2	F	2019	0.024479516	0.02314715
3	F	2018	0.000000000	0.00000000
4	F Combined	0.010224119		NaN

## Hindcasting

Plotting Hindcast Cross-Validation (one-step-ahead)

Computing MASE with only 2 of 3 prediction residuals for Index FISHERY

Warning: Unequal spacing of naive predictions residuals may influence the interpretation of



MASE stats by Index:

Plotting Hindcast Cross-Validation (one-step-ahead)

No observations in evaluation years to compute prediction residuals for Index FISHERY


MASE stats by Index:

## Recruitment Deviations

## Likelihood Profile


[1] "SR\_LN"

	frac_change	include	label
TOTAL	1.0000	TRUE	Total
Catch	0.0627	TRUE	Catch
Equil_catch	0.0000	FALSE	Equilibrium catch
Survey	0.0860	TRUE	Index data
Length_comp	0.8632	TRUE	Length data
Recruitment	0.0000	FALSE	Recruitment
InitEQ_Regime	0.0000	FALSE	Initital equilibrium recruitment
Forecast_Recruitment	0.0000	FALSE	Forecast recruitment
Parm_priors	0.0099	FALSE	Priors
Parm_softbounds	0.0004	FALSE	Soft bounds
Parm_devs	0.0000	FALSE	Parameter deviations
Crash_Pen	0.0000	FALSE	Crash penalty









## Changes in survey likelihood by fleet




## Management Quantities

starter.sso with Bratio:  $SSB/SSB_{MSY}$  and F:  $_{abs\_F}$







null device  
1

**Jitter**

