


Plots created using the 'r4ss' package in R
Stock Synthesis version: 3.30.19.0
StartTime: Tue Jul 12 10:14:23 2022
Data_File: data.ss
Control_File: control.ss

Length (cm, beginning of the year)


















Fecundity



Fecundity




Spawning output







Selectivity




Selectivity





Selectivity




Selectivity












Spawning biomass (mt)





Relative spawning biomass: B/B_{MSY}




Relative spawning biomass: B/B_{MSY}









Age-0 recruits (1,000s)




Age-0 recruits (1,000s)




Summary Fishing Mortality






Log recruitment deviation



Log recruitment deviation


1.0
0.5
0.0
-0.5
-1.0





Year


Recruitment deviation variance


Asymptotic standard error estimate




















Observed and expected Landings (mt)







SPR




1-SPR




Fishing intensity: 1-SPR




Fishing intensity: 1-SPR




Index




Index







Log index



Log index





Effective catchability

2.089838
2.089834
2.089830


2

3


4


5


Vulnerable biomass





Residual




















Effective catchability

1.105308
1.105304
1.105300

3.0

3.5


4.0


4.5


5.0

5.5


Vulnerable biomass











Standardized index



















FISHERY


• 0.01 ○ 0.2 ○ 0.4




Proportion





Length (cm)




FISHERY (whole catch)









Proportion




Length (cm)





Effective sample size





FISHERY (whole catch)




















SR_LN(R0)




Size_inflection_FISHERY(1)




InitF_seas_1_flt_1FISHERY



Size_95%width_FISHERY(1)



LnQ_base_FISHERY(1)



LnQ_base_SURVEY2(2)

