
Security Goals

Information Security (44 U.S. Code § 3552)

- (1) The term "information security" means protecting information and information systems from unauthorized access, use, disclosure, disruption, modification, or destruction in order to provide—
- (A) integrity, which means guarding against improper information modification or destruction, and includes ensuring information nonrepudiation and authenticity;
- (B) confidentiality, which means preserving authorized restrictions on access and disclosure, including means for protecting personal privacy and proprietary information; and
- (C) availability, which means ensuring timely and reliable access to and use of information.

Information Security Triad: CIA



© Confidentiality

- Protecting information from disclosure to unauthorized parties
- Access to information should be granted only on a need-to-know basis
- Data categorization according to the amount and type of possible damage should it fall into wrong hands

Supporting Principles ()

Authentication, Authorization, Encryption, Anonymity, Secrecy

© Integrity

- Protecting information from being modified by unauthorized parties
- Being correct or consistent with the intended state of information
- Ensuring that the **information is not tampered** whenever it travels from source to destination or even stored at rest

Supporting Principles ()

Hashing, Digital Signatures, Non-repudiation, Tamper-evident packaging

@ Availability

- Ensuring that authorized parties are able to access information when needed
- Ensuring that the services of an organization are available

Supporting Principles ()

Accessibility, Fault Tolerance, Redundancy, Backup, Testing

Exercise 2.1 (*)

1. Which security goals are at risk by the following threats?

| Threat | C | I | Α |
|-----------------------------|---|---|---|
| Network Sniffing | | | |
| DDoS Attack | | | |
| Rogue WiFi Access Point | | | |
| Electromagnetic Pulse (EMP) | | | |
| Whistleblower | | | |
| Social Engineering | | | |

Attacker Behavior vs. Security Goals

| | Active | Passive | Threatened Security Goals |
|-----------|-------------|----------|--|
| Observing | (✓) | ✓ | Confidentiality |
| Altering | ✓ | X | Confidentiality, Integrity, Availability |

Extended CIA Models

Parkerian Hexad (1998)

- Confidentiality
- Possession / Control (NEW)
- Integrity
- Authenticity (NEW)
- Availability
- Utility (NEW)

@ Possession / Control

- Protecting against the idea that confidential data can be possessed/controlled by an unauthorized individual or party
- Loss of control or possession of information should not automatically lead to the breach of confidentiality

Supporting Principles (iii)

Encryption, Authentication

@ Authenticity

• Assurance that a message or transaction is from the source it claims to be from

Supporting Principles ()

- Identification, Digital Certificates
- i Despite its close relation to Integrity you can find Authenticity also used as part of an extended CIAA quartet occasionally.

@ Utility

• **Usefulness** of data or information


Supporting Principles (\(\frac{1}{2}\) \(\frac{1}{2}\)

Compatibility, Accessibility

Information may be available and therefore usable but it doesn't necessarily have to be in a useful form to be defined as available. [^1]

CIA³ (2016)

- Confidentiality
- Integrity
- Availability
- Accountability (NEW)
- Assurance (NEW)



@ Accountability

- Allowing to answer questions like "Who did it?" or "Who is accountable?"
- Considering legal consequences and contractual obligations
- Encompassing segregation of duties and awareness training

• Integrity, Non-repudiation, Authenticity, Design, Governance, Policy

Assurance

- Introduces control activities for the aforementioned security goals
- Periodic controls assuring that all security measures (both technical and operational) work as intended

Supporting Principles (**■ ✓**)

• Auditing, Measuring, Monitoring, Continuous Improvement

Dependency Model of CIA³



Exercise 2.2 (*)

- 1. Which of the extended CIAA security goals could have been compromised in each of the Motivation: Case Studies?
- 2. In your work group, research the assigned case and \checkmark all compromised goals
- 3. Reason or prove each \checkmark briefly during the presentation to the plenum

| Case Study | Confidentiality | Integrity | Availability | Authenticity |
|------------|-----------------|-----------|--------------|--------------|
| Peloton | | | | |
| Marriot | | | | |
| Equifax | | | | |
| CloudPets | | | | |

1. Define at least three supporting measures for each CIA³ security goal, distinguishing between technical and organizational measures

| Security Goal | Technical Measures | Organizational Measures |
|-----------------|--------------------|-------------------------|
| Confidentiality | | |
| Integrity | | |
| Availability | | |
| Accountability | | |
| Assurance | | |