










Reduce Your Costs in Engineering and Purchasing

CP96SDB32-25-M9P(25_0_0) ISO Cylinder:Standard Double Acting,Single/Double Rod



3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.





Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



👍 Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.










Create Your Individual 3D PDF Datasheet Learn How to Create Your Mechanical Product Catalog Learn How to Create Your BIM Product Catalog


Reduce Your Costs in Engineering and Purchasing





2D derivation ISO View















Create Your Individual 3D PDF
Datasheet

Learn How to Create Your Mechanical Product Catalog

Learn How to Create Your BIM
Product Catalog


Reduce Your Costs in Engineering and Purchasing


CP96SDB32-25-M9P(25_0_0)

ISO Cylinder:Standard Double Acting,Single/Double Rod



Technical drawings













Create Your Individual 3D PDF Datasheet Learn How to Create Your Mechanical Product Catalog Learn How to Create Your BIM Product Catalog Reduce Your Costs in Engineering and Purchasing





Technical Data

BORE (Bore size / mm)	32	
MOUNT (Mounting style)	(B) Basic	
MAGNET (Built-in magnet)	(D) With magnet	
AUTOSWITCH (Auto switch)	M9P Solid state-General-Grommet-Indicator light:Yes-3 wire(PNP)-In line	
LEAD (Lead wire length)	(-) 0.5 m	
NUMBER (Number of auto switches)	(-) 2 pcs	
STROKE (Stroke / mm)	25	
POS (Position / mm)	25	
ROD (Rod)	(-) Single rod	
BOOT (Rod boot)	(-) Without boot	
STOP (Stroke option)	Standard stroke	
COM (Comment)	-	
ATEX (ATEX category 2)	N/A	
OMSC (Made to order)	(-) Without order	
THREAD (Thread on/off)	on	









Create Your Individual 3D PDF Datasheet Learn How to Create Your Mechanical Product Catalog Learn How to Create Your BIM Product Catalog

Reduce Your Costs in Engineering and Purchasing

CP96SDB32-25-M9P(25_0_0) ISO Cylinder:Standard Double Acting,Single/Double Rod



Bill of Materials

N°	Description	Amount
1	CP96SDB32-25-M9P	1