LERUKA Use-Case Specification: View personal highscore

Version <1.4>

Revision History

| Date | Version | Description | Author | |
|------------|---------|--|---------|--|
| 26/10/2015 | 1.0 | Erstellen des UC-Dokuments | Ruth W. | |
| 31/10/2015 | 1.1 | Aktivitäten Digramm und Mockup hinzugefügt | Ruth W. | |
| 19/12/2015 | 1.2 | Feature Narration hinzugefügt | Ruth W. | |
| 15/04/2016 | 1.3 | Hinzufügen der Function Points | Ruth W. | |
| 01/06/16 | 1.4 | Anpassungen | Ruth W. | |

Table of Contents

<u>Use-Case Name</u>

Brief Description

Mockup

Flow of Events

Basic Flow

Narration

Alternative Flows

Special Requirements

Preconditions

Postconditions

Extension Points

Function Points

Use-Case Specification: View personal highscore

1. Use-Case Name

1.1 Brief Description

"Persönlicher Highscore" should show members their personal top 5 scores.


1.2 Mockup



2. Flow of Events

2.1 Basic Flow

Users who are logged in can see their highscore.



2.1.1 Narration

View personal highscore feature file

Test result

2.2 Alternative Flows

n/a

3. Special Requirements

n/a

4. Preconditions

Users have to be logged in.

5. Postconditions

n/a

6. Extension Points

n/a

7. Function Points

We calculated the function points with the following table. The Use Case "View personal highscore" has 45,76 points.

Domain Characteristic Table

| MEASUREMENT PARAMETER | COUNT (value >= 0) | WE Simple | EIGHTING FACT Average | OR Complex |
|-------------------------------|-----------------------|--------------|--------------------------|---------------|
| Number of User Input | 0 | • | 0 | 0 |
| Number of User Outputs | 1 | • | 0 | 0 |
| Number of User Inquiries | 2 | • | | 0 |
| Number of Files | 6 | • | 0 | 0 |
| Number of External Interfaces | 0 | • | 0 | 0 |