

LERUKA

LERUKA
Use-Case Specification: Login

Version <1.3>

Revision History

Date	Version	Description	Author
18/11/2015	1.0	Erstellen des UC-Dokuments	Ruth W.
19/12/2015	1.1	Feature Narration hinzugefügt	Ruth W.
15/04/2016	1.2	Hinzufügen der Function Points	Kassandra F.
01/06/16	1.3	Anpassungen	Ruth W.

Table of Contents

- [Use-Case Name](#)
- [Brief Description](#)
- [Mockup](#)
- [Flow of Events](#)
- [Basic Flow](#)
- [Narration](#)
- [Alternative Flows](#)
- [Special Requirements](#)
- [Preconditions](#)
- [Postconditions](#)
- [Extension Points](#)
- [Functions Points](#)


Use-Case Specification: Login

1. Use-Case Name

1.1 Brief Description

In “Login” you could log in if you have created a user account before.


1.2 Mockup



2. Flow of Events

2.1 Basic Flow

The user can log in in his user account.



2.1.1 Narration

[Login feature file](#)

[Test result](#)

2.2 Alternative Flows

n/a

3. Special Requirements

n/a

4. Preconditions

It must exist a connection to the server.

5. Postconditions

n/a

6. Extension Points

n/a

7. Functions Points

We calculated the function points with the following table from TINY TOOLS. The Use Case Login / Logout has 29,92 points.

Domain Characteristic Table

MEASUREMENT PARAMETER	COUNT (value >= 0)	WEIGHTING FACTOR		
		Simple	Average	Complex
Number of User Input	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Outputs	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Inquiries	<input type="text" value="2"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of Files	<input type="text" value="4"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of External Interfaces	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>