

LERUKA

LERUKA

Use-Case Specification: View Instruction

Version <1.3>

Revision History

Date	Version	Description	Author
26/10/2015	1.0	Erstellen des UC-Dokuments	Ruth W.
31/10/2015	1.1	Aktivitäten Diagramm und Mockup hinzugefügt	Ruth W.
19/15/2015	1.2	Feature Narration hinzugefügt	Ruth W.
15/04/2016	1.3	Hinzufügen der Function Points	Ruth W.

Table of Contents

- [Use-Case Name](#)
- [Brief Description](#)
- [Mockup](#)
- [Flow of Events](#)
- [Basic Flow](#)
- [Alternative Flows](#)
- [Special Requirements](#)
- [Preconditions](#)
- [Postconditions](#)
- [Extension Points](#)
- [Function Points](#)


Use-Case Specification: View Instruction

1. Use-Case Name

1.1 Brief Description

In “Spielanleitung” you could view how to play the game.


1.2 Mockup



2. Flow of Events

2.1 Basic Flow

Here it is possible to read the instruction of the game.



2.1.1 Narration

[View instruction feature file](#)

2.2 Alternative Flows

n / a

3. Special Requirements

n/a

4. Preconditions

n/a

5. Postconditions

n/a

6. Extension Points

7. Function Points

We calculated the function points with the following table. The Use Case “View instruction” has 14,96 points.

LERUKA

Domain Characteristic Table

MEASUREMENT PARAMETER	COUNT (value >= 0)	WEIGHTING FACTOR		
		Simple	Average	Complex
Number of User Input	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Outputs	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of User Inquiries	<input type="text" value="1"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of Files	<input type="text" value="2"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Number of External Interfaces	<input type="text" value="0"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>