# LERUKA Use-Case Specification: View personal highscore

Version <1.4>

# **Revision History**

Date	Version	Description	Author	
26/10/2015	1.0	Erstellen des UC-Dokuments	Ruth W.	
31/10/2015	1.1	Aktivitäten Digramm und Mockup hinzugefügt	Ruth W.	
19/12/2015	1.2	Feature Narration hinzugefügt	Ruth W.	
15/04/2016	1.3	Hinzufügen der Function Points	Ruth W.	
01/06/16	1.4	Anpassungen	Ruth W.	

# **Table of Contents**

<u>Use-Case Name</u>

**Brief Description** 

Mockup

Flow of Events

**Basic Flow** 

**Narration** 

**Alternative Flows** 

**Special Requirements** 

Preconditions

**Postconditions** 

**Extension Points** 

**Function Points** 

# **Use-Case Specification: View personal highscore**

## 1. Use-Case Name

## 1.1 Brief Description

"Persönlicher Highscore" should show members their personal top 5 scores.


### 1.2 Mockup



## 2. Flow of Events

### 2.1 Basic Flow

Users who are logged in can see their highscore.



#### 2.1.1 Narration

View personal highscore feature file

### Feature: View personal highscore

As a app user I want to see my highscore



#### Total test result

#### 2.2 Alternative Flows

n/a

# 3. Special Requirements

n/a

### 4. Preconditions

Users have to be logged in.

### 5. Postconditions

n/a

### 6. Extension Points

n/a

# 7. Function Points

We calculated the function points with the following table. The Use Case "View personal highscore" has 45,76 points.

# **Domain Characteristic Table**

MEASUREMENT PARAMETER	COUNT (value >= 0)	WEIGHTING FACTOR Simple Average Complex		
Number of User Input	0	•	0	0
Number of User Outputs	1	0	0	0
Number of User Inquiries	2	(0)	0	0
Number of Files	6	(0)	0	0
Number of External Interfaces	0	•	0	0