PREAMBLE

For all papers which involve mathematical calculations, mathematical and statistical tables published for WAEC should be used in the examination room. However, the use of non-programmable, silent and cordless calculator is allowed. The calculator must not have a paper printout. Where the degree of accuracy is not specified in a question the degree of accuracy expected will be that obtainable from the WAEC mathematical tables. Trigonometrical tables in the pamphlet have different columns for decimal fractions of a degree, not for minutes and seconds.

No mathematical tables other than the above may be used in the examination. It is strongly recommended that schools/candidates obtain copies of these tables for use throughout the course.

Candidates should bring rulers, protractors, pair of compasses and set squares for all papers. They will not be allowed to borrow such instruments and any other materials from other candidates in the examination hall. It should be noted that some questions may prohibit the use of tables and /or calculators. The use of slide rules is not allowed.

Graph paper ruled in 2 mm squares, will be provided for any paper in which it is required.

UNITS

Candidates should be familiar with the following units and their symbols.

Length

```
10000 millimetres (mm) = 100 centimetres (cm) = 1 metre (m)
```

1000 metres = 1 kilometre (km)

Area

10,000 square metres (m²) = 1 hectare (ha)

Cubic Capacity

1000 cubic centimetres $(cm^3) = 1$ litre (1)

Mass

1000 milligrammes (mg) = 1 gramme (g)

1000 grammes (g) = 1 kilogramme (kg)

CURRENCIES

The Gambia	-	100 bututs	(b)	=	1 dalasi	(D)
Ghana	-	100 pesewas	(p)	=	1 Ghana cedi	GH(c)
Liberia	-	100 cents	(c)	=	1 dollar	(\$)
*Nigeria	-	100 kobo	(k)	=	1 naira	(N)
*Sierra Leone	-	100 cents	(c)	=	1 leone	(Le)
U. K.	-	100 pence	(p)	=	1 pound	(£)
U.S.A.	-	100 cents	(c)	=	1 dollar	(\$)

French speaking territories: 100 centimes (c) = 1 franc (fr)

Any other units used will be defined.

AIMS OF THE SYLLABUS

The syllabus is not intended to be used as a teaching syllabus. Teachers are advised to use their own National teaching syllabuses. The aims of the syllabus are to test:

- (i) computational skills;
- (ii) the understanding of mathematical concepts and their applications to everyday living;
- (iii) the ability to translate problems into mathematical language and solve them with related mathematical knowledge;
- (iv) the ability to be accurate to a degree relevant to the problems at hand;
- (v) precise, logical and abstract thinking.

EXAMINATION FORMAT

There will be two papers both of which must be taken.

PAPER 1 - $1^{1}/_{2}$ hours **PAPER 2** - $2^{1}/_{2}$ hours

<u>PAPER 1</u> will contain 50 multiple choice questions testing the whole syllabus excluding those sections of the syllabus marked with asterisks (*). Candidates are expected to attempt all the questions. This paper will carry 50 marks.

PAPER 2 will consist of two parts, **I** and **II**. This paper will carry 100 marks.

PART I (40 marks) will contain five compulsory questions which are elementary in nature and will exclude questions on those sections of the syllabus marked with asterisks (*).

PART II (60 marks) will contain ten questions of greater length and difficulty including questions on those sections of the syllabus marked with asterisks (*). Candidates are expected to answer any five of the questions. The number of questions from the asterisked sections of the syllabus would not exceed four.

^{*}General Mathematics/Mathematics (Core).

NOTE: (1) Topics marked with asterisks are to be tested in Part II of Paper 2 only.

(2) Topics marked with double asterisks (**) are peculiar to Ghana.

Questions on such topics should not be attempted by candidates in Nigeria.

DETAILED SYLLABUS

The topics, contents and notes are intended to indicate the scope of the questions which will be set. The notes are not to be considered as an exhaustive list of illustrations/limitations.

Sections of the syllabus marked with asterisks (*) will be tested only as options in Part II of Paper 2.

WASSCE GENERAL MATHEMATICS/MATHEMATICS (CORE) SYLLABUS

TOPICS	CONTENTS	NOTES
A. NUMBER AND NUMERATION		
(a) Number Bases	(i) Binary numbers	Conversions from base 2 to base 10 and vice versa. Basic operations excluding division. Awareness of other number bases is desirable.
	**(ii) Modular arithmetic	Relate to market days, the clock etc. Truth sets (solution sets) for various open sentences, e.g. $3 \times 2 = a \pmod{4}, 8 + y = 4 \pmod{9}$.
(b) Fractions, decimals and approximations	(i) Basic operations on fractions and decimals.	
11	(ii) Approximations and significant figures	Approximations should be realistic e.g. a road is not measured correct to the nearest cm. Include error.
(c) Indices	(i) Laws of indices.	Include simple examples of negative and fractions indices.
	(ii) Numbers in standard form.	e.g. $375.3 = 3.753 \times 10^2$ $0.0035 = 3.5 \times 10^{-3}$ Use of tables of squares, square roots and reciprocals.

TOPICS	CONTENTS	NOTES
(d) Logarithms	(i) Relationship between indices and logarithms e.g. $y = 10^k \rightarrow K = \log_{10} y$	
	(ii) Basic rules of logarithms i.e. $log_{10} \ (pq) = log_{10}P + log_{10}q$ $log_{10} \ (p/q) = log_{10} \ P - log_{10}q$	Calculations involving multiplication, division, powers and square roots.
	$log_{10}P^{n} = nlog_{10}P$	
	(iii) Use of tables of logarithms, Base 10 logarithm and Antilogarithm tables.	
(e) Sequence	 (i) Patterns of sequences. Determine any term of a given sequence. *(ii) Arithmetic Progression (A.P) Geometric Progression (G.P). 	The notation U_n = the nth term of a sequence may be used. Simple cases only, including word problems. Excluding sum S_n .
(f) Sets	 (i) Idea of sets, universal set, finite and infinite sets, subsets, empty sets and disjoint sets; idea of and notation for union, intersection and complement of sets. (ii) Solution of practical problems involving classification, using Venn diagrams. 	Notations: <i>E</i> ,⊂, Ø, {}, ∪, ∩, P¹ (the complement of P). * Include commutative, associative and distributive properties. The use of Venn diagrams restricted to at most 3 sets.
**(g) Logical reasoning	Simple statements. True and false statements. Negation of statements.	Use of symbols : \sim , \Rightarrow , \Leftarrow .
	Implication, equivalence and valid arguments.	Use of Venn diagrams preferable.

TOPICS	CONTENTS	NOTES
(h) Positive and Negative integers. Rational numbers	The four basic operations on rational numbers	Match rational numbers with points on the number line. Notation: Natural numbers (N),
		Integers (Z), Rational numbers (Q)
(i) Surds	Simplification and Rationalisation of simple surds.	Surds of the form \underline{a} and $a\sqrt{b}$ \sqrt{b} where a is a rational and b is a positive integer.
(j) Ratio, Proportion and Rates	Financial partnerships; rates of work, costs, taxes, foreign exchange, density (e.g. for population) mass, distance, time and speed.	Include average rates.
(k) Variation	Direct, inverse and partial variations. *Joint variations.	Application to simple practical problems.
(l) Percentages	Simple interest, commission, discount, depreciation, profit and loss, compound interest and hire purchase.	Exclude the use of compound interest formula.
B. ALGEBRAIC PROCESSES	(i) Expression of statements in symbols.	eg. Find an expression for the cost C cedis of 4 pears at x cedis
(a) Algebraic Expressions	(ii) Formulating algebraic expressions from given situations.	each and 3 oranges at y cedis each $C = 4x + 3y$
	(iii) Evaluation of algebraic expressions.	If $x = 60$ and $y = 20$. Find C.

TOPIC	CONTENTS	NOTES	
(b) Simple operations on	(i) Expansion	e.g. (a+b) (c+d). (a+3) (c+4)	
algebraic xpressions.	(ii) Factorisation	Expressions of the form	
		(i) $ax + ay$ (ii) $a (b+c) + d (b+c)$ (iii) $ax^2 + bx + c$ where a,b,c are integers	
		$(iv) a^2 - b^2$	
		Application of difference of two squares e.g.	
		$49^2 - 47^2 = (49 + 47)(49 - 47)$	
		= 96 x 2 = 192	
(c) Solution of linear equations	(i) Linear equations in one variable		
equations	(ii) Simultaneous linear equations in two variables.		
(d) Change of subject of a formula/relation	(i) Change of subject of a formula/relation	e.g. find v in terms of f and u given that	
	(ii) Substitution	1 1 1	
		f u v	
(e) Quadratic equations	(i) Solution of quadratic equations	Using $ab = 0 \Rightarrow either a = 0 \text{ or } b$ = 0	
equations	(ii) Construction of quadratic equations with given roots.	* By completing the square and use of formula.	
	(iii) Application of solution of quadratic equations in practical problems.	Simple rational roots only. e.g. constructing a quadratic equation.	
	problems.	Whose roots are –3 and 5/2	
		\Rightarrow $(x = 3) (x - 5/2) = 0.$	

TOPICS	CONTENTS	NOTES
(f) Graphs of Linear and quadratic functions.	(i) Interpretation of graphs, coordinates of points, table of values. Drawing quadratic graphs and obtaining roots from graphs.	Finding: (i) the coordinates of the maximum and minimum points on the graph; (ii) intercepts on the axes. Identifying axis of Symmetry. Recognising sketched graphs.
	 (ii) Graphical solution of a pair of equations of the form y = ax² + bx + c and y = mx + k (iii) Drawing of a tangent to curves to determine gradient at a given point. 	Use of quadratic graph to solve a related equation e.g. graph of $y = x^2 + 5x + 6$ to solve $x^2 + 5x + 4 = 0$
	(iv) The gradient of a line	 (i) By drawing relevant triangle to determine the gradient. (ii) The gradient, m, of the line joining the points (x₁, y₁) and (x₂, y₂) is m = y₂ - y₁/x₂ - x₁
	** (v) Equation of a Line	Equation in the form $y = mx + c$ or $y - y_1 = m(x-x_1)$
(g) Linear inequalities	(i) Solution of linear inequalities in one variable and representation on the number line.	Simple precional problems
	(ii) Graphical solution of linear inequalities in two variables	Simple practical problems

TOPICS	CONTENTS	NOTES
** (h) Relations and functions	(i) Relations	Various types of relations One - to - one, many - to - one, one - to - many, many - to - many
	(ii) Functions	The idea of a function. Types of functions. One – to – one, many – to – one.
(i) Algebraic fractions	Operations on algebraic fractions (i) with monomial denominators.	Simple cases only e.g. $1 1 x + y$ $ + = (x \neq 0, \text{ and } y \neq 0)$ $x y xy$
	(ii) with binomial denominators.	Simple cases only e.g. $\frac{1}{x-b} + \frac{1}{x-a} = \frac{2x-a-b}{(x-a)(x-b)}$ where a and b are constants and x≠a or b. Values for which a fraction is not defined e.g. $\frac{1}{x-a} = \frac{2x-a-b}{(x-a)(x-b)}$
C. MENSURATION		x + 3 is not defined for $x = -3$.
(a) Lengths and Perimeters	 (i) Use of Pythagoras theorem, sine and cosine rules to determine lengths and distances. (ii) Lengths of arcs of circles. Perimeters of sectors and Segments. 	No formal proofs of the theorem and rules are required.
	*(iii) Latitudes and Longitudes.	Distances along latitudes and longitudes and their corresponding angles.

TOPICS	CONTENTS	NOTES	
(b) Areas	 (i) Triangles and special quadrilaterals – rectangles, parallelograms and trapezia. (ii) Circles, sectors and segments of circles. (iii) Surface areas of cube, cuboid, cylinder, right triangular prisms and cones. *Spheres. 	Areas of similar figures. Include area of triangles is ½ base x height and *1/2 abSin C. Areas of compound shapes. Relation between the sector of a circle and the surface area of a cone.	
(c) Volumes	(i) Volumes of cubes, cuboid, cylinders, cones and right pyramids. * Spheres.(ii) Volumes of similar solids	Volumes of compound shapes.	
D. PLANE GEOMETRY		The results of these standard theorems stated under contents must be known but their formal proofs are not required. However, proofs based on the knowledge of these theorems may be tested.	
(a) Angles at a point	 (i) Angles at a point add up to 360°. (ii) Adjacent angles on a straight line are supplementary. (iii) Vertically opposite angles are equal. 	The degree as a unit of measure. Acute, obtuse, reflex angles.	
(b) Angles and intercepts on parallel lines	 (i) Alternate angles are equal. (ii) Corresponding angles are equal. (iii) Interior opposite angles are supplementary. *(iv) Intercept theorem 	Application to proportional division of a line segment.	

TOPICS	CONTENTS	NOTES
(c) Triangles and other polygons	(i) The sum of the angles of a triangle is 2 right angles.	
	(ii) The exterior angle of a triangle equals the sum of the two interior opposite angles.	
	(iii) Congruent triangles.	Conditions to be known but proofs not required. Rotation, translation, reflection and lines of symmetry to be used.
	(iv) Properties of special triangles – isosceles, equilateral, right-angled.	Use symmetry where applicable.
	(v) Properties of special quadrilaterals – parallelogram, rhombus, rectangle, square, trapezium.	
	(vi) Properties of similar triangles.	Equiangular properties and ratio of sides and areas.
	(vii) The sum of the angles of a polygon.	
	(viii) Property of exterior angles of a polygon.	
	(ix) Parallelograms on the same base and between the same parallels are equal in area.	
(d) Circles	(i) Chords	Angles subtended by chords in a circle, at the centre of a circle. Perpendicular bisectors of
	(ii) The angle which an arc of a circle subtends at the centre is twice that which it subtends at any point on the remaining part of the circumference.	chords.
	(iii) Any angle subtended at the circumference by a diameter is a right angle.	

TOPICS	CONTENTS	NOTES
	(iv) Angles in the same segment are equal(v) Angles in opposite segments are supplementary.	
	(vi) Perpendicularity of tangent and radius.	
	(vii) If a straight line touches a circle at only one point and from the point of contact a chord is drawn, each angle which this chord makes with the tangent is equal to the angle in the alternative segment.	
(e) Construction	(i) Bisectors of angles and line segments.	
	(ii) Line parallel or perpendicular to a given line.	
	(iii) An angle of 90°, 60°, 45°, 30° and an angle equal to a given angle.	Include combination of these angles e.g. 75°, 105°, 135°, etc.
	(iv) Triangles and quadrilaterals from sufficient data.	
(f) Loci	Knowledge of the loci listed below and their intersections in 2 dimensions.	
	(i) Points at a given distance from a given point.	
	(ii) Points equidistant from two given points.	
	(iii) Points equidistant from two given straight lines.	Consider parallel and intersecting lines.
	(iv) Points at a given distance from a given straight line.	

TOPICS	CONTENTS	NOTES
E. TRIGONOMETRY	(i) Sine, cosine and tangent of an acute angle.	
(a) Sine, cosine and	(ii) Use of tables.	
tangent of an angle.	(iii) Trigonometric ratios of 30°, 45° and 60°.	Without use of tables.
	*(iv) Sine, cosine and tangent of angles from 0° to 360°.	Related to the unit circle.
	*(v) Graphs of sine and cosine.	$0^{\circ} \le x \ge 360^{\circ}$
(b) Angles of elevation and depression.	Calculating angles of elevation and depression. Application to heights and distances.	Easy problems only
(c) Bearings	(i) Bearing of one point from another.	Easy problems only
	(ii) Calculation of distances and angles.	Sine and cosine rules may be used.
E. STATISTICS AND PROBABILITY	(i) Frequency distribution.	Reading and drawing simple inferences from graphs and
(a) Statistics	(ii) Pie charts, bar charts, histograms and frequency polygons.	interpretations of data in histograms.
	(iii) Mean, median and mode for both discrete and grouped data.	Exclude unequal class interval. Use of an assumed mean is acceptable but nor required. For
	(iv) Cumulative frequency curve, median; quartiles and percentiles.	grouped data, the mode should be estimated from the histogram and the median from the cumulative frequency curve.
	(v) Measures of dispersion: range, interquartile range, mean deviation and standard deviation from the mean.	Simple examples only. Note that mean deviation is the mean of the absolute deviations.

TOPICS	CONTENTS	NOTES
(b) Probability	(i) Experimental and theoretical probability.(ii) Addition of probabilities for mutually exclusive and independent events.	Include equally likely events e.g. probability of throwing a six with fair die, or a head when tossing a fair coin.
	(iii) Multiplication of probabilities for independent events.	Simple practical problems only. Interpretation of 'and' and 'or' in probability.
**(G) VECTORS AND TRANSPORMATIONS IN A PLANE (a) Vectors in a Plane.	(i) Vector as a directed line segment, magnitude, equal vectors, sums and differences of vectors.	Column notation. Emphasis on graphical representation.
(a) Vectors in a Franc.	(ii) Parallel and equal vectors.	Notation $\begin{pmatrix} 0 \\ 0 \end{pmatrix}$ for the zero
	(iii) Multiplication of a vector by a scalar.	vector.
	(iv) Cartesian components of a vector.	
(b) Transformation in the Cartesian Coordinate plane.	(i) Reflection	The reflection of points and shapes in the x and y axes and in the lines x = k and y = k, where k is a rational number. Determination of the mirror lines of points/shapes and their images.
	(ii) Rotation	Rotation about the origin.
	(iii) Translation	Use of the translation vector.