# STAT 4830: Numerical optimization for data science and ML

Lecture 0: Introduction

Professor Damek Davis

### Course overview

- Focus: Numerical optimization for data science and ML
- Tools: PyTorch, Python, occasional use of other libraries
- Format: Lecture-based
- Final Project: Incrementally developed throughout semester

### Prerequisites

- Basic calculus and linear algebra (Math 2400)
- Basic probability (Stat 4300)
- Python programming experience
- No advanced optimization/ML background needed

# Why PyTorch?

- Modern auto-differentiation frameworks drive deep learning success
- Enables rapid experimentation with:
  - New model architectures and
  - Novel optimization algorithms

More flexible than traditional solver-based tools

### Preview: spam classification

Let's start with a practical example:

- How do we automatically filter spam emails?
- Demonstrates core optimization concepts
- Shows PyTorch in action

### How computers read email


```
email1 = """
Subject: URGENT! You've won $1,000,000!!!
Dear Friend! Act NOW to claim your PRIZE money!!!
"""
email2 = """
Subject: Team meeting tomorrow
Hi everyone, Just a reminder about our 2pm sync.
"""
```

### Feature extraction

Convert text to numbers:

```
def extract_features(email):
    features = {
        'exclamation_count': email.count('!'),
        'urgent_words': len(['urgent', 'act now', 'prize']
                          & set(email.lower().split())),
        'suspicious_links': len([link for link in email.split()
                                if 'www' in link]),
        'time_sent': email.timestamp.hour,
        'length': len(email)
    return features
```

# Classification process




- 1. Extract numeric features
- 2. Multiply by weights
- 3. Sum weighted features
- 4. Convert to probability

### The sigmoid function

Converts any number into a probability (0-1):

```
def sigmoid(x):
    return 1 / (1 + torch.exp(-x))
```



### Mathematical formulation


Our optimization problem:

$$\min_{w} rac{1}{n} \sum_{i=1}^n \left[ -y_i \log(\sigma(x_i^ op w)) - (1-y_i) \log(1-\sigma(x_i^ op w)) 
ight]$$

#### Where:

- w = weights vector
- $x_i$  = feature vector
- $y_i$  = true label (0/1)
- $\sigma$  = sigmoid function

# Cross-entropy loss




- Penalizes wrong predictions
- Rewards confident correct predictions
- Creates balanced learning

### How Gradient Descent Works

The optimization process works like hiking:

- 1. Look around you (measure gradient)
- 2. Take a step downhill
- 3. Repeat until you reach the bottom



### The optimization loop

#### Each iteration:

- 1. Measure how well current weights classify emails
- 2. Calculate gradient (direction of steepest error reduction)
- 3. Update weights by stepping in this direction
- 4. Repeat until convergence

The learning rate controls step size:

- Too small → slow progress
- Too large → overshooting

### PyTorch: What, how, and why

What: Modern framework for optimization and deep learning

#### How:

- Tracks operations in a computational graph
- Automatically computes gradients
- Enables parallel computation (CPU/GPU)

#### Why:

- Automates the hardest part (gradients)
- Makes experimentation fast
- Scales from simple to complex models

## Inside PyTorch: Tensors and autograd

```
# Tensors: The building blocks
x = torch.tensor([1.0, 2.0], requires_grad=True)
y = x * 2
z = y.sum()


# Automatic differentiation
z.backward() # Computes gradients
print(x.grad) # Shows \(\paz/\pax\)
```

PyTorch builds a graph of operations, enabling automatic gradient computation.

# Implementation in PyTorch


```
# Initialize
weights = torch_randn(5, requires_grad=True)
learning_rate = 0.01
for _ in range(1000):
    # Forward pass
    predictions = spam_score(features, weights)
    loss = cross_entropy_loss(predictions, true_labels)
    # Backward pass
    loss.backward()
    # Update weights
    with torch.no_grad():
        weights -= learning_rate * weights.grad
        weights.grad.zero_()
```

## Try it yourself!



- Complete implementation in the notebook
- Experiment with different learning rates
- See how the loss changes during training
- Test the model on new emails

# Training results



#### Three key metrics:

- Loss and Training accuracy: Performance on known data.
- Test accuracy: Performance on new emails

### Course structure

- 1. Linear algebra & direct methods
- 2. Problem formulations & classical software
- 3. Calculus for optimization
- 4. Automatic differentiation & PyTorch
- 5. First-order methods
- 6. Second-order methods
- 7. Advanced topics
- 8. Modern deep learning practice

### Learning outcomes

By course end, you'll be able to:

- 1. Model real problems as optimization problems
- 2. Select appropriate algorithms
- 3. Implement solutions in PyTorch
- 4. Apply optimization to practical problems
- 5. Conduct optimization research

### Getting started

- Review the syllabus
- Set up Python environment
- Try the Colab notebook
- Start thinking about project ideas

### Questions?

- Course website: https://damek.github.io/STAT-4830/
- Office hours: Listed on the course website
- Email: damek@wharton.upenn.edu
- Discord: Check email for invite.