



# Linear Algebra ★

115/115 challenges solved

Rank: 1 | Points: 2305 ⓘ



Your Linear Algebra submission got 20.00 points.

[Share](#)[Problem](#)[Submissions](#)[Leaderboard](#)[Editorial](#)

The NumPy module also comes with a number of built-in routines for linear algebra calculations. These can be found in the sub-module linalg.

## linalg.det

The linalg.det tool computes the determinant of an array.

```
print numpy.linalg.det([[1 , 2], [2, 1]])    #Output : -3.0
```

## linalg.eig

The linalg.eig computes the eigenvalues and right eigenvectors of a square array.

```
vals, vecs = numpy.linalg.eig([[1 , 2], [2, 1]])
print vals          #Output : [ 3. -1.]
print vecs          #Output : [[ 0.70710678 -0.70710678]
                             #      [ 0.70710678  0.70710678]]
```

## linalg.inv

The linalg.inv tool computes the (multiplicative) inverse of a matrix.

```
print numpy.linalg.inv([[1 , 2], [2, 1]])    #Output : [[-0.33333333  0.66666667]
                             #      [ 0.66666667 -0.33333333]]
```

Other routines can be found [here](#)

## Task

You are given a square matrix **A** with dimensions  $N \times N$ . Your task is to find the determinant. Note: Round the answer to 2 places after the decimal.

## Input Format

The first line contains the integer **N**.

The next **N** lines contains the **N** space separated elements of array **A**.

## Output Format

Print the determinant of **A**.

## Sample Input

```
2
1.1 1.1
1.1 1.1
```

## Sample Output

```
0.0
```

[Change Theme](#)

Language

Python 3



```
1 import numpy as np
2
3 n = int(input())
4 matrix = np.array([input().split() for _ in range(n)], float)
5
6 det = np.linalg.det(matrix)
7 print(round(det, 2))
```

EMACS

Line: 7 Col: 21

 Upload Code as File☐

Test against custom input

**Run Code**

Submit Code

You have earned 20.00 points!

115/115 challenges solved.

100%




# Congratulations


You solved this challenge. Would you like to challenge your friends?

✔ **Test case 0**

Compiler Message

✔ **Test case 1** 

Success

✔ **Test case 2** 

Input (stdin)

[Download](#)

1	<b>2</b>
2	<b>1.1 1.1</b>
3	<b>1.1 1.1</b>

Expected Output

[Download](#)

1	<b>0.0</b>
---	------------