Circular Economy Ontology Network (CEON) - Actor ODP

Metadata

IRI

http://w3id.org/CEON/ontology/location/

Title

Circular Economy Ontology Network (CEON) - Actor ODP

Creator

Eva Blomqvist

Contributor

Huanyu Li

Mikael Lindecrantz

Robin Keskisärkkä

Date Created

2023-03-17

License

https://creativecommons.org/licenses/by/4.0/

Version Iri

http://w3id.org/CEON/ontology/location/0.1/

Version Info

0.1

Preferred Namespace Prefix

location

Preferred Namespace Uri

http://w3id.org/CEON/ontoloy/location/

Description

A core ODP of the CEON ontology network, defining aspects of the actor concept.

Covers Requirements

Covers the following requirements from Onto-DESIDE D3.1: CVN-Process-3, CVN-Actor-1,4,6,7, CVN-Competency-3, CVN-Information-4, C11-1, C11-3, E1-6,6,6,9, E4-10

Classes

<u>Location</u> ^c	
IRI	http://w3id.org/CEON/ontology/location/Location
Sub Class Of	<u>Geometry ^c</u>
In Range Of	hasLocation ^{op}

Geometry ^c

IRI http://www.opengis.net/ont/geosparql#Geometry

Description

A coherent set of direct positions in space. The positions are held within a Spatial

Reference System (SRS).

In Domain Of as GML dp

as GeoJSON^{dp}

Super Class Of Location C

Object Properties

has location op

IRI http://w3id.org/CEON/ontology/location/hasLocation

Range <u>Location</u>^C

Datatype Properties

has city ^{dp}

IRI http://w3id.org/CEON/ontology/location/hasCity

Range xsd:string

has country code dp

IRI http://w3id.org/CEON/ontology/location/hasCountryCode

Range <u>xsd:string</u>

has postal code dp

IRI http://w3id.org/CEON/ontology/location/hasPostalCode

Range xsd:string

has street dp

IRI http://w3id.org/CEON/ontology/location/hasStreet

Range <u>xsd:string</u>

as GML dp

IRI http://www.opengis.net/ont/geosparql#asGML

Is Defined By http://www.opengis.net/spec/geosparql/1.0/req/geometry-extension/geometry-as-

wkt-literal

DescriptionThe GML serialization of a Geometry.

Domain Geometry^C

Range geo:gmlLiteral

as GeoJSON^{dp}

IRI http://www.opengis.net/ont/geosparql#asGeoJSON

Is Defined By http://www.opengis.net/spec/geosparql/1.0/req/geometry-extension/geometry-as-

wkt-literal

DescriptionThe GeoJSON serialization of a Geometry.

Domain Geometry C

Range <u>geo:geoJSONLiteral</u>

as WKT dp

IRI http://www.opengis.net/ont/geosparql#asWKT

Is Defined By http://www.opengis.net/spec/geosparql/1.0/req/geometry-extension/geometry-as-

wkt-literal

DescriptionThe WKT serialization of a Geometry.

Domain Geometry ^C

Range geo:wktLiteral

Annotation Properties

contributor ap			
IRI	http://purl.org/dc/terms/contributor		
created ^{ap}			
IRI	http://purl.org/dc/terms/created		
creator ^{ap}			
IRI	http://purl.org/dc/terms/creator		
description ap			
IRI	http://purl.org/dc/terms/description		
license ^{ap}			
IRI	http://purl.org/dc/terms/license		
title ^{ap}			
IRI	http://purl.org/dc/terms/title		
preferred namespace prefix ^{ap}			
IRI	http://purl.org/vocab/vann/preferredNamespacePrefix		
preferred namespace uri ^{ap}			
IRI	http://purl.org/vocab/vann/preferredNamespaceUri		
covers requirements ap			
IRI	http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#covers Requirements		

definition ap	
IRI	http://www.w3.org/2004/02/skos/core#definition
pref label ^{ap}	
IRI	http://www.w3.org/2004/02/skos/core#prefLabel

Namespaces

:

http://w3id.org/CEON/ontology/location/

dcterms

http://purl.org/dc/terms/

geo

http://www.opengis.net/ont/geosparql#

odp

http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#

owl

http://www.w3.org/2002/07/owl#

prov

http://www.w3.org/ns/prov#

rdf

http://www.w3.org/1999/02/22-rdf-syntax-ns#

rdfs

http://www.w3.org/2000/01/rdf-schema#

skos

http://www.w3.org/2004/02/skos/core#

vann

http://purl.org/vocab/vann/

xsd

http://www.w3.org/2001/XMLSchema#

Legend

C	Classes
ор	Object Properties
dp	Datatype Properties
ар	Annotation Properties