

Circular Economy Ontology Network (CEON) - Resource ODP

Metadata

IRI

<http://w3id.org/CEON/ontology/resourceODP/>

Title

Circular Economy Ontology Network (CEON) - Resource ODP

Creator

Huanyu Li

Contributor

Eva Blomqvist

Mikael Lindecrantz

Robin Keskisärkkä

Date Created

2023-03-16

License

<https://creativecommons.org/licenses/by/4.0/>

Version Iri

<http://w3id.org/CEON/ontology/resourceODP/0.2/>

Version Info

0.2

Preferred Namespace Prefix

resourceODP

Preferred Namespace Uri

<http://w3id.org/CEON/ontology/resourceODP/>

Description

A core ODP of the CEON ontology network defining aspects of the resource concept.

Covers Requirements

Covers the following requirements from Onto-DESIDE D3.1: CVN-Resource-1,3, CVN-Composition-1,2, CVN-ResourceType-4, C7-3, E2-2, E4-6, E5-1, E6-3, T3-1.

Classes

Batch Of Objects^C

IRI	http://w3id.org/CEON/ontology/resourceODP/BatchOfObjects
Description	A batch of object is a collection of physical objects that are of the same type.
Sub Class Of	Resource ^C hasPhysicalObject ^{op} some PhysicalObject ^C and hasPhysicalObject ^{op} only PhysicalObject ^C
In Domain Of	batchSize ^{dp}
In Range Of	hasBatch ^{op}
Restriction	batchSize ^{dp} <i>exactly</i> 1 Batch Of Objects ^C

Composition^C

IRI	http://w3id.org/CEON/ontology/resourceODP/Composition
Description	A composition is used to represent what composing a physical object.

Constituent^C

IRI	http://w3id.org/CEON/ontology/resourceODP/Constituent
Description	A constituent is a component of object.
In Range Of	hasConstituent ^{op}

digital object^C

IRI	http://w3id.org/CEON/ontology/resourceODP/DigitalObject
Description	A digital object, e.g. a computer file, that is located on some server, hard drive, or on the web. Most often the digital object is the realization of some piece of information.
Sub Class Of	Resource ^C

Information^c

IRI <http://w3id.org/CEON/ontology/resourceODP/Information>

Description

Information is an abstract concept that represents any kind of interpretations. For instance, information can be data generated by software systems or data used by people for communications.

Sub Class Of

[Resource^c](#)

In Domain Of

[contains information^{op}](#)
[is about^{op}](#)

In Range Of

[contains information^{op}](#)
[is realization of^{op}](#)

Matter^c

IRI <http://w3id.org/CEON/ontology/resourceODP/Matter>

Description

A matter is a physical substance.

In Range Of

[hasMatter^{op}](#)

PhysicalObject^c

IRI <http://w3id.org/CEON/ontology/resourceODP/PhysicalObject>

Description

A physical object is a collection of matter.

Sub Class Of

[Resource^c](#)
[hasConstituent^{op}](#) only [Constituent^c](#) and [hasConstituent^{op}](#) some [Constituent^c](#)
[hasMatter^{op}](#) only [Matter^c](#) and [hasMatter^{op}](#) some [Matter^c](#)

In Domain Of

[hasConstituent^{op}](#)
[hasMatter^{op}](#)

In Range Of

[hasPhysicalObject^{op}](#)

Resource^c

IRI <http://w3id.org/CEON/ontology/resourceODP/Resource>

Description

A resource able to be handled in the context of a circular value network, e.g. data generated by software systems in the CVN, materials or prooducts as physical objects handled in the CVN.

Super Class Of

[Batch Of Objects^c](#)
[digital object^c](#)
[Information^c](#)
[PhysicalObject^c](#)
[Set Of Objects^c](#)

Set Of Objects^c

IRI <http://w3id.org/CEON/ontology/resourceODP/SetOfObjects>

Description

A set of object is a set of physical objects that can be different types.

Sub Class Of

[Resource^c](#)
[hasBatch^{op}](#) only [Batch Of Objects^c](#) *and* [hasBatch^{op}](#) some [Batch Of Objects^c](#)
[hasPhysicalObject^{op}](#) some [PhysicalObject^c](#) *and* [hasPhysicalObject^{op}](#) only [PhysicalObject^c](#)

In Domain Of

[hasBatch^{op}](#)

Object Properties

contains information^{op}

IRI <http://w3id.org/CEON/ontology/resourceODP/containsInformation>

Description

Indicating that some piece of information is contained in a larger collection of information, e.g. a data sheet contains a statement about a certain parameter of a product.

Sub Property Of

[has part^{op}](#)

Domain

[Information^c](#)

Range

[Information^c](#)

hasBatch^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/hasBatch
Description	hasBatch intends to represent that a set of objects can be captured by a number of batches where each batch contains a number of physical objects.
Domain	Set Of Objects ^c
Range	Batch Of Objects ^c

hasConstituent^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/hasConstituent
Description	hasConstituent intends to represent that a physical object can have a collection of composing components.
Sub Property Of	has part ^{op}
Domain	PhysicalObject ^c
Range	Constituent ^c

hasMatter^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/hasMatter
Description	hasMatter intends to represent that a physical object can have a collection of matter.
Domain	PhysicalObject ^c
Range	Matter ^c

has part^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/hasPart
Description	Indicating that something is part of or is contained by something else.
Super Property Of	<ul style="list-style-type: none">• contains information^{op}• hasConstituent^{op}

hasPhysicalObject^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/hasPhysicalObject
Description	hasPhysicalObject intends to represent that a batch of objects or a set of objects can have composing components of physical objects.
Domain	Batch Of Objects ^c or Set Of Objects ^c
Range	PhysicalObject ^c

is about^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/isAbout
Description	Connecting the information to the object (physical, virtual, imaginary) that the information is about.
Domain	Information ^c

is realization of^{op}

IRI	http://w3id.org/CEON/ontology/resourceODP/isRealizationOf
Description	Relates a thing, e.g. a digital object, or a physical object, to the information it is a realization of. C.f. a physical book that is the realization of a novel, or a pdf or Excel-file that is a realization of a certain data sheet.
Range	Information ^c

Datatype Properties

batchSize^{dp}

IRI	http://w3id.org/CEON/ontology/resourceODP/batchSize
Description	batchSize intends to represent how many physical objects are belong to a batch of objects.
Domain	Batch Of Objects ^c
Range	xsd:nonNegativeInteger

Annotation Properties

description^{ap}

IRI <http://purl.org/dc/elements/1.1/description>

contributor^{ap}

IRI <http://purl.org/dc/terms/contributor>

created^{ap}

IRI <http://purl.org/dc/terms/created>

creator^{ap}

IRI <http://purl.org/dc/terms/creator>

description^{ap}

IRI <http://purl.org/dc/terms/description>

license^{ap}

IRI <http://purl.org/dc/terms/license>

title^{ap}

IRI <http://purl.org/dc/terms/title>

preferred namespace prefix^{ap}

IRI <http://purl.org/vocab/vann/preferredNamespacePrefix>

preferred namespace uri^{ap}

IRI <http://purl.org/vocab/vann/preferredNamespaceUri>

covers requirements^{ap}

IRI	http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#coversRequirements
------------	---

Namespaces

:

<http://w3id.org/CEON/ontology/resourceODP/>

dc

<http://purl.org/dc/elements/1.1/>

dcterms

<http://purl.org/dc/terms/>

odp

<http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#>

owl

<http://www.w3.org/2002/07/owl#>

prov

<http://www.w3.org/ns/prov#>

rdf

<http://www.w3.org/1999/02/22-rdf-syntax-ns#>

rdfs

<http://www.w3.org/2000/01/rdf-schema#>

vann

<http://purl.org/vocab/vann/>

xsd

<http://www.w3.org/2001/XMLSchema#>

Legend

c

Classes

op

Object Properties

dp

Datatype Properties

ap

Annotation Properties