Circular Economy Ontology Network (CEON) - Statement Module

Metadata

IRI

http://w3id.org/CEON/ontology/statement/

Title

Circular Economy Ontology Network (CEON) - Statement Module

Publisher

Onto-DESIDE

Creator

Huanyu Li

Contributor

Eva Blomqvist

Date Created

2025-03-23

Date Issued

2025-06-30

License

https://creativecommons.org/licenses/by/4.0/

Version Iri

http://w3id.org/CEON/ontology/statement/0.2/

Version Info

0.2

Prior Version

0.1

Preferred Namespace Prefix

ceon-statement

Preferred Namespace Uri

http://w3id.org/CEON/ontology/statement/

Description

A module to represent statements of CEON resources.

Classes

Quantity Interval^c

In Range Of

<u>hasChemicalSubstanceThresholdUsedByManufacturer</u>op

 $\underline{hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix}^{op}$

 $\frac{hasMassFractionForDemounting}{hasMassFractionForDisassembly}{^{op}}$

 $\underline{has Mass Fraction Of All Disclosed Chemical Substance}^{op}$

 $\underline{hasMassFractionOfDismantableComponentsForReuseAndRecycle}^{op}$

hasMassFractionOfPostConsumerRecycledMaterialsOutOfTheTotalProductMas

sop

 $\underline{has Mass Fraction Of Pre Consumer Recycled Materials Out Of The Total Product Mass}$

ор

 $\underline{hasMassFractionOfProductDesignedForRecyclingToOriginalInput}^{op}$

 $\underline{has MassFraction Of Product Released Into Environment}^{op}$

 $\frac{hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass}{hasMassFractionOfRenewableMaterialsOutOfTheTotalProductMass}{}^{op}$

 $\frac{hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op}}{hasPostConsumerRecycledMaterialCompositionThreshold}^{op}\\ \frac{hasPreConsumerRecycledMaterialCompositionThreshold}{op}$

<u>hasQuantityInterval</u>op

 $\underline{has Volume Fraction Of Reduction Of Direct Water Consumption Used In Production}^{op}$

 $\underline{has Volume Fraction Of Reused Or Recirculated Water Used In Production}^{op}$

Named Individuals

<u>0ge-0le ⁿⁱ</u>

<u>0gt-0.001le</u>ⁿⁱ

<u>0gt-0.01le</u>ⁿⁱ

0gt-0.1leni

<u>0gt-10leⁿⁱ</u>

0.1ge-0.1leⁿⁱ

<u>1ge</u>ni

10gt-25leni

25gt-50leni

50gt-75leⁿⁱ

75gt-95leni

95qt-99leⁿⁱ

99gt-100leⁿⁱ

Availability ^C

In Range Of hasAvailability op

Named Individuals

<u>publi</u>cⁿⁱ

<u>secrectAgreement</u>ⁿⁱ

Demounting Statement^C

IRI http://w3id.org/CEON/ontology/statement/DemountingStatemen

t

Sub Class Of PCDSStatement^C

In Domain Of hasMassFractionForDemounting op

nt^c

 $\underline{\mathsf{MFOfProductDesignedCleanlyRemovedFromFixedAssemblyStatement}^c}$

Disassembly Statement^C

nt

Sub Class Of PCDSStatement^C

In Domain Of hasMassFractionForDisassembly op

Super Class Of MFOfProductDesignedCleanlyRemovedFromProductAssemblyAvailabilityState

<u>ment ^c</u>

MFOfProductDesignedCleanlyRemovedFromProductAssemblyStatement^C

Disclosed Chemical Subtance Statement^c

ubtanceStatement

Sub Class Of <u>ProductCompositionStatement</u>^C

 $\frac{hasChemicalSubstanceThresholdUsedByManufacturer^{op}\ value\ \underline{0gt-0.001le^c}\ or\ hasChemicalSubstanceThresholdUsedByManufacturer^{op}\ value\ \underline{0gt-0.1le^c}\ or\ hasChemicalSubstanceThresholdUsedByManufacturer^{op}\ value\ \underline{0gt-0.01le^c}\ or\ hasChemicalSubstanceThresholdUsedByManufacturer^{op}\ basChemicalSubstanceThresholdUsedByManufacturer^{op}\ basChemicalSubstanceThresholdUsedByManufacturer^$

hasChemicalSubstanceThresholdUsedByManufacturer op value 1ge c

Dismantling Statement^C

nt

Sub Class Of PCDSStatement^C

In Domain Of hasMassFractionOfDismantableComponentsForReuseAndRecycle op

Super Class Of

MFOfDismantlableComponentForReuseRecycledAvailabilityStatement^C

MFOfDismantlableComponentForReuseRecycledStatement^C

Fraction Of Renewable Energy Availability Statement^c

IRI http://w3id.org/CEON/ontology/statement/FractionOfRenewabl

eEnergyAvailabilityStatement

Sub Class Of RenewableEnergyStatement^C

Fraction Of Renewable Energy Statement^C

eEnergyStatement

Sub Class Of

RenewableEnergyStatement^c

 $\underline{hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix}^{op}\ value$

Oge-Ole c or

 $\underline{hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix}^{op}\ value$

75gt-95le^c or

hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix^{op} value

95gt-99le^c or

 $\underline{hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix}^{op}\ value$

Ogt-10le^c or

<u>hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix</u>^{op} value

25qt-50le^c or

<u>hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix</u> op value

99gt-100le^c or

 $\underline{hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix}^{op}\ value$

10gt-25le^c or

 $\underline{hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix}^{op}\ value$

50gt-75le^c

Hazardous Substance Declaration Availability Statement ^C

DeclarationAvailabiltityStatement

Sub Class Of ProductCompositionStatement^C

Hazardous Substance Statement^c

IRI http://w3id.org/CEON/ontology/statement/HazardousSubstance

Statement

Sub Class Of ProductCompositionStatement^C

Mf Of Dismantlable Component For Reuse Recycled Availability Statement C

IRI http://w3id.org/CEON/ontology/statement/MFOfDismantlableCo

mponent For Reuse Recycled Availability Statement

Sub Class Of <u>DismantlingStatement</u>^C

Mf Of Dismantlable Component For Reuse Recycled Statement^c

IRI http://w3id.org/CEON/ontology/statement/MFOfDismantlableCo

mponentForReuseRecycledStatement

Sub Class Of

<u>DismantlingStatement^c</u>

 $\frac{hasMassFractionOfDismantableComponentsForReuseAndRecycle}{0ge-0le^{\texttt{C}} \textit{ or } hasMassFractionOfDismantableComponentsForReuseAndRecycle}}$

op value <u>50gt-75le</u>c or

 $\underline{has Mass Fraction Of Dismantable Components For Reuse And Recycle}^{op} \ value$

75gt-95le^c or

 $\underline{has Mass Fraction Of Dismantable Components For Reuse And Recycle}^{op} \ value$

95gt-99le^c or

 $\underline{hasMassFractionOfDismantableComponentsForReuseAndRecycle}^{op}\ value$

25gt-50le^c or

 $\frac{hasMassFractionOfDismantableComponentsForReuseAndRecycle}{10le^{c}} or \\ \frac{op}{hasMassFractionOfDismantableComponentsForReuseAndRecycle} op}{10le^{c}} or \\ \frac{op}{hasMassFractionOfDismantableComponentsForReuseAndRecycle} op}{10le^{c}} op$

value 99gt-100le c or

 $\underline{hasMassFractionOfDismantableComponentsForReuseAndRecycle}^{op}\ value$

10gt-25le^c

Mf Of Post Consumer Recycled Material Content Availability Statement C

IRI http://w3id.org/CEON/ontology/statement/MFOfPostConsumerRe

cycledMaterialContentAvailabilityStatement

Sub Class Of RecycledMaterialStatement^C

Mf Of Post Consumer Recycled Material Content Statement^C

 ${\tt cycledMaterialContentStatement}$

Sub Class Of

RecycledMaterialStatement^c

 $\underline{has MassFraction Of PostConsumer Recycled Materials Out Of The Total Product Mass}$

s^{op} value <u>25gt-50le</u>^c or

 $\underline{has MassFraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Of PostConsumer Recycled Materials Out Of The Total Product Masser Fraction Out Of The Total Product$

s^{op} value <u>95gt-99le</u>c or

 $\underline{has Mass Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Out Of The Out Of The Total Product Masser Fraction Out Of T$

s^{op} value <u>0gt-10le</u>c or

hasMassFractionOfPostConsumerRecycledMaterialsOutOfTheTotalProductMas

s^{op} value <u>0ge-0le^c</u> or

 $\underline{has Mass Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Of Post Consumer Recycled Materials Out Of The Total Product Masser Fraction Out Out Of The Total Product Masser Fraction Out O$

<u>s^{op} value <u>10gt-25le</u>c or</u>

hasMassFractionOfPostConsumerRecycledMaterialsOutOfTheTotalProductMas

<u>s^{op} value <u>99gt-100le</u>^c or</u>

 $\underline{has MassFraction Of PostConsumer Recycled Materials Out Of The Total Product Mas}$

s^{op} value <u>50gt-75le</u>c or

 $\underline{has MassFraction Of PostConsumer Recycled Materials Out Of The Total Product Mas}$

s^{op} value <u>75gt-95le</u>c

Mf Of Pre Consumer Recycled Material Content Availability Statement ^C

 $y cled {\tt MaterialContentAvailabilityStatement}$

Sub Class Of RecycledMaterialStatement^C

Mf Of Pre Consumer Recycled Material Content Statement^c

ycledMaterialContentStatement

Sub Class Of

RecycledMaterialStatement^C

 $\underline{hasMassFractionOfPreConsumerRecycledMaterialsOutOfTheTotalProductMass}$

^{op} value <u>95gt-99le</u>c or

hasMassFractionOfPreConsumerRecycledMaterialsOutOfTheTotalProductMass

op value <u>0gt-10le</u>c or

hasMassFractionOfPreConsumerRecycledMaterialsOutOfTheTotalProductMass

op value 25gt-50le c or

hasMassFractionOfPreConsumerRecycledMaterialsOutOfTheTotalProductMass

op value <u>75gt-95le c</u> or

hasMassFractionOfPreConsumerRecycledMaterialsOutOfTheTotalProductMass

^{op} value <u>50gt-75le</u>c or

 $\underline{has Mass Fraction Of Pre Consumer Recycled Materials Out Of The Total Product Mass}$

^{op} value <u>99gt-100le^c</u> or

 $\underline{has MassFraction Of PreConsumer Recycled Materials Out Of The Total Product Mass}$

^{op} value <u>10gt-25le^c</u> or

 $\underline{has MassFraction Of PreConsumer Recycled Materials Out Of The Total Product Mass}$

op value <u>Oge-Ole</u>^C

Mf Of Product Designed Cleanly Removed From Fixed Assembly Availability Statement^c

IRI http://w3id.org/CEON/ontology/statement/MFOfProductDesigne

dCleanlyRemovedFromFixedAssemblyAvailabilityStatement

Sub Class Of DemountingStatement^C

Mf Of Product Designed Cleanly Removed From Fixed Assembly Statement C

 ${\tt dCleanlyRemovedFromFixedAssemblyStatement}$

Sub Class Of

<u>DemountingStatement</u>^C

hasMassFractionForDemounting op value 50gt-75le or hasMassFractionForDemounting op value 0gt-10le or hasMassFractionForDemounting op value 95gt-99le or hasMassFractionForDemounting op value 10gt-25le or hasMassFractionForDemounting op value 25gt-50le or hasMassFractionForDemounting op value 0ge-0le or hasMassFractionForDemounting op value 75gt-95le or

hasMassFractionForDemounting op value 99gt-100le c

Mf Of Product Designed Cleanly Removed From Product Assembly Availability Statement ^c

http://w3id.org/CEON/ontology/statement/MFOfProductDesigne

 ${\tt dCleanlyRemovedFromProductAssemblyAvailabilityStatement}$

Sub Class Of DisassemblyStatement^C

Mf Of Product Designed Cleanly Removed From Product Assembly Statement C

dCleanlyRemovedFromProductAssemblyStatement

Sub Class Of

<u>DisassemblyStatement^c</u>

hasMassFractionForDisassembly^{op} value 75gt-95le^c or hasMassFractionForDisassembly^{op} value 0gt-10le^c or hasMassFractionForDisassembly^{op} value 10gt-25le^c or hasMassFractionForDisassembly^{op} value 95gt-99le^c or hasMassFractionForDisassembly^{op} value 50gt-75le^c or hasMassFractionForDisassembly^{op} value 25gt-50le^c or hasMassFractionForDisassembly^{op} value 0ge-0le^c or hasMassFractionForDisassembly^{op} value 99gt-100le^c

Mf Of Product Recycling At Similar Level Availability Statement C

ngAtSimilarLevelAvailabilityStatement

Sub Class Of RecyclingStatement^C

Mf Of Product Recycling At Similar Level Statement^c

IRI http://w3id.org/CEON/ontology/statement/MFOfProductRecycli

ngAtSimilarLevelStatement

Sub Class Of

RecyclingStatement^C

 $\frac{hasMassFractionOfProductDesignedForRecyclingToOriginalInput^{op}}{10le^{c}\ or\ hasMassFractionOfProductDesignedForRecyclingToOriginalInput^{op}}$

value <u>10gt-25le^c or</u>

hasMassFractionOfProductDesignedForRecyclingToOriginalInput^{op} value 99gt-100le^c or hasMassFractionOfProductDesignedForRecyclingToOriginalInput^{op}

value <u>0ge-0le^c or</u>

 $\underline{hasMassFractionOfProductDesignedForRecyclingToOriginalInput}^{op}\ value\ \underline{50gt-75le}^{c}\ or\ \underline{hasMassFractionOfProductDesignedForRecyclingToOriginalInput}^{op}$

value 25gt-50le^c or

 $\frac{hasMassFractionOfProductDesignedForRecyclingToOriginalInput}{op} \ value \ \underline{95gt-99le}^c \ \textit{or} \ \underline{hasMassFractionOfProductDesignedForRecyclingToOriginalInput}^{op}$

value 75gt-95le^c

Mf Of Product Released To Environment Availablity Statement ^C

IRI http://w3id.org/CEON/ontology/statement/MFOfProductRelease

d To Environment Availablity Statement

Sub Class Of ReleasedIntoEnvironmentStatement^C

Mf Of Product Released To Environment Statement C

IRI http://w3id.org/CEON/ontology/statement/MFOfProductRelease

dToEnvironmentStatement

Sub Class Of

ReleasedIntoEnvironmentStatement^c

hasMassFractionOfProductReleasedIntoEnvironment^{op} value 95gt-99le^c or hasMassFractionOfProductReleasedIntoEnvironment^{op} value 50gt-75le^c or hasMassFractionOfProductReleasedIntoEnvironment^{op} value 0ge-0le^c or hasMassFractionOfProductReleasedIntoEnvironment^{op} value 0gt-10le^c or hasMassFractionOfProductReleasedIntoEnvironment^{op} value 10gt-25le^c or hasMassFractionOfProductReleasedIntoEnvironment^{op} value 99gt-100le^c or hasMassFractionOfProductReleasedIntoEnvironment^{op} value 75gt-95le^c or hasMassFractionOfProductReleasedIntoEnvironment^{op} value 25gt-50le^c

Mf Of Recycled Material Content Availability Statement C

alContentAvailabilityStatement

Sub Class Of RecycledMaterialStatement^C

Mf Of Renewable Material Availability Statement ^C

IRI http://w3id.org/CEON/ontology/statement/MFOfRenewableMater

ialAvailabilityStatement

Sub Class Of SustainablyProducedRenewableMaterialStatement^C

Mf Of Reused Part Availability Statement^C

labilityStatement

Sub Class Of ReusedContentStatement^C

Mass Fraction Of Disclosed Chemical Substance Statement^C

IRI http://w3id.org/CEON/ontology/statement/MassFractionOfDisc

losedChemicalSubstanceStatement

Sub Class Of

<u>ProductCompositionStatement</u>^c

hasMassFractionOfAllDisclosedChemicalSubstance op value 50gt-75le or hasMassFractionOfAllDisclosedChemicalSubstance op value 99gt-100le or hasMassFractionOfAllDisclosedChemicalSubstance op value 0ge-0le or hasMassFractionOfAllDisclosedChemicalSubstance op value 10gt-25le or hasMassFractionOfAllDisclosedChemicalSubstance op value 95gt-99le or hasMassFractionOfAllDisclosedChemicalSubstance op value 75gt-95le or hasMassFractionOfAllDisclosedChemicalSubstance op value 25gt-50le or hasMassFractionOfAllDisclosedChemicalSubstance op value 25gt-50le or hasMassFractionOfAllDisclosedChemicalSubstance op value 0gt-10le op value

Mass Fraction Of Recycled Material Statement^c

cledMaterialStatement

Sub Class Of

RecycledMaterialStatement^c

<u>hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass</u>^{op} value <u>50gt-75le</u>^c or <u>hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass</u>^{op}

value 25qt-50le^c or

 $\frac{hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass}{op} \ value \ \underline{10gt-25le}^c \ or \ \underline{hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass}^{op}$

value <u>0gt-10le</u>^c or

 $\frac{hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass}{100le^{c}} or \frac{hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass}{100le^{c}} or \frac{hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass}{100le^$

value 95gt-99le cor

 $\frac{hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass}{op\ value\ 75gt-95le} cor\ hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass}{op\ value\ 75gt-95le} cor\ hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass} cor\ hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfRecycledMaterialsOutOfTheTotalProductMassFractionOfTheTotalProductMassFractionOfTheTotalProductMassFractionOfTheTotalProductMassFractionOfTheTotalProductMassFractionOfTheTotalProductMassFractionOfTheTotalProductMassFractionOfTheTotalProductMa$

value <u>Oge-Ole</u>^C

Mass Fraction Of Renewable Material Statement C

IRI http://w3id.org/CEON/ontology/statement/MassFractionOfRene

wableMaterialStatement

Sub Class Of

<u>SustainablyProducedRenewableMaterialStatement</u>^c

 $\underline{hasMassFractionOfRenewableMaterialsOutOfTheTotalProductMass}^{op} \ value$

99gt-100le^c or

 $\underline{has MassFraction Of Renewable Materials Out Of The Total Product Mass}^{op} \ \textbf{value}$

<u>50gt-75le</u>^c *or*

 $\underline{hasMassFractionOfRenewableMaterialsOutOfTheTotalProductMass}^{op}\ value$

<u>10gt-25le^c or</u>

 $\underline{hasMassFractionOfRenewableMaterialsOutOfTheTotalProductMass}^{op}\ value$

75qt-95le^c or

 $\underline{hasMassFractionOfRenewableMaterialsOutOfTheTotalProductMass}^{op}\ value$

95at-99le ^c or

 $\underline{hasMassFractionOfRenewableMaterialsOutOfTheTotalProductMass}^{op} \ value$

Ogt-10le^c or

 $\underline{hasMassFractionOfRenewableMaterialsOutOfTheTotalProductMass}^{op} \ \underline{value}$

25gt-50le^c or

 $\underline{has MassFraction Of Renewable Materials Out Of The Total Product Mass}^{op} \ \textbf{value}$

0ge-0le^c

Mass Fraction Of Reused Part Statement ^c

edPartStatement

Sub Class Of

ReusedContentStatement^C

hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op} value 95gt-99le^c or hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op} value 75gt-95le^c or hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op} value 99gt-100le^c or hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op} value 10gt-25le^c or hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op} value 0ge-0le^c or hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op} value 25gt-50le^c or hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op} value 0gt-10le^c or

hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op} value 50gt-75le^c

Pc Availability Statement ^c

IRI http://w3id.org/CEON/ontology/statement/PCAvailabilityStat

ement

Sub Class Of ProductCompositionStatement^C

Pcds Statement ^c

IRI http://w3id.org/CEON/ontology/statement/PCDSStatement

Sub Class Of Statement^C

Super Class Of

<u>DemountingStatement^C</u> <u>DisassemblyStatement^C</u> <u>DismantlingStatement</u>^c <u>ProductCompositionStatement</u>^c

RecycledMaterialStatement^C RecyclingStatement^c

ReleasedIntoEnvironmentStatement^C RenewableEnergyStatement^c ReusedContentStatement^C

<u>SustainablyProducedRenewableMaterialStatement</u>^C

WaterReuseOrRecirculationStatement^C

Post Consumer Recycled Material Composition Availability Statement C

IRI http://w3id.org/CEON/ontology/statement/PostConsumerRecycl

edMaterialCompositionAvailabilityStatement

Sub Class Of RecycledMaterialStatement^C

Post Consumer Recycled Material Composition Statement^C

IRI http://w3id.org/CEON/ontology/statement/PostConsumerRecycl

edMaterialCompositionStatement

Sub Class Of <u>RecycledMaterialStatement</u>^C

Restriction $\underline{hasPostConsumerRecycledMaterialCompositionThreshold}^{op}\ value$

PostConsumerRecycledMaterialCompositionStatement^C

Pre Consumer Recycled Material Composition Availability Statement C

IRI http://w3id.org/CEON/ontology/statement/PreConsumerRecycle

dMaterialCompositionAvailabilityStatement

Sub Class Of RecycledMaterialStatement^C Pre Consumer Recycled Material Composition Statement^C

IRI http://w3id.org/CEON/ontology/statement/PreConsumerRecycle

dMaterialCompositionStatement

Sub Class Of RecycledMaterialStatement^C

<u>PreConsumerRecycledMaterialCompositionStatement</u>^c

Product Composition Certification Statement^C

IRI http://w3id.org/CEON/ontology/statement/ProductComposition

CertificationStatement

Sub Class Of ProductCompositionStatement^C

Product Composition Statement ^C

IRI http://w3id.org/CEON/ontology/statement/ProductComposition

Statement

Sub Class Of PCDSStatement^C

In Domain Of

 $\frac{has Chemical Substance Threshold Used By Manufacturer}{has Mass Fraction Of All Disclosed Chemical Substance} op$

Super Class Of

<u>DisclosedChemicalSubtanceStatement^c</u>

<u>HazardousSubstanceDeclarationAvailabilityStatement</u>^c

HazardousSubstanceStatement^c

<u>MassFractionOfDisclosedChemicalSubstanceStatement</u>^c

PCAvailabilityStatement^C

 $\frac{Product Composition Certification Statement^{\texttt{C}}}{Product Composition Validation Statement^{\texttt{C}}}$

Product Composition Validation Statement ^C

ValidationStatement

Sub Class Of ProductCompositionStatement^C

Recycled Material Statement^C

IRI http://w3id.org/CEON/ontology/statement/RecycledMaterialSt

atement

Sub Class Of PCDSStatement^C

In Domain Of

 $\underline{has MassFraction Of PostConsumer Recycled Materials Out Of The Total Product Mas}$

 s^{op}

 $\underline{has MassFraction Of PreConsumer Recycled Materials Out Of The Total Product Mass}$

op

 $\frac{hasMassFractionOfRecycledMaterialSOutOfTheTotalProductMass}{hasPostConsumerRecycledMaterialCompositionThreshold}{op} \\ \frac{hasPreConsumerRecycledMaterialCompositionThreshold}{op} \\ \frac{h$

Super Class Of

MFOfPostConsumerRecycledMaterialContentAvailabilityStatement^C

MFOfPostConsumerRecycledMaterialContentStatement^C

MFOfPreConsumerRecycledMaterialContentAvailabilityStatement^C

 $\frac{MFOfPreConsumerRecycledMaterialContentStatement}{MFOfRecycledMaterialContentAvailabilityStatement}^{\mathtt{C}}$

<u>MassFractionOfRecycledMaterialStatement</u>^c

<u>PostConsumerRecycledMaterialCompositionAvailabilityStatement</u>[©]

<u>PostConsumerRecycledMaterialCompositionStatement</u>^c

<u>PreConsumerRecycledMaterialCompositionAvailabilityStatement</u>^C

PreConsumerRecycledMaterialCompositionStatement^C

Recycling Statement^C

Sub Class Of PCDSStatement^C

In Domain Of hasMassFractionOfProductDesignedForRecyclingToOriginalInput^{op}

Super Class Of

MFOfProductRecyclingAtSimilarLevelAvailabilityStatement^C

MFOfProductRecyclingAtSimilarLevelStatement^C

Released Into Environment Statement^C

 ${\tt nmentStatement}$

Sub Class Of PCDSStatement^C

In Domain Of hasMassFractionOfProductReleasedIntoEnvironment^{op}

Super Class Of

MFOfProductReleasedToEnvironmentAvailablityStatement^C

 $\underline{\mathsf{MFOfProductReleasedToEnvironmentStatement}}^{\mathtt{C}}$

Renewable Energy Statement^c

IRI http://w3id.org/CEON/ontology/statement/RenewableEnergySta

tement

Sub Class Of PCDSStatement^C

In Domain Of hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix^{op}

Super Class Of

<u>FractionOfRenewableEnergyAvailabilityStatement</u>^c

<u>FractionOfRenewableEnergyStatement^C</u>

Reused Content Statement C

http://w3id.org/CEON/ontology/statement/ReusedContentState

ment

Sub Class Of PCDSStatement^C

In Domain Of hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op}

Super Class Of MFOfReusedPartAvailabilityStatement^C

MassFractionOfReusedPartStatement C

Statement ^C

Sub Class Of Entity^c

In Domain Of

statementAbout^{op} statementValue^{dp}

Super Class Of PCDSStatement^C

Sustainably Produced Renewable Material Statement^c

IRI http://w3id.org/CEON/ontology/statement/SustainablyProduce

dRenewableMaterialStatement

Sub Class Of PCDSStatement^C

In Domain Of hasMassFractionOfRenewableMaterialsOutOfTheTotalProductMass op

Super Class Of

MFOfRenewableMaterialAvailabilityStatement^c MassFractionOfRenewableMaterialStatement^c

Vf Of Reduction Direct Water Availability Statement C

tWaterAvailabilityStatement

Sub Class Of WaterReuseOrRecirculationStatement^C

Vf Of Reduction Direct Water Statement C

http://w3id.org/CEON/ontology/statement/VFOfReductionDirec

tWaterStatement

Sub Class Of

WaterReuseOrRecirculationStatement^c

 $\underline{has Volume Fraction Of Reduction Of Direct Water Consumption Used In Production}^{op}$

value 25gt-50le^c or

 $\underline{has Volume Fraction Of Reduction Of Direct Water Consumption Used In Production}^{op}$

value 75gt-95le^c or

 $\underline{has Volume Fraction Of Reduction Of Direct Water Consumption Used In Production}^{op}$

value 50gt-75le^c or

 $\underline{has Volume Fraction Of Reduction Of Direct Water Consumption Used In Production}^{op}$

value 0gt-10le^c or

 $\underline{has Volume Fraction Of Reduction Of Direct Water Consumption Used In Production}^{op}$

value 10qt-25le^c or

 $\underline{has Volume Fraction Of Reduction Of Direct Water Consumption Used In Production}^{op}$

value Oge-Ole c or

 $\underline{has Volume Fraction Of Reduction Of Direct Water Consumption Used In Production}^{op}$

value <u>99qt-100le ^c or</u>

hasVolumeFractionOfReductionOfDirectWaterConsumptionUsedInProduction^{op}

value 95gt-99le^c

Vf Of Reused Recirculated Water Availability Statement ^c

IRI http://w3id.org/CEON/ontology/statement/VFOfReusedRecircul

atedWaterAvailabilityStatement

Sub Class Of WaterReuseOrRecirculationStatement^C

Vf Of Reused Recirculated Water Statement C

IRI http://w3id.org/CEON/ontology/statement/VFOfReusedRecircul

atedWaterStatement

Sub Class Of

<u>WaterReuseOrRecirculationStatement</u>^c

 $\underline{\text{hasVolumeFractionOfReusedOrRecirculatedWaterUsedInProduction}}^{\text{op}} \ \text{value}$

25gt-50le^c or

 $\underline{\text{hasVolumeFractionOfReusedOrRecirculatedWaterUsedInProduction}}^{op} \ \textbf{value}$

Ogt-10le^c or

 $\underline{hasVolumeFractionOfReusedOrRecirculatedWaterUsedInProduction}^{op}\ value$

50gt-75le^c or

 $\underline{has Volume Fraction Of Reused Or Recirculated Water Used In Production}^{op} \ value$

Oge-Ole c or

 $\underline{has Volume Fraction Of Reused Or Recirculated Water Used In Production}^{op} \ value$

10gt-25le^c or

 $\underline{has Volume Fraction Of Reused Or Recirculated Water Used In Production}^{op} \ value$

95gt-99le^c or

 $\underline{has Volume Fraction Of Reused Or Recirculated Water Used In Production}^{op} \ value$

99qt-100le^c or

 $\underline{has Volume Fraction Of Reused Or Recirculated Water Used In Production}^{op} \ value$

75gt-95le^c

Validation ^c

IRI http://w3id.org/CEON/ontology/statement/Validation

In Range Of has Validation op

Named Individuals

certified ni

validatedByThirdPartyⁿⁱ

Water Reuse Or Recirculation Statement^c

http://w3id.org/CEON/ontology/statement/WaterReuseOrRecirc

ulationStatement

Sub Class Of PCDSStatement^C

In Domain Of

 $\underline{has Volume Fraction Of Reduction Of Direct Water Consumption Used In Production}^{op}$

 $\underline{has Volume Fraction Of Reused Or Recirculated Water Used In Production}^{op}$

Super Class Of

<u>VFOfReductionDirectWaterAvailabilityStatement</u>^c

<u>VFOfReductionDirectWaterStatement</u>^C

<u>VFOfReusedRecirculatedWaterAvailabilityStatement</u>^C

<u>VFOfReusedRecirculatedWaterStatement</u>^c

Entity ^C

http://www.w3.org/ns/prov#Entity

Super Class Of resourceODP:Resource

<u>Statement^c</u>

Role^C

IRI http://www.w3.org/ns/prov#Role

Super Class Of http://w3id.org/CEON/ontology/actorODP/Role

Object Properties

has availability op

Range <u>Availability</u>^C

has chemical substance threshold used by manufacturer op

IRI http://w3id.org/CEON/ontology/statement/hasChemicalSubstan

ceThresholdUsedByManufacturer

Sub Property Of hasQuantityInterval op

Domain ProductCompositionStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has fraction of renewable energy out of the total production energy mix op

IRI http://w3id.org/CEON/ontology/statement/hasFractionOfRenew

ableEnergyOutOfTheTotalProductionEnergyMix

Sub Property Of hasQuantityInterval op

Domain RenewableEnergyStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has mass fraction for demounting op

IRI http://w3id.org/CEON/ontology/statement/hasMassFractionFor

Demounting

Sub Property Of hasQuantityInterval op

DemountingStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has mass fraction for disassembly op

IRI http://w3id.org/CEON/ontology/statement/hasMassFractionFor

Disassembly

Sub Property Of hasQuantityInterval op

<u>DisassemblyStatement</u>^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has mass fraction of all disclosed chemical substance op

llDisclosedChemicalSubstance

Sub Property Of hasQuantityInterval op

Domain ProductCompositionStatement^C

has mass fraction of dismantable components for reuse and recycle op

IRI http://w3id.org/CEON/ontology/statement/hasMassFractionOfD

ismantableComponentsForReuseAndRecycle

Sub Property Of hasQuantityInterval op

DismantlingStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has mass fraction of post consumer recycled materials out of the total product mass

ор

IRI http://w3id.org/CEON/ontology/statement/hasMassFractionOfP

ostConsumerRecycledMaterialsOutOfTheTotalProductMass

Sub Property Of hasQuantityInterval op

Domain RecycledMaterialStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has mass fraction of pre consumer recycled materials out of the total product mass op

reConsumerRecycledMaterialsOutOfTheTotalProductMass

Sub Property Of hasQuantityInterval op

Domain RecycledMaterialStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has mass fraction of product designed for recycling to original input op

 $roduct Designed For Recycling To 0 \verb|riginalInput|$

Sub Property Of hasQuantityInterval op

Domain RecyclingStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has mass fraction of product released into environment op

roductReleasedIntoEnvironment

Sub Property Of hasQuantityInterval op

Domain ReleasedIntoEnvironmentStatement^C

has mass fraction of recycled materials out of the total product mass op

IRI http://w3id.org/CEON/ontology/statement/hasMassFractionOfR

ecycledMaterialsOutOfTheTotalProductMass

Sub Property Of hasQuantityInterval op

Domain RecycledMaterialStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has mass fraction of renewable materials out of the total product mass op

IRI http://w3id.org/CEON/ontology/statement/hasMassFractionOfR

enewableMaterialsOutOfTheTotalProductMass

Sub Property Of hasQuantityInterval op

<u>Domain</u> <u>SustainablyProducedRenewableMaterialStatement</u>^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has mass fraction of reused parts out of the total product op

IRI http://w3id.org/CEON/ontology/statement/hasMassFractionOfR

eusedPartsOutOfTheTotalProduct

Sub Property Of hasQuantityInterval op

Domain ReusedContentStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has post consumer recycled material composition threshold op

ycledMaterialCompositionThreshold

Sub Property Of <u>hasQuantityInterval</u>op

Domain RecycledMaterialStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has pre consumer recycled material composition threshold op

IRI http://w3id.org/CEON/ontology/statement/hasPreConsumerRecy

 ${\tt cledMaterialCompositionThreshold}$

Sub Property Of hasQuantityInterval op

Domain RecycledMaterialStatement^C

has quantity interval op

IRI

http://w3id.org/CEON/ontology/statement/hasQuantityInterva

Super Property Of

- hasChemicalSubstanceThresholdUsedByManufacturerop
- hasFractionOfRenewableEnergyOutOfTheTotalProductionEnergyMix^{op}
- <u>hasMassFractionForDemounting</u> op
- hasMassFractionForDisassembly op
- hasMassFractionOfAllDisclosedChemicalSubstanceop
- hasMassFractionOfDismantableComponentsForReuseAndRecycle^{op}
- <u>hasMassFractionOfPostConsumerRecycledMaterialsOutOfTheTotalProductMass^{op}</u>
- hasMassFractionOfPreConsumerRecycledMaterialsOutOfTheTotalProduc tMass^{op}
- $\bullet \ \underline{hasMassFractionOfProductDesignedForRecyclingToOriginalInput}^{op}\\$
- <u>hasMassFractionOfProductReleasedIntoEnvironment</u>op
- hasMassFractionOfRecycledMaterialsOutOfTheTotalProductMass^{op}
- hasMassFractionOfRenewableMaterialsOutOfTheTotalProductMass^{op}
- hasMassFractionOfReusedPartsOutOfTheTotalProduct^{op}
- hasPostConsumerRecycledMaterialCompositionThreshold op
- hasPreConsumerRecycledMaterialCompositionThreshold op
- hasVolumeFractionOfReductionOfDirectWaterConsumptionUsedInProduct ion^{op}
- hasVolumeFractionOfReusedOrRecirculatedWaterUsedInProduction^{op}

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has validation op

IRI http://w3id.org/CEON/ontology/statement/hasValidation

Range Validation^C

has volume fraction of reduction of direct water consumption used in production op

fReduction Of Direct Water Consumption Used In Production

Sub Property Of hasQuantityInterval op

Domain WaterReuseOrRecirculationStatement^C

Range http://w3id.org/CEON/ontology/quantity#QuantityInterval

has volume fraction of reused or recirculated water used in production op

 $fReused {\tt OrRecirculatedWaterUsedInProduction}$

Sub Property Of hasQuantityInterval op

Domain WaterReuseOrRecirculationStatement^C

statement about op

Domain Statement^C

Datatype Properties

available end date dp

Range xsd:date

available start date dp

http://w3id.org/CEON/ontology/statement/availableStartDate

Range xsd:date

is pcds statement true dp

http://w3id.org/CEON/ontology/statement/isPCDSStatementTru

e

Range xsd:boolean

statement value dp

IRI http://w3id.org/CEON/ontology/statement/statementValue

Domain Statement^C

Annotation Properties

issued ^{ap}

IRI http://purl.org/dc/terms/issued

publisher ap

http://purl.org/dc/terms/publisher

has unit^{ap}

http://qudt.org/schema/qudt/hasUnit

numeric value ap

IRI http://qudt.org/schema/qudt/numericValue

has maximal value included of interval ap

has minimal value included of interval ap

has minimal value not included of interval ap

IRI http://w3id.org/CEON/ontology/quantity#hasMinimalValueNotI

ncludedOfInterval

Pcd Smapping ap

IRI http://w3id.org/CEON/ontology/statement/PCDSmapping

Namespaces

```
http://w3id.org/CEON/ontology/statement/
dcterms
    http://purl.org/dc/terms/
owl
    http://www.w3.org/2002/07/owl#
prov
    http://www.w3.org/ns/prov#
rdf
    http://www.w3.org/1999/02/22-rdf-syntax-ns#
rdfs
    http://www.w3.org/2000/01/rdf-schema#
resourceODP
    http://w3id.org/CEON/ontology/resourceODP/
vann
    http://purl.org/vocab/vann/
xsd
    http://www.w3.org/2001/XMLSchema#
```

Legend

С	Classes
ор	Object Properties
dp	Datatype Properties
ар	Annotation Properties