main

August 15, 2021

1 Examine tissue specific genes for correlation with gene expression or cell type proportion

```
[1]: library(dplyr)

Attaching package: 'dplyr'

The following objects are masked from 'package:stats':
    filter, lag

The following objects are masked from 'package:base':
    intersect, setdiff, setequal, union
```

1.1 Functions

2 Extract tissue specific eGenes

```
[3]: eFeature = data.table::fread("../../_m/genes/significant_geneSNP_pairs_3tissues.

→tsv") %>%

filter(N_Regions_Shared == 1) %>% select(-N_Regions_Shared)

eFeature %>% head(2)
```

```
variant id
                                                         Caudate DLPFC
                 gene_id
                                                                           Hippocampus
                                      <chr>
                 <chr>
                                                         <int>
                                                                   <int>
                                                                            <int>
A data.table: 2 \times 5
                 ENSG00000012660.13 chr6:53353585:T:G
                                                                            0
                                                                  0
                                                                            0
                 ENSG00000033122.18 chr1:69737254:C:T 1
                                                                  0
```

2.1 Prepare data

```
[4]: df = memPHENO() %>% inner_join(memTPM(), by="RNum") df %>% dim
```

1. 1173 2. 49603

2.2 Linear model for expression and brain region

```
[1] 0
```

2.3 Comparison of expression

```
[6]: dt = df %>% select(Region, all_of(eFeature$gene_id)) %>%
         aggregate(. ~ Region, ., mean) %>%
         mutate(Region = gsub("HIPPO", "Hippocampus", Region)) %>%
         tibble::column to rownames("Region") %>%
         t %>% as.data.frame %>% tibble::rownames_to_column("gene_id") %>%
         inner_join(eFeature, by="gene_id", suffix=c("_Expression", "_eQTL")) %>%
         select(-c("variant_id")) %>% inner_join(pval_df, by="gene_id")
     tt = dt %>% select(ends_with("Expression"))
     dt = dt %>% mutate("Max Expression"=gsub("_Expression", "", __
     →colnames(tt)[apply(tt, 1, which.max)]),
                        "Min Expression"=gsub("_Expression", "", u
     →colnames(tt)[apply(tt, 1, which.min)]),
                        "Mean Expresion"=rowMeans(tt),
                        "Ratio (DLPFC / Caudate)" = DLPFC Expression/
     →Caudate_Expression,
                        "Ratio (Hippocampus / Caudate)" = Hippocampus_Expression/
      →Caudate_Expression,
                        "Ratio (Hippocampus / DLPFC)" = Hippocampus_Expression/
     →DLPFC Expression)
     dt %>% data.table::fwrite("eQTL_regionSpecific_summary.tsv", sep='\t')
     dt %>% head(2)
```

```
[7]: sum(dt$`Ratio (DLPFC / Caudate)` > 0.9)
```

1

```
[8]: sum(dt$`Ratio (Hippocampus / Caudate)` > 0.9)
```

0

```
0.022222222222222
[10]: sum(dt$`Ratio (Hippocampus / DLPFC)` > 0.9)
     12
[11]: ## Low expression genes
      sum(dt$`Mean Expresion` < 1)</pre>
      sum(dt$`Mean Expresion` < 1) / dim(eFeature)[1]</pre>
     0
     0
[12]: sum(dt$Caudate_eQTL == 1 & dt$`Max Expression` == "Caudate")
      sum(dt$Caudate_eQTL == 1 & dt$`Max Expression` == "Caudate" &
          (dt\`Ratio (DLPFC / Caudate)` < 0.9 | dt\`Ratio (Hippocampus / Caudate)` < \
       →0.9))
      sum(dt$Caudate_eQTL == 1 & dt$`Max Expression` == "Caudate" &
          (dt$`Ratio (DLPFC / Caudate)` < 0.9 | dt$`Ratio (Hippocampus / Caudate)` <
       \rightarrow 0.9)) / dim(eFeature)[1]
     45
     45
     1
[13]: sum(dt$DLPFC_eQTL == 1 & dt$`Max Expression` == "DLPFC")
      sum(dt$Hippocampus_eQTL == 1 & dt$`Max Expression` == "Hippocampus")
     0
     0
[14]: sum(dt$Caudate eQTL == 1 & dt$`Min Expression` == "Caudate")
      sum(dt$DLPFC_eQTL == 1 & dt$`Min Expression` == "DLPFC")
      sum(dt$Hippocampus eQTL == 1 & dt$`Min Expression` == "Hippocampus")
     0
     0
     0
[15]: sum(eFeature$Caudate == 1)
      sum(eFeature$DLPFC == 1)
      sum(eFeature$Hippocampus == 1)
     45
     0
```

[1] 1

[16]: Sys.time()

2.3.1 Summary

• All specific genes are caudate, and caudate has the highest expression!

2.4 Reproducibility information

```
proc.time()
options(width=120)
sessioninfo::session_info()
[1] "2021-08-15 21:48:20 EDT"
        system elapsed
37.458
        11.976 47.673
 Session info
setting value
version R version 4.0.3 (2020-10-10)
os
         Arch Linux
system
         x86_64, linux-gnu
         X11
ui
language (EN)
         en_US.UTF-8
collate
         en_US.UTF-8
ctype
         America/New_York
tz
         2021-08-15
date
 Packages
package
             * version date
                                  lib source
assertthat
              0.2.1
                       2019-03-21 [1] CRAN (R 4.0.2)
              0.1 - 3
                       2015-07-28 [1] CRAN (R 4.0.2)
base64enc
cachem
              1.0.5
                       2021-05-15 [1] CRAN (R 4.0.3)
              3.0.0
                       2021-06-30 [1] CRAN (R 4.0.3)
cli
              1.4.1
                       2021-02-08 [1] CRAN (R 4.0.3)
crayon
              1.14.0 2021-02-21 [1] CRAN (R 4.0.3)
data.table
DBI
              1.1.1
                       2021-01-15 [1] CRAN (R 4.0.2)
digest
              0.6.27
                      2020-10-24 [1] CRAN (R 4.0.2)
dplyr
             * 1.0.7
                       2021-06-18 [1] CRAN (R 4.0.3)
                       2021-04-29 [1] CRAN (R 4.0.3)
              0.3.2
ellipsis
evaluate
              0.14
                       2019-05-28 [1] CRAN (R 4.0.2)
                       2021-05-25 [1] CRAN (R 4.0.3)
fansi
              0.5.0
fastmap
              1.1.0
                       2021-01-25 [1] CRAN (R 4.0.2)
                       2020-10-31 [1] CRAN (R 4.0.2)
generics
              0.1.0
              1.4.2
                       2020-08-27 [1] CRAN (R 4.0.2)
glue
              0.5.1.1 2021-01-22 [1] CRAN (R 4.0.2)
htmltools
                       2021-01-20 [1] CRAN (R 4.0.2)
IRdisplay
              1.0
```

```
2021-05-11 [1] CRAN (R 4.0.3)
IRkernel
              1.2
jsonlite
              1.7.2
                      2020-12-09 [1] CRAN (R 4.0.2)
                      2021-02-15 [1] CRAN (R 4.0.3)
lifecycle
              1.0.0
magrittr
              2.0.1
                      2020-11-17 [1] CRAN (R 4.0.2)
                      2021-01-26 [1] CRAN (R 4.0.2)
memoise
              2.0.0
                      2021-02-10 [1] CRAN (R 4.0.3)
pbdZMQ
              0.3 - 5
                      2021-05-16 [1] CRAN (R 4.0.3)
pillar
              1.6.1
                      2019-09-22 [1] CRAN (R 4.0.2)
pkgconfig
              2.0.3
purrr
              0.3.4
                      2020-04-17 [1] CRAN (R 4.0.2)
R6
              2.5.0
                      2020-10-28 [1] CRAN (R 4.0.2)
                      2021-01-21 [1] CRAN (R 4.0.2)
              1.1.3
repr
              0.4.11
                      2021-04-30 [1] CRAN (R 4.0.3)
rlang
              1.1.1
                      2018-11-05 [1] CRAN (R 4.0.2)
sessioninfo
                      2021-05-16 [1] CRAN (R 4.0.3)
              3.1.2
tibble
              1.1.1
                      2021-04-30 [1] CRAN (R 4.0.3)
tidyselect
                      2021-03-12 [1] CRAN (R 4.0.3)
utf8
              1.2.1
uuid
              0.1-4
                      2020-02-26 [1] CRAN (R 4.0.2)
              0.3.8
                      2021-04-29 [1] CRAN (R 4.0.3)
vctrs
withr
              2.4.2
                      2021-04-18 [1] CRAN (R 4.0.3)
```

- [1] /home/jbenja13/R/x86_64-pc-linux-gnu-library/4.0
- [2] /usr/lib/R/library