

Problems 4

Richard Brooks

Exercise 1

Let the simultaneous probability mass function (also called simultaneous probability density function or pdf) for the two discrete random variables X and Y be given by the table:

$y \backslash x$	1	2	3
5	$\frac{1}{12}$	0	0
6	$\frac{2}{12}$	0	$\frac{2}{12}$
7	$\frac{2}{12}$	$\frac{1}{12}$	$\frac{2}{12}$
8	0	$\frac{2}{12}$	0

- a. Find the marginal PMFs of X and Y .

$$f_X(x) = \begin{cases} \frac{5}{12} & x = 1 \\ \frac{1}{4} & x = 2 \\ \frac{1}{3} & x = 3 \end{cases}$$

$$f_Y(y) = \begin{cases} 1/12 & y = 5 \\ 1/3 & y = 6 \\ 5/12 & y = 7 \\ 1/6 & y = 8 \end{cases}$$

- b. Find $EX = 1.92$, $EY = 6.67$, $E[XY] = 12.92$
- c. Specify whether X and Y are independent - not
- d. Find $f_{X|Y}(x | y = 6) = 0.5; 0; 0.5$ for $1, 2, 3$

Exercise 2

Let the simultaneous probability mass function (also called simultaneous probability density function or pdf) for the two discrete random variables X and Y be given by the table:

$y \backslash x$	4	5	7
-3	k	0	0
-1	$\frac{2}{10}$	0	k
0	$\frac{1}{10}$	0	$\frac{4}{10}$
5	0	k	0

- a. What is the value of k ? 0.1
- b. What are the marginal PMFs?

$$f_X(x) = \begin{cases} \frac{4}{5} & x = 4 \\ \frac{1}{10} & x = 5 \\ \frac{2}{5} & x = 7 \end{cases}$$

$$f_Y(y) = \begin{cases} \frac{1}{10} & y = -3 \\ \frac{3}{10} & y = -1 \\ \frac{1}{10} & y = 0 \\ \frac{1}{5} & y = 5 \end{cases}$$

c. Find

$$E[X] = 5.6$$

$$E[Y] = -0.1$$

$$E[YX] = -0.2$$

$$E[X^2] = 33.4$$

$$E[Y^2] = 3.7$$

$$P(Y < 0) = 0.4$$

$$P(X = 5, Y > 0) = 0.1$$

$$P(X < 6, Y < 0) = 0.3$$

$$\text{Var}(X) = 2.04$$

Exercise 3

Consider the following PDF:

$$f_{Y|X}(y) = x \times e^{-xy} \quad \text{for } y > 0$$

Find $P(Y < 2 \mid X = 2) = 1 - e^{-4} \approx 0.98$ and $E(Y \mid X = 2) = 1/2$

Exercise 4

Consider two random variables X and Y with joint PMF given by

$$P_{XY}(k, l) = \frac{1}{2^{k+l}}, \quad \text{for } k, l = 1, 2, 3, \dots$$

Find $P(X^2 + Y^2 \leq 10) = 11/16$

Exercise 5

Let X and Y be two jointly continuous random variables with joint PDF

$$f_{XY}(x, y) = \begin{cases} \frac{1}{2}e^{-x} + \frac{cy}{(1+x)^2} & 0 \leq x, \quad 0 \leq y \leq 1 \\ 0 & \text{otherwise} \end{cases}$$

a. Find the constant $c = 1$.

b. Find $P(0 \leq X \leq 1, 0 \leq Y \leq \frac{1}{2}) = \frac{5}{16} - \frac{1}{4e}$.

c. Find $P(0 \leq X \leq 1) = \frac{3}{4} - \frac{1}{2e}$.

Exercise 6

Let X and Y be two jointly continuous random variables with joint PDF

$$f_{XY}(x, y) = \begin{cases} e^{-xy} & 1 \leq x \leq e, \quad y > 0 \\ 0 & \text{otherwise} \end{cases}$$

a. Find the marginal PDFs, $f_X(x)$ and $f_Y(y)$.

$$f_X(x) = \begin{cases} \frac{1}{x} & 1 \leq x \leq e \\ 0 & \text{otherwise} \end{cases}$$

$$f_Y(y) = \begin{cases} \frac{1}{y}(e^{-y} - e^{-ey}) & y > 0 \\ 0 & \text{otherwise} \end{cases}$$

b. Write an integral to compute $P(0 \leq Y \leq 1, 1 \leq X \leq \sqrt{e}) = \frac{1}{2} - \int_1^{\sqrt{e}} \frac{1}{x} e^{-x} dx$.

Exercise 7

Let X and Y be two jointly continuous random variables with joint PDF

$$f_{XY}(x, y) = \begin{cases} \frac{1}{4}x^2 + \frac{1}{6}y & -1 \leq x \leq 1, \quad 0 \leq y \leq 2 \\ 0 & \text{otherwise} \end{cases}$$

- a. Find the marginal PDFs, $f_X(x)$ and $f_Y(y)$.

$$f_X(x) = \begin{cases} \frac{1}{2}x^2 + \frac{1}{3} & -1 \leq x \leq 1 \\ 0 & \text{otherwise} \end{cases}$$

$$f_Y(y) = \begin{cases} \frac{1}{6} + \frac{1}{3}y & 0 \leq y \leq 2 \\ 0 & \text{otherwise} \end{cases}$$

- b. Find $P(X > 0, Y < 1) = 1/6$.
c. Find $P(X > 0 \text{ or } Y < 1) = 2/3$.
d. Find $P(X > 0 | Y < 1) = 1/2$.
e. Find $P(X + Y > 0) = 131/144$.